

# Transient and persistent expression of NT-3/HDNF mRNA during development

Journal of Neuroscience

11, 1577-1584

DOI: [10.1523/jneurosci.11-06-01577.1991](https://doi.org/10.1523/jneurosci.11-06-01577.1991)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Temporal and spatial expression of NGF receptor mRNA during postnatal rat brain development analyzed by in situ hybridization. <i>Developmental Brain Research</i> , 1991, 63, 43-51.	2.1	40
2	Increased levels of messenger RNAs for neurotrophic factors in the brain during kindling epileptogenesis. <i>Neuron</i> , 1991, 7, 165-176.	3.8	613
3	Neurotrophin-5: A novel neurotrophic factor that activates trk and trkB. <i>Neuron</i> , 1991, 7, 857-866.	3.8	812
4	Developmentally Regulated Expression of HDNF/NT-3 mRNA in Rat Spinal Cord Motoneurons and Expression of BDNF mRNA in Embryonic Dorsal Root Ganglion. <i>European Journal of Neuroscience</i> , 1991, 3, 953-961.	1.2	145
5	Cells that Express Brain-Derived Neurotrophic Factor mRNA in the Developing Postnatal Rat Brain. <i>European Journal of Neuroscience</i> , 1991, 3, 688-697.	1.2	210
6	Neurotrophins in the Central Nervous System. <i>Reviews in the Neurosciences</i> , 1992, 3, 1-10.	1.4	32
8	Brain-derived neurotrophic factor administration protects basal forebrain cholinergic but not nigral dopaminergic neurons from degenerative changes after axotomy in the adult rat brain. <i>Journal of Neuroscience</i> , 1992, 12, 4391-4402.	1.7	280
9	Differential regulation of mRNAs for nerve growth factor, brain-derived neurotrophic factor, and neurotrophin 3 in the adult rat brain following cerebral ischemia and hypoglycemic coma.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 648-652.	3.3	485
10	Mammalian neurotrophin-4: structure, chromosomal localization, tissue distribution, and receptor specificity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 3060-3064.	3.3	559
11	Activation of basal forebrain cholinergic neurons differentially regulates brain-derived neurotrophic factor mRNA expression in different projection areas. <i>Neuroscience Letters</i> , 1992, 136, 203-208.	1.0	25
12	Molecular cloning of rat trkC and distribution of cells expressing messenger RNAs for members of the trk family in the rat central nervous system. <i>Neuroscience</i> , 1992, 51, 513-532.	1.1	584
13	Cellular targets and trophic functions of neurotrophin-3 in the developing rat hippocampus. <i>Neuron</i> , 1992, 9, 643-656.	3.8	232
14	Brain-derived neurotrophic factor and neurotrophin-3 mRNAs are expressed in ventral midbrain regions containing dopaminergic neurons. <i>Molecular and Cellular Neurosciences</i> , 1992, 3, 56-63.	1.0	121
15	The expression of GAP43 mRNA during the late embryonic and early postnatal development of the CNS of the rat: an in situ hybridization study. <i>Developmental Brain Research</i> , 1992, 67, 75-83.	2.1	59
16	Effects of estrogen and fimbria/fornix transection on p75NGFR and ChAT expression in the medial septum and diagonal band of Broca. <i>Experimental Neurology</i> , 1992, 116, 23-39.	2.0	140
17	Cells Expressing mRNA for Neurotrophins and their Receptors During Embryonic Rat Development. <i>European Journal of Neuroscience</i> , 1992, 4, 1140-1158.	1.2	479
18	Septal cholinergic afferents regulate expression of brain-derived neurotrophic factor and $\beta$ -nerve growth factor mRNA in rat hippocampus. <i>Experimental Brain Research</i> , 1992, 88, 78-90.	0.7	123
19	Localization of trkB mRNA in postnatal brain development. <i>Journal of Neuroscience Research</i> , 1993, 35, 468-479.	1.3	99

#	ARTICLE	IF	CITATIONS
20	Immunocytochemical demonstration of nerve growth factor receptor (NGF-R) in developing human fetal teeth. <i>Anatomy and Embryology</i> , 1993, 188, 247-55.	1.5	28
21	Widespread and Developmentally Regulated Expression of Neurotrophin-4 mRNA in Rat Brain and Peripheral Tissues. <i>European Journal of Neuroscience</i> , 1993, 5, 605-613.	1.2	248
22	Rapid Phosphorylation of Phospholipase C? 1 by Brain-Derived Neurotrophic Factor and Neurotrophin-3 in Cultures of Embryonic Rat Cortical Neurons. <i>Journal of Neurochemistry</i> , 1993, 60, 2111-2123.	2.1	84
23	Neurotrophin production in the brain. <i>Seminars in Neuroscience</i> , 1993, 5, 227-237.	2.3	27
24	Localization of neurotrophin-3-like immunoreactivity in peripheral tissues of the rat. <i>Brain Research</i> , 1993, 621, 189-199.	1.1	73
25	Down-regulation of phosphatidylinositol response to BDNF and NT-3 in cultures of cortical neurons. <i>Brain Research</i> , 1993, 614, 325-334.	1.1	31
26	Coordinated expression of messenger RNAs for nerve growth factor, brain-derived neurotrophic factor and neurotrophin-3 in the rat hippocampus following transient forebrain ischemia. <i>Neuroscience</i> , 1993, 55, 23-31.	1.1	235
27	Differential expression of brain-derived neurotrophic factor, neurotrophin-3, and low-affinity nerve growth factor receptor during the postnatal development of the rat cerebellar system. <i>Molecular Brain Research</i> , 1993, 17, 1-8.	2.5	170
28	NT-3 stimulates sympathetic neuroblast proliferation by promoting precursor survival. <i>Neuron</i> , 1993, 11, 1101-1111.	3.8	211
29	Neuronal death and neurotrophin gene expression: Long-lasting stimulation of neurotrophin-3 messenger RNA in the degenerating CA1 and CA4 pyramidal cell layers. <i>Neuroscience</i> , 1993, 53, 905-908.	1.1	24
30	Response of embryonic rat hippocampal neurons in culture to neurotrophin-3, brain-derived neurotrophic factor and basic fibroblast growth factor. <i>Neuroscience</i> , 1993, 57, 67-77.	1.1	52
31	Transient expression of calbindin-D28k immunoreactivity in layer V pyramidal neurons during postnatal development of kitten cortical areas. <i>Developmental Brain Research</i> , 1993, 74, 177-192.	2.1	35
32	Expression of members of the trk family in the developing postnatal rat brain. <i>Developmental Brain Research</i> , 1993, 72, 119-131.	2.1	171
33	Chapter 31: Protective effects of nerve growth factor and brain-derived neurotrophic factor on basal forebrain cholinergic neurons in adult rats with partial fimbrial transections. <i>Progress in Brain Research</i> , 1993, 98, 257-263.	0.9	32
34	Neuronal colocalization of mRNAs for neurotrophins and their receptors in the developing central nervous system suggests a potential for autocrine interactions.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 6439-6443.	3.3	242
35	Expression and regulation of neurotrophins and their receptors in hippocampal systems. <i>Hippocampus</i> , 1993, 3, 171-181.	0.9	13
36	Coexpression of mRNAs for NGF, BDNF, and NT-3 in the cardiovascular system of the pre- and postnatal rat. <i>Journal of Neuroscience</i> , 1993, 13, 875-893.	1.7	129
37	Dopaminergic neurons in rat ventral midbrain express brain-derived neurotrophic factor and neurotrophin-3 mRNAs. <i>Journal of Comparative Neurology</i> , 1994, 342, 321-334.	0.9	283

#	ARTICLE	IF	CITATIONS
38	Neurotrophin-3 prevents the death of adult central noradrenergic neurons in vivo. <i>Nature</i> , 1994, 367, 368-371.	13.7	212
39	Differential regulation of the expression of nerve growth factor, brain-derived neurotrophic factor and neurotrophin-3 mRNAs in adult rat brain after intrahippocampal injection of quinolinic acid. <i>Molecular Brain Research</i> , 1994, 26, 89-98.	2.5	39
40	Functions of brain-derived neurotrophic factor, insulin-like growth factor-I and basic fibroblast growth factor in the development and maintenance of dopaminergic neurons. <i>Progress in Neurobiology</i> , 1994, 44, 497-516.	2.8	57
41	Localization of neurotrophin-3-like immunoreactivity in the rat central nervous system. <i>Brain Research</i> , 1994, 643, 162-172.	1.1	102
42	Enhancement of choline acetyltransferase activity in coculture of rat septal and hippocampal neurons. <i>Brain Research</i> , 1994, 642, 38-46.	1.1	5
43	NT-3 and BDNF protect CNS neurons against metabolic/excitotoxic insults. <i>Brain Research</i> , 1994, 640, 56-67.	1.1	385
44	Brain-derived neurotrophic factor and neurotrophin-4 increase neurotrophin-3 expression in the rat hippocampus. <i>International Journal of Developmental Neuroscience</i> , 1994, 12, 745-751.	0.7	46
45	Growth factors in Parkinson's disease. <i>Progress in Growth Factor Research</i> , 1994, 5, 73-87.	1.7	59
46	Stress and glucocorticoids affect the expression of brain-derived neurotrophic factor and neurotrophin-3 mRNAs in the hippocampus. <i>Journal of Neuroscience</i> , 1995, 15, 1768-1777.	1.7	1,345
47	Synergistic Trophic Actions on Rat Basal Forebrain Neurons Revealed by a Synthetic NGF/BDNF Chimaeric Molecule. <i>European Journal of Neuroscience</i> , 1995, 7, 656-662.	1.2	18
48	Regulation of neuropeptide expression in the brain by neurotrophins. <i>Molecular Neurobiology</i> , 1995, 10, 135-149.	1.9	75
49	Neurotrophin-3 is expressed in the posterior lobe of mouse cerebellum, but does not affect the cerebellar development. <i>Neuroscience Letters</i> , 1995, 192, 169-172.	1.0	17
50	NGF and BDNF are differentially modulated by visual experience in the developing geniculocortical pathway. <i>Developmental Brain Research</i> , 1995, 86, 326-334.	2.1	138
51	The levels of neurotrophin-3 protein in the rat brain determined by enzyme immunoassay show a pattern distinct from nerve growth factor. <i>Neuroscience Letters</i> , 1995, 189, 5-8.	1.0	19
52	Differential regulation of catalytic and non-catalytic trkB messenger RNAs in the rat hippocampus following seizures induced by systemic administration of kainate. <i>Neuroscience</i> , 1995, 66, 861-877.	1.1	39
53	Induction of $\hat{I}^2$ -A activin expression by synaptic activity and during neocortical development. <i>Neuroscience</i> , 1995, 69, 781-796.	1.1	92
54	Regulated Release and Polarized Localization of Brain-Derived Neurotrophic Factor in Hippocampal Neurons. <i>Molecular and Cellular Neurosciences</i> , 1996, 7, 222-238.	1.0	319
55	Mechanisms of estrogen action during neural development: Mediation by interactions with the neurotrophins and their receptors?. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1996, 56, 169-178.	1.2	156

#	ARTICLE	IF	CITATIONS
56	Responses of basal forebrain cholinergic neurons to damage in the adult brain. <i>Progress in Neurobiology</i> , 1996, 48, 219-254.	2.8	29
57	Increased expression of brain-derived neurotrophic factor but not neurotrophin-3 mRNA in rat brain after cortical impact injury. <i>Journal of Neuroscience Research</i> , 1996, 44, 157-164.	1.3	101
58	Oligodendrocyte-type-2 astrocyte (O-2A) progenitor cells derived from adult rat spinal cord: In vitro characteristics and response to PDGF, bFGF and NT-3. , 1996, 16, 16-26.		95
59	Pre-exposure to Subtoxic Levels Prevents Kainic Acid Lesions in Organotypic Hippocampal Slice Cultures: Effects of Kainic Acid on Parvalbumin-immunoreactive Neurons and Expression of Heat Shock Protein 72 Following the Induction of Tolerance. <i>European Journal of Neuroscience</i> , 1996, 8, 1209-1219.	1.2	29
60	Neurotrophin-3 levels in the cerebrospinal fluid of patients with schizophrenia or medical illness. <i>Psychiatry Research</i> , 1997, 73, 109-113.	1.7	21
61	Inhibition of GABA <sub>A</sub> Synaptic Responses by Brain-Derived Neurotrophic Factor (BDNF) in Rat Hippocampus. <i>Journal of Neuroscience</i> , 1997, 17, 2959-2966.	1.7	362
62	Expression of neurotrophins and neurotrophin receptors in the cerebellum of mutant weaver and lurcher mice. <i>Developmental Brain Research</i> , 1998, 110, 1-6.	2.1	17
63	Simultaneous expression of brain-derived neurotrophic factor and neurotrophin-3 in Cajalâ€“Retzius, subplate and ventricular progenitor cells during early development stages of the rat cerebral cortex. <i>Neuroscience</i> , 1998, 84, 115-127.	1.1	74
64	Distribution of the neurotrophins brain-derived neurotrophic factor, neurotrophin-3, and neurotrophin-4/5 in the postnatal rat brain: an immunocytochemical study. <i>Neuroscience</i> , 1998, 84, 101-114.	1.1	120
65	Dexamethasone inhibits ischemia-induced transient reduction of neurotrophin-3 mRNA in rat hippocampal neurons. <i>NeuroReport</i> , 1998, 9, 3477-3480.	0.6	13
66	Endogenous Neurotrophin-3 Regulates Short-Term Plasticity at Lateral Perforant Pathâ€“Granule Cell Synapses. <i>Journal of Neuroscience</i> , 1998, 18, 8730-8739.	1.7	59
67	Distinct populations of hypothalamic dopaminergic neurons exhibit differential responses to brain-derived neurotrophic factor (BDNF) and neurotrophin-3 (NT3). <i>European Journal of Neuroscience</i> , 1999, 11, 617-624.	1.2	46
68	Postnatal Cerebral Cortical Multipotent Progenitors: Regulatory Mechanisms and Potential Role in the Development of Novel Neural Regenerative Strategies. <i>Brain Pathology</i> , 1999, 9, 515-526.	2.1	42
69	Corticosterone replacement restores normal morphological features to the hippocampal dendrites, axons and synapses of adrenalectomized rats. <i>Journal of Neurocytology</i> , 1999, 28, 541-558.	1.6	30
70	Mice lacking NT-3, and its receptor TrkC, exhibit profound deficiencies in CNS glial cells. <i>Glia</i> , 1999, 26, 153-165.	2.5	91
71	Localized expression of BMP and GDF mRNA in the rodent brain. <i>Journal of Neuroscience Research</i> , 1999, 56, 482-492.	1.3	43
72	Ontogenetic expression of trk neurotrophin receptors in the chick auditory system. , 1999, 413, 271-288.		34
73	An immunohistochemical study of the distribution of brain-derived neurotrophic factor in the adult human brain, with particular reference to Alzheimer's disease. <i>Neuroscience</i> , 1999, 88, 1015-1032.	1.1	166

#	ARTICLE	IF	CITATIONS
74	Gerbil Angiotensin II AT1 receptors are highly expressed in the hippocampus and cerebral cortex during postnatal development. <i>Neuroscience</i> , 1999, 95, 981-991.	1.1	3
75	NEUROTROPHINS AND SYNAPTIC PLASTICITY. <i>Annual Review of Neuroscience</i> , 1999, 22, 295-318.	5.0	1,219
76	Alterations in Nigrostriatal Dopaminergic Function within BDNF Mutant Mice. <i>Experimental Neurology</i> , 1999, 160, 500-507.	2.0	58
77	Chapter 7 Reconstruction of cortical circuitry. <i>Progress in Brain Research</i> , 2000, 127, 115-156.	0.9	24
78	Expression of neurotrophin-3 in the mouse forebrain: Insights from a targeted LacZ reporter. , 2000, 416, 398-415.		50
79	Dynamic regulation of BDNF and NT-3 expression during visual system development. , 2000, 420, 1-18.		70
80	Neurotrophins Induce Death of Hippocampal Neurons via the p75 Receptor. <i>Journal of Neuroscience</i> , 2000, 20, 6340-6346.	1.7	266
81	Trophic Dependencies of Rodent Corticospinal Neurons. <i>Reviews in the Neurosciences</i> , 2001, 12, 79-94.	1.4	35
82	Evaluation of Nigrostriatal Dopaminergic Function in Adult +/- and +/- BDNF Mutant Mice. <i>Experimental Neurology</i> , 2001, 170, 121-128.	2.0	97
83	Brain-derived neurotrophic factor in the control human brain, and in Alzheimer's disease and Parkinson's disease. <i>Progress in Neurobiology</i> , 2001, 63, 71-124.	2.8	760
84	Regional Differences in Neurotrophin Availability Regulate Selective Expression of VGF in the Developing Limbic Cortex. <i>Journal of Neuroscience</i> , 2001, 21, 9315-9324.	1.7	34
85	Enhanced CREB phosphorylation in immature dentate gyrus granule cells precedes neurotrophin expression and indicates a specific role of CREB in granule cell differentiation. <i>European Journal of Neuroscience</i> , 2001, 13, 679-686.	1.2	88
86	Transcriptional profiling reveals strict boundaries between hippocampal subregions. <i>Journal of Comparative Neurology</i> , 2001, 441, 187-196.	0.9	178
87	Effect of dexamethasone on the expression of brain-derived neurotrophic factor and neurotrophin-3 messenger ribonucleic acids after forebrain ischemia in the rat. <i>Critical Care Medicine</i> , 2002, 30, 913-918.	0.4	21
88	Neurotrophin-3 Promotes Cell Death Induced in Cerebral Ischemia, Oxygen-Glucose Deprivation, and Oxidative Stress: Possible Involvement of Oxygen Free Radicals. <i>Neurobiology of Disease</i> , 2002, 9, 24-37.	2.1	28
89	Long-term high-frequency electro-acupuncture stimulation prevents neuronal degeneration and up-regulates BDNF mRNA in the substantia nigra and ventral tegmental area following medial forebrain bundle axotomy. <i>Molecular Brain Research</i> , 2002, 108, 51-59.	2.5	93
90	Combined neurotrophic supplementation and caspase inhibition enhances survival of fetal hippocampal CA3 cell grafts in lesioned CA3 region of the aging hippocampus. <i>Neuroscience</i> , 2002, 109, 537-553.	1.1	34
91	BDNF mRNA expression during postnatal development, maturation and aging of the human prefrontal cortex. <i>Developmental Brain Research</i> , 2002, 139, 139-150.	2.1	147

#	ARTICLE	IF	CITATIONS
92	Tissue Distribution and Immunocytochemical Localization of Neurotrophin-3 in the Brain and Peripheral Tissues of Rats. <i>Journal of Neurochemistry</i> , 1996, 66, 330-337.	2.1	88
93	Neurotrophin-3 is expressed in a discrete subset of olfactory receptor neurons in the mouse. <i>Journal of Comparative Neurology</i> , 2003, 463, 221-235.	0.9	17
94	Reduced brain-derived neurotrophic factor in prefrontal cortex of patients with schizophrenia. <i>Molecular Psychiatry</i> , 2003, 8, 592-610.	4.1	507
95	Neurotrophic and Neuroprotective Effects of Tripchlorolide, an Extract of Chinese Herb <i>Tripterygium wilfordii</i> Hook F, on Dopaminergic Neurons. <i>Experimental Neurology</i> , 2003, 179, 28-37.	2.0	56
96	Signals from the cerebellum guide the pathfinding of inferior olivary axons. <i>Developmental Biology</i> , 2003, 257, 233-248.	0.9	9
97	Cingulate Cortex and Disease Models. , 2004, , 705-727.		35
98	Regulation of neurogenesis by neurotrophins: implications in hippocampus-dependent memory. <i>Neuron Glia Biology</i> , 2004, 1, 377-384.	2.0	30
99	BDNF and NT-3 promote thalamocortical axon growth with distinct substrate and temporal dependency. <i>European Journal of Neuroscience</i> , 2004, 19, 1485-1493.	1.2	28
100	Expression profiling in laser-microdissected hippocampal subregions in rat brain reveals large subregion-specific differences in expression. <i>European Journal of Neuroscience</i> , 2004, 20, 2541-2554.	1.2	65
101	Early Striatal Dendrite Deficits followed by Neuron Loss with Advanced Age in the Absence of Anterograde Cortical Brain-Derived Neurotrophic Factor. <i>Journal of Neuroscience</i> , 2004, 24, 4250-4258.	1.7	357
102	Assessment of Factors Regulating Axon Growth between the Cortex and Spinal Cord in Organotypic Co-Cultures: Effects of Age and Neurotrophic Factors. <i>Journal of Neurotrauma</i> , 2004, 21, 339-356.	1.7	29
103	Emx1 and Emx2 cooperate in initial phase of archipallium development. <i>Mechanisms of Development</i> , 2004, 121, 475-489.	1.7	71
104	Differential regulation of multiple brain-derived neurotrophic factor transcripts in the postnatal and adult rat hippocampus during development, and in response to kainate administration. <i>Molecular Brain Research</i> , 2004, 130, 170-177.	2.5	38
105	Neurotrophic factors and the pathophysiology of schizophrenic psychoses. <i>European Psychiatry</i> , 2004, 19, 326-337.	0.1	99
106	Developmental Expression of Neurotrophins and Their Receptors in Postnatal Rat Ventral Midbrain. <i>Journal of Molecular Neuroscience</i> , 2005, 27, 245-260.	1.1	24
107	Akt-dependent Expression of NAIP-1 Protects Neurons against Amyloid- $\beta^2$ Toxicity. <i>Journal of Biological Chemistry</i> , 2005, 280, 24941-24947.	1.6	51
108	Formation of the Thalamocortical Projection Regulated Differentially by BDNF- and NT-3-Mediated Signaling. <i>Reviews in the Neurosciences</i> , 2005, 16, 223-31.	1.4	13
109	N-methyl-d-aspartic acid-induced and Ca-dependent neuronal swelling and its retardation by brain-derived neurotrophic factor in the epileptic hippocampus. <i>Neuroscience</i> , 2005, 131, 801-812.	1.1	13

#	ARTICLE	IF	CITATIONS
110	A role for neurotrophin-3 in targeting developing cholinergic axon projections to cerebral cortex. <i>Neuroscience</i> , 2006, 143, 523-539.	1.1	15
111	Stimulation of Phosphatidylinositol Hydrolysis by Brain-Derived Neurotrophic Factor and Neurotrophin-3 in Rat Cerebral Cortical Neurons Developing in Culture. <i>Journal of Neurochemistry</i> , 1992, 59, 2113-2124.	2.1	39
112	BDNF and trkB mRNA expression in the hippocampus and temporal cortex during the human lifespan. <i>Gene Expression Patterns</i> , 2006, 6, 941-951.	0.3	187
113	NT-3 facilitates hippocampal plasticity and learning and memory by regulating neurogenesis. <i>Learning and Memory</i> , 2006, 13, 307-315.	0.5	158
114	Immunohistochemical Distribution of NGF, BDNF, NT-3, and NT-4 in Adult Rhesus Monkey Brains. <i>Journal of Histochemistry and Cytochemistry</i> , 2007, 55, 1-19.	1.3	76
115	BDNF, NT-3, and NGF Released From Transplanted Neural Progenitor Cells Promote Corticospinal Axon Growth in Organotypic Cocultures. <i>Spine</i> , 2007, 32, 1272-1278.	1.0	128
116	The role of neurotrophic factors in adult hippocampal neurogenesis, antidepressant treatments and animal models of depressive-like behavior. <i>Behavioural Pharmacology</i> , 2007, 18, 391-418.	0.8	592
117	Cellular mechanisms underlying the effect of a single exposure to neonatal handling on neurotrophin-3 in the brain of 1-day-old rats. <i>Neuroscience</i> , 2007, 148, 349-358.	1.1	9
118	Expression of trkB and trkC receptors and their ligands brain-derived neurotrophic factor and neurotrophin-3 in the murine amygdala. <i>Journal of Neuroscience Research</i> , 2008, 86, 411-421.	1.3	20
119	Allowing animals to bite reverses the effects of immobilization stress on hippocampal neurotrophin expression. <i>Brain Research</i> , 2008, 1195, 43-49.	1.1	46
120	Schwann cell-derived factors support serotonergic neuron survival and promote neurite outgrowth. <i>European Journal of Histochemistry</i> , 2009, 45, 367.	0.6	15
121	Differential expression of neurotrophins in postnatal C57BL/6 mice striatum. <i>International Journal of Biological Sciences</i> , 2009, 5, 118-127.	2.6	21
122	Natural and lesion-induced apoptosis in the rat striatum during development. <i>Brain Research</i> , 2009, 1252, 30-44.	1.1	10
123	Changes in alternative brain-derived neurotrophic factor transcript expression in the developing human prefrontal cortex. <i>European Journal of Neuroscience</i> , 2009, 29, 1311-1322.	1.2	64
124	The transcriptional repressor RP58 is crucial for cell-division patterning and neuronal survival in the developing cortex. <i>Developmental Biology</i> , 2009, 331, 140-151.	0.9	53
125	Role of Neurotrophin 3 in spinal neuroplasticity in rats subjected to cord transection. <i>Growth Factors</i> , 2009, 27, 237-246.	0.5	18
126	Neurotrophin-3 Is Involved in the Formation of Apical Dendritic Bundles in Cortical Layer 2 of the Rat. <i>Cerebral Cortex</i> , 2010, 20, 229-240.	1.6	18
127	Chronic Stress Induces Neurotrophin-3 in Rat Submandibular Gland. <i>Yonsei Medical Journal</i> , 2012, 53, 1085.	0.9	11



#	ARTICLE	IF	CITATIONS
128	Neurotrophins and Synaptic Plasticity. <i>Current Topics in Behavioral Neurosciences</i> , 2013, 15, 117-136.	0.8	119
129	Neurotrophins and Psychiatric Disorders. <i>Handbook of Experimental Pharmacology</i> , 2014, 220, 461-479.	0.9	116
131	Neurotrophins: Transcription and Translation. <i>Handbook of Experimental Pharmacology</i> , 2014, 220, 67-100.	0.9	90
132	Mastication as a Stress-Coping Behavior. <i>BioMed Research International</i> , 2015, 2015, 1-11.	0.9	64
133	Rediscovering area CA2: unique properties and functions. <i>Nature Reviews Neuroscience</i> , 2016, 17, 89-102.	4.9	249
134	Regulatory role of NGFs in neurocognitive functions. <i>Reviews in the Neurosciences</i> , 2017, 28, 649-673.	1.4	29
135	Genetics of stroke recovery: BDNF val66met polymorphism in stroke recovery and its interaction with aging. <i>Neurobiology of Disease</i> , 2019, 126, 36-46.	2.1	45
136	Birth and death of neurons in the developing and mature mammalian brain. <i>International Journal of Developmental Biology</i> , 2021, , .	0.3	0
137	The Role of Neurotrophins in the Central Nervous System: Significance for the Treatment of Neurodegenerative Diseases. <i>Advances in Behavioral Biology</i> , 1992, , 99-111.	0.2	1
138	Human Nerve Growth Factor: Biological and Immunological Activities, and Clinical Possibilities in Neurodegenerative Disease. <i>Advances in Experimental Medicine and Biology</i> , 1991, 296, 207-225.	0.8	9
139	Structural Organization of Cingulate Cortex: Areas, Neurons, and Somatodendritic Transmitter Receptors. , 1993, , 19-70.		85
140	Development of Cingulate Cortex: Proteins, Neurons, and afferents. , 1993, , 151-180.		4
141	Neurotrophins and Cortical Development. <i>Results and Problems in Cell Differentiation</i> , 2002, 39, 89-112.	0.2	24
142	Neurotrophins and their Receptors. <i>Research and Perspectives in Neurosciences</i> , 1992, , 180-200.	0.4	3
143	Neurotrophin-3 modulates synaptic transmission. <i>Vitamins and Hormones</i> , 2020, 114, 71-89.	0.7	14
144	Neurotrophin-4 is a target-derived neurotrophic factor for neurons of the trigeminal ganglion. <i>Development (Cambridge)</i> , 1993, 117, 1345-1353.	1.2	92
145	Role of transforming growth factor-beta isoforms in regulating the expression of nerve growth factor and neurotrophin-3 mRNA levels in embryonic cutaneous cells at different stages of development. <i>Development (Cambridge)</i> , 1994, 120, 1621-1629.	1.2	47
146	Prenatal and postnatal requirements of NT-3 for sympathetic neuroblast survival and innervation of specific targets. <i>Development (Cambridge)</i> , 1996, 122, 491-500.	1.2	107

#	ARTICLE	IF	CITATIONS
147	Opposing roles for neurotrophin-3 in targeting and collateral formation of distinct sets of developing cortical neurons. <i>Development (Cambridge)</i> , 1999, 126, 3335-3345.	1.2	44
148	A local Wnt-3a signal is required for development of the mammalian hippocampus. <i>Development (Cambridge)</i> , 2000, 127, 457-467.	1.2	537
149	Proneurotrophin-3 promotes cell cycle withdrawal of developing cerebellar granule cell progenitors via the p75 neurotrophin receptor. <i>ELife</i> , 2016, 5, .	2.8	35
150	Dynamics of biomarkers across the stages of traumatic spinal cord injury - implications for neural plasticity and repair. <i>Restorative Neurology and Neuroscience</i> , 2021, 39, 339-366.	0.4	2
151	Factores neurotróficos y fisiopatología de las psicosis Esquizofrénicas. <i>European Psychiatry (Ed) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	0.0	0
152	Neurotrophic Factors and Ethanol Neurotoxicity. , 2014, , 1671-1732.		2
153	Effects of Brain-Derived Neurotrophic Factor on Injured Dopaminergic Neurons. , 1994, , 167-183.		0
154	Expression, Regulation and Receptor Distribution of Neurotrophins in the Mammalian Central Nervous System. , 1994, , 123-150.		0
155	Neurotrophins and TRK Receptors in Hippocampal Development. , 1995, , 145-170.		0
157	Molecular Determinants of Neurotrophin Actions in the Brain. , 1995, , 297-312.		1
158	Neurotrophin-3 and neurotrophin-4/5. , 1996, , 219-249.		1
159	Impaired eye-blink conditioning in waggler, a mutant mouse with cerebellar BDNF deficiency. <i>Learning and Memory</i> , 1998, 5, 355-64.	0.5	12
160	Postmortem investigations of the pathophysiology of schizophrenia: the role of susceptibility genes. <i>Journal of Psychiatry and Neuroscience</i> , 2004, 29, 287-93.	1.4	14
161	Neurotrophin and neurotrophin receptors in vascular smooth muscle cells. Regulation of expression in response to injury. <i>American Journal of Pathology</i> , 1995, 147, 309-24.	1.9	232
163	Impaired Eye-Blink Conditioning in <i>waggler</i> , a Mutant Mouse With Cerebellar BDNF Deficiency. <i>Learning and Memory</i> , 1998, 5, 355-364.	0.5	40