

The Epidemiology of Infections Caused by Escherichia coli Enterohemorrhagic E. coli, and the Associated Hemolytic

Epidemiologic Reviews

13, 60-98

DOI: [10.1093/oxfordjournals.epirev.a036079](https://doi.org/10.1093/oxfordjournals.epirev.a036079)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Properties of Vero Cytotoxin-Producing <i>Escherichia coli</i> of Human Origin of O Serogroups Other than O157. <i>Journal of Infectious Diseases</i> , 1992, 166, 797-802.	4.0	127
2	A Waterborne Outbreak in Missouri of <i>Escherichia coli</i> O157:H7 Associated with Bloody Diarrhea and Death. <i>Annals of Internal Medicine</i> , 1992, 117, 812-819.	3.9	398
3	Hemolytic uremic syndrome due to <i>Escherichia coli</i> O157: H7 in a child with multiple infections. <i>Pediatric Nephrology</i> , 1992, 6, 270-272.	1.7	5
4	Enteroadherent <i>Escherichia coli</i> : a heterogeneous group of <i>E. coli</i> implicated as diarrhoeal pathogens. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1993, 87, 49-53.	1.8	28
5	Examination of raw beef products for the presence of Vero cytotoxin producing <i>Escherichia coli</i> , particularly those of serogroup O157. <i>Journal of Applied Bacteriology</i> , 1993, 75, 420-426.	1.1	65
6	Transmission and epidemiology. <i>Bailliere's Clinical Gastroenterology</i> , 1993, 7, 195-214.	0.9	3
7	Differences in verotoxin neutralizing activity of therapeutic immunoglobulins and sera from healthy controls. <i>Infection</i> , 1993, 21, 140-145.	4.7	40
8	Characteristics of vero cytotoxin producing <i>Escherichia coli</i> associated with intestinal colonization and diarrhea in calves. <i>Veterinary Microbiology</i> , 1993, 36, 149-159.	1.9	43
9	An Outbreak of Diarrhea and Hemolytic Uremic Syndrome From <i>Escherichia coli</i> O157:H7 in Fresh-Pressed Apple Cider. <i>JAMA - Journal of the American Medical Association</i> , 1993, 269, 2217.	7.4	527
10	Evidence of Direct Transmission of <i>Escherichia coli</i> O157:H7 Infection between Calves and a Human. <i>Journal of Infectious Diseases</i> , 1993, 168, 792-793.	4.0	83
11	Possible occupational acquisition of <i>Escherichia coli</i> O157 infection. <i>Lancet, The</i> , 1993, 342, 1298-1299.	13.7	21
12	Verotoxin producing <i>Escherichia coli</i> O 157 infections associated with the consumption of yoghurt. <i>Epidemiology and Infection</i> , 1993, 111, 181-188.	2.1	289
13	The role of <i>Escherichia coli</i> O 157 infections in the classical (enteropathic) haemolytic uraemic syndrome: Results of a Central European, multicentre study. <i>Epidemiology and Infection</i> , 1993, 110, 183-196.	2.1	139
14	The Emergence of <i>Escherichia coli</i> O157:H7 Infection in the United States. <i>JAMA - Journal of the American Medical Association</i> , 1993, 269, 2264.	7.4	18
15	Preliminary Report: Foodborne Outbreak of <i>Escherichia coli</i> O157:H7 Infections From Hamburgers—Western United States, 1993. <i>JAMA - Journal of the American Medical Association</i> , 1993, 269, 1089.	7.4	2
16	Holiday Gynecomastia Related to Marijuana?. <i>Annals of Internal Medicine</i> , 1993, 119, 253.	3.9	3
17	Herpetic Esophagitis Causing Intractable Hiccups. <i>Annals of Internal Medicine</i> , 1993, 119, 249.	3.9	7
18	Serum Ferritin in Hyperthyroidism. <i>Annals of Internal Medicine</i> , 1993, 119, 249.	3.9	4

#	ARTICLE	IF	CITATIONS
19	Southwestern Internal Medicine Conference: Shiga-like Toxins in Hemolytic-Uremic Syndrome and Thrombotic Thrombocytopenic Purpura. American Journal of the Medical Sciences, 1993, 306, 398-406.	1.1	52
20	Bacterial diarrhoea. Annals of Tropical Paediatrics, 1993, 13, 107-119.	1.0	2
21	Shiga-like toxin-producing Escherichia coli in Seattle children: A prospective study. Gastroenterology, 1993, 105, 1724-1731.	1.3	74
22	Epidemiologic Studies of Escherichia coli Diarrheal Infections in a Low Socioeconomic Level Peri-Urban Community In Santiago, Chile. American Journal of Epidemiology, 1993, 138, 849-869.	3.4	187
23	Phage typing of Vero cytotoxin-producing Escherichia coli O157 isolated in the United Kingdom: 1989-1991. Epidemiology and Infection, 1993, 110, 469-475.	2.1	27
24	Virulence properties of Escherichia coli strains belonging to serogroups O26, O55, O111 and O128 isolated in the United Kingdom in 1991 from patients with diarrhoea. Epidemiology and Infection, 1993, 111, 429-438.	2.1	48
25	A Comparison of Human and Bovine Escherichia coli O157:H7 Isolates by Toxin Genotype, Plasmid Profile, and Bacteriophage λ -Restriction Fragment Length Polymorphism Profile. Journal of Infectious Diseases, 1993, 168, 1300-1303.	4.0	65
26	More on the Doctor's Anguish. Annals of Internal Medicine, 1993, 119, 252.	3.9	0
27	Impedance Plethysmography and DVT Diagnosis. Annals of Internal Medicine, 1993, 119, 246.	3.9	2
28	How Useful Are Cytomegalovirus Cultures in Patients with HIV Infection?. Annals of Internal Medicine, 1993, 119, 247.	3.9	0
29	Which Colonic Adenomas Became Malignant?. Annals of Internal Medicine, 1993, 119, 250.	3.9	0
30	Holiday Gynecomastia Related to Marijuana?. Annals of Internal Medicine, 1993, 119, 253.	3.9	0
31	Which Colonic Adenomas Became Malignant?. Annals of Internal Medicine, 1993, 119, 250.	3.9	2
32	Fate of Enterohemorrhagic Escherichia coli O157: H7 in Commercial Mayonnaise. Journal of Food Protection, 1994, 57, 780-783.	1.7	101
33	Bacteria and Diseases of Unknown Cause. Annals of Internal Medicine, 1994, 121, 144.	3.9	12
34	Adhesion and its role in the virulence of enteropathogenic Escherichia coli. Clinical Microbiology Reviews, 1994, 7, 152-173.	13.6	125
35	Escherichia coli O157: H7 Acid Tolerance and Survival in Apple Cider. Journal of Food Protection, 1994, 57, 460-465.	1.7	321
36	Survival of Escherichia coli O157:H7 in Mayonnaise and Mayonnaise-Based Sauces at Room and Refrigerated Temperatures. Journal of Food Protection, 1994, 57, 629-631.	1.7	177

#	ARTICLE	IF	CITATIONS
37	Communitywide Outbreak of Hemolytic-Uremic Syndrome Associated with Non-O157 Verocytotoxin-Producing <i>Escherichia coli</i> . <i>Journal of Infectious Diseases</i> , 1994, 169, 208-211.	4.0	182
38	Epidemic Neuropathy—Cuba, 1991-1994. <i>JAMA - Journal of the American Medical Association</i> , 1994, 271, 1154.	7.4	3
39	<i>Escherichia coli</i> O157:H7 Outbreak Linked to Home-Cooked Hamburger—California, July 1993. <i>JAMA - Journal of the American Medical Association</i> , 1994, 271, 1153.	7.4	0
40	What Makes <i>Escherichia coli</i> Pathogenic?. <i>Annals of Medicine</i> , 1994, 26, 229-231.	3.8	21
41	Genetic analysis of uidA expression in enterohaemorrhagic <i>Escherichia coli</i> serotype O157:H7. <i>Microbiology (United Kingdom)</i> , 1994, 140, 2101-2107.	1.8	73
42	Case 25-1994. <i>New England Journal of Medicine</i> , 1994, 330, 1811-1817.	27.0	9
43	A Fatal Case of Hemorrhagic Colitis, Thrombocytopenia, and Renal Failure Associated with Verocytotoxin-Producing, Non-O157 <i>Escherichia coli</i> . <i>Clinical Infectious Diseases</i> , 1994, 19, 815-816.	5.8	17
44	Emerging Infectious Diseases in the United States, 1993. <i>Journal of Infectious Diseases</i> , 1994, 170, 272-277.	4.0	50
45	Infection Caused by <i>Escherichia coli</i> O157:H7 in Alberta, Canada, and in Scotland: A Five-Year Review, 1987-1991. <i>Clinical Infectious Diseases</i> , 1994, 19, 834-843.	5.8	79
46	Changing Epidemiology of Food-Borne Disease: A Minnesota Perspective. <i>Clinical Infectious Diseases</i> , 1994, 18, 671-682.	5.8	183
47	Racial incidence of hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 1994, 8, 545-547.	1.7	17
48	Haemolytic-uraemic syndrome in childhood: surveillance and case-control studies in Italy. <i>Pediatric Nephrology</i> , 1994, 8, 705-709.	1.7	47
49	Too fast food: Bloody diarrhea and death from <i>Escherichia coli</i> O157:H7. <i>Clinical Microbiology Newsletter</i> , 1994, 16, 17-19.	0.7	7
50	Production of enterotoxin, verotoxin, hemolysin and cytotoxic necrotizing factor by <i>Escherichia coli</i> of intestinal and extraintestinal origin. <i>Folia Microbiologica</i> , 1994, 39, 79-82.	2.3	7
51	High incidence of haemorrhagic colitis due to <i>Escherichia coli</i> O157 in one Scottish town: Clinical and epidemiological features. <i>Journal of Infection</i> , 1994, 29, 343-350.	3.3	7
52	A Swimming-Associated Outbreak of Hemorrhagic Colitis Caused by <i>Escherichia coli</i> O157:H7 and <i>Shigella Sonnei</i> . <i>New England Journal of Medicine</i> , 1994, 331, 579-584.	27.0	308
53	A Multistate Outbreak of <i>Escherichia coli</i> O157:H7—Associated Bloody Diarrhea and Hemolytic Uremic Syndrome From Hamburgers. <i>JAMA - Journal of the American Medical Association</i> , 1994, 272, 1349.	7.4	479
54	Hemolytic uremic syndrome: Just another case of gastroenteritis?. <i>American Journal of Emergency Medicine</i> , 1994, 12, 358-363.	1.6	0

#	ARTICLE	IF	CITATIONS
55	Vero cytotoxin-producing <i>Escherichia coli</i> O157 in beefburgers linked to an outbreak of diarrhoea, haemorrhagic colitis and haemolytic uraemic syndrome in Britain. <i>Letters in Applied Microbiology</i> , 1994, 19, 304-307.	2.2	194
56	Spectrum of extrarenal involvement in postdiarrheal hemolytic-uremic syndrome. <i>Journal of Pediatrics</i> , 1994, 125, 511-518.	1.8	181
57	<i>Escherichia coli</i> O157:H7-associated hemolytic-uremic syndrome after ingestion of contaminated hamburgers. <i>Journal of Pediatrics</i> , 1994, 125, 519-526.	1.8	124
58	Epidemic <i>Escherichia coli</i> O157:H7 gastroenteritis and hemolytic-uremic syndrome in a Canadian Inuit community: Intestinal illness in family members as a risk factor. <i>Journal of Pediatrics</i> , 1994, 124, 21-26.	1.8	53
59	An outbreak due to enterohaemorrhagic <i>Escherichia coli</i> O157: H7 in a children day care centre characterized by person-to-person transmission and environmental contamination. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1994, 281, 534-543.	0.5	50
60	<i>Campylobacter jejuni</i> Infection and the Guillain-Barre Syndrome: Mechanisms and Implications. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1994, 281, 544-548.	0.5	7
61	Une singuli�re �pid�mie dans l'Oise. <i>Journal De Pediatrie Et De Puericulture</i> , 1994, 7, 52-54.	0.0	2
62	Detection and control of <i>Escherichia coli</i> O157:H7 in foods. <i>Trends in Food Science and Technology</i> , 1994, 5, 179-185.	15.1	26
63	Interaction of the Shiga-like Toxin Type 1 B-Subunit with Its Carbohydrate Receptor. <i>Biochemistry</i> , 1994, 33, 14452-14463.	2.5	126
64	Sequence heterogeneity of the <i>eae</i> gene and detection of verotoxin-producing <i>Escherichia coli</i> using serotype-specific primers. <i>Epidemiology and Infection</i> , 1994, 112, 449-461.	2.1	157
65	The prevalence of <i>Escherichia coli</i> O157:H7 in dairy and beef cattle in Washington State. <i>Epidemiology and Infection</i> , 1994, 113, 199-207.	2.1	403
66	A community outbreak of haemolytic-uraemic syndrome in children occurring in a large area of Northern Italy over a period of several months. <i>Epidemiology and Infection</i> , 1994, 113, 209-219.	2.1	34
67	Association News: Policy Statements. <i>American Journal of Public Health</i> , 1994, 84, 511-522.	2.7	0
68	The bacterial colicin active against tumor cells in vitro and in vivo is verotoxin 1.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 6996-7000.	7.1	87
69	Diagnosing Vascular Causes of Renal Failure. <i>Annals of Internal Medicine</i> , 1995, 123, 601.	3.9	41
70	<i>Escherichia coli</i> O157: H7 Infection in Humans. <i>Annals of Internal Medicine</i> , 1995, 123, 698.	3.9	254
71	The role of heightened surveillance in an outbreak of <i>Escherichia coli</i> O157. H7. <i>Epidemiology and Infection</i> , 1995, 115, 447-454.	2.1	11
72	The Hemolytic Uremic Syndrome. <i>Pediatric Clinics of North America</i> , 1995, 42, 1505-1529.	1.8	158

#	ARTICLE	IF	CITATIONS
73	Increasing mortality from thrombotic thrombocytopenic purpura in the United States—analysis of national mortality data, 1968–1991. American Journal of Hematology, 1995, 50, 84-90.	4.1	168
74	USE OF VACCINE AND BIOLOGICAL CONTROL TECHNIQUES TO CONTROL PATHOGENS IN ANIMALS USED FOR FOOD. Journal of Food Safety, 1995, 15, 193-199.	2.3	6
75	DNA probe for detection of serogroup O157 enterohemorrhagic Escherichia coli. International Journal of Food Microbiology, 1995, 25, 277-287.	4.7	11
76	Potential growth and control of Escherichia coli O157:H7 in soft hispanic type cheese. International Journal of Food Microbiology, 1995, 25, 289-300.	4.7	30
77	Escherichia coli O157:H7: Clinical, Diagnostic, and Epidemiological Aspects of Human Infection. Clinical Infectious Diseases, 1995, 20, 1-10.	5.8	394
78	Enterohaemorrhagic Escherichia coli: an emerging food-borne pathogen with serious consequences. Medical Journal of Australia, 1995, 162, 511-512.	1.7	5
79	Comparison of Template Preparation Methods from Foods for Amplification of Escherichia coli O157 Shiga-Like Toxins Type I and II DNA by Multiplex Polymerase Chain Reaction. Journal of Food Protection, 1995, 58, 722-726.	1.7	45
80	Fate of Escherichia coli O157:H7 and Other Coliforms in Commercial Mayonnaise and Refrigerated Salad Dressing. Journal of Food Protection, 1995, 58, 13-18.	1.7	68
81	Escherichia coli Serotype O157:H7: Novel Vehicles of Infection and Emergence of Phenotypic Variants. Emerging Infectious Diseases, 1995, 1, 47-52.	4.3	146
82	An Improved Rapid Technique for Isolation of Escherichia coli O157:H7 from Foods. Journal of Food Protection, 1995, 58, 7-12.	1.7	74
83	Immune Response to Verotoxin 1 and 2 in Children with Escherichia Coli O157:H7 Hemorrhagic Colitis and Classic Hemolytic Uremic Syndrome. Canadian Journal of Infectious Diseases & Medical Microbiology, 1995, 6, 136-140.	0.3	1
84	Escherichia Coli O157:H7, Other Verotoxin-Producing E coli and the Hemolytic Uremic Syndrome in Childhood. Canadian Journal of Infectious Diseases & Medical Microbiology, 1995, 6, 105-110.	0.3	5
85	Binding of [125I]Shiga-like Toxin-1 to Human Endothelial Cells: Implications for the Pathogenesis of Shiga Toxin-associated Hemolytic Uremic Syndrome. Endothelium: Journal of Endothelial Cell Research, 1995, 3, 159-170.	1.7	4
86	Escherichia coli O157:H7 Outbreak Linked to Commercially Distributed Dry-Cured Salami—Washington and California, 1994. JAMA - Journal of the American Medical Association, 1995, 273, 985.	7.4	9
87	Adult Hemolytic-Uremic Syndrome. Archives of Internal Medicine, 1995, 155, 2077.	3.8	29
88	Renal Failure. , 1995, , .		0
89	Detection of Serum Antibodies to the Lipopolysaccharide of Escherichia coli O103 in Patients with Hemolyticuremic Syndrome. Journal of Infectious Diseases, 1995, 171, 514-515.	4.0	19
90	A University Outbreak of Escherichia coli O157:H7 Infections Associated with Roast Beef and an Unusually Benign Clinical Course. Journal of Infectious Diseases, 1995, 172, 1122-1125.	4.0	72

#	ARTICLE	IF	CITATIONS
91	Molecular characterisation of Escherichia coli O157: H7 isolates by pulsed-field gel electrophoresis and plasmid DNA analysis. Journal of Medical Microbiology, 1995, 42, 258-263.	1.8	64
92	A genetic locus of enterocyte effacement conserved among diverse enterobacterial pathogens.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 1664-1668.	7.1	1,194
93	Risk assessment and food-borne micro-organisms: the difficulties of biological diversity. Food Control, 1995, 6, 329-333.	5.5	11
94	Development of a selective plating technique for the recovery of Escherichia coli O157: H7 after heat stress. Letters in Applied Microbiology, 1995, 21, 252-256.	2.2	54
95	Escherichia coli O157:H7 and the Hemolyticâ€“Uremic Syndrome. New England Journal of Medicine, 1995, 333, 364-368.	27.0	569
96	Consensus Conference Statement: Escherichia coli O157:H7 infectionsâ€“An Emerging National Health Crisis, July 11â€“13, 1994. Gastroenterology, 1995, 108, 1923-1934.	1.3	45
97	[26] Methods for studying adhesion of diarrheagenic Escherichia coli. Methods in Enzymology, 1995, 253, 324-336.	1.0	54
98	Specific Interaction of Escherichia coli O157:H7-Derived Shiga-like Toxin II with Human Renal Endothelial Cells. Journal of Infectious Diseases, 1995, 172, 1397-1401.	4.0	201
99	Emerging infectious disease: what are the relative roles of ecology and evolution?. Trends in Ecology and Evolution, 1995, 10, 319-324.	8.7	205
100	THE EMERGENCY DEPARTMENT APPROACH TO DIARRHEA. Emergency Medicine Clinics of North America, 1996, 14, 673-694.	1.2	6
101	Screening for Escherichia coli O157:H7 in Illinois. Clinical Microbiology and Infection, 1996, 1, 175-178.	6.0	1
102	Searching for Escherichia coli O157 in drinking and recreational waters in Northern Greece. Water Research, 1996, 30, 493-494.	11.3	4
103	Diarrhea in young children associated with Escherichia coli non-O157 organisms that produce Shiga-like toxin. Journal of Pediatrics, 1996, 128, 341-346.	1.8	71
104	An outbreak of Escherichia coli O157 and campylobacteriosis associated with contamination of a drinking water supply. Public Health, 1996, 110, 277-282.	2.9	74
105	Genomic analysis using pulsed-field gel electrophoresis of Escherichia coli O157:H7 isolated from dairy calves during the United States national dairy heifer evaluation project (1991â€“1992). Veterinary Microbiology, 1996, 48, 223-230.	1.9	33
107	Shiga toxin-producing Escherichia coli infections and the hemolytic uremic syndrome. Seminars in Pediatric Infectious Diseases, 1996, 7, 258-264.	1.7	1
108	Evaluation of a Rapid and Automated Enzyme-Linked Fluorescent Immunoassay for Detecting Escherichia coli Serogroup O157 in Cheese. Journal of AOAC INTERNATIONAL, 1996, 79, 858-860.	1.5	16
109	Great expectations: the coroner's report on the South Australian haemolyticâ€“uraemic syndrome outbreak. Medical Journal of Australia, 1996, 164, 175-177.	1.7	6

#	ARTICLE	IF	CITATIONS
110	Waterborne disease: 1993 and 1994. Journal - American Water Works Association, 1996, 88, 66-80.	0.3	93
111	A Multiplex PCR for Rapid Identification of Shiga-Like Toxin-Producing <i>Escherichia coli</i> O157:H7 Isolated from Foods. Journal of Food Protection, 1996, 59, 570-576.	1.7	31
112	Occurrence of <i>Escherichia coli</i> O157 and Other Verocytotoxin-Producing <i>E. coli</i> in Retail Raw Meats in the Netherlands. Journal of Food Protection, 1996, 59, 1267-1272.	1.7	52
113	Growing Concerns and Recent Outbreaks Involving Non-O157:H7 Serotypes of Verotoxigenic <i>Escherichia coli</i> . Journal of Food Protection, 1996, 59, 1112-1122.	1.7	211
114	Emerging Foodborne Pathogens: <i>Escherichia coli</i> O157:H7 as a Model of Entry of a New Pathogen into the Food Supply of the Developed World. Epidemiologic Reviews, 1996, 18, 29-51.	3.5	603
115	Survival of <i>Escherichia coli</i> O157:H7 in ground beef during normal cooking procedures. Nutrition and Food Science, 1996, 96, 23-26.	0.9	3
116	Verotoxin-producing <i>Escherichia coli</i> , particularly serogroup O157, associated with human infections in England and Wales: 1992-1994. Epidemiology and Infection, 1996, 117, 1-10.	2.1	72
117	Prevalence and characteristics of <i>Escherichia coli</i> serotype O157:H7 and other verotoxin-producing <i>E. coli</i> in healthy cattle. Epidemiology and Infection, 1996, 117, 251-257.	2.1	105
118	Prevalence of the <i>eae</i> gene in verotoxigenic <i>Escherichia coli</i> strains from dairy cattle in Southwest Ontario. Epidemiology and Infection, 1996, 116, 1-7.	2.1	114
119	A new route of transmission for <i>Escherichia coli</i> : infection from dry fermented salami. American Journal of Public Health, 1996, 86, 1142-1145.	2.7	352
120	Polymerase chain reaction for detecting <i>Escherichia coli</i> O157:H7. International Journal of Food Microbiology, 1996, 32, 103-113.	4.7	68
121	Rapid genotyping of <i>Escherichia coli</i> O157 isolates by random amplification of polymorphic DNA. European Journal of Clinical Microbiology and Infectious Diseases, 1996, 15, 297-302.	2.9	22
122	Antimicrobial susceptibility of <i>Escherichia coli</i> O157 and other enterohaemorrhagic <i>Escherichia coli</i> isolated in Italy. European Journal of Clinical Microbiology and Infectious Diseases, 1996, 15, 351-353.	2.9	42
123	Pore-Forming Properties of the Plasmid-Encoded Hemolysin of Enterohemorrhagic <i>Escherichia coli</i> O157: H7. FEBS Journal, 1996, 241, 594-601.	0.2	65
124	Pathogenesis of <i>E. coli</i> hemolytic uremic syndrome. Clinical Microbiology Newsletter, 1996, 18, 49-52.	0.7	2
125	Virulence attributes of <i>Escherichia coli</i> isolated from dairy heifer feces. Veterinary Microbiology, 1996, 53, 369-374.	1.9	22
126	Aglycone modulation of glycolipid receptor function. Glycoconjugate Journal, 1996, 13, 495-503.	2.7	81
127	Cluster of cases of haemolytic uraemic syndrome due to unpasteurised cheese. Pediatric Nephrology, 1996, 10, 203-205.	1.7	64

#	ARTICLE	IF	CITATIONS
128	Prevalence and characteristics of human and bovine verotoxigenic <i>Escherichia coli</i> strains isolated in Galicia (north-western Spain). <i>European Journal of Epidemiology</i> , 1996, 12, 13-19.	5.7	36
129	A solid phase fluorescent capillary immunoassay for the detection of <i>Escherichia coli</i> O157:H7 in ground beef and apple cider. <i>Journal of Applied Bacteriology</i> , 1996, 81, 601-607.	1.1	34
130	Haemolytic-uraemic syndrome in Western Australia, 1980 to 1994. <i>Australian and New Zealand Journal of Public Health</i> , 1996, 20, 462-466.	1.8	2
131	Immune Response to Non-O157 Vero Toxin-Producing <i>Escherichia coli</i> in Patients with Hemolytic Uremic Syndrome. <i>Journal of Infectious Diseases</i> , 1996, 174, 1028-1039.	4.0	62
132	Meat Grinders and Molecular Epidemiology: Two Supermarket Outbreaks of <i>Escherichia coli</i> O157:H7 Infection. <i>Journal of Infectious Diseases</i> , 1996, 173, 480-483.	4.0	56
133	A low molecular weight outer-membrane protein of <i>Escherichia coli</i> O157:H7 associated with adherence to INT407 cells and chicken caeca. <i>Journal of Medical Microbiology</i> , 1996, 45, 90-96.	1.8	21
134	Vero Cytotoxigenic <i>Escherichia coli</i> Infection in Dairy Farm Families. <i>Journal of Infectious Diseases</i> , 1996, 174, 1021-1027.	4.0	117
135	KatP, a novel catalase-peroxidase encoded by the large plasmid of enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>Microbiology (United Kingdom)</i> , 1996, 142, 3305-3315.	1.8	257
136	Use of a Priority Rating Process to Sort Meatborne Zoonotic Agents in Beef. <i>Journal of Agromedicine</i> , 1996, 3, 17-36.	1.5	10
137	Surveillance for <i>Escherichia coli</i> O157:H7 Infections in Minnesota by Molecular Subtyping. <i>New England Journal of Medicine</i> , 1997, 337, 388-394.	27.0	153
138	Recognizing <i>E. coli</i> O157:H7 Infection. <i>Hospital Practice (1995)</i> , 1997, 32, 123-140.	1.0	2
139	Hamburger-associated <i>Escherichia coli</i> O157:H7 infection in Las Vegas: a hidden epidemic.. <i>American Journal of Public Health</i> , 1997, 87, 176-180.	2.7	44
140	Human <i>Escherichia coli</i> O157[γ]H7 infection associated with the consumption of unpasteurized goat's milk. <i>Epidemiology and Infection</i> , 1997, 119, 299-305.	2.1	115
141	A longitudinal study of <i>Escherichia coli</i> O157 in fourteen cattle herds. <i>Epidemiology and Infection</i> , 1997, 118, 193-195.	2.1	289
142	SHORT PAPER The stimulating effect of fosfomycin, an antibiotic in common use in Japan, on the production/release of verotoxin-1 from enterohaemorrhagic <i>Escherichia coli</i> O157[γ]H7 in vitro. <i>Epidemiology and Infection</i> , 1997, 119, 101-103.	2.1	31
143	Swimming-associated haemorrhagic colitis due to <i>Escherichia coli</i> O157[γ]H7 infection: evidence of prolonged contamination of a fresh water lake. <i>Epidemiology and Infection</i> , 1997, 119, 1-8.	2.1	112
144	Persistence of <i>Escherichia coli</i> O157[γ]H7 in dairy cattle and the dairy farm environment. <i>Epidemiology and Infection</i> , 1997, 119, 251-259.	2.1	128
145	Quarterly Communicable Disease Review October to December 1996. <i>Journal of Public Health</i> , 1997, 19, 233-238.	1.8	0

#	ARTICLE	IF	CITATIONS
147	Risk Factors for Sporadic Infection With <i>Escherichia coli</i> O157:H7. <i>Archives of Internal Medicine</i> , 1997, 157, 204.	3.8	49
148	<i>Escherichia coli</i> O157: H7 Diarrhea in the United States: Clinical and Epidemiologic Features. <i>Annals of Internal Medicine</i> , 1997, 126, 505.	3.9	247
149	Detection and characterization of the <i>fliC</i> gene of <i>Escherichia coli</i> O157:H7. <i>Molecular and Cellular Probes</i> , 1997, 11, 397-406.	2.1	25
150	<i>Escherichia coli</i> O157 in Cull Dairy Cows on Farm and at Slaughter. <i>Journal of Food Protection</i> , 1997, 60, 1386-1387.	1.7	30
151	Isolation and Purification of Colicin ECL 12, a Bacteriocin That Inhibits Strains of <i>Escherichia coli</i> O157:H7. <i>Journal of Food Protection</i> , 1997, 60, 1520-1528.	1.7	5
152	Assurance <i>Escherichia coli</i> O157:H7: A Comparative Validation Study. <i>Journal of AOAC INTERNATIONAL</i> , 1997, 80, 37-42.	1.5	1
153	<i>Escherichia coli</i> O157:H7 Visual Immunoprecipitate Assay: A Comparative Validation Study. <i>Journal of AOAC INTERNATIONAL</i> , 1997, 80, 37-42.	1.5	4
154	Comparison of Sorbitol MacConkey and Hemorrhagic Coli Agars for Recovery of <i>Escherichia coli</i> O157:H7 from Brie, Ice Cream, and Whole Milk. <i>Journal of AOAC INTERNATIONAL</i> , 1997, 80, 335-340.	1.5	15
155	Visual Immunoprecipitate Assay (VIP) for Detection of Enterohemorrhagic <i>Escherichia coli</i> (EHEC) O157:H7 in Selected Foods: Collaborative Study. <i>Journal of AOAC INTERNATIONAL</i> , 1997, 80, 517-529.	1.5	9
156	Assurance Enzyme Immunoassay for Detection of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 in Selected Foods: Collaborative Study. <i>Journal of AOAC INTERNATIONAL</i> , 1997, 80, 530-544.	1.5	13
157	Canadian Perspectives on Verocytotoxin-Producing <i>Escherichia coli</i> Infection. <i>Journal of Food Protection</i> , 1997, 60, 1451-1453.	1.7	18
158	Heat Inactivation of <i>Escherichia coli</i> O157:H7 in Turkey Meat as Affected by Sodium Chloride, Sodium Lactate, Polyphosphate, and Fat Content. <i>Journal of Food Protection</i> , 1997, 60, 898-902.	1.7	61
159	High Occurrence of Shiga-Like Toxin-Producing Strains among Diarrheagenic <i>Escherichia coli</i> Isolated from Raw Beef Products in Rio de Janeiro City, Brazil. <i>Journal of Food Protection</i> , 1997, 60, 177-180.	1.7	28
160	Effects of Farm Manure-Handling Practices on <i>Escherichia coli</i> O157 Prevalence in Cattle. <i>Journal of Food Protection</i> , 1997, 60, 363-366.	1.7	77
161	Evaluation of Media and Test Kits for the Detection and Isolation of <i>Escherichia coli</i> O157 from Minced Beef. <i>Journal of Food Protection</i> , 1997, 60, 817-824.	1.7	36
162	Construction and Characterization of <i>Escherichia coli</i> O157:H7 Strains Expressing Firefly Luciferase and Green Fluorescent Protein and Their Use in Survival Studies. <i>Journal of Food Protection</i> , 1997, 60, 1167-1173.	1.7	118
163	Epidemiology of <i>Escherichia coli</i> O157 in Feedlot Cattle. <i>Journal of Food Protection</i> , 1997, 60, 462-465.	1.7	144
164	Detection and Characterization of Enterohemorrhagic <i>Escherichia coli</i> in Slaughtered Cattle. <i>Zoonoses and Public Health</i> , 1997, 44, 273-279.	1.4	12

#	ARTICLE	IF	CITATIONS
165	Atypical Strains of Verocytotoxinâ€Producing <i>Escherichia coli</i> O157 in Beef Cattle at Slaughter in Veneto Region, Italy. <i>Zoonoses and Public Health</i> , 1997, 44, 301-306.	1.4	34
166	Thermal Inactivation of <i>Escherichia coli</i> O157:H7 in Cooked Turkey Products. <i>Journal of Food Science</i> , 1997, 62, 875-905.	3.1	12
167	Detection of <i>Escherichia coli</i> O157:H7 and other verocytotoxin-producing <i>E. coli</i> (VTEC) in food. <i>Journal of Applied Microbiology</i> , 1997, 82, 537-551.	3.1	54
168	Detection of <i>Escherichia coli</i> O157 in French food samples using an immunomagnetic separation method and the VIDASTME. <i>Letters in Applied Microbiology</i> , 1997, 25, 442-446.	2.2	27
169	Direct detection of verotoxin genes in stool samples by polymerase chain reaction in hemolytic uremic syndrome patients in France. <i>Clinical Microbiology and Infection</i> , 1997, 3, 117-119.	6.0	8
170	Isolation and virulence factors of vero cyto toxinproducing <i>Escherichia coli</i> in human stool samples. <i>Clinical Microbiology and Infection</i> , 1997, 3, 531-540.	6.0	95
171	INACTIVATION OF <i>ESCHERICHIA COLI</i> IN SKIM MILK BY HIGH INTENSITY PULSED ELECTRIC FIELDS. <i>Journal of Food Process Engineering</i> , 1997, 20, 317-336.	2.9	171
172	DETECTION OF THE VIABLE BUT NONCULTURABLE STATE IN <i>ESCHERICHIA COLI</i> O157:H7. <i>Journal of Food Safety</i> , 1997, 16, 255-262.	2.3	52
173	GROWTH OF <i>ESCHERICHIA COLI</i> O157:H7 IN THE PRESENCE OF <i>PSEUDOMONAS FLUORESCENS</i> IN SKIMMED MILK AT 7 OR 25C. <i>Journal of Food Safety</i> , 1997, 16, 273-285.	2.3	6
174	DNA AMPLIFICATION USING TABLETED PCR REAGENTS FOR IDENTIFICATION OF <i>ESCHERICHIA COLI</i> O157:H7 ISOLATED FROM FOODS. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 1997, 5, 61-74.	0.4	1
175	Effect of antimicrobial agents, especially fosfomycin, on the production and release of Vero toxin by enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>FEMS Immunology and Medical Microbiology</i> , 1997, 19, 57-64.	2.7	58
176	<i>Escherichia coli</i> O157: Lessons from the past 15 years. <i>Journal of Infection</i> , 1997, 34, 189-193.	3.3	23
177	Mechanisms of gut damage by <i>Escherichia coli</i> . <i>Bailliere's Clinical Gastroenterology</i> , 1997, 11, 465-483.	0.9	3
178	Distribution and characterization of faecal verotoxin-producing <i>Escherichia coli</i> (VTEC) isolated from healthy cattle. <i>Veterinary Microbiology</i> , 1997, 54, 309-319.	1.9	139
179	Environmental health research: setting an agenda by spinning our wheels or climbing the mountain?. <i>Health and Place</i> , 1997, 3, 1-13.	3.3	24
180	Preparation of PCR samples from food by a rapid and simple centrifugation technique evaluated by detection of <i>Escherichia coli</i> O157:H7. <i>International Journal of Food Microbiology</i> , 1997, 37, 73-82.	4.7	85
181	Laboratory aspects of non-O157 toxigenic <i>E. Coli</i> . <i>Clinical Microbiology Newsletter</i> , 1997, 19, 105-108.	0.7	5
182	<i>Escherichia coli</i> O157: H7 â€” Two case reports. <i>Irish Journal of Medical Science</i> , 1997, 166, 20-22.	1.5	0

#	ARTICLE	IF	CITATIONS
183	Possible person-to-person transmission of Escherichia coli O111 - associated hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 1997, 11, 36-39.	1.7	66
184	Immune response to Escherichia coli O157:H7 in hemolytic uremic syndrome following salmonellosis. <i>Pediatric Nephrology</i> , 1997, 11, 488-490.	1.7	11
185	Characterization of an exported protease from Shiga toxin-producing Escherichia coli. <i>Molecular Microbiology</i> , 1997, 25, 771-784.	2.5	95
186	Multiple parameters for the comprehensive evaluation of the susceptibility of Escherichia coli to the silver ion. , 1998, 11, 27-32.		464
187	Prevalence of bovine verotoxin-producing Escherichia coli in Argentina. <i>European Journal of Epidemiology</i> , 1998, 14, 399-403.	5.7	46
188	Growth and processing conditions affecting acid tolerance in Escherichia coli O157:H7. <i>Food Microbiology</i> , 1998, 15, 157-166.	4.2	27
189	The prevalence of verocytotoxin-producing Escherichia coli (VTEC) and E. coli O157:H7 in beef in Sweden determined by PCR assays and an immuno-magnetic separation (IMS) method. <i>Food Microbiology</i> , 1998, 15, 591-601.	4.2	30
190	A 3.3-kb Plasmid of Enterohemorrhagic Escherichia coli O157:H7 Is Closely Related to the Core Region of the Salmonella typhimurium Antibiotic Resistance Plasmid NTP16. <i>Plasmid</i> , 1998, 39, 134-140.	1.4	9
191	Topics in Microbial Risk Assessment: Dynamic Flow Tree Process. <i>Risk Analysis</i> , 1998, 18, 309-328.	2.7	104
192	A Case Control Study of Potential Enteric Pathogens for Calves Raised in Cow-calf Herds. <i>Zoonoses and Public Health</i> , 1998, 45, 519-528.	1.4	21
193	Inhibitory activity of gut bacteria against Escherichia coli O157 mediated by dietary plant metabolites. <i>FEMS Microbiology Letters</i> , 1998, 164, 283-288.	1.8	79
194	Isolation of an Escherichia coli O157:H7 strain producing Shiga toxin 1 but not Shiga toxin 2 from a patient with hemolytic uremic syndrome in Korea. <i>FEMS Microbiology Letters</i> , 1998, 166, 43-48.	1.8	19
195	Multiple sources of Escherichia coli O157 in feedlots and dairy farms in the Northwestern USA. <i>Preventive Veterinary Medicine</i> , 1998, 35, 11-19.	1.9	227
196	Herd-level test performance based on uncertain estimates of individual test performance, individual true prevalence and herd true prevalence. <i>Preventive Veterinary Medicine</i> , 1998, 36, 187-209.	1.9	48
197	Quantitative risk assessment for Escherichia coli O157:H7 in ground beef hamburgers. <i>International Journal of Food Microbiology</i> , 1998, 41, 21-44.	4.7	378
198	Mathematical modeling to predict the bactericidal effect of processed vinegar on Escherichia coli O157:H7. <i>International Journal of Food Microbiology</i> , 1998, 43, 135-138.	4.7	15
199	Influence of temperature and pH on survival of Escherichia coli O157:H7 in dry foods and growth in reconstituted infant rice cereal. <i>International Journal of Food Microbiology</i> , 1998, 45, 173-184.	4.7	43
200	Clinical, microbiological and epidemiological aspects of Escherichia coli O157 infection. <i>FEMS Immunology and Medical Microbiology</i> , 1998, 20, 1-9.	2.7	76

#	ARTICLE	IF	CITATIONS
201	Verotoxin-producing <i>Escherichia coli</i> (VTEC) and eae-positive non-VTEC in 30-days-old diarrhoeic dairy calves. <i>Veterinary Microbiology</i> , 1998, 63, 239-248.	1.9	65
202	Fast Amperometric Assay for <i>E. coli</i> O157:H7 Using Partially Immersed Immuno-electrodes. <i>Electroanalysis</i> , 1998, 10, 758-763.	2.9	23
205	EMERGENCY ID NET: An Emergency Department-Based Emerging Infections Sentinel Network. <i>Annals of Emergency Medicine</i> , 1998, 32, 703-711.	0.6	68
206	Environmental risk factors for sporadic <i>Escherichia coli</i> O157 infection in Scotland: Results of a descriptive epidemiology study. <i>Journal of Infection</i> , 1998, 36, 317-321.	3.3	33
207	Affinity purification of Shiga-like toxin I and Shiga-like toxin II. <i>Journal of Microbiological Methods</i> , 1998, 32, 247-252.	1.6	36
208	<i>Escherichia coli</i> O157:H7. <i>Lancet</i> , The, 1998, 352, 1207-1212.	13.7	655
209	<i>Escherichia Coli</i> , <i>Infection and Immunity</i> . , 1998, , 842-845.		2
210	Virulence of enterohemorrhagic <i>Escherichia coli</i> : role of molecular crosstalk. <i>Trends in Microbiology</i> , 1998, 6, 228-233.	7.7	32
211	PCR-based detection of verotoxin-producing <i>Escherichia coli</i> (VTEC) in ground beef. <i>Research in Microbiology</i> , 1998, 149, 145-154.	2.1	26
212	Characterisation of <i>Escherichia coli</i> O157:117 (Hâ) derived from cattle using random amplification of polymorphic DNA analysis. <i>Research in Veterinary Science</i> , 1998, 65, 177-178.	1.9	4
213	Risk of hemolytic uremic syndrome after sporadic <i>Escherichia coli</i> O157:H7 infection: Results of a Canadian collaborative study. <i>Journal of Pediatrics</i> , 1998, 132, 777-782.	1.8	95
214	Genotypic and Phenotypic Changes in the Emergence of <i>Escherichia coli</i> O157:H7. <i>Journal of Infectious Diseases</i> , 1998, 177, 1750-1753.	4.0	288
215	Immunomagnetic Separation with Mediated Flow Injection Analysis Amperometric Detection of Viable <i>Escherichia coli</i> O157. <i>Analytical Chemistry</i> , 1998, 70, 2380-2386.	6.5	127
216	A Nationwide Case-Control Study of <i>Escherichia coli</i> O157:H7 Infection in the United States. <i>Journal of Infectious Diseases</i> , 1998, 177, 962-966.	4.0	164
217	Evaluation of the Colilert® Test for Detection of Verotoxin-Producing <i>Escherichia coli</i> in Water. <i>Journal of Agromedicine</i> , 1998, 5, 31-41.	1.5	0
218	Feral pigeons as a source of verocytotoxin-producing <i>Escherichia coli</i> . <i>Veterinary Record</i> , 1998, 142, 309-310.	0.3	31
219	Detection and Genetical Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> from Wild Deer. <i>Microbiology and Immunology</i> , 1998, 42, 815-822.	1.4	70
220	Investigational Vaccine for <i>Escherichia coli</i> O157: Phase 1 Study of O157 Oâ€¢Specific Polysaccharide- <i>Pseudomonas aeruginosa</i> Recombinant Exoprotein A Conjugates in Adults. <i>Journal of Infectious Diseases</i> , 1998, 177, 383-387.	4.0	78

#	ARTICLE	IF	CITATIONS
221	Meat and meat products. , 1998, , 1-74.		0
222	Complete Nucleotide Sequences of 93-kb and 3.3-kb Plasmids of an Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Derived from Sakai Outbreak. <i>DNA Research</i> , 1998, 5, 1-9.	3.4	205
223	An Outbreak of <i>Escherichia coli</i> O157:H7 Infections Associated with Leaf Lettuce Consumption. <i>Journal of Infectious Diseases</i> , 1998, 177, 1588-1593.	4.0	394
224	Emerging and Reemerging Infectious Diseases: A Multidisciplinary Perspective. <i>American Journal of the Medical Sciences</i> , 1998, 315, 64-75.	1.1	0
225	Hemolytic-uremic Syndrome Following Urinary Tract Infection with Enterohemorrhagic <i>Escherichia coli</i> : Case Report and Review. <i>Clinical Infectious Diseases</i> , 1998, 27, 310-315.	5.8	67
226	Verotoxin-producing <i>Escherichia coli</i> (VTEC) Infection in Randomly Selected Population of Ilam Province (Iran). <i>Scandinavian Journal of Infectious Diseases</i> , 1998, 30, 473-476.	1.5	14
227	Protective Effect of Japanese Green Tea Extract on Gnotobiotic Mice Infected with an <i>Escherichia coli</i> O157:H7 Strain. <i>Microbiology and Immunology</i> , 1998, 42, 125-128.	1.4	37
228	Combined Use of Bacteriophage Typing and Pulsed-field Gel Electrophoresis in the Epidemiological Analysis of Japanese Isolates of Enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Microbiology and Immunology</i> , 1998, 42, 515-519.	1.4	22
229	Letters to the Editor. <i>Acta Clinica Belgica</i> , 1998, 53, 55-58.	1.2	0
230	5 Pathogenic <i>Escherichia coli</i> O157:H7: A model for emerging infectious diseases. <i>Biomedical Research Reports</i> , 1998, , 163-183.	0.3	6
231	Detecting a Public Health Risk: <i>Escherichia coli</i> O157:H7. <i>Laboratory Medicine</i> , 1998, 29, 347-355.	1.2	0
232	Enterohemorrhagic <i>Escherichia coli</i> . <i>Postgraduate Medicine</i> , 1998, 103, 179-187.	2.0	23
233	<i>Escherichia coli</i> O157:H7 diarrhoea associated with well water and infected cattle on an Ontario farm. <i>Epidemiology and Infection</i> , 1998, 120, 17-20.	2.1	115
234	Antimicrobial Functions of Spices: Why Some Like it Hot. <i>Quarterly Review of Biology</i> , 1998, 73, 3-49.	0.1	280
235	Repeatability of the Petrifilm [®] HEC Test and Agreement with a Hydrophobic Grid Membrane Filtration Method for the Enumeration of <i>Escherichia coli</i> O157:H7 on Beef Carcasses. <i>Journal of Food Protection</i> , 1998, 61, 402-408.	1.7	7
236	Survival of <i>Escherichia coli</i> O157:H7 in Ground Beef Jerky Assessed on Two Plating Media. <i>Journal of Food Protection</i> , 1998, 61, 11-13.	1.7	28
237	Effectiveness of Salt, pH, and Diacetyl as Inhibitors for <i>Escherichia coli</i> O157:H7 in Dairy Foods Stored at Refrigeration Temperatures. <i>Journal of Food Protection</i> , 1998, 61, 1098-1102.	1.7	62
238	Survival and Recovery of <i>Escherichia coli</i> O157: H7 in Inoculated Bottled Water. <i>Journal of Food Protection</i> , 1998, 61, 948-952.	1.7	40

#	ARTICLE	IF	CITATIONS
239	Attachment of <i>Escherichia coli</i> O157:H7 in Ground Beef to Meat Grinders and Survival after Sanitation with Chlorine and Peroxyacetic Acid. <i>Journal of Food Protection</i> , 1998, 61, 817-822.	1.7	50
240	Evaluation of the VIDAS Methodology for Detection of <i>Escherichia coli</i> O157 in Food Samples. <i>Journal of Food Protection</i> , 1998, 61, 917-920.	1.7	25
241	Hemolytic Uremic Syndrome Associated With Invasive <i>Streptococcus pneumoniae</i> Infection. <i>Pediatrics</i> , 1998, 101, 699-703.	2.1	89
242	Longitudinal Study of <i>Escherichia coli</i> O157:H7 Dissemination on Four Dairy Farms in Wisconsin. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1390-1399.	3.1	264
243	Improvement of the Immunomagnetic Separation Method Selective for <i>Escherichia coli</i> O157 Strains. <i>Applied and Environmental Microbiology</i> , 1998, 64, 376-382.	3.1	43
244	Analysis of <i>Escherichia coli</i> O157:H7 Survival in Ovine or Bovine Manure and Manure Slurry. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3166-3174.	3.1	450
245	Reduction of Carriage of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 in Cattle by Inoculation with Probiotic Bacteria. <i>Journal of Clinical Microbiology</i> , 1998, 36, 641-647.	3.9	231
246	Modelling the Growth Limits (Growth/No Growth Interface) of <i>Escherichia coli</i> as a Function of Temperature, pH, Lactic Acid Concentration, and Water Activity. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1773-1779.	3.1	191
247	Pathomechanisms in the haemolytic-uraemic syndrome. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 23-27.	0.7	38
248	Pathogenesis and Diagnosis of Shiga Toxin-Producing <i>Escherichia coli</i> Infections. <i>Clinical Microbiology Reviews</i> , 1998, 11, 450-479.	13.6	1,261
249	Diarrheagenic <i>Escherichia coli</i> . <i>Clinical Microbiology Reviews</i> , 1998, 11, 142-201.	13.6	4,216
250	Rapid Detection of <i>Escherichia coli</i> O157:H7 in Ground Beef Using a Fiber-Optic Biosensor. <i>Journal of Food Protection</i> , 1999, 62, 711-716.	1.7	117
251	Behavior of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 on Alfalfa Sprouts during the Sprouting Process as Influenced by Treatments with Various Chemicals. <i>Journal of Food Protection</i> , 1999, 62, 850-856.	1.7	106
252	Prevalence of <i>Escherichia coli</i> in Apple Cider Manufactured in Connecticut. <i>Journal of Food Protection</i> , 1999, 62, 567-573.	1.7	26
253	Factors Associated with Fecal Shedding of Verotoxin-Producing <i>Escherichia coli</i> O157 on Dairy Farms. <i>Journal of Food Protection</i> , 1999, 62, 307-312.	1.7	78
254	<i>Escherichia coli</i> O157 : H7 and Shiga-like-toxin-producing <i>Escherichia coli</i> in China. <i>World Journal of Gastroenterology</i> , 1999, 5, 191.	3.3	19
255	Fecal Shedding and Rumen Growth of <i>Escherichia coli</i> O157:H7 in Fasted Calves. <i>Journal of Food Protection</i> , 1999, 62, 574-579.	1.7	56
256	Survival of <i>Escherichia coli</i> O157:H7 in Ground-Beef Patties during Storage at 2, 15 and then 20°C, and 20°C. <i>Journal of Food Protection</i> , 1999, 62, 1243-1247.	1.7	45

#	ARTICLE	IF	CITATIONS
257	Escherichia Coli: EAEC, EHEC, EIEC, ETEC. Clinics in Laboratory Medicine, 1999, 19, 505-521.	1.4	24
258	In Vitro Activities of Cephalosporins and Quinolones against Escherichia coli Strains Isolated from Diarrheic Dairy Calves. Antimicrobial Agents and Chemotherapy, 1999, 43, 510-513.	3.2	41
259	Fate of <i>Escherichia coli</i> O157:H7 on Fresh-Cut Apple Tissue and Its Potential for Transmission by Fruit Flies. Applied and Environmental Microbiology, 1999, 65, 1-5.	3.1	196
260	Development and Characterization of a Fluorescent-Bacteriophage Assay for Detection of <i>Escherichia coli</i> O157:H7. Applied and Environmental Microbiology, 1999, 65, 1397-1404.	3.1	143
261	Massive Outbreak of Escherichia coli O157: H7 Infection In Schoolchildren in Sakai City, Japan, Associated with Consumption of White Radish Sprouts. American Journal of Epidemiology, 1999, 150, 787-796.	3.4	443
262	Outbreak of Escherichia coli O157 in a nursery: lessons for prevention. Archives of Disease in Childhood, 1999, 81, 60-63.	1.9	37
263	Infection of gnotobiotic calves with <i>Escherichia coli</i> O157:H7 strain A84. Veterinary Record, 1999, 144, 466-470.	0.3	30
264	Diagnosis of malignant catarrhal fever using the polymerase chain reaction. Veterinary Record, 1999, 145, 558-559.	0.3	1
265	Sequence Analysis of Stx2-Converting Phage VT2-Sa Shows a Great Divergence in Early Regulation and Replication Regions. DNA Research, 1999, 6, 235-240.	3.4	65
266	Prevalence of <i>Escherichia Coli</i> O157 and Other Shiga-Toxin-Producing <i>E. Coli</i> in Lambs at Slaughter. Journal of Veterinary Diagnostic Investigation, 1999, 11, 563-565.	1.1	18
267	Prevalence of shiga toxin genes among <i>Escherichia coli</i> strains isolated from pigs. Veterinary Record, 1999, 145, 557-558.	0.3	23
268	Characterization of expanded-spectrum cephalosporin resistance in E. coli isolates associated with bovine calf diarrhoeal disease. Journal of Antimicrobial Chemotherapy, 1999, 44, 607-610.	3.0	80
269	Detection of <i>Escherichia coli</i> O157:H7 from <i>Musca domestica</i> (Diptera: Muscidae) at a Cattle Farm in Japan. Journal of Medical Entomology, 1999, 36, 108-112.	1.8	119
270	Octamer-based genome scanning distinguishes a unique subpopulation of Escherichia coli O157:H7 strains in cattle. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 13288-13293.	7.1	168
271	Diarrheogenic Escherichia coli. Current Problems in Pediatrics, 1999, 29, 208-216.	1.1	10
272	Flow-through immunofiltration assay system for rapid detection of E. coli O157:H7. Biosensors and Bioelectronics, 1999, 14, 309-316.	10.1	158
273	Biosensors for detection of pathogenic bacteria. Biosensors and Bioelectronics, 1999, 14, 599-624.	10.1	890
274	Risk factors for the development of Escherichia coli O157:H7 associated with hemolytic uremic syndrome. Pediatrics International, 1999, 41, 218-222.	0.5	28

#	ARTICLE	IF	CITATIONS
275	Factors influencing the development of hemolytic uremic syndrome caused by enterohemorrhagic <i>Escherichia coli</i> infection: From a questionnaire survey to in vitro experiment. <i>Pediatrics International</i> , 1999, 41, 209-212.	0.5	9
276	Molecular analysis of enterohemorrhagic <i>Escherichia coli</i> isolates in Japan and its application to epidemiological investigation. <i>Pediatrics International</i> , 1999, 41, 202-208.	0.5	18
277	The microbiological safety of minimally processed vegetables. <i>International Journal of Food Science and Technology</i> , 1999, 34, 1-22.	2.7	376
278	Fate of <i>Escherichia coli</i> O157:H7 in unpasteurized milk stored at 8°C. <i>Letters in Applied Microbiology</i> , 1999, 28, 89-???	2.2	40
279	Influence of oxygen availability on physiology, verocytotoxin expression and adherence of <i>Escherichia coli</i> O157. <i>Journal of Applied Microbiology</i> , 1999, 86, 117-124.	3.1	28
280	Antimicrobial activity of a 14-residue peptide against <i>Escherichia coli</i> O157:H7. <i>Journal of Applied Microbiology</i> , 1999, 87, 750-756.	3.1	21
281	Verotoxin-producing <i>Escherichia coli</i> O157:H7 carried by the housefly in Japan. <i>Medical and Veterinary Entomology</i> , 1999, 13, 214-216.	1.5	55
282	Cell density dependent acid sensitivity in stationary phase cultures of enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>FEMS Microbiology Letters</i> , 1999, 181, 289-295.	1.8	29
283	Highly sensitive flow-injection immunoassay system for rapid detection of bacteria. <i>Analytica Chimica Acta</i> , 1999, 399, 99-108.	5.4	88
284	Evolution of virulence factors in Shiga-toxin-producing <i>Escherichia coli</i> . <i>Cellular and Molecular Life Sciences</i> , 1999, 56, 735-741.	5.4	21
285	Restoration of culturability of starvation-stressed and low-temperature-stressed <i>Escherichia coli</i> O157 cells by using H ₂ O ₂ -degrading compounds. <i>Archives of Microbiology</i> , 1999, 172, 63-67.	2.2	168
286	A simulation model for studying the role of pre-slaughter factors on the exposure of beef carcasses to human microbial hazards. <i>Preventive Veterinary Medicine</i> , 1999, 41, 37-54.	1.9	18
287	The use of a fluorescent bacteriophage assay for detection of <i>Escherichia coli</i> O157:H7 in inoculated ground beef and raw milk. <i>International Journal of Food Microbiology</i> , 1999, 47, 43-50.	4.7	101
288	Isolation and characterization of verocytotoxin-producing <i>Escherichia coli</i> O157 from slaughter pigs and poultry. <i>International Journal of Food Microbiology</i> , 1999, 52, 67-75.	4.7	93
289	Isolation of Verocytotoxin-producing <i>Escherichia coli</i> O157:H7 from cattle at slaughter in Italy. <i>Veterinary Microbiology</i> , 1999, 67, 203-211.	1.9	84
290	Prevalence and infection risks of zoonotic enteropathogenic bacteria in Swiss cow-calf farms. <i>Veterinary Microbiology</i> , 1999, 69, 251-263.	1.9	64
291	High occurrence of Shiga toxin-producing <i>Escherichia coli</i> (STEC) in healthy cattle in Rio de Janeiro State, Brazil. <i>Veterinary Microbiology</i> , 1999, 70, 111-121.	1.9	117
292	Difference between <i>Escherichia coli</i> O157:H7 and non-pathogenic <i>E. coli</i> : Survival and growth in seasonings. <i>Journal of Bioscience and Bioengineering</i> , 1999, 88, 574-576.	2.2	4

#	ARTICLE	IF	CITATIONS
293	The epidemiology, detection and control of Escherichia coli O157. Journal of the Science of Food and Agriculture, 1999, 79, 1367-1381.	3.5	64
294	Behavior of Escherichia coli O157:H7 and Listeria monocytogenes in Tryptic soy broth subjected to various low temperature treatments. Food Research International, 1999, 32, 1-6.	6.2	12
295	Hydrochloric Acid Treatment for Rapid Recovery of Shiga Toxin-Producing Escherichia coli O26, O111 and O157 from Faeces, Food and Environmental Samples. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1999, 289, 285-299.	0.5	22
296	An Effective, Rapid and Simple Method for Isolation of Shiga Toxin-Producing Escherichia coli O26, O111 and O157 from Faeces and Food Samples. Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology, 1999, 289, 415-428.	0.5	25
297	Epidemiology and diagnosis of Shiga toxin-producing Escherichia coli infections. Diagnostic Microbiology and Infectious Disease, 1999, 34, 229-243.	1.8	177
298	Epigallocatechin gallate and gallic acid in green tea catechins inhibit extracellular release of Vero toxin from enterohemorrhagic Escherichia coli O157:H7. Biochimica Et Biophysica Acta - General Subjects, 1999, 1472, 42-50.	2.4	70
299	Controlling Escherichia coli O157: the emerging challenge. Journal of Hospital Infection, 1999, 43, S175-S181.	2.9	3
300	Pathogenesis of Escherichia Coli O157:H7 in Weaned Calves. Advances in Experimental Medicine and Biology, 1999, 473, 173-177.	1.6	61
301	Escherichia coli O157:H7 Gastroenteritis and the Hemolytic Uremic Syndrome: An Emerging Infectious Disease. Annual Review of Medicine, 1999, 50, 355-367.	12.2	167
302	Growth of Starved Escherichia coli O157 Cells in Selective and Non-selective Media. Microbiology and Immunology, 1999, 43, 217-227.	1.4	11
303	Swimming-associated outbreak of Escherichia coli O157:H7. Epidemiology and Infection, 1999, 122, 1-5.	2.1	64
304	Temporal and geographical distributions of reported cases of Escherichia coli O157:H7 infection in Ontario. Epidemiology and Infection, 1999, 122, 193-200.	2.1	110
305	Molecular typing of Escherichia coli O157:H7 isolates from cattle in Japan. Epidemiology and Infection, 1999, 122, 337-341.	2.1	22
306	A case-control study of sporadic infection with O157 and non-O157 verocytotoxin-producing Escherichia coli. Epidemiology and Infection, 1999, 122, 359-365.	2.1	26
307	Genetic subtyping of Escherichia coli O157 isolates from 41 Pacific Northwest USA cattle farms. Epidemiology and Infection, 1999, 122, 479-484.	2.1	84
308	Molecular typing methods to investigate transmission of Escherichia coli O157:H7 from cattle to humans. Epidemiology and Infection, 1999, 123, 17-24.	2.1	36
309	An international outbreak of Vero cytotoxin-producing Escherichia coli O157 infection amongst tourists; a challenge for the European infectious disease surveillance network. Epidemiology and Infection, 1999, 123, 217-223.	2.1	47
310	Evaluation of AFLP, A High-Resolution DNA Fingerprinting Method, as a Tool for Molecular Subtyping of Enterohemorrhagic Escherichia coli O157:H7 Isolates. Microbiology and Immunology, 1999, 43, 803-806.	1.4	27

#	ARTICLE	IF	CITATIONS
311	ESCHERICHIA COLI O157 Escherichia Coli O157:H7. , 1999, , 646-652.		3
312	Complete nucleotide sequence of the prophage VT2-Sakai carrying the verotoxin 2 genes of the enterohemorrhagic Escherichia coli O157:H7 derived from the Sakai outbreak.. Genes and Genetic Systems, 1999, 74, 227-239.	0.7	114
313	Increased Serum IL-10 and Endothelin Levels in Hemolytic Uremic Syndrome Caused by <i>Escherichia coli</i> O157. Nephron, 2000, 84, 326-332.	1.8	32
314	Where's the Beef?. Archives of Internal Medicine, 2000, 160, 2380.	3.8	36
315	Antimicrobial Effect of Chemical Preservatives on Enterohemorrhagic Escherichia coli O157:H7.. Journal of Health Science, 2000, 46, 204-208.	0.9	13
316	The effect of fasting and diet on fecal shedding of <i>Escherichia coli</i> O157:H7 by cattle. Canadian Journal of Animal Science, 2000, 80, 741-744.	1.5	26
317	Immunization Against Bacterial Diseases of the Intestine. Journal of Pediatric Gastroenterology and Nutrition, 2000, 31, 336-355.	1.8	60
318	Estimation of the under-reporting rate for the surveillance of Escherichia coli O157[<i>ratio</i>]H7 cases in Ontario, Canada. Epidemiology and Infection, 2000, 125, 35-45.	2.1	23
319	Predictors for the development of haemolytic uraemic syndrome with Escherichia coli O157[<i>ratio</i>]H7 infections: with focus on the day of illness. Epidemiology and Infection, 2000, 124, 343-349.	2.1	31
320	Investigation of human infections with verocytotoxin-producing strains of Escherichia coli (VTEC) belonging to serogroup O118 with evidence for zoonotic transmission. Epidemiology and Infection, 2000, 125, 47-54.	2.1	23
321	Detection and characterization of Shiga toxin-producing Escherichia coli from seagulls. Epidemiology and Infection, 2000, 125, 55-61.	2.1	55
322	Waterborne <i>Escherichia coli</i> O157. Journal of Applied Microbiology, 2000, 88, 124S-132S.	3.1	101
323	VTEC enteropathogenicity. Journal of Applied Microbiology, 2000, 88, 12S-23S.	3.1	38
324	Molecular epidemiological investigation of enterohaemorrhagic Escherichia coli isolates in Japan. Journal of Applied Microbiology, 2000, 88, 99S-105S.	3.1	4
325	Detection of Escherichia coli O157:H7 in heifers' faecal samples using an automated immunoconcentration system. Letters in Applied Microbiology, 2000, 30, 217-222.	2.2	25
326	Shiga-toxin-producing Escherichia coli in faeces of healthy dairy cows, sheep and goats: prevalence and virulence properties. Letters in Applied Microbiology, 2000, 31, 203-208.	2.2	99
327	Inhibitory effect of intestinal anti-Gb3 IgA antibody on verotoxin-induced cytotoxicity. Letters in Applied Microbiology, 2000, 31, 449-454.	2.2	3
328	Prevalence and characteristics of verotoxin-producing Escherichia coli (VTEC) in stool samples from asymptomatic human carriers working in the meat processing industry in Switzerland. Journal of Applied Microbiology, 2000, 88, 335-341.	3.1	52

#	ARTICLE	IF	CITATIONS
329	Virulence factors of <i>Escherichia coli</i> O157 and other Shiga toxin-producing <i>E. coli</i> . <i>Journal of Applied Microbiology</i> , 2000, 88, 729-745.	3.1	296
330	Genomic typing of <i>Escherichia coli</i> O157:H7 by semi-automated fluorescent AFLP analysis. <i>Microbes and Infection</i> , 2000, 2, 107-113.	1.9	50
331	Isolation and characterization of <i>Escherichia coli</i> O157 from retail beef and bovine feces in Thailand. <i>FEMS Microbiology Letters</i> , 2000, 182, 343-347.	1.8	37
332	A sensitive microsphere coagulation ELISA for <i>Escherichia coli</i> O157:H7 using Russell's viper venom. <i>FEMS Microbiology Letters</i> , 2000, 186, 79-84.	1.8	16
333	Inducible λ 2 phages are lysogenized in the enteroaggregative and other phenotypic <i>Escherichia coli</i> O86:HNM isolated from patients. <i>FEMS Microbiology Letters</i> , 2000, 191, 7-10.	1.8	49
334	ESCHERICHIA COLI O157:H7 AND FERMENTED SAUSAGES: A REVIEW. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2000, 8, 141-170.	0.4	33
335	Characterization of shiga toxin-producing <i>Escherichia coli</i> strains isolated from calves in Poland. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2000, 23, 267-276.	1.6	31
336	Serotypes of verotoxin-producing (Shiga toxin-producing) <i>Escherichia coli</i> isolated from healthy sheep. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2000, 23, 1-7.	1.6	34
337	A large insertion in the Shiga-like toxin 2 gene (<i>stx2</i>) of an <i>Escherichia coli</i> O157:H7 clinical isolate. <i>International Journal of Food Microbiology</i> , 2000, 57, 115-124.	4.7	10
338	Recovery of low-temperature stressed <i>E. coli</i> O157:H7 and its susceptibility to crystal violet, bile salt, sodium chloride and ethanol. <i>International Journal of Food Microbiology</i> , 2000, 61, 127-136.	4.7	13
339	Development and evaluation of a PCR-microplate capture hybridization method for direct detection of verotoxigenic <i>Escherichia coli</i> strains in artificially contaminated food samples. <i>International Journal of Food Microbiology</i> , 2000, 54, 1-8.	4.7	10
340	Development of a dose-response relationship for <i>Escherichia coli</i> O157:H7. <i>International Journal of Food Microbiology</i> , 2000, 56, 153-159.	4.7	91
341	Effect of Shiga toxin 2 on water and ion transport in human colon in vitro. <i>Digestive Diseases and Sciences</i> , 2000, 45, 480-486.	2.3	13
342	Enteropathogenicity markers in <i>Escherichia coli</i> strains isolated from soft white cheese and poultry in Rio de Janeiro, Brazil. <i>Food Microbiology</i> , 2000, 17, 321-328.	4.2	16
343	Enterohemorrhagic <i>Escherichia coli</i> infections: following transmission routes. <i>Pediatric Nephrology</i> , 2000, 14, 73-83.	1.7	51
344	Effects of Diet on Rumen Proliferation and Fecal Shedding of <i>Escherichia coli</i> O157:H7 in Calves. <i>Journal of Food Protection</i> , 2000, 63, 1630-1636.	1.7	64
345	Interventions for the Reduction of <i>Salmonella</i> Typhimurium DT 104 and Non-O157:H7 Enterohemorrhagic <i>Escherichia coli</i> on Beef Surfaces. <i>Journal of Food Protection</i> , 2000, 63, 1326-1332.	1.7	72
346	Evaluation of the Reveal and SafePath Rapid <i>Escherichia coli</i> O157 Detection Tests for Use on Bovine Feces and Carcasses. <i>Journal of Food Protection</i> , 2000, 63, 860-866.	1.7	12

#	ARTICLE	IF	CITATIONS
347	The Effect of Different Grain Diets on Fecal Shedding of Escherichia coli O157:H7 by Steers. Journal of Food Protection, 2000, 63, 1467-1474.	1.7	96
348	Microbiology of Potatoes and Potato Products: A Review. Journal of Food Protection, 2000, 63, 668-683.	1.7	42
349	Microbial quality of water in rural communities of Trinidad. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2000, 8, 172-180.	1.1	30
350	Verotoxin-1 Induces Tissue Factor Expression in Human Umbilical Vein Endothelial Cells through Activation of NF- κ B/Rel and AP-1. Thrombosis and Haemostasis, 2000, 84, 712-721.	3.4	31
351	Survival of verocytotoxigenic Escherichia coli O157 in soil, water and on surfaces. Journal of Applied Microbiology, 2000, 88, 71S-78S.	3.1	159
352	Study of an ELISA method for the detection of E. coli O157 in food. Progress in Biotechnology, 2000, 17, 359-368.	0.2	5
353	A New Shiga Toxin 2 Variant (Stx2f) from Escherichia coli Isolated from Pigeons. Applied and Environmental Microbiology, 2000, 66, 1205-1208.	3.1	284
354	Persistent Colonization of Sheep by Escherichia coli O157:H7 and Other E. coli Pathotypes. Applied and Environmental Microbiology, 2000, 66, 4926-4934.	3.1	75
355	Cattle lack vascular receptors for Escherichia coli O157:H7 Shiga toxins. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 10325-10329.	7.1	164
356	Severe Escherichia coli O111 septicaemia and polyserositis in hens at the start of lay. Avian Pathology, 2000, 29, 311-317.	2.0	53
357	Escherichia coli O157:H7 Causes More-Severe Systemic Disease in Suckling Piglets than in Colostrum-Deprived Neonatal Piglets. Infection and Immunity, 2000, 68, 2356-2358.	2.2	37
358	Results of a longitudinal study of the prevalence of Escherichia coli O157:H7 on cow-calf farms. American Journal of Veterinary Research, 2000, 61, 1375-1379.	0.6	74
359	Antibacterials that are used as growth promoters in animal husbandry can affect the release of Shiga-toxin-2-converting bacteriophages and Shiga toxin 2 from Escherichia coli strains. Microbiology (United Kingdom), 2000, 146, 1085-1090.	1.8	108
360	Characterization of a Shiga Toxin 2e-Converting Bacteriophage from an Escherichia coli Strain of Human Origin. Infection and Immunity, 2000, 68, 4850-4855.	2.2	100
361	Vascular Ultrastructure and DNA Fragmentation in Swine Infected with Shiga Toxin-Producing Escherichia coli. Veterinary Pathology, 2000, 37, 318-327.	1.7	28
362	Contribution of dps to Acid Stress Tolerance and Oxidative Stress Tolerance in Escherichia coli O157:H7. Applied and Environmental Microbiology, 2000, 66, 3911-3916.	3.1	142
363	Role of rpoS in Acid Resistance and Fecal Shedding of Escherichia coli O157:H7. Applied and Environmental Microbiology, 2000, 66, 632-637.	3.1	100
364	Human Response to Escherichia coli O157:H7 Infection: Antibodies to Secreted Virulence Factors. Infection and Immunity, 2000, 68, 5090-5095.	2.2	130

#	ARTICLE	IF	CITATIONS
365	Companion Animals as Reservoirs of <i>Escherichia coli</i> . Journal of Veterinary Diagnostic Investigation, 2000, 12, 78-80.	1.1	5
366	Structural Analysis of Phage-Borne stx Genes and Their Flanking Sequences in Shiga Toxin-Producing <i>Escherichia coli</i> and <i>Shigella dysenteriae</i> Type 1 Strains. Infection and Immunity, 2000, 68, 4856-4864.	2.2	143
367	Verocytotoxin-producing <i>Escherichia coli</i> O157 on a farm open to the public: outbreak investigation and longitudinal bacteriological study. Veterinary Record, 2000, 147, 259-264.	0.3	80
368	Murine Monoclonal Antibodies Specific for Lipopolysaccharide of <i>Escherichia coli</i> O26 and O111. Applied and Environmental Microbiology, 2000, 66, 4124-4127.	3.1	12
369	Determination of the Sensitivity of a Rapid <i>Escherichia coli</i> O157:H7 Assay for Testing 375-Gram Composite Samples. Applied and Environmental Microbiology, 2000, 66, 4149-4151.	3.1	22
370	Simultaneous Detection of Salmonella Strains and <i>Escherichia coli</i> O157:H7 with Fluorogenic PCR and Single-Enrichment-Broth Culture. Applied and Environmental Microbiology, 2000, 66, 5472-5476.	3.1	87
371	Isolation and Characterization of Mini-Tn 5 Km2 Insertion Mutants of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Deficient in Adherence to Caco-2 Cells. Infection and Immunity, 2000, 68, 5943-5952.	2.2	72
372	Characterization of SepL of Enterohemorrhagic <i>Escherichia coli</i> . Journal of Bacteriology, 2000, 182, 6490-6498.	2.2	58
373	Shiga Toxin-Producing <i>Escherichia coli</i> Infection: Temporal and Quantitative Relationships among Colonization, Toxin Production, and Systemic Disease. Journal of Infectious Diseases, 2000, 181, 242-251.	4.0	32
374	<i>Escherichia coli</i> O157:H7 Strains That Express Shiga Toxin (Stx) 2 Alone Are More Neurotropic for Gnotobiotic Piglets Than Are Isotypes Producing Only Stx1 or Both Stx1 and Stx2. Journal of Infectious Diseases, 2000, 181, 1825-1829.	4.0	92
375	INFLAMMATORY AND IMMUNOLOGICAL PARAMETERS IN CHILDREN WITH HAEMOLYTIC UREMIC SYNDROME (HUS) AND GASTROENTERITIS—PATHOPHYSIOLOGICAL AND DIAGNOSTIC CLUES. Cytokine, 2000, 12, 822-827.	3.2	30
376	Complete nucleotide sequence of the prophage VT1-Sakai carrying the Shiga toxin 1 genes of the enterohemorrhagic <i>Escherichia coli</i> O157:H7 strain derived from the Sakai outbreak. Gene, 2000, 258, 127-139.	2.2	93
377	Biopsy diagnosis of intestinal infectious diseases. Current Diagnostic Pathology, 2000, 6, 206-212.	0.4	1
378	Microbiological Safety of Drinking Water. Annual Review of Microbiology, 2000, 54, 81-127.	7.3	446
379	Platelet-activating factor acetylhydrolase gene mutation in Japanese children with <i>Escherichia coli</i> O157-associated hemolytic uremic syndrome. American Journal of Kidney Diseases, 2000, 36, 42-46.	1.9	11
380	Haemolytic Uraemic Syndrome. Paediatric Drugs, 2000, 2, 243-252.	3.1	5
381	Typing of Intimin Genes in Human and Animal Enterohemorrhagic and Enteropathogenic <i>Escherichia coli</i> : Characterization of a New Intimin Variant. Infection and Immunity, 2000, 68, 64-71.	2.2	386
382	SHIGELLA AND SHIGA TOXIN-PRODUCING <i>ESCHERICHIA COLI</i> CAUSING BLOODY DIARRHEA IN LATIN AMERICA. Infectious Disease Clinics of North America, 2000, 14, 41-65.	5.1	35

#	ARTICLE	IF	CITATIONS
383	Epidemiological Potential of Excretion and Regurgitation by <i>Musca domestica</i> (Diptera: Muscidae) in the Dissemination of <i>Escherichia coli</i> O157: H7 to Food. Journal of Medical Entomology, 2000, 37, 945-949.	1.8	141
384	A foodborne outbreak of Vero cytotoxin-producing <i>Escherichia coli</i> O157:H-phage type 8 in hospital. Journal of Hospital Infection, 2001, 49, 167-172.	2.9	21
385	Molecular characterisation of Shiga toxin-producing <i>Escherichia coli</i> O157 strains isolated in Poland. Research in Veterinary Science, 2001, 70, 175-177.	1.9	8
386	Superficial contamination of bovine carcasses by <i>Escherichia coli</i> O157:H7 in a slaughterhouse in Normandy (France). Meat Science, 2001, 58, 329-331.	5.5	15
387	<title>Light-emission-based biosensor for detection of food pathogens: a review</title>. , 2001, , .		0
389	The occurrence of <i>E. Coli</i> O157:H7 in South African water sources intended for direct and indirect human consumption. Water Research, 2001, 35, 3085-3088.	11.3	50
390	Prospects for the prevention of haemolytic-uraemic syndrome. Lancet, The, 2001, 357, 1636-1638.	13.7	4
391	An Antibody-Immobilized Capillary Column as a Bioseparator/Bioreactor for Detection of <i>Escherichia coli</i> O157:H7 with Absorbance Measurement. Analytical Chemistry, 2001, 73, 5180-5183.	6.5	37
392	Factors Contributing to the Emergence of <i>Escherichia coli</i> O157 in Africa. Emerging Infectious Diseases, 2001, 7, 812-819.	4.3	92
393	Isolation and Characterization of <i>Escherichia coli</i> O157:H7 from Retail Meats in Argentina. Journal of Food Protection, 2001, 64, 1346-1351.	1.7	74
394	Shiga Toxin-Producing <i>Escherichia coli</i> in Beef Heifers Grazing an Irrigated Pasture. Journal of Food Protection, 2001, 64, 1613-1616.	1.7	32
395	A Bienzyme Electrochemical Biosensor Coupled with Immunomagnetic Separation for Rapid Detection of <i>Escherichia coli</i> O157:H7 in Food Samples. , 2001, , .		0
396	An outbreak of <i>E. coli</i> O157 infection with evidence of spread from animals to man through contamination of a private water supply. Epidemiology and Infection, 2001, 126, 135-138.	2.1	109
397	APPLICATION OF CAPILLARY COLUMN BIOSEPARATOR/BIOREACTOR TO DETECTION OF <i>E. COLI</i> O157:H7. , 2001, , .		0
398	Monitoring patients in the community with suspected <i>Escherichia coli</i> O157 infection during a large outbreak in Scotland in 1996. Epidemiology and Infection, 2001, 127, 413-420.	2.1	12
399	Cattle as a Reservoir of Shiga-Like Toxin-Producing <i>Escherichia coli</i> Including O157:H7-Pre- and Post-Harvest Control Measures to Assure Beef Safety. The Professional Animal Scientist, 2001, 17, 1-16.	0.7	9
400	Adsorption Effect of Activated Charcoal on Enterohemorrhagic <i>Escherichia coli</i> .. Journal of Veterinary Medical Science, 2001, 63, 281-285.	0.9	47
401	Detection of Verocytotoxin-Producing <i>Escherichia coli</i> O157 by Polymerase Chain Reaction Assay After Immunomagnetic Separation-Plating.. Biocontrol Science, 2001, 6, 43-47.	0.8	3

#	ARTICLE	IF	CITATIONS
402	Different Binding Property of Verotoxin-1 and Verotoxin-2 Against Their Glycolipid Receptor, Globotriaosylceramide.. Tohoku Journal of Experimental Medicine, 2001, 195, 237-243.	1.2	14
403	Pathogenesis and evolution of virulence in enteropathogenic and enterohemorrhagic Escherichia coli. Journal of Clinical Investigation, 2001, 107, 539-548.	8.2	226
404	Cattle as a Reservoir of Shiga-Like Toxin-Producing Escherichia coli Including O157:H7 Pre- and Post-Harvest Control Measures to Assure Beef Safety. The Professional Animal Scientist, 2001, 17, 1-16.	0.7	3
405	Flies carrying enterohemorrhagic Escherichia coli (EHEC) O157 in Japan : A nationwide survey. Medical Entomology and Zoology, 2001, 52, 97-103.	0.1	8
406	Resolution of Escherichia coli O157:H7 That Contaminated Radish Sprouts in Two Outbreaks by Two-Dimensional Gel Electrophoresis. Current Microbiology, 2001, 43, 311-315.	2.2	1
407	Pathogenesis of Shiga toxin-induced hemolytic uremic syndrome. Pediatric Nephrology, 2001, 16, 823-839.	1.7	141
408	Pre-slaughter handling of cattle and Shiga toxin-producing Escherichia coli (STEC). Letters in Applied Microbiology, 2001, 32, 307-311.	2.2	39
409	Detection of Shiga-toxigenic Escherichia coli (STEC) in fresh seafood and meat marketed in Mangalore, India by PCR. Letters in Applied Microbiology, 2001, 33, 334-338.	2.2	53
410	Thrombotic microangiopathy, hemolytic uremic syndrome, and thrombotic thrombocytopenic purpura. Kidney International, 2001, 60, 831-846.	5.2	399
411	A comparison of a monoclonal antibody-based sandwich ELISA and immunomagnetic bead selective enrichment for the detection of Escherichia coli O157 from bovine faeces. Journal of Applied Microbiology, 2001, 91, 933-936.	3.1	9
412	Enterohaemorrhagic and enteropathogenic Escherichia coli use a different Tir-based mechanism for pedestal formation. Molecular Microbiology, 2001, 41, 1445-1458.	2.5	97
413	Use of Real-Time Polymerase Chain Reaction and Molecular Beacons for the Detection of Escherichia coli O157:H7. Analytical Biochemistry, 2001, 289, 281-288.	2.4	131
414	Survival and detection of Escherichia coli O157:H7 and Listeria monocytogenes during the manufacture of dry sausage using two different starter cultures. Food Microbiology, 2001, 18, 75-85.	4.2	68
415	Repair and growth of heat- and freeze-injured Escherichia coli O157:H7 in selective enrichment broths. Food Microbiology, 2001, 18, 617-629.	4.2	30
416	Recovery of heat-stressed E. coli O157:H7 from ground beef and survival of E. coli O157:H7 in refrigerated and frozen ground beef and in fermented sausage kept at 7°C and 22°C. Food Microbiology, 2001, 18, 511-519.	4.2	21
417	Detection of Escherichia coli O157:H7 and other intestinal pathogens in patients with diarrhoeal disease. European Journal of Epidemiology, 2001, 17, 97-99.	5.7	4
418	Occurrence and characterization of Escherichia coli O157 isolated from cattle in Norway. Veterinary Research Communications, 2001, 25, 13-26.	1.6	10
419	DIRECT DETECTION OF ESCHERICHIA COLI O157:H7 IN UNPASTEURIZED APPLE JUICE WITH AN EVANESCENT WAVE BIOSENSOR. Journal of Rapid Methods and Automation in Microbiology, 2001, 9, 241-257.	0.4	33

#	ARTICLE	IF	CITATIONS
420	Modelling the vector pathway and infection of humans in an environmental outbreak of <i>Escherichia coli</i> O157. <i>FEMS Microbiology Letters</i> , 2001, 203, 69-73.	1.8	86
421	A field survey of <i>Escherichia coli</i> O157 ecology on a cattle farm in Italy. <i>International Journal of Food Microbiology</i> , 2001, 66, 85-93.	4.7	55
422	Faecal carriage of Verocytotoxin-producing <i>Escherichia coli</i> O157 and carcass contamination in cattle at slaughter in northern Italy. <i>International Journal of Food Microbiology</i> , 2001, 66, 47-53.	4.7	49
423	Effect of stress induced by suboptimal growth factors on survival of <i>Escherichia coli</i> O157:H7. <i>International Journal of Food Microbiology</i> , 2001, 66, 31-37.	4.7	34
424	The management of VTEC O157 infection. <i>International Journal of Food Microbiology</i> , 2001, 66, 103-110.	4.7	31
425	Evaluation of techniques for enrichment and isolation of <i>Escherichia coli</i> O157:H7 from artificially contaminated sprouts. <i>International Journal of Food Microbiology</i> , 2001, 71, 87-92.	4.7	46
426	Effect of oral sodium chlorate administration on <i>Escherichia coli</i> O157:H7 in the gut of experimentally infected pigs. <i>International Journal of Food Microbiology</i> , 2001, 71, 125-130.	4.7	58
427	Comparative evaluation of different chromogenic/fluorogenic media for detecting <i>Escherichia coli</i> O157:H7 in food. <i>International Journal of Food Microbiology</i> , 2001, 71, 257-262.	4.7	58
428	Prevalence of verotoxin-producing <i>Escherichia coli</i> and <i>E. coli</i> O157:H7 in pig carcasses from three French slaughterhouses. <i>International Journal of Food Microbiology</i> , 2001, 71, 249-255.	4.7	26
429	Review of epidemiological surveys on the prevalence of contamination of healthy cattle with <i>Escherichia coli</i> serogroup O157 : H7. <i>International Journal of Hygiene and Environmental Health</i> , 2001, 203, 347-361.	4.3	63
430	Occurrence of <i>Escherichia coli</i> O157 in Finnish cattle. <i>Veterinary Microbiology</i> , 2001, 79, 239-251.	1.9	36
431	Detection and characterization of Shiga toxin-producing <i>Escherichia coli</i> in feral pigeons. <i>Veterinary Microbiology</i> , 2001, 82, 275-283.	1.9	83
432	Reduction of fecal shedding of enterohemorrhagic <i>Escherichia coli</i> O157:H7 in lambs by feeding microbial feed supplement. <i>Small Ruminant Research</i> , 2001, 39, 31-39.	1.2	109
433	Spontaneous reactivation of Shiga toxins in <i>Escherichia coli</i> O157:H7 cells caused by transposon excision. <i>Journal of Bioscience and Bioengineering</i> , 2001, 92, 114-120.	2.2	7
434	Phylogenetic diversity and similarity of active sites of Shiga toxin (Stx) in Shiga toxin-producing <i>Escherichia coli</i> (STEC) isolates from humans and animals. <i>Epidemiology and Infection</i> , 2001, 127, 27-36.	2.1	29
435	Cattle Water Troughs as Reservoirs of <i>Escherichia coli</i> O157. <i>Applied and Environmental Microbiology</i> , 2001, 67, 3053-3057.	3.1	184
436	Serum Amyloid P Component Is the Shiga Toxin 2-neutralizing Factor in Human Blood. <i>Journal of Biological Chemistry</i> , 2001, 276, 41576-41579.	3.4	50
437	Sorbitol-Fermenting Shiga Toxin-Producing <i>Escherichia coli</i> O157:H7 Strains: Epidemiology, Phenotypic and Molecular Characteristics, and Microbiological Diagnosis. <i>Journal of Clinical Microbiology</i> , 2001, 39, 2043-2049.	3.9	175

#	ARTICLE	IF	CITATIONS
438	Experimental infection of six-month-old sheep with <i>Escherichia coli</i> O157:H7. <i>Veterinary Record</i> , 2001, 148, 630-631.	0.3	15
439	Experimental and Field Studies of <i>Escherichia coli</i> O157:H7 in White-Tailed Deer. <i>Applied and Environmental Microbiology</i> , 2001, 67, 1218-1224.	3.1	71
440	Hemolytic-Uremic Syndrome and <i>Escherichia coli</i> O121 at a Lake in Connecticut, 1999. <i>Pediatrics</i> , 2001, 108, e59-e59.	2.1	83
441	tox _B Gene on pO157 of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Is Required for Full Epithelial Cell Adherence Phenotype. <i>Infection and Immunity</i> , 2001, 69, 6660-6669.	2.2	200
442	Efficacy of Postinfection Treatment with Anti-Shiga Toxin (Stx) 2 Humanized Monoclonal Antibody TMA-15 in Mice Lethally Challenged with Stx-Producing <i>Escherichia coli</i> . <i>Journal of Infectious Diseases</i> , 2001, 184, 738-742.	4.0	69
443	Antibody Response to Shiga Toxins Stx2 and Stx1 in Children with Enteropathic Hemolytic-Uremic Syndrome. <i>Journal of Clinical Microbiology</i> , 2001, 39, 2272-2279.	3.9	41
444	Ancestral Divergence, Genome Diversification, and Phylogeographic Variation in Subpopulations of Sorbitol-Negative, β -Glucuronidase-Negative Enterohemorrhagic <i>Escherichia coli</i> O157. <i>Journal of Bacteriology</i> , 2001, 183, 6885-6897.	2.2	88
445	Imaging Features of Enterohemorrhagic <i>Escherichia coli</i> Colitis. <i>American Journal of Roentgenology</i> , 2001, 177, 619-623.	2.2	28
446	ESCHERICHIA COLI O157:H7 IN FREE-RANGING DEER IN NEBRASKA. <i>Journal of Wildlife Diseases</i> , 2001, 37, 755-760.	0.8	83
447	Restriction endonuclease analysis of RAPD-PCR amplicons derived from Shiga-like toxin-producing <i>Escherichia coli</i> O157 isolates. <i>Journal of Medical Microbiology</i> , 2001, 50, 90-95.	1.8	8
448	Attaching and effacing lesions caused by <i>Escherichia coli</i> O157:H7 in experimentally inoculated neonatal lambs. <i>Journal of Medical Microbiology</i> , 2001, 50, 752-758.	1.8	32
449	Environmental and Food Safety Aspects of <i>Escherichia coli</i> O157:H7 Infections in Cattle. <i>Critical Reviews in Microbiology</i> , 2001, 27, 57-73.	6.1	83
450	The United States National Prospective Hemolytic Uremic Syndrome Study: Microbiologic, Serologic, Clinical, and Epidemiologic Findings. <i>Journal of Infectious Diseases</i> , 2001, 183, 1063-1070.	4.0	269
451	Bacterial Polysaccharides as Vaccines: Immunity and Chemical Characterization. <i>Advances in Experimental Medicine and Biology</i> , 2001, 491, 453-471.	1.6	32
452	Detection in <i>Escherichia coli</i> of the Genes Encoding the Major Virulence Factors, the Genes Defining the O157:H7 Serotype, and Components of the Type 2 Shiga Toxin Family by Multiplex PCR. <i>Journal of Clinical Microbiology</i> , 2002, 40, 3613-3619.	3.9	290
453	<i>Escherichia coli</i> Harboring Shiga Toxin 2 Gene Variants: Frequency and Association with Clinical Symptoms. <i>Journal of Infectious Diseases</i> , 2002, 185, 74-84.	4.0	677
454	Human Stx2-Specific Monoclonal Antibodies Prevent Systemic Complications of <i>Escherichia coli</i> O157:H7 Infection. <i>Infection and Immunity</i> , 2002, 70, 612-619.	2.2	109
455	Clinical <i>Escherichia coli</i> Strains Carrying stx Genes: stx Variants and stx-Positive Virulence Profiles. <i>Journal of Clinical Microbiology</i> , 2002, 40, 4585-4593.	3.9	159

#	ARTICLE	IF	CITATIONS
456	Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> O157:H7 Isolated in Italy and in France. <i>Journal of Clinical Microbiology</i> , 2002, 40, 4619-4624.	3.9	22
457	<i>Escherichia coli</i> O157 Fails to Induce a Long-Lasting Lipopolysaccharide-Specific, Measurable Humoral Immune Response in Children with Hemolytic-Uremic Syndrome. <i>Journal of Infectious Diseases</i> , 2002, 186, 566-569.	4.0	21
458	Shiga Toxin-Producing <i>Escherichia coli</i> Infection and Antibodies against Stx2 and Stx1 in Household Contacts of Children with Enteropathic Hemolytic-Uremic Syndrome. <i>Journal of Clinical Microbiology</i> , 2002, 40, 1773-1782.	3.9	60
459	The Medical Significance of Shiga Toxin-Producing <i>Escherichia coli</i> Infections: An Overview. , 2003, 73, 01-07.		4
460	Saliva IgM and IgA Are a Sensitive Indicator of the Humoral Immune Response to <i>Escherichia coli</i> O157 Lipopolysaccharide in Children with Enteropathic Hemolytic Uremic Syndrome. <i>Pediatric Research</i> , 2002, 52, 307-313.	2.3	37
461	A disposable membrane strip immunosensor. , 0, , .		4
462	Role of the Laboratory in the Diagnosis of Enterohemorrhagic <i>Escherichia coli</i> Infections. <i>Journal of Clinical Microbiology</i> , 2002, 40, 2711-2715.	3.9	58
463	<i>Escherichia coli</i> O157[α]H7 infection in cows and calves in a beef cattle herd in Alberta, Canada. <i>Epidemiology and Infection</i> , 2002, 129, 163-172.	2.1	61
464	Shedding of <i>Escherichia coli</i> O157:H7 in Dairy Cattle Housed in a Confined Environment following Waterborne Inoculation. <i>Applied and Environmental Microbiology</i> , 2002, 68, 1947-1954.	3.1	59
465	Population-based Trends in Pediatric Hemolytic Uremic Syndrome in California, 1994-1999: Substantial Underreporting and Public Health Implications. <i>American Journal of Epidemiology</i> , 2002, 155, 941-948.	3.4	27
466	Gastrointestinal Tract Location of <i>Escherichia coli</i> O157:H7 in Ruminants. <i>Applied and Environmental Microbiology</i> , 2002, 68, 2269-2277.	3.1	185
467	Identification, Characterization, and Distribution of a Shiga Toxin 1 Gene Variant (stx1c) in <i>Escherichia coli</i> Strains Isolated from Humans. <i>Journal of Clinical Microbiology</i> , 2002, 40, 1441-1446.	3.9	143
468	Detection and Subtyping of Shiga Toxin-Producing <i>Escherichia coli</i> (STEC). , 2003, 216, 163-184.		7
469	Isolation and Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> O157:H7 from Beef, Pork and Cattle Fecal Samples in Changchun, China. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 1041-1044.	0.9	19
470	A long-term study on the prevalence of shiga toxin-producing <i>Escherichia coli</i> (STEC) on four German cattle farms. <i>Epidemiology and Infection</i> , 2002, 129, 173-185.	2.1	92
471	Monoclonal Antibody to Shiga Toxin 1, Which Blocks Receptor Binding and Neutralizes Cytotoxicity. <i>Microbiology and Immunology</i> , 2002, 46, 777-780.	1.4	11
472	Possible food contamination with the excreta of housefly with enterohemorrhagic <i>Escherichia coli</i> O157 : H7. <i>Medical Entomology and Zoology</i> , 2002, 53, 83-87.	0.1	9
473	Development of Humanized Monoclonal Antibody TMA-15 Which Neutralizes Shiga Toxin 2. <i>Hybridoma</i> , 2002, 21, 161-168.	0.4	27

#	ARTICLE	IF	CITATIONS
474	Prevalence and characteristics of attaching and effacing strains of <i>Escherichia coli</i> isolated from diarrheic and healthy sheep and goats. <i>American Journal of Veterinary Research</i> , 2002, 63, 262-266.	0.6	23
475	Microbial Agents Associated with Waterborne Diseases. <i>Critical Reviews in Microbiology</i> , 2002, 28, 371-409.	6.1	477
476	Transmission and control of <i>Escherichia coli</i> O157:H7 – A review. <i>Canadian Journal of Animal Science</i> , 2002, 82, 475-490.	1.5	114
477	Production and Characterization of Protective Human Antibodies against Shiga Toxin 1. <i>Infection and Immunity</i> , 2002, 70, 5896-5899.	2.2	57
478	MANAGING HEALTH RISKS FROM DRINKING WATER—A REPORT TO THE WALKERTON INQUIRY. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2002, 65, 1635-1823.	2.3	31
479	Faecal carriage of verocytotoxin-producing <i>Escherichia coli</i> O157 in cattle and sheep at slaughter in Great Britain. <i>Veterinary Record</i> , 2002, 150, 593-598.	0.3	94
482	Detection and Characterization of Class 1 Integrins in Enterohemorrhagic <i>Escherichia coli</i> . <i>Microbial Drug Resistance</i> , 2002, 8, 85-91.	2.0	25
483	The role of type 1 and curli fimbriae of Shiga toxin-producing <i>Escherichia coli</i> in adherence to abiotic surfaces. <i>International Journal of Medical Microbiology</i> , 2002, 292, 195-205.	3.6	151
484	Detection of <i>Escherichia coli</i> O157:H7 using immunomagnetic separation and absorbance measurement. <i>Journal of Microbiological Methods</i> , 2002, 51, 369-377.	1.6	36
485	Enterohemorrhagic and Other Shiga Toxin-Producing <i>Escherichia coli</i> . , 2002, , 119-154.		19
486	Polymerase Chain Reaction Assay for Detection of <i>Escherichia coli</i> O157:H7 and <i>Escherichia coli</i> O157:H α . <i>Journal of Food Protection</i> , 2002, 65, 5-11.	1.7	10
487	Deer Meat as the Source for a Sporadic Case of <i>Escherichia coli</i> O157:H7 Infection, Connecticut 1. <i>Emerging Infectious Diseases</i> , 2002, 8, 525-527.	4.3	48
488	First Shiga Toxin-Producing <i>Escherichia coli</i> isolate from a Patient with Hemolytic Uremic Syndrome, Brazil. <i>Emerging Infectious Diseases</i> , 2002, 8, 535-536.	4.3	47
489	Prevalence of Shiga Toxin-Producing <i>Escherichia coli</i> in Ground Beef and Cattle Feces from King County, Washington. <i>Journal of Food Protection</i> , 2002, 65, 1322-1325.	1.7	39
490	Penetration of Surface-Inoculated Bacteria as a Result of Hydrodynamic Shock Wave Treatment of Beef Steaks. <i>Journal of Food Protection</i> , 2002, 65, 616-620.	1.7	12
491	Influence of Acid Adaptation on the Tolerance of <i>Escherichia coli</i> O157:H7 to Some Subsequent Stresses. <i>Journal of Food Protection</i> , 2002, 65, 260-265.	1.7	35
492	Progress and data gaps in quantitative microbial risk assessment. <i>Water Science and Technology</i> , 2002, 46, 277-284.	2.5	37
493	Microbial Quality of Water Supply to an Urban Community in Trinidad. <i>Journal of Food Protection</i> , 2002, 65, 1297-1303.	1.7	24

#	ARTICLE	IF	CITATIONS
494	Incidence of Escherichia coli O157:H7 in Frozen Beef Patties Produced over an 8-Hour Shift. Journal of Food Protection, 2002, 65, 1363-1370.	1.7	15
495	A BIENZYME ELECTROCHEMICAL BIOSENSOR COUPLED WITH IMMUNOMAGNETIC SEPARATION FOR RAPID DETECTION OF ESCHERICHIA COLI O157:H7 IN FOOD SAMPLES. Transactions of the American Society of Agricultural Engineers, 2002, 45, .	0.9	39
496	Detection of Escherichia coli O157:H7 in 10- and 25-Gram Ground Beef Samples with an Evanescent-Wave Biosensor with Silica and Polystyrene Waveguides. Journal of Food Protection, 2002, 65, 596-602.	1.7	91
497	O157:H7 Shiga Toxin-Producing Escherichia coli Strains Associated with Sporadic Cases of Diarrhea in Sao Paulo, Brazil. Emerging Infectious Diseases, 2002, 8, 446-447.	4.3	41
498	Serotypes of non-O157 Verocytotoxigenic Escherichia coli isolated from Meat in New Zealand. Comparative Immunology, Microbiology and Infectious Diseases, 2002, 25, 77-84.	1.6	13
499	Inhibition of bacterial foodborne pathogens by the lactoperoxidase system in combination with monolaurin. International Journal of Food Microbiology, 2002, 73, 1-9.	4.7	46
500	Quantitative risk assessment of human infection from Escherichia coli O157 associated with recreational use of animal pasture. International Journal of Food Microbiology, 2002, 75, 39-51.	4.7	41
501	Effects of slaughter processes on pig carcass contamination by verotoxin-producing Escherichia coli and E. coli O157:H7. International Journal of Food Microbiology, 2002, 77, 99-108.	4.7	23
502	Effects of cutting process on pork meat contamination by verotoxin-producing Escherichia coli (VTEC) and E. coli O157:H7. International Journal of Food Microbiology, 2002, 77, 91-97.	4.7	10
503	Survival of Escherichia coli O157:H7 in traditional African yoghurt fermentation. International Journal of Food Microbiology, 2002, 79, 105-112.	4.7	36
504	Antimicrobial activity of Nutmeg against Escherichia coli O157. Journal of Bioscience and Bioengineering, 2002, 94, 315-320.	2.2	50
505	Detection of Shiga toxin-producing Escherichia coli by PCR in cattle in Argentina. Veterinary Microbiology, 2002, 87, 301-313.	1.9	25
506	Persistence of Escherichia coli O157:H7 in experimentally infected swine. Veterinary Microbiology, 2002, 89, 69-81.	1.9	40
507	Effect of dietary fiber on E. coli O157:H7 shedding in lambs. Small Ruminant Research, 2002, 43, 249-255.	1.2	14
508	Use of Phenotyping and Genotyping to Verify Transmission of Escherichia coli O157:H7 from Dairy Farms. European Journal of Clinical Microbiology and Infectious Diseases, 2002, 21, 189-195.	2.9	41
509	Verotoxin-producing Escherichia coli (VTEC), enteropathogenic E. coli (EPEC) and necrotoxigenic E. coli (NTEC) isolated from healthy cattle in Spain. Journal of Applied Microbiology, 2002, 93, 29-35.	3.1	73
510	Prevalence of verotoxin-producing Escherichia coli (VTEC) and E. coli O157:H7 in French pork. Journal of Applied Microbiology, 2002, 93, 7-14.	3.1	17
511	A PCR test for detecting Escherichia coli O157:H7 based on the identification of the small inserted locus (SILO157). Journal of Applied Microbiology, 2002, 93, 250-260.	3.1	9

#	ARTICLE	IF	CITATIONS
512	Persistence of Escherichia coli O157:H7 in barley silage: effect of a bacterial inoculant. Journal of Applied Microbiology, 2002, 93, 288-294.	3.1	35
513	Regulated expression of the Shiga toxin B gene induces apoptosis in mammalian fibroblastic cells. Molecular Microbiology, 2002, 33, 1190-1199.	2.5	47
514	Rapid and specific identification of Shiga toxin-producing Escherichia coli in faeces by multiplex PCR. Letters in Applied Microbiology, 2002, 34, 304-310.	2.2	31
515	Prevalence of Escherichia coli O157:H7 in industrial minced beef. Letters in Applied Microbiology, 2002, 35, 7-11.	2.2	48
516	Survival of Escherichia coli O157 in abattoir waste products. Letters in Applied Microbiology, 2002, 35, 233-236.	2.2	12
517	Survival of Escherichia Coli O157:H7 During Storage of Yogurt at Different Temperatures. Journal of Food Science, 2002, 67, 1899-1903.	3.1	31
518	DETECTION OF ESCHERICHIA COLI O157 IN RAW BEEF USING A CCD BASED LIGHT SCATTERING INSTRUMENT. Journal of Rapid Methods and Automation in Microbiology, 2002, 10, 245-253.	0.4	1
519	RAPID TEST FOR DIAGNOSIS OF ENTEROHEMORRHAGIC E. COLI O157:H7 IN HUMAN STOOL SAMPLES. Journal of Rapid Methods and Automation in Microbiology, 2002, 10, 255-261.	0.4	1
520	Quantitative detection of Escherichia coli O157:H7 in ground beef by the polymerase chain reaction. Food Microbiology, 2002, 19, 159-165.	4.2	23
521	Bacteria of pathogenic importance in faeces from cadavers of free-ranging or corralled semi-domesticated reindeer in northern Norway. Veterinary Research Communications, 2003, 27, 93-100.	1.6	16
522	Risk factors for poor renal prognosis in children with hemolytic uremic syndrome. Pediatric Nephrology, 2003, 18, 1229-1235.	1.7	50
523	Serotypes and Shiga toxin genotypes among Escherichia coli isolated from animals and food in Argentina and Brazil. Veterinary Microbiology, 2003, 92, 335-349.	1.9	28
524	Interaction with avian cells and colonisation of specific pathogen free chicks by Shiga-toxin negative Escherichia coli O157:H7 (NCTC 12900). Veterinary Microbiology, 2003, 93, 207-222.	1.9	20
525	Detection of enterohemorrhagic Escherichia coli O157:H7 by using a multiplex real-time PCR assay for genes encoding intimin and Shiga toxins. Veterinary Microbiology, 2003, 93, 247-260.	1.9	105
526	Detection of Escherichia coli Shiga toxin (stx) and enterotoxin (estA and elt) genes in fecal samples from non-diarrheic and diarrheic greyhounds. Veterinary Microbiology, 2003, 94, 303-312.	1.9	18
527	Acid resistance of Escherichia coli O157:H7 from the gastrointestinal tract of cattle fed hay or grain. Veterinary Microbiology, 2003, 95, 211-225.	1.9	34
528	Typing of the eae and espB genes of attaching and effacing Escherichia coli isolates from ruminants. Veterinary Microbiology, 2003, 96, 203-215.	1.9	28
529	Acid tolerance and gad mRNA levels of Escherichia coli O157:H7 grown in foods. International Journal of Food Microbiology, 2003, 82, 203-211.	4.7	12

#	ARTICLE	IF	CITATIONS
530	Isolation and molecular characterization of <i>Escherichia coli</i> O157 isolated from cattle, pigs and chickens at slaughter. <i>International Journal of Food Microbiology</i> , 2003, 84, 63-69.	4.7	36
531	Lower risk of Parkinson's disease in an admixed population of European and Indian origins. <i>Movement Disorders</i> , 2003, 18, 912-914.	3.9	23
532	Unique form of propriospinal myoclonus as a possible complication of an enteropathogenic toxin. <i>Movement Disorders</i> , 2003, 18, 942-948.	3.9	17
533	Multiple sclerosis tremor and the Stewart-Holmes manoeuvre. <i>Movement Disorders</i> , 2003, 18, 948-952.	3.9	11
534	Staged lesions through implanted deep brain stimulating electrodes: A new surgical procedure for treating tremor or dyskinesias. <i>Movement Disorders</i> , 2003, 18, 933-938.	3.9	23
535	Transplantation in Parkinson's disease: PET changes correlate with the amount of grafted tissue. <i>Movement Disorders</i> , 2003, 18, 928-932.	3.9	61
536	Olfactory bulb in multiple system atrophy. <i>Movement Disorders</i> , 2003, 18, 938-942.	3.9	44
537	Mutation analysis of theparkingene in Russian families with autosomal recessive juvenile parkinsonism. <i>Movement Disorders</i> , 2003, 18, 914-919.	3.9	26
538	The glutamate-dependent acid resistance system of <i>Escherichia coli</i> and <i>Shigella flexneri</i> is inhibited in vitro by L-trans-pyrrolidine-2,4-dicarboxylic acid. <i>FEMS Microbiology Letters</i> , 2003, 224, 119-125.	1.8	28
539	Identification of the promoter regions and σ^{54} -dependent regulation of the <i>gadA</i> and <i>gadBC</i> genes associated with glutamate-dependent acid resistance in <i>Shigella flexneri</i> . <i>FEMS Microbiology Letters</i> , 2003, 225, 155-160.	1.8	24
540	Rapid electrochemical detection and identification of catalase positive micro-organisms. <i>Biosensors and Bioelectronics</i> , 2003, 18, 741-749.	10.1	29
541	Effects of the antibiotic ionophores monensin, lasalocid, laidlomycin propionate and bambarmycin on <i>Salmonella</i> and <i>E. coli</i> O157:H7 in vitro*. <i>Journal of Applied Microbiology</i> , 2003, 94, 207-213.	3.1	51
542	Development of a 5'-nuclease PCR assay for detecting Shiga toxin-producing <i>Escherichia coli</i> O145 based on the identification of an 'O-island 29' homologue. <i>Journal of Applied Microbiology</i> , 2003, 94, 587-594.	3.1	13
543	A comparison of two pre-enrichment media prior to immunomagnetic separation for the isolation of <i>E. coli</i> O157 from bovine faeces. <i>Journal of Applied Microbiology</i> , 2003, 95, 155-159.	3.1	28
544	Development of a multiplex PCR approach for the identification of Shiga toxin-producing <i>Escherichia coli</i> strains and their major virulence factor genes. <i>Journal of Applied Microbiology</i> , 2003, 95, 1217-1225.	3.1	54
545	Induction of intestinal IgA and IgG antibodies preventing adhesion of verotoxin-producing <i>Escherichia coli</i> to Caco-2 cells by oral immunization with liposomes. <i>Letters in Applied Microbiology</i> , 2003, 36, 135-139.	2.2	22
546	DETECTION OF <i>ESCHERICHIA COLI</i> O157:H7 FROM FOOD BY A MICROPLATE SANDWICH IMMUNOASSAY USING TIME-RESOLVED FLUOROMETRY. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2003, 11, 133-143.	0.4	4
547	CHALK CULTURE METHOD FOR PRESERVING BACTERIA CULTURES AND ITS APPLICATIONS. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2003, 11, 163-224.	0.4	2

#	ARTICLE	IF	CITATIONS
548	Growth and Survival of Escherichia coli O157:H7 in Different Types of Milk Stored at 4 oC or 20 oC. Journal of Food Science, 2003, 68, 2558-2563.	3.1	7
549	Fabrication of a disposable biosensor for Escherichia coli O157:H7 detection. IEEE Sensors Journal, 2003, 3, 345-351.	4.7	89
550	Optimization of a 3â€²-minor groove binder-DNA probe targeting the uidA gene for rapid identification of Escherichia coli O157:H7 using real-time PCR. Molecular and Cellular Probes, 2003, 17, 275-280.	2.1	33
551	Procedures for Preparing Escherichia coli O157:H7 Immunoliposome and Its Application in Liposome Immunoassay. Analytical Chemistry, 2003, 75, 4330-4334.	6.5	58
552	Altered corticomotor representation in patients with Parkinson's disease. Movement Disorders, 2003, 18, 919-927.	3.9	17
553	Role of Shiga toxin 2 (Stx2)-binding protein, human serum amyloid P component (HuSAP), in Shiga toxin-producing Escherichia coli infections: assumption from in vitro and in vivo study using HuSAP and anti-Stx2 humanized monoclonal antibody TMA-15. Biochemical and Biophysical Research Communications. 2003, 305, 1057-1060.	2.1	21
554	Isolation and characterisation of Shiga toxin-producing Escherichia coli O157:H7 from calves in Argentina. Research in Veterinary Science, 2003, 74, 283-286.	1.9	12
555	Effects of a Saccharomyces cerevisiae feed supplement on Escherichia coli O157:H7 in ruminal fluid in vitro. Animal Feed Science and Technology, 2003, 104, 179-189.	2.2	18
556	Spontaneous antibiotic resistance mutation associated pleiotropic changes in Escherichia coli O157:H7. Acta Veterinaria Hungarica, 2003, 51, 29-44.	0.5	8
557	The role of intimin in the adherence of enterohaemorrhagic Escherichia coli (EHEC) O157 : H7 to HEp-2 tissue culture cells and to bovine gut explant tissues. International Journal of Medical Microbiology, 2003, 292, 547-553.	3.6	26
558	Non-toxigenic Escherichia coli O157:H7 strain NCTC12900 causes attaching-effacing lesions and eae-dependent persistence in weaned sheep. International Journal of Medical Microbiology, 2003, 293, 299-308.	3.6	49
559	Development of a lethal Shiga toxin-producing Escherichia coli-infection mouse model using multiple mitomycin C treatment. Microbial Pathogenesis, 2003, 35, 1-9.	2.9	25
560	Increased acid tolerance of Escherichia coli O157:H7 as affected by acid adaptation time and conditions of acid challenge. Food Research International, 2003, 36, 49-56.	6.2	61
561	Multiplex-PCR and PCR-RFLP assays to monitor water quality against pathogenic bacteria. Journal of Environmental Monitoring, 2003, 5, 865.	2.1	17
562	Acute Gastroenteritis in Children. Paediatric Drugs, 2003, 5, 279-290.	3.1	14
563	Association of Genomic O Island 122 of Escherichia coli EDL 933 with Verocytotoxin-Producing Escherichia coli Seropathotypes That Are Linked to Epidemic and/or Serious Disease. Journal of Clinical Microbiology, 2003, 41, 4930-4940.	3.9	444
564	Antiviral Activity of Shiga Toxin Requires Enzymatic Activity and Is Associated with Increased Permeability of the Target Cells. Infection and Immunity, 2003, 71, 327-334.	2.2	14
565	Increased Adherence to Caco-2 Cells Caused by Disruption of the yhiE and yhiF Genes in Enterohemorrhagic Escherichia coli O157:H7. Infection and Immunity, 2003, 71, 2598-2606.	2.2	57

#	ARTICLE	IF	CITATIONS
566	Combining traditional and new preservation techniques to control pathogens: the case of E. coli. , 2003, , 204-227.		1
567	Multiplex Real-Time PCR Method To Identify Shiga Toxin Genes stx1 and stx2 and Escherichia coli O157:H7/H ⁺ Serotype. Applied and Environmental Microbiology, 2003, 69, 6327-6333.	3.1	97
568	Detection, Isolation, and Molecular Subtyping of Escherichia coli O157:H7 and Campylobacter jejuni Associated with a Large Waterborne Outbreak. Journal of Clinical Microbiology, 2003, 41, 174-180.	3.9	113
569	Stx2-Specific Human Monoclonal Antibodies Protect Mice against Lethal Infection with Escherichia coli Expressing Stx2 Variants. Infection and Immunity, 2003, 71, 3125-3130.	2.2	48
570	Evaluation of Pulsed-Field Gel Electrophoresis as a Tool for Determining the Degree of Genetic Relatedness between Strains of Escherichia coli O157:H7. Journal of Clinical Microbiology, 2003, 41, 1843-1849.	3.9	121
571	An immunodiagnostic method for the detection of Shiga-like toxigenic Escherichia coli in faeces. Journal of Clinical Pathology, 2003, 56, 882-a-883.	2.0	0
572	Transduction of Porcine Enteropathogenic Escherichia coli with a Derivative of a Shiga Toxin 2-Encoding Bacteriophage in a Porcine Ligated Ileal Loop System. Applied and Environmental Microbiology, 2003, 69, 7242-7247.	3.1	68
573	Comparison of Shiga Toxin Production by Hemolytic-Uremic Syndrome-Associated and Bovine-Associated Shiga Toxin-Producing Escherichia coli Isolates. Applied and Environmental Microbiology, 2003, 69, 1059-1066.	3.1	75
574	Detection of Escherichia Coli O157:H7 in Cattle Feces Using a Polymerase Chain Reaction [®] -Based Fluorogenic 5'- ϵ 2 Nuclease (TaqMan [®]) Detection Assay after Secondary Enrichment. Journal of Veterinary Diagnostic Investigation, 2003, 15, 543-552.	1.1	6
575	Shiga Toxin-Producing Escherichia coli-Associated Kidney Failure in a 40-Year-Old Patient and Late Diagnosis by Novel Bacteriologic and Toxin Detection Methods. Journal of Clinical Microbiology, 2003, 41, 3438-3440.	3.9	9
576	Age- ⁶ -Specific Frequencies of Antibodies to Escherichia coli Verocytotoxins (Shiga Toxins) 1 and 2 among Urban and Rural Populations in Southern Ontario. Journal of Infectious Diseases, 2003, 188, 1724-1729.	4.0	34
577	Prevalence of faecal excretion of verocytotoxigenic <i>Escherichia coli</i> O157 ⁺ in cattle in England and Wales. Veterinary Record, 2003, 153, 347-353.	0.3	71
578	Protection against Shiga Toxin 1 Challenge by Immunization of Mice with Purified Mutant Shiga Toxin 1. Infection and Immunity, 2003, 71, 3235-3239.	2.2	40
579	A Stable Bioluminescent Construct of Escherichia coli O157:H7 for Hazard Assessments of Long-Term Survival in the Environment. Applied and Environmental Microbiology, 2003, 69, 3359-3367.	3.1	66
580	Evaluation of the Duopath Verotoxin Test for Detection of Shiga Toxins in Cultures of Human Stools. Journal of Clinical Microbiology, 2003, 41, 2650-2653.	3.9	55
581	Concentration and Prevalence of Escherichia coli O157 in Cattle Feces at Slaughter. Applied and Environmental Microbiology, 2003, 69, 2444-2447.	3.1	260
582	A Mosaic Pathogenicity Island Made Up of the Locus of Enterocyte Effacement and a Pathogenicity Island of Escherichia coli O157:H7 Is Frequently Present in Attaching and Effacing E. coli. Infection and Immunity, 2003, 71, 3343-3348.	2.2	72
583	Inhibition of the transcription of the Escherichia coli O157:H7 genes coding for shiga-like toxins and intimin, and its potential use in the treatment of human infection with the bacterium. Annals of Tropical Medicine and Parasitology, 2003, 97, 281-287.	1.6	15

#	ARTICLE	IF	CITATIONS
584	Faecal culture of wild animals for <i>Escherichia coli</i> O157:H7. <i>Veterinary Record</i> , 2003, 152, 82-83.	0.3	29
585	Critical Roles for stx 2 , eae , and tir in Enterohemorrhagic <i>Escherichia coli</i> -Induced Diarrhea and Intestinal Inflammation in Infant Rabbits. <i>Infection and Immunity</i> , 2003, 71, 7129-7139.	2.2	149
586	Effect of Environmental Conditions on Proteins Secreted by Enterohemorrhagic <i>Escherichia coli</i> O26:H11. <i>Microbiology and Immunology</i> , 2003, 47, 1-6.	1.4	6
587	Heat Adaptation Alters <i>Escherichia coli</i> O157:H7 Membrane Lipid Composition and Verotoxin Production. <i>Applied and Environmental Microbiology</i> , 2003, 69, 5115-5119.	3.1	80
588	Prevalence and characterization of Vero cytotoxin-producing <i>Escherichia coli</i> isolated from diarrhoeic and healthy sheep and goats. <i>Epidemiology and Infection</i> , 2003, 130, 313-321.	2.1	47
589	Comparison of Traditional and Molecular Typing Methods of <i>Escherichia coli</i> O157. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2003, 50, 349-367.	0.8	1
590	Reducing pathogen risks in MAP-prepared produce. , 2003, , 231-275.		13
591	Verotoxin-Producing <i>Escherichia coli</i> in Culled Beef Cows Grazing Rangeland Forages. <i>Experimental Biology and Medicine</i> , 2003, 228, 352-357.	2.4	16
592	Effect of bacteriophage DC22 on <i>Escherichia coli</i> O157:H7 in an artificial rumen system (Rusitec) and inoculated sheep. <i>Animal Research</i> , 2003, 52, 89-101.	0.6	64
593	Home-prepared Hamburger and Sporadic Hemolytic Uremic Syndrome, Argentina. <i>Emerging Infectious Diseases</i> , 2003, 9, 1184-1186.	4.3	27
594	Verotoxin-Producing <i>Escherichia coli</i> in Sheep Grazing an Irrigated Pasture or Arid Rangeland Forages. <i>Experimental Biology and Medicine</i> , 2003, 228, 358-364.	2.4	13
595	Molecular Characterization of <i>Escherichia coli</i> O157 Contamination Routes in a Cattle Slaughterhouse. <i>Journal of Food Protection</i> , 2003, 66, 1564-1569.	1.7	45
596	Effect of feeding the ionophores monensin and laidlomycin propionate and the antimicrobial bambarmycin to sheep experimentally infected with <i>E. coli</i> O157:H7 and <i>Salmonella typhimurium</i> 1. <i>Journal of Animal Science</i> , 2003, 81, 553-560.	0.5	35
597	Horizontal Transmission of <i>Escherichia coli</i> O157:H7 during Cattle Housing. <i>Journal of Food Protection</i> , 2004, 67, 2651-2656.	1.7	47
598	The Shiga toxin 2 B subunit inhibits net fluid absorption in human colon and elicits fluid accumulation in rat colon loops. <i>Brazilian Journal of Medical and Biological Research</i> , 2004, 37, 799-808.	1.5	28
599	Long-Haul Transport and Lack of Preconditioning Increases Fecal Shedding of <i>Escherichia coli</i> and <i>Escherichia coli</i> O157:H7 by Calves. <i>Journal of Food Protection</i> , 2004, 67, 672-678.	1.7	60
600	Immunomagnetic separation of <i>Escherichia coli</i> O157:H7 from environmental and wastewater in South Africa. <i>Water S A</i> , 2004, 29, 427.	0.4	9
601	Optimization of a Fluorescence Sandwich Enzyme-Linked Immunosorbent Assay for Detection of <i>Escherichia coli</i> O157:H7 in Apple Juice. <i>Journal of Food Protection</i> , 2004, 67, 2756-2759.	1.7	13

#	ARTICLE	IF	CITATIONS
602	Independent Effects of Acetic Acid and pH on Survival of <i>Escherichia coli</i> in Simulated Acidified Pickle Products. <i>Journal of Food Protection</i> , 2004, 67, 12-18.	1.7	57
603	Characterization of O157:H7 and Other <i>Escherichia coli</i> Isolates Recovered from Cattle Hides, Feces, and Carcasses. <i>Journal of Food Protection</i> , 2004, 67, 993-998.	1.7	27
604	Foods as Vehicles of VTEC Infection. , 0, , 181-200.		4
605	Homologous and Heterologous Antibody Responses to Lipopolysaccharide after Enterohemorrhagic <i>Escherichia coli</i> Infection. <i>Microbiology and Immunology</i> , 2004, 48, 27-38.	1.4	9
606	Genetic Typing of Shiga Toxin 2 Variants of <i>Escherichia coli</i> by PCR-Restriction Fragment Length Polymorphism Analysis. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6309-6314.	3.1	25
607	Distribution of Putative Adhesins in Different Seropathotypes of Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2004, 42, 4937-4946.	3.9	152
608	Acid Resistance Systems Required for Survival of <i>Escherichia coli</i> O157:H7 in the Bovine Gastrointestinal Tract and in Apple Cider Are Different. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4792-4799.	3.1	101
609	Identification of Common Subpopulations of Non-Sorbitol-Fermenting, β -Glucuronidase-Negative <i>Escherichia coli</i> O157:H7 from Bovine Production Environments and Human Clinical Samples. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6846-6854.	3.1	148
610	Shiga Toxin 1 Targets Bovine Leukemia Virus-Expressing Cells. <i>Infection and Immunity</i> , 2004, 72, 1837-1840.	2.2	13
611	Effect of Forage or Grain Diets with or without Monensin on Ruminal Persistence and Fecal <i>Escherichia coli</i> O157:H7 in Cattle. <i>Applied and Environmental Microbiology</i> , 2004, 70, 5336-5342.	3.1	77
612	Bovine Ileal Intraepithelial Lymphocytes Represent Target Cells for Shiga Toxin 1 from <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 2004, 72, 1896-1905.	2.2	33
613	Postprocessing In Vitro Digestion Challenge To Evaluate Survival of <i>Escherichia coli</i> O157:H7 in Fermented Dry Sausages. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6637-6642.	3.1	19
614	Rectal Administration of <i>Escherichia coli</i> O157:H7: Novel Model for Colonization of Ruminants. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4588-4595.	3.1	45
615	Antibody Therapy in the Management of Shiga Toxin-Induced Hemolytic Uremic Syndrome. <i>Clinical Microbiology Reviews</i> , 2004, 17, 926-941.	13.6	105
616	Urease activity of enterohaemorrhagic <i>Escherichia coli</i> depends on a specific one-base substitution in ureD. <i>Microbiology (United Kingdom)</i> , 2004, 150, 3483-3489.	1.8	17
617	Virulence Properties and Characteristics of Shiga Toxin-Producing <i>Escherichia coli</i> in São Paulo, Brazil, from 1976 through 1999. <i>Journal of Clinical Microbiology</i> , 2004, 42, 903-905.	3.9	71
618	Approaches to Controlling <i>Escherichia coli</i> O157:H7, a Foodborne Pathogen and an Emerging Environmental Hazard. <i>Environmental Practice</i> , 2004, 6, 208-229.	0.3	16
619	Adaptation of <i>Escherichia coli</i> O157:H7 to pH Alters Membrane Lipid Composition, Verotoxin Secretion, and Resistance to Simulated Gastric Fluid Acid. <i>Applied and Environmental Microbiology</i> , 2004, 70, 3500-3505.	3.1	136

#	ARTICLE	IF	CITATIONS
620	A Multistate Outbreak of Escherichia coli O157:H7 Infection Linked to Consumption of Beef Tacos at a Fast-Food Restaurant Chain. Clinical Infectious Diseases, 2004, 39, 1-7.	5.8	68
621	Occurrence of Escherichia coli O157 in Raw Material and Food in Czech Republic. Zoonoses and Public Health, 2004, 51, 77-81.	1.4	18
622	Characterization of Pathogenic Escherichia coli Isolated from Humans in Austria: Phenotypes, Toxin Gene Types and Epidemiology. Zoonoses and Public Health, 2004, 51, 288-292.	1.4	9
623	Development and application of a spiral plating method for the enumeration of Escherichia coli O157 in bovine faeces. Journal of Applied Microbiology, 2004, 97, 581-589.	3.1	32
624	The incidence of Shiga toxin-producing Escherichia coli in cattle with mastitis in Brazil. Journal of Applied Microbiology, 2004, 97, 861-866.	3.1	39
625	High numbers of Shiga toxin-producing Escherichia coli found in bovine faeces collected at slaughter in Japan. FEMS Microbiology Letters, 2004, 238, 189-197.	1.8	46
626	Prevalence estimation and risk factors for Escherichia coli O157 on Dutch dairy farms. Preventive Veterinary Medicine, 2004, 64, 49-61.	1.9	46
627	Isolation of Escherichia coli O157 from human and bovine faeces in the Urbino area, Italy. International Journal of Hygiene and Environmental Health, 2004, 207, 577-583.	4.3	2
628	Interaction between attaching and effacing Escherichia coli serotypes O157:H7 and O26:K60 in cell culture. Veterinary Microbiology, 2004, 104, 119-124.	1.9	6
629	Inhibition of foodborne bacteria by the lactoperoxidase system in a beef cube system. International Journal of Food Microbiology, 2004, 91, 73-81.	4.7	44
630	The prevalence of Listeria, Salmonella, Escherichia coli and E. coli O157:H7 on bison carcasses during processing. Food Microbiology, 2004, 21, 791-799.	4.2	27
631	Effects of salt, acid, and MSG on cold storage survival and subsequent acid tolerance of Escherichia coli O157:H7. Food Microbiology, 2004, 21, 727-735.	4.2	5
632	Verocytotoxin-producing Escherichia coli O157 in minced beef and dairy products in Italy. International Journal of Food Microbiology, 2004, 96, 67-73.	4.7	56
633	Isolation of a rare Escherichia coli O157:H7 strain from farm animals in Greece. Comparative Immunology, Microbiology and Infectious Diseases, 2004, 27, 201-207.	1.6	22
634	Genetic analysis of shiga-toxigenic Escherichia coli isolates from cattle in a limited region. Animal Science Journal, 2004, 75, 261-269.	1.4	5
635	Pathogenicity Islands in Bacterial Pathogenesis. Clinical Microbiology Reviews, 2004, 17, 14-56.	13.6	603
636	Nano-biosensor development for bacterial detection during human kidney infection: Use of glycoconjugate-specific antibody-bound gold NanoWire arrays (GNWA). Glycoconjugate Journal, 2004, 21, 487-496.	2.7	71
637	Differential carbohydrate epitope recognition of globotriaosyl ceramide by verotoxins and a monoclonal antibody. Role in human renal glomerular binding. FEBS Journal, 2004, 271, 405-417.	0.2	52

#	ARTICLE	IF	CITATIONS
638	Interaction of Shiga toxin from <i>Escherichia coli</i> with human intestinal epithelial cell lines and explants: Stx2 induces epithelial damage in organ culture. <i>Cellular Microbiology</i> , 2004, 6, 289-301.	2.1	103
639	Genotypes and phenotypes of Shiga toxin producing- <i>Escherichia coli</i> isolated from healthy cattle in Thailand. <i>Journal of Infection</i> , 2004, 48, 149-160.	3.3	10
640	The effect of probiotic treatment with <i>Clostridium butyricum</i> on enterohemorrhagic <i>Escherichia coli</i> O157:H7 infection in mice. <i>FEMS Immunology and Medical Microbiology</i> , 2004, 41, 219-226.	2.7	141
641	Characterisation of Shiga toxin-producing <i>Escherichia coli</i> (STEC) isolated from seafood and beef. <i>FEMS Microbiology Letters</i> , 2004, 233, 173-178.	1.8	46
642	Liposome-based microcapillary immunosensor for detection of <i>Escherichia coli</i> O157:H7. <i>Analytical Biochemistry</i> , 2004, 330, 342-349.	2.4	65
643	BACTERIAL PATHOGENS IN RURAL WATER SUPPLIES IN SOUTHERN ALBERTA, CANADA. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2004, 67, 1643-1653.	2.3	42
644	Release of Shiga Toxin by Membrane Vesicles in <i>Shigella dysenteriae</i> Serotype 1 Strains and In Vitro Effects of Antimicrobials on Toxin Production and Release. <i>Microbiology and Immunology</i> , 2004, 48, 965-969.	1.4	72
645	Longitudinal Study of Fecal Shedding of <i>Escherichia coli</i> O157:H7 in Feedlot Cattle: Predominance and Persistence of Specific Clonal Types despite Massive Cattle Population Turnover. <i>Applied and Environmental Microbiology</i> , 2004, 70, 377-384.	3.1	155
646	Prevalence estimation and risk factors for <i>Escherichia coli</i> O157 on Dutch dairy farms. <i>Preventive Veterinary Medicine</i> , 2004, , .	1.9	0
647	Influence of Apple Cultivars on Inactivation of Different Strains of <i>Escherichia coli</i> O157:H7 in Apple Cider by UV Irradiation. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6061-6065.	3.1	101
648	Evaluation of Universal Pre-Enrichment Broth for Isolation of <i>Salmonella</i> spp., <i>Escherichia coli</i> O157:H7, and <i>Listeria monocytogenes</i> from Dairy Farm Environmental Samples. <i>Foodborne Pathogens and Disease</i> , 2004, 1, 37-44.	1.8	25
649	High numbers of Shiga toxin-producing found in bovine faeces collected at slaughter in Japan. <i>FEMS Microbiology Letters</i> , 2004, 238, 189-197.	1.8	48
650	A role of anti-verotoxin antibody immunoreactive peptide, Virp5, from rat spinal cord. <i>Peptides</i> , 2004, 25, 1909-1916.	2.4	2
651	Detection by 5'-nuclease PCR of Shiga-toxin producing <i>Escherichia coli</i> O26, O55, O91, O103, O111, O113, O145 and O157:H7, associated with the world's most frequent clinical cases. <i>Molecular and Cellular Probes</i> , 2004, 18, 185-192.	2.1	245
652	Effective medicinal plants against enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>Journal of Ethnopharmacology</i> , 2004, 94, 49-54.	4.1	157
653	Prevalence of shiga-toxigenic <i>Escherichia coli</i> O157:H7 in adult dairy cattle. <i>Journal of the American Veterinary Medical Association</i> , 2004, 224, 1151-1158.	0.5	48
654	Asymptomatic carriage of verocytotoxin-producing <i>Escherichia coli</i> O157 in farm workers in Northern Italy. <i>Epidemiology and Infection</i> , 2004, 132, 915-919.	2.1	37
655	Effects of esculin and esculetin on the survival of <i>Escherichia coli</i> O157 in human faecal slurries, continuous-flow simulations of the rumen and colon and in calves. <i>British Journal of Nutrition</i> , 2004, 91, 749-755.	2.3	28

#	ARTICLE	IF	CITATIONS
656	Sorbitol-Negative Shiga Toxin-Producing <i>Escherichia coli</i> in Beef Heifers Grazing Rangeland Forages. <i>The Professional Animal Scientist</i> , 2004, 20, 218-224.	0.7	2
657	Characterization of a Shiga Toxin 1-Neutralizing Recombinant Fab Fragment Isolated by Phage Display System. <i>Tohoku Journal of Experimental Medicine</i> , 2004, 203, 295-303.	1.2	10
658	Foodborne Gastroenteritis Caused by <i>Escherichia coli</i> . , 2005, , 637-655.		1
659	The prevalence of Shiga toxin-producing <i>Escherichia coli</i> in domestic animals and food in Serbia. <i>Epidemiology and Infection</i> , 2005, 133, 359-366.	2.1	12
660	Inhibitory Effects of Active Compounds from <i>Punica granatum</i> Pericarp on Verocytotoxin Production by Enterohemorrhagic <i>Escherichia coli</i> O157 : H7. <i>Journal of Health Science</i> , 2005, 51, 590-596.	0.9	73
661	Survival of <i>Escherichia coli</i> O157:H7 in feces from corn- and barley-fed steers. <i>FEMS Microbiology Letters</i> , 2005, 252, 25-33.	1.8	42
662	Thrombotic thrombocytopenic purpura. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 1663-1675.	3.8	159
663	Soil macropores and compaction control the leaching potential of <i>Escherichia coli</i> O157:H7. <i>Environmental Microbiology</i> , 2005, 7, 241-248.	3.8	50
664	Haemolytic uraemic syndrome is an immune-mediated disease: role of anti-CD36 antibodies. <i>British Journal of Haematology</i> , 2005, 131, 247-252.	2.5	12
665	EFFECT OF HYDRODYNAMIC PRESSURE TREATMENT AND COOKING ON INACTIVATION OF <i>ESCHERICHIA COLI</i> O157:H7 IN BLADE-TENDERIZED BEEF STEAKS+. <i>Journal of Muscle Foods</i> , 2005, 16, 342-353.	0.5	13
666	The growth and survival of <i>Escherichia coli</i> O157:H7 on minced bison and pieces of bison meat stored at 5 and 10°C. <i>Food Microbiology</i> , 2005, 22, 415-421.	4.2	18
667	Dose response modelling of O157 incorporating data from foodborne and environmental outbreaks. <i>International Journal of Food Microbiology</i> , 2005, 103, 35-47.	4.7	125
668	In-line milk filter analysis: <i>Escherichia coli</i> O157 surveillance of milk production holdings. <i>International Journal of Hygiene and Environmental Health</i> , 2005, 208, 407-413.	4.3	26
669	Attaching-effacing Lesions Associated with <i>Escherichia coli</i> O157:H7 and Other Bacteria in Experimentally Infected Conventional Neonatal Goats. <i>Journal of Comparative Pathology</i> , 2005, 132, 185-194.	0.4	8
670	<i>Escherichia coli</i> O157 prevalence in Dutch poultry, pig finishing and veal herds and risk factors in Dutch veal herds. <i>Preventive Veterinary Medicine</i> , 2005, 70, 1-15.	1.9	24
671	Isolation, molecular characterization and antimicrobial resistance patterns of <i>Salmonella</i> and <i>Escherichia coli</i> isolates from meat-based fast food in Lebanon. <i>Science of the Total Environment</i> , 2005, 341, 33-44.	8.0	54
672	Serotypes and virulence markers of Shiga toxin-producing <i>Escherichia coli</i> (STEC) isolated from dairy cattle in São Paulo State, Brazil. <i>Veterinary Microbiology</i> , 2005, 105, 29-36.	1.9	102
673	Variable and strain dependent colonisation of chickens by <i>Escherichia coli</i> O157. <i>Veterinary Microbiology</i> , 2005, 107, 103-113.	1.9	11

#	ARTICLE	IF	CITATIONS
674	A longitudinal study of Escherichia coli O157 in cattle of a Dutch dairy farm and in the farm environment. Veterinary Microbiology, 2005, 107, 193-204.	1.9	42
675	Serotypes, virulence genes and intimin types of verotoxin-producing Escherichia coli and enteropathogenic E. coli isolated from healthy dairy goats in Spain. Veterinary Microbiology, 2005, 110, 67-76.	1.9	79
676	Amperometric determination of live Escherichia coli using antibody-coated paramagnetic beads. Analytical and Bioanalytical Chemistry, 2005, 382, 1234-1241.	3.7	53
677	Importance of environmental transmission in cases of EHEC O157 causing hemolytic uremic syndrome. European Journal of Clinical Microbiology and Infectious Diseases, 2005, 24, 268-271.	2.9	16
678	Prevalence of Shiga Toxinâ€“Producing Escherichia coli in Beef Cattle. Journal of Food Protection, 2005, 68, 2224-2241.	1.7	169
679	Shiga Toxinâ€“Producing Escherichia coli: Pre- and Postharvest Control Measures To Ensure Safety of Dairy Cattle Products. Journal of Food Protection, 2005, 68, 199-207.	1.7	29
680	Effect of Food Matrix and Cell Growth on PCR-Based Detection of Escherichia coli O157:H7 in Ground Beef. Journal of Food Protection, 2005, 68, 225-232.	1.7	18
681	Antibiotic Resistance and Hypermutability of Escherichia coli O157 from Feedlot Cattle Treated with Growth-Promoting Agents. Journal of Food Protection, 2005, 68, 2411-2419.	1.7	18
682	Shigatoxigenic Escherichia coli serogroups O157, O111 and O113 in feces, water and milk samples from dairy farms. Brazilian Journal of Microbiology, 2005, 36, 217-222.	2.0	25
683	Monitoring Escherichia coli O157:H7 in Inoculated and Naturally Colonized Feedlot Cattle and Their Environment. Journal of Food Protection, 2005, 68, 26-33.	1.7	43
684	Influence of Acetic, Citric, and Lactic Acids on Escherichia coli O157:H7 Membrane Lipid Composition, Verotoxin Secretion, and Acid Resistance in Simulated Gastric Fluid. Journal of Food Protection, 2005, 68, 673-679.	1.7	41
685	Overview of Hazards in Fresh-Cut Produce Production: Control and Management of Food Safety Hazards. , 2005, , 155-219.		6
686	Hemolytic Uremic Syndrome Risk and<i>Escherichia coli</i>O157:H7. Emerging Infectious Diseases, 2005, 11, 1955-1957.	4.3	48
687	Isolation of verocytotoxinâ€“producing Escherichia coli O157 from water buffaloes (Bubalus bubalis) in southern Italy. Veterinary Record, 2005, 156, 382-383.	0.3	19
688	Antibodyâ€“Based Detection of Acidâ€“Shocked, Acid-Adapted, and Apple Juice-IncubatedEscherichia coliO157:H7. Journal of Immunoassay and Immunochemistry, 2005, 26, 259-271.	1.1	4
689	Enterohemorrhagic Escherichia coli (EHEC). Scandinavian Journal of Infectious Diseases, 2005, 37, 405-416.	1.5	82
690	Identification of Four Fimbria-Encoding Genomic Islands That Are Highly Specific for Verocytotoxin-Producing Escherichia coli Serotype O157 Strains. Journal of Clinical Microbiology, 2005, 43, 3840-3850.	3.9	26
691	Characterization of Escherichia coli O157 : H7 isolates causing haemolytic uraemic syndrome in France. Journal of Medical Microbiology, 2005, 54, 71-75.	1.8	19

#	ARTICLE	IF	CITATIONS
692	Pathogens in vegetables. , 2005, , 3-43.		6
693	Detection of toxB , a Plasmid Virulence Gene of Escherichia coli O157, in Enterohemorrhagic and Enteropathogenic E. coli. Journal of Clinical Microbiology, 2005, 43, 4052-4056.	3.9	27
694	Variation in Acid Resistance among Shiga Toxin-Producing Clones of Pathogenic Escherichia coli. Applied and Environmental Microbiology, 2005, 71, 2493-2500.	3.1	73
695	VTEC O117:K1:H7 A new clonal group of E. coli associated with persistent diarrhoea in Danish travellers. Scandinavian Journal of Infectious Diseases, 2005, 37, 288-294.	1.5	23
696	Role for Flagella but Not Intimin in the Persistent Infection of the Gastrointestinal Tissues of Specific-Pathogen-Free Chicks by Shiga Toxin-Negative Escherichia coli O157:H7. Infection and Immunity, 2005, 73, 1836-1846.	2.2	43
697	Detection of the <i>stx</i> Gene in Verotoxin-Producing <i>Escherichia coli</i> from Ruminants. Journal of Veterinary Diagnostic Investigation, 2005, 17, 65-67.	1.1	10
698	Human Antibody against Shiga Toxin 2 Administered to Piglets after the Onset of Diarrhea Due to Escherichia coli O157:H7 Prevents Fatal Systemic Complications. Infection and Immunity, 2005, 73, 4607-4613.	2.2	70
699	Colonization of 8-week-old conventionally reared goats by Escherichia coli O157 : H7 after oral inoculation. Journal of Medical Microbiology, 2005, 54, 485-492.	1.8	15
700	Laboratory-based surveillance of human verocytotoxigenic Escherichia coli infection in the Republic of Ireland, 2002–2004. Journal of Medical Microbiology, 2005, 54, 1163-1169.	1.8	16
701	Molecular Detection of <i>Leptospira Kirschneri</i> in Tissues of a Prematurely Born Foal. Journal of Veterinary Diagnostic Investigation, 2005, 17, 67-71.	1.1	15
702	Invited Review: Prevalence of Shiga Toxin-Producing Escherichia coli in Dairy Cattle and Their Products. Journal of Dairy Science, 2005, 88, 450-465.	3.4	187
703	The detection of Cryptosporidium parvum and Escherichia coli O157 in UK bivalve shellfish. Journal of Microbiological Methods, 2005, 60, 395-401.	1.6	34
704	The influence of an extracellular polysaccharide, comprised of colanic acid, on the fate of Escherichia coli O157:H7 during processing and storage of stirred yogurt. LWT - Food Science and Technology, 2005, 38, 785-790.	5.2	5
705	Rapid PCR detection of enterohemorrhagic Escherichia coli (EHEC) in bovine food products and feces. Molecular and Cellular Probes, 2005, 19, 213-217.	2.1	16
706	Use of comparative genomics as a tool to assess the clinical and public health significance of emerging Shiga toxin-producing Escherichia coli serotypes. Meat Science, 2005, 71, 62-71.	5.5	12
707	Prevalence of Shiga toxin-producing Escherichia coli in beef. Meat Science, 2005, 71, 676-689.	5.5	46
708	Antimicrobial resistance of Shiga toxin (verotoxin)-producing Escherichia coli O157:H7 and non-O157 strains isolated from humans, cattle, sheep and food in Spain. Research in Microbiology, 2005, 156, 793-806.	2.1	155
709	Risk of infection with Brucella abortus and Escherichia coli O157:H7 associated with marketing of unpasteurized milk in Kenya. Acta Tropica, 2005, 96, 1-8.	2.0	43

#	ARTICLE	IF	CITATIONS
710	Enterohaemorrhagic <i>Escherichia coli</i> : emerging issues on virulence and modes of transmission. <i>Veterinary Research</i> , 2005, 36, 289-311.	3.0	528
711	Hemolytic Uremic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1035-1050.	6.1	478
713	Pathophysiology and Impact of Enteric Bacterial and Protozoal Infections: New Approaches to Therapy. <i>Chemotherapy</i> , 2005, 51, 23-35.	1.6	9
714	Characterization and Epidemiologic Subtyping of Shiga Toxin-Producing <i>Escherichia coli</i> Strains Isolated from Hemolytic Uremic Syndrome and Diarrhea Cases in Argentina. <i>Foodborne Pathogens and Disease</i> , 2006, 3, 88-96.	1.8	141
715	Seasonal Shedding of <i>Escherichia coli</i> O157:H7 in Ruminants: A New Hypothesis. <i>Foodborne Pathogens and Disease</i> , 2006, 3, 413-421.	1.8	81
716	Serotypes and analysis of distribution of Shiga toxin-producing <i>Escherichia coli</i> from cattle and sheep in the lower North Island, New Zealand. <i>New Zealand Veterinary Journal</i> , 2006, 54, 78-84.	0.9	30
717	A rapid (one day), sensitive real-time polymerase chain reaction assay for detecting <i>Escherichia coli</i> O157:H7 in ground beef. <i>Canadian Journal of Microbiology</i> , 2006, 52, 992-998.	1.7	8
719	<i>Campylobacter</i> spp., <i>Enterococcus</i> spp., <i>Escherichia coli</i> , <i>Salmonella</i> spp., <i>Yersinia</i> spp., and <i>Cryptosporidium</i> oocysts in semi-domesticated reindeer (<i>Rangifer tarandus tarandus</i>) in Northern Finland and Norway. <i>Acta Veterinaria Scandinavica</i> , 2006, 48, 7.	1.6	34
720	Public health implications of a case of haemolytic-uraemic syndrome associated with a concomitant outbreak of mild gastroenteritis in a small rural community. <i>Epidemiology and Infection</i> , 2006, 134, 407-413.	2.1	7
721	Genetic Heterogeneity of Shiga Toxin-Producing <i>Escherichia coli</i> Strains Isolated in Sao Paulo, Brazil, from 1976 through 2003, as Revealed by Pulsed-Field Gel Electrophoresis. <i>Journal of Clinical Microbiology</i> , 2006, 44, 798-804.	3.9	17
722	Occurrence of <i>Escherichia coli</i> O157:H7 and Other Enterohemorrhagic <i>Escherichia coli</i> in the Environment. <i>Environmental Science & Technology</i> , 2006, 40, 7141-7149.	10.0	108
723	Detection of <i>Escherichia coli</i> O157 using equal-length double-stranded fluorescence probe in a real-time polymerase chain reaction assay. <i>Clinica Chimica Acta</i> , 2006, 366, 281-286.	1.1	9
724	Virulence markers of <i>Escherichia coli</i> strains isolated from traditional cheeses made from unpasteurised sheep milk in Slovakia. <i>Food Control</i> , 2006, 17, 393-396.	5.5	30
725	Bactericidal efficacy of peracetic acid in combination with hydrogen peroxide against pathogenic and non pathogenic strains of <i>Staphylococcus</i> spp., <i>Listeria</i> spp. and <i>Escherichia coli</i> . <i>Food Control</i> , 2006, 17, 516-521.	5.5	50
726	Antimicrobial-resistant patterns of <i>Escherichia coli</i> and <i>Salmonella</i> strains in the aquatic Lebanese environments. <i>Environmental Pollution</i> , 2006, 143, 269-277.	7.5	38
727	Detection of Shiga toxin genes <i>stx1</i> , <i>stx2</i> , and the +93 <i>uidA</i> mutation of <i>E. coli</i> O157:H7/H-using SYBR® Green I in a real-time multiplex PCR. <i>Molecular and Cellular Probes</i> , 2006, 20, 31-41.	2.1	37
728	Real-time reverse transcription-multiplex PCR for simultaneous and specific detection of <i>rfbE</i> and <i>eae</i> genes of <i>Escherichia coli</i> O157:H7. <i>Molecular and Cellular Probes</i> , 2006, 20, 298-306.	2.1	49
729	A note on the incidences of <i>Salmonella</i> spp., <i>Listeria</i> spp. and <i>Escherichia coli</i> O157:H7 serotypes in Turkish sausage (Soudjouk). <i>Meat Science</i> , 2006, 72, 177-181.	5.5	28

#	ARTICLE	IF	CITATIONS
730	Kinetic parameters of <i>Escherichia coli</i> O157:H7 survival during fermentation of milk and refrigeration of home-made yoghurt. <i>International Dairy Journal</i> , 2006, 16, 474-481.	3.0	21
731	Effect of hydrodynamic pressure processing on the survival of <i>Escherichia coli</i> O157:H7 in ground beef. <i>Innovative Food Science and Emerging Technologies</i> , 2006, 7, 28-31.	5.6	16
732	Concert of regulators to switch on LEE expression in enterohemorrhagic <i>Escherichia coli</i> O157:H7: Interplay between Ler, GrlA, HNS and RpoS. <i>International Journal of Medical Microbiology</i> , 2006, 296, 197-210.	3.6	74
733	Simultaneous detection of <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> spp. and <i>Listeria monocytogenes</i> with an array-based immunosorbent assay using universal protein G-liposomal nanovesicles. <i>Talanta</i> , 2006, 69, 232-238.	5.5	71
734	Medicinal Plant Extracts as Anti- <i>Escherichia coli</i> O157:H7 Agents and Their Effects on Bacterial Cell Aggregation. <i>Journal of Food Protection</i> , 2006, 69, 2336-2341.	1.7	51
735	Detection, Occurrence, and Characterization of <i>Escherichia coli</i> O157:H7 from Raw Ewe's Milk in Spain. <i>Journal of Food Protection</i> , 2006, 69, 920-924.	1.7	23
736	Quantitative detection of <i>E. coli</i> , <i>E. coli</i> O157 and other shiga toxin producing <i>E. coli</i> in water samples using a culture method combined with real-time PCR. <i>Journal of Water and Health</i> , 2006, 4, 487-498.	2.6	99
738	Current epidemiological status of enterohaemorrhagic <i>Escherichia coli</i> O157:H7 in Africa. <i>Chinese Medical Journal</i> , 2006, 119, 217-222.	2.3	14
739	Detection of <i>Escherichia coli</i> O157:H7 using a QCM Immunosensor with Nanoparticle Amplification. , 2006, , .		0
740	Design, Construction and Evaluation of a Portable Biosensor for Rapid Detection of <i>E. coli</i> O157:H7. , 2006, , .		0
741	Association between indicators of cattle density and incidence of paediatric haemolytic â€œ uraemic syndrome (HUS) in children under 15 years of age in France between 1996 and 2001: an ecological study. <i>Epidemiology and Infection</i> , 2006, 134, 712-718.	2.1	28
742	Sorbitol-fermenting Shiga toxin-producing <i>Escherichia coli</i> O157: indications for an animal reservoir. <i>Epidemiology and Infection</i> , 2006, 134, 719-723.	2.1	30
743	Prevalence of <i>Escherichia coli</i> O157 in lambs at slaughter in Rome, central Italy. <i>Epidemiology and Infection</i> , 2006, 134, 415-419.	2.1	35
744	Haemolytic uraemic syndrome associated with interfamilial spread of <i>E. coli</i> O26:H11. <i>Epidemiology and Infection</i> , 2006, 134, 724-728.	2.1	10
745	Thrombotic microangiopathic antiphospholipid syndromes: a continuum of conditions?. <i>Future Rheumatology</i> , 2006, 1, 355-364.	0.2	4
746	Eukaryotic Antimicrobial Peptides: Promises and Premises in Food Safety. <i>Journal of Food Science</i> , 2006, 71, R125-R135.	3.1	105
747	Occurrence, virulence characteristics and antimicrobial resistance of <i>Escherichia coli</i> O157 in slaughtered cattle and diarrhoeic calves in West Bengal, India. <i>Letters in Applied Microbiology</i> , 2006, 43, 405-409.	2.2	34
748	Selection of an <i>Escherichia coli</i> O157:H7 bacteriophage for persistence in the circulatory system of mice infected experimentally. <i>Clinical Microbiology and Infection</i> , 2006, 12, 248-253.	6.0	49

#	ARTICLE	IF	CITATIONS
749	O148 Shiga toxin-producing <i>Escherichia coli</i> outbreak: microbiological investigation as a useful complement to epidemiological investigation. <i>Clinical Microbiology and Infection</i> , 2006, 12, 992-998.	6.0	25
750	Comparison of PCR-RFLP and PFGE for determining the clonality of enterohemorrhagic <i>Escherichia coli</i> strains. <i>FEMS Microbiology Letters</i> , 2006, 257, 124-131.	1.8	10
751	Phenotypic characteristics, virulence profile and genetic relatedness of O157 Shiga toxin-producing <i>Escherichia coli</i> isolated in Brazil and other Latin American countries. <i>FEMS Microbiology Letters</i> , 2006, 265, 89-97.	1.8	17
752	Clinical, microbiological and epidemiological aspects of <i>Escherichia coli</i> O157 infection. <i>FEMS Immunology and Medical Microbiology</i> , 2006, 20, 1-9.	2.7	38
753	First isolation of Shiga toxin 1d producing <i>Escherichia coli</i> variant strains in shellfish from coastal areas in France. <i>Journal of Applied Microbiology</i> , 2006, 100, 85-97.	3.1	54
754	A classification of hemolytic uremic syndrome and thrombotic thrombocytopenic purpura and related disorders. <i>Kidney International</i> , 2006, 70, 423-431.	5.2	236
755	Design of multifunctional peptides expressing both antimicrobial activity and shiga toxin neutralization activity. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 77-82.	3.0	15
756	Cytotoxic effect of Shiga toxin-2 holotoxin and its B subunit on human renal tubular epithelial cells. <i>Microbes and Infection</i> , 2006, 8, 410-419.	1.9	54
757	Using Bioconjugated Nanoparticles To Monitor <i>E. coli</i> in a Flow Channel. <i>Chemistry - an Asian Journal</i> , 2006, 1, 384-390.	3.3	17
758	Isolation of Toxigenic <i>Hafnia alvei</i> from a Probable Case of Hemolytic Uremic Syndrome. <i>Infection</i> , 2006, 34, 227-229.	4.7	19
759	The characterisation of <i>E. coli</i> O157:H7 isolates from cattle faeces and feedlot environment using PFGE. <i>Veterinary Microbiology</i> , 2006, 114, 331-336.	1.9	21
760	Shiga toxin production by sausage-borne <i>Escherichia coli</i> O157:H7 in response to a post-processing in vitro digestion challenge. <i>Food Microbiology</i> , 2006, 23, 231-240.	4.2	6
761	Effect of trisodium phosphate adaptation on changes in membrane lipid composition, verotoxin secretion, and acid resistance of <i>Escherichia coli</i> O157:H7 in simulated gastric fluid. <i>International Journal of Food Microbiology</i> , 2006, 106, 39-44.	4.7	15
762	Isolation and characterization of verocytotoxin-producing <i>Escherichia coli</i> O157 from Turkish cattle. <i>International Journal of Food Microbiology</i> , 2006, 106, 338-342.	4.7	21
763	Inhibitory effects of microencapsulated allyl isothiocyanate (AIT) against <i>Escherichia coli</i> O157:H7 in refrigerated, nitrogen packed, finely chopped beef. <i>International Journal of Food Microbiology</i> , 2006, 107, 231-237.	4.7	82
764	Comparison of <i>E. coli</i> O157 and Shiga toxin-encoding genes (<i>stx</i>) prevalence between Ohio, USA and Norwegian dairy cattle. <i>International Journal of Food Microbiology</i> , 2006, 109, 19-24.	4.7	32
765	<i>Clostridium perfringens</i> : Insight into virulence evolution and population structure. <i>Anaerobe</i> , 2006, 12, 23-43.	2.1	74
766	Effect of antibiotic-supplemented feed on fecal enterohemorrhagic <i>Escherichia coli</i> O157:H7 population in lambs. <i>Small Ruminant Research</i> , 2006, 63, 256-261.	1.2	3

#	ARTICLE	IF	CITATIONS
767	Isolates of <i>Staphylococcus aureus</i> and <i>saprophyticus</i> resistant to antimicrobials isolated from the Lebanese aquatic environment. <i>Marine Pollution Bulletin</i> , 2006, 52, 912-919.	5.0	27
768	Dynamics of verotoxin-producing <i>Escherichia coli</i> isolated from German beef cattle between birth and slaughter. <i>Preventive Veterinary Medicine</i> , 2006, 73, 229-240.	1.9	5
769	The prevalence of Shiga toxin-producing <i>Escherichia coli</i> in cattle and sheep in the lower North Island, New Zealand. <i>New Zealand Veterinary Journal</i> , 2006, 54, 28-33.	0.9	23
770	Analysis of the Clonal Relationship of Shiga Toxin-Producing <i>Escherichia coli</i> Serogroup O165:H25 Isolated from Cattle. <i>Applied and Environmental Microbiology</i> , 2006, 72, 2254-2259.	3.1	17
771	Comparison of a PCR-Restriction Fragment Length Polymorphism (PCR-RFLP) Assay to Pulsed-Field Gel Electrophoresis To Determine the Effect of Repeated Subculture and Prolonged Storage on RFLP Patterns of Shiga Toxin-Producing <i>Escherichia coli</i> O157:H7. <i>Journal of Clinical Microbiology</i> , 2006, 44, 3963-3968.	3.9	18
772	Safety and Immunogenicity of <i>Escherichia coli</i> O157 Specific Polysaccharide Conjugate Vaccine in 2-5 Year Old Children. <i>Journal of Infectious Diseases</i> , 2006, 193, 515-521.	4.0	70
773	<i>Escherichia coli</i> O157 outbreak associated with fresh unpasteurized goats' cheese. <i>Epidemiology and Infection</i> , 2006, 134, 143-146.	2.1	97
774	Probing genomic diversity and evolution of <i>Escherichia coli</i> O157 by single nucleotide polymorphisms. <i>Genome Research</i> , 2006, 16, 757-767.	5.5	120
775	Estimating the infectious disease risks associated with drinking water in the United States. <i>Journal of Water and Health</i> , 2006, 4, 1-2.	2.6	17
776	Role of <i>Escherichia coli</i> O157:H7 Virulence Factors in Colonization at the Bovine Terminal Rectal Mucosa. <i>Infection and Immunity</i> , 2006, 74, 4685-4693.	2.2	131
777	Amino Acid Residues within Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Tir Involved in Phosphorylation, \pm -Actinin Recruitment, and Nck-Independent Pedestal Formation. <i>Infection and Immunity</i> , 2006, 74, 6196-6205.	2.2	22
778	Active Genetic Elements Present in the Locus of Enterocyte Effacement in <i>Escherichia coli</i> O26 and Their Role in Mobility. <i>Infection and Immunity</i> , 2006, 74, 4190-4199.	2.2	10
779	Physiologic and Molecular Markers for Detection of Shiga Toxin-Producing <i>Escherichia coli</i> Serotype O26 Strains. <i>Foodborne Pathogens and Disease</i> , 2006, 3, 163-177.	1.8	5
781	Effect of Ionophore Supplementation on the Incidence of <i>Escherichia coli</i> O157:H7 and <i>Salmonella</i> and Antimicrobial Susceptibility of Fecal Coliforms in Stocker Cattle. <i>Foodborne Pathogens and Disease</i> , 2006, 3, 284-291.	1.8	15
782	Shiga Toxins Present in the Gut and in the Polymorphonuclear Leukocytes Circulating in the Blood of Children with Hemolytic-Uremic Syndrome. <i>Journal of Clinical Microbiology</i> , 2006, 44, 313-317.	3.9	52
783	A plant-based oral vaccine to protect against systemic intoxication by Shiga toxin type 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 7082-7087.	7.1	55
784	Influence of colostrum deprivation and concurrent <i>Cryptosporidium parvum</i> infection on the colonization and persistence of <i>Escherichia coli</i> O157:H7 in young lambs. <i>Journal of Medical Microbiology</i> , 2006, 55, 819-828.	1.8	17
785	A New Immunoglobulin-Binding Protein, EibG, Is Responsible for the Chain-Like Adhesion Phenotype of Locus of Enterocyte Effacement-Negative, Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 2006, 74, 5747-5755.	2.2	43

#	ARTICLE	IF	CITATIONS
786	Shiga toxin of enterohemorrhagic <i>Escherichia coli</i> type O157:H7 promotes intestinal colonization. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 9667-9672.	7.1	176
787	Analysis of Feces Samples Collected from a Wild-Bird Garden Feeding Station in Scotland for the Presence of Verocytotoxin-Producing <i>Escherichia coli</i> O157. Applied and Environmental Microbiology, 2006, 72, 2265-2267.	3.1	29
788	Modeling and Predicting the Simultaneous Growth of <i>Escherichia coli</i> O157:H7 and Ground Beef Background Microflora for Various Enrichment Protocols. Applied and Environmental Microbiology, 2006, 72, 261-268.	3.1	48
789	Effects of Chlorine Injury, Starvation, and Colitag TM Enrichment on Sandwich Enzyme-Linked Immunosorbent Assay (sELISA) Detection of <i>Escherichia coli</i> O157:H7. Journal of Immunoassay and Immunochemistry, 2007, 28, 371-383.	1.1	1
790	Leukocytosis as a predictor for progression to haemolytic uraemic syndrome in <i>Escherichia coli</i> O157:H7 infection. Archives of Disease in Childhood, 2007, 92, 820-823.	1.9	5
791	Risk Factors for the Presence of High-Level Shedders of <i>Escherichia coli</i> O157 on Scottish Farms. Journal of Clinical Microbiology, 2007, 45, 1594-1603.	3.9	137
792	Development of a Simple Latex Agglutination Assay for Detection of Shiga Toxin-Producing <i>Escherichia coli</i> (STEC) by Using Polyclonal Antibody against STEC. Vaccine Journal, 2007, 14, 600-604.	3.1	16
793	Recent Gene Conversions between Duplicated Glutamate Decarboxylase Genes (<i>gadA</i> and <i>gadB</i>) in Pathogenic <i>Escherichia coli</i> . Molecular Biology and Evolution, 2007, 24, 2323-2333.	8.9	26
794	Identification of Enterohemorrhagic <i>Escherichia coli</i> O157-specific DNA Sequence Obtained from Amplified Fragment Length Polymorphism Analysis. Microbiology and Immunology, 2007, 51, 883-888.	1.4	2
795	Preliminary Evidence that American Bullfrogs (<i>Rana catesbeiana</i>) Are Suitable Hosts for <i>Escherichia coli</i> O157:H7. Applied and Environmental Microbiology, 2007, 73, 4066-4068.	3.1	15
796	Optical maps distinguish individual strains of <i>Escherichia coli</i> O157:H7. Microbiology (United Kingdom), 2007, 151, 1847-1854.	1.8	46
797	Investigations of <i>Escherichia coli</i> O157 and some virulence genes in samples of meat and faeces from clinically healthy cattle in Turkey. Veterinary Record, 2007, 161, 392-394.	0.3	4
798	Common epitopes in LPS of different Enterobacteriaceae are associated with an immune response against <i>Escherichia coli</i> O157 in bovine serum samples. Journal of Medical Microbiology, 2007, 56, 1447-1454.	1.8	14
799	Comparison between O Serotyping Method and Multiplex Real-Time PCR To Identify Diarrheagenic <i>Escherichia coli</i> in Taiwan. Journal of Clinical Microbiology, 2007, 45, 3620-3625.	3.9	31
800	Evaluation of BBL CHROMagar O157 versus Sorbitol-MacConkey Medium for Routine Detection of <i>Escherichia coli</i> O157 in a Centralized Regional Clinical Microbiology Laboratory. Journal of Clinical Microbiology, 2007, 45, 3098-3100.	3.9	39
801	Shiga toxin-producing <i>Escherichia coli</i> : An overview1. Journal of Animal Science, 2007, 85, E45-E62.	0.5	662
802	CHILD CARE-ASSOCIATED OUTBREAK OF <i>ESCHERICHIA COLI</i> O157:H7 AND HEMOLYTIC UREMIC SYNDROME. Pediatric Infectious Disease Journal, 2007, 26, 951-953.	2.0	19
803	Molecular Damage and Induction of Proinflammatory Cytokines in Human Endothelial Cells Exposed to Shiga Toxin 1, Shiga Toxin 2, and Î±-Sarcin. Infection and Immunity, 2007, 75, 2201-2207.	2.2	34

#	ARTICLE	IF	CITATIONS
804	A family outbreak of <i>Escherichia coli</i> O157 haemorrhagic colitis caused by pork meat salami. <i>Epidemiology and Infection</i> , 2007, 135, 311-314.	2.1	65
805	Distribution of putative adhesins in Shiga toxin-producing <i>Escherichia coli</i> (STEC) strains isolated from different sources in Chile. <i>Epidemiology and Infection</i> , 2007, 135, 688-694.	2.1	9
806	Metabolic and genetic profiling of clinical O157 and non-O157 Shiga-toxin-producing <i>Escherichia coli</i> . <i>Research in Microbiology</i> , 2007, 158, 591-599.	2.1	43
807	The non-toxic A subunit of Shiga toxin type 1 prevents replication of bovine immunodeficiency virus in infected cells. <i>Virus Research</i> , 2007, 125, 29-41.	2.2	15
808	Detection of virulence genes in <i>Escherichia coli</i> of an existing metabolic fingerprint database to predict the sources of pathogenic <i>E. coli</i> in surface waters. <i>Water Research</i> , 2007, 41, 3785-3791.	11.3	32
809	Chapter 14 Hemolytic Uremic Syndrome/Thrombotic Thrombocytopenic Purpura. <i>Handbook of Systemic Autoimmune Diseases</i> , 2007, , 257-282.	0.1	0
810	The incidence of significant foodborne pathogens in domestic refrigerators. <i>Food Control</i> , 2007, 18, 346-351.	5.5	113
811	Combined treatment with silver ions and organic acid enhances growth-inhibition of <i>Escherichia coli</i> O157:H7. <i>Food Control</i> , 2007, 18, 1235-1240.	5.5	18
812	Pre-harvest Interventions to Reduce the Shedding of <i>E. coli</i> O157 in the Faeces of Weaned Domestic Ruminants: A Systematic Review. <i>Zoonoses and Public Health</i> , 2007, 54, 260-277.	2.2	135
813	Physiological Response and Protein Expression under Acid Stress of <i>Escherichia coli</i> O157:H7 TWC01 Isolated from Taiwan. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 7182-7191.	5.2	27
814	Analytical Utility of <i>Campylobacter</i> Methodologies. <i>Journal of Food Protection</i> , 2007, 70, 241-250.	1.7	17
815	Incidence and Toxin Production Ability of <i>Escherichia coli</i> O157:H7 Isolated from Cattle Trucks. <i>Journal of Food Protection</i> , 2007, 70, 2383-2385.	1.7	12
816	Prevalence and characteristics of Shiga toxin-producing <i>Escherichia coli</i> (STEC) strains in ground beef in São Paulo, Brazil. <i>Brazilian Journal of Microbiology</i> , 2007, 38, 553-556.	2.0	19
817	Biolog identification of non-sorbitol fermenting bacteria isolated on <i>E. coli</i> O157 selective CT-SMAC agar. <i>Water S A</i> , 2007, 31, 247.	0.4	13
818	The effect of salt concentration and pH on the heat resistance of <i>Escherichia coli</i> in typtic soy both. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2007, 54, 399-412.	0.8	2
819	Interrogating genomic diversity of <i>E. coli</i> O157:H7 using DNA tiling arrays. <i>Forensic Science International</i> , 2007, 168, 183-199.	2.2	36
820	Two or more enteropathogens are associated with diarrhoea in Mexican children. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2007, 6, 17.	3.8	53
821	Thermal Inactivation of <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> , and <i>Listeria monocytogenes</i> in Breaded Pork Patties. <i>Journal of Food Science</i> , 2007, 72, M56-M61.	3.1	31

#	ARTICLE	IF	CITATIONS
822	Prevalence and molecular characterization of <i>Escherichia coli</i> O157:H7 on Irish lamb carcasses, fleece and in faeces samples. <i>Journal of Applied Microbiology</i> , 2007, 103, 2401-2409.	3.1	33
823	Isolation of <i>Escherichia coli</i> O157:H7 strains that do not produce Shiga toxin from bovine, avian and environmental sources. <i>Letters in Applied Microbiology</i> , 2007, 45, 504-507.	2.2	50
824	EVALUATION OF ENRICHMENT MEDIA FOR DETECTION OF <i>ESCHERICHIA COLI</i> O157:H7 IN GROUND BEEF USING IMMUNOMAGNETIC-ELECTROCHEMILUMINESCENCE. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2007, 15, 92-106.	0.4	3
825	Reduction of <i>Escherichia coli</i> population following treatment with bacteriocins from lactic acid bacteria and chelators. <i>Food Microbiology</i> , 2007, 24, 223-229.	4.2	67
826	Sensitivity of two techniques to detect <i>Escherichia coli</i> O157 in naturally infected bovine fecal samples. <i>Food Microbiology</i> , 2007, 24, 633-639.	4.2	7
827	Cell age, suspending medium and metal ion influence the susceptibility of <i>Escherichia coli</i> O157:H7 to water-soluble maltose chitosan derivative. <i>International Journal of Food Microbiology</i> , 2007, 113, 258-262.	4.7	30
828	Occurrence of Shiga toxin-producing <i>Escherichia coli</i> in a Spanish raw ewe's milk cheese. <i>International Journal of Food Microbiology</i> , 2007, 116, 410-413.	4.7	52
829	Presence of Shiga toxin-producing <i>E. coli</i> O157:H7 in a survey of wild artiodactyls. <i>Veterinary Microbiology</i> , 2007, 121, 373-377.	1.9	40
830	Monospecific and bispecific antibodies against <i>E. coli</i> O157 for diagnostics. <i>Journal of Immunological Methods</i> , 2007, 327, 1-9.	1.4	15
831	Influence of Exogenous Triiodothyronine (T3) on Fecal Shedding of <i>Escherichia coli</i> O157 in Cattle. <i>Microbial Ecology</i> , 2007, 53, 664-669.	2.8	10
832	Passive immunity acquisition of maternal anti-enterohemorrhagic <i>Escherichia coli</i> (EHEC) O157:H7 IgG antibodies by the newborn. <i>European Journal of Pediatrics</i> , 2007, 166, 413-419.	2.7	18
833	QCM immunosensor with nanoparticle amplification for detection of <i>Escherichia coli</i> O157:H7. <i>Sensing and Instrumentation for Food Quality and Safety</i> , 2007, 1, 161-168.	1.5	35
834	Effects of Exogenous Melatonin and Tryptophan on Fecal Shedding of <i>E. Coli</i> O157:H7 in Cattle. <i>Microbial Ecology</i> , 2008, 55, 553-560.	2.8	17
835	Development of an experimental hemolytic uremic syndrome in rats. <i>Pediatric Nephrology</i> , 2008, 23, 559-567.	1.7	31
836	Enterohaemorrhagic <i>Escherichia coli</i> and <i>Shigella dysenteriae</i> typeÂ1-induced haemolytic uraemic syndrome. <i>Pediatric Nephrology</i> , 2008, 23, 1425-1431.	1.7	62
837	Infections humaines Ã <i>E. coli</i> producteurs de Shiga-toxines en France: aspects cliniques, diagnostiques et Ã©pidémiologiques. <i>Revue Francophone Des Laboratoires</i> , 2008, 2008, 59-65.	0.0	2
838	Platinum Nanoparticles Modified Electrode for Rapid Electrochemical Detection of <i>Escherichia coli</i> . <i>Chinese Journal of Chemistry</i> , 2008, 26, 302-306.	4.9	7
840	Prevalence and geographical distribution of <i>Escherichia coli</i> O157 in India: a 10-year survey. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 380-383.	1.8	29

#	ARTICLE	IF	CITATIONS
841	Interaction of enterohemorrhagic <i>Escherichia coli</i> O157:H7 with mouse intestinal mucosa. <i>FEMS Microbiology Letters</i> , 2008, 283, 196-202.	1.8	9
842	Super-shedding and the link between human infection and livestock carriage of <i>Escherichia coli</i> O157. <i>Nature Reviews Microbiology</i> , 2008, 6, 904-912.	28.6	300
843	Prevalence of <i>eae</i> and Shiga Toxin Genes among <i>Escherichia coli</i> Strains Isolated from Healthy Calves. <i>Zoonoses and Public Health</i> , 2001, 48, 67-72.	1.4	0
844	Renal damage and death in weaned mice after oral infection with Shiga toxin 2-producing <i>Escherichia coli</i> strains. <i>Clinical and Experimental Immunology</i> , 2008, 153, 297-306.	2.6	43
845	Alternative sampling to establish the <i>Escherichia coli</i> O157 status on beef cattle farms. <i>Veterinary Microbiology</i> , 2008, 132, 205-210.	1.9	17
846	Effect of chemical sanitizer combined with modified atmosphere packaging on inhibiting <i>Escherichia coli</i> O157:H7 in commercial spinach. <i>Food Microbiology</i> , 2008, 25, 582-587.	4.2	89
847	Diversity of virulence profiles of Shiga toxin-producing <i>Escherichia coli</i> serotypes in food-producing animals in Brazil. <i>International Journal of Food Microbiology</i> , 2008, 127, 139-146.	4.7	43
848	Isolation and characterisation of two novel coliphages with high potential to control antibiotic-resistant pathogenic <i>Escherichia coli</i> (EHEC and EPEC). <i>International Journal of Antimicrobial Agents</i> , 2008, 31, 152-157.	2.5	39
849	Influence of Selective Media on Successful Detection of Shiga Toxin-Producing <i>Escherichia coli</i> in Food, Fecal, and Environmental Samples. <i>Foodborne Pathogens and Disease</i> , 2008, 5, 227-244.	1.8	45
850	Pathogenesis of Thrombotic Microangiopathies. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2008, 3, 249-277.	22.4	179
851	Effect of feeding sun-dried seaweed (<i>Ascophyllum nodosum</i>) on fecal shedding of <i>Escherichia coli</i> O157:H7 by feedlot cattle and on growth performance of lambs. <i>Animal Feed Science and Technology</i> , 2008, 142, 17-32.	2.2	57
852	A nasal vaccine comprising B-subunit derivative of Shiga toxin 2 for cross-protection against Shiga toxin types 1 and 2. <i>Vaccine</i> , 2008, 26, 2092-2099.	3.8	26
853	A review of bacteriocinogenic lactic acid bacteria used as bioprotective cultures in fresh meat produced in Argentina. <i>Meat Science</i> , 2008, 79, 483-499.	5.5	152
854	Serogroups, Atypical Biochemical Characters, Colicinogeny and Antibiotic Resistance Pattern of Shiga Toxin-producing <i>Escherichia coli</i> Isolated from Diarrhoeic Calves in Gujarat, India. <i>Zoonoses and Public Health</i> , 2008, 55, 89-98.	2.2	20
855	Protection against Shiga Toxin-Producing <i>Escherichia coli</i> Infection by Transcutaneous Immunization with Shiga Toxin Subunit B. <i>Vaccine Journal</i> , 2008, 15, 359-366.	3.1	23
856	Interactions between Shiga toxins and human polymorphonuclear leukocytes. <i>Journal of Leukocyte Biology</i> , 2008, 84, 1019-1027.	3.3	50
857	Genotypic Characterization and Prevalence of Virulence Factors among Canadian <i>Escherichia coli</i> O157:H7 Strains. <i>Applied and Environmental Microbiology</i> , 2008, 74, 4314-4323.	3.1	48
858	Prevalence and Genetic Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> Isolates from Slaughtered Animals in Bangladesh. <i>Applied and Environmental Microbiology</i> , 2008, 74, 5414-5421.	3.1	77

#	ARTICLE	IF	CITATIONS
859	Optical mapping and 454 sequencing of Escherichia coli O157:H7 isolates linked to the US 2006 spinach-associated outbreak. Microbiology (United Kingdom), 2008, 154, 3518-3528.	1.8	68
860	Genetic Differentiation of <i>Escherichia coli</i> O157:H7 Clades Associated with Human Disease by Real-Time PCR. Journal of Clinical Microbiology, 2008, 46, 2070-2073.	3.9	67
861	Tracheal intubation in meningococcal disease and septic shock. Archives of Disease in Childhood, 2008, 93, 181.1-181.	1.9	0
862	Management of menstruation in severe learning disability. Archives of Disease in Childhood, 2008, 93, 181.2-182.	1.9	1
863	<i>Quercus infectoria</i> . Oliv.. Pharmaceutical Biology, 2008, 46, 367-372.	2.9	14
864	Pathogenic Potential of Emergent Sorbitol-Fermenting Escherichia coli O157:NM. Infection and Immunity, 2008, 76, 5598-5607.	2.2	47
865	Intracellular Neutralization of Shiga Toxin 2 by an A Subunit-Specific Human Monoclonal Antibody. Infection and Immunity, 2008, 76, 1931-1939.	2.2	42
866	Can we predict the development of haemolytic uraemic syndrome in the early stage of Escherichia coli O157 infection?: Table 1. Archives of Disease in Childhood, 2008, 93, 180-181.	1.9	2
867	Direct and indirect zoonotic transmission of Shiga toxin-producing Escherichia coli. Journal of the American Veterinary Medical Association, 2008, 232, 848-859.	0.5	12
869	Surveillance of Hemolytic Uremic Syndrome in Children Less Than 15 Years of Age, a System to Monitor O157 and Non-O157 Shiga Toxin-Producing Escherichia coli Infections in France, 1996-2006. Pediatric Infectious Disease Journal, 2008, 27, 595-601.	2.0	87
870	Detecção de Escherichia coli O157:H7 inoculada experimentalmente em amostras de leite cru por método convencional e PCR multiplex. Arquivo Brasileiro De Medicina Veterinária E Zootecnia, 2008, 60, 1241-1249.	0.4	3
871	Síndrome hemolítico urémico asociado a infección intestinal por Escherichia coli productora de shigatoxina (STEC) en pacientes chilenos: aspectos clínicos y epidemiológicos. Revista Chilena De Infectología, 2008, 25, .	0.1	12
872	Risk Factors for Sporadic Shiga Toxin-producing <i>Escherichia coli</i> Infections in Children, Argentina. Emerging Infectious Diseases, 2008, 14, 763-771.	4.3	74
873	Survival characteristics of E. coli O157:H7, S. typhimurium and S. aureus during kefir fermentation. Czech Journal of Food Sciences, 2007, 25, 202-207.	1.2	15
874	Prevalence and characterization of verotoxin producing <i>Escherichia coli</i> O157 from diarrhoea patients in Morogoro, Tanzania. Tanzania Health Research Bulletin, 2008, 10, 151-8.	0.5	10
875	First isolation of Escherichia coli O157:H7 from faecal and milk specimens from Anatolian water buffaloes (Bubalus bubalus) in Turkey. Journal of the South African Veterinary Association, 2008, 79, 167-70.	0.6	10
876	Isolation and Characterization of the Shiga Toxin Gene (stx) Bearing Escherichia coli O157 and Non-O157 from Retail Meats in Shandong Province, China, and Characterization of the O157-Derived stx2 Phages. Journal of Food Protection, 2008, 71, 706-713.	1.7	19
877	Low numbers of intestinal Shiga toxin-producing E. coli correlate with a poor prognosis in sheep infected with bovine leukemia virus. Journal of Veterinary Science, 2008, 9, 375.	1.3	2

#	ARTICLE	IF	CITATIONS
878	All blood, No stool: enterohemorrhagic Escherichia coli O157:H7 infection. Journal of Veterinary Science, 2008, 9, 219.	1.3	60
879	Molecular Insights into the Thrombotic Microangiopathies. , 2008, , 453-480.		1
880	Hemolytic Uremic Syndrome. , 2008, , 359-384.		2
881	Integron-Mediated Antibiotic Resistance in Shiga Toxin-Producing Escherichia coli. Journal of Food Protection, 2009, 72, 21-27.	1.7	14
882	Large Intestine (Colon). , 2009, , 755-836.		2
883	Epidemiological Analysis of Shiga Toxin-producing E. coli Isolated in Gwangju, Korea, by Pulse-field Gel Electrophoresis. Journal of Bacteriology and Virology, 2009, 39, 195.	0.1	1
884	Performance Comparison of a fliCh7 Real-Time PCR Assay with an H7 Latex Agglutination Test for Confirmation of the H Type of Escherichia coli O157:H7. Journal of Food Protection, 2009, 72, 2195-2197.	1.7	11
885	Nouvelles infections Émergentes: Impact sur la santé de l'enfant. Annales Nestle [Ed Francaise], 2009, 67, 105-121.	0.0	0
886	Nuevas infecciones emergentes: importancia en la salud de los niños. Annales Nestlé (Ed Española), 2009, 67, 105-121.	0.1	0
887	Efficacy of Sodium Hypochlorite and Peroxyacetic Acid To Reduce Murine Norovirus 1, B40-8, Listeria monocytogenes, and Escherichia coli O157:H7 on Shredded Iceberg Lettuce and in Residual Wash Water. Journal of Food Protection, 2009, 72, 1047-1054.	1.7	115
888	Oral and Rectal Administration of Bacteriophages for Control of Escherichia coli O157:H7 in Feedlot Cattle. Journal of Food Protection, 2009, 72, 241-250.	1.7	87
889	A DNA Vaccine Encoding the Enterohemorrhagic Escherichia coli Shiga-Like Toxin 2 A 2 and B Subunits Confers Protective Immunity to Shiga Toxin Challenge in the Murine Model. Vaccine Journal, 2009, 16, 712-718.	3.1	33
890	Carbon nanotube based electrochemical immunosensors for high-sensitive detection of E. coli. , 2009, , .		4
891	Application of a multiplex PCR assay for the detection of Shigella, Escherichia coli and Shiga toxin-producing Esch. coli in milk. Journal of Dairy Research, 2009, 76, 188-194.	1.4	15
892	Host and pathogen determinants of verocytotoxin-producing Escherichia coli -associated hemolytic uremic syndrome. Kidney International, 2009, 75, S4-S7.	5.2	69
893	Community-wide outbreak of Escherichia coli O157:H7 associated with consumption of frozen beef burgers. Epidemiology and Infection, 2009, 137, 889-896.	2.1	48
894	Intraperitoneal Administration of Shiga Toxin Type 2 in Rats in the Late Stage of Pregnancy Produces Premature Delivery of Dead Fetuses. Placenta, 2009, 30, 491-496.	1.5	11
895	Temporal and spatial patterns of bovine Escherichia coli O157 prevalence and comparison of temporal changes in the patterns of phage types associated with bovine shedding and human E. coli O157 cases in Scotland between 1998-2000 and 2002-2004. BMC Microbiology, 2009, 9, 276.	3.3	37

#	ARTICLE	IF	CITATIONS
896	Detection of numerous verotoxigenic <i>E. coli</i> serotypes, with multiple antibiotic resistance from cattle faeces and soil. <i>Veterinary Microbiology</i> , 2009, 134, 288-293.	1.9	35
897	Occurrence of non-sorbitol fermenting, verocytotoxin-lacking <i>Escherichia coli</i> O157 on cattle farms. <i>Veterinary Microbiology</i> , 2009, 138, 174-178.	1.9	12
898	Atomic force microscopy study of the role of LPS Oâ€antigen on adhesion of <i>E. coli</i> . <i>Journal of Molecular Recognition</i> , 2009, 22, 347-355.	2.1	73
899	<i>Escherichia coli</i> O157: What every internist and gastroenterologist should know. <i>Current Gastroenterology Reports</i> , 2009, 11, 301-306.	2.5	16
900	Acyl-Homoserine-Lactone Autoinducer in the Gastrointestinal Tract of Feedlot Cattle and Correlation to Season, <i>E. Coli</i> O157:H7 Prevalence, and Diet. <i>Current Microbiology</i> , 2009, 58, 227-232.	2.2	23
901	Primary and secondary cases in <i>Escherichia coli</i> O157 outbreaks: a statistical analysis. <i>BMC Infectious Diseases</i> , 2009, 9, 144.	2.9	71
902	Factors influencing the presence and concentration of <i>E.â€coli</i> O157 and <i>E.â€coli</i> in farm waste on six cattle farms in North-West England. <i>Journal of Applied Microbiology</i> , 2009, 106, 613-623.	3.1	3
903	The potential use of chilling to control the growth of <i>Enterobacteriaceae</i> on porcine carcasses and the incidence of <i>E. coli</i> O157:H7 in pigs. <i>Journal of Applied Microbiology</i> , 2009, 106, 1512-1520.	3.1	34
904	SIMULTANEOUS DIRECT DETECTION OF <i>SALMONELLA</i> SPP., <i>LISTERIA MONOCYTOGENES</i> AND <i>ESCHERICHIA COLI</i> O157 IN MILK SAMPLES BY MAGNETIC EXTRACTION AND MULTIPLEX PCR. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2009, 17, 195-213.	0.4	15
905	<i>Escherichia coli</i> O157:H7 colonization in small domestic ruminants. <i>FEMS Microbiology Reviews</i> , 2009, 33, 394-410.	8.6	74
906	Issues in determining factors influencing bacterial attachment: a review using the attachment of <i>Escherichia coli</i> to abiotic surfaces as an example. <i>Letters in Applied Microbiology</i> , 2009, 49, 1-7.	2.2	154
907	Pathogens in urban wastewaters suitable for reuse. <i>Urban Water Journal</i> , 2009, 6, 291-301.	2.1	13
908	Use of Quantitative and Conventional PCR to Assess Biodegradation of Bovine and Plant DNA during Cattle Mortality Composting. <i>Environmental Science & Technology</i> , 2009, 43, 6248-6255.	10.0	11
909	A preliminary investigation on MEMS based immunosensor for <i>E. coli</i> O157:H7 detection. , 2009, , .		2
910	Towards an attenuated enterohemorrhagic <i>Escherichia coli</i> O157:H7 vaccine characterized by a deleted <i>ler</i> gene and containing apathogenic Shiga toxins. <i>Vaccine</i> , 2009, 27, 5929-5935.	3.8	20
911	Effects of ionizing irradiation and hydrostatic pressure on <i>Escherichia coli</i> O157:H7 inactivation, chemical composition, and sensory acceptability of ground beef patties. <i>Meat Science</i> , 2009, 81, 705-710.	5.5	34
912	Intestinal Pathogenic <i>Escherichia coli</i> . , 2009, , 1013-1029.		4
913	Attomole DNA Electrochemical Sensor for the Detection of <i>Escherichia coli</i> O157. <i>Analytical Chemistry</i> , 2009, 81, 2470-2476.	6.5	121

#	ARTICLE	IF	CITATIONS
914	Phylogenetic classification of <i>Escherichia coli</i> O157:H7 strains of human and bovine origin using a novel set of nucleotide polymorphisms. <i>Genome Biology</i> , 2009, 10, R56.	9.6	47
915	A membrane basis for bacterial identification and discrimination using laser-induced breakdown spectroscopy. <i>Journal of Applied Physics</i> , 2009, 105, .	2.5	46
916	Prevalence and Concentration of Verotoxigenic <i>Escherichia coli</i> O157:H7 in Adult Sheep at Slaughter from Italy. <i>Zoonoses and Public Health</i> , 2009, 56, 215-220.	2.2	28
917	Transmission and quantification of verocytotoxin-producing <i>Escherichia coli</i> O157 in dairy cattle and calves. <i>Epidemiology and Infection</i> , 2009, 137, 114-123.	2.1	9
918	Microbial Safety of Modified Atmosphere Packaged Fresh-Cut Produce. , 2009, , .		0
919	Emerging New Infections: Importance in Child Health. <i>Annales Nestle</i> , 2009, 67, 103-118.	0.1	0
920	Antibodies Against Recombinant Shiga Toxin Subunit B Neutralize Shiga Toxin Toxicity in HeLa Cells. <i>Protein and Peptide Letters</i> , 2010, 17, 774-781.	0.9	9
921	Hemolytic Uremic Syndrome After an <i>Escherichia coli</i> O111 Outbreak. <i>Archives of Internal Medicine</i> , 2010, 170, 1656-63.	3.8	51
922	Focus on quantum dots as potential fluorescent probes for monitoring food toxicants and foodborne pathogens. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 1445-1455.	3.7	56
923	In vitro and in vivo protective efficacies of antibodies that neutralize the RNA N-glycosidase activity of Shiga toxin 2. <i>BMC Immunology</i> , 2010, 11, 16.	2.2	18
924	Probiotics and prebiotics in animal feeding for safe food production. <i>International Journal of Food Microbiology</i> , 2010, 141, S15-S28.	4.7	672
925	Relative gene transcription and pathogenicity of enterohemorrhagic <i>Escherichia coli</i> after long-term adaptation to acid and salt stress. <i>International Journal of Food Microbiology</i> , 2010, 141, 248-253.	4.7	27
926	Potentially zoonotic shiga toxin-producing <i>Escherichia coli</i> serogroups in the faeces and meat of food-producing animals in Ibadan, Nigeria. <i>International Journal of Food Microbiology</i> , 2010, 142, 214-221.	4.7	56
927	Verocytotoxin-producing <i>Escherichia coli</i> (VTEC). <i>Veterinary Microbiology</i> , 2010, 140, 360-370.	1.9	420
928	Risk of Pregnancy-Related Hypertension Within 5 Years of Exposure to Drinking Water Contaminated With <i>Escherichia coli</i> O157:H7. <i>Journal of Clinical Hypertension</i> , 2010, 12, 613-620.	2.0	7
929	Enterobacterial Microbiota on <i>Stomoxys calcitrans</i> External Surface. <i>Transboundary and Emerging Diseases</i> , 2010, 57, 22-24.	3.0	5
930	Contamination of Sheep Carcasses With Verocytotoxin Producing <i>Escherichia coli</i> During Slaughtering. <i>Transboundary and Emerging Diseases</i> , 2010, 57, 25-27.	3.0	8
931	Convergent synthesis of a common pentasaccharide-repeating unit corresponding to the O-specific polysaccharide of <i>Escherichia coli</i> O4:K3, O4:K6, and O4:K12. <i>Tetrahedron: Asymmetry</i> , 2010, 21, 859-863.	1.8	3

#	ARTICLE	IF	CITATIONS
932	Monoclonal antibodies against Stx1B subunit of <i>Escherichia coli</i> O157:H7 distinguish the bacterium from other bacteria. <i>Letters in Applied Microbiology</i> , 2010, 51, 499-503.	2.2	7
933	REAL-TIME REVERSE TRANSCRIPTION PCR DETECTION OF VIABLE SHIGA TOXIN-PRODUCING <i>ESCHERICHIA COLI</i> O157:H7 IN FOOD. <i>Journal of Food Safety</i> , 2010, 30, 51-66.	2.3	4
934	Serogroup distribution and virulence characteristics of sorbitol-negative <i>Escherichia coli</i> from food and cattle stool. <i>Journal of Applied Microbiology</i> , 2010, 108, 658-665.	3.1	11
935	Antagonistic effect of acetic acid and salt for inactivating <i>Escherichia coli</i> O157:H7 in cucumber puree. <i>Journal of Applied Microbiology</i> , 2010, 108, 1361-1368.	3.1	33
936	The MAP kinase-activated protein kinase 2 (MK2) contributes to the Shiga toxin-induced inflammatory response. <i>Cellular Microbiology</i> , 2010, 12, 516-529.	2.1	11
937	Different Types of Cell Death Induced by Enterotoxins. <i>Toxins</i> , 2010, 2, 2158-2176.	3.4	28
938	Detection of <i>Escherichia coli</i> O157 and <i>Escherichia coli</i> O157:H7 by the immunomagnetic separation technique and <i>stx1</i> and <i>stx2</i> genes by multiplex PCR in slaughtered cattle in Samsun Province, Turkey. <i>Journal of Veterinary Science</i> , 2010, 11, 321.	1.3	14
939	Role and clinical course of verotoxigenic <i>Escherichia coli</i> infections in childhood acute diarrhoea in Argentina. <i>Journal of Medical Microbiology</i> , 2010, 59, 345-352.	1.8	55
940	<i>Salmonella enterica</i> Serovar Typhimurium Vaccine Strains Expressing a Nontoxic Shiga-Like Toxin 2 Derivative Induce Partial Protective Immunity to the Toxin Expressed by Enterohemorrhagic <i>Escherichia coli</i> . <i>Vaccine Journal</i> , 2010, 17, 529-536.	3.1	16
941	Bacterial toxins and their carbohydrate receptors at the host-pathogen interface. , 2010, , 599-621.		1
942	Endothelial damage induced by Shiga toxins delivered by neutrophils during transmigration. <i>Journal of Leukocyte Biology</i> , 2010, 88, 201-210.	3.3	40
943	Timing and Utility of Ultrasound in Diarrhea-Associated Hemolytic Uremic Syndrome: 7-Year Experience of a Large Tertiary Care Hospital. <i>Clinical Pediatrics</i> , 2010, 49, 418-421.	0.8	12
944	Prokaryotic Expression of Stx1B Subunit of <i>Escherichia coli</i> O157:H7 Used to Generate Monoclonal Antibody. <i>Hybridoma</i> , 2010, 29, 283-289.	0.4	8
945	Inactivation of <i>Escherichia coli</i> in Broth and Sausage by Combined High Pressure and <i>Lactobacillus casei</i> Cell Extract. <i>Food Science and Technology International</i> , 2010, 16, 381-388.	2.2	7
946	Set of virulence genes and genetic relatedness of O113:H21 <i>Escherichia coli</i> strains isolated from the animal reservoir and human infections in Brazil. <i>Journal of Medical Microbiology</i> , 2010, 59, 634-640.	1.8	19
947	Spread of <i>E. coli</i> O157 infection among Scottish cattle farms: Stochastic models and model selection. <i>Epidemics</i> , 2010, 2, 11-20.	3.0	16
949	Anti- <i>Escherichia coli</i> O157:H7 activity of free fatty acids under varying pH. <i>Canadian Journal of Microbiology</i> , 2010, 56, 263-267.	1.7	17
950	Development of an oligonucleotide-based microarray to detect multiple foodborne pathogens. <i>Molecular and Cellular Probes</i> , 2010, 24, 77-86.	2.1	89

#	ARTICLE	IF	CITATIONS
951	The prevalence of <i>Escherichia coli</i> O157 and O157:H7 in ground beef and raw meatball by immunomagnetic separation and the detection of virulence genes using multiplex PCR. <i>Meat Science</i> , 2010, 84, 553-556.	5.5	24
952	The growth, survival and thermal inactivation of <i>Escherichia coli</i> O157:H7 in a traditional South African sausage. <i>Meat Science</i> , 2010, 85, 89-95.	5.5	14
953	Detection of verocytotoxin-producing <i>Escherichia coli</i> (VTEC) in minced beef and raw milk by colony blot hybridization. <i>Food Control</i> , 2010, 21, 770-773.	5.5	8
954	Development of a Multiplex Real-Time Polymerase Chain Reaction for Simultaneous Detection of Enterohemorrhagic <i>Escherichia coli</i> and Enteropathogenic <i>Escherichia coli</i> Strains. <i>Foodborne Pathogens and Disease</i> , 2010, 7, 801-808.	1.8	22
955	<i>Escherichia coli</i> O157. <i>Lancet, The</i> , 2010, 376, 1428-1435.	13.7	363
956	Detection of <i>Escherichia coli</i> in a cattle manure composting process by selective cultivation and colony polymerase chain reaction. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2011, 46, 122-127.	1.5	2
957	Development of a Sensitive Detection Method for Stressed <i>E. coli</i> O157:H7 in Source and Finished Drinking Water by Culture-qPCR. <i>Environmental Science & Technology</i> , 2011, 45, 2250-2256.	10.0	34
958	Functional integration of DNA purification and concentration into a real time micro-PCR chip. <i>Lab on A Chip</i> , 2011, 11, 259-265.	6.0	21
959	Shiga Toxin Subtypes Display Dramatic Differences in Potency. <i>Infection and Immunity</i> , 2011, 79, 1329-1337.	2.2	267
961	Effect of organic acids, hydrogen peroxide and mild heat on inactivation of <i>Escherichia coli</i> O157:H7 on baby spinach. <i>Food Control</i> , 2011, 22, 1178-1183.	5.5	137
963	Rapid O serogroup identification of the ten most clinically relevant STECs by Luminex microbead-based suspension array. <i>Journal of Microbiological Methods</i> , 2011, 87, 105-110.	1.6	65
964	A high-throughput open-array qPCR gene panel to identify, virulotype, and subtype O157 and non-O157 enterohemorrhagic <i>Escherichia coli</i> . <i>Molecular and Cellular Probes</i> , 2011, 25, 222-230.	2.1	25
965	Development of PCR assays for detection of <i>Escherichia coli</i> O157:H7 in meat products. <i>Meat Science</i> , 2011, 88, 767-773.	5.5	19
966	Detection of <i>Escherichia coli</i> O157:H7 virulence genes in isolates from beef, pork, water, human and animal species in the northwest province, South Africa: public health implications. <i>Research in Microbiology</i> , 2011, 162, 240-248.	2.1	78
967	Desperately Seeking Diarrhoea: Outbreak of Haemolytic Uraemic Syndrome Caused by Emerging Sorbitol-fermenting Shiga Toxin-producing <i>Escherichia coli</i> O157:H7, Germany, 2009. <i>Zoonoses and Public Health</i> , 2011, 58, 567-572.	2.2	16
968	Atividade antimicrobiana de 3leos essenciais de condimentos frente a amostras de <i>Escherichia coli</i> isoladas de aves e bovinos. <i>Ciencia Rural</i> , 2011, 41, 1051-1056.	0.5	17
969	Persistence of <i>Escherichia coli</i> O157:H7 and Its Mutants in Soils. <i>PLoS ONE</i> , 2011, 6, e23191.	2.5	50
970	Efficacy of low-voltage AC for inactivating surface adherent <i>Escherichia coli</i> O157:H7 on beef. <i>International Journal of Food Safety, Nutrition and Public Health</i> , 2011, 4, 214.	0.1	1

#	ARTICLE	IF	CITATIONS
971	Inactivation of <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> Typhimurium, and <i>Listeria monocytogenes</i> in Orange and Tomato Juice Using Ohmic Heating. <i>Journal of Food Protection</i> , 2011, 74, 899-904.	1.7	40
972	Evaluation of a PCR-Restriction Fragment Length Polymorphism (PCR-RFLP) Assay for Molecular Epidemiological Study of Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Veterinary Medical Science</i> , 2011, 73, 859-867.	0.9	4
973	Clinical Relevance of Shiga Toxin Concentrations in the Blood of Patients With Hemolytic Uremic Syndrome. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 486-490.	2.0	67
974	Establishment of Recombinant Hybrid α -G α S α IgA Immunoglobulin Specific for Shiga Toxin. <i>Scandinavian Journal of Immunology</i> , 2011, 74, 574-584.	2.7	12
975	Prevalence of <i>Escherichia coli</i> O157:H7 on hides and faeces of ruminants at slaughter in two major abattoirs in Nigeria. <i>Letters in Applied Microbiology</i> , 2011, 53, 336-340.	2.2	16
976	Acid Resistance and Verocytotoxin Productivity of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Exposed to Microwave. <i>Journal of Food Science</i> , 2011, 76, M445-9.	3.1	3
977	Prevalence, distribution and evolutionary significance of the IS629 insertion element in the stepwise emergence of <i>Escherichia coli</i> O157:H7. <i>BMC Microbiology</i> , 2011, 11, 133.	3.3	12
978	O serogroup specific real time PCR assays for the detection and identification of nine clinically relevant non-O157 STECs. <i>Food Microbiology</i> , 2011, 28, 478-483.	4.2	53
979	Development of oscillation method for reducing foodborne pathogens on lettuce and spinach. <i>International Journal of Food Microbiology</i> , 2011, 145, 273-278.	4.7	2
980	Combined effect of ultrasound and organic acids to reduce <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> Typhimurium, and <i>Listeria monocytogenes</i> on organic fresh lettuce. <i>International Journal of Food Microbiology</i> , 2011, 145, 287-292.	4.7	272
981	Prolonged cold stress response of <i>Escherichia coli</i> O157 and the role of rpoS. <i>International Journal of Food Microbiology</i> , 2011, 146, 163-169.	4.7	40
982	Detection of <i>E. coli</i> O157:H7 in raw ground beef by Pathatrix [®] immunomagnetic-separation, real-time PCR and cultural methods. <i>International Journal of Food Microbiology</i> , 2011, 148, 87-92.	4.7	56
983	Identification of a novel linear epitope on EspA from enterohemorrhagic <i>E. coli</i> using a neutralizing and protective monoclonal antibody. <i>Clinical Immunology</i> , 2011, 138, 77-84.	3.2	13
984	Gastrointestinal Pathology. , 2011, , 699-716.e5.		0
985	Quantum dot-based array for sensitive detection of <i>Escherichia coli</i> . <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 2755-2762.	3.7	38
986	Improved bacteria detection by coupling magneto-immunocapture and amperometry at flow-channel microband electrodes. <i>Biosensors and Bioelectronics</i> , 2011, 26, 3633-3640.	10.1	69
987	Detection of <i>E. coli</i> O157:H7 using its endogenous active membrane peroxidase. <i>Toxicology and Environmental Health Sciences</i> , 2011, 3, 80-85.	2.1	4
988	Molecular Risk Assessment and Epidemiological Typing of Shiga Toxin-Producing <i>Escherichia coli</i> by Using a Novel PCR Binary Typing System. <i>Applied and Environmental Microbiology</i> , 2011, 77, 2458-2470.	3.1	31

#	ARTICLE	IF	CITATIONS
989	<i>Escherichia coli</i> O157 infection on Scottish cattle farms: dynamics and control. Journal of the Royal Society Interface, 2011, 8, 1051-1058.	3.4	12
990	The Evolution of Virulence in Non-O157 Shiga Toxin-Producing <i>Escherichia coli</i> . Frontiers in Microbiology, 2011, 2, 90.	3.5	59
991	Draft Genome Sequences of Six <i>Escherichia coli</i> Isolates from the Stepwise Model of Emergence of <i>Escherichia coli</i> O157:H7. Journal of Bacteriology, 2011, 193, 2058-2059.	2.2	31
992	Change in Conformation with Reduction of α -Helix Content Causes Loss of Neutrophil Binding Activity in Fully Cytotoxic Shiga Toxin 1. Journal of Biological Chemistry, 2011, 286, 34514-34521.	3.4	14
993	Shiga Toxin Interaction with Human Intestinal Epithelium. Toxins, 2011, 3, 626-639.	3.4	99
994	Serotypes and Virulence Profiles of Non-O157 Shiga Toxin-Producing <i>Escherichia coli</i> Isolates from Bovine Farms. Applied and Environmental Microbiology, 2011, 77, 8662-8668.	3.1	96
995	Comparative Analysis of EspF Variants in Inhibition of <i>Escherichia coli</i> Phagocytosis by Macrophages and Inhibition of <i>E. coli</i> Translocation through Human- and Bovine-Derived M Cells. Infection and Immunity, 2011, 79, 4716-4729.	2.2	24
996	Listeriosis, salmonellosis and verocytotoxigenic <i>Escherichia coli</i> : significance and contamination in processed meats. , 2011, , 72-108.		3
997	Internalization of <i>Escherichia coli</i> O157:H7 by Bovine Rectal Epithelial Cells. Frontiers in Microbiology, 2011, 2, 32.	3.5	20
998	Enterohemorrhagic <i>Escherichia coli</i> . Advances in Agronomy, 2011, 111, 1-50.	5.2	29
999	Quantitative Microbial Risk Assessment for <i>Escherichia coli</i> O157 on Lettuce, Based on Survival Data from Controlled Studies in a Climate Chamber. Journal of Food Protection, 2011, 74, 2000-2007.	1.7	39
1000	Hfq Virulence Regulation in Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Strain 86-24. Journal of Bacteriology, 2011, 193, 6843-6851.	2.2	71
1001	Verotoxins in Bovine and Meat Verotoxin-Producing <i>Escherichia coli</i> Isolates: Type, Number of Variants, and Relationship to Cytotoxicity. Applied and Environmental Microbiology, 2011, 77, 73-79.	3.1	39
1002	Determination of Adhesin Gene Sequences in, and Biofilm Formation by, O157 and Non-O157 Shiga Toxin-Producing <i>Escherichia coli</i> Strains Isolated from Different Sources. Applied and Environmental Microbiology, 2011, 77, 2201-2208.	3.1	51
1003	Mouse Models of <i>Escherichia coli</i> O157:H7 Infection and Shiga Toxin Injection. Journal of Biomedicine and Biotechnology, 2011, 2011, 1-17.	3.0	146
1004	Fate of <i>Escherichia coli</i> O26 in Corn Silage Experimentally Contaminated at Ensiling, at Silo Opening, or after Aerobic Exposure, and Protective Effect of Various Bacterial Inoculants. Applied and Environmental Microbiology, 2011, 77, 8696-8704.	3.1	19
1005	<i>Escherichia coli</i> O157:H7 Shedding in Vaccinated Beef Calves Born to Cows Vaccinated Prepartum with <i>Escherichia coli</i> O157:H7 SRP Vaccine. Journal of Food Protection, 2011, 74, 1599-1604.	1.7	14
1006	Enteric <i>Escherichia coli</i> Infections. , 2011, , 110-120.		1

#	ARTICLE	IF	CITATIONS
1007	Phylogeny of Shiga Toxin-Producing <i>Escherichia coli</i> O157 Isolated from Cattle and Clinically Ill Humans. <i>Molecular Biology and Evolution</i> , 2012, 29, 2047-2062.	8.9	53
1008	Novel Real-Time PCR Method To Detect <i>Escherichia coli</i> O157:H7 in Raw Milk Cheese and Raw Ground Meat. <i>Journal of Food Protection</i> , 2012, 75, 1373-1381.	1.7	20
1009	Biochemical characterization of WbdN, a β 1,3-glucosyltransferase involved in O-antigen synthesis in enterohemorrhagic <i>Escherichia coli</i> O157. <i>Glycobiology</i> , 2012, 22, 1092-1102.	2.5	28
1010	Prevalence and antimicrobial susceptibility of virulent and avirulent multidrug-resistant <i>Escherichia coli</i> isolated from diarrheic neonatal calves. <i>American Journal of Veterinary Research</i> , 2012, 73, 1944-1950.	0.6	10
1011	Geographic Divergence of Bovine and Human Shiga Toxin-Producing <i>Escherichia coli</i> O157:H7 Genotypes, New Zealand. <i>Emerging Infectious Diseases</i> , 2012, 20, 1980-1989.	4.3	17
1012	Characterization of Farm, Food, and Clinical Shiga Toxin-Producing <i>Escherichia coli</i> (STEC) O113. <i>Foodborne Pathogens and Disease</i> , 2012, 9, 1088-1096.	1.8	19
1013	Subtyping of <i>Escherichia coli</i> O157:H7 Strains Isolated from Human Infections and Healthy Cattle in Argentina. <i>Foodborne Pathogens and Disease</i> , 2012, 9, 457-464.	1.8	13
1014	Complete DNA Sequence Analysis of Enterohemorrhagic <i>Escherichia coli</i> Plasmid pO157_2 in β -Glucuronidase-Positive <i>E. coli</i> O157:H7 Reveals a Novel Evolutionary Path. <i>Journal of Bacteriology</i> , 2012, 194, 3457-3463.	2.2	31
1015	Differential Virulence of Clinical and Bovine-Biased Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Genotypes in Piglet and Dutch Belted Rabbit Models. <i>Infection and Immunity</i> , 2012, 80, 369-380.	2.2	33
1016	Strategies for Surveillance of Pediatric Hemolytic Uremic Syndrome: Foodborne Diseases Active Surveillance Network (FoodNet), 2000-2007. <i>Clinical Infectious Diseases</i> , 2012, 54, S424-S431.	5.8	27
1017	Novel Repressor of <i>Escherichia coli</i> O157:H7 Motility Encoded in the Putative Fimbrial Cluster OI-1. <i>Journal of Bacteriology</i> , 2012, 194, 5343-5352.	2.2	19
1018	Use of Clustered Regularly Interspaced Short Palindromic Repeat Sequence Polymorphisms for Specific Detection of Enterohemorrhagic <i>Escherichia coli</i> Strains of Serotypes O26:H11, O45:H2, O103:H2, O111:H8, O121:H19, O145:H28, and O157:H7 by Real-Time PCR. <i>Journal of Clinical Microbiology</i> , 2012, 50, 4035-4040.	3.9	86
1019	<i>Escherichia coli</i> O157 infection on cattle farms: the formulation of the force of infection and its effect on control effectiveness. <i>Epidemiology and Infection</i> , 2012, 140, 1215-1226.	2.1	2
1020	Serotypes and virulotypes of non-O157 shiga-toxin producing <i>Escherichia coli</i> (STEC) on bovine hides and carcasses. <i>Food Microbiology</i> , 2012, 32, 223-229.	4.2	57
1021	The prevalence, distribution and characterization of Shiga toxin-producing <i>Escherichia coli</i> (STEC) serotypes and virulotypes from a cluster of bovine farms. <i>Journal of Applied Microbiology</i> , 2012, 113, 1238-1248.	3.1	39
1022	Association of Nucleotide Polymorphisms within the O-Antigen Gene Cluster of <i>Escherichia coli</i> O26, O45, O103, O111, O121, and O145 with Serogroups and Genetic Subtypes. <i>Applied and Environmental Microbiology</i> , 2012, 78, 6689-6703.	3.1	28
1023	Quantifying Colonization Potential of Enterohemorrhagic <i>Escherichia coli</i> O157 Using Bovine <i>In Vitro</i> Organ Culture and Immunofluorescent Staining. <i>Foodborne Pathogens and Disease</i> , 2012, 9, 1064-1070.	1.8	3
1024	Effects of non-ionic solute stresses on biofilm formation and lipopolysaccharide production in <i>Escherichia coli</i> O157:H7. <i>Research in Microbiology</i> , 2012, 163, 258-267.	2.1	11

#	ARTICLE	IF	CITATIONS
1025	Molecular characterization of diarrheagenic <i>Escherichia coli</i> isolated from meat products sold at Mansoura city, Egypt. <i>Food Control</i> , 2012, 25, 159-164.	5.5	13
1026	Design of a latex assay based on monoclonal antibodies for the detection of enterohemorrhagic <i>E. coli</i> belonging to the O157 serogroup. <i>Applied Biochemistry and Microbiology</i> , 2012, 48, 685-690.	0.9	1
1027	Biodistribution and elimination kinetics of systemic Stx2 by the Stx2A and Stx2B subunit-specific human monoclonal antibodies in mice. <i>BMC Immunology</i> , 2012, 13, 27.	2.2	3
1028	Bovine milk fat globule membrane affects virulence expression in <i>Escherichia coli</i> O157:H7. <i>Journal of Dairy Science</i> , 2012, 95, 6313-6319.	3.4	23
1029	Identification of source of faecal pollution of Tirumanimuttar River, Tamilnadu, India using microbial source tracking. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 6001-6012.	2.7	16
1030	Molecular Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> Isolated from the Environment of a Dairy Farm. <i>Current Microbiology</i> , 2012, 65, 337-343.	2.2	20
1031	Shiga toxin-producing <i>Escherichia coli</i> O157:H7 shows an increased pathogenicity in mice after the passage through the gastrointestinal tract of the same host. <i>Journal of Medical Microbiology</i> , 2012, 61, 852-859.	1.8	11
1032	The Interaction Pattern of Murine Serum Ficolin-A with Microorganisms. <i>PLoS ONE</i> , 2012, 7, e38196.	2.5	26
1033	Detection of Shiga toxin-producing <i>Escherichia coli</i> by sandwich enzyme-linked immunosorbent assay using chicken egg yolk IgY antibodies. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012, 2, 84.	3.9	26
1034	Enterohemorrhagic <i>E. coli</i> (EHEC) pathogenesis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012, 2, 90.	3.9	261
1035	<i>Escherichia coli</i> O157:H7 Clinical aspects and novel treatment approaches. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012, 2, 138.	3.9	57
1036	Phenotypic and genotypic characterization of <i>Escherichia coli</i> O157 strains isolated from humans, cattle and pigs. <i>Veterinari Medicina</i> , 2004, 49, 317-326.	0.6	5
1037	Molecular analysis of <i>Escherichia coli</i> O157 strains isolated from cattle and pigs by the use of PCR and pulsed-field gel electrophoresis methods. <i>Veterinari Medicina</i> , 2002, 47, 149-158.	0.6	18
1038	Shiga toxin-producing <i>Escherichia coli</i> O171:H25 strain isolated from a patient with haemolytic uraemic syndrome. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2012, 59, 215-224.	0.8	1
1039	Serotypes, Virulence Genes, and Intimin Types of Shiga Toxin-Producing <i>Escherichia coli</i> and Enteropathogenic <i>Escherichia coli</i> Isolated from Mastitic Milk Relevant to Human Health in Egypt. <i>Vector-Borne and Zoonotic Diseases</i> , 2012, 12, 297-305.	1.5	19
1040	The Interactions of Human Neutrophils with Shiga Toxins and Related Plant Toxins: Danger or Safety?. <i>Toxins</i> , 2012, 4, 157-190.	3.4	28
1042	Use of deodorized yellow mustard powder to control <i>Escherichia coli</i> O157:H7 in dry cured Westphalian ham. <i>Food Microbiology</i> , 2012, 30, 400-407.	4.2	13
1043	Evaluation of Fourier transform infrared (FT-IR) spectroscopy and chemometrics as a rapid approach for sub-typing <i>Escherichia coli</i> O157:H7 isolates. <i>Food Microbiology</i> , 2012, 31, 181-190.	4.2	20

#	ARTICLE	IF	CITATIONS
1044	Diarrheagenic <i>Escherichia coli</i> detected by 16-plex PCR in raw meat and beef intestines sold at local markets in Ouagadougou, Burkina Faso. <i>International Journal of Food Microbiology</i> , 2012, 153, 154-158.	4.7	43
1045	Radio-frequency heating to inactivate <i>Salmonella</i> Typhimurium and <i>Escherichia coli</i> O157:H7 on black and red pepper spice. <i>International Journal of Food Microbiology</i> , 2012, 153, 171-175.	4.7	103
1046	Acid and alcohol tolerance of <i>Escherichia coli</i> O157:H7 in pulque, a typical Mexican beverage. <i>International Journal of Food Microbiology</i> , 2012, 154, 79-84.	4.7	11
1047	Rapid, sensitive and label-free detection of Shiga-toxin producing <i>Escherichia coli</i> O157 using carbon nanotube biosensors. <i>Biosensors and Bioelectronics</i> , 2012, 32, 69-75.	10.1	22
1048	Attachment of <i>Escherichia coli</i> O157:H7 to Abiotic Surfaces of Cooking Utensils. <i>Journal of Food Science</i> , 2012, 77, M194-9.	3.1	9
1049	Dynamics of shiga-toxin producing <i>Escherichia coli</i> (STEC) and their virulence factors in cattle. <i>Preventive Veterinary Medicine</i> , 2012, 103, 22-30.	1.9	14
1050	Epidemiology of Shiga toxin producing <i>Escherichia coli</i> in Australia, 2000-2010. <i>BMC Public Health</i> , 2012, 12, 63.	2.9	94
1051	Evaluation of pathogenic <i>Escherichia coli</i> occurrence in vegetable samples from district bazaars in Istanbul using real-time PCR. <i>Letters in Applied Microbiology</i> , 2013, 57, 362-367.	2.2	11
1052	Immunization with a Chimera Consisting of the B Subunit of Shiga Toxin Type 2 and Brucella Lumazine Synthase Confers Total Protection against Shiga Toxins in Mice. <i>Journal of Immunology</i> , 2013, 191, 2403-2411.	0.8	45
1054	SNP genotyping of enterohemorrhagic <i>Escherichia coli</i> O157:H7 isolates from China and genomic identity of the 1999 Xuzhou outbreak. <i>Infection, Genetics and Evolution</i> , 2013, 16, 275-281.	2.3	6
1055	Les <i>Escherichia coli</i> entérohémorragiques : des bactéries d'actualité. <i>Revue Francophone Des Laboratoires</i> , 2013, 2013, 44-49.	0.0	0
1056	The anti-shigellosis activity of the methanol extract of <i>Picralima nitida</i> on <i>Shigella dysenteriae</i> type I induced diarrhoea in rats. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 211.	3.7	12
1057	Identification and Characterization of Spontaneous Deletions within the Sp11-Sp12 Prophage Region of <i>Escherichia coli</i> O157:H7 Sakai. <i>Applied and Environmental Microbiology</i> , 2013, 79, 1934-1941.	3.1	8
1058	Barley forages for modern global ruminant agriculture: A review. <i>Russian Agricultural Sciences</i> , 2013, 39, 206-213.	0.2	7
1059	Assessing the Existing Information on the Efficacy of Bovine Vaccination against <i>Escherichia coli</i> O157:H7 – A Systematic Review and Meta-analysis. <i>Zoonoses and Public Health</i> , 2013, 60, 253-268.	2.2	45
1060	Ultraviolet light and Ultrasound as non-thermal treatments for the inactivation of microorganisms in fresh ready-to-eat foods. <i>International Journal of Food Microbiology</i> , 2013, 167, 96-102.	4.7	178
1061	The ecological habitat and transmission of <i>Escherichia coli</i> O157:H7. <i>FEMS Microbiology Letters</i> , 2013, 341, 1-12.	1.8	81
1062	Phylogenetic and Molecular Analysis of Food-Borne Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2013, 79, 2731-2740.	3.1	37

#	ARTICLE	IF	CITATIONS
1063	Detection and enumeration of <i>E. coli</i> O157:H7 in water samples by culture and molecular methods. <i>Journal of Microbiological Methods</i> , 2013, 92, 164-172.	1.6	46
1064	Magnetic nano-beads based separation combined with propidium monoazide treatment and multiplex PCR assay for simultaneous detection of viable <i>Salmonella</i> Typhimurium, <i>Escherichia coli</i> O157:H7 and <i>Listeria monocytogenes</i> in food products. <i>Food Microbiology</i> , 2013, 34, 418-424.	4.2	122
1065	Enterohemorrhagic and other Shigatoxin-producing <i>Escherichia coli</i> . , 2013, , 121-182.		4
1066	Hydroquinone Diphosphate as a Phosphatase Substrate in Enzymatic Amplification Combined with Electrochemical "Chemical" Chemical Redox Cycling for the Detection of <i>E. coli</i> O157:H7. <i>Analytical Chemistry</i> , 2013, 85, 1631-1636.	6.5	107
1067	Transcriptional and functional responses of <i>Escherichia coli</i> O157:H7 growing in the lettuce rhizoplane. <i>Food Microbiology</i> , 2013, 35, 136-142.	4.2	24
1068	Increased Recognition of Non-O157 Shiga Toxin "Producing <i>Escherichia coli</i> Infections in the United States During 2000"2010: Epidemiologic Features and Comparison with <i>E. coli</i> O157 Infections. <i>Foodborne Pathogens and Disease</i> , 2013, 10, 453-460.	1.8	312
1069	Mucosal priming of the murine immune system against enterohemorrhagic <i>Escherichia coli</i> O157:H7 using <i>Lactococcus lactis</i> expressing the type III secretion system protein EspB. <i>Veterinary Immunology and Immunopathology</i> , 2013, 152, 141-145.	1.2	12
1070	Sensitive DNA biosensor improved by 1,10-phenanthroline cobalt complex as indicator based on the electrode modified by gold nanoparticles and graphene. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 58-63.	7.8	40
1071	Shiga toxin-producing <i>Escherichia coli</i> . <i>Virulence</i> , 2013, 4, 366-372.	4.4	107
1072	<i>Escherichia coli</i> O157 in Ground Beef from Local Retail Markets in Pachuca, Mexico. <i>Journal of Food Protection</i> , 2013, 76, 680-684.	1.7	4
1073	Potential Rapid and Simple Lateral Flow Assay for <i>Escherichia coli</i> O111. <i>Journal of Food Protection</i> , 2013, 76, 755-761.	1.7	13
1074	Restrictive Streptomycin Resistance Mutations Decrease the Formation of Attaching and Effacing Lesions in <i>Escherichia coli</i> O157:H7 Strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4260-4266.	3.2	5
1075	The Acyl-Homoserine Lactone Synthase YenI from <i>Yersinia enterocolitica</i> Modulates Virulence Gene Expression in Enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 2013, 81, 4192-4199.	2.2	9
1076	Secondary, profound, sensorineural hearing loss after recovery from haemolytic uraemic syndrome due to enterohaemorrhagic <i>Escherichia coli</i> , and subsequent cochlear implantation, in two Japanese children. <i>Journal of Laryngology and Otology</i> , 2013, 127, 306-310.	0.8	0
1077	Virulence Gene Profiles and Population Genetic Analysis for Exploration of Pathogenic Serogroups of Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2013, 51, 4022-4028.	3.9	33
1078	Genetic characteristics of Shiga toxin-producing <i>E. coli</i> O157, O26, O103, O111 and O145 isolates from humans, food, and cattle in Belgium. <i>Epidemiology and Infection</i> , 2013, 141, 2503-2515.	2.1	24
1079	Evolution of the Stx2-Encoding Prophage in Persistent Bovine <i>Escherichia coli</i> O157:H7 Strains. <i>Applied and Environmental Microbiology</i> , 2013, 79, 1563-1572.	3.1	28
1080	Shiga Toxin 1, as DNA Repair Inhibitor, Synergistically Potentiates the Activity of the Anticancer Drug, Mafosfamide, on Raji Cells. <i>Toxins</i> , 2013, 5, 431-444.	3.4	8

#	ARTICLE	IF	CITATIONS
1081	Escherichia coli as an indicator of bacteriological quality of water: an overview. Mental Illness, 2013, 4, 2.	0.8	234
1082	Prevalence of Escherichia coli O157:H7, Listeria monocytogenes and Salmonella spp. in Beef, Buffalo and Lamb Using Multiplex PCR. Jundishapur Journal of Microbiology, 2013, 6, .	0.5	16
1083	Effect of Citrus Byproducts on Survival of O157:H7 and Non-O157 Escherichia coli Serogroups within In Vitro Bovine Ruminal Microbial Fermentations. International Journal of Microbiology, 2013, 2013, 1-5.	2.3	5
1084	Identification of TLR4 as the Receptor That Recognizes Shiga Toxins in Human Neutrophils. Journal of Immunology, 2013, 191, 4748-4758.	0.8	76
1085	Prevalence and Characterization of Shiga-Toxin O157:H7 and Non-O157:H7 Enterohemorrhagic Escherichia Coli Isolated from Different Sources. Biotechnology and Biotechnological Equipment, 2013, 27, 3834-3842.	1.3	25
1086	Effects of Seasonality and a Diet of Brassicas on the Shedding of Escherichia coli O157 in Sheep. Foodborne Pathogens and Disease, 2013, 10, 649-654.	1.8	8
1087	Correlation analysis of Shiga toxin-producing Escherichia coli shedding and faecal bacterial composition in beef cattle. Journal of Applied Microbiology, 2013, 115, 591-603.	3.1	22
1088	Inhibition of Water Absorption and Selective Damage to Human Colonic Mucosa Are Induced by Subtilase Cytotoxin Produced by Escherichia coli O113:H21. Infection and Immunity, 2013, 81, 2931-2937.	2.2	17
1090	A Novel Chromogenic Screening Medium for Isolation of Enterohemorrhagic Escherichia coli. Biocontrol Science, 2013, 18, 111-115.	0.8	4
1091	Occurrence of Shiga-toxigenic Escherichia coli in Stomoxys calcitrans (Diptera: Muscidae). Brazilian Journal of Veterinary Parasitology, 2013, 22, 318-321.	0.7	13
1092	Application of multiplex PCR assay based on uidR and fliCH7 genes for detection of Escherichia coli O157:H7 in milk. Journal of General and Applied Microbiology, 2013, 59, 11-19.	0.7	16
1093	Season, Irrigation, Leaf Age, and Escherichia coli Inoculation Influence the Bacterial Diversity in the Lettuce Phyllosphere. PLoS ONE, 2013, 8, e68642.	2.5	121
1094	Production of Hybrid-IgG/IgA Plantibodies with Neutralizing Activity against Shiga Toxin 1. PLoS ONE, 2013, 8, e80712.	2.5	16
1095	Functional Capacity of Shiga-Toxin Promoter Sequences in Eukaryotic Cells. PLoS ONE, 2013, 8, e57128.	2.5	37
1096	Microbiological analysis of pasteurized and fresh fruit juice sold in Rawalpindi of Pakistan. Bangladesh Journal of Scientific and Industrial Research, 2013, 48, 185-192.	0.3	6
1097	Comparison of Clinical and Epidemiological Features of Shiga Toxin-Producing Escherichia coli O157 and Non-O157 Infections in British Columbia, 2009 to 2011. Canadian Journal of Infectious Diseases and Medical Microbiology, 2013, 24, e102-e106.	1.9	16
1098	Isolation of Escherichia coli O157:H7 Strain from Fecal Samples of Zoo Animal. Scientific World Journal, The, 2013, 2013, 1-5.	2.1	13
1099	Management strategies in the treatment of neonatal and pediatric gastroenteritis. Infection and Drug Resistance, 2013, 6, 133.	2.7	51

#	ARTICLE	IF	CITATIONS
1100	Prevalence and characterization of Shiga toxin O157 and non-O157 enterohemorrhagic <i>Escherichia coli</i> isolated from different sources in Ismailia, Egypt. <i>African Journal of Microbiology Research</i> , 2013, 7, 2637-2645.	0.4	12
1101	PhoB Activates <i>Escherichia coli</i> O157:H7 Virulence Factors in Response to Inorganic Phosphate Limitation. <i>PLoS ONE</i> , 2014, 9, e94285.	2.5	57
1102	Selective Evolution of Ligands by Exponential Enrichment to Identify RNA Aptamers against Shiga Toxins. <i>Journal of Nucleic Acids</i> , 2014, 2014, 1-8.	1.2	14
1103	Prevalence and Characterization of <i>Escherichia coli</i> from Rectal Swab of Apparently Healthy Cattle in Mymensingh, Bangladesh. <i>Microbes and Health</i> , 2014, 3, 12-14.	0.3	18
1104	Genotypes and phenotypes of Shiga toxin-producing <i>Escherichia coli</i> (STEC) in Abeokuta, Southwestern Nigeria. <i>Infection and Drug Resistance</i> , 2014, 7, 253.	2.7	4
1105	<i>E. coli</i> O157 outbreaks in the United Kingdom: past, present, and future. <i>Infection and Drug Resistance</i> , 2014, 7, 211.	2.7	37
1106	Bovine Shiga toxin producing <i>Escherichia coli</i> O157:H7 of Bangladesh: Is it capable of causing diseases similar to clinical strains?. <i>African Journal of Microbiology Research</i> , 2014, 8, 147-154.	0.4	0
1107	Diarrheagenic <i>Escherichia coli</i> , 0, , 71-94.		8
1108	Laboratory Methods Used for Strain Typing of Pathogens: Conventional and Molecular Techniques. , 2014, , 29-62.		2
1109	<i>Escherichia coli</i> , 2014, , 23-58.		0
1111	Quartz crystal microbalance (QCM) as biosensor for the detecting of <i>Escherichia coli</i> O157:H7. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2014, 5, 045004.	1.5	24
1112	The inhibitory effect of colloidal bismuth hydroxide gel on <i>Escherichia coli</i> O157:H7 and on the activity of Shiga toxins. <i>BMC Research Notes</i> , 2014, 7, 875.	1.4	7
1113	Shiga toxin-producing <i>Escherichia coli</i> in swine: the public health perspective. <i>Animal Health Research Reviews</i> , 2014, 15, 63-75.	3.1	58
1115	Managing <i>Salmonella</i> Typhimurium and <i>Escherichia coli</i> O157:H7 in soil with hydrated lime – An outdoor study in lysimeters and field plots. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2014, 49, 45-50.	1.5	1
1116	Foodborne bacterial pathogens recovered from contaminated shawarma meat in northern Jordan. <i>Journal of Infection in Developing Countries</i> , 2014, 8, 1407-1414.	1.2	28
1117	Synthesis and Fabrication of PVA-Ag-Cu and PANI-Ag-Cu Nanocomposite Thin Film Sensor for Detection of <i>E. coli</i> in Water. <i>Advanced Materials Research</i> , 0, 911, 131-135.	0.3	3
1118	Evaluation of the Effects of Weaning Diets on <i>Escherichia coli</i> O157 Shedding, Body Weight, and Fecal Bacterial Communities in Beef Calves. <i>Foodborne Pathogens and Disease</i> , 2014, 11, 55-60.	1.8	3
1119	Efficacy of coral-hydroxyapatite and biphasic calcium phosphate for early bacterial detection. <i>Biointerphases</i> , 2014, 9, 029018.	1.6	4

#	ARTICLE	IF	CITATIONS
1120	ASYMMETRIC PRICE INCREASE IN CRITICAL LOSS ANALYSIS: A REPLY TO DALJORD, SORGARD, AND THOMASSEN. <i>Journal of Competition Law and Economics</i> , 2014, 10, 495-503.	0.8	4
1121	Interaction between the Microbial Community and Invading <i>Escherichia coli</i> O157:H7 in Soils from Vegetable Fields. <i>Applied and Environmental Microbiology</i> , 2014, 80, 70-76.	3.1	41
1122	Retinoid Levels Influence Enterohemorrhagic <i>Escherichia coli</i> Infection and Shiga Toxin 2 Susceptibility in Mice. <i>Infection and Immunity</i> , 2014, 82, 3948-3957.	2.2	13
1123	Antibacterial Effect of Silver Nanoparticles Against Four Foodborne Pathogens. <i>Jundishapur Journal of Microbiology</i> , 2014, 7, e8720.	0.5	116
1124	Optimization of conditions for probiotic curd formulation by <i>Enterococcus faecium</i> MTCC 5695 with probiotic properties using response surface methodology. <i>Journal of Food Science and Technology</i> , 2014, 51, 3050-3060.	2.8	8
1125	Numbers of coliforms, <i>Escherichia coli</i> , F-RNA phage, rotavirus, bovine enteric calicivirus and presence of non-O157 STEC on commercial vacuum packaged beef. <i>Food Microbiology</i> , 2014, 42, 225-231.	4.2	11
1126	Effect of hydrogen peroxide vapor treatment for inactivating <i>Salmonella</i> Typhimurium, <i>Escherichia coli</i> O157:H7 and <i>Listeria monocytogenes</i> on organic fresh lettuce. <i>Food Control</i> , 2014, 44, 78-85.	5.5	44
1127	Survival of <i>Escherichia coli</i> O157:H7 in soils under different land use types. <i>Environmental Science and Pollution Research</i> , 2014, 21, 518-524.	5.3	30
1128	Characterization of Shiga toxin-producing <i>Escherichia coli</i> isolated from healthy pigs in China. <i>BMC Microbiology</i> , 2014, 14, 5.	3.3	71
1129	Genotypic characterization of <i>Escherichia coli</i> O157:H7 strains that cause diarrhea and hemolytic uremic syndrome in Neuqu�n, Argentina. <i>International Journal of Medical Microbiology</i> , 2014, 304, 499-504.	3.6	24
1130	Interactions of O157 and Non-O157 Shiga Toxin��Producing <i>Escherichia coli</i> (STEC) Recovered from Bovine Hide and Carcass with Human Cells and Abiotic Surfaces. <i>Foodborne Pathogens and Disease</i> , 2014, 11, 248-255.	1.8	12
1131	Molecular detection of nine clinically important non-O157 <i>Escherichia coli</i> serogroups from raw sheep meat in Chaharmahal-va-Bakhtiari province, Iran. <i>Meat Science</i> , 2014, 97, 428-432.	5.5	4
1132	Toxin Production and Antibiotic Resistances in <i>Escherichia coli</i> Isolated from Bathing Areas Along the Coastline of the Oslo Fjord. <i>Current Microbiology</i> , 2014, 69, 317-328.	2.2	7
1133	Protection of Mice against Shiga Toxin 2 (Stx2)-Associated Damage by Maternal Immunization with a <i>Brucella</i> Lumazine Synthase-Stx2 B Subunit Chimera. <i>Infection and Immunity</i> , 2014, 82, 1491-1499.	2.2	22
1134	A glimpse of <i>Escherichia coli</i> O157:H7 survival in soils from eastern China. <i>Science of the Total Environment</i> , 2014, 476-477, 49-56.	8.0	25
1136	Enhanced Virulence of the <i>Escherichia coli</i> O157:H7 Spinach-Associated Outbreak Strain in Two Animal Models Is Associated with Higher Levels of Stx2 Production after Induction with Ciprofloxacin. <i>Infection and Immunity</i> , 2014, 82, 4968-4977.	2.2	19
1137	Detection of single-digit foodborne pathogens with the naked eye using carbon nanotube-based multiple cycle signal amplification. <i>Chemical Communications</i> , 2014, 50, 1848.	4.1	33
1138	Identification and Characterization of a Peculiar <i>vtx2</i>-Converting Phage Frequently Present in Verocytotoxin-Producing <i>Escherichia coli</i> O157 Isolated from Human Infections. <i>Infection and Immunity</i> , 2014, 82, 3023-3032.	2.2	11

#	ARTICLE	IF	CITATIONS
1139	Pyruvate-Associated Acid Resistance in Bacteria. <i>Applied and Environmental Microbiology</i> , 2014, 80, 4108-4113.	3.1	30
1140	Colonization of the meat extracellular matrix proteins by O157 and non-O157 enterohemorrhagic <i>Escherichia coli</i> . <i>International Journal of Food Microbiology</i> , 2014, 188, 92-98.	4.7	9
1141	Modification of methods for detection of <i>Escherichia coli</i> O157:H7 on produce. <i>Food Science and Biotechnology</i> , 2014, 23, 1349-1356.	2.6	3
1142	Incidence and etiology of hemolytic-uremic syndrome in children in Norway, 1999â€“2008 â€“ a retrospective study of hospital records to assess the sensitivity of surveillance. <i>BMC Infectious Diseases</i> , 2014, 14, 265.	2.9	24
1143	Rapid and accurate detection of viable <i>Escherichia coli</i> O157:H7 in milk using a combined IMS, sodium deoxycholate, PMA and real-time quantitative PCR process. <i>Food Control</i> , 2014, 36, 119-125.	5.5	47
1144	Phylogenetic characterization of <i>Escherichia coli</i> O157â€Š:â€ŠH7 based on IS629 distribution and Shiga toxin genotype. <i>Microbiology (United Kingdom)</i> , 2014, 160, 502-513.	1.8	32
1145	Prevalence of <i>Escherichia coli</i> O157:H7 on spinach and rocket as affected by inoculum and time to harvest. <i>Scientia Horticulturae</i> , 2014, 165, 235-241.	3.6	16
1146	Development of a Rapid Microarray-Based DNA Subtyping Assay for the Alleles of Shiga Toxins 1 and 2 of <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2014, 52, 2898-2904.	3.9	9
1147	Identification of two allelic variants of <i>tox</i> B gene and investigation of their distribution among Verocytotoxin-producing <i>Escherichia coli</i> . <i>International Journal of Medical Microbiology</i> , 2014, 304, 730-734.	3.6	6
1148	Oral immunization with <i>Lactococcus lactis</i> -expressing EspB induces protective immune responses against <i>Escherichia coli</i> O157:H7 in a murine model of colonization. <i>Vaccine</i> , 2014, 32, 3909-3916.	3.8	33
1149	Expanding Possibilities of Rolling Circle Amplification as a Biosensing Platform. <i>Analytical Sciences</i> , 2014, 30, 59-64.	1.6	28
1150	EHEC Genomics: Past, Present, and Future. <i>Microbiology Spectrum</i> , 2014, 2, EHEC-0020-2013.	3.0	50
1151	Management of hemolytic-uremic syndrome in children. <i>International Journal of Nephrology and Renovascular Disease</i> , 2014, 7, 231.	1.8	36
1152	Overview and Historical Perspectives. <i>Microbiology Spectrum</i> , 2014, 2, .	3.0	55
1153	Animal Models of Enterohemorrhagic <i>Escherichia coli</i> Infection. <i>Microbiology Spectrum</i> , 2014, 2, EHEC-0022-2013.	3.0	25
1154	Use of virulence determinants and seropathotypes to distinguish high- and low-risk <i>Escherichia coli</i> O157 and non-O157 isolates from Europe. <i>Epidemiology and Infection</i> , 2014, 142, 1019-1028.	2.1	6
1157	Discovery of Inhibitors of Shiga Toxin Type 2 by Onâ€Plate Generation and Screening of a Focused Compound Library. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 1510-1515.	13.8	14
1158	Identification of O Serotypes, Genotypes, and Virulotypes of Shiga Toxin-Producing <i>Escherichia coli</i> Isolates, Including Non-O157 from Beef Cattle in Japan. <i>Journal of Food Protection</i> , 2014, 77, 1269-1274.	1.7	20

#	ARTICLE	IF	CITATIONS
1159	Whole Genome Sequencing demonstrates that Geographic Variation of <i>Escherichia coli</i> O157 Genotypes Dominates Host Association. <i>Scientific Reports</i> , 2015, 5, 14145.	3.3	49
1160	Presence and persistence of wastewater pathogen <i>Escherichia coli</i> O157:H7 in hydroponic reactors of treatment wetland species. <i>Water Science and Technology</i> , 2015, 72, 135-140.	2.5	4
1162	Effectiveness of Active Packaging on Control of <i>Escherichia Coli</i> O157:H7 and Total Aerobic Bacteria on Iceberg Lettuce. <i>Journal of Food Science</i> , 2015, 80, M1325-9.	3.1	6
1163	Free <i>Staphylococcus</i> toxin encoding bacteriophages are less prevalent than <i>Staphylococcus</i> toxin 2 phages in extraintestinal environments. <i>Environmental Microbiology</i> , 2015, 17, 4790-4801.	3.8	22
1164	A Rapid and Sensitive Method to Measure the Functional Activity of Shiga Toxins in Human Serum. <i>Toxins</i> , 2015, 7, 4564-4576.	3.4	10
1165	Effect of Ozone Treatment on Inactivation of <i>Escherichia coli</i> and <i>Listeria sp.</i> on Spinach. <i>Agriculture (Switzerland)</i> , 2015, 5, 155-169.	3.1	33
1166	Electrochemical Impedance Immunosensor Based on Self-Assembled Monolayers for Rapid Detection of <i>Escherichia coli</i> O157:H7 with Signal Amplification Using Lectin. <i>Sensors</i> , 2015, 15, 19212-19224.	3.8	81
1167	Identification of potential drug targets by subtractive genome analysis of <i>Escherichia coli</i> O157:H7: an in silico approach. <i>Advances and Applications in Bioinformatics and Chemistry</i> , 2015, 8, 49.	2.6	56
1168	<i>Enterobacteriaceae</i> . , 2015, , 2503-2517.e5.		17
1169	Comparison of recto-anal mucosal swab and faecal culture for the detection of <i>Escherichia coli</i> O157 and identification of super-shedding in a mob of Merino sheep. <i>Epidemiology and Infection</i> , 2015, 143, 2733-2742.	2.1	13
1170	Dynamics of <i>Escherichia coli</i> Virulence Factors in Dairy Herds and Farm Environments in a Longitudinal Study in the United States. <i>Applied and Environmental Microbiology</i> , 2015, 81, 4477-4488.	3.1	19
1171	Strategies to avoid shiga toxin effects. <i>Virulence</i> , 2015, 6, 103-104.	4.4	1
1172	Detection of Shiga Toxins by Lateral Flow Assay. <i>Toxins</i> , 2015, 7, 1163-1173.	3.4	26
1173	A probabilistic assessment of the contribution of wastewater-irrigated lettuce to <i>Escherichia coli</i> O157:H7 infection risk and disease burden in Kumasi, Ghana. <i>Journal of Water and Health</i> , 2015, 13, 217-229.	2.6	3
1174	Molecular characterization of <i>Escherichia coli</i> O157:H7 recovered from meat and meat products relevant to human health in Riyadh, Saudi Arabia. <i>Saudi Journal of Biological Sciences</i> , 2015, 22, 725-729.	3.8	34
1175	Identification and optimization of <i>Escherichia coli</i> GlmU inhibitors: An in silico approach with validation thereof. <i>European Journal of Medicinal Chemistry</i> , 2015, 92, 78-90.	5.5	16
1176	NAIL: Nucleic Acid detection using Isotachophoresis and Loop-mediated isothermal amplification. <i>Lab on A Chip</i> , 2015, 15, 1697-1707.	6.0	42
1177	Prevalence and characterization of <i>Escherichia coli</i> O157:H7 from samples along the production line in Chinese beef-processing plants. <i>Food Control</i> , 2015, 54, 39-46.	5.5	12

#	ARTICLE	IF	CITATIONS
1178	Morphology, Structural and Electrical Properties of Ag@Cu Alloy Nanoparticles Embedded in PVA Matrix and Its Performance as E. coli Monitoring Sensor. <i>Arabian Journal for Science and Engineering</i> , 2015, 40, 915-922.	1.1	7
1179	Sorbitol non-fermenting shiga toxin-producing <i>Escherichia coli</i> in cattle on smallholdings. <i>Epidemiology and Infection</i> , 2015, 143, 94-103.	2.1	11
1180	Transmission of <i>Escherichia coli</i> O157:H7 in cattle is influenced by the level of environmental contamination. <i>Epidemiology and Infection</i> , 2015, 143, 274-287.	2.1	12
1181	Zoonotic Diseases of Swine: Food-borne and Occupational Aspects of Infection. , 2015, , 23-68.		0
1182	<i>Escherichia coli</i> O157:H7 bacteriophage ϕ 241 isolated from an industrial cucumber fermentation at high acidity and salinity. <i>Frontiers in Microbiology</i> , 2015, 6, 67.	3.5	36
1183	Purification and characterization of lipopolysaccharides from six strains of non-O157 Shiga toxin-producing <i>Escherichia coli</i> . <i>Journal of Microbiological Methods</i> , 2015, 116, 1-7.	1.6	13
1184	A portable, shock-proof, surface-heated droplet PCR system for <i>Escherichia coli</i> detection. <i>Biosensors and Bioelectronics</i> , 2015, 74, 360-368.	10.1	39
1185	Inactivation dynamics of <i>Salmonella enterica</i> , <i>Listeria monocytogenes</i> , and <i>Escherichia coli</i> O157:H7 in wash water during simulated chlorine depletion and replenishment processes. <i>Food Microbiology</i> , 2015, 50, 88-96.	4.2	52
1186	Membrane fluidity-related adaptive response mechanisms of foodborne bacterial pathogens under environmental stresses. <i>Food Research International</i> , 2015, 72, 25-36.	6.2	91
1187	Prevalence of <i>E. coli</i> O157:H7 in water sources: an overview on associated diseases, outbreaks and detection methods. <i>Diagnostic Microbiology and Infectious Disease</i> , 2015, 82, 249-264.	1.8	96
1188	Assessing the Public Health Risk of Shiga Toxin-Producing <i>Escherichia coli</i> by Use of a Rapid Diagnostic Screening Algorithm. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1588-1598.	3.9	34
1189	Preparation of gold nanoparticles by microwave heating and application of spectroscopy to study conjugate of gold nanoparticles with antibody <i>E. coli</i> O157:H7. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2015, 6, 035015.	1.5	34
1190	Baicalin Inhibits the Lethality of Shiga-Like Toxin 2 in Mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 7054-7060.	3.2	15
1191	Promising Nucleic Acid Lateral Flow Assay Plus PCR for Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Food Protection</i> , 2015, 78, 1560-1568.	1.7	6
1192	Adenovirus Vector Expressing Stx1/Stx2-Neutralizing Agent Protects Piglets Infected with <i>Escherichia coli</i> O157:H7 against Fatal Systemic Intoxication. <i>Infection and Immunity</i> , 2015, 83, 286-291.	2.2	22
1193	Prevalence and characterization of <i>Listeria monocytogenes</i> , <i>Salmonella</i> and Shiga toxin-producing <i>Escherichia coli</i> isolated from small Mexican retail markets of queso fresco. <i>International Journal of Environmental Health Research</i> , 2015, 25, 140-148.	2.7	16
1194	Development of a High Resolution Virulence Allelic Profiling (HReVAP) Approach Based on the Accessory Genome of <i>Escherichia coli</i> to Characterize Shiga-Toxin Producing <i>E. coli</i> (STEC). <i>Frontiers in Microbiology</i> , 2016, 7, 202.	3.5	2
1195	Effects of <i>Rhodomyrtus tomentosa</i> Extract on Killing Activity of Human Neutrophils and Membrane Integrity of Enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>Molecules</i> , 2016, 21, 692.	3.8	6

#	ARTICLE	IF	CITATIONS
1196	Protozoan Predation of <i>Escherichia coli</i> O157:H7 Is Unaffected by the Carriage of Shiga Toxin-Encoding Bacteriophages. <i>PLoS ONE</i> , 2016, 11, e0147270.	2.5	20
1198	Molecular characterization and antimicrobial resistance of STEC strains isolated from healthy cattle in 2011 and 2013 in Spain. <i>Epidemiology and Infection</i> , 2016, 144, 2956-2966.	2.1	9
1199	Microbial Food Spoilage: Control Strategies for Shelf Life Extension. , 2016, , 239-264.		13
1200	<i>Editorial Commentary</i>: Increasing Evidence That Certain Antibiotics Should Be Avoided for Shiga Toxinâ€“Producing<i> Escherichia coli</i> Infections: More Data Needed. <i>Clinical Infectious Diseases</i> , 2016, 62, 1259-1261.	5.8	9
1201	Independent and combined effects of oxytetracycline and antibiotic-resistant <i>Escherichia coli</i> O157:H7 on soil microbial activity and partial nitrification processes. <i>Soil Biology and Biochemistry</i> , 2016, 98, 138-147.	8.8	17
1202	Characterization of <i>Escherichia coli</i> strains from red deer (<i>Cervus elaphus</i>) faeces in a Mexican protected natural area. <i>European Journal of Wildlife Research</i> , 2016, 62, 415-421.	1.4	10
1203	Cinnamon Oil Inhibits Shiga Toxin Type 2 Phage Induction and Shiga Toxin Type 2 Production in <i>Escherichia coli</i> O157:H7. <i>Applied and Environmental Microbiology</i> , 2016, 82, 6531-6540.	3.1	26
1204	Bacteriophage Applications - Historical Perspective and Future Potential. <i>SpringerBriefs in Biochemistry and Molecular Biology</i> , 2016, , .	0.3	3
1205	Phage for Biocontrol. <i>SpringerBriefs in Biochemistry and Molecular Biology</i> , 2016, , 9-19.	0.3	0
1206	Fast detection of both O157 and non-O157 shiga-toxin producing <i>Escherichia coli</i> by real-time optical immunoassay. <i>Letters in Applied Microbiology</i> , 2016, 62, 39-46.	2.2	11
1207	Support vector machine applied to predict the zoonotic potential of <i>E. coli</i> O157 cattle isolates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11312-11317.	7.1	55
1208	DNA-based hybridization chain reaction and biotinâ€“streptavidin signal amplification for sensitive detection of <i>Escherichia coli</i> O157:H7 through ELISA. <i>Biosensors and Bioelectronics</i> , 2016, 86, 990-995.	10.1	97
1209	Diagnostic des infections Ã <i>Escherichia coli</i> entÃ©rohÃ©morrhagique. <i>Revue Francophone Des Laboratoires</i> , 2016, 2016, 45-52.	0.0	1
1210	Influence of Extracellular Cellulose and Colanic Acid Production on the Survival of Shiga Toxinâ€“Producing <i>Escherichia coli</i> on Spinach and Lettuce after Chlorine Treatment. <i>Journal of Food Protection</i> , 2016, 79, 666-671.	1.7	12
1211	Molecular characterization and phylogeny of Shiga toxin-producing <i>E. coli</i> (STEC) from imported beef meat in Malaysia. <i>Environmental Science and Pollution Research</i> , 2016, 23, 17553-17562.	5.3	2
1212	An electrochemical biosensor for rapid detection of <i>E. coli</i> O157:H7 with highly efficient bi-functional glucose oxidase-polydopamine nanocomposites and Prussian blue modified screen-printed interdigitated electrodes. <i>Analyst, The</i> , 2016, 141, 5441-5449.	3.5	75
1213	Modeling neutralization of Shiga 2 toxin by A-and B-subunit-specific human monoclonal antibodies. <i>Journal of Biological Physics</i> , 2016, 42, 435-452.	1.5	0
1214	Draft genome sequence of non-shiga toxin-producing <i>Escherichia coli</i> O157 NCCP15738. <i>Gut Pathogens</i> , 2016, 8, 13.	3.4	4

#	ARTICLE	IF	CITATIONS
1215	The Antibiotic Polymyxin B Impairs the Interactions between Shiga Toxins and Human Neutrophils. <i>Journal of Immunology</i> , 2016, 196, 1177-1185.	0.8	8
1216	Early Volume Expansion and Outcomes of Hemolytic Uremic Syndrome. <i>Pediatrics</i> , 2016, 137, .	2.1	74
1217	Channel formation by RTX-toxins of pathogenic bacteria: Basis of their biological activity. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016, 1858, 526-537.	2.6	39
1218	White light phase shifting interferometry and color fringe analysis for the detection of contaminants in water. , 2016, , .		4
1219	Shiga Toxin-Producing <i>Escherichia coli</i> in Diarrheal Stool of Swedish Children: Evaluation of Polymerase Chain Reaction Screening and Duration of Shiga Toxin Shedding. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2016, 5, 147-151.	1.3	18
1220	Assessment of aquo-ethanolic extract of <i>Camellia sinensis</i> against Carbapenem Resistant <i>Escherichia coli</i> : In Vivo Trials in a Murine Model. <i>Biomedicine and Pharmacotherapy</i> , 2016, 79, 273-283.	5.6	3
1221	A microfluidic, dual-purpose sensor for in vitro detection of Enterobacteriaceae and biotinylated antibodies. <i>Lab on A Chip</i> , 2016, 16, 1261-1271.	6.0	12
1222	Phage display and Shiga toxin neutralizers. <i>Toxicon</i> , 2016, 113, 60-69.	1.6	5
1223	Subtilase contributes to the cytotoxicity of a Shiga toxin-producing <i>Escherichia coli</i> strain encoding three different toxins. <i>International Journal of Food Microbiology</i> , 2016, 217, 156-161.	4.7	8
1224	A highly specific and sensitive loop-mediated isothermal amplification method for the detection of <i>Escherichia coli</i> O157:H7. <i>Microbial Pathogenesis</i> , 2016, 91, 161-165.	2.9	38
1225	Effects of bacterial concentrations and centrifugations on susceptibility of <i>Bacillus subtilis</i> vegetative cells and <i>Escherichia coli</i> O157:H7 to various electrolyzed oxidizing water treatments. <i>Food Control</i> , 2016, 60, 440-446.	5.5	16
1226	Bioaccumulation of <i>Escherichia coli</i> O157:H7 in <i>Mytilus galloprovincialis</i> under experimental conditions. <i>Aquaculture Research</i> , 2017, 48, 356-360.	1.8	2
1227	Verocytotoxin-Producing <i>Escherichia coli</i> in the Genomic Era: From Virulotyping to Pathogenomics. , 2017, , 109-126.		1
1228	Occurrence of <i>Escherichia coli</i> O157:H7 in cattle feces and contamination of carcass and various contact surfaces in abattoir and butcher shops of Hawassa, Ethiopia. <i>BMC Microbiology</i> , 2017, 17, 24.	3.3	53
1229	Sensitive detection of viable <i>Escherichia coli</i> O157:H7 from foods using a luciferase-reporter phage phiV10lux. <i>International Journal of Food Microbiology</i> , 2017, 254, 11-17.	4.7	44
1230	Antimicrobial Effects of <i>Quillaja saponaria</i> Extract Against <i>Escherichia coli</i> O157:H7 and the Emerging Non-O157 Shiga Toxin-Producing <i>E. coli</i> . <i>Journal of Food Science</i> , 2017, 82, 1171-1177.	3.1	15
1231	Mild processing applied to the inactivation of the main foodborne bacterial pathogens: A review. <i>Trends in Food Science and Technology</i> , 2017, 66, 20-35.	15.1	201
1232	Optical and electrical evaluation of Ag0.5Cu0.75O introduced poly(vinyl alcohol) based E.Coli sensors. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 13139-13148.	2.2	13

#	ARTICLE	IF	CITATIONS
1233	Characterization of blue light irradiation effects on pathogenic and nonpathogenic <i>Escherichia coli</i> . <i>MicrobiologyOpen</i> , 2017, 6, e00466.	3.0	24
1234	Sterilization of blow fly eggs, <i>Chrysomya megacephala</i> and <i>Lucilia cuprina</i> , (Diptera: Calliphoridae) for maggot debridement therapy application. <i>Parasitology Research</i> , 2017, 116, 1581-1589.	1.6	10
1235	Viable pathogens detection in fresh vegetables by quadruplex PCR. <i>LWT - Food Science and Technology</i> , 2017, 81, 306-313.	5.2	9
1236	Recent developments in novel shelf life extension technologies of fresh-cut fruits and vegetables. <i>Trends in Food Science and Technology</i> , 2017, 64, 23-38.	15.1	299
1237	Comparing invasive effects of five foodborne bacterial pathogens in human embryonic intestine 407 cells and human ileocecum HCT-8 cells. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2017, 7, 937-944.	1.2	9
1238	S100A4 contributes to colitis development by increasing the adherence of <i>Citrobacter rodentium</i> in intestinal epithelial cells. <i>Scientific Reports</i> , 2017, 7, 12099.	3.3	19
1239	Complete Annotated Genome Sequences of Two Shiga Toxin-Producing <i>Escherichia coli</i> Strains and One Atypical Enteropathogenic <i>E. coli</i> Strain, Isolated from Naturally Colonized Cattle of German Origin. <i>Genome Announcements</i> , 2017, 5, .	0.8	1
1240	Does the vaginal microbiota play a role in the development of cervical cancer?. <i>Translational Research</i> , 2017, 179, 168-182.	5.0	161
1241	Characterization of four <i>Escherichia coli</i> clonal groups. <i>Apmis</i> , 2017, 125, 1-28.	2.0	5
1242	House Flies in the Confined Cattle Environment Carry Non-O157 Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Medical Entomology</i> , 2017, 54, 726-732.	1.8	14
1243	Occurrence of Hybrid <i>Escherichia coli</i> Strains Carrying Shiga Toxin and Heat-Stable Toxin in Livestock of Bangladesh. <i>Frontiers in Public Health</i> , 2016, 4, 287.	2.7	31
1244	Evidence for Contemporary Switching of the O-Antigen Gene Cluster between Shiga Toxin-Producing <i>Escherichia coli</i> Strains Colonizing Cattle. <i>Frontiers in Microbiology</i> , 2017, 8, 424.	3.5	13
1245	Isolation and Physiomorphological Characterization of <i>Escherichia coli</i> O157:H7-Infecting Bacteriophages Recovered from Beef Cattle Operations. <i>International Journal of Microbiology</i> , 2017, 2017, 1-12.	2.3	36
1246	Prevalence of <i>Escherichia coli</i> O157:H7 in bovine feces in North West of Iran. <i>Mental Illness</i> , 2017, 8, .	0.8	2
1247	Molecular based prevalence of shigatoxigenic <i>Escherichia coli</i> in rectal swab of apparently healthy cattle in Mymensingh district, Bangladesh. <i>Journal of Advanced Veterinary and Animal Research</i> , 2017, 4, 1.	1.2	5
1248	Antimicrobial activity of selected plant species and antibiotic drugs against <i>Escherichia coli</i> O157:H7. <i>African Journal of Microbiology Research</i> , 2017, 11, 792-803.	0.4	2
1249	Rapid and robust analytical protocol for <i>E. coli</i> STEC bacteria subspecies differentiation using whole cell MALDI mass spectrometry. <i>Talanta</i> , 2018, 182, 164-170.	5.5	9
1250	Key pathogenic bacteria associated with dairy foods: On-farm ecology and products associated with foodborne pathogen transmission. <i>International Dairy Journal</i> , 2018, 84, 28-35.	3.0	12

#	ARTICLE	IF	CITATIONS
1251	Thermal Pasteurization and Microbial Inactivation of Fruit Juices. , 2018, , 309-339.		31
1252	Nanozyme-based lateral flow assay for the sensitive detection of Escherichia coli O157:H7 in milk. Journal of Dairy Science, 2018, 101, 5770-5779.	3.4	86
1253	Enteric Diseases Transmitted Through Food, Water, and Zoonotic Exposures. , 2018, , 397-409.e3.		0
1254	Emerging biosensor platforms for the assessment of water-borne pathogens. Analyst, The, 2018, 143, 359-373.	3.5	69
1255	Virulent gene profile and antimicrobial susceptibility pattern of Shiga toxin-producing Escherichia coli (STEC) from humans in Maiduguri, Borno State, North-Eastern Nigeria. Comparative Clinical Pathology, 2018, 27, 341-351.	0.7	3
1256	Development of a multiplex PCR targeting <i>eae</i> , <i>stx</i> and <i>cdt</i> genes in genus <i>Escherichia</i> and detection of a novel <i>cdtB</i> gene in <i>Providencia rustigianii</i> . Pathogens and Disease, 2018, 76, .	2.0	7
1257	Transcriptomic Analysis of Shiga Toxin-Producing Escherichia coli FORC_035 Reveals the Essential Role of Iron Acquisition for Survival in Canola Sprouts and Water Dropwort. Frontiers in Microbiology, 2018, 9, 2397.	3.5	0
1258	Integrated Optical Mach-Zehnder Interferometer Based on Organic-Inorganic Hybrids for Photonics-on-a-Chip Biosensing Applications. Sensors, 2018, 18, 840.	3.8	24
1259	A Review of Roof Harvested Rainwater in Australia. Journal of Environmental and Public Health, 2018, 2018, 1-14.	0.9	48
1261	Evaluation of Commercial Prototype Bacteriophage Intervention Designed for Reducing O157 and Non-O157 Shiga-Toxigenic Escherichia coli (STEC) on Beef Cattle Hide. Foods, 2018, 7, 114.	4.3	19
1262	Genotypic Features of Clinical and Bovine Escherichia coli O157 Strains Isolated in Countries with Different Associated-Disease Incidences. Microorganisms, 2018, 6, 36.	3.6	22
1263	The Benefit of a Plant-Based Cattle Vaccine for Reducing Enterohemorrhagic Escherichia Coli Shedding and Improving Food Safety. , 2018, , 285-310.		0
1264	A new method for comprehensive utilization of wood vinegar by distillation and liquid-liquid extraction. Process Biochemistry, 2018, 75, 194-201.	3.7	22
1265	Factors in the emergence of serious human infections associated with highly pathogenic strains of shiga toxin-producing Escherichia coli. International Journal of Medical Microbiology, 2018, 308, 1067-1072.	3.6	59
1266	Global and regional source attribution of Shiga toxin-producing <i>Escherichia coli</i> infections using analysis of outbreak surveillance data. Epidemiology and Infection, 2019, 147, e236.	2.1	46
1267	A Putative Microcin Amplifies Shiga Toxin 2a Production of Escherichia coli O157:H7. Journal of Bacteriology, 2019, 202, .	2.2	10
1268	Phage Therapy: A Practical Approach. , 2019, , .		22
1269	Effect of salt concentration on acid- and salt-adapted Escherichia coli O157:H7 and Listeria monocytogenes in recombined nonfat cast cheese. Journal of Food Processing and Preservation, 2019, 43, e14208.	2.0	5

#	ARTICLE	IF	CITATIONS
1270	Molecular subtyping and dna sequencing homology of Escherichia coli O157:H7 isolated from Aceh cattle. IOP Conference Series: Earth and Environmental Science, 2019, 305, 012025.	0.3	1
1271	Experimental In-Field Transfer and Survival of Escherichia coli from Animal Feces to Romaine Lettuce in Salinas Valley, California. Microorganisms, 2019, 7, 408.	3.6	22
1272	A Multistate Outbreak of <i>E. coli</i> O157:H7 Infections Linked to Soy Nut Butter. Pediatrics, 2019, 144, e20183978.	2.1	12
1273	Safety risks associated with dispersal of E. coli O157:H7 in home sprouting modules. LWT - Food Science and Technology, 2019, 101, 783-788.	5.2	5
1274	Single particle ICP-MS-based absolute and relative quantification of <i>E. coli</i> O157 16S rRNA using sandwich hybridization capture. Analyst, The, 2019, 144, 1725-1730.	3.5	11
1275	Consumer willingness to pay for food safety interventions: The role of message framing and issue involvement. Food Policy, 2019, 86, 101726.	6.0	31
1276	Sediment pH, not the bacterial diversity, determines Escherichia coli O157:H7 survival in estuarine sediments. Environmental Pollution, 2019, 252, 1078-1086.	7.5	15
1277	Shaping food safety perceptions: The influence of informational nudges. Journal of Behavioral and Experimental Economics, 2019, 81, 139-151.	1.2	5
1278	Cellular and Mucosal Immune Responses Following Vaccination with Inactivated Mutant of Escherichia coli O157:H7. Scientific Reports, 2019, 9, 6401.	3.3	8
1279	Disinfection and removal performance for Escherichia coli, toxic heavy metals and arsenic by wood vinegar-modified zeolite. Ecotoxicology and Environmental Safety, 2019, 174, 129-136.	6.0	40
1280	Raspberry extract prevents NLRP3 inflammasome activation in gut epithelial cells induced by pathogenic Escherichia coli. Journal of Functional Foods, 2019, 56, 224-231.	3.4	5
1281	Zoonotic approach to Shiga toxin-producing <i>Escherichia coli</i> : integrated analysis of virulence and antimicrobial resistance in ruminants and humans. Epidemiology and Infection, 2019, 147, e164.	2.1	26
1282	Adoptions and Adaptations. , 2019, , 85-102.		0
1283	Global Health and Infectious Intestinal Disease. , 2019, , 148-168.		0
1284	An Era of Optimism. , 2019, , 124-147.		0
1288	The Struggle against Hookworm Disease. , 2019, , 103-123.		0
1289	Early Change. , 2019, , 24-41.		0
1290	Shiga Toxin-Producing Escherichia coli. , 2019, , 289-315.		5

#	ARTICLE	IF	CITATIONS
1291	Pathogens and Parasites. , 2019, , 5-23.		0
1293	Diffusion and Amplification. , 2019, , 42-64.		0
1295	Closing the Loop on Biogas Plants: Recycling Digestate and Sludge on Agriculture and Microbial Risk Assessment. Biofuel and Biorefinery Technologies, 2019, , 257-275.	0.3	0
1296	Antibiotic resistant zoonotic bacteria in Irrawaddy squirrel (<i>Callosciurus pygerythrus</i>). Veterinary Medicine and Science, 2019, 5, 260-268.	1.6	4
1298	Interfacial phenomena in natural nanostructured materials based on kaolinite and calcite in blends with nanosilica and neem leaf powder. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 586, 124238.	4.7	2
1299	Particulate Shiga Toxin 2 in Blood is Associated to the Development of Hemolytic Uremic Syndrome in Children. Thrombosis and Haemostasis, 2020, 120, 107-120.	3.4	16
1300	Comparative Study of Electrochemical Biosensors Based on Highly Efficient Mesoporous ZrO_2 -Ag-G-SiO ₂ and In_2O_3 -G-SiO ₂ for Rapid Recognition of <i>E. coli</i> O157:H7. ACS Omega, 2020, 5, 22719-22730.	3.5	24
1301	Centrifugal microfluidic lab-on-a-chip system with automated sample lysis, DNA amplification and microarray hybridization for identification of enterohemorrhagic <i>Escherichia coli</i> culture isolates. Analyst, The, 2020, 145, 6831-6845.	3.5	23
1302	ISTH guidelines for the diagnosis of thrombotic thrombocytopenic purpura. Journal of Thrombosis and Haemostasis, 2020, 18, 2486-2495.	3.8	142
1303	Occurrence, virulence genes, and antimicrobial profiles of <i>Escherichia coli</i> O157 isolated from ruminants slaughtered in Al Ain, United Arab Emirates. BMC Microbiology, 2020, 20, 210.	3.3	13
1304	Facilitating Evaluation of Hemolytic Uremic Syndrome Long-Term Health Outcomes Through Social Media Support Groups. Frontiers in Public Health, 2020, 8, 544154.	2.7	2
1305	Optimization by mixture design of the antimicrobial activities of five selected essential oils. Journal of Medicinal Plants Research, 2020, 14, 570-579.	0.4	5
1306	Quantitative microbial risk assessment for waterborne pathogens in a wastewater treatment plant and its receiving surface water body. BMC Microbiology, 2020, 20, 346.	3.3	29
1307	Naked-eye based point-of-care detection of <i>E. coli</i> O157: H7 by a signal-amplified microfluidic aptasensor. Analytica Chimica Acta, 2020, 1130, 20-28.	5.4	32
1308	Characterization of virulence genes in <i>Escherichia coli</i> strains isolated from pre-weaned calves in the Republic of Korea. Acta Veterinaria Scandinavica, 2020, 62, 45.	1.6	12
1309	Research in a time of enteroids and organoids: how the human gut model has transformed the study of enteric bacterial pathogens. Gut Microbes, 2020, 12, 1795389.	9.8	26
1310	Development of antiviral and bacteriostatic chitosan-based food packaging material with grape seed extract for murine norovirus, <i>Escherichia coli</i> and <i>Listeria innocua</i> control. Food Science and Nutrition, 2020, 8, 6174-6181.	3.4	27
1311	A Toxic Environment: a Growing Understanding of How Microbial Communities Affect <i>Escherichia coli</i> O157:H7 Shiga Toxin Expression. Applied and Environmental Microbiology, 2020, 86, .	3.1	12

#	ARTICLE	IF	CITATIONS
1312	Occurrence and characterization of Shiga toxin-producing <i>Escherichia coli</i> (STEC) isolated from Chinese beef processing plants. <i>Meat Science</i> , 2020, 168, 108188.	5.5	7
1313	Sensitive and hook effect-free lateral flow assay integrated with cascade signal transduction system. <i>Sensors and Actuators B: Chemical</i> , 2020, 321, 128465.	7.8	11
1314	Genetic and Functional Analyses of Virulence Potential of an <i>Escherichia coli</i> O157:H7 Strain Isolated From Super-Shedder Cattle. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 271.	3.9	14
1315	Modelling Growth and Decline in a Two-Species Model System: Pathogenic <i>Escherichia coli</i> O157:H7 and Psychrotrophic Spoilage Bacteria in Milk. <i>Foods</i> , 2020, 9, 331.	4.3	5
1316	Evaluating the risks associated with Shiga-toxin-producing <i>Escherichia coli</i> (STEC) in private well waters in Canada. <i>Canadian Journal of Microbiology</i> , 2020, 66, 337-350.	1.7	12
1317	5. <i>Mikrobiologie des Wassers</i> . , 2020, , 347-466.		0
1318	Shiga Toxin-Associated Hemolytic Uremic Syndrome: A Narrative Review. <i>Toxins</i> , 2020, 12, 67.	3.4	128
1319	<i>Escherichia coli</i> O157:H7 Curli Fimbriae Promotes Biofilm Formation, Epithelial Cell Invasion, and Persistence in Cattle. <i>Microorganisms</i> , 2020, 8, 580.	3.6	12
1320	Occurrence, Molecular Characteristics, and Antimicrobial Resistance of <i>Escherichia coli</i> O157 in Cattle, Beef, and Humans in Bishoftu Town, Central Ethiopia. <i>Foodborne Pathogens and Disease</i> , 2021, 18, 1-7.	1.8	13
1321	<i>Gastrointestinal Pathology</i> . , 2021, , 696-716.e7.		0
1322	Morphology-Controlled Synthesis of ZnO Nanostructures for Caffeine Degradation and <i>Escherichia coli</i> Inactivation in Water. <i>Catalysts</i> , 2021, 11, 63.	3.5	12
1323	<i>Bacteriophage Utilization in Animal Hygiene</i> . , 2021, , 891-917.		1
1324	European Starlings (<i>Sturnus vulgaris</i>) as Vectors and Reservoirs of Pathogens Affecting Humans and Domestic Livestock. <i>Animals</i> , 2021, 11, 466.	2.3	7
1326	Turning ameliorates the quality of cocoa bean-like product from the seed of fermented rambutan () Tj ETQq1 1 0.784314 rgBT /Overlo	2.0	0
1327	Electronic Credit and Furniture Decision Support Systems Using the Weighted Product Method. <i>International Journal of Basic and Applied Sciences</i> , 2021, 10, 28-37.	0.0	0
1328	Mucosal IFN γ production and potential role in protection in <i>Escherichia coli</i> O157:H7 vaccinated and challenged cattle. <i>Scientific Reports</i> , 2021, 11, 9769.	3.3	2
1329	<i>Escherichia coli</i> Shiga Toxins and Gut Microbiota Interactions. <i>Toxins</i> , 2021, 13, 416.	3.4	26
1330	Combined Action of Shiga Toxin Type 2 and Subtilase Cytotoxin in the Pathogenesis of Hemolytic Uremic Syndrome. <i>Toxins</i> , 2021, 13, 536.	3.4	5

#	ARTICLE	IF	CITATIONS
1331	Shiga Toxin-Producing Escherichia coli Outbreaks in the United States, 2010â€“2017. Microorganisms, 2021, 9, 1529.	3.6	33
1333	Antimicrobial activity of MccJ25(G12Y) against gram-negative foodborne pathogens in vitro and in food models. International Journal of Food Microbiology, 2021, 352, 109267.	4.7	11
1334	Unraveling enterohemorrhagic Escherichia coli infection: the promising role of dietary compounds and probiotics in bacterial elimination and host innate immunity boosting. Critical Reviews in Food Science and Nutrition, 2021, , 1-13.	10.3	2
1335	Prevalence and epidemiological distribution of selected foodborne pathogens in human and different environmental samples in Ethiopia: a systematic review and meta-analysis. One Health Outlook, 2021, 3, 19.	3.4	14
1336	The prevalence and characteristics of Shiga toxin-producing Escherichia coli isolated by the enteric pathogens active surveillance network (Enter-Net) in the Republic of Korea, 2009â€“2018. Microbial Pathogenesis, 2021, 158, 105005.	2.9	1
1337	Characteristics of diarrheagenic Escherichia coli among patients with acute diarrhea in China, 2009â€“2018. Journal of Infection, 2021, 83, 424-432.	3.3	10
1338	A colorimetric lateral flow assay based on multiplex PCR for the rapid detection of viable Escherichia coli O157:H7 and Salmonella Typhimurium without enrichment. LWT - Food Science and Technology, 2021, 152, 112242.	5.2	12
1339	Sectoral Impacts of Invasive Species in the United States and Approaches to Management. , 2021, , 203-229.		6
1340	Overview of Microbial Contamination of Foods and Associated Risk Factors. , 2021, , 11-29.		3
1342	Epidemiology of Verocytotoxigenic Escherichia coli (VTEC) in Ruminants. , 0, , 113-148.		31
1343	Epidemiology of Human Infections by Escherichia coli O157 and other Verocytotoxin-Producing E. coli. , 0, , 161-180.		10
1344	Hygienic Status of Soils and Surface Waters in Reindeer Herding Areas in Northernmost Europe. , 2006, , 297-313.		1
1345	Bioprotective Cultures. , 2008, , 399-424.		4
1346	Ultrastructure and DNA Fragmentation Analysis of Arterioles in Swine Infected with Shiga Toxin-Producing Escherichia Coli. Advances in Experimental Medicine and Biology, 1999, 473, 163-171.	1.6	3
1347	Foodborne Gastroenteritis Caused by Escherichia coli. Food Science Text Series, 1996, , 527-543.	0.3	1
1348	Pathogenesis of O157:H7 Escherichia Coli Infection in Neonatal Calves. Advances in Experimental Medicine and Biology, 1997, 412, 47-51.	1.6	25
1349	Bacteriophage Utilization in Animal Hygiene. , 2018, , 1-28.		2
1350	Hemolytic Uremic Syndrome. , 2009, , 1155-1180.		4

#	ARTICLE	IF	CITATIONS
1351	Intestinal Bacterial Infections. Spezielle Pathologische Anatomie, 1995, , 157-177.	0.0	2
1352	Vascular causes of renal failure. , 1995, , 65-91.		1
1353	Cluster of cases of haemolytic uraemic syndrome due to unpasteurised cheese. Pediatric Nephrology, 1996, 10, 203-205.	1.7	6
1354	Principles and Syndromes of Enteric Infection. , 2010, , 1335-1351.		7
1355	Enterobacteriaceae. , 2010, , 2815-2833.		14
1356	A cluster of Escherichia coli O157: nonmotile infections associated with recreational exposure to lake water. Public Health Reports, 2002, 117, 380-385.	2.5	17
1357	Prevalence of eae and Shiga Toxin Genes among Escherichia coli Strains Isolated from Healthy Calves. Zoonoses and Public Health, 2001, 48, 67-72.	1.4	8
1358	Important emerging bacterial zoonotic infections affecting the immunocompromised. Veterinary Research, 2005, 36, 493-506.	3.0	62
1359	Escherichia coli O157:H7: an update on intestinal colonization and virulence mechanisms. Animal Health Research Reviews, 2004, 5, 15-33.	3.1	53
1360	Emerging and Reemerging Infectious Diseases: A Multidisciplinary Perspective. American Journal of the Medical Sciences, 1998, 315, 64-75.	1.1	26
1361	Diarrhea and Malnutrition: A Challenge for Pediatricians. Journal of Pediatric Gastroenterology and Nutrition, 1996, 22, 6-16.	1.8	27
1362	Pseudomembranous Colitis with Escherichia coli O157:H7. Journal of Pediatric Gastroenterology and Nutrition, 1997, 24, 590-593.	1.8	11
1364	Variation in the persistence of Escherichia coli O157:H7 in experimentally inoculated 6-week-old conventional lambs. Journal of Medical Microbiology, 2002, 51, 1032-1040.	1.8	19
1365	Isolation from a sheep of an attaching and effacing Escherichia coli O115:Hâ~' with a novel combination of virulence factors. Journal of Medical Microbiology, 2002, 51, 1041-1049.	1.8	18
1366	Virulence properties of Escherichia coli faecal strains isolated in Poland from healthy children and strains belonging to serogroups O18, O26, O44, O86, O126 and O127 isolated from children with diarrhoea. Journal of Medical Microbiology, 2002, 51, 548-571.	1.8	45
1367	Production of attaching-effacing lesions in ligated large intestine loops of 6-month-old sheep by Escherichia coli O157:H7. Journal of Medical Microbiology, 2002, 51, 755-763.	1.8	18
1368	Analysis of the EHEC hly operon and its location in the physical map of the large plasmid of enterohaemorrhagic Escherichia coli O157:H7. Microbiology (United Kingdom), 1996, 142, 907-914.	1.8	102
1369	Association between intimin (eae) and EspB gene subtypes in attaching and effacing Escherichia coli strains isolated from diarrhoeic lambs and goat kids The GenBank accession numbers for the sequences reported in this paper are AF253560 (eae gene of strain CK379), AF253561 (eae gene of strain) Tj ETQqlsl 0.784314 rgBT (C		

#	ARTICLE	IF	CITATIONS
1370	Escherichia coli O157 infections in Scotland. Journal of Medical Microbiology, 1994, 40, 3-9.	1.8	23
1371	A solid phase fluorescent capillary immunoassay for the detection of Escherichia coli O157:H7 in ground beef and apple cider. Journal of Applied Microbiology, 1996, 81, 601-607.	3.1	3
1372	Escherichia coli O157:H7. , 0 , 137-145.		3
1373	Molecular Biology and Role in Disease of the Verotoxins (Shiga-Like Toxins) of Escherichia coli. , 0 , 391-404.		3
1374	Enterohemorrhagic Escherichia coli , 0 , 287-309.		33
1375	Overview and Historical Perspectives. , 0 , 1-13.		1
1376	Antibiotic Susceptibility of Enterohemorrhagic Escherichia coli O157:H7 Isolated from an Outbreak in Japan in 1996. Antimicrobial Agents and Chemotherapy, 1998, 42, 431-432.	3.2	23
1377	Fate of enterohemorrhagic Escherichia coli O157:H7 in apple cider with and without preservatives. Applied and Environmental Microbiology, 1993, 59, 2526-2530.	3.1	305
1378	Comparison and genomic sizing of Escherichia coli O157:H7 isolates by pulsed-field gel electrophoresis. Applied and Environmental Microbiology, 1993, 59, 3141-3144.	3.1	63
1379	Detection of Escherichia coli O157:H7 in meat by an enzyme-linked immunosorbent assay, EHEC-Tek. Applied and Environmental Microbiology, 1995, 61, 386-388.	3.1	61
1380	Acid adaptation of Escherichia coli O157:H7 increases survival in acidic foods. Applied and Environmental Microbiology, 1995, 61, 3752-3755.	3.1	342
1381	Death of enterohemorrhagic Escherichia coli O157:H7 in real mayonnaise and reduced-calorie mayonnaise dressing as influenced by initial population and storage temperature. Applied and Environmental Microbiology, 1995, 61, 4172-4177.	3.1	55
1382	Prevalence of enterohemorrhagic Escherichia coli O157:H7 in a survey of dairy herds. Applied and Environmental Microbiology, 1995, 61, 1290-1293.	3.1	342
1383	Effect of diet on the shedding of Escherichia coli O157:H7 in a sheep model. Applied and Environmental Microbiology, 1995, 61, 1363-1370.	3.1	144
1384	Experimental infection of calves and adult cattle with Escherichia coli O157:H7. Applied and Environmental Microbiology, 1995, 61, 1586-1590.	3.1	344
1385	Acid tolerance of enterohemorrhagic Escherichia coli. Applied and Environmental Microbiology, 1995, 61, 1669-1672.	3.1	301
1386	Starvation- and stationary-phase-induced acid tolerance in Escherichia coli O157:H7. Applied and Environmental Microbiology, 1995, 61, 2037-2039.	3.1	249
1387	Use of pulsed-field gel electrophoresis for epidemiological study of Escherichia coli O157:H7 during a food-borne outbreak. Applied and Environmental Microbiology, 1995, 61, 2806-2808.	3.1	56

#	ARTICLE	IF	CITATIONS
1388	Analysis of the enterohemorrhagic <i>Escherichia coli</i> O157 DNA region containing lambdoid phage gene p and Shiga-like toxin structural genes. <i>Applied and Environmental Microbiology</i> , 1996, 62, 791-797.	3.1	67
1389	Prevalence and clonal nature of <i>Escherichia coli</i> O157:H7 on dairy farms in Wisconsin. <i>Applied and Environmental Microbiology</i> , 1996, 62, 1519-1525.	3.1	228
1390	rpoS regulation of acid, heat, and salt tolerance in <i>Escherichia coli</i> O157:H7. <i>Applied and Environmental Microbiology</i> , 1996, 62, 1822-1824.	3.1	230
1391	Fate of enterohemorrhagic <i>Escherichia coli</i> O157:H7 in bovine feces. <i>Applied and Environmental Microbiology</i> , 1996, 62, 2567-2570.	3.1	366
1392	Mechanisms of acid resistance in enterohemorrhagic <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 1996, 62, 3094-3100.	3.1	501
1393	Monoclonal antibodies for detection of the H7 antigen of <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 1996, 62, 3325-3332.	3.1	38
1394	Experimental <i>Escherichia coli</i> O157:H7 carriage in calves. <i>Applied and Environmental Microbiology</i> , 1997, 63, 27-32.	3.1	173
1395	Evaluation of dietary influences on <i>Escherichia coli</i> O157:H7 shedding by sheep. <i>Applied and Environmental Microbiology</i> , 1997, 63, 3878-3886.	3.1	134
1396	A simple filtration technique to detect enterohemorrhagic <i>Escherichia coli</i> O157:H7 and its toxins in beef by multiplex PCR. <i>Applied and Environmental Microbiology</i> , 1997, 63, 4127-4131.	3.1	26
1397	Virulence factors of verocytotoxin-producing <i>Escherichia coli</i> isolated from raw meats. <i>Applied and Environmental Microbiology</i> , 1997, 63, 4585-4587.	3.1	61
1398	Modelling the growth rate of <i>Escherichia coli</i> as a function of pH and lactic acid concentration. <i>Applied and Environmental Microbiology</i> , 1997, 63, 2355-2360.	3.1	241
1399	Association of Enterohemorrhagic <i>Escherichia coli</i> Hemolysin with Serotypes of Shiga-Like-Toxin-Producing <i>Escherichia coli</i> of Human and Bovine Origins. <i>Applied and Environmental Microbiology</i> , 1998, 64, 4134-4141.	3.1	95
1400	An Automated Fluorescent PCR Method for Detection of Shiga Toxin-Producing <i>Escherichia coli</i> in Foods. <i>Applied and Environmental Microbiology</i> , 1998, 64, 4210-4216.	3.1	20
1401	Comparison of the BAX for Screening/ <i>E. coli</i> O157:H7 Method with Conventional Methods for Detection of Extremely Low Levels of <i>Escherichia coli</i> O157:H7 in Ground Beef. <i>Applied and Environmental Microbiology</i> , 1998, 64, 4390-4395.	3.1	45
1402	Detection of <i>Escherichia coli</i> O157:H7 in the Beef Marketed in Malaysia. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1153-1156.	3.1	40
1403	Influence of Cold Stress on the Preliminary Enrichment Time Needed for Detection of Enterohemorrhagic <i>Escherichia coli</i> in Ground Beef by PCR. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1640-1643.	3.1	24
1404	Abundance in Sewage of Bacteriophages That Infect <i>Escherichia coli</i> O157:H7 and That Carry the Shiga Toxin 2 Gene. <i>Applied and Environmental Microbiology</i> , 1998, 64, 2443-2448.	3.1	109
1405	PCR-Based DNA Amplification and Presumptive Detection of <i>Escherichia coli</i> O157:H7 with an Internal Fluorogenic Probe and the 5' Nuclease (TaqMan) Assay. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3389-3396.	3.1	150

#	ARTICLE	IF	CITATIONS
1406	Fate of pGFP-Bearing <i>Escherichia coli</i> O157:H7 in Ground Beef at 2 and 10°C and Effects of Lactate, Diacetate, and Citrate. <i>Applied and Environmental Microbiology</i> , 1999, 65, 5394-5397.	3.1	21
1407	Combinations of Intervention Treatments Resulting in 5-Log 10^5 -Unit Reductions in Numbers of <i>Escherichia coli</i> O157:H7 and <i>Salmonella typhimurium</i> DT104 Organisms in Apple Cider. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1924-1929.	3.1	83
1408	Lethality of a Heat- and Phosphate-Catalyzed Glucose By-Product to <i>Escherichia coli</i> O157:H7 and Partial Protection Conferred by the <i>rpoS</i> Regulon. <i>Applied and Environmental Microbiology</i> , 1999, 65, 2396-2401.	3.1	8
1409	Survival of Low-pH Stress by <i>Escherichia coli</i> O157:H7: Correlation between Alterations in the Cell Envelope and Increased Acid Tolerance. <i>Applied and Environmental Microbiology</i> , 1999, 65, 3048-3055.	3.1	112
1410	Development of a Colony Lift Immunoassay To Facilitate Rapid Detection and Quantification of <i>Escherichia coli</i> O157:H7 from Agar Plates and Filter Monitor Membranes. <i>Vaccine Journal</i> , 1998, 5, 567-573.	2.6	21
1411	Preparation, characterization, and immunological properties in mice of <i>Escherichia coli</i> O157 O-specific polysaccharide-protein conjugate vaccines. <i>Infection and Immunity</i> , 1994, 62, 5048-5054.	2.2	57
1412	Some structures and processes of human epithelial cells involved in uptake of enterohemorrhagic <i>Escherichia coli</i> O157:H7 strains. <i>Infection and Immunity</i> , 1994, 62, 5142-5150.	2.2	77
1413	Use of heme and hemoglobin by <i>Escherichia coli</i> O157 and other Shiga-like-toxin-producing <i>E. coli</i> serogroups. <i>Infection and Immunity</i> , 1995, 63, 700-702.	2.2	53
1414	The role of the <i>eaeA</i> gene in diarrhea and neurological complications in a gnotobiotic piglet model of enterohemorrhagic <i>Escherichia coli</i> infection. <i>Infection and Immunity</i> , 1995, 63, 3621-3627.	2.2	207
1415	Temperature- and medium-dependent secretion of proteins by Shiga toxin-producing <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 1996, 64, 4472-4479.	2.2	89
1416	Secretion of extracellular proteins by enterohemorrhagic <i>Escherichia coli</i> via a putative type III secretion system. <i>Infection and Immunity</i> , 1996, 64, 4826-4829.	2.2	156
1417	Serum antibody responses of cattle following experimental infection with <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 1996, 64, 1879-1883.	2.2	60
1418	Polysaccharide side chains are not required for attaching and effacing adhesion of <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 1996, 64, 3196-3200.	2.2	35
1419	Pathogenicity of <i>Escherichia coli</i> O157:H7 in the intestines of neonatal calves. <i>Infection and Immunity</i> , 1997, 65, 1842-1848.	2.2	179
1420	Localization of intravenously administered verocytotoxins (Shiga-like toxins) 1 and 2 in rabbits immunized with homologous and heterologous toxoids and toxin subunits. <i>Infection and Immunity</i> , 1997, 65, 2509-2516.	2.2	50
1421	Sensitization of human umbilical vein endothelial cells to Shiga toxin: involvement of protein kinase C and NF-kappaB. <i>Infection and Immunity</i> , 1997, 65, 3337-3344.	2.2	34
1422	Role of Tumor Necrosis Factor Alpha in Gnotobiotic Mice Infected with an <i>Escherichia coli</i> O157:H7 Strain. <i>Infection and Immunity</i> , 1998, 66, 197-202.	2.2	81
1423	Evolution of Enterohemorrhagic <i>Escherichia coli</i> Hemolysin Plasmids and the Locus for Enterocyte Effacement in Shiga Toxin-Producing <i>E. coli</i> . <i>Infection and Immunity</i> , 1998, 66, 2553-2561.	2.2	88

#	ARTICLE	IF	CITATIONS
1424	Molecular Evolution of a Pathogenicity Island from Enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 1998, 66, 3810-3817.	2.2	400
1425	Identification and Characterization of a Newly Isolated Shiga Toxin 2-Converting Phage from Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 1998, 66, 4100-4107.	2.2	41
1426	Monoclonal Antibody to Shiga Toxin 2 Which Blocks Receptor Binding and Neutralizes Cytotoxicity. <i>Infection and Immunity</i> , 1999, 67, 5717-5722.	2.2	35
1427	Antibody-Based Protection of Gnotobiotic Piglets Infected with <i>Escherichia coli</i> O157:H7 against Systemic Complications Associated with Shiga Toxin 2. <i>Infection and Immunity</i> , 1999, 67, 3645-3648.	2.2	35
1428	Pas, a Novel Protein Required for Protein Secretion and Attaching and Effacing Activities of Enterohemorrhagic <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1998, 180, 4370-4379.	2.2	39
1429	Molecular epidemiology of <i>Escherichia coli</i> O157:H7 strains by bacteriophage lambda restriction fragment length polymorphism analysis: application to a multistate foodborne outbreak and a day-care center cluster. <i>Journal of Clinical Microbiology</i> , 1993, 31, 3179-3183.	3.9	54
1430	Isolation of a <i>Citrobacter freundii</i> strain which carries the <i>Escherichia coli</i> O157 antigen. <i>Journal of Clinical Microbiology</i> , 1993, 31, 760-761.	3.9	69
1431	Laboratory investigation of a multistate food-borne outbreak of <i>Escherichia coli</i> O157:H7 by using pulsed-field gel electrophoresis and phage typing. <i>Journal of Clinical Microbiology</i> , 1994, 32, 3013-3017.	3.9	347
1432	<i>Escherichia coli</i> O157:H7 generates a unique biochemical profile on MicroScan conventional gram-negative identification panels. <i>Journal of Clinical Microbiology</i> , 1994, 32, 823-824.	3.9	16
1433	Simultaneous identification of strains of <i>Escherichia coli</i> serotype O157:H7 and their Shiga-like toxin type by mismatch amplification mutation assay-multiplex PCR. <i>Journal of Clinical Microbiology</i> , 1995, 33, 248-250.	3.9	344
1434	Sensitivity of bacteriologic culture for detection of <i>Escherichia coli</i> O157:H7 in bovine feces. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2616-2619.	3.9	115
1435	Clonal relatedness of Shiga-like toxin-producing <i>Escherichia coli</i> O101 strains of human and porcine origin. <i>Journal of Clinical Microbiology</i> , 1995, 33, 3174-3178.	3.9	61
1436	Direct detection of verotoxin-producing <i>Escherichia coli</i> in stool samples by PCR. <i>Journal of Clinical Microbiology</i> , 1995, 33, 519-524.	3.9	52
1437	Impact of free verotoxin testing on epidemiology of diarrhea caused by verotoxin-producing <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 1995, 33, 1114-1120.	3.9	40
1438	Arbitrarily primed PCR DNA fingerprinting of <i>Escherichia coli</i> O157:H7 strains by using templates from boiled cultures. <i>Journal of Clinical Microbiology</i> , 1995, 33, 1534-1536.	3.9	55
1439	Long-term shedding and clonal turnover of enterohemorrhagic <i>Escherichia coli</i> O157 in diarrheal diseases. <i>Journal of Clinical Microbiology</i> , 1995, 33, 1602-1605.	3.9	143
1440	Molecular epidemiology of <i>Escherichia coli</i> O157:H7 by restriction fragment length polymorphism using Shiga-like toxin genes. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2150-2154.	3.9	25
1441	Sorbitol-negative phenotype among enterohemorrhagic <i>Escherichia coli</i> strains of different serotypes and from different sources. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2199-2201.	3.9	38

#	ARTICLE	IF	CITATIONS
1442	Enterohemolytic phenotypes and genotypes of shiga toxin-producing <i>Escherichia coli</i> O111 strains from patients with diarrhea and hemolytic-uremic syndrome. <i>Journal of Clinical Microbiology</i> , 1996, 34, 2364-2367.	3.9	108
1443	Rapid detection and isolation of shiga-like toxin (verocytotoxin)-producing <i>Escherichia coli</i> by direct testing of individual enterohemolytic colonies from washed sheep blood agar plates in the VTEC-RPLA assay. <i>Journal of Clinical Microbiology</i> , 1996, 34, 2812-2814.	3.9	118
1444	Characterization of nonmotile variants of <i>Escherichia coli</i> O157 and other serotypes by using an anti-flagellin monoclonal antibody. <i>Journal of Clinical Microbiology</i> , 1996, 34, 2856-2859.	3.9	48
1445	<i>Escherichia coli</i> O157:H7 in microbial flora of sheep. <i>Journal of Clinical Microbiology</i> , 1996, 34, 431-433.	3.9	189
1446	Isolation of enterohemorrhagic <i>Escherichia coli</i> O157 strains from patients with hemolytic-uremic syndrome by using immunomagnetic separation, DNA-based methods, and direct culture. <i>Journal of Clinical Microbiology</i> , 1996, 34, 516-519.	3.9	115
1447	Rapid Immunoassay for detection of <i>Escherichia coli</i> O157 directly from stool specimens. <i>Journal of Clinical Microbiology</i> , 1996, 34, 988-990.	3.9	52
1448	Neutralizing antibodies to <i>Escherichia coli</i> Vero cytotoxin 1 and antibodies to O157 lipopolysaccharide in healthy farm family members and urban residents. <i>Journal of Clinical Microbiology</i> , 1996, 34, 2053-2057.	3.9	74
1449	Molecular characterization of <i>Escherichia coli</i> strains isolated from pigs with edema disease. <i>Journal of Clinical Microbiology</i> , 1997, 35, 20-24.	3.9	39
1450	Characterization of <i>Escherichia coli</i> O157:H7 and other Shiga toxin-producing <i>E. coli</i> serotypes isolated from sheep. <i>Journal of Clinical Microbiology</i> , 1997, 35, 892-899.	3.9	143
1451	Molecular typing of enterohemorrhagic <i>Escherichia coli</i> O157:H7 isolates in Japan by using pulsed-field gel electrophoresis. <i>Journal of Clinical Microbiology</i> , 1997, 35, 1675-1680.	3.9	141
1452	Evaluation of the premier EHEC assay for detection of Shiga toxin-producing <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 1997, 35, 2051-2054.	3.9	119
1453	Isolation of verotoxin-producing <i>Escherichia coli</i> O-rough:K1:H7 from two patients with traveler's diarrhea. <i>Journal of Clinical Microbiology</i> , 1997, 35, 2279-2282.	3.9	9
1454	Structure and Function of Plasmid pCold157 of Enterohemorrhagic <i>Escherichia coli</i> O157 and Its Distribution among Strains from Patients with Diarrhea and Hemolytic-Uremic Syndrome. <i>Journal of Clinical Microbiology</i> , 1998, 36, 24-29.	3.9	29
1455	Application of Multiplex PCR for Detection of Non-O157 Verocytotoxin-Producing <i>Escherichia coli</i> in Bloody Stools: Identification of Serogroups O26 and O111. <i>Journal of Clinical Microbiology</i> , 1998, 36, 3375-3377.	3.9	37
1456	Genomic Comparisons and Shiga Toxin Production among <i>Escherichia coli</i> O157:H7 Isolates from a Day Care Center Outbreak and Sporadic Cases in Southeastern Wisconsin. <i>Journal of Clinical Microbiology</i> , 1998, 36, 727-733.	3.9	28
1457	Enterohemorrhagic, Shiga Toxin-Producing <i>Escherichia coli</i> O111:H2 Associated with an Outbreak of Hemolytic-Uremic Syndrome. <i>Journal of Clinical Microbiology</i> , 1998, 36, 840-842.	3.9	133
1458	Isolation and Characterization of Verocytotoxin-Producing <i>Escherichia coli</i> O157 Strains from Dutch Cattle and Sheep. <i>Journal of Clinical Microbiology</i> , 1998, 36, 878-882.	3.9	165
1459	Insertion Element IS 3 -Based PCR Method for Subtyping <i>Escherichia coli</i> O157:H7. <i>Journal of Clinical Microbiology</i> , 1998, 36, 1180-1184.	3.9	21

#	ARTICLE	IF	CITATIONS
1460	Non-O157:H7 Stx2-Producing <i>Escherichia coli</i> Strains Associated with Sporadic Cases of Hemolytic-Uremic Syndrome in Adults. <i>Journal of Clinical Microbiology</i> , 1998, 36, 1777-1780.	3.9	139
1461	Evaluation of a Microplate Latex Agglutination Method (Verotox-F Assay) for Detecting and Characterizing Verotoxins (Shiga Toxins) in <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 1999, 37, 396-399.	3.9	61
1462	Clonal Diversity of Chilean Isolates of Enterohemorrhagic <i>Escherichia coli</i> from Patients with Hemolytic-Uremic Syndrome, Asymptomatic Subjects, Animal Reservoirs, and Food Products. <i>Journal of Clinical Microbiology</i> , 1999, 37, 778-781.	3.9	75
1463	Virulence Factors and Phenotypical Traits of Verotoxin-Producing <i>Escherichia coli</i> Strains Isolated from Asymptomatic Human Carriers. <i>Journal of Clinical Microbiology</i> , 1999, 37, 1570-1572.	3.9	39
1464	Molecular Detection and Identification of Intimin Alleles in Pathogenic <i>Escherichia coli</i> by Multiplex PCR. <i>Journal of Clinical Microbiology</i> , 1999, 37, 2719-2722.	3.9	85
1465	Prevalence of <i>Escherichia coli</i> O157:H7 from Cull Dairy Cows in New York State and Comparison of Culture Methods Used during Preharvest Food Safety Investigations. <i>Journal of Clinical Microbiology</i> , 2000, 38, 318-322.	3.9	29
1466	Comparison of Sorbitol MacConkey Agar and a Two-Step Method Which Utilizes Enzyme-Linked Immunosorbent Assay Toxin Testing and a Chromogenic Agar To Detect and Isolate Enterohemorrhagic <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2000, 38, 547-551.	3.9	42
1467	Selective Isolation of <i>eae</i> -Positive Strains of Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2000, 38, 1684-1687.	3.9	34
1468	Performance of the ImmunoCard STAT! <i>E. coli</i> O157:H7 Test for Detection of <i>Escherichia coli</i> O157:H7 in Stools. <i>Journal of Clinical Microbiology</i> , 2000, 38, 1866-1868.	3.9	18
1469	Intimin and the intimate attachment of bacteria to human cells.. <i>Journal of Clinical Investigation</i> , 1993, 92, 1117-1118.	8.2	3
1470	The role of the <i>eae</i> gene of enterohemorrhagic <i>Escherichia coli</i> in intimate attachment in vitro and in a porcine model.. <i>Journal of Clinical Investigation</i> , 1993, 92, 1418-1424.	8.2	342
1471	Microbiology of Ready-to-Eat Foods. , 2010, , 1-60.		4
1472	Antimicrobial Activity of Nutmeg against <i>Escherichia coli</i> O157. <i>Journal of Bioscience and Bioengineering</i> , 2002, 94, 315-320.	2.2	39
1473	Lactose induces the expression of shiga toxins in enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Journal of Preventive Veterinary Medicine</i> , 2015, 39, 137-143.	0.1	1
1474	Acid resistance mechanisms in enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Journal of Preventive Veterinary Medicine</i> , 2018, 42, 124-132.	0.1	3
1475	Comparisons of Native Shiga Toxins (Stxs) Type 1 and 2 with Chimeric Toxins Indicate that the Source of the Binding Subunit Dictates Degree of Toxicity. <i>PLoS ONE</i> , 2014, 9, e93463.	2.5	22
1476	Comparative Analysis of Super-Shedder Strains of <i>Escherichia coli</i> O157:H7 Reveals Distinctive Genomic Features and a Strongly Aggregative Adherent Phenotype on Bovine Rectoanal Junction Squamous Epithelial Cells. <i>PLoS ONE</i> , 2015, 10, e0116743.	2.5	36
1477	Isolation of Multidrug-Resistant <i>Escherichia coli</i> O157 from Goats in the Somali Region of Ethiopia: A Cross-Sectional, Abattoir-Based Study. <i>PLoS ONE</i> , 2015, 10, e0142905.	2.5	38

#	ARTICLE	IF	CITATIONS
1478	Response to Single and Divided Doses of Shiga Toxin-1 in a Primate Model of Hemolytic Uremic Syndrome. Journal of the American Society of Nephrology: JASN, 2001, 12, 1458-1467.	6.1	47
1479	Occurrence of Shiga toxin producing E. coli from raw milk. Pure and Applied Biology, 2016, 5, 270-276.	0.2	2
1480	Different molecular approaches used for detection of Escherichia coli O157:H7 from different sources. Pure and Applied Biology, 2017, 6, .	0.2	1
1481	Visual Detection of Enterohemorrhagic Escherichia coli O157:H7 Using Loop-Mediated Isothermal Amplification. Electronic Physician, 2016, 8, 2576-2585.	0.2	12
1482	Pathogenic Escherichia coli. , 2001, , .		6
1483	34.ÂPathogenic<i>Escherichia coli</i>. , 2015, , .		1
1485	Acute Gastroenteritis in Children. Paediatric Drugs, 2003, 5, 279-290.	3.1	2
1486	Therapeutic Strategies to Protect the Central Nervous System against Shiga Toxin from Enterohemorrhagic Escherichia coli. Current Neuropharmacology, 2020, 19, 24-44.	2.9	11
1487	Virulence and Antimicrobial Characteristics of Escherichia Coli Isolated from Diseased Chickens in China and Algeria. Journal of Advances in Agriculture, 0, 10, 1821-1833.	0.1	1
1488	Prevalence and pathogenicity of Shiga toxin-producing Escherichia coli in beef cattle and their products1,2. Journal of Animal Science, 2007, 85, E63-E72.	0.5	275
1489	Investigation of a spatiotemporal cluster of verotoxin-producing Escherichia coli O157 infections in eastern England in 2007. Eurosurveillance, 2011, 16, .	7.0	3
1490	Vero Cytotoxin-Producing Escherichia coli O157 Outbreaks in England and Wales, 1995: Phenotypic Methods and Genotypic Subtyping. Emerging Infectious Diseases, 1997, 3, 561-565.	4.3	60
1491	Human Infections with Shiga Toxin-Producing Escherichia coli Other Than Serogroup O157 in Germany. Emerging Infectious Diseases, 1998, 4, 635-639.	4.3	117
1492	Sporadic STEC O157 Infection: Secondary Household Transmission in Wales. Emerging Infectious Diseases, 1998, 4, 657-661.	4.3	65
1493	Costs and Benefits of a Subtype-Specific Surveillance System for Identifying Escherichia coli O157:H7 Outbreaks. Emerging Infectious Diseases, 2000, 6, 293-297.	4.3	38
1494	Factors Contributing to the Emergence of<i>Escherichia coli</i> O157 in Africa. Emerging Infectious Diseases, 2001, 7, 812-819.	4.3	8
1495	Associations between Indicators of Livestock Farming Intensity and Incidence of Human Shiga Toxin-Producing Escherichia coli Infection. Emerging Infectious Diseases, 2002, 8, 252-257.	4.3	96
1496	Haemolytic-Uraemic Syndrome as a Sequela of Diarrhoeal Disease. Journal of Health, Population and Nutrition, 2012, 30, 257-61.	2.0	24

#	ARTICLE	IF	CITATIONS
1497	Risk factors for Shiga toxin-producing <i>Escherichia coli</i> infections in preadolescent schoolchildren in Buenos Aires, Argentina. <i>Journal of Infection in Developing Countries</i> , 2012, 6, 378-386.	1.2	10
1498	Detection and Frequency of Stx2 Gene in <i>Escherichia coli</i> O157 and O157:H7 Strains Isolated from Sheep Carcasses in Shiraz-Iran. <i>Pakistan Journal of Biological Sciences</i> , 2008, 11, 1085-1092.	0.5	8
1499	Prevalence and Molecular Characterization of <i>E. coli</i> O157:H7 Isolated from Water Bodies in Ile-Ife and Environs. <i>Journal of Bacteriology & Parasitology</i> , 2018, 09, .	0.2	2
1500	Houseflies: not simple mechanical vectors of enterohemorrhagic <i>Escherichia coli</i> O157:H7.. <i>American Journal of Tropical Medicine and Hygiene</i> , 1999, 61, 625-629.	1.4	167
1501	Sensitivity of <i>Escherichia coli</i> to Seaweed (<i>Ascophyllum nodosum</i>) Phlorotannins and Terrestrial Tannins. <i>Asian-Australasian Journal of Animal Sciences</i> , 2009, 22, 238-245.	2.4	90
1502	Qualitative Microbiological Risk Assessment of Unpasteurized Fruit Juice and Cider. <i>International Food Risk Analysis Journal</i> , 2013, , 1.	0.8	11
1503	A Case Report of <i>Escherichia coli</i> O157 Infection, Which was Difficult to Discriminate from Intussusception.. <i>Japanese Journal of Gastroenterological Surgery</i> , 2001, 34, 259-262.	0.1	3
1504	Improved Detection of Viable <i>Escherichia coli</i> O157:H7 in Milk by Using Reverse Transcriptase-PCR. <i>Korean Journal for Food Science of Animal Resources</i> , 2011, 31, 158-165.	1.5	2
1505	Microbial Risk Assessment of Non-Enterohemorrhagic <i>Escherichia coli</i> in Natural and Processed Cheeses in Korea. <i>Korean Journal for Food Science of Animal Resources</i> , 2017, 37, 579-592.	1.5	10
1506	Isolation and genomic characterization of <i>Escherichia coli</i> O157:NM and <i>Escherichia coli</i> O157:H7 in minced meat and some traditional dairy products in Iran. <i>African Journal of Biotechnology</i> , 2012, 11, .	0.6	8
1507	The unexhausted potential of <i>E. coli</i> . <i>ELife</i> , 2015, 4, .	6.0	251
1508	Molecular Epidemiological Analysis of Enterohemorrhagic <i>Escherichia coli</i> Infections in Japan. <i>Japanese Journal of Medical Science and Biology</i> , 1998, 51, S115-S123.	0.4	1
1509	Detection of <i>Escherichia coli</i> O157 in vegetables. <i>IOSR Journal of Agriculture and Veterinary Science</i> , 2013, 6, 16-18.	0.1	8
1510	Multifunctional magnetic nanoparticle cloud assemblies for <i>in situ</i> capture of bacteria and isolation of microbial DNA. <i>Analyst</i> , The, 2021, 146, 7491-7502.	3.5	5
1511	Adhesion Behavior of <i>Escherichia coli</i> Strains on Glass: Role of Cell Surface Qualitative and Quantitative Hydrophobicity in Their Attachment Ability. <i>International Journal of Microbiology</i> , 2021, 2021, 1-9.	2.3	10
1512	Bacterial Chaperone Protein Hfq Facilitates the Annealing of Sponge RNAs to Small Regulatory RNAs. <i>Journal of Molecular Biology</i> , 2021, 433, 167291.	4.2	3
1513	Meat and meat products. , 2000, , 1-74.		0
1514	Foodborne Gastroenteritis Caused by <i>Escherichia coli</i> . , 2000, , 531-547.		0

#	ARTICLE	IF	CITATIONS
1515	Microbiological pathogens: live poultry considerations. , 2000, , 131-146.		0
1516	Microbiological pathogens. , 2000, , .		2
1517	Title is missing!. Japanese Journal of Food Microbiology, 2001, 18, 159-163.	0.2	0
1518	Escherichia coli Vaccines. , 2003, , 110-127.		0
1519	Public Health and the Control of Food Hygiene in Japan. Journal of Rural Problems, 2003, 38, 179-187.	0.2	0
1522	Safety of Minimally Processed, Acidified, and Fermented Vegetable Products. , 2005, , 313-335.		2
1523	Evolutionary aspects of toxin-producing bacteria. , 2006, , 25-43.		0
1524	Bacteriological Quality of Mozzarella Cheese Sold in Tripoli Governorate. Journal of Veterinary Medical Research, 2007, 17, 99-104.	0.1	1
1525	A Case of Escherichia coli O157 Hemorrhagic Colitis. Taehan Hmsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2008, 11, 66.	0.5	1
1526	Foodborne and Waterborne Disease. , 2008, , 397-406.		1
1527	Molecular Genetic Characterization of Shiga Toxin-producing E. coli Isolated from Diarrhea Patients and Cattle in Gwangju Area, Korea. Journal of Bacteriology and Virology, 2009, 39, 79.	0.1	1
1528	Ä°ki Farklı pH DeÄŸerine Kadar Ä°nkÄ¼be Edilen ve 40Câ€™de Depolanan YoÄŸurtlarda E. coli O157:H7â€™nin ÇanlÄ± Kalma Durumu. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2009, , .	0.1	0
1529	Gastroenteriti di origine alimentare causate da Escherichia coli. Food, 2009, , 687-706.	0.0	0
1530	EPIDEMIOLOGY OF INFECTIOUS DISEASES. , 2009, , 118-135.		0
1531	Prevalence of Escherichia coli O157 from Cattle and Foods in the Mekong Delta, Vietnam. Japan Journal of Veterinary Informatics, 2009, 13, 107-113.	0.1	4
1532	DIARRHEA-CAUSING AND DYSENTERY-CAUSING ESCHERICHIA COLI. , 2009, , 1525-1540.		1
1533	Komplexe GerinnungsstÄ¶rungen. , 2010, , 529-569.		0
1536	ESCHERICHIA COLI, PRODUTORAS DE SHIGATOXINAS DETECTADAS EM FEZES DE BOVINOS LEITEIROS. Arquivos Do Instituto Biologico, 2010, 77, 567-573.	0.4	1

#	ARTICLE	IF	CITATIONS
1537	Direct detection of Escherichia coli O157 and its major virulence factor genes in animal faeces at slaughter using multiplex polymerase chain reaction (PCR). African Journal of Microbiology Research, 2011, 5, .	0.4	0
1538	Enterohemorrhagic Escherichia coli- Its Control from a Viewpoint of Food Safety -. Journal of Disaster Research, 2011, 6, 426-434.	0.7	0
1539	Groundwater contamination in Agbowo community, Ibadan Nigeria: Impact of septic tanks distances to wells. Malaysian Journal of Microbiology, 2011, , .	0.1	10
1540	Isolation and Characterization of Enterohaemorrhagic Escherichia coli O157:H7 and EHEC O157:NM from Raw Bovine, Camel, Water Buffalo, Caprine and Ovine Milk in Iran. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2012, , .	0.1	5
1541	Enteric Diseases Transmitted Through Food, Water, and Zoonotic Exposures. , 2012, , 392-400.e4.		1
1542	Epidemiology of Shiga Toxin-Producing Escherichia coli. Japanese Journal of Food Microbiology, 2012, 29, 141-154.	0.2	3
1543	Are potassium levels in children with hemolytic uremic syndrome predictive of outcome?. Open Journal of Pediatrics, 2012, 02, 264-267.	0.1	0
1544	PREVALENCE AND ANTIMICRIBIAL SUSCEPTIBILITY OF ESCHERICHIA COLI O157:H7 ISOLATED FROM HUMAN AND ANIMAL SOURCES IN BASRAH PROVINCE. Basrah Journal of Veterinary Research, 2012, 11, 47-55.	0.1	1
1545	Verotoxin -producing Escherichia coli Old Bug New Infections. IOSR Journal of Pharmacy, 2013, 3, 16-20.	0.1	0
1546	Catfish Special Edition: Thermal Inactivation of Non-O157:H7 Shiga Toxin Producing Escherichia coli (STEC) on Catfish Fillets. Journal of Food Processing & Technology, 2013, 01, .	0.2	0
1547	Significant Presence of Nontoxinogenic Coliforms in the Drinking Water Supply of the Mattingly Residential Area of St. Kitts Suggests that the Most Common Cause of Gastroenteritis could be Transmission due to Enteric Viruses in Drinking Water. , 2013, 03, .		0
1548	Vigilancia de Escherichia coli O157: H7 en alimentos y aguas. CÃ¡tedra Villarreal, 2013, 1, 26-37.	0.0	0
1549	Birth of a Pathogen. , 0, , 89-110.		0
1550	Enterohemorrhagic Escherichia coli in Ruminant Hosts. , 0, , 201-215.		0
1551	Enteric Escherichia coli Infections. , 1992, , 201-219.		4
1552	Intestinal Infections. , 1994, , 505-512.		0
1553	Escherichia coli. Infectious Agents and Pathogenesis, 1996, , 101-131.	0.1	1
1554	Foodborne Gastroenteritis Caused by Escherichia coli. Food Science Text Series, 1998, , 527-543.	0.3	4

#	ARTICLE	IF	CITATIONS
1555	The Role of Cytokines for the Pathogenesis of Hemolytic Uremic Syndrome Caused by Escherichia coli O 157:H7 Infections.. Japanese Journal of Pediatric Nephrology, 1998, 11, 29-33.	0.0	0
1556	Studies of Selective Enrichment and Isolation by Immunomagnetic Separation for Escherichia coli O157.. Japanese Journal of Food Microbiology, 1999, 16, 181-185.	0.2	1
1558	Animal Models of Enterohemorrhagic <i>Escherichia coli</i> Infection. , 0, , 157-174.		1
1559	Enterohemorrhagic Escherichia coli Genomics: Past, Present, and Future. , 0, , 55-71.		0
1560	Prevalence and Characterization of Antibiotic Resistance Food Borne Pathogens Isolated from Locally Produced Chicken Raw Meat and their Handlers. Journal of Dairy Veterinary & Animal Research, 2015, 2, .	0.1	5
1562	The effect of Verotoxin Producing Escherichia coli in Development of Experimental Gastroenteritis among Streptomycin Treated Murine Model: A Longitudinal Study. Bangladesh Journal of Microbiology, 2016, 30, 31-38.	0.3	0
1563	Identification of Shiga toxin producing E. Coli from raw Meat. Pure and Applied Biology, 2016, 5, 255-262.	0.2	0
1564	DETEKSI GEN PENYANDI ADHESIN PADA VEROCYTOTOXIGENIC Escherichia coli (VTEC) ISOLAT SAPI (Detection of Gene Encoding Adhesin of Verocytotoxigenic Escherichia coli (VTEC) Isolated from) Tj ETQq1 1 0.784614 rgBT (Overloc	0.1	0
1565	Bacterial contamination of drinking water used at dairy farms in Quetta, Balochistan. Pure and Applied Biology, 2016, 5, .	0.2	2
1566	Risk of Escherichia coli O157:H7 infection linked to the consumption of beef. Food Research, 2017, 1, 67-76.	0.8	1
1567	Edema disease of swine: differentiation of clinical variants and terminal pathologies. Bulletin Veterinary Biotechnology, 2018, 32, 335-341.	0.2	0
1568	Adoptions and Adaptations. , 2018, , .		0
1569	PREVALENCE OF E. coli O157:H7 ISOLATED FROM HUMAN AND ANIMAL SOURCE IN KIRIKKALE PROVINCE. KÄ±rÄ±kkale Ä±niversitesi TÄ±p FakÄ±ltesi Dergisi, 2018, 20, 256-262.	0.3	0
1570	The Use of Bacteriophages in Animal Health and Food Protection. , 2019, , 213-256.		3
1571	Digital holographic interferometric in vitro imaging of Escherichia coli (E. coli) bacteria. , 2019, , .		1
1573	Escherichia coli O157:H7 in Raw and Processed Meat with Virulence Genes Detection in Aswan Governorate. Zagazig Veterinary Journal, 2019, 47, 259-266.	0.2	0
1575	Mechanisms involved in the adaptation of Escherichia coli O157:H7 to the host intestinal microenvironment. Clinical Science, 2020, 134, 3283-3301.	4.3	2
1576	Detection of Escherichia coli O157:H7 and other verocytotoxin-producing E. coli (VTEC) in food. Journal of Applied Microbiology, 1997, 82, 537-551.	3.1	3

#	ARTICLE	IF	CITATIONS
1577	Factors Contributing to the Emergence of <i>Escherichia coli</i> O157 in Africa. Emerging Infectious Diseases, 2001, 7, 812-819.	4.3	0
1653	Pathogenic Shiga toxin-producing <i>Escherichia coli</i> in the intestine of calves. Canadian Journal of Veterinary Research, 2002, 66, 65-72.	1.1	30
1681	<i>Escherichia coli</i> O157:H7 infections. Western Journal of Medicine, 1994, 161, 57-8.	0.3	0
1682	A case-control study of verocytotoxigenic <i>Escherichia coli</i> infection in cats with diarrhea. Canadian Journal of Veterinary Research, 1998, 62, 87-92.	1.1	6
1683	Virulence markers in Shiga toxin-producing <i>Escherichia coli</i> isolated from cattle. Canadian Journal of Veterinary Research, 1999, 63, 177-84.	1.1	17
1684	A cluster of <i>Escherichia coli</i> O157:H7 infections with the hemolytic-uremic syndrome and death in California. A mandate for improved surveillance. Western Journal of Medicine, 1996, 165, 15-9.	0.3	16
1685	Policy statement 9301: environmental tobacco smoke. American Public Health Association. American Journal of Public Health, 1994, 84, 512.	2.7	0
1686	Vaccination with type III secreted proteins leads to decreased shedding in calves after experimental infection with <i>Escherichia coli</i> O157. Canadian Journal of Veterinary Research, 2011, 75, 98-105.	0.2	15
1687	A brief overview of <i>Escherichia coli</i> O157:H7 and its plasmid O157. Journal of Microbiology and Biotechnology, 2010, 20, 5-14.	2.1	134
1688	Microbial quality of water in rural households of Ethiopia: implications for milk safety and public health. Journal of Health, Population and Nutrition, 2014, 32, 190-7.	2.0	13
1689	Molecular classification and drug resistance analysis of <i>Escherichia coli</i> isolated from poultry in China. International Journal of Clinical and Experimental Medicine, 2015, 8, 836-44.	1.3	4
1690	Survey on O157:H7 enterohemorrhagic <i>Escherichia coli</i> (EHEC) in cattle in Golestan province, Iran. Iranian Journal of Microbiology, 2014, 6, 276-80.	0.8	2
1691	Probiotics in the prevention and treatment of infections with <i>Helicobacter pylori</i> , Enterohemorrhagic <i>Escherichia coli</i> , and Rotavirus. , 2022, , 281-304.		1
1692	The predominance of Shiga toxin-producing <i>E. coli</i> in the Southeast Coast of India. Marine Pollution Bulletin, 2022, 174, 113188.	5.0	4
1693	Renaissance for Phage-Based Bacterial Control. Environmental Science & Technology, 2022, 56, 4691-4701.	10.0	15
1694	Innovative Treatments Enhancing the Functionality of Gut Microbiota to Improve Quality and Microbiological Safety of Foods of Animal Origin. Annual Review of Food Science and Technology, 2022, 13, 433-461.	9.9	3
1695	Plasmonic Metasurfaces for Specific SERS Detection of Shiga Toxins. ACS Applied Materials & Interfaces, 2022, 14, 4969-4979.	8.0	9
1696	<i>Escherichia coli</i> O157:H7 and Its Effect on Human Health. , 0, , .		2

#	ARTICLE	IF	CITATIONS
1697	Genomewide transcriptional response of Escherichia coli O157:H7 to norepinephrine. BMC Genomics, 2022, 23, 107.	2.8	7
1699	Optical Discrimination of Different Strains of <i>Escherichia Coli</i> Using Graphene Based Plasmonic Nano Structure. SSRN Electronic Journal, 0, , .	0.4	0
1700	Mcc1229, an Stx2a-Amplifying Microcin, Is Produced <i>In Vivo</i> and Requires CirA for Activity. Infection and Immunity, 2022, 90, IAI0058721.	2.2	2
1701	Burden of Diarrhoeagenic <i>Escherichia coli</i> in Santa Rosa, Guatemala in active healthâ€services surveillance during 2008â€2009 and 2014â€2015. Tropical Medicine and International Health, 2022, 27, 408-417.	2.3	2
1702	Droplet Digital PCR (ddPCR) Analysis for Detecting Shiga-Toxin-Producing Escherichia coli (STEC). Applied Sciences (Switzerland), 2022, 12, 3654.	2.5	2
1703	Wastewater reuse for irrigation of produce: A review of research, regulations, and risks. Science of the Total Environment, 2022, 828, 154385.	8.0	36
1704	Understanding the transmission dynamics of <i>Escherichia coli</i> O157:H7 super-shedding infections in feedlot cattle. PeerJ, 2021, 9, e12524.	2.0	2
1725	VerocytotoxigenicE. coli: Safe Laboratory Practices. , 0, , 421-434.		0
1726	A Cluster of Escherichia coli O157: Nonmotile Infections Associated with Recreational Exposure to Lake Water. Public Health Reports, 2002, 117, 380-385.	2.5	15
1727	Infections with verotoxin-producing escherichia coli O157:H7 and other serotypes, including the outbreak strain O104:H4. Acta Clinica Belgica, 2012, 67, 7-12.	1.2	2
1729	The Complex Role of Lactic Acid Bacteria in Food Detoxification. Nutrients, 2022, 14, 2038.	4.1	32
1730	Detection of Campylobacter jejuni Presence in Trinidadâ€™s Aquatic Environments. Water, Air, and Soil Pollution, 2022, 233, .	2.4	1
1731	Saliva IgM and IgA Are a Sensitive Indicator of the Humoral Immune Response to Escherichia coli O157 Lipopolysaccharide in Children with Enteropathic Hemolytic Uremic Syndrome. Pediatric Research, 2002, 52, 307-313.	2.3	0
1732	The Changing Epidemiology of Verocytotoxigenic <i>Escherichia Coli</i> in the Uk. Journal of the Royal College of Physicians of Edinburgh, The, 1998, 28, 468-474.	0.6	1
1734	Regulation Mechanisms of Virulence Genes in Enterohemorrhagic<i> Escherichia coli</i>. Foodborne Pathogens and Disease, 2022, 19, 598-612.	1.8	7
1735	DFT and Molecular Dynamics Simulation Studies of 4-(2-(2-(2- Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 152 Td (Chloroacetamidob) in Drug Design and Discovery. 2024. 21. 289-296.	0.7	0
1736	Characterization of transcriptional activities at a divergent promoter of the type VI secretion system in enterohemorrhagic Escherichia coli O157:H7. Journal of Microbiology, 2022, 60, 928-934.	2.8	0
1737	Food Safety: Infectious Disease. , 2020, , .		0

#	ARTICLE	IF	CITATIONS
1738	Plasmon-Enhanced Bimodal Nanosensors: An Enzyme-Free Signal Amplification Strategy for Ultrasensitive Detection of Pathogens. <i>Analytical Chemistry</i> , 2022, 94, 13968-13977.	6.5	7
1739	Prevalence and characterization of pathogenic <i>Escherichia coli</i> from carcasses and environmental samples of cattle and pig slaughterhouses. <i>Korean Journal of Veterinary Service</i> , 2022, 45, 191-199.	0.3	0
1740	The MBS microbial rapid detection system for rapid detection of major pathogenic bacteria in feed: comparison with plate counting method. <i>BMC Microbiology</i> , 2022, 22, .	3.3	5
1741	Emergence of infectious diseases and role of advanced nanomaterials in point-of-care diagnostics: a review. <i>Biotechnology and Genetic Engineering Reviews</i> , 0, , 1-89.	6.2	15
1742	Isolation, Characterization, and Genome Analysis of a Novel Bacteriophage, <i>Escherichia</i> Phage vB_EcoM-4HA13, Representing a New Phage Genus in the Novel Phage Family <i>Chaseviridae</i> . <i>Viruses</i> , 2022, 14, 2356.	3.3	2
1743	Microbial contamination and quantitative microbial risk assessment of high-density polyethylene (HDPE) film sachet drinking water in Ghana. <i>Journal of Water and Health</i> , 2022, 20, 1587-1603.	2.6	0
1744	Molecular Lipopolysaccharide Di-Vaccine Protects from Shiga-Toxin Producing Epidemic Strains of <i>Escherichia coli</i> O157:H7 and O104:H4. <i>Vaccines</i> , 2022, 10, 1854.	4.4	1
1745	Host Cellular Response during Enterohaemorrhagic <i>Escherichia coli</i> Shiga Toxin Exposure. <i>Microbiology and Biotechnology Letters</i> , 2022, 50, 441-456.	0.4	0
1746	Studies on Simultaneous Enrichment and Detection of <i>Escherichia coli</i> O157:H7 during Sample Shipment. <i>Foods</i> , 2022, 11, 3653.	4.3	1
1748	PHYTOCHEMICAL AND PHARMACOLOGICAL STUDY ON SELECTED INDONESIAN WEEDS EXTRACTS: A NOVEL INSIGHT TO ANTI-SHIGELLOSIS. <i>International Journal of Applied Pharmaceutics</i> , 0, , 79-85.	0.3	0
1749	Commercially Available Siderophore-Receptor and Porin-Based Vaccine Reduces the Prevalence of <i>E. coli</i> O157:H7 in the Feces of Beef Cattle under Field Conditions in 10 Commercial Feedlots. , 0, , 138.		0
1750	The impact of combined sewer outflows on urban water quality: Spatio-temporal patterns of fecal coliform in indianapolis. <i>Environmental Pollution</i> , 2023, 327, 121531.	7.5	2
1751	Incidence of Foodborne Diseases in the United States and Canada. , 2024, , 181-190.		0
1752	A decrease in the incidence of Shiga toxinâ€related hemolytic uremic syndrome as a cause of kidney transplantation at an argentine referral center. <i>Pediatric Transplantation</i> , 2023, 27, .	1.0	1
1753	Draft Genome Sequences of 110 Shiga Toxin-Producing <i>Escherichia coli</i> Isolates Collected from Bovine Manure Samples in the Southern United States. <i>Microbiology Resource Announcements</i> , 2023, 12, .	0.6	0
1754	Zoonotic Diseases of Swine: Food-borne and Occupational Aspects of Infection. , 2023, , 1-50.		0
1755	The Prevalence and Incidence of Hemolytic Uremic Syndrome: A Systematic Review. <i>Cureus</i> , 2023, , .	0.5	1
1756	Shiga Toxin and Its Effect on the Central Nervous System. , 2023, , 177-204.		1

#	ARTICLE	IF	CITATIONS
1757	Milk and Dairy Products. , 2024, , 73-89.		0
1758	Maintaining the Quality and Safety of Fresh-Cut Potatoes (<i>Solanum tuberosum</i>): Overview of Recent Findings and Approaches. Agronomy, 2023, 13, 2002.	3.0	1
1759	Acid tolerance of enterohemorrhagic <i>Escherichia coli</i> O157:H7 strain ATCC 43894 and its relationship with a large virulence plasmid pO157. Veterinary Microbiology, 2023, 284, 109833.	1.9	0
1760	Identification of <i>Escherichia coli</i> O157:H7, Characterization, and Host Range Analysis of Bacteriophages Infecting Some Selected Pathogenic Bacteria from Jos, Nigeria. Phage, 0, , .	1.7	0
1761	Food Safety: Infectious Disease. , 2020, , .		0
1762	Zoonotic Diseases of Swine: Food-Borne and Occupational Aspects of Infection. , 2023, , 113-162.		0
1763	Significant Risk of Shiga Toxin-Producing <i>E. coli</i> in Certain Halal Foods. , 2023, , 301-317.		0
1764	Possible solution of capturing viable <i>Enterohemorrhagic Escherichia coli</i> (EHEC) in clinical patient stool. , 2023, 28, 129-134.		0
1765	Prevalence and Molecular Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> from Food and Clinical Samples. Pathogens, 2023, 12, 1302.	2.8	0
1766	Detection of Cleaved Stx2a in the Blood of STEC-Infected Patients. Toxins, 2023, 15, 690.	3.4	0
1767	Bacteriophage-encoded 24B_1 molecule resembles herpesviral microRNAs and plays a crucial role in the development of both the virus and its host. PLoS ONE, 2023, 18, e0296038.	2.5	0
1768	Pathogenic Factors and Recent Study on the Rapid Detection of Shiga Toxin-Producing <i>Escherichia coli</i> (STEC). Molecular Biotechnology, 0, , .	2.4	0
1769	Immunization Against Bacterial Diseases of the Intestine. Journal of Pediatric Gastroenterology and Nutrition, 2000, 31, 336-355.	1.8	0
1770	<i>Escherichia coli</i> O157:H7 Infections: A Frequent Cause of Bloody Diarrhea and the Hemolytic-Uremic Syndrome. Advances in Pediatrics, 1996, 43, 171-207.	1.4	0
1771	Invasion. , 2024, , 377-390.		0
1772	Occurrence of <i>Salmonella</i> spp and <i>Escherichia coli</i> O157:H7 in raw meat marketed in São Paulo city, Brazil, and evaluation of its cold tolerance in ground beef. Revista Do Instituto Adolfo Lutz, 2004, 63, 238-42.	0.1	0
1773	Diarrhea and Malnutrition: A Challenge for Pediatricians. Journal of Pediatric Gastroenterology and Nutrition, 1996, 22, 6-16.	1.8	0
1774	Pseudomembranous Colitis with <i>Escherichia coli</i> O157:H7. Journal of Pediatric Gastroenterology and Nutrition, 1997, 24, 590-593.	1.8	0

#	ARTICLE	IF	CITATIONS
1776	Bacterial Flora and Treatment Strategies in Women With Escherichia coli Urinary Tract Infections. Cureus, 2024, , .	0.5	0