

The Epidemiology of Infections Caused by Escherichia coli Enterohemorrhagic E. coli, and the Associated Hemolytic

Epidemiologic Reviews

13, 60-98

DOI: [10.1093/oxfordjournals.epirev.a036079](https://doi.org/10.1093/oxfordjournals.epirev.a036079)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Properties of Vero Cytotoxin-Producing <i>Escherichia coli</i> of Human Origin of O Serogroups Other than O157. <i>Journal of Infectious Diseases</i> , 1992, 166, 797-802. | 1.9 | 127 |
| 2 | A Waterborne Outbreak in Missouri of <i>Escherichia coli</i> O157:H7 Associated with Bloody Diarrhea and Death. <i>Annals of Internal Medicine</i> , 1992, 117, 812-819. | 2.0 | 398 |
| 3 | Hemolytic uremic syndrome due to <i>Escherichia coli</i> O157: H7 in a child with multiple infections. <i>Pediatric Nephrology</i> , 1992, 6, 270-272. | 0.9 | 5 |
| 4 | Enteroadherent <i>Escherichia coli</i> : a heterogeneous group of <i>E. coli</i> implicated as diarrhoeal pathogens. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1993, 87, 49-53. | 0.7 | 28 |
| 5 | Examination of raw beef products for the presence of Vero cytotoxin producing <i>Escherichia coli</i> , particularly those of serogroup O157. <i>Journal of Applied Bacteriology</i> , 1993, 75, 420-426. | 1.1 | 65 |
| 6 | Transmission and epidemiology. <i>Bailliere's Clinical Gastroenterology</i> , 1993, 7, 195-214. | 0.9 | 3 |
| 7 | Differences in verotoxin neutralizing activity of therapeutic immunoglobulins and sera from healthy controls. <i>Infection</i> , 1993, 21, 140-145. | 2.3 | 40 |
| 8 | Characteristics of vero cytotoxin producing <i>Escherichia coli</i> associated with intestinal colonization and diarrhea in calves. <i>Veterinary Microbiology</i> , 1993, 36, 149-159. | 0.8 | 43 |
| 9 | An Outbreak of Diarrhea and Hemolytic Uremic Syndrome From <i>Escherichia coli</i> O157:H7 in Fresh-Pressed Apple Cider. <i>JAMA - Journal of the American Medical Association</i> , 1993, 269, 2217. | 3.8 | 527 |
| 10 | Evidence of Direct Transmission of <i>Escherichia coli</i> O157:H7 Infection between Calves and a Human. <i>Journal of Infectious Diseases</i> , 1993, 168, 792-793. | 1.9 | 83 |
| 11 | Possible occupational acquisition of <i>Escherichia coli</i> O157 infection. <i>Lancet, The</i> , 1993, 342, 1298-1299. | 6.3 | 21 |
| 12 | Verotoxin producing <i>Escherichia coli</i> O 157 infections associated with the consumption of yoghurt. <i>Epidemiology and Infection</i> , 1993, 111, 181-188. | 1.0 | 289 |
| 13 | The role of <i>Escherichia coli</i> O 157 infections in the classical (enteropathic) haemolytic uraemic syndrome: Results of a Central European, multicentre study. <i>Epidemiology and Infection</i> , 1993, 110, 183-196. | 1.0 | 139 |
| 14 | The Emergence of <i>Escherichia coli</i> O157:H7 Infection in the United States. <i>JAMA - Journal of the American Medical Association</i> , 1993, 269, 2264. | 3.8 | 18 |
| 16 | Holiday Gynecomastia Related to Marijuana?. <i>Annals of Internal Medicine</i> , 1993, 119, 253. | 2.0 | 3 |
| 17 | Herpetic Esophagitis Causing Intractable Hiccups. <i>Annals of Internal Medicine</i> , 1993, 119, 249. | 2.0 | 7 |
| 18 | Serum Ferritin in Hyperthyroidism. <i>Annals of Internal Medicine</i> , 1993, 119, 249. | 2.0 | 4 |
| 19 | Southwestern Internal Medicine Conference: Shiga-like Toxins in Hemolytic-Uremic Syndrome and Thrombotic Thrombocytopenic Purpura. <i>American Journal of the Medical Sciences</i> , 1993, 306, 398-406. | 0.4 | 52 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 20 | Bacterial diarrhoea. <i>Annals of Tropical Paediatrics</i> , 1993, 13, 107-119. | 1.0 | 2 |
| 21 | Shiga-like toxin-producing <i>Escherichia coli</i> in Seattle children: A prospective study. <i>Gastroenterology</i> , 1993, 105, 1724-1731. | 0.6 | 74 |
| 22 | Epidemiologic Studies of <i>Escherichia coli</i> Diarrheal Infections in a Low Socioeconomic Level Peri-Urban Community In Santiago, Chile. <i>American Journal of Epidemiology</i> , 1993, 138, 849-869. | 1.6 | 187 |
| 23 | Phage typing of Vero cytotoxin-producing <i>Escherichia coli</i> O157 isolated in the United Kingdom: 1989-1991. <i>Epidemiology and Infection</i> , 1993, 110, 469-475. | 1.0 | 27 |
| 24 | Virulence properties of <i>Escherichia coli</i> strains belonging to serogroups O26, O55, O111 and O128 isolated in the United Kingdom in 1991 from patients with diarrhoea. <i>Epidemiology and Infection</i> , 1993, 111, 429-438. | 1.0 | 48 |
| 25 | A Comparison of Human and Bovine <i>Escherichia coli</i> O157:H7 Isolates by Toxin Genotype, Plasmid Profile, and Bacteriophage λ -Restriction Fragment Length Polymorphism Profile. <i>Journal of Infectious Diseases</i> , 1993, 168, 1300-1303. | 1.9 | 65 |
| 26 | More on the Doctor's Anguish. <i>Annals of Internal Medicine</i> , 1993, 119, 252. | 2.0 | 0 |
| 27 | Impedance Plethysmography and DVT Diagnosis. <i>Annals of Internal Medicine</i> , 1993, 119, 246. | 2.0 | 2 |
| 28 | How Useful Are Cytomegalovirus Cultures in Patients with HIV Infection?. <i>Annals of Internal Medicine</i> , 1993, 119, 247. | 2.0 | 0 |
| 29 | Which Colonic Adenomas Became Malignant?. <i>Annals of Internal Medicine</i> , 1993, 119, 250. | 2.0 | 0 |
| 30 | Holiday Gynecomastia Related to Marijuana?. <i>Annals of Internal Medicine</i> , 1993, 119, 253. | 2.0 | 0 |
| 31 | Which Colonic Adenomas Became Malignant?. <i>Annals of Internal Medicine</i> , 1993, 119, 250. | 2.0 | 2 |
| 32 | Fate of Enterohemorrhagic <i>Escherichia coli</i> O157: H7 in Commercial Mayonnaise. <i>Journal of Food Protection</i> , 1994, 57, 780-783. | 0.8 | 101 |
| 33 | Bacteria and Diseases of Unknown Cause. <i>Annals of Internal Medicine</i> , 1994, 121, 144. | 2.0 | 12 |
| 34 | Adhesion and its role in the virulence of enteropathogenic <i>Escherichia coli</i> . <i>Clinical Microbiology Reviews</i> , 1994, 7, 152-173. | 5.7 | 125 |
| 35 | <i>Escherichia coli</i> O157: H7 Acid Tolerance and Survival in Apple Cider. <i>Journal of Food Protection</i> , 1994, 57, 460-465. | 0.8 | 321 |
| 36 | Survival of <i>Escherichia coli</i> O157:H7 in Mayonnaise and Mayonnaise-Based Sauces at Room and Refrigerated Temperatures. <i>Journal of Food Protection</i> , 1994, 57, 629-631. | 0.8 | 177 |
| 37 | Communitywide Outbreak of Hemolytic-Uremic Syndrome Associated with Non-O157 Verocytotoxin-Producing <i>Escherichia coli</i> . <i>Journal of Infectious Diseases</i> , 1994, 169, 208-211. | 1.9 | 182 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 38 | Epidemic Neuropathyâ€”Cuba, 1991-1994. JAMA - Journal of the American Medical Association, 1994, 271, 1154. | 3.8 | 3 |
| 40 | What Makes<i>Escherichia coli</i>Pathogenic?. Annals of Medicine, 1994, 26, 229-231. | 1.5 | 21 |
| 41 | Genetic analysis of uidA expression in enterohaemorrhagic Escherichia coli serotype O157:H7. Microbiology (United Kingdom), 1994, 140, 2101-2107. | 0.7 | 73 |
| 42 | Case 25-1994. New England Journal of Medicine, 1994, 330, 1811-1817. | 13.9 | 9 |
| 43 | A Fatal Case of Hemorrhagic Colitis, Thrombocytopenia, and Renal Failure Associated with Verocytotoxin-Producing, Non-O157 Escherichia coli. Clinical Infectious Diseases, 1994, 19, 815-816. | 2.9 | 17 |
| 44 | Emerging Infectious Diseases in the United States, 1993. Journal of Infectious Diseases, 1994, 170, 272-277. | 1.9 | 50 |
| 45 | Infection Caused by Escherichia coli O157:H7 in Alberta, Canada, and in Scotland: A Five-Year Review, 1987-1991. Clinical Infectious Diseases, 1994, 19, 834-843. | 2.9 | 79 |
| 46 | Changing Epidemiology of Food-Borne Disease: A Minnesota Perspective. Clinical Infectious Diseases, 1994, 18, 671-682. | 2.9 | 183 |
| 47 | Racial incidence of hemolytic uremic syndrome. Pediatric Nephrology, 1994, 8, 545-547. | 0.9 | 17 |
| 48 | Haemolytic-uraemic syndrome in childhood: surveillance and case-control studies in Italy. Pediatric Nephrology, 1994, 8, 705-709. | 0.9 | 47 |
| 49 | Too fast food: Bloody diarrhea and death from Escherichia coli O157:H7. Clinical Microbiology Newsletter, 1994, 16, 17-19. | 0.4 | 7 |
| 50 | Production of enterotoxin, verotoxin, hemolysin and cytotoxic necrotizing factor by Escherichia coli of intestinal and extraintestinal origin. Folia Microbiologica, 1994, 39, 79-82. | 1.1 | 7 |
| 51 | High incidence of haemorrhagic colitis due to Escherichia coli O157 in one Scottish town: Clinical and epidemiological features. Journal of Infection, 1994, 29, 343-350. | 1.7 | 7 |
| 52 | A Swimming-Associated Outbreak of Hemorrhagic Colitis Caused by Escherichia coli O157:H7 and Shigella Sonnei. New England Journal of Medicine, 1994, 331, 579-584. | 13.9 | 308 |
| 53 | A Multistate Outbreak of Escherichia coli O157:H7â€”Associated Bloody Diarrhea and Hemolytic Uremic Syndrome From Hamburgers. JAMA - Journal of the American Medical Association, 1994, 272, 1349. | 3.8 | 479 |
| 54 | Hemolytic uremic syndrome: Just another case of gastroenteritis?. American Journal of Emergency Medicine, 1994, 12, 358-363. | 0.7 | 0 |
| 55 | Vero cytotoxin-producing Escherichia coli O157 in beefburgers linked to an outbreak of diarrhoea, haemorrhagic colitis and haemolytic uraemic syndrome in Britain. Letters in Applied Microbiology, 1994, 19, 304-307. | 1.0 | 194 |
| 56 | Spectrum of extrarenal involvement in postdiarrheal hemolytic-uremic syndrome. Journal of Pediatrics, 1994, 125, 511-518. | 0.9 | 181 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 57 | Escherichia coli O157:H7-associated hemolytic-uremic syndrome after ingestion of contaminated hamburgers. <i>Journal of Pediatrics</i> , 1994, 125, 519-526. | 0.9 | 124 |
| 58 | Epidemic Escherichia coli O157:H7 gastroenteritis and hemolytic-uremic syndrome in a Canadian Inuit community: Intestinal illness in family members as a risk factor. <i>Journal of Pediatrics</i> , 1994, 124, 21-26. | 0.9 | 53 |
| 59 | An outbreak due to enterohaemorrhagic Escherichia coli O157: H7 in a children day care centre characterized by person-to-person transmission and environmental contamination. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1994, 281, 534-543. | 0.5 | 50 |
| 60 | Campylobacter jejuni Infection and the Guillain-Barre Syndrome: Mechanisms and Implications. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1994, 281, 544-548. | 0.5 | 7 |
| 61 | Une singulière Épidémie dans l'Oise. <i>Journal De Pédiatrie Et De Puericulture</i> , 1994, 7, 52-54. | 0.0 | 2 |
| 62 | Detection and control of Escherichia coli O157:H7 in foods. <i>Trends in Food Science and Technology</i> , 1994, 5, 179-185. | 7.8 | 26 |
| 63 | Interaction of the Shiga-like Toxin Type 1 B-Subunit with Its Carbohydrate Receptor. <i>Biochemistry</i> , 1994, 33, 14452-14463. | 1.2 | 126 |
| 64 | Sequence heterogeneity of the <i>eae</i> gene and detection of verotoxin-producing <i>Escherichia coli</i> using serotype-specific primers. <i>Epidemiology and Infection</i> , 1994, 112, 449-461. | 1.0 | 157 |
| 65 | The prevalence of <i>Escherichia coli</i> O157:H7 in dairy and beef cattle in Washington State. <i>Epidemiology and Infection</i> , 1994, 113, 199-207. | 1.0 | 403 |
| 66 | A community outbreak of haemolytic-uraemic syndrome in children occurring in a large area of Northern Italy over a period of several months. <i>Epidemiology and Infection</i> , 1994, 113, 209-219. | 1.0 | 34 |
| 68 | The bacterial colicin active against tumor cells in vitro and in vivo is verotoxin 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 6996-7000. | 3.3 | 87 |
| 69 | Diagnosing Vascular Causes of Renal Failure. <i>Annals of Internal Medicine</i> , 1995, 123, 601. | 2.0 | 41 |
| 70 | Escherichia coli O157: H7 Infection in Humans. <i>Annals of Internal Medicine</i> , 1995, 123, 698. | 2.0 | 254 |
| 71 | The role of heightened surveillance in an outbreak of <i>Escherichia coli</i> O157. H7. <i>Epidemiology and Infection</i> , 1995, 115, 447-454. | 1.0 | 11 |
| 72 | The Hemolytic Uremic Syndrome. <i>Pediatric Clinics of North America</i> , 1995, 42, 1505-1529. | 0.9 | 158 |
| 73 | Increasing mortality from thrombotic thrombocytopenic purpura in the United States—analysis of national mortality data, 1968–1991. <i>American Journal of Hematology</i> , 1995, 50, 84-90. | 2.0 | 168 |
| 74 | USE OF VACCINE AND BIOLOGICAL CONTROL TECHNIQUES TO CONTROL PATHOGENS IN ANIMALS USED FOR FOOD. <i>Journal of Food Safety</i> , 1995, 15, 193-199. | 1.1 | 6 |
| 75 | DNA probe for detection of serogroup O157 enterohemorrhagic <i>Escherichia coli</i> . <i>International Journal of Food Microbiology</i> , 1995, 25, 277-287. | 2.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 76 | Potential growth and control of Escherichia coli O157:H7 in soft hispanic type cheese. International Journal of Food Microbiology, 1995, 25, 289-300. | 2.1 | 30 |
| 77 | Escherichia coli O157:H7: Clinical, Diagnostic, and Epidemiological Aspects of Human Infection. Clinical Infectious Diseases, 1995, 20, 1-10. | 2.9 | 394 |
| 78 | Enterohaemorrhagic Escherichia coli: an emerging food-borne pathogen with serious consequences. Medical Journal of Australia, 1995, 162, 511-512. | 0.8 | 5 |
| 79 | Comparison of Template Preparation Methods from Foods for Amplification of Escherichia coli O157 Shiga-Like Toxins Type I and II DNA by Multiplex Polymerase Chain Reaction. Journal of Food Protection, 1995, 58, 722-726. | 0.8 | 45 |
| 80 | Fate of Escherichia coli O157:H7 and Other Coliforms in Commercial Mayonnaise and Refrigerated Salad Dressing. Journal of Food Protection, 1995, 58, 13-18. | 0.8 | 68 |
| 81 | Escherichia coli Serotype O157:H7: Novel Vehicles of Infection and Emergence of Phenotypic Variants. Emerging Infectious Diseases, 1995, 1, 47-52. | 2.0 | 146 |
| 82 | An Improved Rapid Technique for Isolation of Escherichia coli O157:H7 from Foods. Journal of Food Protection, 1995, 58, 7-12. | 0.8 | 74 |
| 83 | Immune Response to Verotoxin 1 and 2 in Children with Escherichia Coli O157:H7 Hemorrhagic Colitis and Classic Hemolytic Uremic Syndrome. Canadian Journal of Infectious Diseases & Medical Microbiology, 1995, 6, 136-140. | 0.3 | 1 |
| 84 | Escherichia Coli O157:H7, Other Verotoxin-Producing E coli and the Hemolytic Uremic Syndrome in Childhood. Canadian Journal of Infectious Diseases & Medical Microbiology, 1995, 6, 105-110. | 0.3 | 5 |
| 85 | Binding of [125I]Shiga-like Toxin-1 to Human Endothelial Cells: Implications for the Pathogenesis of Shiga Toxin-associated Hemolytic Uremic Syndrome. Endothelium: Journal of Endothelial Cell Research, 1995, 3, 159-170. | 1.7 | 4 |
| 86 | Escherichia coli O157:H7 Outbreak Linked to Commercially Distributed Dry-Cured Salami Washington and California, 1994. JAMA - Journal of the American Medical Association, 1995, 273, 985. | 3.8 | 9 |
| 87 | Adult Hemolytic-Uremic Syndrome. Archives of Internal Medicine, 1995, 155, 2077. | 4.3 | 29 |
| 88 | Renal Failure. , 1995, , . | | 0 |
| 89 | Detection of Serum Antibodies to the Lipopolysaccharide of Escherichia coli O103 in Patients with Hemolyticuremic Syndrome. Journal of Infectious Diseases, 1995, 171, 514-515. | 1.9 | 19 |
| 90 | A University Outbreak of Escherichia coli O157:H7 Infections Associated with Roast Beef and an Unusually Benign Clinical Course. Journal of Infectious Diseases, 1995, 172, 1122-1125. | 1.9 | 72 |
| 91 | Molecular characterisation of Escherichia coli O157: H7 isolates by pulsed-field gel electrophoresis and plasmid DNA analysis. Journal of Medical Microbiology, 1995, 42, 258-263. | 0.7 | 64 |
| 92 | A genetic locus of enterocyte effacement conserved among diverse enterobacterial pathogens.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 1664-1668. | 3.3 | 1,194 |
| 93 | Risk assessment and food-borne micro-organisms: the difficulties of biological diversity. Food Control, 1995, 6, 329-333. | 2.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 94 | Development of a selective plating technique for the recovery of Escherichia coli O157: H7 after heat stress. Letters in Applied Microbiology, 1995, 21, 252-256. | 1.0 | 54 |
| 95 | Escherichia coli O157:H7 and the Hemolytic "Uremic Syndrome. New England Journal of Medicine, 1995, 333, 364-368. | 13.9 | 569 |
| 96 | Consensus Conference Statement: Escherichia coli O157:H7 infections "An Emerging National Health Crisis, July 11 "13, 1994. Gastroenterology, 1995, 108, 1923-1934. | 0.6 | 45 |
| 97 | [26] Methods for studying adhesion of diarrheagenic Escherichia coli. Methods in Enzymology, 1995, 253, 324-336. | 0.4 | 54 |
| 98 | Specific Interaction of Escherichia coli O157:H7-Derived Shiga-like Toxin II with Human Renal Endothelial Cells. Journal of Infectious Diseases, 1995, 172, 1397-1401. | 1.9 | 201 |
| 99 | Emerging infectious disease: what are the relative roles of ecology and evolution?. Trends in Ecology and Evolution, 1995, 10, 319-324. | 4.2 | 205 |
| 100 | THE EMERGENCY DEPARTMENT APPROACH TO DIARRHEA. Emergency Medicine Clinics of North America, 1996, 14, 673-694. | 0.5 | 6 |
| 101 | Screening for Escherichia coli O157:H7 in Illinois. Clinical Microbiology and Infection, 1996, 1, 175-178. | 2.8 | 1 |
| 102 | Searching for Escherichia coli O157 in drinking and recreational waters in Northern Greece. Water Research, 1996, 30, 493-494. | 5.3 | 4 |
| 103 | Diarrhea in young children associated with Escherichia coli non-O157 organisms that produce Shiga-like toxin. Journal of Pediatrics, 1996, 128, 341-346. | 0.9 | 71 |
| 104 | An outbreak of Escherichia coli O157 and campylobacteriosis associated with contamination of a drinking water supply. Public Health, 1996, 110, 277-282. | 1.4 | 74 |
| 105 | Genomic analysis using pulsed-field gel electrophoresis of Escherichia coli O157:H7 isolated from dairy calves during the United States national dairy heifer evaluation project (1991 "1992). Veterinary Microbiology, 1996, 48, 223-230. | 0.8 | 33 |
| 107 | Shiga toxin-producing Escherichia coli infections and the hemolytic uremic syndrome. Seminars in Pediatric Infectious Diseases, 1996, 7, 258-264. | 1.7 | 1 |
| 108 | Evaluation of a Rapid and Automated Enzyme-Linked Fluorescent Immunoassay for Detecting Escherichia coli Serogroup O157 in Cheese. Journal of AOAC INTERNATIONAL, 1996, 79, 858-860. | 0.7 | 16 |
| 109 | Great expectations: the coroner's report on the South Australian haemolytic "uraemic syndrome outbreak. Medical Journal of Australia, 1996, 164, 175-177. | 0.8 | 6 |
| 110 | Waterborne disease: 1993 and 1994. Journal - American Water Works Association, 1996, 88, 66-80. | 0.2 | 93 |
| 111 | A Multiplex PCR for Rapid Identification of Shiga-Like Toxin-Producing Escherichia coli O157:H7 Isolated from Foods "j. Journal of Food Protection, 1996, 59, 570-576. | 0.8 | 31 |
| 112 | Occurrence of Escherichia coli O157 and Other Verocytotoxin-Producing E. coli in Retail Raw Meats in the Netherlands. Journal of Food Protection, 1996, 59, 1267-1272. | 0.8 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 113 | Growing Concerns and Recent Outbreaks Involving Non-O157:H7 Serotypes of Verotoxigenic <i>Escherichia coli</i> . <i>Journal of Food Protection</i> , 1996, 59, 1112-1122. | 0.8 | 211 |
| 114 | Emerging Foodborne Pathogens: <i>Escherichia coli</i> O157:H7 as a Model of Entry of a New Pathogen into the Food Supply of the Developed World. <i>Epidemiologic Reviews</i> , 1996, 18, 29-51. | 1.3 | 603 |
| 115 | Survival of <i>Escherichia coli</i> O157:H7 in ground beef during normal cooking procedures. <i>Nutrition and Food Science</i> , 1996, 96, 23-26. | 0.4 | 3 |
| 116 | Verotoxin-producing <i>Escherichia coli</i> , particularly serogroup O157, associated with human infections in England and Wales: 1992-1994. <i>Epidemiology and Infection</i> , 1996, 117, 1-10. | 1.0 | 72 |
| 117 | Prevalence and characteristics of <i>Escherichia coli</i> serotype O157:H7 and other verotoxin-producing <i>E. coli</i> in healthy cattle. <i>Epidemiology and Infection</i> , 1996, 117, 251-257. | 1.0 | 105 |
| 118 | Prevalence of the <i>eae</i> gene in verotoxigenic <i>Escherichia coli</i> strains from dairy cattle in Southwest Ontario. <i>Epidemiology and Infection</i> , 1996, 116, 1-7. | 1.0 | 114 |
| 119 | A new route of transmission for <i>Escherichia coli</i> : infection from dry fermented salami. <i>American Journal of Public Health</i> , 1996, 86, 1142-1145. | 1.5 | 352 |
| 120 | Polymerase chain reaction for detecting <i>Escherichia coli</i> O157:H7. <i>International Journal of Food Microbiology</i> , 1996, 32, 103-113. | 2.1 | 68 |
| 121 | Rapid genotyping of <i>Escherichia coli</i> O157 isolates by random amplification of polymorphic DNA. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1996, 15, 297-302. | 1.3 | 22 |
| 122 | Antimicrobial susceptibility of <i>Escherichia coli</i> O157 and other enterohaemorrhagic <i>Escherichia coli</i> isolated in Italy. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1996, 15, 351-353. | 1.3 | 42 |
| 123 | Pore-Forming Properties of the Plasmid-Encoded Hemolysin of Enterohemorrhagic <i>Escherichia coli</i> O157: H7. <i>FEBS Journal</i> , 1996, 241, 594-601. | 0.2 | 65 |
| 124 | Pathogenesis of <i>E. coli</i> hemolytic uremic syndrome. <i>Clinical Microbiology Newsletter</i> , 1996, 18, 49-52. | 0.4 | 2 |
| 125 | Virulence attributes of <i>Escherichia coli</i> isolated from dairy heifer feces. <i>Veterinary Microbiology</i> , 1996, 53, 369-374. | 0.8 | 22 |
| 126 | Aglycone modulation of glycolipid receptor function. <i>Glycoconjugate Journal</i> , 1996, 13, 495-503. | 1.4 | 81 |
| 127 | Cluster of cases of haemolytic uraemic syndrome due to unpasteurised cheese. <i>Pediatric Nephrology</i> , 1996, 10, 203-205. | 0.9 | 64 |
| 128 | Prevalence and characteristics of human and bovine verotoxigenic <i>Escherichia coli</i> strains isolated in Galicia (north-western Spain). <i>European Journal of Epidemiology</i> , 1996, 12, 13-19. | 2.5 | 36 |
| 129 | A solid phase fluorescent capillary immunoassay for the detection of <i>Escherichia coli</i> O157:H7 in ground beef and apple cider. <i>Journal of Applied Bacteriology</i> , 1996, 81, 601-607. | 1.1 | 34 |
| 130 | Haemolytic-uraemic syndrome in Western Australia, 1980 to 1994. <i>Australian and New Zealand Journal of Public Health</i> , 1996, 20, 462-466. | 0.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 131 | Immune Response to Non-O157 Vero Toxin-Producing Escherichia coli in Patients with Hemolytic Uremic Syndrome. <i>Journal of Infectious Diseases</i> , 1996, 174, 1028-1039. | 1.9 | 62 |
| 132 | Meat Grinders and Molecular Epidemiology: Two Supermarket Outbreaks of Escherichia coli O157:H7 Infection. <i>Journal of Infectious Diseases</i> , 1996, 173, 480-483. | 1.9 | 56 |
| 133 | A low molecular weight outer-membrane protein of Escherichia coli O157:H7 associated with adherence to INT407 cells and chicken caeca. <i>Journal of Medical Microbiology</i> , 1996, 45, 90-96. | 0.7 | 21 |
| 134 | Vero Cytotoxigenic Escherichia coli Infection in Dairy Farm Families. <i>Journal of Infectious Diseases</i> , 1996, 174, 1021-1027. | 1.9 | 117 |
| 135 | KatP, a novel catalase-peroxidase encoded by the large plasmid of enterohaemorrhagic Escherichia coli O157:H7. <i>Microbiology (United Kingdom)</i> , 1996, 142, 3305-3315. | 0.7 | 257 |
| 136 | Use of a Priority Rating Process to Sort Meatborne Zoonotic Agents in Beef. <i>Journal of Agromedicine</i> , 1996, 3, 17-36. | 0.9 | 10 |
| 137 | Surveillance for Escherichia coli O157:H7 Infections in Minnesota by Molecular Subtyping. <i>New England Journal of Medicine</i> , 1997, 337, 388-394. | 13.9 | 153 |
| 138 | Recognizing <i>E. coli</i> O157:H7 Infection. <i>Hospital Practice (1995)</i> , 1997, 32, 123-140. | 0.5 | 2 |
| 139 | Hamburger-associated Escherichia coli O157:H7 infection in Las Vegas: a hidden epidemic.. <i>American Journal of Public Health</i> , 1997, 87, 176-180. | 1.5 | 44 |
| 140 | Human Escherichia coli O157[λ]H7 infection associated with the consumption of unpasteurized goat's milk. <i>Epidemiology and Infection</i> , 1997, 119, 299-305. | 1.0 | 115 |
| 141 | A longitudinal study of Escherichia coli O157 in fourteen cattle herds. <i>Epidemiology and Infection</i> , 1997, 118, 193-195. | 1.0 | 289 |
| 142 | SHORT PAPER The stimulating effect of fosfomycin, an antibiotic in common use in Japan, on the production/release of verotoxin-1 from enterohaemorrhagic Escherichia coli O157[λ]H7 in vitro. <i>Epidemiology and Infection</i> , 1997, 119, 101-103. | 1.0 | 31 |
| 143 | Swimming-associated haemorrhagic colitis due to Escherichia coli O157[λ]H7 infection: evidence of prolonged contamination of a fresh water lake. <i>Epidemiology and Infection</i> , 1997, 119, 1-8. | 1.0 | 112 |
| 144 | Persistence of Escherichia coli O157[λ]H7 in dairy cattle and the dairy farm environment. <i>Epidemiology and Infection</i> , 1997, 119, 251-259. | 1.0 | 128 |
| 145 | Quarterly Communicable Disease Review October to December 1996. <i>Journal of Public Health</i> , 1997, 19, 233-238. | 1.0 | 0 |
| 147 | Risk Factors for Sporadic Infection With Escherichia coli O157:H7. <i>Archives of Internal Medicine</i> , 1997, 157, 204. | 4.3 | 49 |
| 148 | Escherichia coli O157: H7 Diarrhea in the United States: Clinical and Epidemiologic Features. <i>Annals of Internal Medicine</i> , 1997, 126, 505. | 2.0 | 247 |
| 149 | Detection and characterization of the <i>fimA</i> gene of Escherichia coli O157:H7. <i>Molecular and Cellular Probes</i> , 1997, 11, 397-406. | 0.9 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 150 | Escherichia coli O157 in Cull Dairy Cows on Farm and at Slaughter. Journal of Food Protection, 1997, 60, 1386-1387. | 0.8 | 30 |
| 151 | Isolation and Purification of Colicin ECL 12, a Bacteriocin That Inhibits Strains of Escherichia coli O157:H7. Journal of Food Protection, 1997, 60, 1520-1528. | 0.8 | 5 |
| 152 | Assurance Escherichia coli O157:H7: A Comparative Validation Study. Journal of AOAC INTERNATIONAL, 1997, 80, 37-42. | 0.7 | 1 |
| 153 | Escherichia coli O157:H7 Visual Immunoprecipitate Assay: A Comparative Validation Study. Journal of AOAC INTERNATIONAL, 1997, 80, 37-42. | 0.7 | 4 |
| 154 | Comparison of Sorbitol MacConkey and Hemorrhagic Coli Agars for Recovery of Escherichia coli O157:H7 from Brie, Ice Cream, and Whole Milk. Journal of AOAC INTERNATIONAL, 1997, 80, 335-340. | 0.7 | 15 |
| 155 | Visual Immunoprecipitate Assay (VIP) for Detection of Enterohemorrhagic Escherichia coli (EHEC) O157:H7 in Selected Foods: Collaborative Study. Journal of AOAC INTERNATIONAL, 1997, 80, 517-529. | 0.7 | 9 |
| 156 | Assurance Enzyme Immunoassay for Detection of Enterohemorrhagic Escherichia coli O157:H7 in Selected Foods: Collaborative Study. Journal of AOAC INTERNATIONAL, 1997, 80, 530-544. | 0.7 | 13 |
| 157 | Canadian Perspectives on Verocytotoxin-Producing Escherichia coli Infection. Journal of Food Protection, 1997, 60, 1451-1453. | 0.8 | 18 |
| 158 | Heat Inactivation of Escherichia coli O157:H7 in Turkey Meat as Affected by Sodium Chloride, Sodium Lactate, Polyphosphate, and Fat Content. Journal of Food Protection, 1997, 60, 898-902. | 0.8 | 61 |
| 159 | High Occurrence of Shiga-Like Toxin-Producing Strains among Diarrheagenic Escherichia coli Isolated from Raw Beef Products in Rio de Janeiro City, Brazil. Journal of Food Protection, 1997, 60, 177-180. | 0.8 | 28 |
| 160 | Effects of Farm Manure-Handling Practices on Escherichia coli O157 Prevalence in Cattle. Journal of Food Protection, 1997, 60, 363-366. | 0.8 | 77 |
| 161 | Evaluation of Media and Test Kits for the Detection and Isolation of Escherichia coli O157 from Minced Beef. Journal of Food Protection, 1997, 60, 817-824. | 0.8 | 36 |
| 162 | Construction and Characterization of Escherichia coli O157:H7 Strains Expressing Firefly Luciferase and Green Fluorescent Protein and Their Use in Survival Studies. Journal of Food Protection, 1997, 60, 1167-1173. | 0.8 | 118 |
| 163 | Epidemiology of Escherichia coli O157 in Feedlot Cattle. Journal of Food Protection, 1997, 60, 462-465. | 0.8 | 144 |
| 164 | Detection and Characterization of Enterohaemorrhagic Escherichia coli in Slaughtered Cattle. Zoonoses and Public Health, 1997, 44, 273-279. | 1.4 | 12 |
| 165 | Atypical Strains of Verocytotoxin-Producing Escherichia coli O157 in Beef Cattle at Slaughter in Veneto Region, Italy. Zoonoses and Public Health, 1997, 44, 301-306. | 1.4 | 34 |
| 166 | Thermal Inactivation of Escherichia coli O157:H7 in Cooked Turkey Products. Journal of Food Science, 1997, 62, 875-905. | 1.5 | 12 |
| 167 | Detection of Escherichia coli O157:H7 and other verocytotoxin-producing E. coli (VTEC) in food. Journal of Applied Microbiology, 1997, 82, 537-551. | 1.4 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 168 | Detection of Escherichia coli O157 in French food samples using an immunomagnetic separation method and the VIDASTME. coli O157. Letters in Applied Microbiology, 1997, 25, 442-446. | 1.0 | 27 |
| 169 | Direct detection of verotoxin genes in stool samples by polymerase chain reaction in hemolytic uremic syndrome patients in France. Clinical Microbiology and Infection, 1997, 3, 117-119. | 2.8 | 8 |
| 170 | Isolation and virulence factors of vero cyto toxinproducing Escherichia coli in human stool samples. Clinical Microbiology and Infection, 1997, 3, 531-540. | 2.8 | 95 |
| 171 | INACTIVATION OF ESCHERICHIA COLI IN SKIM MILK BY HIGH INTENSITY PULSED ELECTRIC FIELDS. Journal of Food Process Engineering, 1997, 20, 317-336. | 1.5 | 171 |
| 172 | DETECTION OF THE VIABLE BUT NONCULTURABLE STATE IN ESCHERICHIA COLI O157:H7. Journal of Food Safety, 1997, 16, 255-262. | 1.1 | 52 |
| 173 | GROWTH OF ESCHERICHIA COLI O157:H7 IN THE PRESENCE OF PSEUDOMONAS FLUORESCENS IN SKIMMED MILK AT 7 OR 25C. Journal of Food Safety, 1997, 16, 273-285. | 1.1 | 6 |
| 174 | DNA AMPLIFICATION USING TABLETED PCR REAGENTS FOR IDENTIFICATION OF ESCHERICHIA COLI O157:H7 ISOLATED FROM FOODS. Journal of Rapid Methods and Automation in Microbiology, 1997, 5, 61-74. | 0.4 | 1 |
| 175 | Effect of antimicrobial agents, especially fosfomycin, on the production and release of Vero toxin by enterohaemorrhagic Escherichia coli O157:H7. FEMS Immunology and Medical Microbiology, 1997, 19, 57-64. | 2.7 | 58 |
| 176 | Escherichia coli O157: Lessons from the past 15 years. Journal of Infection, 1997, 34, 189-193. | 1.7 | 23 |
| 177 | Mechanisms of gut damage by Escherichia coli. Bailliere's Clinical Gastroenterology, 1997, 11, 465-483. | 0.9 | 3 |
| 178 | Distribution and characterization of faecal verotoxin-producing Escherichia coli (VTEC) isolated from healthy cattle. Veterinary Microbiology, 1997, 54, 309-319. | 0.8 | 139 |
| 179 | Environmental health research: setting an agenda by spinning our wheels or climbing the mountain?. Health and Place, 1997, 3, 1-13. | 1.5 | 24 |
| 180 | Preparation of PCR samples from food by a rapid and simple centrifugation technique evaluated by detection of Escherichia coli O157:H7. International Journal of Food Microbiology, 1997, 37, 73-82. | 2.1 | 85 |
| 181 | Laboratory aspects of non-O157 toxigenic E. Coli. Clinical Microbiology Newsletter, 1997, 19, 105-108. | 0.4 | 5 |
| 182 | Escherichia coli O157: H7 " Two case reports. Irish Journal of Medical Science, 1997, 166, 20-22. | 0.8 | 0 |
| 183 | Possible person-to-person transmission of Escherichia coli O111 - associated hemolytic uremic syndrome. Pediatric Nephrology, 1997, 11, 36-39. | 0.9 | 66 |
| 184 | Immune response to Escherichia coli O157:H7 in hemolytic uremic syndrome following salmonellosis. Pediatric Nephrology, 1997, 11, 488-490. | 0.9 | 11 |
| 185 | Characterization of an exported protease from Shiga toxin-producing Escherichia coli. Molecular Microbiology, 1997, 25, 771-784. | 1.2 | 95 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 186 | Multiple parameters for the comprehensive evaluation of the susceptibility of Escherichia coli to the silver ion. , 1998, 11, 27-32. | | 464 |
| 187 | Prevalence of bovine verotoxin-producing Escherichia coli in Argentina. European Journal of Epidemiology, 1998, 14, 399-403. | 2.5 | 46 |
| 188 | Growth and processing conditions affecting acid tolerance in Escherichia coli O157:H7. Food Microbiology, 1998, 15, 157-166. | 2.1 | 27 |
| 189 | The prevalence of verocytotoxin-producing Escherichia coli (VTEC) and E. coli O157:H7 in beef in Sweden determined by PCR assays and an immuno-magnetic separation (IMS) method. Food Microbiology, 1998, 15, 591-601. | 2.1 | 30 |
| 190 | A 3.3-kb Plasmid of Enterohemorrhagic Escherichia coli O157:H7 Is Closely Related to the Core Region of the Salmonella typhimurium Antibiotic Resistance Plasmid NTP16. Plasmid, 1998, 39, 134-140. | 0.4 | 9 |
| 191 | Topics in Microbial Risk Assessment: Dynamic Flow Tree Process. Risk Analysis, 1998, 18, 309-328. | 1.5 | 104 |
| 192 | A Case Control Study of Potential Enteric Pathogens for Calves Raised in Cow-calf Herds. Zoonoses and Public Health, 1998, 45, 519-528. | 1.4 | 21 |
| 193 | Inhibitory activity of gut bacteria against Escherichia coli O157 mediated by dietary plant metabolites. FEMS Microbiology Letters, 1998, 164, 283-288. | 0.7 | 79 |
| 194 | Isolation of an Escherichia coli O157:H7 strain producing Shiga toxin 1 but not Shiga toxin 2 from a patient with hemolytic uremic syndrome in Korea. FEMS Microbiology Letters, 1998, 166, 43-48. | 0.7 | 19 |
| 195 | Multiple sources of Escherichia coli O157 in feedlots and dairy farms in the Northwestern USA. Preventive Veterinary Medicine, 1998, 35, 11-19. | 0.7 | 227 |
| 196 | Herd-level test performance based on uncertain estimates of individual test performance, individual true prevalence and herd true prevalence. Preventive Veterinary Medicine, 1998, 36, 187-209. | 0.7 | 48 |
| 197 | Quantitative risk assessment for Escherichia coli O157:H7 in ground beef hamburgers. International Journal of Food Microbiology, 1998, 41, 21-44. | 2.1 | 378 |
| 198 | Mathematical modeling to predict the bactericidal effect of processed vinegar on Escherichia coli O157:H7. International Journal of Food Microbiology, 1998, 43, 135-138. | 2.1 | 15 |
| 199 | Influence of temperature and pH on survival of Escherichia coli O157:H7 in dry foods and growth in reconstituted infant rice cereal. International Journal of Food Microbiology, 1998, 45, 173-184. | 2.1 | 43 |
| 200 | Clinical, microbiological and epidemiological aspects of Escherichia coli O157 infection. FEMS Immunology and Medical Microbiology, 1998, 20, 1-9. | 2.7 | 76 |
| 201 | Verotoxin-producing Escherichia coli (VTEC) and eae-positive non-VTEC in 30-days-old diarrhoeic dairy calves. Veterinary Microbiology, 1998, 63, 239-248. | 0.8 | 65 |
| 202 | Fast Amperometric Assay for E. coli O157:H7 Using Partially Immersed Immuno-electrodes. Electroanalysis, 1998, 10, 758-763. | 1.5 | 23 |
| 205 | EMERGENCY ID NET: An Emergency Department-Based Emerging Infections Sentinel Network. Annals of Emergency Medicine, 1998, 32, 703-711. | 0.3 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 206 | Environmental risk factors for sporadic Escherichia coli O157 infection in Scotland: Results of a descriptive epidemiology study. <i>Journal of Infection</i> , 1998, 36, 317-321. | 1.7 | 33 |
| 207 | Affinity purification of Shiga-like toxin I and Shiga-like toxin II. <i>Journal of Microbiological Methods</i> , 1998, 32, 247-252. | 0.7 | 36 |
| 208 | Escherichia coli O157:H7. <i>Lancet</i> , The, 1998, 352, 1207-1212. | 6.3 | 655 |
| 209 | Escherichia Coli, <i>Infection and Immunity.</i> , 1998, , 842-845. | | 2 |
| 210 | Virulence of enterohemorrhagic Escherichia coli: role of molecular crosstalk. <i>Trends in Microbiology</i> , 1998, 6, 228-233. | 3.5 | 32 |
| 211 | PCR-based detection of verotoxin-producing Escherichia coli (VTEC) in ground beef. <i>Research in Microbiology</i> , 1998, 149, 145-154. | 1.0 | 26 |
| 212 | Characterisation of Escherichia coli O157:117 (Hâ~) derived from cattle using random amplification of polymorphic DNA analysis. <i>Research in Veterinary Science</i> , 1998, 65, 177-178. | 0.9 | 4 |
| 213 | Risk of hemolytic uremic syndrome after sporadic Escherichia coli O157:H7 infection: Results of a Canadian collaborative study. <i>Journal of Pediatrics</i> , 1998, 132, 777-782. | 0.9 | 95 |
| 214 | Genotypic and Phenotypic Changes in the Emergence of <i>Escherichia coli</i> O157:H7. <i>Journal of Infectious Diseases</i> , 1998, 177, 1750-1753. | 1.9 | 288 |
| 215 | Immunomagnetic Separation with Mediated Flow Injection Analysis Amperometric Detection of Viable Escherichia coli O157. <i>Analytical Chemistry</i> , 1998, 70, 2380-2386. | 3.2 | 127 |
| 216 | A Nationwide Case-Control Study of Escherichia coli O157:H7 Infection in the United States. <i>Journal of Infectious Diseases</i> , 1998, 177, 962-966. | 1.9 | 164 |
| 217 | Evaluation of the Colilert® Test for Detection of Verotoxin-Producing Escherichia coli in Water. <i>Journal of Agromedicine</i> , 1998, 5, 31-41. | 0.9 | 0 |
| 218 | Feral pigeons as a source of verocytotoxin-producing Escherichia coli. <i>Veterinary Record</i> , 1998, 142, 309-310. | 0.2 | 31 |
| 219 | Detection and Genetical Characterization of Shiga Toxin-producing <i>Escherichia coli</i> from Wild Deer. <i>Microbiology and Immunology</i> , 1998, 42, 815-822. | 0.7 | 70 |
| 220 | Investigational Vaccine for <i>Escherichia coli</i> O157: Phase 1 Study of O157 Oâ€specific Polysaccharideâ€Pseudomonas aeruginosa Recombinant Exoprotein A Conjugates in Adults. <i>Journal of Infectious Diseases</i> , 1998, 177, 383-387. | 1.9 | 78 |
| 221 | Meat and meat products. , 1998, , 1-74. | | 0 |
| 222 | Complete Nucleotide Sequences of 93-kb and 3.3-kb Plasmids of an Enterohemorrhagic Escherichia coli O157:H7 Derived from Sakai Outbreak. <i>DNA Research</i> , 1998, 5, 1-9. | 1.5 | 205 |
| 223 | An Outbreak of <i>Escherichia coli</i> O157:H7 Infections Associated with Leaf Lettuce Consumption. <i>Journal of Infectious Diseases</i> , 1998, 177, 1588-1593. | 1.9 | 394 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 224 | Emerging and Reemerging Infectious Diseases: A Multidisciplinary Perspective. American Journal of the Medical Sciences, 1998, 315, 64-75. | 0.4 | 0 |
| 225 | Hemolyticâ€Uremic Syndrome Following Urinary Tract Infection with Enterohemorrhagic<i>Escherichia coli</i>: Case Report and Review. Clinical Infectious Diseases, 1998, 27, 310-315. | 2.9 | 67 |
| 226 | Verotoxin-producing Escherichia coli (VTEC) Infection in Randomly Selected Population of Ilam Province (Iran). Scandinavian Journal of Infectious Diseases, 1998, 30, 473-476. | 1.5 | 14 |
| 227 | Protective Effect of Japanese Green Tea Extract on Gnotobiotic Mice Infected with an <i>Escherichia coli</i> O157:H7 Strain. Microbiology and Immunology, 1998, 42, 125-128. | 0.7 | 37 |
| 228 | Combined Use of Bacteriophage Typing and Pulsedâ€Field Gel Electrophoresis in the Epidemiological Analysis of Japanese Isolates of Enterohemorrhagic <i>Escherichia coli</i> O157:H7. Microbiology and Immunology, 1998, 42, 515-519. | 0.7 | 22 |
| 229 | Letters to the Editor. Acta Clinica Belgica, 1998, 53, 55-58. | 0.5 | 0 |
| 230 | 5 Pathogenic Escherichia coli O157:H7: A model for emerging infectious diseases. Biomedical Research Reports, 1998, , 163-183. | 0.3 | 6 |
| 231 | Detecting a Public Health Risk:Escherichia coliO157:H7. Laboratory Medicine, 1998, 29, 347-355. | 0.8 | 0 |
| 232 | EnterohemorrhagicEscherichia coli. Postgraduate Medicine, 1998, 103, 179-187. | 0.9 | 23 |
| 233 | Escherichia coli O157[ratio]H7 diarrhoea associated with well water and infected cattle on an Ontario farm. Epidemiology and Infection, 1998, 120, 17-20. | 1.0 | 115 |
| 234 | Antimicrobial Functions of Spices: Why Some Like it Hot. Quarterly Review of Biology, 1998, 73, 3-49. | 0.0 | 280 |
| 235 | Repeatability of the Petrifilmâ„¢ HEC Test and Agreement with a Hydrophobic Grid Membrane Filtration Method for the Enumeration of Escherichia coli O157:H7 on Beef Carcasses. Journal of Food Protection, 1998, 61, 402-408. | 0.8 | 7 |
| 236 | Survival of Escherichia coli O157:H7 in Ground Beef Jerky Assessed on Two Plating Media. Journal of Food Protection, 1998, 61, 11-13. | 0.8 | 28 |
| 237 | Effectiveness of Salt, pH, and Diacetyl as Inhibitors for Escherichia coli O157:H7 in Dairy Foods Stored at Refrigeration Temperatures. Journal of Food Protection, 1998, 61, 1098-1102. | 0.8 | 62 |
| 238 | Survival and Recovery of Escherichia coli O157: H7 in Inoculated Bottled Water. Journal of Food Protection, 1998, 61, 948-952. | 0.8 | 40 |
| 239 | Attachment of Escherichia coli O157:H7 in Ground Beef to Meat Grinders and Survival after Sanitation with Chlorine and Peroxyacetic Acid. Journal of Food Protection, 1998, 61, 817-822. | 0.8 | 50 |
| 240 | Evaluation of the VIDAS Methodology for Detection of Escherichia coli O157 in Food Samples. Journal of Food Protection, 1998, 61, 917-920. | 0.8 | 25 |
| 241 | Hemolytic Uremic Syndrome Associated With InvasiveStreptococcus pneumoniaeInfection. Pediatrics, 1998, 101, 699-703. | 1.0 | 89 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 242 | Longitudinal Study of <i>Escherichia coli</i> O157:H7 Dissemination on Four Dairy Farms in Wisconsin. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1390-1399. | 1.4 | 264 |
| 243 | Improvement of the Immunomagnetic Separation Method Selective for <i>Escherichia coli</i> O157 Strains. <i>Applied and Environmental Microbiology</i> , 1998, 64, 376-382. | 1.4 | 43 |
| 244 | Analysis of <i>Escherichia coli</i> O157:H7 Survival in Ovine or Bovine Manure and Manure Slurry. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3166-3174. | 1.4 | 450 |
| 245 | Reduction of Carriage of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 in Cattle by Inoculation with Probiotic Bacteria. <i>Journal of Clinical Microbiology</i> , 1998, 36, 641-647. | 1.8 | 231 |
| 246 | Modelling the Growth Limits (Growth/No Growth Interface) of <i>Escherichia coli</i> as a Function of Temperature, pH, Lactic Acid Concentration, and Water Activity. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1773-1779. | 1.4 | 191 |
| 247 | Pathomechanisms in the haemolytic-uraemic syndrome. <i>Nephrology Dialysis Transplantation</i> , 1998, 13, 23-27. | 0.4 | 38 |
| 248 | Pathogenesis and Diagnosis of Shiga Toxin-Producing <i>Escherichia coli</i> Infections. <i>Clinical Microbiology Reviews</i> , 1998, 11, 450-479. | 5.7 | 1,261 |
| 249 | Diarrheagenic <i>Escherichia coli</i> . <i>Clinical Microbiology Reviews</i> , 1998, 11, 142-201. | 5.7 | 4,216 |
| 250 | Rapid Detection of <i>Escherichia coli</i> O157:H7 in Ground Beef Using a Fiber-Optic Biosensor. <i>Journal of Food Protection</i> , 1999, 62, 711-716. | 0.8 | 117 |
| 251 | Behavior of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 on Alfalfa Sprouts during the Sprouting Process as Influenced by Treatments with Various Chemicals. <i>Journal of Food Protection</i> , 1999, 62, 850-856. | 0.8 | 106 |
| 252 | Prevalence of <i>Escherichia coli</i> in Apple Cider Manufactured in Connecticut. <i>Journal of Food Protection</i> , 1999, 62, 567-573. | 0.8 | 26 |
| 253 | Factors Associated with Fecal Shedding of Verotoxin-Producing <i>Escherichia coli</i> O157 on Dairy Farms. <i>Journal of Food Protection</i> , 1999, 62, 307-312. | 0.8 | 78 |
| 254 | <i>Escherichia coli</i> O157:H7 and Shiga-like-toxin-producing <i>Escherichia coli</i> in China. <i>World Journal of Gastroenterology</i> , 1999, 5, 191. | 1.4 | 19 |
| 255 | Fecal Shedding and Rumen Growth of <i>Escherichia coli</i> O157:H7 in Fasted Calves. <i>Journal of Food Protection</i> , 1999, 62, 574-579. | 0.8 | 56 |
| 256 | Survival of <i>Escherichia coli</i> O157:H7 in Ground-Beef Patties during Storage at 2, 15 and then 20°C, and 20°C. <i>Journal of Food Protection</i> , 1999, 62, 1243-1247. | 0.8 | 45 |
| 257 | <i>Escherichia coli</i> : EAEC, EHEC, EIEC, ETEC. <i>Clinics in Laboratory Medicine</i> , 1999, 19, 505-521. | 0.7 | 24 |
| 258 | In Vitro Activities of Cephalosporins and Quinolones against <i>Escherichia coli</i> Strains Isolated from Diarrheic Dairy Calves. <i>Antimicrobial Agents and Chemotherapy</i> , 1999, 43, 510-513. | 1.4 | 41 |
| 259 | Fate of <i>Escherichia coli</i> O157:H7 on Fresh-Cut Apple Tissue and Its Potential for Transmission by Fruit Flies. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1-5. | 1.4 | 196 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 260 | Development and Characterization of a Fluorescent-Bacteriophage Assay for Detection of <i>Escherichia coli</i> O157:H7. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1397-1404. | 1.4 | 143 |
| 261 | Massive Outbreak of <i>Escherichia coli</i> O157: H7 Infection In Schoolchildren in Sakai City, Japan, Associated with Consumption of White Radish Sprouts. <i>American Journal of Epidemiology</i> , 1999, 150, 787-796. | 1.6 | 443 |
| 262 | Outbreak of <i>Escherichia coli</i> O157 in a nursery: lessons for prevention. <i>Archives of Disease in Childhood</i> , 1999, 81, 60-63. | 1.0 | 37 |
| 263 | Infection of gnotobiotic calves with <i>Escherichia coli</i> O157:H7 strain A84. <i>Veterinary Record</i> , 1999, 144, 466-470. | 0.2 | 30 |
| 264 | Diagnosis of malignant catarrhal fever using the polymerase chain reaction. <i>Veterinary Record</i> , 1999, 145, 558-559. | 0.2 | 1 |
| 265 | Sequence Analysis of Stx2-Converting Phage VT2-Sa Shows a Great Divergence in Early Regulation and Replication Regions. <i>DNA Research</i> , 1999, 6, 235-240. | 1.5 | 65 |
| 266 | Prevalence of <i>Escherichia Coli</i> O157 and Other Shiga-Toxin-Producing <i>E. Coli</i> in Lambs at Slaughter. <i>Journal of Veterinary Diagnostic Investigation</i> , 1999, 11, 563-565. | 0.5 | 18 |
| 267 | Prevalence of shiga toxin genes among <i>Escherichia coli</i> strains isolated from pigs. <i>Veterinary Record</i> , 1999, 145, 557-558. | 0.2 | 23 |
| 268 | Characterization of expanded-spectrum cephalosporin resistance in <i>E. coli</i> isolates associated with bovine calf diarrhoeal disease. <i>Journal of Antimicrobial Chemotherapy</i> , 1999, 44, 607-610. | 1.3 | 80 |
| 269 | Detection of <i>Escherichia coli</i> O157:H7 from <i>Musca domestica</i> (Diptera: Muscidae) at a Cattle Farm in Japan. <i>Journal of Medical Entomology</i> , 1999, 36, 108-112. | 0.9 | 119 |
| 270 | Octamer-based genome scanning distinguishes a unique subpopulation of <i>Escherichia coli</i> O157:H7 strains in cattle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 13288-13293. | 3.3 | 168 |
| 271 | Diarrheogenic <i>Escherichia coli</i> . <i>Current Problems in Pediatrics</i> , 1999, 29, 208-216. | 1.1 | 10 |
| 272 | Flow-through immunofiltration assay system for rapid detection of <i>E. coli</i> O157:H7. <i>Biosensors and Bioelectronics</i> , 1999, 14, 309-316. | 5.3 | 158 |
| 273 | Biosensors for detection of pathogenic bacteria. <i>Biosensors and Bioelectronics</i> , 1999, 14, 599-624. | 5.3 | 890 |
| 274 | Risk factors for the development of <i>Escherichia coli</i> O157:H7 associated with hemolytic uremic syndrome. <i>Pediatrics International</i> , 1999, 41, 218-222. | 0.2 | 28 |
| 275 | Factors influencing the development of hemolytic uremic syndrome caused by enterohemorrhagic <i>Escherichia coli</i> infection: From a questionnaire survey to in vitro experiment. <i>Pediatrics International</i> , 1999, 41, 209-212. | 0.2 | 9 |
| 276 | Molecular analysis of enterohemorrhagic <i>Escherichia coli</i> isolates in Japan and its application to epidemiological investigation. <i>Pediatrics International</i> , 1999, 41, 202-208. | 0.2 | 18 |
| 277 | The microbiological safety of minimally processed vegetables. <i>International Journal of Food Science and Technology</i> , 1999, 34, 1-22. | 1.3 | 376 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 278 | Fate of <i>Escherichia coli</i> O157:H7 in unpasteurized milk stored at 8°C. <i>Letters in Applied Microbiology</i> , 1999, 28, 89-??? | 1.0 | 40 |
| 279 | Influence of oxygen availability on physiology, verocytotoxin expression and adherence of <i>Escherichia coli</i> O157. <i>Journal of Applied Microbiology</i> , 1999, 86, 117-124. | 1.4 | 28 |
| 280 | Antimicrobial activity of a 14-residue peptide against <i>Escherichia coli</i> O157:H7. <i>Journal of Applied Microbiology</i> , 1999, 87, 750-756. | 1.4 | 21 |
| 281 | Verotoxin-producing <i>Escherichia coli</i> O157:H7 carried by the housefly in Japan. <i>Medical and Veterinary Entomology</i> , 1999, 13, 214-216. | 0.7 | 55 |
| 282 | Cell density dependent acid sensitivity in stationary phase cultures of enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>FEMS Microbiology Letters</i> , 1999, 181, 289-295. | 0.7 | 29 |
| 283 | Highly sensitive flow-injection immunoassay system for rapid detection of bacteria. <i>Analytica Chimica Acta</i> , 1999, 399, 99-108. | 2.6 | 88 |
| 284 | Evolution of virulence factors in Shiga-toxin-producing <i>Escherichia coli</i> . <i>Cellular and Molecular Life Sciences</i> , 1999, 56, 735-741. | 2.4 | 21 |
| 285 | Restoration of culturability of starvation-stressed and low-temperature-stressed <i>Escherichia coli</i> O157 cells by using H ₂ O ₂ -degrading compounds. <i>Archives of Microbiology</i> , 1999, 172, 63-67. | 1.0 | 168 |
| 286 | A simulation model for studying the role of pre-slaughter factors on the exposure of beef carcasses to human microbial hazards. <i>Preventive Veterinary Medicine</i> , 1999, 41, 37-54. | 0.7 | 18 |
| 287 | The use of a fluorescent bacteriophage assay for detection of <i>Escherichia coli</i> O157:H7 in inoculated ground beef and raw milk. <i>International Journal of Food Microbiology</i> , 1999, 47, 43-50. | 2.1 | 101 |
| 288 | Isolation and characterization of verocytotoxin-producing <i>Escherichia coli</i> O157 from slaughter pigs and poultry. <i>International Journal of Food Microbiology</i> , 1999, 52, 67-75. | 2.1 | 93 |
| 289 | Isolation of Verocytotoxin-producing <i>Escherichia coli</i> O157:H7 from cattle at slaughter in Italy. <i>Veterinary Microbiology</i> , 1999, 67, 203-211. | 0.8 | 84 |
| 290 | Prevalence and infection risks of zoonotic enteropathogenic bacteria in Swiss cow-calf farms. <i>Veterinary Microbiology</i> , 1999, 69, 251-263. | 0.8 | 64 |
| 291 | High occurrence of Shiga toxin-producing <i>Escherichia coli</i> (STEC) in healthy cattle in Rio de Janeiro State, Brazil. <i>Veterinary Microbiology</i> , 1999, 70, 111-121. | 0.8 | 117 |
| 292 | Difference between <i>Escherichia coli</i> O157:H7 and non-pathogenic <i>E. coli</i> : Survival and growth in seasonings. <i>Journal of Bioscience and Bioengineering</i> , 1999, 88, 574-576. | 1.1 | 4 |
| 293 | The epidemiology, detection and control of <i>Escherichia coli</i> O157. <i>Journal of the Science of Food and Agriculture</i> , 1999, 79, 1367-1381. | 1.7 | 64 |
| 294 | Behavior of <i>Escherichia coli</i> O157:H7 and <i>Listeria monocytogenes</i> in Tryptic soy broth subjected to various low temperature treatments. <i>Food Research International</i> , 1999, 32, 1-6. | 2.9 | 12 |
| 295 | Hydrochloric Acid Treatment for Rapid Recovery of Shiga Toxin-Producing <i>Escherichia coli</i> O26, O111 and O157 from Faeces, Food and Environmental Samples. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1999, 289, 285-299. | 0.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 296 | An Effective, Rapid and Simple Method for Isolation of Shiga Toxin-Producing <i>Escherichia coli</i> O26, O111 and O157 from Faeces and Food Samples. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1999, 289, 415-428. | 0.5 | 25 |
| 297 | Epidemiology and diagnosis of Shiga toxin-producing <i>Escherichia coli</i> infections. <i>Diagnostic Microbiology and Infectious Disease</i> , 1999, 34, 229-243. | 0.8 | 177 |
| 298 | Epigallocatechin gallate and gallic acid inhibit extracellular release of Vero toxin from enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1999, 1472, 42-50. | 1.1 | 70 |
| 299 | Controlling <i>Escherichia coli</i> O157: the emerging challenge. <i>Journal of Hospital Infection</i> , 1999, 43, S175-S181. | 1.4 | 3 |
| 300 | Pathogenesis of <i>Escherichia coli</i> O157:H7 in Weaned Calves. <i>Advances in Experimental Medicine and Biology</i> , 1999, 473, 173-177. | 0.8 | 61 |
| 301 | ESCHERICHIA COLI O157:H7 GASTROENTERITIS AND THE HEMOLYTIC UREMIC SYNDROME: An Emerging Infectious Disease. <i>Annual Review of Medicine</i> , 1999, 50, 355-367. | 5.0 | 167 |
| 302 | Growth of Starved <i>Escherichia coli</i> O157 Cells in Selective and Non-selective Media. <i>Microbiology and Immunology</i> , 1999, 43, 217-227. | 0.7 | 11 |
| 303 | Swimming-associated outbreak of <i>Escherichia coli</i> O157:H7. <i>Epidemiology and Infection</i> , 1999, 122, 1-5. | 1.0 | 64 |
| 304 | Temporal and geographical distributions of reported cases of <i>Escherichia coli</i> O157:H7 infection in Ontario. <i>Epidemiology and Infection</i> , 1999, 122, 193-200. | 1.0 | 110 |
| 305 | Molecular typing of <i>Escherichia coli</i> O157:H7 isolates from cattle in Japan. <i>Epidemiology and Infection</i> , 1999, 122, 337-341. | 1.0 | 22 |
| 306 | A case-control study of sporadic infection with O157 and non-O157 verocytotoxin-producing <i>Escherichia coli</i> . <i>Epidemiology and Infection</i> , 1999, 122, 359-365. | 1.0 | 26 |
| 307 | Genetic subtyping of <i>Escherichia coli</i> O157 isolates from 41 Pacific Northwest USA cattle farms. <i>Epidemiology and Infection</i> , 1999, 122, 479-484. | 1.0 | 84 |
| 308 | Molecular typing methods to investigate transmission of <i>Escherichia coli</i> O157:H7 from cattle to humans. <i>Epidemiology and Infection</i> , 1999, 123, 17-24. | 1.0 | 36 |
| 309 | An international outbreak of Vero cytotoxin-producing <i>Escherichia coli</i> O157 infection amongst tourists; a challenge for the European infectious disease surveillance network. <i>Epidemiology and Infection</i> , 1999, 123, 217-223. | 1.0 | 47 |
| 310 | Evaluation of AFLP, A High-Resolution DNA Fingerprinting Method, as a Tool for Molecular Subtyping of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Isolates. <i>Microbiology and Immunology</i> , 1999, 43, 803-806. | 0.7 | 27 |
| 311 | ESCHERICHIA COLI O157 <i>Escherichia coli</i> O157:H7. , 1999, , 646-652. | | 3 |
| 312 | Complete nucleotide sequence of the prophage VT2-Sakai carrying the verotoxin 2 genes of the enterohemorrhagic <i>Escherichia coli</i> O157:H7 derived from the Sakai outbreak.. <i>Genes and Genetic Systems</i> , 1999, 74, 227-239. | 0.2 | 114 |
| 313 | Increased Serum IL-10 and Endothelin Levels in Hemolytic Uremic Syndrome Caused by <i>Escherichia coli</i> O157. <i>Nephron</i> , 2000, 84, 326-332. | 0.9 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 314 | Where's the Beef?. Archives of Internal Medicine, 2000, 160, 2380. | 4.3 | 36 |
| 315 | Antimicrobial Effect of Chemical Preservatives on Enterohemorrhagic Escherichia coli O157:H7.. Journal of Health Science, 2000, 46, 204-208. | 0.9 | 13 |
| 316 | The effect of fasting and diet on fecal shedding of <i>Escherichia coli</i> O157:H7 by cattle. Canadian Journal of Animal Science, 2000, 80, 741-744. | 0.7 | 26 |
| 317 | Immunization Against Bacterial Diseases of the Intestine. Journal of Pediatric Gastroenterology and Nutrition, 2000, 31, 336-355. | 0.9 | 60 |
| 318 | Estimation of the under-reporting rate for the surveillance of Escherichia coli O157[$\frac{1}{1}$]H7 cases in Ontario, Canada. Epidemiology and Infection, 2000, 125, 35-45. | 1.0 | 23 |
| 319 | Predictors for the development of haemolytic uraemic syndrome with Escherichia coli O157[$\frac{1}{1}$]H7 infections: with focus on the day of illness. Epidemiology and Infection, 2000, 124, 343-349. | 1.0 | 31 |
| 320 | Investigation of human infections with verocytotoxin-producing strains of Escherichia coli (VTEC) belonging to serogroup O118 with evidence for zoonotic transmission. Epidemiology and Infection, 2000, 125, 47-54. | 1.0 | 23 |
| 321 | Detection and characterization of Shiga toxin-producing Escherichia coli from seagulls. Epidemiology and Infection, 2000, 125, 55-61. | 1.0 | 55 |
| 322 | Waterborne<i>Escherichia coli</i>O157. Journal of Applied Microbiology, 2000, 88, 124S-132S. | 1.4 | 101 |
| 323 | VTEC enteropathogenicity. Journal of Applied Microbiology, 2000, 88, 12S-23S. | 1.4 | 38 |
| 324 | Molecular epidemiological investigation of enterohaemorrhagicEscherichia coliisolates in Japan. Journal of Applied Microbiology, 2000, 88, 99S-105S. | 1.4 | 4 |
| 325 | Detection of Escherichia coli O157:H7 in heifers' faecal samples using an automated immunoconcentration system. Letters in Applied Microbiology, 2000, 30, 217-222. | 1.0 | 25 |
| 326 | Shiga-toxin-producing Escherichia coli in faeces of healthy dairy cows, sheep and goats: prevalence and virulence properties. Letters in Applied Microbiology, 2000, 31, 203-208. | 1.0 | 99 |
| 327 | Inhibitory effect of intestinal anti-Gb3 IgA antibody on verotoxin-induced cytotoxicity. Letters in Applied Microbiology, 2000, 31, 449-454. | 1.0 | 3 |
| 328 | Prevalence and characteristics of verotoxin-producing Escherichia coli (VTEC) in stool samples from asymptomatic human carriers working in the meat processing industry in Switzerland. Journal of Applied Microbiology, 2000, 88, 335-341. | 1.4 | 52 |
| 329 | Virulence factors of Escherichia coli O157 and other Shiga toxin-producing E. coli. Journal of Applied Microbiology, 2000, 88, 729-745. | 1.4 | 296 |
| 330 | Genomic typing of Escherichia coli O157:H7 by semi-automated fluorescent AFLP analysis. Microbes and Infection, 2000, 2, 107-113. | 1.0 | 50 |
| 331 | Isolation and characterization ofEscherichia coliO157 from retail beef and bovine feces in Thailand. FEMS Microbiology Letters, 2000, 182, 343-347. | 0.7 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 332 | A sensitive microsphere coagulation ELISA for <i>Escherichia coli</i> O157:H7 using Russell's viper venom. <i>FEMS Microbiology Letters</i> , 2000, 186, 79-84. | 0.7 | 16 |
| 333 | Inducible λ 2 phages are lysogenized in the enteroaggregative and other phenotypic <i>Escherichia coli</i> O86:HNM isolated from patients. <i>FEMS Microbiology Letters</i> , 2000, 191, 7-10. | 0.7 | 49 |
| 334 | ESCHERICHIA COLI O157:H7 AND FERMENTED SAUSAGES: A REVIEW. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2000, 8, 141-170. | 0.4 | 33 |
| 335 | Characterization of shiga toxin-producing <i>Escherichia coli</i> strains isolated from calves in Poland. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2000, 23, 267-276. | 0.7 | 31 |
| 336 | Serotypes of verotoxin-producing (Shiga toxin-producing) <i>Escherichia coli</i> isolated from healthy sheep. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2000, 23, 1-7. | 0.7 | 34 |
| 337 | A large insertion in the Shiga-like toxin 2 gene (stx2) of an <i>Escherichia coli</i> O157:H7 clinical isolate. <i>International Journal of Food Microbiology</i> , 2000, 57, 115-124. | 2.1 | 10 |
| 338 | Recovery of low-temperature stressed <i>E. coli</i> O157:H7 and its susceptibility to crystal violet, bile salt, sodium chloride and ethanol. <i>International Journal of Food Microbiology</i> , 2000, 61, 127-136. | 2.1 | 13 |
| 339 | Development and evaluation of a PCR microplate capture hybridization method for direct detection of verotoxigenic <i>Escherichia coli</i> strains in artificially contaminated food samples. <i>International Journal of Food Microbiology</i> , 2000, 54, 1-8. | 2.1 | 10 |
| 340 | Development of a dose-response relationship for <i>Escherichia coli</i> O157:H7. <i>International Journal of Food Microbiology</i> , 2000, 56, 153-159. | 2.1 | 91 |
| 341 | Effect of Shiga toxin 2 on water and ion transport in human colon in vitro. <i>Digestive Diseases and Sciences</i> , 2000, 45, 480-486. | 1.1 | 13 |
| 342 | Enteropathogenicity markers in <i>Escherichia coli</i> strains isolated from soft white cheese and poultry in Rio de Janeiro, Brazil. <i>Food Microbiology</i> , 2000, 17, 321-328. | 2.1 | 16 |
| 343 | Enterohemorrhagic <i>Escherichia coli</i> infections: following transmission routes. <i>Pediatric Nephrology</i> , 2000, 14, 73-83. | 0.9 | 51 |
| 344 | Effects of Diet on Rumen Proliferation and Fecal Shedding of <i>Escherichia coli</i> O157:H7 in Calves. <i>Journal of Food Protection</i> , 2000, 63, 1630-1636. | 0.8 | 64 |
| 345 | Interventions for the Reduction of <i>Salmonella</i> Typhimurium DT 104 and Non-O157:H7 Enterohemorrhagic <i>Escherichia coli</i> on Beef Surfaces. <i>Journal of Food Protection</i> , 2000, 63, 1326-1332. | 0.8 | 72 |
| 346 | Evaluation of the Reveal and SafePath Rapid <i>Escherichia coli</i> O157 Detection Tests for Use on Bovine Feces and Carcasses. <i>Journal of Food Protection</i> , 2000, 63, 860-866. | 0.8 | 12 |
| 347 | The Effect of Different Grain Diets on Fecal Shedding of <i>Escherichia coli</i> O157:H7 by Steers. <i>Journal of Food Protection</i> , 2000, 63, 1467-1474. | 0.8 | 96 |
| 348 | Microbiology of Potatoes and Potato Products: A Review. <i>Journal of Food Protection</i> , 2000, 63, 668-683. | 0.8 | 42 |
| 349 | Microbial quality of water in rural communities of Trinidad. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2000, 8, 172-180. | 0.6 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 350 | Verotoxin-1 Induces Tissue Factor Expression in Human Umbilical Vein Endothelial Cells through Activation of NF- κ B/Rel and AP-1. <i>Thrombosis and Haemostasis</i> , 2000, 84, 712-721. | 1.8 | 31 |
| 351 | Survival of verocytotoxigenic <i>Escherichia coli</i> O157 in soil, water and on surfaces. <i>Journal of Applied Microbiology</i> , 2000, 88, 71S-78S. | 1.4 | 159 |
| 352 | Study of an ELISA method for the detection of <i>E. coli</i> O157 in food. <i>Progress in Biotechnology</i> , 2000, 17, 359-368. | 0.2 | 5 |
| 353 | A New Shiga Toxin 2 Variant (Stx2f) from <i>Escherichia coli</i> Isolated from Pigeons. <i>Applied and Environmental Microbiology</i> , 2000, 66, 1205-1208. | 1.4 | 284 |
| 354 | Persistent Colonization of Sheep by <i>Escherichia coli</i> O157:H7 and Other <i>E. coli</i> Pathotypes. <i>Applied and Environmental Microbiology</i> , 2000, 66, 4926-4934. | 1.4 | 75 |
| 355 | Cattle lack vascular receptors for <i>Escherichia coli</i> O157:H7 Shiga toxins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 10325-10329. | 3.3 | 164 |
| 356 | Severe <i>Escherichia coli</i> O111 septicaemia and polyserositis in hens at the start of lay. <i>Avian Pathology</i> , 2000, 29, 311-317. | 0.8 | 53 |
| 357 | <i>Escherichia coli</i> O157:H7 Causes More-Severe Systemic Disease in Suckling Piglets than in Colostrum-Deprived Neonatal Piglets. <i>Infection and Immunity</i> , 2000, 68, 2356-2358. | 1.0 | 37 |
| 358 | Results of a longitudinal study of the prevalence of <i>Escherichia coli</i> O157:H7 on cow-calf farms. <i>American Journal of Veterinary Research</i> , 2000, 61, 1375-1379. | 0.3 | 74 |
| 359 | Antibacterials that are used as growth promoters in animal husbandry can affect the release of Shiga-toxin-2-converting bacteriophages and Shiga toxin 2 from <i>Escherichia coli</i> strains. <i>Microbiology (United Kingdom)</i> , 2000, 146, 1085-1090. | 0.7 | 108 |
| 360 | Characterization of a Shiga Toxin 2e-Converting Bacteriophage from an <i>Escherichia coli</i> Strain of Human Origin. <i>Infection and Immunity</i> , 2000, 68, 4850-4855. | 1.0 | 100 |
| 361 | Vascular Ultrastructure and DNA Fragmentation in Swine Infected with Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Veterinary Pathology</i> , 2000, 37, 318-327. | 0.8 | 28 |
| 362 | Contribution of dps to Acid Stress Tolerance and Oxidative Stress Tolerance in <i>Escherichia coli</i> O157:H7. <i>Applied and Environmental Microbiology</i> , 2000, 66, 3911-3916. | 1.4 | 142 |
| 363 | Role of rpoS in Acid Resistance and Fecal Shedding of <i>Escherichia coli</i> O157:H7. <i>Applied and Environmental Microbiology</i> , 2000, 66, 632-637. | 1.4 | 100 |
| 364 | Human Response to <i>Escherichia coli</i> O157:H7 Infection: Antibodies to Secreted Virulence Factors. <i>Infection and Immunity</i> , 2000, 68, 5090-5095. | 1.0 | 130 |
| 365 | Companion Animals as Reservoirs of <i>eae</i> <i>Escherichia Coli</i> . <i>Journal of Veterinary Diagnostic Investigation</i> , 2000, 12, 78-80. | 0.5 | 5 |
| 366 | Structural Analysis of Phage-Borne stx Genes and Their Flanking Sequences in Shiga Toxin-Producing <i>Escherichia coli</i> and <i>Shigella dysenteriae</i> Type 1 Strains. <i>Infection and Immunity</i> , 2000, 68, 4856-4864. | 1.0 | 143 |
| 367 | Verocytotoxin-producing <i>Escherichia coli</i> O157 on a farm open to the public: outbreak investigation and longitudinal bacteriological study. <i>Veterinary Record</i> , 2000, 147, 259-264. | 0.2 | 80 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 368 | Murine Monoclonal Antibodies Specific for Lipopolysaccharide of Escherichia coli O26 and O111. Applied and Environmental Microbiology, 2000, 66, 4124-4127. | 1.4 | 12 |
| 369 | Determination of the Sensitivity of a Rapid Escherichia coli O157:H7 Assay for Testing 375-Gram Composite Samples. Applied and Environmental Microbiology, 2000, 66, 4149-4151. | 1.4 | 22 |
| 370 | Simultaneous Detection of Salmonella Strains and Escherichia coli O157:H7 with Fluorogenic PCR and Single-Enrichment-Broth Culture. Applied and Environmental Microbiology, 2000, 66, 5472-5476. | 1.4 | 87 |
| 371 | Isolation and Characterization of Mini-Tn 5 Km ² Insertion Mutants of Enterohemorrhagic Escherichia coli O157:H7 Deficient in Adherence to Caco-2 Cells. Infection and Immunity, 2000, 68, 5943-5952. | 1.0 | 72 |
| 372 | Characterization of SepL of Enterohemorrhagic Escherichia coli. Journal of Bacteriology, 2000, 182, 6490-6498. | 1.0 | 58 |
| 373 | Shiga Toxin-Producing Escherichia coli Infection: Temporal and Quantitative Relationships among Colonization, Toxin Production, and Systemic Disease. Journal of Infectious Diseases, 2000, 181, 242-251. | 1.9 | 32 |
| 374 | Escherichia coli O157:H7 Strains That Express Shiga Toxin (Stx) 2 Alone Are More Neurotropic for Gnotobiotic Piglets Than Are Isotypes Producing Only Stx1 or Both Stx1 and Stx2. Journal of Infectious Diseases, 2000, 181, 1825-1829. | 1.9 | 92 |
| 375 | INFLAMMATORY AND IMMUNOLOGICAL PARAMETERS IN CHILDREN WITH HAEMOLYTIC UREMIC SYNDROME (HUS) AND GASTROENTERITIS—PATHOPHYSIOLOGICAL AND DIAGNOSTIC CLUES. Cytokine, 2000, 12, 822-827. | 1.4 | 30 |
| 376 | Complete nucleotide sequence of the prophage VT1-Sakai carrying the Shiga toxin 1 genes of the enterohemorrhagic Escherichia coli O157:H7 strain derived from the Sakai outbreak. Gene, 2000, 258, 127-139. | 1.0 | 93 |
| 377 | Biopsy diagnosis of intestinal infectious diseases. Current Diagnostic Pathology, 2000, 6, 206-212. | 0.4 | 1 |
| 378 | Microbiological Safety of Drinking Water. Annual Review of Microbiology, 2000, 54, 81-127. | 2.9 | 446 |
| 379 | Platelet-activating factor acetylhydrolase gene mutation in Japanese children with Escherichia coli O157-associated hemolytic uremic syndrome. American Journal of Kidney Diseases, 2000, 36, 42-46. | 2.1 | 11 |
| 380 | Haemolytic Uraemic Syndrome. Paediatric Drugs, 2000, 2, 243-252. | 1.3 | 5 |
| 381 | Typing of Intimin Genes in Human and Animal Enterohemorrhagic and Enteropathogenic Escherichia coli: Characterization of a New Intimin Variant. Infection and Immunity, 2000, 68, 64-71. | 1.0 | 386 |
| 382 | SHIGELLA AND SHIGA TOXIN-PRODUCING ESCHERICHIA COLI CAUSING BLOODY DIARRHEA IN LATIN AMERICA. Infectious Disease Clinics of North America, 2000, 14, 41-65. | 1.9 | 35 |
| 383 | Epidemiological Potential of Excretion and Regurgitation by <i>Musca domestica</i> (Diptera: Muscidae) in the Dissemination of <i>Escherichia coli</i> O157: H7 to Food. Journal of Medical Entomology, 2000, 37, 945-949. | 0.9 | 141 |
| 384 | A foodborne outbreak of Vero cytotoxin-producing Escherichia coli O157:H-phage type 8 in hospital. Journal of Hospital Infection, 2001, 49, 167-172. | 1.4 | 21 |
| 385 | Molecular characterisation of Shiga toxin-producing Escherichia coli O157 strains isolated in Poland. Research in Veterinary Science, 2001, 70, 175-177. | 0.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 386 | Superficial contamination of bovine carcasses by <i>Escherichia coli</i> O157:H7 in a slaughterhouse in Normandy (France). <i>Meat Science</i> , 2001, 58, 329-331. | 2.7 | 15 |
| 387 | <title>Light-emission-based biosensor for detection of food pathogens: a review</title>. , 2001, , . | | 0 |
| 389 | The occurrence of <i>E. Coli</i> O157:H7 in South African water sources intended for direct and indirect human consumption. <i>Water Research</i> , 2001, 35, 3085-3088. | 5.3 | 50 |
| 390 | Prospects for the prevention of haemolytic-uraemic syndrome. <i>Lancet, The</i> , 2001, 357, 1636-1638. | 6.3 | 4 |
| 391 | An Antibody-Immobilized Capillary Column as a Bioseparator/Bioreactor for Detection of <i>Escherichia coli</i> O157:H7 with Absorbance Measurement. <i>Analytical Chemistry</i> , 2001, 73, 5180-5183. | 3.2 | 37 |
| 392 | Factors Contributing to the Emergence of <i>Escherichia coli</i> O157 in Africa. <i>Emerging Infectious Diseases</i> , 2001, 7, 812-819. | 2.0 | 92 |
| 393 | Isolation and Characterization of <i>Escherichia coli</i> O157:H7 from Retail Meats in Argentina. <i>Journal of Food Protection</i> , 2001, 64, 1346-1351. | 0.8 | 74 |
| 394 | Shiga Toxin-Producing <i>Escherichia coli</i> in Beef Heifers Grazing an Irrigated Pasture. <i>Journal of Food Protection</i> , 2001, 64, 1613-1616. | 0.8 | 32 |
| 395 | A Bienszyme Electrochemical Biosensor Coupled with Immunomagnetic Separation for Rapid Detection of <i>Escherichia coli</i> O157:H7 in Food Samples. , 2001, , . | | 0 |
| 396 | An outbreak of <i>E. coli</i> O157 infection with evidence of spread from animals to man through contamination of a private water supply. <i>Epidemiology and Infection</i> , 2001, 126, 135-138. | 1.0 | 109 |
| 397 | APPLICATION OF CAPILLARY COLUMN BIOSEPARATOR/BIOREACTOR TO DETECTION OF <i>E. COLI</i> O157:H7. , 2001, , . | | 0 |
| 398 | Monitoring patients in the community with suspected <i>Escherichia coli</i> O157 infection during a large outbreak in Scotland in 1996. <i>Epidemiology and Infection</i> , 2001, 127, 413-420. | 1.0 | 12 |
| 399 | Cattle as a Reservoir of Shiga-Like Toxin-Producing <i>Escherichia coli</i> Including O157:H7-Pre- and Post-Harvest Control Measures to Assure Beef Safety. <i>The Professional Animal Scientist</i> , 2001, 17, 1-16. | 0.7 | 9 |
| 400 | Adsorption Effect of Activated Charcoal on Enterohemorrhagic <i>Escherichia coli</i> . <i>Journal of Veterinary Medical Science</i> , 2001, 63, 281-285. | 0.3 | 47 |
| 401 | Detection of Verocytotoxin-Producing <i>Escherichia coli</i> O157 by Polymerase Chain Reaction Assay After Immunomagnetic Separation-Plating.. <i>Biocontrol Science</i> , 2001, 6, 43-47. | 0.2 | 3 |
| 402 | Different Binding Property of Verotoxin-1 and Verotoxin-2 Against Their Glycolipid Receptor, Globotriaosylceramide.. <i>Tohoku Journal of Experimental Medicine</i> , 2001, 195, 237-243. | 0.5 | 14 |
| 403 | Pathogenesis and evolution of virulence in enteropathogenic and enterohemorrhagic <i>Escherichia coli</i> . <i>Journal of Clinical Investigation</i> , 2001, 107, 539-548. | 3.9 | 226 |
| 404 | Cattle as a Reservoir of Shiga-Like Toxin-Producing <i>Escherichia coli</i> Including O157:H7-Pre- and Post-Harvest Control Measures to Assure Beef Safety. <i>The Professional Animal Scientist</i> , 2001, 17, 1-16. | 0.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 405 | Flies carrying enterohemorrhagic Escherichia coli (EHEC) O157 in Japan : A nationwide survey. <i>Medical Entomology and Zoology</i> , 2001, 52, 97-103. | 0.0 | 8 |
| 406 | Resolution of Escherichia coli O157:H7 That Contaminated Radish Sprouts in Two Outbreaks by Two-Dimensional Gel Electrophoresis. <i>Current Microbiology</i> , 2001, 43, 311-315. | 1.0 | 1 |
| 407 | Pathogenesis of Shiga toxin-induced hemolytic uremic syndrome. <i>Pediatric Nephrology</i> , 2001, 16, 823-839. | 0.9 | 141 |
| 408 | Pre-slaughter handling of cattle and Shiga toxin-producing Escherichia coli (STEC). <i>Letters in Applied Microbiology</i> , 2001, 32, 307-311. | 1.0 | 39 |
| 409 | Detection of Shiga-toxigenic Escherichia coli (STEC) in fresh seafood and meat marketed in Mangalore, India by PCR. <i>Letters in Applied Microbiology</i> , 2001, 33, 334-338. | 1.0 | 53 |
| 410 | Thrombotic microangiopathy, hemolytic uremic syndrome, and thrombotic thrombocytopenic purpura. <i>Kidney International</i> , 2001, 60, 831-846. | 2.6 | 399 |
| 411 | A comparison of a monoclonal antibody-based sandwich ELISA and immunomagnetic bead selective enrichment for the detection of Escherichia coli O157 from bovine faeces. <i>Journal of Applied Microbiology</i> , 2001, 91, 933-936. | 1.4 | 9 |
| 412 | Enterohaemorrhagic and enteropathogenic Escherichia coli use a different Tir-based mechanism for pedestal formation. <i>Molecular Microbiology</i> , 2001, 41, 1445-1458. | 1.2 | 97 |
| 413 | Use of Real-Time Polymerase Chain Reaction and Molecular Beacons for the Detection of Escherichia coli O157:H7. <i>Analytical Biochemistry</i> , 2001, 289, 281-288. | 1.1 | 131 |
| 414 | Survival and detection of Escherichia coli O157:H7 and Listeria monocytogenes during the manufacture of dry sausage using two different starter cultures. <i>Food Microbiology</i> , 2001, 18, 75-85. | 2.1 | 68 |
| 415 | Repair and growth of heat- and freeze-injured Escherichia coli O157:H7 in selective enrichment broths. <i>Food Microbiology</i> , 2001, 18, 617-629. | 2.1 | 30 |
| 416 | Recovery of heat-stressed E. coli O157:H7 from ground beef and survival of E. coli O157:H7 in refrigerated and frozen ground beef and in fermented sausage kept at 7Â°C and 22Â°C. <i>Food Microbiology</i> , 2001, 18, 511-519. | 2.1 | 21 |
| 417 | Detection of Escherichia coli O157:H7 and other intestinal pathogens in patients with diarrhoeal disease. <i>European Journal of Epidemiology</i> , 2001, 17, 97-99. | 2.5 | 4 |
| 418 | Occurrence and characterization of Escherichia coli O157 isolated from cattle in Norway. <i>Veterinary Research Communications</i> , 2001, 25, 13-26. | 0.6 | 10 |
| 419 | DIRECT DETECTION OF ESCHERICHIA COLI O157:H7 IN UNPASTEURIZED APPLE JUICE WITH AN EVANESCENT WAVE BIOSENSOR. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2001, 9, 241-257. | 0.4 | 33 |
| 420 | Modelling the vector pathway and infection of humans in an environmental outbreak of Escherichia coli O157. <i>FEMS Microbiology Letters</i> , 2001, 203, 69-73. | 0.7 | 86 |
| 421 | A field survey of Escherichia coli O157 ecology on a cattle farm in Italy. <i>International Journal of Food Microbiology</i> , 2001, 66, 85-93. | 2.1 | 55 |
| 422 | Faecal carriage of Verocytotoxin-producing Escherichia coli O157 and carcass contamination in cattle at slaughter in northern Italy. <i>International Journal of Food Microbiology</i> , 2001, 66, 47-53. | 2.1 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 423 | Effect of stress induced by suboptimal growth factors on survival of Escherichia coli O157:H7. International Journal of Food Microbiology, 2001, 66, 31-37. | 2.1 | 34 |
| 424 | The management of VTEC O157 infection. International Journal of Food Microbiology, 2001, 66, 103-110. | 2.1 | 31 |
| 425 | Evaluation of techniques for enrichment and isolation of Escherichia coli O157:H7 from artificially contaminated sprouts. International Journal of Food Microbiology, 2001, 71, 87-92. | 2.1 | 46 |
| 426 | Effect of oral sodium chlorate administration on Escherichia coli O157:H7 in the gut of experimentally infected pigs. International Journal of Food Microbiology, 2001, 71, 125-130. | 2.1 | 58 |
| 427 | Comparative evaluation of different chromogenic/fluorogenic media for detecting Escherichia coli O157:H7 in food. International Journal of Food Microbiology, 2001, 71, 257-262. | 2.1 | 58 |
| 428 | Prevalence of verotoxin-producing Escherichia coli and E. coli O157:H7 in pig carcasses from three French slaughterhouses. International Journal of Food Microbiology, 2001, 71, 249-255. | 2.1 | 26 |
| 429 | Review of epidemiological surveys on the prevalence of contamination of healthy cattle with Escherichia coli serogroup O157 : H7. International Journal of Hygiene and Environmental Health, 2001, 203, 347-361. | 2.1 | 63 |
| 430 | Occurrence of Escherichia coli O157 in Finnish cattle. Veterinary Microbiology, 2001, 79, 239-251. | 0.8 | 36 |
| 431 | Detection and characterization of Shiga toxin-producing Escherichia coli in feral pigeons. Veterinary Microbiology, 2001, 82, 275-283. | 0.8 | 83 |
| 432 | Reduction of fecal shedding of enterohemorrhagic Escherichia coli O157:H7 in lambs by feeding microbial feed supplement. Small Ruminant Research, 2001, 39, 31-39. | 0.6 | 109 |
| 433 | Spontaneous reactivation of Shiga toxins in Escherichia coli O157:H7 cells caused by transposon excision. Journal of Bioscience and Bioengineering, 2001, 92, 114-120. | 1.1 | 7 |
| 434 | Phylogenetic diversity and similarity of active sites of Shiga toxin (Stx) in Shiga toxin-producing Escherichia coli (STEC) isolates from humans and animals. Epidemiology and Infection, 2001, 127, 27-36. | 1.0 | 29 |
| 435 | Cattle Water Troughs as Reservoirs of Escherichia coli O157. Applied and Environmental Microbiology, 2001, 67, 3053-3057. | 1.4 | 184 |
| 436 | Serum Amyloid P Component Is the Shiga Toxin 2-neutralizing Factor in Human Blood. Journal of Biological Chemistry, 2001, 276, 41576-41579. | 1.6 | 50 |
| 437 | Sorbitol-Fermenting Shiga Toxin-Producing Escherichia coli O157:H7 Strains: Epidemiology, Phenotypic and Molecular Characteristics, and Microbiological Diagnosis. Journal of Clinical Microbiology, 2001, 39, 2043-2049. | 1.8 | 175 |
| 438 | Experimental infection of six-month-old sheep with Escherichia coli O157:H7. Veterinary Record, 2001, 148, 630-631. | 0.2 | 15 |
| 439 | Experimental and Field Studies of Escherichia coli O157:H7 in White-Tailed Deer. Applied and Environmental Microbiology, 2001, 67, 1218-1224. | 1.4 | 71 |
| 440 | Hemolytic-Uremic Syndrome and Escherichia coli O121 at a Lake in Connecticut, 1999. Pediatrics, 2001, 108, e59-e59. | 1.0 | 83 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 441 | toxB Gene on pO157 of Enterohemorrhagic Escherichia coli O157:H7 Is Required for Full Epithelial Cell Adherence Phenotype. <i>Infection and Immunity</i> , 2001, 69, 6660-6669. | 1.0 | 200 |
| 442 | Efficacy of Postinfection Treatment with Anti-Shiga Toxin (Stx) 2 Humanized Monoclonal Antibody TMA-15 in Mice Lethally Challenged with Stx-Producing Escherichia coli. <i>Journal of Infectious Diseases</i> , 2001, 184, 738-742. | 1.9 | 69 |
| 443 | Antibody Response to Shiga Toxins Stx2 and Stx1 in Children with Enteropathic Hemolytic-Uremic Syndrome. <i>Journal of Clinical Microbiology</i> , 2001, 39, 2272-2279. | 1.8 | 41 |
| 444 | Ancestral Divergence, Genome Diversification, and Phylogeographic Variation in Subpopulations of Sorbitol-Negative, β -Glucuronidase-Negative Enterohemorrhagic Escherichia coli O157. <i>Journal of Bacteriology</i> , 2001, 183, 6885-6897. | 1.0 | 88 |
| 445 | Imaging Features of Enterohemorrhagic Escherichia coli Colitis. <i>American Journal of Roentgenology</i> , 2001, 177, 619-623. | 1.0 | 28 |
| 446 | ESCHERICHIA COLI O157:H7 IN FREE-RANGING DEER IN NEBRASKA. <i>Journal of Wildlife Diseases</i> , 2001, 37, 755-760. | 0.3 | 83 |
| 447 | Restriction endonuclease analysis of RAPD-PCR amplicons derived from Shiga-like toxin-producing Escherichia coli O157 isolates. <i>Journal of Medical Microbiology</i> , 2001, 50, 90-95. | 0.7 | 8 |
| 448 | Attaching and effacing lesions caused by Escherichia coli O157:H7 in experimentally inoculated neonatal lambs. <i>Journal of Medical Microbiology</i> , 2001, 50, 752-758. | 0.7 | 32 |
| 449 | Environmental and Food Safety Aspects of Escherichia coli O157:H7 Infections in Cattle. <i>Critical Reviews in Microbiology</i> , 2001, 27, 57-73. | 2.7 | 83 |
| 450 | The United States National Prospective Hemolytic Uremic Syndrome Study: Microbiologic, Serologic, Clinical, and Epidemiologic Findings. <i>Journal of Infectious Diseases</i> , 2001, 183, 1063-1070. | 1.9 | 269 |
| 451 | Bacterial Polysaccharides as Vaccines: Immunity and Chemical Characterization. <i>Advances in Experimental Medicine and Biology</i> , 2001, 491, 453-471. | 0.8 | 32 |
| 452 | Detection in Escherichia coli of the Genes Encoding the Major Virulence Factors, the Genes Defining the O157:H7 Serotype, and Components of the Type 2 Shiga Toxin Family by Multiplex PCR. <i>Journal of Clinical Microbiology</i> , 2002, 40, 3613-3619. | 1.8 | 290 |
| 453 | Escherichia coli Harboring Shiga Toxin 2 Gene Variants: Frequency and Association with Clinical Symptoms. <i>Journal of Infectious Diseases</i> , 2002, 185, 74-84. | 1.9 | 677 |
| 454 | Human Stx2-Specific Monoclonal Antibodies Prevent Systemic Complications of Escherichia coli O157:H7 Infection. <i>Infection and Immunity</i> , 2002, 70, 612-619. | 1.0 | 109 |
| 455 | Clinical Escherichia coli Strains Carrying stx Genes: stx Variants and stx-Positive Virulence Profiles. <i>Journal of Clinical Microbiology</i> , 2002, 40, 4585-4593. | 1.8 | 159 |
| 456 | Characterization of Shiga Toxin-Producing Escherichia coli O157:H7 Isolated in Italy and in France. <i>Journal of Clinical Microbiology</i> , 2002, 40, 4619-4624. | 1.8 | 22 |
| 457 | Escherichia coli O157 Fails to Induce a Long-Lasting Lipopolysaccharide-Specific, Measurable Humoral Immune Response in Children with Hemolytic-Uremic Syndrome. <i>Journal of Infectious Diseases</i> , 2002, 186, 566-569. | 1.9 | 21 |
| 458 | Shiga Toxin-Producing Escherichia coli Infection and Antibodies against Stx2 and Stx1 in Household Contacts of Children with Enteropathic Hemolytic-Uremic Syndrome. <i>Journal of Clinical Microbiology</i> , 2002, 40, 1773-1782. | 1.8 | 60 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 459 | The Medical Significance of Shiga Toxin-Producing <i>Escherichia coli</i> Infections: An Overview. , 2003, 73, 01-07. | | 4 |
| 460 | Saliva IgM and IgA Are a Sensitive Indicator of the Humoral Immune Response to <i>Escherichia coli</i> O157 Lipopolysaccharide in Children with Enteropathic Hemolytic Uremic Syndrome. <i>Pediatric Research</i> , 2002, 52, 307-313. | 1.1 | 37 |
| 461 | A disposable membrane strip immunosensor. , 0, , . | | 4 |
| 462 | Role of the Laboratory in the Diagnosis of Enterohemorrhagic <i>Escherichia coli</i> Infections. <i>Journal of Clinical Microbiology</i> , 2002, 40, 2711-2715. | 1.8 | 58 |
| 463 | <i>Escherichia coli</i> O157[σ]H7 infection in cows and calves in a beef cattle herd in Alberta, Canada. <i>Epidemiology and Infection</i> , 2002, 129, 163-172. | 1.0 | 61 |
| 464 | Shedding of <i>Escherichia coli</i> O157:H7 in Dairy Cattle Housed in a Confined Environment following Waterborne Inoculation. <i>Applied and Environmental Microbiology</i> , 2002, 68, 1947-1954. | 1.4 | 59 |
| 465 | Population-based Trends in Pediatric Hemolytic Uremic Syndrome in California, 1994-1999: Substantial Underreporting and Public Health Implications. <i>American Journal of Epidemiology</i> , 2002, 155, 941-948. | 1.6 | 27 |
| 466 | Gastrointestinal Tract Location of <i>Escherichia coli</i> O157:H7 in Ruminants. <i>Applied and Environmental Microbiology</i> , 2002, 68, 2269-2277. | 1.4 | 185 |
| 467 | Identification, Characterization, and Distribution of a Shiga Toxin 1 Gene Variant (<i>stx1c</i>) in <i>Escherichia coli</i> Strains Isolated from Humans. <i>Journal of Clinical Microbiology</i> , 2002, 40, 1441-1446. | 1.8 | 143 |
| 468 | Detection and Subtyping of Shiga Toxin-Producing <i>Escherichia coli</i> (STEC). , 2003, 216, 163-184. | | 7 |
| 469 | Isolation and Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> O157:H7 from Beef, Pork and Cattle Fecal Samples in Changchun, China. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 1041-1044. | 0.3 | 19 |
| 470 | A long-term study on the prevalence of shiga toxin-producing <i>Escherichia coli</i> (STEC) on four German cattle farms. <i>Epidemiology and Infection</i> , 2002, 129, 173-185. | 1.0 | 92 |
| 471 | Monoclonal Antibody to Shiga Toxin 1, Which Blocks Receptor Binding and Neutralizes Cytotoxicity. <i>Microbiology and Immunology</i> , 2002, 46, 777-780. | 0.7 | 11 |
| 472 | Possible food contamination with the excreta of housefly with enterohemorrhagic <i>Escherichia coli</i> O157 : H7. <i>Medical Entomology and Zoology</i> , 2002, 53, 83-87. | 0.0 | 9 |
| 473 | Development of Humanized Monoclonal Antibody TMA-15 Which Neutralizes Shiga Toxin 2. <i>Hybridoma</i> , 2002, 21, 161-168. | 0.6 | 27 |
| 474 | Prevalence and characteristics of attaching and effacing strains of <i>Escherichia coli</i> isolated from diarrheic and healthy sheep and goats. <i>American Journal of Veterinary Research</i> , 2002, 63, 262-266. | 0.3 | 23 |
| 475 | Microbial Agents Associated with Waterborne Diseases. <i>Critical Reviews in Microbiology</i> , 2002, 28, 371-409. | 2.7 | 477 |
| 476 | Transmission and control of <i>Escherichia coli</i> O157:H7 – A review. <i>Canadian Journal of Animal Science</i> , 2002, 82, 475-490. | 0.7 | 114 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 477 | Production and Characterization of Protective Human Antibodies against Shiga Toxin 1. <i>Infection and Immunity</i> , 2002, 70, 5896-5899. | 1.0 | 57 |
| 478 | MANAGING HEALTH RISKS FROM DRINKING WATER—A REPORT TO THE WALKERTON INQUIRY. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2002, 65, 1635-1823. | 1.1 | 31 |
| 479 | Faecal carriage of verocytotoxin-producing <i>Escherichia coli</i> O157 in cattle and sheep at slaughter in Great Britain. <i>Veterinary Record</i> , 2002, 150, 593-598. | 0.2 | 94 |
| 482 | Detection and Characterization of Class 1 Integrons in Enterohemorrhagic <i>Escherichia coli</i> . <i>Microbial Drug Resistance</i> , 2002, 8, 85-91. | 0.9 | 25 |
| 483 | The role of type 1 and curli fimbriae of Shiga toxin-producing <i>Escherichia coli</i> in adherence to abiotic surfaces. <i>International Journal of Medical Microbiology</i> , 2002, 292, 195-205. | 1.5 | 151 |
| 484 | Detection of <i>Escherichia coli</i> O157:H7 using immunomagnetic separation and absorbance measurement. <i>Journal of Microbiological Methods</i> , 2002, 51, 369-377. | 0.7 | 36 |
| 485 | Enterohemorrhagic and Other Shiga Toxin-Producing <i>Escherichia coli</i> . , 2002, , 119-154. | | 19 |
| 486 | Polymerase Chain Reaction Assay for Detection of <i>Escherichia coli</i> O157:H7 and <i>Escherichia coli</i> O157:H8. <i>Journal of Food Protection</i> , 2002, 65, 5-11. | 0.8 | 10 |
| 487 | Deer Meat as the Source for a Sporadic Case of <i>Escherichia coli</i> O157:H7 Infection, Connecticut 1. <i>Emerging Infectious Diseases</i> , 2002, 8, 525-527. | 2.0 | 48 |
| 488 | First Shiga Toxin-Producing <i>Escherichia coli</i> isolate from a Patient with Hemolytic Uremic Syndrome, Brazil. <i>Emerging Infectious Diseases</i> , 2002, 8, 535-536. | 2.0 | 47 |
| 489 | Prevalence of Shiga Toxin-Producing <i>Escherichia coli</i> in Ground Beef and Cattle Feces from King County, Washington. <i>Journal of Food Protection</i> , 2002, 65, 1322-1325. | 0.8 | 39 |
| 490 | Penetration of Surface-Inoculated Bacteria as a Result of Hydrodynamic Shock Wave Treatment of Beef Steaks. <i>Journal of Food Protection</i> , 2002, 65, 616-620. | 0.8 | 12 |
| 491 | Influence of Acid Adaptation on the Tolerance of <i>Escherichia coli</i> O157:H7 to Some Subsequent Stresses. <i>Journal of Food Protection</i> , 2002, 65, 260-265. | 0.8 | 35 |
| 492 | Progress and data gaps in quantitative microbial risk assessment. <i>Water Science and Technology</i> , 2002, 46, 277-284. | 1.2 | 37 |
| 493 | Microbial Quality of Water Supply to an Urban Community in Trinidad. <i>Journal of Food Protection</i> , 2002, 65, 1297-1303. | 0.8 | 24 |
| 494 | Incidence of <i>Escherichia coli</i> O157:H7 in Frozen Beef Patties Produced over an 8-Hour Shift. <i>Journal of Food Protection</i> , 2002, 65, 1363-1370. | 0.8 | 15 |
| 495 | A BIENZYME ELECTROCHEMICAL BIOSENSOR COUPLED WITH IMMUNOMAGNETIC SEPARATION FOR RAPID DETECTION OF <i>ESCHERICHIA COLI</i> O157:H7 IN FOOD SAMPLES. <i>Transactions of the American Society of Agricultural Engineers</i> , 2002, 45, . | 0.9 | 39 |
| 496 | Detection of <i>Escherichia coli</i> O157:H7 in 10- and 25-Gram Ground Beef Samples with an Evanescent-Wave Biosensor with Silica and Polystyrene Waveguides. <i>Journal of Food Protection</i> , 2002, 65, 596-602. | 0.8 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 497 | O157:H7 Shiga Toxin-Producing Escherichia coli Strains Associated with Sporadic Cases of Diarrhea in Sao Paulo, Brazil. <i>Emerging Infectious Diseases</i> , 2002, 8, 446-447. | 2.0 | 41 |
| 498 | Serotypes of non-O157 Verocytotoxigenic Escherichia coli isolated from Meat in New Zealand. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2002, 25, 77-84. | 0.7 | 13 |
| 499 | Inhibition of bacterial foodborne pathogens by the lactoperoxidase system in combination with monolaurin. <i>International Journal of Food Microbiology</i> , 2002, 73, 1-9. | 2.1 | 46 |
| 500 | Quantitative risk assessment of human infection from Escherichia coli O157 associated with recreational use of animal pasture. <i>International Journal of Food Microbiology</i> , 2002, 75, 39-51. | 2.1 | 41 |
| 501 | Effects of slaughter processes on pig carcass contamination by verotoxin-producing Escherichia coli and E. coli O157:H7. <i>International Journal of Food Microbiology</i> , 2002, 77, 99-108. | 2.1 | 23 |
| 502 | Effects of cutting process on pork meat contamination by verotoxin-producing Escherichia coli (VTEC) and E. coli O157:H7. <i>International Journal of Food Microbiology</i> , 2002, 77, 91-97. | 2.1 | 10 |
| 503 | Survival of Escherichia coli O157:H7 in traditional African yoghurt fermentation. <i>International Journal of Food Microbiology</i> , 2002, 79, 105-112. | 2.1 | 36 |
| 504 | Antimicrobial activity of Nutmeg against Escherichia coli O157. <i>Journal of Bioscience and Bioengineering</i> , 2002, 94, 315-320. | 1.1 | 50 |
| 505 | Detection of Shiga toxin-producing Escherichia coli by PCR in cattle in Argentina. <i>Veterinary Microbiology</i> , 2002, 87, 301-313. | 0.8 | 25 |
| 506 | Persistence of Escherichia coli O157:H7 in experimentally infected swine. <i>Veterinary Microbiology</i> , 2002, 89, 69-81. | 0.8 | 40 |
| 507 | Effect of dietary fiber on E. coli O157:H7 shedding in lambs. <i>Small Ruminant Research</i> , 2002, 43, 249-255. | 0.6 | 14 |
| 508 | Use of Phenotyping and Genotyping to Verify Transmission of Escherichia coli O157:H7 from Dairy Farms. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2002, 21, 189-195. | 1.3 | 41 |
| 509 | Verotoxin-producing Escherichia coli (VTEC), enteropathogenic E. coli (EPEC) and necrotoxigenic E. coli (NTEC) isolated from healthy cattle in Spain. <i>Journal of Applied Microbiology</i> , 2002, 93, 29-35. | 1.4 | 73 |
| 510 | Prevalence of verotoxin-producing Escherichia coli (VTEC) and E. coli O157:H7 in French pork. <i>Journal of Applied Microbiology</i> , 2002, 93, 7-14. | 1.4 | 17 |
| 511 | A PCR test for detecting Escherichia coli O157:H7 based on the identification of the small inserted locus (SILO157). <i>Journal of Applied Microbiology</i> , 2002, 93, 250-260. | 1.4 | 9 |
| 512 | Persistence of Escherichia coli O157:H7 in barley silage: effect of a bacterial inoculant. <i>Journal of Applied Microbiology</i> , 2002, 93, 288-294. | 1.4 | 35 |
| 513 | Regulated expression of the Shiga toxin B gene induces apoptosis in mammalian fibroblastic cells. <i>Molecular Microbiology</i> , 2002, 33, 1190-1199. | 1.2 | 47 |
| 514 | Rapid and specific identification of Shiga toxin-producing Escherichia coli in faeces by multiplex PCR. <i>Letters in Applied Microbiology</i> , 2002, 34, 304-310. | 1.0 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 515 | Prevalence of Escherichia coli O157:H7 in industrial minced beef. Letters in Applied Microbiology, 2002, 35, 7-11. | 1.0 | 48 |
| 516 | Survival of Escherichia coli O157 in abattoir waste products. Letters in Applied Microbiology, 2002, 35, 233-236. | 1.0 | 12 |
| 517 | Survival of Escherichia Coli O157:H7 During Storage of Yogurt at Different Temperatures. Journal of Food Science, 2002, 67, 1899-1903. | 1.5 | 31 |
| 518 | DETECTION OF ESCHERICHIA COLI O157 IN RAW BEEF USING A CCD BASED LIGHT SCATTERING INSTRUMENT. Journal of Rapid Methods and Automation in Microbiology, 2002, 10, 245-253. | 0.4 | 1 |
| 519 | RAPID TEST FOR DIAGNOSIS OF ENTEROHEMORRHAGIC E. COLI O157:H7 IN HUMAN STOOL SAMPLES. Journal of Rapid Methods and Automation in Microbiology, 2002, 10, 255-261. | 0.4 | 1 |
| 520 | Quantitative detection of Escherichia coli O157:H7 in ground beef by the polymerase chain reaction. Food Microbiology, 2002, 19, 159-165. | 2.1 | 23 |
| 521 | Bacteria of pathogenic importance in faeces from cadavers of free-ranging or corralled semi-domesticated reindeer in northern Norway. Veterinary Research Communications, 2003, 27, 93-100. | 0.6 | 16 |
| 522 | Risk factors for poor renal prognosis in children with hemolytic uremic syndrome. Pediatric Nephrology, 2003, 18, 1229-1235. | 0.9 | 50 |
| 523 | Serotypes and Shiga toxin genotypes among Escherichia coli isolated from animals and food in Argentina and Brazil. Veterinary Microbiology, 2003, 92, 335-349. | 0.8 | 28 |
| 524 | Interaction with avian cells and colonisation of specific pathogen free chicks by Shiga-toxin negative Escherichia coli O157:H7 (NCTC 12900). Veterinary Microbiology, 2003, 93, 207-222. | 0.8 | 20 |
| 525 | Detection of enterohemorrhagic Escherichia coli O157:H7 by using a multiplex real-time PCR assay for genes encoding intimin and Shiga toxins. Veterinary Microbiology, 2003, 93, 247-260. | 0.8 | 105 |
| 526 | Detection of Escherichia coli Shiga toxin (stx) and enterotoxin (estA and elt) genes in fecal samples from non-diarrheic and diarrheic greyhounds. Veterinary Microbiology, 2003, 94, 303-312. | 0.8 | 18 |
| 527 | Acid resistance of Escherichia coli O157:H7 from the gastrointestinal tract of cattle fed hay or grain. Veterinary Microbiology, 2003, 95, 211-225. | 0.8 | 34 |
| 528 | Typing of the eae and espB genes of attaching and effacing Escherichia coli isolates from ruminants. Veterinary Microbiology, 2003, 96, 203-215. | 0.8 | 28 |
| 529 | Acid tolerance and gad mRNA levels of Escherichia coli O157:H7 grown in foods. International Journal of Food Microbiology, 2003, 82, 203-211. | 2.1 | 12 |
| 530 | Isolation and molecular characterization of Escherichia coli O157 isolated from cattle, pigs and chickens at slaughter. International Journal of Food Microbiology, 2003, 84, 63-69. | 2.1 | 36 |
| 531 | Lower risk of Parkinson's disease in an admixed population of European and Indian origins. Movement Disorders, 2003, 18, 912-914. | 2.2 | 23 |
| 532 | Unique form of propriospinal myoclonus as a possible complication of an enteropathogenic toxin. Movement Disorders, 2003, 18, 942-948. | 2.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 533 | Multiple sclerosis tremor and the Stewart-Holmes manoeuvre. <i>Movement Disorders</i> , 2003, 18, 948-952. | 2.2 | 11 |
| 534 | Staged lesions through implanted deep brain stimulating electrodes: A new surgical procedure for treating tremor or dyskinesias. <i>Movement Disorders</i> , 2003, 18, 933-938. | 2.2 | 23 |
| 535 | Transplantation in Parkinson's disease: PET changes correlate with the amount of grafted tissue. <i>Movement Disorders</i> , 2003, 18, 928-932. | 2.2 | 61 |
| 536 | Olfactory bulb in multiple system atrophy. <i>Movement Disorders</i> , 2003, 18, 938-942. | 2.2 | 44 |
| 537 | Mutation analysis of theparkingene in Russian families with autosomal recessive juvenile parkinsonism. <i>Movement Disorders</i> , 2003, 18, 914-919. | 2.2 | 26 |
| 538 | The glutamate-dependent acid resistance system of <i>Escherichia coli</i> and <i>Shigella flexnerii</i> inhibited in vitro by l-trans-pyrrolidine-2,4-dicarboxylic acid. <i>FEMS Microbiology Letters</i> , 2003, 224, 119-125. | 0.7 | 28 |
| 539 | Identification of the promoter regions and σ^{54} -dependent regulation of the <i>gadA</i> and <i>gadBC</i> genes associated with glutamate-dependent acid resistance in <i>Shigella flexneri</i> . <i>FEMS Microbiology Letters</i> , 2003, 225, 155-160. | 0.7 | 24 |
| 540 | Rapid electrochemical detection and identification of catalase positive micro-organisms. <i>Biosensors and Bioelectronics</i> , 2003, 18, 741-749. | 5.3 | 29 |
| 541 | Effects of the antibiotic ionophores monensin, lasalocid, laidlomycin propionate and bambarmycin on <i>Salmonella</i> and <i>E. coli</i> O157:H7 in vitro*. <i>Journal of Applied Microbiology</i> , 2003, 94, 207-213. | 1.4 | 51 |
| 542 | Development of a 5'-nuclease PCR assay for detecting Shiga toxin-producing <i>Escherichia coli</i> O145 based on the identification of an 'O-island 29' homologue. <i>Journal of Applied Microbiology</i> , 2003, 94, 587-594. | 1.4 | 13 |
| 543 | A comparison of two pre-enrichment media prior to immunomagnetic separation for the isolation of <i>E. coli</i> O157 from bovine faeces. <i>Journal of Applied Microbiology</i> , 2003, 95, 155-159. | 1.4 | 28 |
| 544 | Development of a multiplex PCR approach for the identification of Shiga toxin-producing <i>Escherichia coli</i> strains and their major virulence factor genes. <i>Journal of Applied Microbiology</i> , 2003, 95, 1217-1225. | 1.4 | 54 |
| 545 | Induction of intestinal IgA and IgG antibodies preventing adhesion of verotoxin-producing <i>Escherichia coli</i> to Caco-2 cells by oral immunization with liposomes. <i>Letters in Applied Microbiology</i> , 2003, 36, 135-139. | 1.0 | 22 |
| 546 | DETECTION OF <i>ESCHERICHIA COLI</i> O157:H7 FROM FOOD BY A MICROPLATE SANDWICH IMMUNOASSAY USING TIME-RESOLVED FLUOROMETRY. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2003, 11, 133-143. | 0.4 | 4 |
| 547 | CHALK CULTURE METHOD FOR PRESERVING BACTERIA CULTURES AND ITS APPLICATIONS. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2003, 11, 163-224. | 0.4 | 2 |
| 548 | Growth and Survival of <i>Escherichia coli</i> O157:H7 in Different Types of Milk Stored at 4 oC or 20 oC. <i>Journal of Food Science</i> , 2003, 68, 2558-2563. | 1.5 | 7 |
| 549 | Fabrication of a disposable biosensor for <i>Escherichia coli</i> O157:H7 detection. <i>IEEE Sensors Journal</i> , 2003, 3, 345-351. | 2.4 | 89 |
| 550 | Optimization of a σ^{54} -minor groove binder-DNA probe targeting the <i>uidA</i> gene for rapid identification of <i>Escherichia coli</i> O157:H7 using real-time PCR. <i>Molecular and Cellular Probes</i> , 2003, 17, 275-280. | 0.9 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 551 | Procedures for Preparing Escherichia coli O157:H7 Immunoliposome and Its Application in Liposome Immunoassay. <i>Analytical Chemistry</i> , 2003, 75, 4330-4334. | 3.2 | 58 |
| 552 | Altered corticomotor representation in patients with Parkinson's disease. <i>Movement Disorders</i> , 2003, 18, 919-927. | 2.2 | 17 |
| 553 | Role of Shiga toxin 2 (Stx2)-binding protein, human serum amyloid P component (HuSAP), in Shiga toxin-producing Escherichia coli infections: assumption from in vitro and in vivo study using HuSAP and anti-Stx2 humanized monoclonal antibody TMA-15. <i>Biochemical and Biophysical Research Communications</i> , 2003, 305, 1057-1060. | 1.0 | 21 |
| 554 | Isolation and characterisation of Shiga toxin-producing Escherichia coli O157:H7 from calves in Argentina. <i>Research in Veterinary Science</i> , 2003, 74, 283-286. | 0.9 | 12 |
| 555 | Effects of a <i>Saccharomyces cerevisiae</i> feed supplement on Escherichia coli O157:H7 in ruminal fluid in vitro. <i>Animal Feed Science and Technology</i> , 2003, 104, 179-189. | 1.1 | 18 |
| 556 | Spontaneous antibiotic resistance mutation associated pleiotropic changes in Escherichia coli O157:H7. <i>Acta Veterinaria Hungarica</i> , 2003, 51, 29-44. | 0.2 | 8 |
| 557 | The role of intimin in the adherence of enterohaemorrhagic Escherichia coli (EHEC) O157:H7 to HEp-2 tissue culture cells and to bovine gut explant tissues. <i>International Journal of Medical Microbiology</i> , 2003, 292, 547-553. | 1.5 | 26 |
| 558 | Non-toxicogenic Escherichia coli O157:H7 strain NCTC12900 causes attaching-effacing lesions and eae-dependent persistence in weaned sheep. <i>International Journal of Medical Microbiology</i> , 2003, 293, 299-308. | 1.5 | 49 |
| 559 | Development of a lethal Shiga toxin-producing Escherichia coli-infection mouse model using multiple mitomycin C treatment. <i>Microbial Pathogenesis</i> , 2003, 35, 1-9. | 1.3 | 25 |
| 560 | Increased acid tolerance of Escherichia coli O157:H7 as affected by acid adaptation time and conditions of acid challenge. <i>Food Research International</i> , 2003, 36, 49-56. | 2.9 | 61 |
| 561 | Multiplex-PCR and PCR-RFLP assays to monitor water quality against pathogenic bacteria. <i>Journal of Environmental Monitoring</i> , 2003, 5, 865. | 2.1 | 17 |
| 562 | Acute Gastroenteritis in Children. <i>Paediatric Drugs</i> , 2003, 5, 279-290. | 1.3 | 14 |
| 563 | Association of Genomic O Island 122 of Escherichia coli EDL 933 with Verocytotoxin-Producing Escherichia coli Serotypes That Are Linked to Epidemic and/or Serious Disease. <i>Journal of Clinical Microbiology</i> , 2003, 41, 4930-4940. | 1.8 | 444 |
| 564 | Antiviral Activity of Shiga Toxin Requires Enzymatic Activity and Is Associated with Increased Permeability of the Target Cells. <i>Infection and Immunity</i> , 2003, 71, 327-334. | 1.0 | 14 |
| 565 | Increased Adherence to Caco-2 Cells Caused by Disruption of the yhiE and yhiF Genes in Enterohemorrhagic Escherichia coli O157:H7. <i>Infection and Immunity</i> , 2003, 71, 2598-2606. | 1.0 | 57 |
| 566 | Combining traditional and new preservation techniques to control pathogens: the case of E. coli. , 2003, , 204-227. | | 1 |
| 567 | Multiplex Real-Time PCR Method To Identify Shiga Toxin Genes stx1 and stx2 and Escherichia coli O157:H7/H ⁺ Serotype. <i>Applied and Environmental Microbiology</i> , 2003, 69, 6327-6333. | 1.4 | 97 |
| 568 | Detection, Isolation, and Molecular Subtyping of Escherichia coli O157:H7 and <i>Campylobacter jejuni</i> Associated with a Large Waterborne Outbreak. <i>Journal of Clinical Microbiology</i> , 2003, 41, 174-180. | 1.8 | 113 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 569 | Stx2-Specific Human Monoclonal Antibodies Protect Mice against Lethal Infection with <i>Escherichia coli</i> Expressing Stx2 Variants. <i>Infection and Immunity</i> , 2003, 71, 3125-3130. | 1.0 | 48 |
| 570 | Evaluation of Pulsed-Field Gel Electrophoresis as a Tool for Determining the Degree of Genetic Relatedness between Strains of <i>Escherichia coli</i> O157:H7. <i>Journal of Clinical Microbiology</i> , 2003, 41, 1843-1849. | 1.8 | 121 |
| 571 | An immunodiagnostic method for the detection of Shiga-like toxigenic <i>Escherichia coli</i> in faeces. <i>Journal of Clinical Pathology</i> , 2003, 56, 882-a-883. | 1.0 | 0 |
| 572 | Transduction of Porcine Enteropathogenic <i>Escherichia coli</i> with a Derivative of a Shiga Toxin 2-Encoding Bacteriophage in a Porcine Ligated Ileal Loop System. <i>Applied and Environmental Microbiology</i> , 2003, 69, 7242-7247. | 1.4 | 68 |
| 573 | Comparison of Shiga Toxin Production by Hemolytic-Uremic Syndrome-Associated and Bovine-Associated Shiga Toxin-Producing <i>Escherichia coli</i> Isolates. <i>Applied and Environmental Microbiology</i> , 2003, 69, 1059-1066. | 1.4 | 75 |
| 574 | Detection of <i>Escherichia coli</i> O157:H7 in Cattle Feces Using a Polymerase Chain Reaction-Based Fluorogenic 5'â€² Nuclease (TaqMan®) Detection Assay after Secondary Enrichment. <i>Journal of Veterinary Diagnostic Investigation</i> , 2003, 15, 543-552. | 0.5 | 6 |
| 575 | Shiga Toxin-Producing <i>Escherichia coli</i> -Associated Kidney Failure in a 40-Year-Old Patient and Late Diagnosis by Novel Bacteriologic and Toxin Detection Methods. <i>Journal of Clinical Microbiology</i> , 2003, 41, 3438-3440. | 1.8 | 9 |
| 576 | Age-Specific Frequencies of Antibodies to <i>Escherichia coli</i> Verocytotoxins (Shiga Toxins) 1 and 2 among Urban and Rural Populations in Southern Ontario. <i>Journal of Infectious Diseases</i> , 2003, 188, 1724-1729. | 1.9 | 34 |
| 577 | Prevalence of faecal excretion of verocytotoxigenic <i>Escherichia coli</i> O157 in cattle in England and Wales. <i>Veterinary Record</i> , 2003, 153, 347-353. | 0.2 | 71 |
| 578 | Protection against Shiga Toxin 1 Challenge by Immunization of Mice with Purified Mutant Shiga Toxin 1. <i>Infection and Immunity</i> , 2003, 71, 3235-3239. | 1.0 | 40 |
| 579 | A Stable Bioluminescent Construct of <i>Escherichia coli</i> O157:H7 for Hazard Assessments of Long-Term Survival in the Environment. <i>Applied and Environmental Microbiology</i> , 2003, 69, 3359-3367. | 1.4 | 66 |
| 580 | Evaluation of the Duopath Verotoxin Test for Detection of Shiga Toxins in Cultures of Human Stools. <i>Journal of Clinical Microbiology</i> , 2003, 41, 2650-2653. | 1.8 | 55 |
| 581 | Concentration and Prevalence of <i>Escherichia coli</i> O157 in Cattle Feces at Slaughter. <i>Applied and Environmental Microbiology</i> , 2003, 69, 2444-2447. | 1.4 | 260 |
| 582 | A Mosaic Pathogenicity Island Made Up of the Locus of Enterocyte Effacement and a Pathogenicity Island of <i>Escherichia coli</i> O157:H7 Is Frequently Present in Attaching and Effacing <i>E. coli</i> . <i>Infection and Immunity</i> , 2003, 71, 3343-3348. | 1.0 | 72 |
| 583 | Inhibition of the transcription of the <i>Escherichia coli</i> O157:H7 genes coding for shiga-like toxins and intimin, and its potential use in the treatment of human infection with the bacterium. <i>Annals of Tropical Medicine and Parasitology</i> , 2003, 97, 281-287. | 1.6 | 15 |
| 584 | Faecal culture of wild animals for <i>Escherichia coli</i> O157:H7. <i>Veterinary Record</i> , 2003, 152, 82-83. | 0.2 | 29 |
| 585 | Critical Roles for stx 2, eae, and tir in Enterohemorrhagic <i>Escherichia coli</i> -Induced Diarrhea and Intestinal Inflammation in Infant Rabbits. <i>Infection and Immunity</i> , 2003, 71, 7129-7139. | 1.0 | 149 |
| 586 | Effect of Environmental Conditions on Proteins Secreted by Enterohemorrhagic <i>Escherichia coli</i> O26:H11. <i>Microbiology and Immunology</i> , 2003, 47, 1-6. | 0.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 587 | Heat Adaptation Alters Escherichia coli O157:H7 Membrane Lipid Composition and Verotoxin Production. Applied and Environmental Microbiology, 2003, 69, 5115-5119. | 1.4 | 80 |
| 588 | Prevalence and characterization of Vero cytotoxin-producing Escherichia coli isolated from diarrhoeic and healthy sheep and goats. Epidemiology and Infection, 2003, 130, 313-321. | 1.0 | 47 |
| 589 | Comparison of Traditional and Molecular Typing Methods of Escherichia coli O157. Acta Microbiologica Et Immunologica Hungarica, 2003, 50, 349-367. | 0.4 | 1 |
| 590 | Reducing pathogen risks in MAP-prepared produce. , 2003, , 231-275. | | 13 |
| 591 | Verotoxin-Producing Escherichia coli in Culled Beef Cows Grazing Rangeland Forages. Experimental Biology and Medicine, 2003, 228, 352-357. | 1.1 | 16 |
| 592 | Effect of bacteriophage DC22 on Escherichia coli O157:H7 in an artificial rumen system (Rusitec) and inoculated sheep. Animal Research, 2003, 52, 89-101. | 0.6 | 64 |
| 593 | Home-prepared Hamburger and Sporadic Hemolytic Uremic Syndrome, Argentina. Emerging Infectious Diseases, 2003, 9, 1184-1186. | 2.0 | 27 |
| 594 | Verotoxin-Producing Escherichia coli in Sheep Grazing an Irrigated Pasture or Arid Rangeland Forages. Experimental Biology and Medicine, 2003, 228, 358-364. | 1.1 | 13 |
| 595 | Molecular Characterization of Escherichia coli O157 Contamination Routes in a Cattle Slaughterhouse. Journal of Food Protection, 2003, 66, 1564-1569. | 0.8 | 45 |
| 596 | Effect of feeding the ionophores monensin and laidlomycin propionate and the antimicrobial bambarmycin to sheep experimentally infected with E. coli O157:H7 and Salmonella typhimurium1. Journal of Animal Science, 2003, 81, 553-560. | 0.2 | 35 |
| 597 | Horizontal Transmission of Escherichia coli O157:H7 during Cattle Housing. Journal of Food Protection, 2004, 67, 2651-2656. | 0.8 | 47 |
| 598 | The Shiga toxin 2 B subunit inhibits net fluid absorption in human colon and elicits fluid accumulation in rat colon loops. Brazilian Journal of Medical and Biological Research, 2004, 37, 799-808. | 0.7 | 28 |
| 599 | Long-Haul Transport and Lack of Preconditioning Increases Fecal Shedding of Escherichia coli and Escherichia coli O157:H7 by Calves. Journal of Food Protection, 2004, 67, 672-678. | 0.8 | 60 |
| 600 | Immunomagnetic separation of Escherichia coli O157:H7 from environmental and wastewater in South Africa. Water S A, 2004, 29, 427. | 0.2 | 9 |
| 601 | Optimization of a Fluorescence Sandwich Enzyme-Linked Immunosorbent Assay for Detection of Escherichia coli O157:H7 in Apple Juice. Journal of Food Protection, 2004, 67, 2756-2759. | 0.8 | 13 |
| 602 | Independent Effects of Acetic Acid and pH on Survival of Escherichia coli in Simulated Acidified Pickle Products. Journal of Food Protection, 2004, 67, 12-18. | 0.8 | 57 |
| 603 | Characterization of O157:H7 and Other Escherichia coli Isolates Recovered from Cattle Hides, Feces, and Carcasses. Journal of Food Protection, 2004, 67, 993-998. | 0.8 | 27 |
| 604 | Foods as Vehicles of VTEC Infection. , 0, , 181-200. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 605 | Homologous and Heterologous Antibody Responses to Lipopolysaccharide after Enterohemorrhagic <i>Escherichia coli</i> Infection. <i>Microbiology and Immunology</i> , 2004, 48, 27-38. | 0.7 | 9 |
| 606 | Genetic Typing of Shiga Toxin 2 Variants of <i>Escherichia coli</i> by PCR-Restriction Fragment Length Polymorphism Analysis. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6309-6314. | 1.4 | 25 |
| 607 | Distribution of Putative Adhesins in Different Seropathotypes of Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2004, 42, 4937-4946. | 1.8 | 152 |
| 608 | Acid Resistance Systems Required for Survival of <i>Escherichia coli</i> O157:H7 in the Bovine Gastrointestinal Tract and in Apple Cider Are Different. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4792-4799. | 1.4 | 101 |
| 609 | Identification of Common Subpopulations of Non-Sorbitol-Fermenting, β -Glucuronidase-Negative <i>Escherichia coli</i> O157:H7 from Bovine Production Environments and Human Clinical Samples. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6846-6854. | 1.4 | 148 |
| 610 | Shiga Toxin 1 Targets Bovine Leukemia Virus-Expressing Cells. <i>Infection and Immunity</i> , 2004, 72, 1837-1840. | 1.0 | 13 |
| 611 | Effect of Forage or Grain Diets with or without Monensin on Ruminal Persistence and Fecal <i>Escherichia coli</i> O157:H7 in Cattle. <i>Applied and Environmental Microbiology</i> , 2004, 70, 5336-5342. | 1.4 | 77 |
| 612 | Bovine Ileal Intraepithelial Lymphocytes Represent Target Cells for Shiga Toxin 1 from <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 2004, 72, 1896-1905. | 1.0 | 33 |
| 613 | Postprocessing In Vitro Digestion Challenge To Evaluate Survival of <i>Escherichia coli</i> O157:H7 in Fermented Dry Sausages. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6637-6642. | 1.4 | 19 |
| 614 | Rectal Administration of <i>Escherichia coli</i> O157:H7: Novel Model for Colonization of Ruminants. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4588-4595. | 1.4 | 45 |
| 615 | Antibody Therapy in the Management of Shiga Toxin-Induced Hemolytic Uremic Syndrome. <i>Clinical Microbiology Reviews</i> , 2004, 17, 926-941. | 5.7 | 105 |
| 616 | Urease activity of enterohaemorrhagic <i>Escherichia coli</i> depends on a specific one-base substitution in ureD. <i>Microbiology (United Kingdom)</i> , 2004, 150, 3483-3489. | 0.7 | 17 |
| 617 | Virulence Properties and Characteristics of Shiga Toxin-Producing <i>Escherichia coli</i> in Saõo Paulo, Brazil, from 1976 through 1999. <i>Journal of Clinical Microbiology</i> , 2004, 42, 903-905. | 1.8 | 71 |
| 618 | Approaches to Controlling <i>Escherichia coli</i> O157:H7, a Foodborne Pathogen and an Emerging Environmental Hazard. <i>Environmental Practice</i> , 2004, 6, 208-229. | 0.3 | 16 |
| 619 | Adaptation of <i>Escherichia coli</i> O157:H7 to pH Alters Membrane Lipid Composition, Verotoxin Secretion, and Resistance to Simulated Gastric Fluid Acid. <i>Applied and Environmental Microbiology</i> , 2004, 70, 3500-3505. | 1.4 | 136 |
| 620 | A Multistate Outbreak of <i>Escherichia coli</i> O157:H7 Infection Linked to Consumption of Beef Tacos at a Fast-Food Restaurant Chain. <i>Clinical Infectious Diseases</i> , 2004, 39, 1-7. | 2.9 | 68 |
| 621 | Occurrence of <i>Escherichia coli</i> O157 in Raw Material and Food in Czech Republic. <i>Zoonoses and Public Health</i> , 2004, 51, 77-81. | 1.4 | 18 |
| 622 | Characterization of Pathogenic <i>Escherichia coli</i> Isolated from Humans in Austria: Phenotypes, Toxin Gene Types and Epidemiology. <i>Zoonoses and Public Health</i> , 2004, 51, 288-292. | 1.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 623 | Development and application of a spiral plating method for the enumeration of Escherichia coli O157 in bovine faeces. <i>Journal of Applied Microbiology</i> , 2004, 97, 581-589. | 1.4 | 32 |
| 624 | The incidence of Shiga toxin-producing Escherichia coli in cattle with mastitis in Brazil. <i>Journal of Applied Microbiology</i> , 2004, 97, 861-866. | 1.4 | 39 |
| 625 | High numbers of Shiga toxin-producing Escherichia coli found in bovine faeces collected at slaughter in Japan. <i>FEMS Microbiology Letters</i> , 2004, 238, 189-197. | 0.7 | 46 |
| 626 | Prevalence estimation and risk factors for Escherichia coli O157 on Dutch dairy farms. <i>Preventive Veterinary Medicine</i> , 2004, 64, 49-61. | 0.7 | 46 |
| 627 | Isolation of Escherichia coli O157 from human and bovine faeces in the Urbino area, Italy. <i>International Journal of Hygiene and Environmental Health</i> , 2004, 207, 577-583. | 2.1 | 2 |
| 628 | Interaction between attaching and effacing Escherichia coli serotypes O157:H7 and O26:K60 in cell culture. <i>Veterinary Microbiology</i> , 2004, 104, 119-124. | 0.8 | 6 |
| 629 | Inhibition of foodborne bacteria by the lactoperoxidase system in a beef cube system. <i>International Journal of Food Microbiology</i> , 2004, 91, 73-81. | 2.1 | 44 |
| 630 | The prevalence of Listeria, Salmonella, Escherichia coli and E. coli O157:H7 on bison carcasses during processing. <i>Food Microbiology</i> , 2004, 21, 791-799. | 2.1 | 27 |
| 631 | Effects of salt, acid, and MSG on cold storage survival and subsequent acid tolerance of Escherichia coli O157:H7. <i>Food Microbiology</i> , 2004, 21, 727-735. | 2.1 | 5 |
| 632 | Verocytotoxin-producing Escherichia coli O157 in minced beef and dairy products in Italy. <i>International Journal of Food Microbiology</i> , 2004, 96, 67-73. | 2.1 | 56 |
| 633 | Isolation of a rare Escherichia coli O157:H7 strain from farm animals in Greece. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2004, 27, 201-207. | 0.7 | 22 |
| 634 | Genetic analysis of shiga-toxigenic Escherichia coli isolates from cattle in a limited region. <i>Animal Science Journal</i> , 2004, 75, 261-269. | 0.6 | 5 |
| 635 | Pathogenicity Islands in Bacterial Pathogenesis. <i>Clinical Microbiology Reviews</i> , 2004, 17, 14-56. | 5.7 | 603 |
| 636 | Nano-biosensor development for bacterial detection during human kidney infection: Use of glycoconjugate-specific antibody-bound gold NanoWire arrays (GNWA). <i>Glycoconjugate Journal</i> , 2004, 21, 487-496. | 1.4 | 71 |
| 637 | Differential carbohydrate epitope recognition of globotriaosyl ceramide by verotoxins and a monoclonal antibody. Role in human renal glomerular binding. <i>FEBS Journal</i> , 2004, 271, 405-417. | 0.2 | 52 |
| 638 | Interaction of Shiga toxin from Escherichia coli with human intestinal epithelial cell lines and explants: Stx2 induces epithelial damage in organ culture. <i>Cellular Microbiology</i> , 2004, 6, 289-301. | 1.1 | 103 |
| 639 | Genotypes and phenotypes of Shiga toxin producing Escherichia coli isolated from healthy cattle in Thailand. <i>Journal of Infection</i> , 2004, 48, 149-160. | 1.7 | 10 |
| 640 | The effect of probiotic treatment with Clostridium butyricum on enterohemorrhagic Escherichia coli O157:H7 infection in mice. <i>FEMS Immunology and Medical Microbiology</i> , 2004, 41, 219-226. | 2.7 | 141 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 641 | Characterisation of Shiga toxin-producing <i>Escherichia coli</i> (STEC) isolated from seafood and beef. <i>FEMS Microbiology Letters</i> , 2004, 233, 173-178. | 0.7 | 46 |
| 642 | Liposome-based microcapillary immunosensor for detection of <i>Escherichia coli</i> O157:H7. <i>Analytical Biochemistry</i> , 2004, 330, 342-349. | 1.1 | 65 |
| 643 | BACTERIAL PATHOGENS IN RURAL WATER SUPPLIES IN SOUTHERN ALBERTA, CANADA. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2004, 67, 1643-1653. | 1.1 | 42 |
| 644 | Release of Shiga Toxin by Membrane Vesicles in <i>Shigella dysenteriae</i> Serotype 1 Strains and In Vitro Effects of Antimicrobials on Toxin Production and Release. <i>Microbiology and Immunology</i> , 2004, 48, 965-969. | 0.7 | 72 |
| 645 | Longitudinal Study of Fecal Shedding of <i>Escherichia coli</i> O157:H7 in Feedlot Cattle: Predominance and Persistence of Specific Clonal Types despite Massive Cattle Population Turnover. <i>Applied and Environmental Microbiology</i> , 2004, 70, 377-384. | 1.4 | 155 |
| 646 | Prevalence estimation and risk factors for <i>Escherichia coli</i> O157 on Dutch dairy farms. <i>Preventive Veterinary Medicine</i> , 2004, , . | 0.7 | 0 |
| 647 | Influence of Apple Cultivars on Inactivation of Different Strains of <i>Escherichia coli</i> O157:H7 in Apple Cider by UV Irradiation. <i>Applied and Environmental Microbiology</i> , 2004, 70, 6061-6065. | 1.4 | 101 |
| 648 | Evaluation of Universal Pre-Enrichment Broth for Isolation of <i>Salmonella</i> spp., <i>Escherichia coli</i> O157:H7, and <i>Listeria monocytogenes</i> from Dairy Farm Environmental Samples. <i>Foodborne Pathogens and Disease</i> , 2004, 1, 37-44. | 0.8 | 25 |
| 649 | High numbers of Shiga toxin-producing found in bovine faeces collected at slaughter in Japan. <i>FEMS Microbiology Letters</i> , 2004, 238, 189-197. | 0.7 | 48 |
| 650 | A role of anti-verotoxin antibody immunoreactive peptide, Virp5, from rat spinal cord. <i>Peptides</i> , 2004, 25, 1909-1916. | 1.2 | 2 |
| 651 | Detection by 5' nuclease PCR of Shiga-toxin producing <i>Escherichia coli</i> O26, O55, O91, O103, O111, O113, O145 and O157:H7, associated with the world's most frequent clinical cases. <i>Molecular and Cellular Probes</i> , 2004, 18, 185-192. | 0.9 | 245 |
| 652 | Effective medicinal plants against enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>Journal of Ethnopharmacology</i> , 2004, 94, 49-54. | 2.0 | 157 |
| 653 | Prevalence of shiga-toxigenic <i>Escherichia coli</i> O157:H7 in adult dairy cattle. <i>Journal of the American Veterinary Medical Association</i> , 2004, 224, 1151-1158. | 0.2 | 48 |
| 654 | Asymptomatic carriage of verocytotoxin-producing <i>Escherichia coli</i> O157 in farm workers in Northern Italy. <i>Epidemiology and Infection</i> , 2004, 132, 915-919. | 1.0 | 37 |
| 655 | Effects of esculin and esculetin on the survival of <i>Escherichia coli</i> O157 in human faecal slurries, continuous-flow simulations of the rumen and colon and in calves. <i>British Journal of Nutrition</i> , 2004, 91, 749-755. | 1.2 | 28 |
| 656 | Sorbitol-Negative Shiga Toxin-Producing <i>Escherichia coli</i> in Beef Heifers Grazing Rangeland Forages. <i>The Professional Animal Scientist</i> , 2004, 20, 218-224. | 0.7 | 2 |
| 657 | Characterization of a Shiga Toxin 1-Neutralizing Recombinant Fab Fragment Isolated by Phage Display System. <i>Tohoku Journal of Experimental Medicine</i> , 2004, 203, 295-303. | 0.5 | 10 |
| 658 | Foodborne Gastroenteritis Caused by <i>Escherichia coli</i> . , 2005, , 637-655. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 659 | The prevalence of Shiga toxin-producing <i>Escherichia coli</i> in domestic animals and food in Serbia. <i>Epidemiology and Infection</i> , 2005, 133, 359-366. | 1.0 | 12 |
| 660 | Inhibitory Effects of Active Compounds from <i>Punica granatum</i> Pericarp on Verocytotoxin Production by Enterohemorrhagic <i>Escherichia coli</i> O157 : H7. <i>Journal of Health Science</i> , 2005, 51, 590-596. | 0.9 | 73 |
| 661 | Survival of <i>Escherichia coli</i> O157:H7 in feces from corn- and barley-fed steers. <i>FEMS Microbiology Letters</i> , 2005, 252, 25-33. | 0.7 | 42 |
| 662 | Thrombotic thrombocytopenic purpura. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 1663-1675. | 1.9 | 159 |
| 663 | Soil macropores and compaction control the leaching potential of <i>Escherichia coli</i> O157:H7. <i>Environmental Microbiology</i> , 2005, 7, 241-248. | 1.8 | 50 |
| 664 | Haemolytic uraemic syndrome is an immune-mediated disease: role of anti-CD36 antibodies. <i>British Journal of Haematology</i> , 2005, 131, 247-252. | 1.2 | 12 |
| 665 | EFFECT OF HYDRODYNAMIC PRESSURE TREATMENT AND COOKING ON INACTIVATION OF <i>ESCHERICHIA COLI</i> O157:H7 IN BLADE-TENDERIZED BEEF STEAKS+. <i>Journal of Muscle Foods</i> , 2005, 16, 342-353. | 0.5 | 13 |
| 666 | The growth and survival of <i>Escherichia coli</i> O157:H7 on minced bison and pieces of bison meat stored at 5 and 10°C. <i>Food Microbiology</i> , 2005, 22, 415-421. | 2.1 | 18 |
| 667 | Dose response modelling of O157 incorporating data from foodborne and environmental outbreaks. <i>International Journal of Food Microbiology</i> , 2005, 103, 35-47. | 2.1 | 125 |
| 668 | In-line milk filter analysis: <i>Escherichia coli</i> O157 surveillance of milk production holdings. <i>International Journal of Hygiene and Environmental Health</i> , 2005, 208, 407-413. | 2.1 | 26 |
| 669 | Attaching-effacing Lesions Associated with <i>Escherichia coli</i> O157:H7 and Other Bacteria in Experimentally Infected Conventional Neonatal Goats. <i>Journal of Comparative Pathology</i> , 2005, 132, 185-194. | 0.1 | 8 |
| 670 | <i>Escherichia coli</i> O157 prevalence in Dutch poultry, pig finishing and veal herds and risk factors in Dutch veal herds. <i>Preventive Veterinary Medicine</i> , 2005, 70, 1-15. | 0.7 | 24 |
| 671 | Isolation, molecular characterization and antimicrobial resistance patterns of <i>Salmonella</i> and <i>Escherichia coli</i> isolates from meat-based fast food in Lebanon. <i>Science of the Total Environment</i> , 2005, 341, 33-44. | 3.9 | 54 |
| 672 | Serotypes and virulence markers of Shiga toxin-producing <i>Escherichia coli</i> (STEC) isolated from dairy cattle in São Paulo State, Brazil. <i>Veterinary Microbiology</i> , 2005, 105, 29-36. | 0.8 | 102 |
| 673 | Variable and strain dependent colonisation of chickens by <i>Escherichia coli</i> O157. <i>Veterinary Microbiology</i> , 2005, 107, 103-113. | 0.8 | 11 |
| 674 | A longitudinal study of <i>Escherichia coli</i> O157 in cattle of a Dutch dairy farm and in the farm environment. <i>Veterinary Microbiology</i> , 2005, 107, 193-204. | 0.8 | 42 |
| 675 | Serotypes, virulence genes and intimin types of verotoxin-producing <i>Escherichia coli</i> and enteropathogenic <i>E. coli</i> isolated from healthy dairy goats in Spain. <i>Veterinary Microbiology</i> , 2005, 110, 67-76. | 0.8 | 79 |
| 676 | Amperometric determination of live <i>Escherichia coli</i> using antibody-coated paramagnetic beads. <i>Analytical and Bioanalytical Chemistry</i> , 2005, 382, 1234-1241. | 1.9 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 677 | Importance of environmental transmission in cases of EHEC O157 causing hemolytic uremic syndrome. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2005, 24, 268-271. | 1.3 | 16 |
| 678 | Prevalence of Shiga Toxin-Producing <i>Escherichia coli</i> in Beef Cattle. <i>Journal of Food Protection</i> , 2005, 68, 2224-2241. | 0.8 | 169 |
| 679 | Shiga Toxin-Producing <i>Escherichia coli</i> : Pre- and Postharvest Control Measures To Ensure Safety of Dairy Cattle Products. <i>Journal of Food Protection</i> , 2005, 68, 199-207. | 0.8 | 29 |
| 680 | Effect of Food Matrix and Cell Growth on PCR-Based Detection of <i>Escherichia coli</i> O157:H7 in Ground Beef. <i>Journal of Food Protection</i> , 2005, 68, 225-232. | 0.8 | 18 |
| 681 | Antibiotic Resistance and Hypermutability of <i>Escherichia coli</i> O157 from Feedlot Cattle Treated with Growth-Promoting Agents. <i>Journal of Food Protection</i> , 2005, 68, 2411-2419. | 0.8 | 18 |
| 682 | Shiga toxin-producing <i>Escherichia coli</i> serogroups O157, O111 and O113 in feces, water and milk samples from dairy farms. <i>Brazilian Journal of Microbiology</i> , 2005, 36, 217-222. | 0.8 | 25 |
| 683 | Monitoring <i>Escherichia coli</i> O157:H7 in Inoculated and Naturally Colonized Feedlot Cattle and Their Environment. <i>Journal of Food Protection</i> , 2005, 68, 26-33. | 0.8 | 43 |
| 684 | Influence of Acetic, Citric, and Lactic Acids on <i>Escherichia coli</i> O157:H7 Membrane Lipid Composition, Verotoxin Secretion, and Acid Resistance in Simulated Gastric Fluid. <i>Journal of Food Protection</i> , 2005, 68, 673-679. | 0.8 | 41 |
| 685 | Overview of Hazards in Fresh-Cut Produce Production: Control and Management of Food Safety Hazards. , 2005, , 155-219. | | 6 |
| 686 | Hemolytic Uremic Syndrome Risk and <i>Escherichia coli</i> O157:H7. <i>Emerging Infectious Diseases</i> , 2005, 11, 1955-1957. | 2.0 | 48 |
| 687 | Isolation of verocytotoxin-producing <i>Escherichia coli</i> O157 from water buffaloes (<i>Bubalus bubalis</i>) in southern Italy. <i>Veterinary Record</i> , 2005, 156, 382-383. | 0.2 | 19 |
| 688 | Antibody-Based Detection of Acid-Shocked, Acid-Adapted, and Apple Juice-Incubated <i>Escherichia coli</i> O157:H7. <i>Journal of Immunoassay and Immunochemistry</i> , 2005, 26, 259-271. | 0.5 | 4 |
| 689 | Enterohemorrhagic <i>Escherichia coli</i> (EHEC). <i>Scandinavian Journal of Infectious Diseases</i> , 2005, 37, 405-416. | 1.5 | 82 |
| 690 | Identification of Four Fimbria-Encoding Genomic Islands That Are Highly Specific for Verocytotoxin-Producing <i>Escherichia coli</i> Serotype O157 Strains. <i>Journal of Clinical Microbiology</i> , 2005, 43, 3840-3850. | 1.8 | 26 |
| 691 | Characterization of <i>Escherichia coli</i> O157 : H7 isolates causing haemolytic uraemic syndrome in France. <i>Journal of Medical Microbiology</i> , 2005, 54, 71-75. | 0.7 | 19 |
| 692 | Pathogens in vegetables. , 2005, , 3-43. | | 6 |
| 693 | Detection of <i>tox</i> _B , a Plasmid Virulence Gene of <i>Escherichia coli</i> O157, in Enterohemorrhagic and Enteropathogenic <i>E. coli</i> . <i>Journal of Clinical Microbiology</i> , 2005, 43, 4052-4056. | 1.8 | 27 |
| 694 | Variation in Acid Resistance among Shiga Toxin-Producing Clones of Pathogenic <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2005, 71, 2493-2500. | 1.4 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 695 | VTEC O117:K1:H7 A new clonal group of <i>E. coli</i> associated with persistent diarrhoea in Danish travellers. <i>Scandinavian Journal of Infectious Diseases</i> , 2005, 37, 288-294. | 1.5 | 23 |
| 696 | Role for Flagella but Not Intimin in the Persistent Infection of the Gastrointestinal Tissues of Specific-Pathogen-Free Chicks by Shiga Toxin-Negative <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 2005, 73, 1836-1846. | 1.0 | 43 |
| 697 | Detection of the <i>stx2a</i> Gene in Verotoxin-Producing <i>Escherichia coli</i> from Ruminants. <i>Journal of Veterinary Diagnostic Investigation</i> , 2005, 17, 65-67. | 0.5 | 10 |
| 698 | Human Antibody against Shiga Toxin 2 Administered to Piglets after the Onset of Diarrhea Due to <i>Escherichia coli</i> O157:H7 Prevents Fatal Systemic Complications. <i>Infection and Immunity</i> , 2005, 73, 4607-4613. | 1.0 | 70 |
| 699 | Colonization of 8-week-old conventionally reared goats by <i>Escherichia coli</i> O157 : H7 after oral inoculation. <i>Journal of Medical Microbiology</i> , 2005, 54, 485-492. | 0.7 | 15 |
| 700 | Laboratory-based surveillance of human verocytotoxigenic <i>Escherichia coli</i> infection in the Republic of Ireland, 2002–2004. <i>Journal of Medical Microbiology</i> , 2005, 54, 1163-1169. | 0.7 | 16 |
| 701 | Molecular Detection of <i>Leptospira Kirschneri</i> in Tissues of a Prematurely Born Foal. <i>Journal of Veterinary Diagnostic Investigation</i> , 2005, 17, 67-71. | 0.5 | 15 |
| 702 | Invited Review: Prevalence of Shiga Toxin-Producing <i>Escherichia coli</i> in Dairy Cattle and Their Products. <i>Journal of Dairy Science</i> , 2005, 88, 450-465. | 1.4 | 187 |
| 703 | The detection of <i>Cryptosporidium parvum</i> and <i>Escherichia coli</i> O157 in UK bivalve shellfish. <i>Journal of Microbiological Methods</i> , 2005, 60, 395-401. | 0.7 | 34 |
| 704 | The influence of an extracellular polysaccharide, comprised of colanic acid, on the fate of <i>Escherichia coli</i> O157:H7 during processing and storage of stirred yogurt. <i>LWT - Food Science and Technology</i> , 2005, 38, 785-790. | 2.5 | 5 |
| 705 | Rapid PCR detection of enterohemorrhagic <i>Escherichia coli</i> (EHEC) in bovine food products and feces. <i>Molecular and Cellular Probes</i> , 2005, 19, 213-217. | 0.9 | 16 |
| 706 | Use of comparative genomics as a tool to assess the clinical and public health significance of emerging Shiga toxin-producing <i>Escherichia coli</i> serotypes. <i>Meat Science</i> , 2005, 71, 62-71. | 2.7 | 12 |
| 707 | Prevalence of Shiga toxin-producing <i>Escherichia coli</i> in beef. <i>Meat Science</i> , 2005, 71, 676-689. | 2.7 | 46 |
| 708 | Antimicrobial resistance of Shiga toxin (verotoxin)-producing <i>Escherichia coli</i> O157:H7 and non-O157 strains isolated from humans, cattle, sheep and food in Spain. <i>Research in Microbiology</i> , 2005, 156, 793-806. | 1.0 | 155 |
| 709 | Risk of infection with <i>Brucella abortus</i> and <i>Escherichia coli</i> O157:H7 associated with marketing of unpasteurized milk in Kenya. <i>Acta Tropica</i> , 2005, 96, 1-8. | 0.9 | 43 |
| 710 | Enterohaemorrhagic <i>Escherichia coli</i> : emerging issues on virulence and modes of transmission. <i>Veterinary Research</i> , 2005, 36, 289-311. | 1.1 | 528 |
| 711 | Hemolytic Uremic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 1035-1050. | 3.0 | 478 |
| 713 | Pathophysiology and Impact of Enteric Bacterial and Protozoal Infections: New Approaches to Therapy. <i>Chemotherapy</i> , 2005, 51, 23-35. | 0.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 714 | Characterization and Epidemiologic Subtyping of Shiga Toxin-Producing <i>Escherichia coli</i> Strains Isolated from Hemolytic Uremic Syndrome and Diarrhea Cases in Argentina. <i>Foodborne Pathogens and Disease</i> , 2006, 3, 88-96. | 0.8 | 141 |
| 715 | Seasonal Shedding of <i>Escherichia coli</i> O157:H7 in Ruminants: A New Hypothesis. <i>Foodborne Pathogens and Disease</i> , 2006, 3, 413-421. | 0.8 | 81 |
| 716 | Serotypes and analysis of distribution of Shiga toxin-producing <i>Escherichia coli</i> from cattle and sheep in the lower North Island, New Zealand. <i>New Zealand Veterinary Journal</i> , 2006, 54, 78-84. | 0.4 | 30 |
| 717 | A rapid (one day), sensitive real-time polymerase chain reaction assay for detecting <i>Escherichia coli</i> O157:H7 in ground beef. <i>Canadian Journal of Microbiology</i> , 2006, 52, 992-998. | 0.8 | 8 |
| 719 | <i>Campylobacter</i> spp., <i>Enterococcus</i> spp., <i>Escherichia coli</i> , <i>Salmonella</i> spp., <i>Yersinia</i> spp., and <i>Cryptosporidium</i> oocysts in semi-domesticated reindeer (<i>Rangifer tarandus tarandus</i>) in Northern Finland and Norway. <i>Acta Veterinaria Scandinavica</i> , 2006, 48, 7. | 0.5 | 34 |
| 720 | Public health implications of a case of haemolytic-uraemic syndrome associated with a concomitant outbreak of mild gastroenteritis in a small rural community. <i>Epidemiology and Infection</i> , 2006, 134, 407-413. | 1.0 | 7 |
| 721 | Genetic Heterogeneity of Shiga Toxin-Producing <i>Escherichia coli</i> Strains Isolated in Sao Paulo, Brazil, from 1976 through 2003, as Revealed by Pulsed-Field Gel Electrophoresis. <i>Journal of Clinical Microbiology</i> , 2006, 44, 798-804. | 1.8 | 17 |
| 722 | Occurrence of <i>Escherichia coli</i> O157:H7 and Other Enterohemorrhagic <i>Escherichia coli</i> in the Environment. <i>Environmental Science & Technology</i> , 2006, 40, 7141-7149. | 4.6 | 108 |
| 723 | Detection of <i>Escherichia coli</i> O157 using equal-length double-stranded fluorescence probe in a real-time polymerase chain reaction assay. <i>Clinica Chimica Acta</i> , 2006, 366, 281-286. | 0.5 | 9 |
| 724 | Virulence markers of <i>Escherichia coli</i> strains isolated from traditional cheeses made from unpasteurised sheep milk in Slovakia. <i>Food Control</i> , 2006, 17, 393-396. | 2.8 | 30 |
| 725 | Bactericidal efficacy of peracetic acid in combination with hydrogen peroxide against pathogenic and non pathogenic strains of <i>Staphylococcus</i> spp., <i>Listeria</i> spp. and <i>Escherichia coli</i> . <i>Food Control</i> , 2006, 17, 516-521. | 2.8 | 50 |
| 726 | Antimicrobial-resistant patterns of <i>Escherichia coli</i> and <i>Salmonella</i> strains in the aquatic Lebanese environments. <i>Environmental Pollution</i> , 2006, 143, 269-277. | 3.7 | 38 |
| 727 | Detection of Shiga toxin genes <i>stx1</i> , <i>stx2</i> , and the +93 <i>uidA</i> mutation of <i>E. coli</i> O157:H7/H-using SYBR® Green I in a real-time multiplex PCR. <i>Molecular and Cellular Probes</i> , 2006, 20, 31-41. | 0.9 | 37 |
| 728 | Real-time reverse transcription-multiplex PCR for simultaneous and specific detection of <i>rfbE</i> and <i>eae</i> genes of <i>Escherichia coli</i> O157:H7. <i>Molecular and Cellular Probes</i> , 2006, 20, 298-306. | 0.9 | 49 |
| 729 | A note on the incidences of <i>Salmonella</i> spp., <i>Listeria</i> spp. and <i>Escherichia coli</i> O157:H7 serotypes in Turkish sausage (Soudjouck). <i>Meat Science</i> , 2006, 72, 177-181. | 2.7 | 28 |
| 730 | Kinetic parameters of <i>Escherichia coli</i> O157:H7 survival during fermentation of milk and refrigeration of home-made yoghurt. <i>International Dairy Journal</i> , 2006, 16, 474-481. | 1.5 | 21 |
| 731 | Effect of hydrodynamic pressure processing on the survival of <i>Escherichia coli</i> O157:H7 in ground beef. <i>Innovative Food Science and Emerging Technologies</i> , 2006, 7, 28-31. | 2.7 | 16 |
| 732 | Concert of regulators to switch on LEE expression in enterohemorrhagic <i>Escherichia coli</i> O157:H7: Interplay between <i>Ler</i> , <i>GrlA</i> , <i>HNS</i> and <i>RpoS</i> . <i>International Journal of Medical Microbiology</i> , 2006, 296, 197-210. | 1.5 | 74 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 733 | Simultaneous detection of <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> spp. and <i>Listeria monocytogenes</i> with an array-based immunosorbent assay using universal protein G-liposomal nanovesicles. <i>Talanta</i> , 2006, 69, 232-238. | 2.9 | 71 |
| 734 | Medicinal Plant Extracts as Anti- <i>Escherichia coli</i> O157:H7 Agents and Their Effects on Bacterial Cell Aggregation. <i>Journal of Food Protection</i> , 2006, 69, 2336-2341. | 0.8 | 51 |
| 735 | Detection, Occurrence, and Characterization of <i>Escherichia coli</i> O157:H7 from Raw Ewe's Milk in Spain. <i>Journal of Food Protection</i> , 2006, 69, 920-924. | 0.8 | 23 |
| 736 | Quantitative detection of <i>E. coli</i> , <i>E. coli</i> O157 and other shiga toxin producing <i>E. coli</i> in water samples using a culture method combined with real-time PCR. <i>Journal of Water and Health</i> , 2006, 4, 487-498. | 1.1 | 99 |
| 738 | Current epidemiological status of enterohaemorrhagic <i>Escherichia coli</i> O157:H7 in Africa. <i>Chinese Medical Journal</i> , 2006, 119, 217-222. | 0.9 | 14 |
| 739 | Detection of <i>Escherichia coli</i> O157:H7 using a QCM Immunosensor with Nanoparticle Amplification. , 2006, , . | | 0 |
| 740 | Design, Construction and Evaluation of a Portable Biosensor for Rapid Detection of <i>E. coli</i> O157:H7. , 2006, , . | | 0 |
| 741 | Association between indicators of cattle density and incidence of paediatric haemolytic uraemic syndrome (HUS) in children under 15 years of age in France between 1996 and 2001: an ecological study. <i>Epidemiology and Infection</i> , 2006, 134, 712-718. | 1.0 | 28 |
| 742 | Sorbitol-fermenting Shiga toxin-producing <i>Escherichia coli</i> O157: indications for an animal reservoir. <i>Epidemiology and Infection</i> , 2006, 134, 719-723. | 1.0 | 30 |
| 743 | Prevalence of <i>Escherichia coli</i> O157 in lambs at slaughter in Rome, central Italy. <i>Epidemiology and Infection</i> , 2006, 134, 415-419. | 1.0 | 35 |
| 744 | Haemolytic uraemic syndrome associated with interfamilial spread of <i>E. coli</i> O26:H11. <i>Epidemiology and Infection</i> , 2006, 134, 724-728. | 1.0 | 10 |
| 745 | Thrombotic microangiopathic antiphospholipid syndromes: a continuum of conditions?. <i>Future Rheumatology</i> , 2006, 1, 355-364. | 0.2 | 4 |
| 746 | Eukaryotic Antimicrobial Peptides: Promises and Premises in Food Safety. <i>Journal of Food Science</i> , 2006, 71, R125-R135. | 1.5 | 105 |
| 747 | Occurrence, virulence characteristics and antimicrobial resistance of <i>Escherichia coli</i> O157 in slaughtered cattle and diarrhoeic calves in West Bengal, India. <i>Letters in Applied Microbiology</i> , 2006, 43, 405-409. | 1.0 | 34 |
| 748 | Selection of an <i>Escherichia coli</i> O157:H7 bacteriophage for persistence in the circulatory system of mice infected experimentally. <i>Clinical Microbiology and Infection</i> , 2006, 12, 248-253. | 2.8 | 49 |
| 749 | O148 Shiga toxin-producing <i>Escherichia coli</i> outbreak: microbiological investigation as a useful complement to epidemiological investigation. <i>Clinical Microbiology and Infection</i> , 2006, 12, 992-998. | 2.8 | 25 |
| 750 | Comparison of PCR-RFLP and PFGE for determining the clonality of enterohemorrhagic <i>Escherichia coli</i> strains. <i>FEMS Microbiology Letters</i> , 2006, 257, 124-131. | 0.7 | 10 |
| 751 | Phenotypic characteristics, virulence profile and genetic relatedness of O157 Shiga toxin-producing <i>Escherichia coli</i> isolated in Brazil and other Latin American countries. <i>FEMS Microbiology Letters</i> , 2006, 265, 89-97. | 0.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 752 | Clinical, microbiological and epidemiological aspects of Escherichia coli O157 infection. FEMS Immunology and Medical Microbiology, 2006, 20, 1-9. | 2.7 | 38 |
| 753 | First isolation of Shiga toxin 1d producing Escherichia coli variant strains in shellfish from coastal areas in France. Journal of Applied Microbiology, 2006, 100, 85-97. | 1.4 | 54 |
| 754 | A classification of hemolytic uremic syndrome and thrombotic thrombocytopenic purpura and related disorders. Kidney International, 2006, 70, 423-431. | 2.6 | 236 |
| 755 | Design of multifunctional peptides expressing both antimicrobial activity and shiga toxin neutralization activity. Bioorganic and Medicinal Chemistry, 2006, 14, 77-82. | 1.4 | 15 |
| 756 | Cytotoxic effect of Shiga toxin-2 holotoxin and its B subunit on human renal tubular epithelial cells. Microbes and Infection, 2006, 8, 410-419. | 1.0 | 54 |
| 757 | Using Bioconjugated Nanoparticles To Monitor E. coli in a Flow Channel. Chemistry - an Asian Journal, 2006, 1, 384-390. | 1.7 | 17 |
| 758 | Isolation of Toxigenic Hafnia alvei from a Probable Case of Hemolytic Uremic Syndrome. Infection, 2006, 34, 227-229. | 2.3 | 19 |
| 759 | The characterisation of E. coli O157:H7 isolates from cattle faeces and feedlot environment using PFGE. Veterinary Microbiology, 2006, 114, 331-336. | 0.8 | 21 |
| 760 | Shiga toxin production by sausage-borne Escherichia coli O157:H7 in response to a post-processing in vitro digestion challenge. Food Microbiology, 2006, 23, 231-240. | 2.1 | 6 |
| 761 | Effect of trisodium phosphate adaptation on changes in membrane lipid composition, verotoxin secretion, and acid resistance of Escherichia coli O157:H7 in simulated gastric fluid. International Journal of Food Microbiology, 2006, 106, 39-44. | 2.1 | 15 |
| 762 | Isolation and characterization of verocytotoxin-producing Escherichia coli O157 from Turkish cattle. International Journal of Food Microbiology, 2006, 106, 338-342. | 2.1 | 21 |
| 763 | Inhibitory effects of microencapsulated allyl isothiocyanate (AIT) against Escherichia coli O157:H7 in refrigerated, nitrogen packed, finely chopped beef. International Journal of Food Microbiology, 2006, 107, 231-237. | 2.1 | 82 |
| 764 | Comparison of E. coli O157 and Shiga toxin-encoding genes (stx) prevalence between Ohio, USA and Norwegian dairy cattle. International Journal of Food Microbiology, 2006, 109, 19-24. | 2.1 | 32 |
| 765 | Clostridium perfringens: Insight into virulence evolution and population structure. Anaerobe, 2006, 12, 23-43. | 1.0 | 74 |
| 766 | Effect of antibiotic-supplemented feed on fecal enterohemorrhagic Escherichia coli O157:H7 population in lambs. Small Ruminant Research, 2006, 63, 256-261. | 0.6 | 3 |
| 767 | Isolates of Staphylococcus aureus and saprophytic resistant to antimicrobials isolated from the Lebanese aquatic environment. Marine Pollution Bulletin, 2006, 52, 912-919. | 2.3 | 27 |
| 768 | Dynamics of verotoxin-producing Escherichia coli isolated from German beef cattle between birth and slaughter. Preventive Veterinary Medicine, 2006, 73, 229-240. | 0.7 | 5 |
| 769 | The prevalence of Shiga toxin-producing Escherichia coli in cattle and sheep in the lower North Island, New Zealand. New Zealand Veterinary Journal, 2006, 54, 28-33. | 0.4 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 770 | Analysis of the Clonal Relationship of Shiga Toxin-Producing <i>Escherichia coli</i> Serogroup O165:H25 Isolated from Cattle. <i>Applied and Environmental Microbiology</i> , 2006, 72, 2254-2259. | 1.4 | 17 |
| 771 | Comparison of a PCR-Restriction Fragment Length Polymorphism (PCR-RFLP) Assay to Pulsed-Field Gel Electrophoresis To Determine the Effect of Repeated Subculture and Prolonged Storage on RFLP Patterns of Shiga Toxin-Producing <i>Escherichia coli</i> O157:H7. <i>Journal of Clinical Microbiology</i> , 2006, 44, 3963-3968. | 1.8 | 18 |
| 772 | Safety and Immunogenicity of <i>Escherichia coli</i> O157 O-specific Polysaccharide Conjugate Vaccine in 2-5 Year Old Children. <i>Journal of Infectious Diseases</i> , 2006, 193, 515-521. | 1.9 | 70 |
| 773 | <i>Escherichia coli</i> O157 outbreak associated with fresh unpasteurized goats' cheese. <i>Epidemiology and Infection</i> , 2006, 134, 143-146. | 1.0 | 97 |
| 774 | Probing genomic diversity and evolution of <i>Escherichia coli</i> O157 by single nucleotide polymorphisms. <i>Genome Research</i> , 2006, 16, 757-767. | 2.4 | 120 |
| 775 | Estimating the infectious disease risks associated with drinking water in the United States. <i>Journal of Water and Health</i> , 2006, 4, 1-2. | 1.1 | 17 |
| 776 | Role of <i>Escherichia coli</i> O157:H7 Virulence Factors in Colonization at the Bovine Terminal Rectal Mucosa. <i>Infection and Immunity</i> , 2006, 74, 4685-4693. | 1.0 | 131 |
| 777 | Amino Acid Residues within Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Tir Involved in Phosphorylation, \pm -Actinin Recruitment, and Nck-Independent Pedestal Formation. <i>Infection and Immunity</i> , 2006, 74, 6196-6205. | 1.0 | 22 |
| 778 | Active Genetic Elements Present in the Locus of Enterocyte Effacement in <i>Escherichia coli</i> O26 and Their Role in Mobility. <i>Infection and Immunity</i> , 2006, 74, 4190-4199. | 1.0 | 10 |
| 779 | Physiologic and Molecular Markers for Detection of Shiga Toxin-Producing <i>Escherichia coli</i> Serotype O26 Strains. <i>Foodborne Pathogens and Disease</i> , 2006, 3, 163-177. | 0.8 | 5 |
| 781 | Effect of Ionophore Supplementation on the Incidence of <i>Escherichia coli</i> O157:H7 and <i>Salmonella</i> and Antimicrobial Susceptibility of Fecal Coliforms in Stocker Cattle. <i>Foodborne Pathogens and Disease</i> , 2006, 3, 284-291. | 0.8 | 15 |
| 782 | Shiga Toxins Present in the Gut and in the Polymorphonuclear Leukocytes Circulating in the Blood of Children with Hemolytic-Uremic Syndrome. <i>Journal of Clinical Microbiology</i> , 2006, 44, 313-317. | 1.8 | 52 |
| 783 | A plant-based oral vaccine to protect against systemic intoxication by Shiga toxin type 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 7082-7087. | 3.3 | 55 |
| 784 | Influence of colostrum deprivation and concurrent <i>Cryptosporidium parvum</i> infection on the colonization and persistence of <i>Escherichia coli</i> O157:H7 in young lambs. <i>Journal of Medical Microbiology</i> , 2006, 55, 819-828. | 0.7 | 17 |
| 785 | A New Immunoglobulin-Binding Protein, EibG, Is Responsible for the Chain-Like Adhesion Phenotype of Locus of Enterocyte Effacement-Negative, Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 2006, 74, 5747-5755. | 1.0 | 43 |
| 786 | Shiga toxin of enterohemorrhagic <i>Escherichia coli</i> type O157:H7 promotes intestinal colonization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 9667-9672. | 3.3 | 176 |
| 787 | Analysis of Feces Samples Collected from a Wild-Bird Garden Feeding Station in Scotland for the Presence of Verocytotoxin-Producing <i>Escherichia coli</i> O157. <i>Applied and Environmental Microbiology</i> , 2006, 72, 2265-2267. | 1.4 | 29 |
| 788 | Modeling and Predicting the Simultaneous Growth of <i>Escherichia coli</i> O157:H7 and Ground Beef Background Microflora for Various Enrichment Protocols. <i>Applied and Environmental Microbiology</i> , 2006, 72, 261-268. | 1.4 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 789 | Effects of Chlorine Injury, Starvation, and Colitag TM Enrichment on Sandwich Enzyme-Linked Immunosorbent Assay (sELISA) Detection of <i>Escherichia coli</i> O157:H7. <i>Journal of Immunoassay and Immunochemistry</i> , 2007, 28, 371-383. | 0.5 | 1 |
| 790 | Leukocytosis as a predictor for progression to haemolytic uraemic syndrome in <i>Escherichia coli</i> O157:H7 infection. <i>Archives of Disease in Childhood</i> , 2007, 92, 820-823. | 1.0 | 5 |
| 791 | Risk Factors for the Presence of High-Level Shedders of <i>Escherichia coli</i> O157 on Scottish Farms. <i>Journal of Clinical Microbiology</i> , 2007, 45, 1594-1603. | 1.8 | 137 |
| 792 | Development of a Simple Latex Agglutination Assay for Detection of Shiga Toxin-Producing <i>Escherichia coli</i> (STEC) by Using Polyclonal Antibody against STEC. <i>Vaccine Journal</i> , 2007, 14, 600-604. | 3.2 | 16 |
| 793 | Recent Gene Conversions between Duplicated Glutamate Decarboxylase Genes (<i>gadA</i> and <i>gadB</i>) in Pathogenic <i>Escherichia coli</i> . <i>Molecular Biology and Evolution</i> , 2007, 24, 2323-2333. | 3.5 | 26 |
| 794 | Identification of Enterohemorrhagic <i>Escherichia coli</i> O157-specific DNA Sequence Obtained from Amplified Fragment Length Polymorphism Analysis. <i>Microbiology and Immunology</i> , 2007, 51, 883-888. | 0.7 | 2 |
| 795 | Preliminary Evidence that American Bullfrogs (<i>Rana catesbeiana</i>) Are Suitable Hosts for <i>Escherichia coli</i> O157:H7. <i>Applied and Environmental Microbiology</i> , 2007, 73, 4066-4068. | 1.4 | 15 |
| 796 | Optical maps distinguish individual strains of <i>Escherichia coli</i> O157:H7. <i>Microbiology (United Kingdom)</i> , 2007, 151, 1078-1084. | 0.7 | 48 |
| 797 | Investigations of <i>Escherichia coli</i> O157 and some virulence genes in samples of meat and faeces from clinically healthy cattle in Turkey. <i>Veterinary Record</i> , 2007, 161, 392-394. | 0.2 | 4 |
| 798 | Common epitopes in LPS of different Enterobacteriaceae are associated with an immune response against <i>Escherichia coli</i> O157 in bovine serum samples. <i>Journal of Medical Microbiology</i> , 2007, 56, 1447-1454. | 0.7 | 14 |
| 799 | Comparison between O Serotyping Method and Multiplex Real-Time PCR To Identify Diarrheagenic <i>Escherichia coli</i> in Taiwan. <i>Journal of Clinical Microbiology</i> , 2007, 45, 3620-3625. | 1.8 | 31 |
| 800 | Evaluation of BBL CHROMagar O157 versus Sorbitol-MacConkey Medium for Routine Detection of <i>Escherichia coli</i> O157 in a Centralized Regional Clinical Microbiology Laboratory. <i>Journal of Clinical Microbiology</i> , 2007, 45, 3098-3100. | 1.8 | 39 |
| 801 | Shiga toxin-producing <i>Escherichia coli</i> : An overview. <i>Journal of Animal Science</i> , 2007, 85, E45-E62. | 0.2 | 662 |
| 802 | CHILD CARE-ASSOCIATED OUTBREAK OF <i>ESCHERICHIA COLI</i> O157:H7 AND HEMOLYTIC UREMIC SYNDROME. <i>Pediatric Infectious Disease Journal</i> , 2007, 26, 951-953. | 1.1 | 19 |
| 803 | Molecular Damage and Induction of Proinflammatory Cytokines in Human Endothelial Cells Exposed to Shiga Toxin 1, Shiga Toxin 2, and Î±-Sarcin. <i>Infection and Immunity</i> , 2007, 75, 2201-2207. | 1.0 | 34 |
| 804 | A family outbreak of <i>Escherichia coli</i> O157 haemorrhagic colitis caused by pork meat salami. <i>Epidemiology and Infection</i> , 2007, 135, 311-314. | 1.0 | 65 |
| 805 | Distribution of putative adhesins in Shiga toxin-producing <i>Escherichia coli</i> (STEC) strains isolated from different sources in Chile. <i>Epidemiology and Infection</i> , 2007, 135, 688-694. | 1.0 | 9 |
| 806 | Metabolic and genetic profiling of clinical O157 and non-O157 Shiga-toxin-producing <i>Escherichia coli</i> . <i>Research in Microbiology</i> , 2007, 158, 591-599. | 1.0 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 807 | The non-toxic A subunit of Shiga toxin type 1 prevents replication of bovine immunodeficiency virus in infected cells. <i>Virus Research</i> , 2007, 125, 29-41. | 1.1 | 15 |
| 808 | Detection of virulence genes in <i>Escherichia coli</i> of an existing metabolic fingerprint database to predict the sources of pathogenic <i>E. coli</i> in surface waters. <i>Water Research</i> , 2007, 41, 3785-3791. | 5.3 | 32 |
| 809 | Chapter 14 Hemolytic Uremic Syndrome/Thrombotic Thrombocytopenic Purpura. <i>Handbook of Systemic Autoimmune Diseases</i> , 2007, , 257-282. | 0.1 | 0 |
| 810 | The incidence of significant foodborne pathogens in domestic refrigerators. <i>Food Control</i> , 2007, 18, 346-351. | 2.8 | 113 |
| 811 | Combined treatment with silver ions and organic acid enhances growth-inhibition of <i>Escherichia coli</i> O157:H7. <i>Food Control</i> , 2007, 18, 1235-1240. | 2.8 | 18 |
| 812 | Pre-harvest Interventions to Reduce the Shedding of <i>E. coli</i> O157 in the Faeces of Weaned Domestic Ruminants: A Systematic Review. <i>Zoonoses and Public Health</i> , 2007, 54, 260-277. | 0.9 | 135 |
| 813 | Physiological Response and Protein Expression under Acid Stress of <i>Escherichia coli</i> O157:H7 TWC01 Isolated from Taiwan. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 7182-7191. | 2.4 | 27 |
| 814 | Analytical Utility of <i>Campylobacter</i> Methodologies. <i>Journal of Food Protection</i> , 2007, 70, 241-250. | 0.8 | 17 |
| 815 | Incidence and Toxin Production Ability of <i>Escherichia coli</i> O157:H7 Isolated from Cattle Trucks. <i>Journal of Food Protection</i> , 2007, 70, 2383-2385. | 0.8 | 12 |
| 816 | Prevalence and characteristics of Shiga toxin-producing <i>Escherichia coli</i> (STEC) strains in ground beef in São Paulo, Brazil. <i>Brazilian Journal of Microbiology</i> , 2007, 38, 553-556. | 0.8 | 19 |
| 817 | Biolog identification of non-sorbitol fermenting bacteria isolated on <i>E. coli</i> O157 selective CT-SMAC agar. <i>Water S A</i> , 2007, 31, 247. | 0.2 | 13 |
| 818 | The effect of salt concentration and pH on the heat resistance of <i>Escherichia coli</i> in typtic soy both. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2007, 54, 399-412. | 0.4 | 2 |
| 819 | Interrogating genomic diversity of <i>E. coli</i> O157:H7 using DNA tiling arrays. <i>Forensic Science International</i> , 2007, 168, 183-199. | 1.3 | 36 |
| 820 | Two or more enteropathogens are associated with diarrhoea in Mexican children. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2007, 6, 17. | 1.7 | 53 |
| 821 | Thermal Inactivation of <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> , and <i>Listeria monocytogenes</i> in Breaded Pork Patties. <i>Journal of Food Science</i> , 2007, 72, M56-M61. | 1.5 | 31 |
| 822 | Prevalence and molecular characterization of <i>Escherichia coli</i> O157:H7 on Irish lamb carcasses, fleece and in faeces samples. <i>Journal of Applied Microbiology</i> , 2007, 103, 2401-2409. | 1.4 | 33 |
| 823 | Isolation of <i>Escherichia coli</i> O157:H7 strains that do not produce Shiga toxin from bovine, avian and environmental sources. <i>Letters in Applied Microbiology</i> , 2007, 45, 504-507. | 1.0 | 50 |
| 824 | EVALUATION OF ENRICHMENT MEDIA FOR DETECTION OF <i>ESCHERICHIA COLI</i> O157:H7 IN GROUND BEEF USING IMMUNOMAGNETIC-ELECTROCHEMILUMINESCENCE. <i>Journal of Rapid Methods and Automation in Microbiology</i> , 2007, 15, 92-106. | 0.4 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 825 | Reduction of <i>Escherichia coli</i> population following treatment with bacteriocins from lactic acid bacteria and chelators. <i>Food Microbiology</i> , 2007, 24, 223-229. | 2.1 | 67 |
| 826 | Sensitivity of two techniques to detect <i>Escherichia coli</i> O157 in naturally infected bovine fecal samples. <i>Food Microbiology</i> , 2007, 24, 633-639. | 2.1 | 7 |
| 827 | Cell age, suspending medium and metal ion influence the susceptibility of <i>Escherichia coli</i> O157:H7 to water-soluble maltose chitosan derivative. <i>International Journal of Food Microbiology</i> , 2007, 113, 258-262. | 2.1 | 30 |
| 828 | Occurrence of Shiga toxin-producing <i>Escherichia coli</i> in a Spanish raw ewe's milk cheese. <i>International Journal of Food Microbiology</i> , 2007, 116, 410-413. | 2.1 | 52 |
| 829 | Presence of Shiga toxin-producing <i>E. coli</i> O157:H7 in a survey of wild artiodactyls. <i>Veterinary Microbiology</i> , 2007, 121, 373-377. | 0.8 | 40 |
| 830 | Monospecific and bispecific antibodies against <i>E. coli</i> O157 for diagnostics. <i>Journal of Immunological Methods</i> , 2007, 327, 1-9. | 0.6 | 15 |
| 831 | Influence of Exogenous Triiodothyronine (T3) on Fecal Shedding of <i>Escherichia coli</i> O157 in Cattle. <i>Microbial Ecology</i> , 2007, 53, 664-669. | 1.4 | 10 |
| 832 | Passive immunity acquisition of maternal anti-enterohemorrhagic <i>Escherichia coli</i> (EHEC) O157:H7 IgG antibodies by the newborn. <i>European Journal of Pediatrics</i> , 2007, 166, 413-419. | 1.3 | 18 |
| 833 | QCM immunosensor with nanoparticle amplification for detection of <i>Escherichia coli</i> O157:H7. <i>Sensing and Instrumentation for Food Quality and Safety</i> , 2007, 1, 161-168. | 1.5 | 35 |
| 834 | Effects of Exogenous Melatonin and Tryptophan on Fecal Shedding of <i>E. Coli</i> O157:H7 in Cattle. <i>Microbial Ecology</i> , 2008, 55, 553-560. | 1.4 | 17 |
| 835 | Development of an experimental hemolytic uremic syndrome in rats. <i>Pediatric Nephrology</i> , 2008, 23, 559-567. | 0.9 | 31 |
| 836 | Enterohaemorrhagic <i>Escherichia coli</i> and <i>Shigella dysenteriae</i> type 1-induced haemolytic uraemic syndrome. <i>Pediatric Nephrology</i> , 2008, 23, 1425-1431. | 0.9 | 62 |
| 837 | Infections humaines à <i>E. coli</i> producteurs de Shiga-toxines en France: aspects cliniques, diagnostiques et épidémiologiques. <i>Revue Francophone Des Laboratoires</i> , 2008, 2008, 59-65. | 0.0 | 2 |
| 838 | Platinum Nanoparticles Modified Electrode for Rapid Electrochemical Detection of <i>Escherichia coli</i> . <i>Chinese Journal of Chemistry</i> , 2008, 26, 302-306. | 2.6 | 7 |
| 840 | Prevalence and geographical distribution of <i>Escherichia coli</i> O157 in India: a 10-year survey. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2008, 102, 380-383. | 0.7 | 29 |
| 841 | Interaction of enterohemorrhagic <i>Escherichia coli</i> O157:H7 with mouse intestinal mucosa. <i>FEMS Microbiology Letters</i> , 2008, 283, 196-202. | 0.7 | 9 |
| 842 | Super-shedding and the link between human infection and livestock carriage of <i>Escherichia coli</i> O157. <i>Nature Reviews Microbiology</i> , 2008, 6, 904-912. | 13.6 | 300 |
| 843 | Prevalence of <i>eae</i> and Shiga Toxin Genes among <i>Escherichia coli</i> Strains Isolated from Healthy Calves. <i>Zoonoses and Public Health</i> , 2001, 48, 67-72. | 1.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 844 | Renal damage and death in weaned mice after oral infection with Shiga toxin 2-producing <i>Escherichia coli</i> strains. <i>Clinical and Experimental Immunology</i> , 2008, 153, 297-306. | 1.1 | 43 |
| 845 | Alternative sampling to establish the <i>Escherichia coli</i> O157 status on beef cattle farms. <i>Veterinary Microbiology</i> , 2008, 132, 205-210. | 0.8 | 17 |
| 846 | Effect of chemical sanitizer combined with modified atmosphere packaging on inhibiting <i>Escherichia coli</i> O157:H7 in commercial spinach. <i>Food Microbiology</i> , 2008, 25, 582-587. | 2.1 | 89 |
| 847 | Diversity of virulence profiles of Shiga toxin-producing <i>Escherichia coli</i> serotypes in food-producing animals in Brazil. <i>International Journal of Food Microbiology</i> , 2008, 127, 139-146. | 2.1 | 43 |
| 848 | Isolation and characterisation of two novel coliphages with high potential to control antibiotic-resistant pathogenic <i>Escherichia coli</i> (EHEC and EPEC). <i>International Journal of Antimicrobial Agents</i> , 2008, 31, 152-157. | 1.1 | 39 |
| 849 | Influence of Selective Media on Successful Detection of Shiga Toxin-Producing <i>Escherichia coli</i> in Food, Fecal, and Environmental Samples. <i>Foodborne Pathogens and Disease</i> , 2008, 5, 227-244. | 0.8 | 45 |
| 850 | Pathogenesis of Thrombotic Microangiopathies. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2008, 3, 249-277. | 9.6 | 179 |
| 851 | Effect of feeding sun-dried seaweed (<i>Ascophyllum nodosum</i>) on fecal shedding of <i>Escherichia coli</i> O157:H7 by feedlot cattle and on growth performance of lambs. <i>Animal Feed Science and Technology</i> , 2008, 142, 17-32. | 1.1 | 57 |
| 852 | A nasal vaccine comprising B-subunit derivative of Shiga toxin 2 for cross-protection against Shiga toxin types 1 and 2. <i>Vaccine</i> , 2008, 26, 2092-2099. | 1.7 | 26 |
| 853 | A review of bacteriocinogenic lactic acid bacteria used as bioprotective cultures in fresh meat produced in Argentina. <i>Meat Science</i> , 2008, 79, 483-499. | 2.7 | 152 |
| 854 | Serogroups, Atypical Biochemical Characters, Colicinogeny and Antibiotic Resistance Pattern of Shiga Toxin-producing <i>Escherichia coli</i> Isolated from Diarrhoeic Calves in Gujarat, India. <i>Zoonoses and Public Health</i> , 2008, 55, 89-98. | 0.9 | 20 |
| 855 | Protection against Shiga Toxin-Producing <i>Escherichia coli</i> Infection by Transcutaneous Immunization with Shiga Toxin Subunit B. <i>Vaccine Journal</i> , 2008, 15, 359-366. | 3.2 | 23 |
| 856 | Interactions between Shiga toxins and human polymorphonuclear leukocytes. <i>Journal of Leukocyte Biology</i> , 2008, 84, 1019-1027. | 1.5 | 50 |
| 857 | Genotypic Characterization and Prevalence of Virulence Factors among Canadian <i>Escherichia coli</i> O157:H7 Strains. <i>Applied and Environmental Microbiology</i> , 2008, 74, 4314-4323. | 1.4 | 48 |
| 858 | Prevalence and Genetic Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> Isolates from Slaughtered Animals in Bangladesh. <i>Applied and Environmental Microbiology</i> , 2008, 74, 5414-5421. | 1.4 | 77 |
| 859 | Optical mapping and 454 sequencing of <i>Escherichia coli</i> O157:H7 isolates linked to the US 2006 spinach-associated outbreak. <i>Microbiology (United Kingdom)</i> , 2008, 154, 3518-3528. | 0.7 | 68 |
| 860 | Genetic Differentiation of <i>Escherichia coli</i> O157:H7 Clades Associated with Human Disease by Real-Time PCR. <i>Journal of Clinical Microbiology</i> , 2008, 46, 2070-2073. | 1.8 | 67 |
| 861 | Tracheal intubation in meningococcal disease and septic shock. <i>Archives of Disease in Childhood</i> , 2008, 93, 181.1-181. | 1.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 862 | Management of menstruation in severe learning disability. Archives of Disease in Childhood, 2008, 93, 181.2-182. | 1.0 | 1 |
| 863 | <i>Quercus infectoria</i> . Oliv.. Pharmaceutical Biology, 2008, 46, 367-372. | 1.3 | 14 |
| 864 | Pathogenic Potential of Emergent Sorbitol-Fermenting Escherichia coli O157:NM. Infection and Immunity, 2008, 76, 5598-5607. | 1.0 | 47 |
| 865 | Intracellular Neutralization of Shiga Toxin 2 by an A Subunit-Specific Human Monoclonal Antibody. Infection and Immunity, 2008, 76, 1931-1939. | 1.0 | 42 |
| 866 | Can we predict the development of haemolytic uraemic syndrome in the early stage of Escherichia coli O157 infection?: Table 1. Archives of Disease in Childhood, 2008, 93, 180-181. | 1.0 | 2 |
| 867 | Direct and indirect zoonotic transmission of Shiga toxin-producing Escherichia coli. Journal of the American Veterinary Medical Association, 2008, 232, 848-859. | 0.2 | 12 |
| 869 | Surveillance of Hemolytic Uremic Syndrome in Children Less Than 15 Years of Age, a System to Monitor O157 and Non-O157 Shiga Toxin-Producing Escherichia coli Infections in France, 1996-2006. Pediatric Infectious Disease Journal, 2008, 27, 595-601. | 1.1 | 87 |
| 870 | Detecção de Escherichia coli O157:H7 inoculada experimentalmente em amostras de leite cru por método convencional e PCR multiplex. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2008, 60, 1241-1249. | 0.1 | 3 |
| 871 | Síndrome hemolítica urémica asociado a infección intestinal por Escherichia coli productora de shigatoxina (STEC) en pacientes chilenos: aspectos clínicos y epidemiológicos. Revista Chilena De Infectología, 2008, 25, . | 0.0 | 12 |
| 872 | Risk Factors for Sporadic Shiga Toxin-producing Escherichia coli Infections in Children, Argentina. Emerging Infectious Diseases, 2008, 14, 763-771. | 2.0 | 74 |
| 873 | Survival characteristics of E. coli O157:H7, S. typhimurium and S. aureus during kefir fermentation. Czech Journal of Food Sciences, 2007, 25, 202-207. | 0.6 | 15 |
| 874 | Prevalence and characterization of verotoxin producing Escherichia coli O157 from diarrhoea patients in Morogoro, Tanzania. Tanzania Health Research Bulletin, 2008, 10, 151-8. | 0.5 | 10 |
| 875 | First isolation of Escherichia coli O157:H7 from faecal and milk specimens from Anatolian water buffaloes (Bubalus bubalus) in Turkey. Journal of the South African Veterinary Association, 2008, 79, 167-70. | 0.2 | 10 |
| 876 | Isolation and Characterization of the Shiga Toxin Gene (stx) Bearing Escherichia coli O157 and Non-O157 from Retail Meats in Shandong Province, China, and Characterization of the O157-Derived stx2 Phages. Journal of Food Protection, 2008, 71, 706-713. | 0.8 | 19 |
| 877 | Low numbers of intestinal Shiga toxin-producing E. coli correlate with a poor prognosis in sheep infected with bovine leukemia virus. Journal of Veterinary Science, 2008, 9, 375. | 0.5 | 2 |
| 878 | All blood, No stool: enterohemorrhagic Escherichia coli O157:H7 infection. Journal of Veterinary Science, 2008, 9, 219. | 0.5 | 60 |
| 879 | Molecular Insights into the Thrombotic Microangiopathies. , 2008, , 453-480. | | 1 |
| 880 | Hemolytic Uremic Syndrome. , 2008, , 359-384. | | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 881 | Integron-Mediated Antibiotic Resistance in Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Food Protection</i> , 2009, 72, 21-27. | 0.8 | 14 |
| 882 | Large Intestine (Colon). , 2009, , 755-836. | | 2 |
| 883 | Epidemiological Analysis of Shiga Toxin-producing <i>E. coli</i> Isolated in Gwangju, Korea, by Pulse-field Gel Electrophoresis. <i>Journal of Bacteriology and Virology</i> , 2009, 39, 195. | 0.0 | 1 |
| 884 | Performance Comparison of a <i>fliCh7</i> Real-Time PCR Assay with an H7 Latex Agglutination Test for Confirmation of the H Type of <i>Escherichia coli</i> O157:H7. <i>Journal of Food Protection</i> , 2009, 72, 2195-2197. | 0.8 | 11 |
| 885 | Nouvelles infections Émergentes: Impact sur la santé de l'enfant. <i>Annales Nestlé [Ed Française]</i> , 2009, 67, 105-121. | 0.0 | 0 |
| 886 | Nuevas infecciones emergentes: importancia en la salud de los niños. <i>Annales Nestlé (Ed Española)</i> , 2009, 67, 105-121. | 0.1 | 0 |
| 887 | Efficacy of Sodium Hypochlorite and Peroxyacetic Acid To Reduce Murine Norovirus 1, B40-8, <i>Listeria monocytogenes</i> , and <i>Escherichia coli</i> O157:H7 on Shredded Iceberg Lettuce and in Residual Wash Water. <i>Journal of Food Protection</i> , 2009, 72, 1047-1054. | 0.8 | 115 |
| 888 | Oral and Rectal Administration of Bacteriophages for Control of <i>Escherichia coli</i> O157:H7 in Feedlot Cattle. <i>Journal of Food Protection</i> , 2009, 72, 241-250. | 0.8 | 87 |
| 889 | A DNA Vaccine Encoding the Enterohemorrhagic <i>Escherichia coli</i> Shiga-Like Toxin 2 A 2 and B Subunits Confers Protective Immunity to Shiga Toxin Challenge in the Murine Model. <i>Vaccine Journal</i> , 2009, 16, 712-718. | 3.2 | 33 |
| 890 | Carbon nanotube based electrochemical immunosensors for high-sensitive detection of <i>E. coli</i> . , 2009, , . | | 4 |
| 891 | Application of a multiplex PCR assay for the detection of <i>Shigella</i> , <i>Escherichia coli</i> and Shiga toxin-producing <i>Esch. coli</i> in milk. <i>Journal of Dairy Research</i> , 2009, 76, 188-194. | 0.7 | 15 |
| 892 | Host and pathogen determinants of verocytotoxin-producing <i>Escherichia coli</i> -associated hemolytic uremic syndrome. <i>Kidney International</i> , 2009, 75, S4-S7. | 2.6 | 69 |
| 893 | Community-wide outbreak of <i>Escherichia coli</i> O157:H7 associated with consumption of frozen beef burgers. <i>Epidemiology and Infection</i> , 2009, 137, 889-896. | 1.0 | 48 |
| 894 | Intraperitoneal Administration of Shiga Toxin Type 2 in Rats in the Late Stage of Pregnancy Produces Premature Delivery of Dead Fetuses. <i>Placenta</i> , 2009, 30, 491-496. | 0.7 | 11 |
| 895 | Temporal and spatial patterns of bovine <i>Escherichia coli</i> O157 prevalence and comparison of temporal changes in the patterns of phage types associated with bovine shedding and human <i>E. coli</i> O157 cases in Scotland between 1998-2000 and 2002-2004. <i>BMC Microbiology</i> , 2009, 9, 276. | 1.3 | 37 |
| 896 | Detection of numerous verotoxigenic <i>E. coli</i> serotypes, with multiple antibiotic resistance from cattle faeces and soil. <i>Veterinary Microbiology</i> , 2009, 134, 288-293. | 0.8 | 35 |
| 897 | Occurrence of non-sorbitol fermenting, verocytotoxin-lacking <i>Escherichia coli</i> O157 on cattle farms. <i>Veterinary Microbiology</i> , 2009, 138, 174-178. | 0.8 | 12 |
| 898 | Atomic force microscopy study of the role of LPS antigen on adhesion of <i>E. coli</i> . <i>Journal of Molecular Recognition</i> , 2009, 22, 347-355. | 1.1 | 73 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 899 | Escherichia coli O157: What every internist and gastroenterologist should know. Current Gastroenterology Reports, 2009, 11, 301-306. | 1.1 | 16 |
| 900 | Acyl-Homoserine-Lactone Autoinducer in the Gastrointestinal Tract of Feedlot Cattle and Correlation to Season, E. Coli O157:H7 Prevalence, and Diet. Current Microbiology, 2009, 58, 227-232. | 1.0 | 23 |
| 901 | Primary and secondary cases in Escherichia coli O157 outbreaks: a statistical analysis. BMC Infectious Diseases, 2009, 9, 144. | 1.3 | 71 |
| 902 | Factors influencing the presence and concentration of <i>E. coli</i> O157 and <i>E. coli</i> in farm waste on six cattle farms in North-West England. Journal of Applied Microbiology, 2009, 106, 613-623. | 1.4 | 3 |
| 903 | The potential use of chilling to control the growth of Enterobacteriaceae on porcine carcasses and the incidence of E. coli O157:H7 in pigs. Journal of Applied Microbiology, 2009, 106, 1512-1520. | 1.4 | 34 |
| 904 | SIMULTANEOUS DIRECT DETECTION OF <i>SALMONELLA</i> SPP., <i>LISTERIA MONOCYTOGENES</i> AND <i>ESCHERICHIA COLI</i> O157 IN MILK SAMPLES BY MAGNETIC EXTRACTION AND MULTIPLEX PCR. Journal of Rapid Methods and Automation in Microbiology, 2009, 17, 195-213. | 0.4 | 15 |
| 905 | <i>Escherichia coli</i> O157:H7 colonization in small domestic ruminants. FEMS Microbiology Reviews, 2009, 33, 394-410. | 3.9 | 74 |
| 906 | Issues in determining factors influencing bacterial attachment: a review using the attachment of <i>Escherichia coli</i> to abiotic surfaces as an example. Letters in Applied Microbiology, 2009, 49, 1-7. | 1.0 | 154 |
| 907 | Pathogens in urban wastewaters suitable for reuse. Urban Water Journal, 2009, 6, 291-301. | 1.0 | 13 |
| 908 | Use of Quantitative and Conventional PCR to Assess Biodegradation of Bovine and Plant DNA during Cattle Mortality Composting. Environmental Science & Technology, 2009, 43, 6248-6255. | 4.6 | 11 |
| 909 | A preliminary investigation on MEMS based immunosensor for E. coli O157:H7 detection. , 2009, , . | | 2 |
| 910 | Towards an attenuated enterohemorrhagic Escherichia coli O157:H7 vaccine characterized by a deleted ler gene and containing apathogenic Shiga toxins. Vaccine, 2009, 27, 5929-5935. | 1.7 | 20 |
| 911 | Effects of ionizing irradiation and hydrostatic pressure on Escherichia coli O157:H7 inactivation, chemical composition, and sensory acceptability of ground beef patties. Meat Science, 2009, 81, 705-710. | 2.7 | 34 |
| 912 | Intestinal Pathogenic Escherichia coli. , 2009, , 1013-1029. | | 4 |
| 913 | Attomole DNA Electrochemical Sensor for the Detection of <i>Escherichia coli</i> O157. Analytical Chemistry, 2009, 81, 2470-2476. | 3.2 | 121 |
| 914 | Phylogenetic classification of Escherichia coli O157:H7 strains of human and bovine origin using a novel set of nucleotide polymorphisms. Genome Biology, 2009, 10, R56. | 13.9 | 47 |
| 915 | A membrane basis for bacterial identification and discrimination using laser-induced breakdown spectroscopy. Journal of Applied Physics, 2009, 105, . | 1.1 | 46 |
| 916 | Prevalence and Concentration of Verotoxigenic <i>Escherichia coli</i> O157:H7 in Adult Sheep at Slaughter from Italy. Zoonoses and Public Health, 2009, 56, 215-220. | 0.9 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 917 | Transmission and quantification of verocytotoxin-producing <i>Escherichia coli</i> O157 in dairy cattle and calves. <i>Epidemiology and Infection</i> , 2009, 137, 114-123. | 1.0 | 9 |
| 918 | Microbial Safety of Modified Atmosphere Packaged Fresh-Cut Produce. , 2009, , . | | 0 |
| 919 | Emerging New Infections: Importance in Child Health. <i>Annales Nestle</i> , 2009, 67, 103-118. | 0.1 | 0 |
| 920 | Antibodies Against Recombinant Shiga Toxin Subunit B Neutralize Shiga Toxin Toxicity in HeLa Cells. <i>Protein and Peptide Letters</i> , 2010, 17, 774-781. | 0.4 | 9 |
| 921 | Hemolytic Uremic Syndrome After an <i>Escherichia coli</i> O111 Outbreak. <i>Archives of Internal Medicine</i> , 2010, 170, 1656-63. | 4.3 | 51 |
| 922 | Focus on quantum dots as potential fluorescent probes for monitoring food toxicants and foodborne pathogens. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 397, 1445-1455. | 1.9 | 56 |
| 923 | In vitro and in vivo protective efficacies of antibodies that neutralize the RNA N-glycosidase activity of Shiga toxin 2. <i>BMC Immunology</i> , 2010, 11, 16. | 0.9 | 18 |
| 924 | Probiotics and prebiotics in animal feeding for safe food production. <i>International Journal of Food Microbiology</i> , 2010, 141, S15-S28. | 2.1 | 672 |
| 925 | Relative gene transcription and pathogenicity of enterohemorrhagic <i>Escherichia coli</i> after long-term adaptation to acid and salt stress. <i>International Journal of Food Microbiology</i> , 2010, 141, 248-253. | 2.1 | 27 |
| 926 | Potentially zoonotic shiga toxin-producing <i>Escherichia coli</i> serogroups in the faeces and meat of food-producing animals in Ibadan, Nigeria. <i>International Journal of Food Microbiology</i> , 2010, 142, 214-221. | 2.1 | 56 |
| 927 | Verocytotoxin-producing <i>Escherichia coli</i> (VTEC). <i>Veterinary Microbiology</i> , 2010, 140, 360-370. | 0.8 | 420 |
| 928 | Risk of Pregnancy-Related Hypertension Within 5 Years of Exposure to Drinking Water Contaminated With <i>Escherichia coli</i> O157:H7. <i>Journal of Clinical Hypertension</i> , 2010, 12, 613-620. | 1.0 | 7 |
| 929 | Enterobacterial Microbiota on <i>Stomoxys calcitrans</i> External Surface. <i>Transboundary and Emerging Diseases</i> , 2010, 57, 22-24. | 1.3 | 5 |
| 930 | Contamination of Sheep Carcasses With Verocytotoxin Producing <i>Escherichia coli</i> During Slaughtering. <i>Transboundary and Emerging Diseases</i> , 2010, 57, 25-27. | 1.3 | 8 |
| 931 | Convergent synthesis of a common pentasaccharide-repeating unit corresponding to the O-specific polysaccharide of <i>Escherichia coli</i> O4:K3, O4:K6, and O4:K12. <i>Tetrahedron: Asymmetry</i> , 2010, 21, 859-863. | 1.8 | 3 |
| 932 | Monoclonal antibodies against Stx1B subunit of <i>Escherichia coli</i> O157:H7 distinguish the bacterium from other bacteria. <i>Letters in Applied Microbiology</i> , 2010, 51, 499-503. | 1.0 | 7 |
| 933 | REAL-TIME REVERSE TRANSCRIPTION PCR DETECTION OF VIABLE SHIGA TOXIN-PRODUCING <i>ESCHERICHIA COLI</i> O157:H7 IN FOOD. <i>Journal of Food Safety</i> , 2010, 30, 51-66. | 1.1 | 4 |
| 934 | Serogroup distribution and virulence characteristics of sorbitol-negative <i>Escherichia coli</i> from food and cattle stool. <i>Journal of Applied Microbiology</i> , 2010, 108, 658-665. | 1.4 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 935 | Antagonistic effect of acetic acid and salt for inactivating <i>Escherichia coli</i> O157:H7 in cucumber puree. <i>Journal of Applied Microbiology</i> , 2010, 108, 1361-1368. | 1.4 | 33 |
| 936 | The MAP kinase-activated protein kinase 2 (MK2) contributes to the Shiga toxin-induced inflammatory response. <i>Cellular Microbiology</i> , 2010, 12, 516-529. | 1.1 | 11 |
| 937 | Different Types of Cell Death Induced by Enterotoxins. <i>Toxins</i> , 2010, 2, 2158-2176. | 1.5 | 28 |
| 938 | Detection of <i>Escherichia coli</i> O157 and <i>Escherichia coli</i> O157:H7 by the immunomagnetic separation technique and <i>stx1</i> and <i>stx2</i> genes by multiplex PCR in slaughtered cattle in Samsun Province, Turkey. <i>Journal of Veterinary Science</i> , 2010, 11, 321. | 0.5 | 14 |
| 939 | Role and clinical course of verotoxigenic <i>Escherichia coli</i> infections in childhood acute diarrhoea in Argentina. <i>Journal of Medical Microbiology</i> , 2010, 59, 345-352. | 0.7 | 55 |
| 940 | <i>Salmonella enterica</i> Serovar Typhimurium Vaccine Strains Expressing a Nontoxic Shiga-Like Toxin 2 Derivative Induce Partial Protective Immunity to the Toxin Expressed by Enterohemorrhagic <i>Escherichia coli</i> . <i>Vaccine Journal</i> , 2010, 17, 529-536. | 3.2 | 16 |
| 941 | Bacterial toxins and their carbohydrate receptors at the host-pathogen interface. , 2010, , 599-621. | | 1 |
| 942 | Endothelial damage induced by Shiga toxins delivered by neutrophils during transmigration. <i>Journal of Leukocyte Biology</i> , 2010, 88, 201-210. | 1.5 | 40 |
| 943 | Timing and Utility of Ultrasound in Diarrhea-Associated Hemolytic Uremic Syndrome: 7-Year Experience of a Large Tertiary Care Hospital. <i>Clinical Pediatrics</i> , 2010, 49, 418-421. | 0.4 | 12 |
| 944 | Prokaryotic Expression of Stx1B Subunit of <i>Escherichia coli</i> O157:H7 Used to Generate Monoclonal Antibody. <i>Hybridoma</i> , 2010, 29, 283-289. | 0.5 | 8 |
| 945 | Inactivation of <i>Escherichia coli</i> in Broth and Sausage by Combined High Pressure and <i>Lactobacillus casei</i> Cell Extract. <i>Food Science and Technology International</i> , 2010, 16, 381-388. | 1.1 | 7 |
| 946 | Set of virulence genes and genetic relatedness of O113:H21 <i>Escherichia coli</i> strains isolated from the animal reservoir and human infections in Brazil. <i>Journal of Medical Microbiology</i> , 2010, 59, 634-640. | 0.7 | 19 |
| 947 | Spread of <i>E. coli</i> O157 infection among Scottish cattle farms: Stochastic models and model selection. <i>Epidemics</i> , 2010, 2, 11-20. | 1.5 | 16 |
| 949 | Anti- <i>Escherichia coli</i> O157:H7 activity of free fatty acids under varying pH. <i>Canadian Journal of Microbiology</i> , 2010, 56, 263-267. | 0.8 | 17 |
| 950 | Development of an oligonucleotide-based microarray to detect multiple foodborne pathogens. <i>Molecular and Cellular Probes</i> , 2010, 24, 77-86. | 0.9 | 89 |
| 951 | The prevalence of <i>Escherichia coli</i> O157 and O157:H7 in ground beef and raw meatball by immunomagnetic separation and the detection of virulence genes using multiplex PCR. <i>Meat Science</i> , 2010, 84, 553-556. | 2.7 | 24 |
| 952 | The growth, survival and thermal inactivation of <i>Escherichia coli</i> O157:H7 in a traditional South African sausage. <i>Meat Science</i> , 2010, 85, 89-95. | 2.7 | 14 |
| 953 | Detection of verocytotoxin-producing <i>Escherichia coli</i> (VTEC) in minced beef and raw milk by colony blot hybridization. <i>Food Control</i> , 2010, 21, 770-773. | 2.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 954 | Development of a Multiplex Real-Time Polymerase Chain Reaction for Simultaneous Detection of Enterohemorrhagic <i>Escherichia coli</i> and Enteropathogenic <i>Escherichia coli</i> Strains. <i>Foodborne Pathogens and Disease</i> , 2010, 7, 801-808. | 0.8 | 22 |
| 955 | <i>Escherichia coli</i> O157. <i>Lancet, The</i> , 2010, 376, 1428-1435. | 6.3 | 363 |
| 956 | Detection of <i>Escherichia coli</i> in a cattle manure composting process by selective cultivation and colony polymerase chain reaction. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2011, 46, 122-127. | 0.7 | 2 |
| 957 | Development of a Sensitive Detection Method for Stressed <i>E. coli</i> O157:H7 in Source and Finished Drinking Water by Culture-qPCR. <i>Environmental Science & Technology</i> , 2011, 45, 2250-2256. | 4.6 | 34 |
| 958 | Functional integration of DNA purification and concentration into a real time micro-PCR chip. <i>Lab on A Chip</i> , 2011, 11, 259-265. | 3.1 | 21 |
| 959 | Shiga Toxin Subtypes Display Dramatic Differences in Potency. <i>Infection and Immunity</i> , 2011, 79, 1329-1337. | 1.0 | 267 |
| 961 | Effect of organic acids, hydrogen peroxide and mild heat on inactivation of <i>Escherichia coli</i> O157:H7 on baby spinach. <i>Food Control</i> , 2011, 22, 1178-1183. | 2.8 | 137 |
| 963 | Rapid O serogroup identification of the ten most clinically relevant STECs by Luminex microbead-based suspension array. <i>Journal of Microbiological Methods</i> , 2011, 87, 105-110. | 0.7 | 65 |
| 964 | A high-throughput open-array qPCR gene panel to identify, virulotype, and subtype O157 and non-O157 enterohemorrhagic <i>Escherichia coli</i> . <i>Molecular and Cellular Probes</i> , 2011, 25, 222-230. | 0.9 | 25 |
| 965 | Development of PCR assays for detection of <i>Escherichia coli</i> O157:H7 in meat products. <i>Meat Science</i> , 2011, 88, 767-773. | 2.7 | 19 |
| 966 | Detection of <i>Escherichia coli</i> O157:H7 virulence genes in isolates from beef, pork, water, human and animal species in the northwest province, South Africa: public health implications. <i>Research in Microbiology</i> , 2011, 162, 240-248. | 1.0 | 78 |
| 967 | Desperately Seeking Diarrhoea: Outbreak of Haemolytic Uraemic Syndrome Caused by Emerging Sorbitol-fermenting Shiga Toxin-producing <i>Escherichia coli</i> O157:H7, Germany, 2009. <i>Zoonoses and Public Health</i> , 2011, 58, 567-572. | 0.9 | 16 |
| 968 | Atividade antimicrobiana de 3leos essenciais de condimentos frente a amostras de <i>Escherichia coli</i> isoladas de aves e bovinos. <i>Ciencia Rural</i> , 2011, 41, 1051-1056. | 0.3 | 17 |
| 969 | Persistence of <i>Escherichia coli</i> O157:H7 and Its Mutants in Soils. <i>PLoS ONE</i> , 2011, 6, e23191. | 1.1 | 50 |
| 970 | Efficacy of low-voltage AC for inactivating surface adherent <i>Escherichia coli</i> O157:H7 on beef. <i>International Journal of Food Safety, Nutrition and Public Health</i> , 2011, 4, 214. | 0.1 | 1 |
| 971 | Inactivation of <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> Typhimurium, and <i>Listeria monocytogenes</i> in Orange and Tomato Juice Using Ohmic Heating. <i>Journal of Food Protection</i> , 2011, 74, 899-904. | 0.8 | 40 |
| 972 | Evaluation of a PCR-Restriction Fragment Length Polymorphism (PCR-RFLP) Assay for Molecular Epidemiological Study of Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Veterinary Medical Science</i> , 2011, 73, 859-867. | 0.3 | 4 |
| 973 | Clinical Relevance of Shiga Toxin Concentrations in the Blood of Patients With Hemolytic Uremic Syndrome. <i>Pediatric Infectious Disease Journal</i> , 2011, 30, 486-490. | 1.1 | 67 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 974 | Establishment of Recombinant Hybrid IgG/IgA Immunoglobulin Specific for Shiga Toxin. <i>Scandinavian Journal of Immunology</i> , 2011, 74, 574-584. | 1.3 | 12 |
| 975 | Prevalence of <i>Escherichia coli</i> O157:H7 on hides and faeces of ruminants at slaughter in two major abattoirs in Nigeria. <i>Letters in Applied Microbiology</i> , 2011, 53, 336-340. | 1.0 | 16 |
| 976 | Acid Resistance and Verocytotoxin Productivity of Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Exposed to Microwave. <i>Journal of Food Science</i> , 2011, 76, M445-9. | 1.5 | 3 |
| 977 | Prevalence, distribution and evolutionary significance of the IS629 insertion element in the stepwise emergence of <i>Escherichia coli</i> O157:H7. <i>BMC Microbiology</i> , 2011, 11, 133. | 1.3 | 12 |
| 978 | O serogroup specific real time PCR assays for the detection and identification of nine clinically relevant non-O157 STECs. <i>Food Microbiology</i> , 2011, 28, 478-483. | 2.1 | 53 |
| 979 | Development of oscillation method for reducing foodborne pathogens on lettuce and spinach. <i>International Journal of Food Microbiology</i> , 2011, 145, 273-278. | 2.1 | 2 |
| 980 | Combined effect of ultrasound and organic acids to reduce <i>Escherichia coli</i> O157:H7, <i>Salmonella</i> Typhimurium, and <i>Listeria monocytogenes</i> on organic fresh lettuce. <i>International Journal of Food Microbiology</i> , 2011, 145, 287-292. | 2.1 | 272 |
| 981 | Prolonged cold stress response of <i>Escherichia coli</i> O157 and the role of <i>rpoS</i> . <i>International Journal of Food Microbiology</i> , 2011, 146, 163-169. | 2.1 | 40 |
| 982 | Detection of <i>E. coli</i> O157:H7 in raw ground beef by Pathatrix immunomagnetic-separation, real-time PCR and cultural methods. <i>International Journal of Food Microbiology</i> , 2011, 148, 87-92. | 2.1 | 56 |
| 983 | Identification of a novel linear epitope on EspA from enterohemorrhagic <i>E. coli</i> using a neutralizing and protective monoclonal antibody. <i>Clinical Immunology</i> , 2011, 138, 77-84. | 1.4 | 13 |
| 984 | <i>Gastrointestinal Pathology</i> . , 2011, , 699-716.e5. | | 0 |
| 985 | Quantum dot-based array for sensitive detection of <i>Escherichia coli</i> . <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 2755-2762. | 1.9 | 38 |
| 986 | Improved bacteria detection by coupling magneto-immunocapture and amperometry at flow-channel microband electrodes. <i>Biosensors and Bioelectronics</i> , 2011, 26, 3633-3640. | 5.3 | 69 |
| 987 | Detection of <i>E. coli</i> O157:H7 using its endogenous active membrane peroxidase. <i>Toxicology and Environmental Health Sciences</i> , 2011, 3, 80-85. | 1.1 | 4 |
| 988 | Molecular Risk Assessment and Epidemiological Typing of Shiga Toxin-Producing <i>Escherichia coli</i> by Using a Novel PCR Binary Typing System. <i>Applied and Environmental Microbiology</i> , 2011, 77, 2458-2470. | 1.4 | 31 |
| 989 | <i>Escherichia coli</i> O157 infection on Scottish cattle farms: dynamics and control. <i>Journal of the Royal Society Interface</i> , 2011, 8, 1051-1058. | 1.5 | 12 |
| 990 | The Evolution of Virulence in Non-O157 Shiga Toxin-Producing <i>Escherichia Coli</i> . <i>Frontiers in Microbiology</i> , 2011, 2, 90. | 1.5 | 59 |
| 991 | Draft Genome Sequences of Six <i>Escherichia coli</i> Isolates from the Stepwise Model of Emergence of <i>Escherichia coli</i> O157:H7. <i>Journal of Bacteriology</i> , 2011, 193, 2058-2059. | 1.0 | 31 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 992 | Change in Conformation with Reduction of α -Helix Content Causes Loss of Neutrophil Binding Activity in Fully Cytotoxic Shiga Toxin 1. <i>Journal of Biological Chemistry</i> , 2011, 286, 34514-34521. | 1.6 | 14 |
| 993 | Shiga Toxin Interaction with Human Intestinal Epithelium. <i>Toxins</i> , 2011, 3, 626-639. | 1.5 | 99 |
| 994 | Serotypes and Virulence Profiles of Non-O157 Shiga Toxin-Producing <i>Escherichia coli</i> Isolates from Bovine Farms. <i>Applied and Environmental Microbiology</i> , 2011, 77, 8662-8668. | 1.4 | 96 |
| 995 | Comparative Analysis of EspF Variants in Inhibition of <i>Escherichia coli</i> Phagocytosis by Macrophages and Inhibition of <i>E. coli</i> Translocation through Human- and Bovine-Derived M Cells. <i>Infection and Immunity</i> , 2011, 79, 4716-4729. | 1.0 | 24 |
| 996 | Listeriosis, salmonellosis and verocytotoxigenic <i>Escherichia coli</i> : significance and contamination in processed meats. , 2011, , 72-108. | | 3 |
| 997 | Internalization of <i>Escherichia coli</i> O157:H7 by Bovine Rectal Epithelial Cells. <i>Frontiers in Microbiology</i> , 2011, 2, 32. | 1.5 | 20 |
| 998 | Enterohemorrhagic <i>Escherichia coli</i> . <i>Advances in Agronomy</i> , 2011, 111, 1-50. | 2.4 | 29 |
| 999 | Quantitative Microbial Risk Assessment for <i>Escherichia coli</i> O157 on Lettuce, Based on Survival Data from Controlled Studies in a Climate Chamber. <i>Journal of Food Protection</i> , 2011, 74, 2000-2007. | 0.8 | 39 |
| 1000 | Hfq Virulence Regulation in Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Strain 86-24. <i>Journal of Bacteriology</i> , 2011, 193, 6843-6851. | 1.0 | 71 |
| 1001 | Verotoxins in Bovine and Meat Verotoxin-Producing <i>Escherichia coli</i> Isolates: Type, Number of Variants, and Relationship to Cytotoxicity. <i>Applied and Environmental Microbiology</i> , 2011, 77, 73-79. | 1.4 | 39 |
| 1002 | Determination of Adhesin Gene Sequences in, and Biofilm Formation by, O157 and Non-O157 Shiga Toxin-Producing <i>Escherichia coli</i> Strains Isolated from Different Sources. <i>Applied and Environmental Microbiology</i> , 2011, 77, 2201-2208. | 1.4 | 51 |
| 1003 | Mouse Models of <i>Escherichia coli</i> O157:H7 Infection and Shiga Toxin Injection. <i>Journal of Biomedicine and Biotechnology</i> , 2011, 2011, 1-17. | 3.0 | 146 |
| 1004 | Fate of <i>Escherichia coli</i> O26 in Corn Silage Experimentally Contaminated at Ensiling, at Silo Opening, or after Aerobic Exposure, and Protective Effect of Various Bacterial Inoculants. <i>Applied and Environmental Microbiology</i> , 2011, 77, 8696-8704. | 1.4 | 19 |
| 1005 | <i>Escherichia coli</i> O157:H7 Shedding in Vaccinated Beef Calves Born to Cows Vaccinated Prepartum with <i>Escherichia coli</i> O157:H7 SRP Vaccine. <i>Journal of Food Protection</i> , 2011, 74, 1599-1604. | 0.8 | 14 |
| 1006 | Enteric <i>Escherichia coli</i> Infections. , 2011, , 110-120. | | 1 |
| 1007 | Phylogeny of Shiga Toxin-Producing <i>Escherichia coli</i> O157 Isolated from Cattle and Clinically Ill Humans. <i>Molecular Biology and Evolution</i> , 2012, 29, 2047-2062. | 3.5 | 53 |
| 1008 | Novel Real-Time PCR Method To Detect <i>Escherichia coli</i> O157:H7 in Raw Milk Cheese and Raw Ground Meat. <i>Journal of Food Protection</i> , 2012, 75, 1373-1381. | 0.8 | 20 |
| 1009 | Biochemical characterization of WbdN, a β -1,3-glucosyltransferase involved in O-antigen synthesis in enterohemorrhagic <i>Escherichia coli</i> O157. <i>Glycobiology</i> , 2012, 22, 1092-1102. | 1.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1010 | Prevalence and antimicrobial susceptibility of virulent and avirulent multidrug-resistant <i>Escherichia coli</i> isolated from diarrheic neonatal calves. <i>American Journal of Veterinary Research</i> , 2012, 73, 1944-1950. | 0.3 | 10 |
| 1011 | Geographic Divergence of Bovine and Human Shiga Toxin-Producing <i>Escherichia coli</i> O157:H7 Genotypes, New Zealand. <i>Emerging Infectious Diseases</i> , 2012, 20, 1980-1989. | 2.0 | 17 |
| 1012 | Characterization of Farm, Food, and Clinical Shiga Toxin-Producing <i>Escherichia coli</i> (STEC) O113. <i>Foodborne Pathogens and Disease</i> , 2012, 9, 1088-1096. | 0.8 | 19 |
| 1013 | Subtyping of <i>Escherichia coli</i> O157:H7 Strains Isolated from Human Infections and Healthy Cattle in Argentina. <i>Foodborne Pathogens and Disease</i> , 2012, 9, 457-464. | 0.8 | 13 |
| 1014 | Complete DNA Sequence Analysis of Enterohemorrhagic <i>Escherichia coli</i> Plasmid pO157_2 in β -Glucuronidase-Positive <i>E. coli</i> O157:H7 Reveals a Novel Evolutionary Path. <i>Journal of Bacteriology</i> , 2012, 194, 3457-3463. | 1.0 | 31 |
| 1015 | Differential Virulence of Clinical and Bovine-Biased Enterohemorrhagic <i>Escherichia coli</i> O157:H7 Genotypes in Piglet and Dutch Belted Rabbit Models. <i>Infection and Immunity</i> , 2012, 80, 369-380. | 1.0 | 33 |
| 1016 | Strategies for Surveillance of Pediatric Hemolytic Uremic Syndrome: Foodborne Diseases Active Surveillance Network (FoodNet), 2000-2007. <i>Clinical Infectious Diseases</i> , 2012, 54, S424-S431. | 2.9 | 27 |
| 1017 | Novel Repressor of <i>Escherichia coli</i> O157:H7 Motility Encoded in the Putative Fimbrial Cluster OI-1. <i>Journal of Bacteriology</i> , 2012, 194, 5343-5352. | 1.0 | 19 |
| 1018 | Use of Clustered Regularly Interspaced Short Palindromic Repeat Sequence Polymorphisms for Specific Detection of Enterohemorrhagic <i>Escherichia coli</i> Strains of Serotypes O26:H11, O45:H2, O103:H2, O111:H8, O121:H19, O145:H28, and O157:H7 by Real-Time PCR. <i>Journal of Clinical Microbiology</i> , 2012, 50, 4035-4040. | 1.8 | 86 |
| 1019 | <i>Escherichia coli</i> O157 infection on cattle farms: the formulation of the force of infection and its effect on control effectiveness. <i>Epidemiology and Infection</i> , 2012, 140, 1215-1226. | 1.0 | 2 |
| 1020 | Serotypes and virulotypes of non-O157 shiga-toxin producing <i>Escherichia coli</i> (STEC) on bovine hides and carcasses. <i>Food Microbiology</i> , 2012, 32, 223-229. | 2.1 | 57 |
| 1021 | The prevalence, distribution and characterization of Shiga toxin-producing <i>Escherichia coli</i> (STEC) serotypes and virulotypes from a cluster of bovine farms. <i>Journal of Applied Microbiology</i> , 2012, 113, 1238-1248. | 1.4 | 39 |
| 1022 | Association of Nucleotide Polymorphisms within the O-Antigen Gene Cluster of <i>Escherichia coli</i> O26, O45, O103, O111, O121, and O145 with Serogroups and Genetic Subtypes. <i>Applied and Environmental Microbiology</i> , 2012, 78, 6689-6703. | 1.4 | 28 |
| 1023 | Quantifying Colonization Potential of Enterohemorrhagic <i>Escherichia coli</i> O157 Using Bovine <i>In Vitro</i> Organ Culture and Immunofluorescent Staining. <i>Foodborne Pathogens and Disease</i> , 2012, 9, 1064-1070. | 0.8 | 3 |
| 1024 | Effects of non-ionic solute stresses on biofilm formation and lipopolysaccharide production in <i>Escherichia coli</i> O157:H7. <i>Research in Microbiology</i> , 2012, 163, 258-267. | 1.0 | 11 |
| 1025 | Molecular characterization of diarrheagenic <i>Escherichia coli</i> isolated from meat products sold at Mansoura city, Egypt. <i>Food Control</i> , 2012, 25, 159-164. | 2.8 | 13 |
| 1026 | Design of a latex assay based on monoclonal antibodies for the detection of enterohemorrhagic <i>E. coli</i> belonging to the O157 serogroup. <i>Applied Biochemistry and Microbiology</i> , 2012, 48, 685-690. | 0.3 | 1 |
| 1027 | Biodistribution and elimination kinetics of systemic Stx2 by the Stx2A and Stx2B subunit-specific human monoclonal antibodies in mice. <i>BMC Immunology</i> , 2012, 13, 27. | 0.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1028 | Bovine milk fat globule membrane affects virulence expression in <i>Escherichia coli</i> O157:H7. <i>Journal of Dairy Science</i> , 2012, 95, 6313-6319. | 1.4 | 23 |
| 1029 | Identification of source of faecal pollution of Tirumanimuttar River, Tamilnadu, India using microbial source tracking. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 6001-6012. | 1.3 | 16 |
| 1030 | Molecular Characterization of Shiga Toxin-Producing <i>Escherichia coli</i> Isolated from the Environment of a Dairy Farm. <i>Current Microbiology</i> , 2012, 65, 337-343. | 1.0 | 20 |
| 1031 | Shiga toxin-producing <i>Escherichia coli</i> O157:H7 shows an increased pathogenicity in mice after the passage through the gastrointestinal tract of the same host. <i>Journal of Medical Microbiology</i> , 2012, 61, 852-859. | 0.7 | 11 |
| 1032 | The Interaction Pattern of Murine Serum Ficolin-A with Microorganisms. <i>PLoS ONE</i> , 2012, 7, e38196. | 1.1 | 26 |
| 1033 | Detection of Shiga toxin-producing <i>Escherichia coli</i> by sandwich enzyme-linked immunosorbent assay using chicken egg yolk IgY antibodies. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012, 2, 84. | 1.8 | 26 |
| 1034 | Enterohemorrhagic <i>E. coli</i> (EHEC) pathogenesis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012, 2, 90. | 1.8 | 261 |
| 1035 | <i>Escherichia coli</i> O157:H7—Clinical aspects and novel treatment approaches. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012, 2, 138. | 1.8 | 57 |
| 1036 | Phenotypic and genotypic characterization of <i>Escherichia coli</i> O157 strains isolated from humans, cattle and pigs. <i>Veterinari Medicina</i> , 2004, 49, 317-326. | 0.2 | 5 |
| 1037 | Molecular analysis of <i>Escherichia coli</i> O157 strains isolated from cattle and pigs by the use of PCR and pulsed-field gel electrophoresis methods. <i>Veterinari Medicina</i> , 2002, 47, 149-158. | 0.2 | 18 |
| 1038 | Shiga toxin-producing <i>Escherichia coli</i> O171:H25 strain isolated from a patient with haemolytic uraemic syndrome. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2012, 59, 215-224. | 0.4 | 1 |
| 1039 | Serotypes, Virulence Genes, and Intimin Types of Shiga Toxin-Producing <i>Escherichia coli</i> and Enteropathogenic <i>Escherichia coli</i> Isolated from Mastitic Milk Relevant to Human Health in Egypt. <i>Vector-Borne and Zoonotic Diseases</i> , 2012, 12, 297-305. | 0.6 | 19 |
| 1040 | The Interactions of Human Neutrophils with Shiga Toxins and Related Plant Toxins: Danger or Safety?. <i>Toxins</i> , 2012, 4, 157-190. | 1.5 | 28 |
| 1042 | Use of deodorized yellow mustard powder to control <i>Escherichia coli</i> O157:H7 in dry cured Westphalian ham. <i>Food Microbiology</i> , 2012, 30, 400-407. | 2.1 | 13 |
| 1043 | Evaluation of Fourier transform infrared (FT-IR) spectroscopy and chemometrics as a rapid approach for sub-typing <i>Escherichia coli</i> O157:H7 isolates. <i>Food Microbiology</i> , 2012, 31, 181-190. | 2.1 | 20 |
| 1044 | Diarrheagenic <i>Escherichia coli</i> detected by 16-plex PCR in raw meat and beef intestines sold at local markets in Ouagadougou, Burkina Faso. <i>International Journal of Food Microbiology</i> , 2012, 153, 154-158. | 2.1 | 43 |
| 1045 | Radio-frequency heating to inactivate <i>Salmonella</i> Typhimurium and <i>Escherichia coli</i> O157:H7 on black and red pepper spice. <i>International Journal of Food Microbiology</i> , 2012, 153, 171-175. | 2.1 | 103 |
| 1046 | Acid and alcohol tolerance of <i>Escherichia coli</i> O157:H7 in pulque, a typical Mexican beverage. <i>International Journal of Food Microbiology</i> , 2012, 154, 79-84. | 2.1 | 11 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1047 | Rapid, sensitive and label-free detection of Shiga-toxin producing <i>Escherichia coli</i> O157 using carbon nanotube biosensors. <i>Biosensors and Bioelectronics</i> , 2012, 32, 69-75. | 5.3 | 22 |
| 1048 | Attachment of <i>Escherichia coli</i> O157:H7 to Abiotic Surfaces of Cooking Utensils. <i>Journal of Food Science</i> , 2012, 77, M194-9. | 1.5 | 9 |
| 1049 | Dynamics of shiga-toxin producing <i>Escherichia coli</i> (STEC) and their virulence factors in cattle. <i>Preventive Veterinary Medicine</i> , 2012, 103, 22-30. | 0.7 | 14 |
| 1050 | Epidemiology of Shiga toxin producing <i>Escherichia coli</i> in Australia, 2000-2010. <i>BMC Public Health</i> , 2012, 12, 63. | 1.2 | 94 |
| 1051 | Evaluation of pathogenic <i>Escherichia coli</i> occurrence in vegetable samples from district bazaars in Istanbul using real-time PCR. <i>Letters in Applied Microbiology</i> , 2013, 57, 362-367. | 1.0 | 11 |
| 1052 | Immunization with a Chimera Consisting of the B Subunit of Shiga Toxin Type 2 and Brucella Lumazine Synthase Confers Total Protection against Shiga Toxins in Mice. <i>Journal of Immunology</i> , 2013, 191, 2403-2411. | 0.4 | 45 |
| 1054 | SNP genotyping of enterohemorrhagic <i>Escherichia coli</i> O157:H7 isolates from China and genomic identity of the 1999 Xuzhou outbreak. <i>Infection, Genetics and Evolution</i> , 2013, 16, 275-281. | 1.0 | 6 |
| 1055 | Les <i>Escherichia coli</i> entérohémorragiques : des bactéries d'actualité. <i>Revue Francophone Des Laboratoires</i> , 2013, 2013, 44-49. | 0.0 | 0 |
| 1056 | The anti-shigellosis activity of the methanol extract of <i>Picralima nitida</i> on <i>Shigella dysenteriae</i> type I induced diarrhoea in rats. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 211. | 3.7 | 12 |
| 1057 | Identification and Characterization of Spontaneous Deletions within the Sp11-Sp12 Prophage Region of <i>Escherichia coli</i> O157:H7 Sakai. <i>Applied and Environmental Microbiology</i> , 2013, 79, 1934-1941. | 1.4 | 8 |
| 1058 | Barley forages for modern global ruminant agriculture: A review. <i>Russian Agricultural Sciences</i> , 2013, 39, 206-213. | 0.1 | 7 |
| 1059 | Assessing the Existing Information on the Efficacy of Bovine Vaccination against <i>Escherichia coli</i> O157:H7 – A Systematic Review and Meta-analysis. <i>Zoonoses and Public Health</i> , 2013, 60, 253-268. | 0.9 | 45 |
| 1060 | Ultraviolet light and Ultrasound as non-thermal treatments for the inactivation of microorganisms in fresh ready-to-eat foods. <i>International Journal of Food Microbiology</i> , 2013, 167, 96-102. | 2.1 | 178 |
| 1061 | The ecological habitat and transmission of <i>Escherichia coli</i> O157:H7. <i>FEMS Microbiology Letters</i> , 2013, 341, 1-12. | 0.7 | 81 |
| 1062 | Phylogenetic and Molecular Analysis of Food-Borne Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 2013, 79, 2731-2740. | 1.4 | 37 |
| 1063 | Detection and enumeration of <i>E. coli</i> O157:H7 in water samples by culture and molecular methods. <i>Journal of Microbiological Methods</i> , 2013, 92, 164-172. | 0.7 | 46 |
| 1064 | Magnetic nano-beads based separation combined with propidium monoazide treatment and multiplex PCR assay for simultaneous detection of viable <i>Salmonella</i> Typhimurium, <i>Escherichia coli</i> O157:H7 and <i>Listeria monocytogenes</i> in food products. <i>Food Microbiology</i> , 2013, 34, 418-424. | 2.1 | 122 |
| 1065 | Enterohemorrhagic and other Shigatoxin-producing <i>Escherichia coli</i> . , 2013, , 121-182. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1066 | Hydroquinone Diphosphate as a Phosphatase Substrate in Enzymatic Amplification Combined with Electrochemicalâ€“Chemicalâ€“Chemical Redox Cycling for the Detection of <i>E. coli</i> O157:H7. <i>Analytical Chemistry</i> , 2013, 85, 1631-1636. | 3.2 | 107 |
| 1067 | Transcriptional and functional responses of <i>Escherichia coli</i> O157:H7 growing in the lettuce rhizoplane. <i>Food Microbiology</i> , 2013, 35, 136-142. | 2.1 | 24 |
| 1068 | Increased Recognition of Non-O157 Shiga Toxinâ€“Producing <i>Escherichia coli</i> Infections in the United States During 2000â€“2010: Epidemiologic Features and Comparison with <i>E. coli</i> O157 Infections. <i>Foodborne Pathogens and Disease</i> , 2013, 10, 453-460. | 0.8 | 312 |
| 1069 | Mucosal priming of the murine immune system against enterohemorrhagic <i>Escherichia coli</i> O157:H7 using <i>Lactococcus lactis</i> expressing the type III secretion system protein EspB. <i>Veterinary Immunology and Immunopathology</i> , 2013, 152, 141-145. | 0.5 | 12 |
| 1070 | Sensitive DNA biosensor improved by 1,10-phenanthroline cobalt complex as indicator based on the electrode modified by gold nanoparticles and graphene. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 58-63. | 4.0 | 40 |
| 1071 | Shiga toxin-producing <i>Escherichia coli</i> . <i>Virulence</i> , 2013, 4, 366-372. | 1.8 | 107 |
| 1072 | <i>Escherichia coli</i> O157 in Ground Beef from Local Retail Markets in Pachuca, Mexico. <i>Journal of Food Protection</i> , 2013, 76, 680-684. | 0.8 | 4 |
| 1073 | Potential Rapid and Simple Lateral Flow Assay for <i>Escherichia coli</i> O111. <i>Journal of Food Protection</i> , 2013, 76, 755-761. | 0.8 | 13 |
| 1074 | Restrictive Streptomycin Resistance Mutations Decrease the Formation of Attaching and Effacing Lesions in <i>Escherichia coli</i> O157:H7 Strains. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4260-4266. | 1.4 | 5 |
| 1075 | The Acyl-Homoserine Lactone Synthase YenI from <i>Yersinia enterocolitica</i> Modulates Virulence Gene Expression in Enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 2013, 81, 4192-4199. | 1.0 | 9 |
| 1076 | Secondary, profound, sensorineural hearing loss after recovery from haemolytic uraemic syndrome due to enterohaemorrhagic <i>Escherichia coli</i> , and subsequent cochlear implantation, in two Japanese children. <i>Journal of Laryngology and Otology</i> , 2013, 127, 306-310. | 0.4 | 0 |
| 1077 | Virulence Gene Profiles and Population Genetic Analysis for Exploration of Pathogenic Serogroups of Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2013, 51, 4022-4028. | 1.8 | 33 |
| 1078 | Genetic characteristics of Shiga toxin-producing <i>E. coli</i> O157, O26, O103, O111 and O145 isolates from humans, food, and cattle in Belgium. <i>Epidemiology and Infection</i> , 2013, 141, 2503-2515. | 1.0 | 24 |
| 1079 | Evolution of the Stx2-Encoding Prophage in Persistent Bovine <i>Escherichia coli</i> O157:H7 Strains. <i>Applied and Environmental Microbiology</i> , 2013, 79, 1563-1572. | 1.4 | 28 |
| 1080 | Shiga Toxin 1, as DNA Repair Inhibitor, Synergistically Potentiates the Activity of the Anticancer Drug, Mafosfamide, on Raji Cells. <i>Toxins</i> , 2013, 5, 431-444. | 1.5 | 8 |
| 1081 | <i>Escherichia coli</i> as an indicator of bacteriological quality of water: an overview. <i>Mental Illness</i> , 2013, 4, 2. | 0.8 | 234 |
| 1082 | Prevalence of <i>Escherichia coli</i> O157:H7, <i>Listeria monocytogenes</i> and <i>Salmonella</i> spp. in Beef, Buffalo and Lamb Using Multiplex PCR. <i>Jundishapur Journal of Microbiology</i> , 2013, 6, . | 0.2 | 16 |
| 1083 | Effect of Citrus Byproducts on Survival of O157:H7 and Non-O157 <i>Escherichia coli</i> Serogroups within <i>In Vitro</i> Bovine Ruminal Microbial Fermentations. <i>International Journal of Microbiology</i> , 2013, 2013, 1-5. | 0.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1084 | Identification of TLR4 as the Receptor That Recognizes Shiga Toxins in Human Neutrophils. <i>Journal of Immunology</i> , 2013, 191, 4748-4758. | 0.4 | 76 |
| 1085 | Prevalence and Characterization of Shiga-Toxin O157:H7 and Non-O157:H7 Enterohemorrhagic <i>Escherichia coli</i> Isolated from Different Sources. <i>Biotechnology and Biotechnological Equipment</i> , 2013, 27, 3834-3842. | 0.5 | 25 |
| 1086 | Effects of Seasonality and a Diet of Brassicas on the Shedding of <i>Escherichia coli</i> O157 in Sheep. <i>Foodborne Pathogens and Disease</i> , 2013, 10, 649-654. | 0.8 | 8 |
| 1087 | Correlation analysis of Shiga toxin-producing <i>Escherichia coli</i> shedding and faecal bacterial composition in beef cattle. <i>Journal of Applied Microbiology</i> , 2013, 115, 591-603. | 1.4 | 22 |
| 1088 | Inhibition of Water Absorption and Selective Damage to Human Colonic Mucosa Are Induced by Subtilase Cytotoxin Produced by <i>Escherichia coli</i> O113:H21. <i>Infection and Immunity</i> , 2013, 81, 2931-2937. | 1.0 | 17 |
| 1090 | A Novel Chromogenic Screening Medium for Isolation of Enterohemorrhagic <i>Escherichia coli</i> . <i>Biocontrol Science</i> , 2013, 18, 111-115. | 0.2 | 4 |
| 1091 | Occurrence of Shiga-toxigenic <i>Escherichia coli</i> in <i>Stomoxys calcitrans</i> (Diptera: Muscidae). <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 318-321. | 0.2 | 13 |
| 1092 | Application of multiplex PCR assay based on uidR and fliCH7 genes for detection of <i>Escherichia coli</i> O157:H7 in milk. <i>Journal of General and Applied Microbiology</i> , 2013, 59, 11-19. | 0.4 | 16 |
| 1093 | Season, Irrigation, Leaf Age, and <i>Escherichia coli</i> Inoculation Influence the Bacterial Diversity in the Lettuce Phyllosphere. <i>PLoS ONE</i> , 2013, 8, e68642. | 1.1 | 121 |
| 1094 | Production of Hybrid-IgG/IgA Plantibodies with Neutralizing Activity against Shiga Toxin 1. <i>PLoS ONE</i> , 2013, 8, e80712. | 1.1 | 16 |
| 1095 | Functional Capacity of Shiga-Toxin Promoter Sequences in Eukaryotic Cells. <i>PLoS ONE</i> , 2013, 8, e57128. | 1.1 | 37 |
| 1096 | Microbiological analysis of pasteurized and fresh fruit juice sold in Rawalpindi of Pakistan. <i>Bangladesh Journal of Scientific and Industrial Research</i> , 2013, 48, 185-192. | 0.1 | 6 |
| 1097 | Comparison of Clinical and Epidemiological Features of Shiga Toxin-Producing <i>Escherichia coli</i> O157 and Non-O157 Infections in British Columbia, 2009 to 2011. <i>Canadian Journal of Infectious Diseases and Medical Microbiology</i> , 2013, 24, e102-e106. | 0.7 | 16 |
| 1098 | Isolation of <i>Escherichia coli</i> O157:H7 Strain from Fecal Samples of Zoo Animal. <i>Scientific World Journal</i> , The, 2013, 2013, 1-5. | 0.8 | 13 |
| 1099 | Management strategies in the treatment of neonatal and pediatric gastroenteritis. <i>Infection and Drug Resistance</i> , 2013, 6, 133. | 1.1 | 51 |
| 1100 | Prevalence and characterization of Shiga toxin O157 and non-O157 enterohemorrhagic <i>Escherichia coli</i> isolated from different sources in Ismailia, Egypt. <i>African Journal of Microbiology Research</i> , 2013, 7, 2637-2645. | 0.4 | 12 |
| 1101 | PhoB Activates <i>Escherichia coli</i> O157:H7 Virulence Factors in Response to Inorganic Phosphate Limitation. <i>PLoS ONE</i> , 2014, 9, e94285. | 1.1 | 57 |
| 1102 | Selective Evolution of Ligands by Exponential Enrichment to Identify RNA Aptamers against Shiga Toxins. <i>Journal of Nucleic Acids</i> , 2014, 2014, 1-8. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1103 | Prevalence and Characterization of <i>Escherichia coli</i> from Rectal Swab of Apparently Healthy Cattle in Mymensingh, Bangladesh. <i>Microbes and Health</i> , 2014, 3, 12-14. | 0.3 | 18 |
| 1104 | Genotypes and phenotypes of Shiga toxin-producing <i>Escherichia coli</i> (STEC) in Abeokuta, Southwestern Nigeria. <i>Infection and Drug Resistance</i> , 2014, 7, 253. | 1.1 | 4 |
| 1105 | <i>E. coli</i> O157 outbreaks in the United Kingdom: past, present, and future. <i>Infection and Drug Resistance</i> , 2014, 7, 211. | 1.1 | 37 |
| 1106 | Bovine Shiga toxin producing <i>Escherichia coli</i> O157:H7 of Bangladesh: Is it capable of causing diseases similar to clinical strains?. <i>African Journal of Microbiology Research</i> , 2014, 8, 147-154. | 0.4 | 0 |
| 1107 | Diarrheagenic <i>Escherichia coli</i> O157, 0, 71-94. | | 8 |
| 1108 | Laboratory Methods Used for Strain Typing of Pathogens: Conventional and Molecular Techniques. , 2014, , 29-62. | | 2 |
| 1109 | <i>Escherichia coli</i> , 2014, , 23-58. | | 0 |
| 1111 | Quartz crystal microbalance (QCM) as biosensor for the detecting of <i>Escherichia coli</i> O157:H7. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2014, 5, 045004. | 0.7 | 24 |
| 1112 | The inhibitory effect of colloidal bismuth hydroxide gel on <i>Escherichia coli</i> O157:H7 and on the activity of Shiga toxins. <i>BMC Research Notes</i> , 2014, 7, 875. | 0.6 | 7 |
| 1113 | Shiga toxin-producing <i>Escherichia coli</i> in swine: the public health perspective. <i>Animal Health Research Reviews</i> , 2014, 15, 63-75. | 1.4 | 58 |
| 1115 | Managing <i>Salmonella</i> Typhimurium and <i>Escherichia coli</i> O157:H7 in soil with hydrated lime – An outdoor study in lysimeters and field plots. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2014, 49, 45-50. | 0.7 | 1 |
| 1116 | Foodborne bacterial pathogens recovered from contaminated shawarma meat in northern Jordan. <i>Journal of Infection in Developing Countries</i> , 2014, 8, 1407-1414. | 0.5 | 28 |
| 1117 | Synthesis and Fabrication of PVA-Ag-Cu and PANI-Ag-Cu Nanocomposite Thin Film Sensor for Detection of <i>E. coli</i> in Water. <i>Advanced Materials Research</i> , 0, 911, 131-135. | 0.3 | 3 |
| 1118 | Evaluation of the Effects of Weaning Diets on <i>Escherichia coli</i> O157 Shedding, Body Weight, and Fecal Bacterial Communities in Beef Calves. <i>Foodborne Pathogens and Disease</i> , 2014, 11, 55-60. | 0.8 | 3 |
| 1119 | Efficacy of coral-hydroxyapatite and biphasic calcium phosphate for early bacterial detection. <i>Biointerphases</i> , 2014, 9, 029018. | 0.6 | 4 |
| 1120 | ASYMMETRIC PRICE INCREASE IN CRITICAL LOSS ANALYSIS: A REPLY TO DALJORD, SORGARD, AND THOMASSEN. <i>Journal of Competition Law and Economics</i> , 2014, 10, 495-503. | 0.6 | 4 |
| 1121 | Interaction between the Microbial Community and Invading <i>Escherichia coli</i> O157:H7 in Soils from Vegetable Fields. <i>Applied and Environmental Microbiology</i> , 2014, 80, 70-76. | 1.4 | 41 |
| 1122 | Retinoid Levels Influence Enterohemorrhagic <i>Escherichia coli</i> Infection and Shiga Toxin 2 Susceptibility in Mice. <i>Infection and Immunity</i> , 2014, 82, 3948-3957. | 1.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1123 | Antibacterial Effect of Silver Nanoparticles Against Four Foodborne Pathogens. <i>Jundishapur Journal of Microbiology</i> , 2014, 7, e8720. | 0.2 | 116 |
| 1124 | Optimization of conditions for probiotic curd formulation by <i>Enterococcus faecium</i> MTCC 5695 with probiotic properties using response surface methodology. <i>Journal of Food Science and Technology</i> , 2014, 51, 3050-3060. | 1.4 | 8 |
| 1125 | Numbers of coliforms, <i>Escherichia coli</i> , F-RNA phage, rotavirus, bovine enteric calicivirus and presence of non-O157 STEC on commercial vacuum packaged beef. <i>Food Microbiology</i> , 2014, 42, 225-231. | 2.1 | 11 |
| 1126 | Effect of hydrogen peroxide vapor treatment for inactivating <i>Salmonella Typhimurium</i> , <i>Escherichia coli</i> O157:H7 and <i>Listeria monocytogenes</i> on organic fresh lettuce. <i>Food Control</i> , 2014, 44, 78-85. | 2.8 | 44 |
| 1127 | Survival of <i>Escherichia coli</i> O157:H7 in soils under different land use types. <i>Environmental Science and Pollution Research</i> , 2014, 21, 518-524. | 2.7 | 30 |
| 1128 | Characterization of Shiga toxin-producing <i>Escherichia coli</i> isolated from healthy pigs in China. <i>BMC Microbiology</i> , 2014, 14, 5. | 1.3 | 71 |
| 1129 | Genotypic characterization of <i>Escherichia coli</i> O157:H7 strains that cause diarrhea and hemolytic uremic syndrome in Neuqu n, Argentina. <i>International Journal of Medical Microbiology</i> , 2014, 304, 499-504. | 1.5 | 24 |
| 1130 | Interactions of O157 and Non-O157 Shiga Toxin-producing <i>Escherichia coli</i> (STEC) Recovered from Bovine Hide and Carcass with Human Cells and Abiotic Surfaces. <i>Foodborne Pathogens and Disease</i> , 2014, 11, 248-255. | 0.8 | 12 |
| 1131 | Molecular detection of nine clinically important non-O157 <i>Escherichia coli</i> serogroups from raw sheep meat in Chaharmahal-va-Bakhtiari province, Iran. <i>Meat Science</i> , 2014, 97, 428-432. | 2.7 | 4 |
| 1132 | Toxin Production and Antibiotic Resistances in <i>Escherichia coli</i> Isolated from Bathing Areas Along the Coastline of the Oslo Fjord. <i>Current Microbiology</i> , 2014, 69, 317-328. | 1.0 | 7 |
| 1133 | Protection of Mice against Shiga Toxin 2 (Stx2)-Associated Damage by Maternal Immunization with a <i>Brucella</i> Lumazine Synthase-Stx2 B Subunit Chimera. <i>Infection and Immunity</i> , 2014, 82, 1491-1499. | 1.0 | 22 |
| 1134 | A glimpse of <i>Escherichia coli</i> O157:H7 survival in soils from eastern China. <i>Science of the Total Environment</i> , 2014, 476-477, 49-56. | 3.9 | 25 |
| 1136 | Enhanced Virulence of the <i>Escherichia coli</i> O157:H7 Spinach-Associated Outbreak Strain in Two Animal Models Is Associated with Higher Levels of Stx2 Production after Induction with Ciprofloxacin. <i>Infection and Immunity</i> , 2014, 82, 4968-4977. | 1.0 | 19 |
| 1137 | Detection of single-digit foodborne pathogens with the naked eye using carbon nanotube-based multiple cycle signal amplification. <i>Chemical Communications</i> , 2014, 50, 1848. | 2.2 | 33 |
| 1138 | Identification and Characterization of a Peculiar λ -Converting Phage Frequently Present in Verocytotoxin-Producing <i>Escherichia coli</i> O157 Isolated from Human Infections. <i>Infection and Immunity</i> , 2014, 82, 3023-3032. | 1.0 | 11 |
| 1139 | Pyruvate-Associated Acid Resistance in Bacteria. <i>Applied and Environmental Microbiology</i> , 2014, 80, 4108-4113. | 1.4 | 30 |
| 1140 | Colonization of the meat extracellular matrix proteins by O157 and non-O157 enterohemorrhagic <i>Escherichia coli</i> . <i>International Journal of Food Microbiology</i> , 2014, 188, 92-98. | 2.1 | 9 |
| 1141 | Modification of methods for detection of <i>Escherichia coli</i> O157:H7 on produce. <i>Food Science and Biotechnology</i> , 2014, 23, 1349-1356. | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1142 | Incidence and etiology of hemolytic-uremic syndrome in children in Norway, 1999â€“2008 â€“ a retrospective study of hospital records to assess the sensitivity of surveillance. <i>BMC Infectious Diseases</i> , 2014, 14, 265. | 1.3 | 24 |
| 1143 | Rapid and accurate detection of viable <i>Escherichia coli</i> O157:H7 in milk using a combined IMS, sodium deoxycholate, PMA and real-time quantitative PCR process. <i>Food Control</i> , 2014, 36, 119-125. | 2.8 | 47 |
| 1144 | Phylogenetic characterization of <i>Escherichia coli</i> O157:H7 based on IS629 distribution and Shiga toxin genotype. <i>Microbiology (United Kingdom)</i> , 2014, 160, 502-513. | 0.7 | 32 |
| 1145 | Prevalence of <i>Escherichia coli</i> O157:H7 on spinach and rocket as affected by inoculum and time to harvest. <i>Scientia Horticulturae</i> , 2014, 165, 235-241. | 1.7 | 16 |
| 1146 | Development of a Rapid Microarray-Based DNA Subtyping Assay for the Alleles of Shiga Toxins 1 and 2 of <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2014, 52, 2898-2904. | 1.8 | 9 |
| 1147 | Identification of two allelic variants of <i>tox</i> B gene and investigation of their distribution among Verocytotoxin-producing <i>Escherichia coli</i> . <i>International Journal of Medical Microbiology</i> , 2014, 304, 730-734. | 1.5 | 6 |
| 1148 | Oral immunization with <i>Lactococcus lactis</i> -expressing EspB induces protective immune responses against <i>Escherichia coli</i> O157:H7 in a murine model of colonization. <i>Vaccine</i> , 2014, 32, 3909-3916. | 1.7 | 33 |
| 1149 | Expanding Possibilities of Rolling Circle Amplification as a Biosensing Platform. <i>Analytical Sciences</i> , 2014, 30, 59-64. | 0.8 | 28 |
| 1150 | EHEC Genomics: Past, Present, and Future. <i>Microbiology Spectrum</i> , 2014, 2, EHEC-0020-2013. | 1.2 | 50 |
| 1151 | Management of hemolytic-uremic syndrome in children. <i>International Journal of Nephrology and Renovascular Disease</i> , 2014, 7, 231. | 0.8 | 36 |
| 1152 | Overview and Historical Perspectives. <i>Microbiology Spectrum</i> , 2014, 2, . | 1.2 | 55 |
| 1153 | Animal Models of Enterohemorrhagic <i>Escherichia coli</i> Infection. <i>Microbiology Spectrum</i> , 2014, 2, EHEC-0022-2013. | 1.2 | 25 |
| 1154 | Use of virulence determinants and seropathotypes to distinguish high- and low-risk <i>Escherichia coli</i> O157 and non-O157 isolates from Europe. <i>Epidemiology and Infection</i> , 2014, 142, 1019-1028. | 1.0 | 6 |
| 1157 | Discovery of Inhibitors of Shiga Toxin Type 2 by Onâ€“Plate Generation and Screening of a Focused Compound Library. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 1510-1515. | 7.2 | 14 |
| 1158 | Identification of O Serotypes, Genotypes, and Virulotypes of Shiga Toxin-Producing <i>Escherichia coli</i> Isolates, Including Non-O157 from Beef Cattle in Japan. <i>Journal of Food Protection</i> , 2014, 77, 1269-1274. | 0.8 | 20 |
| 1159 | Whole Genome Sequencing demonstrates that Geographic Variation of <i>Escherichia coli</i> O157 Genotypes Dominates Host Association. <i>Scientific Reports</i> , 2015, 5, 14145. | 1.6 | 49 |
| 1160 | Presence and persistence of wastewater pathogen <i>Escherichia coli</i> O157:H7 in hydroponic reactors of treatment wetland species. <i>Water Science and Technology</i> , 2015, 72, 135-140. | 1.2 | 4 |
| 1162 | Effectiveness of Active Packaging on Control of <i>Escherichia coli</i> O157:H7 and Total Aerobic Bacteria on Iceberg Lettuce. <i>Journal of Food Science</i> , 2015, 80, M1325-9. | 1.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1163 | Free <sc>S</sc>higa toxin 1â€ encoding bacteriophages are less prevalent than <sc>S</sc>higa toxin 2 phages in extraintestinal environments. Environmental Microbiology, 2015, 17, 4790-4801. | 1.8 | 22 |
| 1164 | A Rapid and Sensitive Method to Measure the Functional Activity of Shiga Toxins in Human Serum. Toxins, 2015, 7, 4564-4576. | 1.5 | 10 |
| 1165 | Effect of Ozone Treatment on Inactivation of Escherichia coli and Listeria sp. on Spinach. Agriculture (Switzerland), 2015, 5, 155-169. | 1.4 | 33 |
| 1166 | Electrochemical Impedance Immunosensor Based on Self-Assembled Monolayers for Rapid Detection of Escherichia coli O157:H7 with Signal Amplification Using Lectin. Sensors, 2015, 15, 19212-19224. | 2.1 | 81 |
| 1167 | Identification of potential drug targets by subtractive genome analysis of Escherichia coli O157:H7: an in silico approach. Advances and Applications in Bioinformatics and Chemistry, 2015, 8, 49. | 1.6 | 56 |
| 1168 | Enterobacteriaceae. , 2015, , 2503-2517.e5. | | 17 |
| 1169 | Comparison of recto-anal mucosal swab and faecal culture for the detection of <i>Escherichia coli</i> O157 and identification of super-shedding in a mob of Merino sheep. Epidemiology and Infection, 2015, 143, 2733-2742. | 1.0 | 13 |
| 1170 | Dynamics of Escherichia coli Virulence Factors in Dairy Herds and Farm Environments in a Longitudinal Study in the United States. Applied and Environmental Microbiology, 2015, 81, 4477-4488. | 1.4 | 19 |
| 1171 | Strategies to avoid shiga toxin effects. Virulence, 2015, 6, 103-104. | 1.8 | 1 |
| 1172 | Detection of Shiga Toxins by Lateral Flow Assay. Toxins, 2015, 7, 1163-1173. | 1.5 | 26 |
| 1173 | A probabilistic assessment of the contribution of wastewater-irrigated lettuce to Escherichia coli O157:H7 infection risk and disease burden in Kumasi, Ghana. Journal of Water and Health, 2015, 13, 217-229. | 1.1 | 3 |
| 1174 | Molecular characterization of Escherichia coli O157:H7 recovered from meat and meat products relevant to human health in Riyadh, Saudi Arabia. Saudi Journal of Biological Sciences, 2015, 22, 725-729. | 1.8 | 34 |
| 1175 | Identification and optimization of Escherichia coli GImU inhibitors: An in silico approach with validation thereof. European Journal of Medicinal Chemistry, 2015, 92, 78-90. | 2.6 | 16 |
| 1176 | NAIL: Nucleic Acid detection using Isotachophoresis and Loop-mediated isothermal amplification. Lab on A Chip, 2015, 15, 1697-1707. | 3.1 | 42 |
| 1177 | Prevalence and characterization of Escherichia coli O157:H7 from samples along the production line in Chinese beef-processing plants. Food Control, 2015, 54, 39-46. | 2.8 | 12 |
| 1178 | Morphology, Structural and Electrical Properties of Agâ€Cu Alloy Nanoparticles Embedded in PVA Matrix and Its Performance as E. coli Monitoring Sensor. Arabian Journal for Science and Engineering, 2015, 40, 915-922. | 1.1 | 7 |
| 1179 | Sorbitol non-fermenting shiga toxin-producing <i>Escherichia coli</i> in cattle on smallholdings. Epidemiology and Infection, 2015, 143, 94-103. | 1.0 | 11 |
| 1180 | Transmission of Escherichia coli O157:H7 in cattle is influenced by the level of environmental contamination. Epidemiology and Infection, 2015, 143, 274-287. | 1.0 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1181 | Zoonotic Diseases of Swine: Food-borne and Occupational Aspects of Infection. , 2015, , 23-68. | | 0 |
| 1182 | Escherichia coli O157:H7 bacteriophage λ 241 isolated from an industrial cucumber fermentation at high acidity and salinity. <i>Frontiers in Microbiology</i> , 2015, 6, 67. | 1.5 | 36 |
| 1183 | Purification and characterization of lipopolysaccharides from six strains of non-O157 Shiga toxin-producing <i>Escherichia coli</i> . <i>Journal of Microbiological Methods</i> , 2015, 116, 1-7. | 0.7 | 13 |
| 1184 | A portable, shock-proof, surface-heated droplet PCR system for <i>Escherichia coli</i> detection. <i>Biosensors and Bioelectronics</i> , 2015, 74, 360-368. | 5.3 | 39 |
| 1185 | Inactivation dynamics of <i>Salmonella enterica</i> , <i>Listeria monocytogenes</i> , and <i>Escherichia coli</i> O157:H7 in wash water during simulated chlorine depletion and replenishment processes. <i>Food Microbiology</i> , 2015, 50, 88-96. | 2.1 | 52 |
| 1186 | Membrane fluidity-related adaptive response mechanisms of foodborne bacterial pathogens under environmental stresses. <i>Food Research International</i> , 2015, 72, 25-36. | 2.9 | 91 |
| 1187 | Prevalence of <i>E. coli</i> O157:H7 in water sources: an overview on associated diseases, outbreaks and detection methods. <i>Diagnostic Microbiology and Infectious Disease</i> , 2015, 82, 249-264. | 0.8 | 96 |
| 1188 | Assessing the Public Health Risk of Shiga Toxin-Producing <i>Escherichia coli</i> by Use of a Rapid Diagnostic Screening Algorithm. <i>Journal of Clinical Microbiology</i> , 2015, 53, 1588-1598. | 1.8 | 34 |
| 1189 | Preparation of gold nanoparticles by microwave heating and application of spectroscopy to study conjugate of gold nanoparticles with antibody <i>E. coli</i> O157:H7. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2015, 6, 035015. | 0.7 | 34 |
| 1190 | Baicalin Inhibits the Lethality of Shiga-Like Toxin 2 in Mice. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 7054-7060. | 1.4 | 15 |
| 1191 | Promising Nucleic Acid Lateral Flow Assay Plus PCR for Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Food Protection</i> , 2015, 78, 1560-1568. | 0.8 | 6 |
| 1192 | Adenovirus Vector Expressing Stx1/Stx2-Neutralizing Agent Protects Piglets Infected with <i>Escherichia coli</i> O157:H7 against Fatal Systemic Intoxication. <i>Infection and Immunity</i> , 2015, 83, 286-291. | 1.0 | 22 |
| 1193 | Prevalence and characterization of <i>Listeria monocytogenes</i> , <i>Salmonella</i> and Shiga toxin-producing <i>Escherichia coli</i> isolated from small Mexican retail markets of queso fresco. <i>International Journal of Environmental Health Research</i> , 2015, 25, 140-148. | 1.3 | 16 |
| 1194 | Development of a High Resolution Virulence Allelic Profiling (HReVAP) Approach Based on the Accessory Genome of <i>Escherichia coli</i> to Characterize Shiga-Toxin Producing <i>E. coli</i> (STEC). <i>Frontiers in Microbiology</i> , 2016, 7, 202. | 1.5 | 2 |
| 1195 | Effects of <i>Rhodomyrtus tomentosa</i> Extract on Killing Activity of Human Neutrophils and Membrane Integrity of Enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>Molecules</i> , 2016, 21, 692. | 1.7 | 6 |
| 1196 | Protozoan Predation of <i>Escherichia coli</i> O157:H7 Is Unaffected by the Carriage of Shiga Toxin-Encoding Bacteriophages. <i>PLoS ONE</i> , 2016, 11, e0147270. | 1.1 | 20 |
| 1198 | Molecular characterization and antimicrobial resistance of STEC strains isolated from healthy cattle in 2011 and 2013 in Spain. <i>Epidemiology and Infection</i> , 2016, 144, 2956-2966. | 1.0 | 9 |
| 1199 | Microbial Food Spoilage: Control Strategies for Shelf Life Extension. , 2016, , 239-264. | | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1200 | <i>Editorial Commentary</i> : Increasing Evidence That Certain Antibiotics Should Be Avoided for Shiga Toxin-Producing <i>Escherichia coli</i> Infections: More Data Needed. <i>Clinical Infectious Diseases</i> , 2016, 62, 1259-1261. | 2.9 | 9 |
| 1201 | Independent and combined effects of oxytetracycline and antibiotic-resistant <i>Escherichia coli</i> O157:H7 on soil microbial activity and partial nitrification processes. <i>Soil Biology and Biochemistry</i> , 2016, 98, 138-147. | 4.2 | 17 |
| 1202 | Characterization of <i>Escherichia coli</i> strains from red deer (<i>Cervus elaphus</i>) faeces in a Mexican protected natural area. <i>European Journal of Wildlife Research</i> , 2016, 62, 415-421. | 0.7 | 10 |
| 1203 | Cinnamon Oil Inhibits Shiga Toxin Type 2 Phage Induction and Shiga Toxin Type 2 Production in <i>Escherichia coli</i> O157:H7. <i>Applied and Environmental Microbiology</i> , 2016, 82, 6531-6540. | 1.4 | 26 |
| 1204 | Bacteriophage Applications - Historical Perspective and Future Potential. <i>SpringerBriefs in Biochemistry and Molecular Biology</i> , 2016, , . | 0.3 | 3 |
| 1205 | Phage for Biocontrol. <i>SpringerBriefs in Biochemistry and Molecular Biology</i> , 2016, , 9-19. | 0.3 | 0 |
| 1206 | Fast detection of both O157 and non-O157 shiga-toxin producing <i>Escherichia coli</i> by real-time optical immunoassay. <i>Letters in Applied Microbiology</i> , 2016, 62, 39-46. | 1.0 | 11 |
| 1207 | Support vector machine applied to predict the zoonotic potential of <i>E. coli</i> O157 cattle isolates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11312-11317. | 3.3 | 55 |
| 1208 | DNA-based hybridization chain reaction and biotin-streptavidin signal amplification for sensitive detection of <i>Escherichia coli</i> O157:H7 through ELISA. <i>Biosensors and Bioelectronics</i> , 2016, 86, 990-995. | 5.3 | 97 |
| 1209 | Diagnostic des infections <i>Escherichia coli</i> entérocorragique. <i>Revue Francophone Des Laboratoires</i> , 2016, 2016, 45-52. | 0.0 | 1 |
| 1210 | Influence of Extracellular Cellulose and Colanic Acid Production on the Survival of Shiga Toxin-Producing <i>Escherichia coli</i> on Spinach and Lettuce after Chlorine Treatment. <i>Journal of Food Protection</i> , 2016, 79, 666-671. | 0.8 | 12 |
| 1211 | Molecular characterization and phylogeny of Shiga toxin-producing <i>E. coli</i> (STEC) from imported beef meat in Malaysia. <i>Environmental Science and Pollution Research</i> , 2016, 23, 17553-17562. | 2.7 | 2 |
| 1212 | An electrochemical biosensor for rapid detection of <i>E. coli</i> O157:H7 with highly efficient bi-functional glucose oxidase-polydopamine nanocomposites and Prussian blue modified screen-printed interdigitated electrodes. <i>Analyst</i> , The, 2016, 141, 5441-5449. | 1.7 | 75 |
| 1213 | Modeling neutralization of Shiga 2 toxin by A-and B-subunit-specific human monoclonal antibodies. <i>Journal of Biological Physics</i> , 2016, 42, 435-452. | 0.7 | 0 |
| 1214 | Draft genome sequence of non-shiga toxin-producing <i>Escherichia coli</i> O157 NCCP15738. <i>Gut Pathogens</i> , 2016, 8, 13. | 1.6 | 4 |
| 1215 | The Antibiotic Polymyxin B Impairs the Interactions between Shiga Toxins and Human Neutrophils. <i>Journal of Immunology</i> , 2016, 196, 1177-1185. | 0.4 | 8 |
| 1216 | Early Volume Expansion and Outcomes of Hemolytic Uremic Syndrome. <i>Pediatrics</i> , 2016, 137, . | 1.0 | 74 |
| 1217 | Channel formation by RTX-toxins of pathogenic bacteria: Basis of their biological activity. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016, 1858, 526-537. | 1.4 | 39 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1218 | White light phase shifting interferometry and color fringe analysis for the detection of contaminants in water. , 2016, , . | | 4 |
| 1219 | Shiga Toxin-Producing <i>Escherichia coli</i> in Diarrheal Stool of Swedish Children: Evaluation of Polymerase Chain Reaction Screening and Duration of Shiga Toxin Shedding. Journal of the Pediatric Infectious Diseases Society, 2016, 5, 147-151. | 0.6 | 18 |
| 1220 | Assessment of aquo-ethanolic extract of <i>Camellia sinensis</i> against Carbapenem Resistant <i>Escherichia coli</i> : In Vivo Trials in a Murine Model. Biomedicine and Pharmacotherapy, 2016, 79, 273-283. | 2.5 | 3 |
| 1221 | A microfluidic, dual-purpose sensor for in vitro detection of Enterobacteriaceae and biotinylated antibodies. Lab on A Chip, 2016, 16, 1261-1271. | 3.1 | 12 |
| 1222 | Phage display and Shiga toxin neutralizers. Toxicon, 2016, 113, 60-69. | 0.8 | 5 |
| 1223 | Subtilase contributes to the cytotoxicity of a Shiga toxin-producing <i>Escherichia coli</i> strain encoding three different toxins. International Journal of Food Microbiology, 2016, 217, 156-161. | 2.1 | 8 |
| 1224 | A highly specific and sensitive loop-mediated isothermal amplification method for the detection of <i>Escherichia coli</i> O157:H7. Microbial Pathogenesis, 2016, 91, 161-165. | 1.3 | 38 |
| 1225 | Effects of bacterial concentrations and centrifugations on susceptibility of <i>Bacillus subtilis</i> vegetative cells and <i>Escherichia coli</i> O157:H7 to various electrolyzed oxidizing water treatments. Food Control, 2016, 60, 440-446. | 2.8 | 16 |
| 1226 | Bioaccumulation of <i>Escherichia coli</i> O157:H7 in <i>Mytilus galloprovincialis</i> under experimental conditions. Aquaculture Research, 2017, 48, 356-360. | 0.9 | 2 |
| 1227 | Verocytotoxin-Producing <i>Escherichia coli</i> in the Genomic Era: From Virulotyping to Pathogenomics. , 2017, , 109-126. | | 1 |
| 1228 | Occurrence of <i>Escherichia coli</i> O157:H7 in cattle feces and contamination of carcass and various contact surfaces in abattoir and butcher shops of Hawassa, Ethiopia. BMC Microbiology, 2017, 17, 24. | 1.3 | 53 |
| 1229 | Sensitive detection of viable <i>Escherichia coli</i> O157:H7 from foods using a luciferase-reporter phage phiV10lux. International Journal of Food Microbiology, 2017, 254, 11-17. | 2.1 | 44 |
| 1230 | Antimicrobial Effects of <i>Quillaja saponaria</i> Extract Against <i>Escherichia coli</i> O157:H7 and the Emerging Non-O157 Shiga Toxin-Producing <i>E. coli</i> . Journal of Food Science, 2017, 82, 1171-1177. | 1.5 | 15 |
| 1231 | Mild processing applied to the inactivation of the main foodborne bacterial pathogens: A review. Trends in Food Science and Technology, 2017, 66, 20-35. | 7.8 | 201 |
| 1232 | Optical and electrical evaluation of Ag _{0.5} Cu _{0.75} O introduced poly(vinyl alcohol) based E.Coli sensors. Journal of Materials Science: Materials in Electronics, 2017, 28, 13139-13148. | 1.1 | 13 |
| 1233 | Characterization of blue light irradiation effects on pathogenic and nonpathogenic <i>Escherichia coli</i> . MicrobiologyOpen, 2017, 6, e00466. | 1.2 | 24 |
| 1234 | Sterilization of blow fly eggs, <i>Chrysomya megacephala</i> and <i>Lucilia cuprina</i> , (Diptera: Calliphoridae) for maggot debridement therapy application. Parasitology Research, 2017, 116, 1581-1589. | 0.6 | 10 |
| 1235 | Viable pathogens detection in fresh vegetables by quadruplex PCR. LWT - Food Science and Technology, 2017, 81, 306-313. | 2.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1236 | Recent developments in novel shelf life extension technologies of fresh-cut fruits and vegetables. Trends in Food Science and Technology, 2017, 64, 23-38. | 7.8 | 299 |
| 1237 | Comparing invasive effects of five foodborne bacterial pathogens in human embryonic intestine 407 cells and human ileocecum HCT-8 cells. Asian Pacific Journal of Tropical Biomedicine, 2017, 7, 937-944. | 0.5 | 9 |
| 1238 | S100A4 contributes to colitis development by increasing the adherence of Citrobacter rodentium in intestinal epithelial cells. Scientific Reports, 2017, 7, 12099. | 1.6 | 19 |
| 1239 | Complete Annotated Genome Sequences of Two Shiga Toxin-Producing Escherichia coli Strains and One Atypical Enteropathogenic E. coli Strain, Isolated from Naturally Colonized Cattle of German Origin. Genome Announcements, 2017, 5, . | 0.8 | 1 |
| 1240 | Does the vaginal microbiota play a role in the development of cervical cancer?. Translational Research, 2017, 179, 168-182. | 2.2 | 161 |
| 1241 | Characterization of four Escherichia coli clonal groups. Apmis, 2017, 125, 1-28. | 0.9 | 5 |
| 1242 | House Flies in the Confined Cattle Environment Carry Non-O157 Shiga Toxin-Producing Escherichia coli. Journal of Medical Entomology, 2017, 54, 726-732. | 0.9 | 14 |
| 1243 | Occurrence of Hybrid Escherichia coli Strains Carrying Shiga Toxin and Heat-Stable Toxin in Livestock of Bangladesh. Frontiers in Public Health, 2016, 4, 287. | 1.3 | 31 |
| 1244 | Evidence for Contemporary Switching of the O-Antigen Gene Cluster between Shiga Toxin-Producing Escherichia coli Strains Colonizing Cattle. Frontiers in Microbiology, 2017, 8, 424. | 1.5 | 13 |
| 1245 | Isolation and Physiomorphological Characterization of Escherichia coli O157:H7-Infecting Bacteriophages Recovered from Beef Cattle Operations. International Journal of Microbiology, 2017, 2017, 1-12. | 0.9 | 36 |
| 1246 | Prevalence of Escherichia coli O157:H7 in bovine feces in North West of Iran. Mental Illness, 2017, 8, . | 0.8 | 2 |
| 1247 | Molecular based prevalence of shigatoxigenic Escherichia coli in rectal swab of apparently healthy cattle in Mymensingh district, Bangladesh. Journal of Advanced Veterinary and Animal Research, 2017, 4, 1. | 0.5 | 5 |
| 1248 | Antimicrobial activity of selected plant species and antibiotic drugs against Escherichia coli O157:H7. African Journal of Microbiology Research, 2017, 11, 792-803. | 0.4 | 2 |
| 1249 | Rapid and robust analytical protocol for E. coli STEC bacteria subspecies differentiation using whole cell MALDI mass spectrometry. Talanta, 2018, 182, 164-170. | 2.9 | 9 |
| 1250 | Key pathogenic bacteria associated with dairy foods: On-farm ecology and products associated with foodborne pathogen transmission. International Dairy Journal, 2018, 84, 28-35. | 1.5 | 12 |
| 1251 | Thermal Pasteurization and Microbial Inactivation of Fruit Juices. , 2018, , 309-339. | | 31 |
| 1252 | Nanozyme-based lateral flow assay for the sensitive detection of Escherichia coli O157:H7 in milk. Journal of Dairy Science, 2018, 101, 5770-5779. | 1.4 | 86 |
| 1253 | Enteric Diseases Transmitted Through Food, Water, and Zoonotic Exposures. , 2018, , 397-409.e3. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1254 | Emerging biosensor platforms for the assessment of water-borne pathogens. <i>Analyst</i> , The, 2018, 143, 359-373. | 1.7 | 69 |
| 1255 | Virulent gene profile and antimicrobial susceptibility pattern of Shiga toxin-producing <i>Escherichia coli</i> (STEC) from humans in Maiduguri, Borno State, North-Eastern Nigeria. <i>Comparative Clinical Pathology</i> , 2018, 27, 341-351. | 0.3 | 3 |
| 1256 | Development of a multiplex PCR targeting <i>eae</i> , <i>stx</i> and <i>cdt</i> genes in genus <i>Escherichia</i> and detection of a novel <i>cdtB</i> gene in <i>Providencia rustigianii</i> . <i>Pathogens and Disease</i> , 2018, 76, . | 0.8 | 7 |
| 1257 | Transcriptomic Analysis of Shiga Toxin-Producing <i>Escherichia coli</i> FORC_035 Reveals the Essential Role of Iron Acquisition for Survival in Canola Sprouts and Water Dropwort. <i>Frontiers in Microbiology</i> , 2018, 9, 2397. | 1.5 | 0 |
| 1258 | Integrated Optical Mach-Zehnder Interferometer Based on Organic-Inorganic Hybrids for Photonics-on-a-Chip Biosensing Applications. <i>Sensors</i> , 2018, 18, 840. | 2.1 | 24 |
| 1259 | A Review of Roof Harvested Rainwater in Australia. <i>Journal of Environmental and Public Health</i> , 2018, 2018, 1-14. | 0.4 | 48 |
| 1261 | Evaluation of Commercial Prototype Bacteriophage Intervention Designed for Reducing O157 and Non-O157 Shiga-Toxicogenic <i>Escherichia coli</i> (STEC) on Beef Cattle Hide. <i>Foods</i> , 2018, 7, 114. | 1.9 | 19 |
| 1262 | Genotypic Features of Clinical and Bovine <i>Escherichia coli</i> O157 Strains Isolated in Countries with Different Associated-Disease Incidences. <i>Microorganisms</i> , 2018, 6, 36. | 1.6 | 22 |
| 1263 | The Benefit of a Plant-Based Cattle Vaccine for Reducing Enterohemorrhagic <i>Escherichia Coli</i> Shedding and Improving Food Safety. , 2018, , 285-310. | | 0 |
| 1264 | A new method for comprehensive utilization of wood vinegar by distillation and liquid-liquid extraction. <i>Process Biochemistry</i> , 2018, 75, 194-201. | 1.8 | 22 |
| 1265 | Factors in the emergence of serious human infections associated with highly pathogenic strains of shiga toxin-producing <i>Escherichia coli</i> . <i>International Journal of Medical Microbiology</i> , 2018, 308, 1067-1072. | 1.5 | 59 |
| 1266 | Global and regional source attribution of Shiga toxin-producing <i>Escherichia coli</i> infections using analysis of outbreak surveillance data. <i>Epidemiology and Infection</i> , 2019, 147, e236. | 1.0 | 46 |
| 1267 | A Putative Microcin Amplifies Shiga Toxin 2a Production of <i>Escherichia coli</i> O157:H7. <i>Journal of Bacteriology</i> , 2019, 202, . | 1.0 | 10 |
| 1268 | Phage Therapy: A Practical Approach. , 2019, , . | | 22 |
| 1269 | Effect of salt concentration on acid- and salt-adapted <i>Escherichia coli</i> O157:H7 and <i>Listeria monocytogenes</i> in recombinant nonfat cast cheese. <i>Journal of Food Processing and Preservation</i> , 2019, 43, e14208. | 0.9 | 5 |
| 1270 | Molecular subtyping and dna sequencing homology of <i>Escherichia coli</i> O157:H7 isolated from Aceh cattle. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 305, 012025. | 0.2 | 1 |
| 1271 | Experimental In-Field Transfer and Survival of <i>Escherichia coli</i> from Animal Feces to Romaine Lettuce in Salinas Valley, California. <i>Microorganisms</i> , 2019, 7, 408. | 1.6 | 22 |
| 1272 | A Multistate Outbreak of <i>E Coli</i> O157:H7 Infections Linked to Soy Nut Butter. <i>Pediatrics</i> , 2019, 144, e20183978. | 1.0 | 12 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1273 | Safety risks associated with dispersal of <i>E. coli</i> O157:H7 in home sprouting modules. <i>LWT - Food Science and Technology</i> , 2019, 101, 783-788. | 2.5 | 5 |
| 1274 | Single particle ICP-MS-based absolute and relative quantification of <i>E. coli</i> O157 16S rRNA using sandwich hybridization capture. <i>Analyst, The</i> , 2019, 144, 1725-1730. | 1.7 | 11 |
| 1275 | Consumer willingness to pay for food safety interventions: The role of message framing and issue involvement. <i>Food Policy</i> , 2019, 86, 101726. | 2.8 | 31 |
| 1276 | Sediment pH, not the bacterial diversity, determines <i>Escherichia coli</i> O157:H7 survival in estuarine sediments. <i>Environmental Pollution</i> , 2019, 252, 1078-1086. | 3.7 | 15 |
| 1277 | Shaping food safety perceptions: The influence of informational nudges. <i>Journal of Behavioral and Experimental Economics</i> , 2019, 81, 139-151. | 0.5 | 5 |
| 1278 | Cellular and Mucosal Immune Responses Following Vaccination with Inactivated Mutant of <i>Escherichia coli</i> O157:H7. <i>Scientific Reports</i> , 2019, 9, 6401. | 1.6 | 8 |
| 1279 | Disinfection and removal performance for <i>Escherichia coli</i> , toxic heavy metals and arsenic by wood vinegar-modified zeolite. <i>Ecotoxicology and Environmental Safety</i> , 2019, 174, 129-136. | 2.9 | 40 |
| 1280 | Raspberry extract prevents NLRP3 inflammasome activation in gut epithelial cells induced by pathogenic <i>Escherichia coli</i> . <i>Journal of Functional Foods</i> , 2019, 56, 224-231. | 1.6 | 5 |
| 1281 | Zoonotic approach to Shiga toxin-producing <i>Escherichia coli</i> : integrated analysis of virulence and antimicrobial resistance in ruminants and humans. <i>Epidemiology and Infection</i> , 2019, 147, e164. | 1.0 | 26 |
| 1282 | Adoptions and Adaptations. , 2019, , 85-102. | | 0 |
| 1283 | Global Health and Infectious Intestinal Disease. , 2019, , 148-168. | | 0 |
| 1284 | An Era of Optimism. , 2019, , 124-147. | | 0 |
| 1288 | The Struggle against Hookworm Disease. , 2019, , 103-123. | | 0 |
| 1289 | Early Change. , 2019, , 24-41. | | 0 |
| 1290 | Shiga Toxin-Producing <i>Escherichia coli</i> . , 2019, , 289-315. | | 5 |
| 1291 | Pathogens and Parasites. , 2019, , 5-23. | | 0 |
| 1293 | Diffusion and Amplification. , 2019, , 42-64. | | 0 |
| 1295 | Closing the Loop on Biogas Plants: Recycling Digestate and Sludge on Agriculture and Microbial Risk Assessment. <i>Biofuel and Biorefinery Technologies</i> , 2019, , 257-275. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1296 | Antibiotic resistant zoonotic bacteria in Irrawaddy squirrel (<i>Callosciurus pygerythrus</i>). <i>Veterinary Medicine and Science</i> , 2019, 5, 260-268. | 0.6 | 4 |
| 1298 | Interfacial phenomena in natural nanostructured materials based on kaolinite and calcite in blends with nanosilica and neem leaf powder. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 586, 124238. | 2.3 | 2 |
| 1299 | Particulate Shiga Toxin 2 in Blood is Associated to the Development of Hemolytic Uremic Syndrome in Children. <i>Thrombosis and Haemostasis</i> , 2020, 120, 107-120. | 1.8 | 16 |
| 1300 | Comparative Study of Electrochemical Biosensors Based on Highly Efficient Mesoporous $ZrO_2 \cdot Ag-G-SiO_2$ and $In_2O_3-G-SiO_2$ for Rapid Recognition of <i>E. coli</i> O157:H7. <i>ACS Omega</i> , 2020, 5, 22719-22730. | 1.6 | 24 |
| 1301 | Centrifugal microfluidic lab-on-a-chip system with automated sample lysis, DNA amplification and microarray hybridization for identification of enterohemorrhagic <i>Escherichia coli</i> culture isolates. <i>Analyst</i> , 2020, 145, 6831-6845. | 1.7 | 23 |
| 1302 | ISTH guidelines for the diagnosis of thrombotic thrombocytopenic purpura. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 2486-2495. | 1.9 | 142 |
| 1303 | Occurrence, virulence genes, and antimicrobial profiles of <i>Escherichia coli</i> O157 isolated from ruminants slaughtered in Al Ain, United Arab Emirates. <i>BMC Microbiology</i> , 2020, 20, 210. | 1.3 | 13 |
| 1304 | Facilitating Evaluation of Hemolytic Uremic Syndrome Long-Term Health Outcomes Through Social Media Support Groups. <i>Frontiers in Public Health</i> , 2020, 8, 544154. | 1.3 | 2 |
| 1305 | Optimization by mixture design of the antimicrobial activities of five selected essential oils. <i>Journal of Medicinal Plants Research</i> , 2020, 14, 570-579. | 0.2 | 5 |
| 1306 | Quantitative microbial risk assessment for waterborne pathogens in a wastewater treatment plant and its receiving surface water body. <i>BMC Microbiology</i> , 2020, 20, 346. | 1.3 | 29 |
| 1307 | Naked-eye based point-of-care detection of <i>E. coli</i> O157: H7 by a signal-amplified microfluidic aptasensor. <i>Analytica Chimica Acta</i> , 2020, 1130, 20-28. | 2.6 | 32 |
| 1308 | Characterization of virulence genes in <i>Escherichia coli</i> strains isolated from pre-weaned calves in the Republic of Korea. <i>Acta Veterinaria Scandinavica</i> , 2020, 62, 45. | 0.5 | 12 |
| 1309 | Research in a time of enteroids and organoids: how the human gut model has transformed the study of enteric bacterial pathogens. <i>Gut Microbes</i> , 2020, 12, 1795389. | 4.3 | 26 |
| 1310 | Development of antiviral and bacteriostatic chitosan-based food packaging material with grape seed extract for murine norovirus, <i>Escherichia coli</i> and <i>Listeria innocua</i> control. <i>Food Science and Nutrition</i> , 2020, 8, 6174-6181. | 1.5 | 27 |
| 1311 | A Toxic Environment: a Growing Understanding of How Microbial Communities Affect <i>Escherichia coli</i> O157:H7 Shiga Toxin Expression. <i>Applied and Environmental Microbiology</i> , 2020, 86, . | 1.4 | 12 |
| 1312 | Occurrence and characterization of Shiga toxin-producing <i>Escherichia coli</i> (STEC) isolated from Chinese beef processing plants. <i>Meat Science</i> , 2020, 168, 108188. | 2.7 | 7 |
| 1313 | Sensitive and hook effect-free lateral flow assay integrated with cascade signal transduction system. <i>Sensors and Actuators B: Chemical</i> , 2020, 321, 128465. | 4.0 | 11 |
| 1314 | Genetic and Functional Analyses of Virulence Potential of an <i>Escherichia coli</i> O157:H7 Strain Isolated From Super-Shedder Cattle. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 271. | 1.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1315 | Modelling Growth and Decline in a Two-Species Model System: Pathogenic <i>Escherichia coli</i> O157:H7 and Psychrotrophic Spoilage Bacteria in Milk. <i>Foods</i> , 2020, 9, 331. | 1.9 | 5 |
| 1316 | Evaluating the risks associated with Shiga-toxin-producing <i>Escherichia coli</i> (STEC) in private well waters in Canada. <i>Canadian Journal of Microbiology</i> , 2020, 66, 337-350. | 0.8 | 12 |
| 1317 | 5. <i>Mikrobiologie des Wassers.</i> , 2020, , 347-466. | | 0 |
| 1318 | Shiga Toxin-Associated Hemolytic Uremic Syndrome: A Narrative Review. <i>Toxins</i> , 2020, 12, 67. | 1.5 | 128 |
| 1319 | <i>Escherichia coli</i> O157:H7 Curli Fimbriae Promotes Biofilm Formation, Epithelial Cell Invasion, and Persistence in Cattle. <i>Microorganisms</i> , 2020, 8, 580. | 1.6 | 12 |
| 1320 | Occurrence, Molecular Characteristics, and Antimicrobial Resistance of <i>Escherichia coli</i> O157 in Cattle, Beef, and Humans in Bishoftu Town, Central Ethiopia. <i>Foodborne Pathogens and Disease</i> , 2021, 18, 1-7. | 0.8 | 13 |
| 1321 | <i>Gastrointestinal Pathology.</i> , 2021, , 696-716.e7. | | 0 |
| 1322 | Morphology-Controlled Synthesis of ZnO Nanostructures for Caffeine Degradation and <i>Escherichia coli</i> Inactivation in Water. <i>Catalysts</i> , 2021, 11, 63. | 1.6 | 12 |
| 1323 | <i>Bacteriophage Utilization in Animal Hygiene.</i> , 2021, , 891-917. | | 1 |
| 1324 | European Starlings (<i>Sturnus vulgaris</i>) as Vectors and Reservoirs of Pathogens Affecting Humans and Domestic Livestock. <i>Animals</i> , 2021, 11, 466. | 1.0 | 7 |
| 1326 | Turning ameliorates the quality of cocoa bean-like product from the seed of fermented rambutan () Tj ETQq0 0 0 rgBT /Overlock 10 Tf | 0.9 | 0 |
| 1327 | Electronic Credit and Furniture Decision Support Systems Using the Weighted Product Method. <i>International Journal of Basic and Applied Sciences</i> , 2021, 10, 28-37. | 0.0 | 0 |
| 1328 | Mucosal IFN γ production and potential role in protection in <i>Escherichia coli</i> O157:H7 vaccinated and challenged cattle. <i>Scientific Reports</i> , 2021, 11, 9769. | 1.6 | 2 |
| 1329 | <i>Escherichia coli</i> Shiga Toxins and Gut Microbiota Interactions. <i>Toxins</i> , 2021, 13, 416. | 1.5 | 26 |
| 1330 | Combined Action of Shiga Toxin Type 2 and Subtilase Cytotoxin in the Pathogenesis of Hemolytic Uremic Syndrome. <i>Toxins</i> , 2021, 13, 536. | 1.5 | 5 |
| 1331 | Shiga Toxin-Producing <i>Escherichia coli</i> Outbreaks in the United States, 2010–2017. <i>Microorganisms</i> , 2021, 9, 1529. | 1.6 | 33 |
| 1333 | Antimicrobial activity of MccJ25(G12Y) against gram-negative foodborne pathogens in vitro and in food models. <i>International Journal of Food Microbiology</i> , 2021, 352, 109267. | 2.1 | 11 |
| 1334 | Unraveling enterohemorrhagic <i>Escherichia coli</i> infection: the promising role of dietary compounds and probiotics in bacterial elimination and host innate immunity boosting. <i>Critical Reviews in Food Science and Nutrition</i> , 2021, , 1-13. | 5.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1335 | Prevalence and epidemiological distribution of selected foodborne pathogens in human and different environmental samples in Ethiopia: a systematic review and meta-analysis. <i>One Health Outlook</i> , 2021, 3, 19. | 1.4 | 14 |
| 1336 | The prevalence and characteristics of Shiga toxin-producing <i>Escherichia coli</i> isolated by the enteric pathogens active surveillance network (Enter-Net) in the Republic of Korea, 2009–2018. <i>Microbial Pathogenesis</i> , 2021, 158, 105005. | 1.3 | 1 |
| 1337 | Characteristics of diarrheagenic <i>Escherichia coli</i> among patients with acute diarrhea in China, 2009–2018. <i>Journal of Infection</i> , 2021, 83, 424-432. | 1.7 | 10 |
| 1338 | A colorimetric lateral flow assay based on multiplex PCR for the rapid detection of viable <i>Escherichia coli</i> O157:H7 and <i>Salmonella</i> Typhimurium without enrichment. <i>LWT - Food Science and Technology</i> , 2021, 152, 112242. | 2.5 | 12 |
| 1339 | Sectoral Impacts of Invasive Species in the United States and Approaches to Management. , 2021, , 203-229. | | 6 |
| 1340 | Overview of Microbial Contamination of Foods and Associated Risk Factors. , 2021, , 11-29. | | 3 |
| 1342 | Epidemiology of Verocytotoxigenic <i>Escherichia coli</i> (VTEC) in Ruminants. , 0, , 113-148. | | 31 |
| 1343 | Epidemiology of Human Infections by <i>Escherichia coli</i> O157 and other Verocytotoxin-Producing <i>E. coli</i> . , 0, , 161-180. | | 10 |
| 1344 | Hygienic Status of Soils and Surface Waters in Reindeer Herding Areas in Northernmost Europe. , 2006, , 297-313. | | 1 |
| 1345 | Bioprotective Cultures. , 2008, , 399-424. | | 4 |
| 1346 | Ultrastructure and DNA Fragmentation Analysis of Arterioles in Swine Infected with Shiga Toxin-Producing <i>Escherichia Coli</i> . <i>Advances in Experimental Medicine and Biology</i> , 1999, 473, 163-171. | 0.8 | 3 |
| 1347 | Foodborne Gastroenteritis Caused by <i>Escherichia coli</i> . <i>Food Science Text Series</i> , 1996, , 527-543. | 0.3 | 1 |
| 1348 | Pathogenesis of O157:H7 <i>Escherichia Coli</i> Infection in Neonatal Calves. <i>Advances in Experimental Medicine and Biology</i> , 1997, 412, 47-51. | 0.8 | 25 |
| 1349 | Bacteriophage Utilization in Animal Hygiene. , 2018, , 1-28. | | 2 |
| 1350 | Hemolytic Uremic Syndrome. , 2009, , 1155-1180. | | 4 |
| 1351 | Intestinal Bacterial Infections. <i>Spezielle Pathologische Anatomie</i> , 1995, , 157-177. | 0.0 | 2 |
| 1352 | Vascular causes of renal failure. , 1995, , 65-91. | | 1 |
| 1353 | Cluster of cases of haemolytic uraemic syndrome due to unpasteurised cheese. <i>Pediatric Nephrology</i> , 1996, 10, 203-205. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1354 | Principles and Syndromes of Enteric Infection. , 2010, , 1335-1351. | | 7 |
| 1355 | Enterobacteriaceae. , 2010, , 2815-2833. | | 14 |
| 1356 | A cluster of Escherichia coli O157: nonmotile infections associated with recreational exposure to lake water. Public Health Reports, 2002, 117, 380-385. | 1.3 | 17 |
| 1357 | Prevalence of eae and Shiga Toxin Genes among Escherichia coli Strains Isolated from Healthy Calves. Zoonoses and Public Health, 2001, 48, 67-72. | 1.4 | 8 |
| 1358 | Important emerging bacterial zoonotic infections affecting the immunocompromised. Veterinary Research, 2005, 36, 493-506. | 1.1 | 62 |
| 1359 | <I>Escherichia coli</I> O157:H7: an update on intestinal colonization and virulence mechanisms. Animal Health Research Reviews, 2004, 5, 15-33. | 1.4 | 53 |
| 1360 | Emerging and Reemerging Infectious Diseases: A Multidisciplinary Perspective. American Journal of the Medical Sciences, 1998, 315, 64-75. | 0.4 | 26 |
| 1361 | Diarrhea and Malnutrition: A Challenge for Pediatricians. Journal of Pediatric Gastroenterology and Nutrition, 1996, 22, 6-16. | 0.9 | 27 |
| 1362 | Pseudomembranous Colitis with Escherichia coli O157:H7. Journal of Pediatric Gastroenterology and Nutrition, 1997, 24, 590-593. | 0.9 | 11 |
| 1364 | Variation in the persistence of Escherichia coli O157:H7 in experimentally inoculated 6-week-old conventional lambs. Journal of Medical Microbiology, 2002, 51, 1032-1040. | 0.7 | 19 |
| 1365 | Isolation from a sheep of an attaching and effacing Escherichia coli O115:Hâ~ with a novel combination of virulence factors. Journal of Medical Microbiology, 2002, 51, 1041-1049. | 0.7 | 18 |
| 1366 | Virulence properties of Escherichia coli faecal strains isolated in Poland from healthy children and strains belonging to serogroups O18, O26, O44, O86, O126 and O127 isolated from children with diarrhoea. Journal of Medical Microbiology, 2002, 51, 548-571. | 0.7 | 45 |
| 1367 | Production of attaching-effacing lesions in ligated large intestine loops of 6-month-old sheep by Escherichia coli O157:H7. Journal of Medical Microbiology, 2002, 51, 755-763. | 0.7 | 18 |
| 1368 | Analysis of the EHEC hly operon and its location in the physical map of the large plasmid of enterohaemorrhagic Escherichia coli O157:H7. Microbiology (United Kingdom), 1996, 142, 907-914. | 0.7 | 102 |
| 1369 | Association between intimin (eae) and EspB gene subtypes in attaching and effacing Escherichia coli strains isolated from diarrhoeic lambs and goat kids The GenBank accession numbers for the sequences reported in this paper are AF253560 (eae gene of strain CK379), AF253561 (eae gene of strain) Tj ETQq0.0 0 rgBT4/Overlock | 0.7 | 14 |
| 1370 | Escherichia coli O157 infections in Scotland. Journal of Medical Microbiology, 1994, 40, 3-9. | 0.7 | 23 |
| 1371 | A solid phase fluorescent capillary immunoassay for the detection of Escherichia coli O157:H7 in ground beef and apple cider. Journal of Applied Microbiology, 1996, 81, 601-607. | 1.4 | 3 |
| 1372 | Escherichia coli O157:H7. , 0, , 137-145. | | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1373 | Molecular Biology and Role in Disease of the Verotoxins (Shiga-Like Toxins) of Escherichia coli. , 0, , 391-404. | | 3 |
| 1374 | Enterohemorrhagic Escherichia coli. , 0, , 287-309. | | 33 |
| 1375 | Overview and Historical Perspectives. , 0, , 1-13. | | 1 |
| 1376 | Antibiotic Susceptibility of Enterohemorrhagic Escherichia coli O157:H7 Isolated from an Outbreak in Japan in 1996. Antimicrobial Agents and Chemotherapy, 1998, 42, 431-432. | 1.4 | 23 |
| 1377 | Fate of enterohemorrhagic Escherichia coli O157:H7 in apple cider with and without preservatives. Applied and Environmental Microbiology, 1993, 59, 2526-2530. | 1.4 | 305 |
| 1378 | Comparison and genomic sizing of Escherichia coli O157:H7 isolates by pulsed-field gel electrophoresis. Applied and Environmental Microbiology, 1993, 59, 3141-3144. | 1.4 | 63 |
| 1379 | Detection of Escherichia coli O157:H7 in meat by an enzyme-linked immunosorbent assay, EHEC-Tek. Applied and Environmental Microbiology, 1995, 61, 386-388. | 1.4 | 61 |
| 1380 | Acid adaptation of Escherichia coli O157:H7 increases survival in acidic foods. Applied and Environmental Microbiology, 1995, 61, 3752-3755. | 1.4 | 342 |
| 1381 | Death of enterohemorrhagic Escherichia coli O157:H7 in real mayonnaise and reduced-calorie mayonnaise dressing as influenced by initial population and storage temperature. Applied and Environmental Microbiology, 1995, 61, 4172-4177. | 1.4 | 55 |
| 1382 | Prevalence of enterohemorrhagic Escherichia coli O157:H7 in a survey of dairy herds. Applied and Environmental Microbiology, 1995, 61, 1290-1293. | 1.4 | 342 |
| 1383 | Effect of diet on the shedding of Escherichia coli O157:H7 in a sheep model. Applied and Environmental Microbiology, 1995, 61, 1363-1370. | 1.4 | 144 |
| 1384 | Experimental infection of calves and adult cattle with Escherichia coli O157:H7. Applied and Environmental Microbiology, 1995, 61, 1586-1590. | 1.4 | 344 |
| 1385 | Acid tolerance of enterohemorrhagic Escherichia coli. Applied and Environmental Microbiology, 1995, 61, 1669-1672. | 1.4 | 301 |
| 1386 | Starvation- and stationary-phase-induced acid tolerance in Escherichia coli O157:H7. Applied and Environmental Microbiology, 1995, 61, 2037-2039. | 1.4 | 249 |
| 1387 | Use of pulsed-field gel electrophoresis for epidemiological study of Escherichia coli O157:H7 during a food-borne outbreak. Applied and Environmental Microbiology, 1995, 61, 2806-2808. | 1.4 | 56 |
| 1388 | Analysis of the enterohemorrhagic Escherichia coli O157 DNA region containing lambdoid phage gene p and Shiga-like toxin structural genes. Applied and Environmental Microbiology, 1996, 62, 791-797. | 1.4 | 67 |
| 1389 | Prevalence and clonal nature of Escherichia coli O157:H7 on dairy farms in Wisconsin. Applied and Environmental Microbiology, 1996, 62, 1519-1525. | 1.4 | 228 |
| 1390 | rpoS regulation of acid, heat, and salt tolerance in Escherichia coli O157:H7. Applied and Environmental Microbiology, 1996, 62, 1822-1824. | 1.4 | 230 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1391 | Fate of enterohemorrhagic <i>Escherichia coli</i> O157:H7 in bovine feces. <i>Applied and Environmental Microbiology</i> , 1996, 62, 2567-2570. | 1.4 | 366 |
| 1392 | Mechanisms of acid resistance in enterohemorrhagic <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 1996, 62, 3094-3100. | 1.4 | 501 |
| 1393 | Monoclonal antibodies for detection of the H7 antigen of <i>Escherichia coli</i> . <i>Applied and Environmental Microbiology</i> , 1996, 62, 3325-3332. | 1.4 | 38 |
| 1394 | Experimental <i>Escherichia coli</i> O157:H7 carriage in calves. <i>Applied and Environmental Microbiology</i> , 1997, 63, 27-32. | 1.4 | 173 |
| 1395 | Evaluation of dietary influences on <i>Escherichia coli</i> O157:H7 shedding by sheep. <i>Applied and Environmental Microbiology</i> , 1997, 63, 3878-3886. | 1.4 | 134 |
| 1396 | A simple filtration technique to detect enterohemorrhagic <i>Escherichia coli</i> O157:H7 and its toxins in beef by multiplex PCR. <i>Applied and Environmental Microbiology</i> , 1997, 63, 4127-4131. | 1.4 | 26 |
| 1397 | Virulence factors of verocytotoxin-producing <i>Escherichia coli</i> isolated from raw meats. <i>Applied and Environmental Microbiology</i> , 1997, 63, 4585-4587. | 1.4 | 61 |
| 1398 | Modelling the growth rate of <i>Escherichia coli</i> as a function of pH and lactic acid concentration. <i>Applied and Environmental Microbiology</i> , 1997, 63, 2355-2360. | 1.4 | 241 |
| 1399 | Association of Enterohemorrhagic <i>Escherichia coli</i> Hemolysin with Serotypes of Shiga-Like-Toxin-Producing <i>Escherichia coli</i> of Human and Bovine Origins. <i>Applied and Environmental Microbiology</i> , 1998, 64, 4134-4141. | 1.4 | 95 |
| 1400 | An Automated Fluorescent PCR Method for Detection of Shiga Toxin-Producing <i>Escherichia coli</i> in Foods. <i>Applied and Environmental Microbiology</i> , 1998, 64, 4210-4216. | 1.4 | 20 |
| 1401 | Comparison of the BAX for Screening/ <i>E. coli</i> O157:H7 Method with Conventional Methods for Detection of Extremely Low Levels of <i>Escherichia coli</i> O157:H7 in Ground Beef. <i>Applied and Environmental Microbiology</i> , 1998, 64, 4390-4395. | 1.4 | 45 |
| 1402 | Detection of <i>Escherichia coli</i> O157:H7 in the Beef Marketed in Malaysia. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1153-1156. | 1.4 | 40 |
| 1403 | Influence of Cold Stress on the Preliminary Enrichment Time Needed for Detection of Enterohemorrhagic <i>Escherichia coli</i> in Ground Beef by PCR. <i>Applied and Environmental Microbiology</i> , 1998, 64, 1640-1643. | 1.4 | 24 |
| 1404 | Abundance in Sewage of Bacteriophages That Infect <i>Escherichia coli</i> O157:H7 and That Carry the Shiga Toxin 2 Gene. <i>Applied and Environmental Microbiology</i> , 1998, 64, 2443-2448. | 1.4 | 109 |
| 1405 | PCR-Based DNA Amplification and Presumptive Detection of <i>Escherichia coli</i> O157:H7 with an Internal Fluorogenic Probe and the 5'â€² Nuclease (TaqMan) Assay. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3389-3396. | 1.4 | 150 |
| 1406 | Fate of pGFP-Bearing <i>Escherichia coli</i> O157:H7 in Ground Beef at 2 and 10Â°C and Effects of Lactate, Diacetate, and Citrate. <i>Applied and Environmental Microbiology</i> , 1999, 65, 5394-5397. | 1.4 | 21 |
| 1407 | Combinations of Intervention Treatments Resulting in 5-Log ₁₀ -Unit Reductions in Numbers of <i>Escherichia coli</i> O157:H7 and <i>Salmonella typhimurium</i> DT104 Organisms in Apple Cider. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1924-1929. | 1.4 | 83 |
| 1408 | Lethality of a Heat- and Phosphate-Catalyzed Glucose By-Product to <i>Escherichia coli</i> O157:H7 and Partial Protection Conferred by the <i>rpoS</i> Regulon. <i>Applied and Environmental Microbiology</i> , 1999, 65, 2396-2401. | 1.4 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1409 | Survival of Low-pH Stress by <i>Escherichia coli</i> O157:H7: Correlation between Alterations in the Cell Envelope and Increased Acid Tolerance. <i>Applied and Environmental Microbiology</i> , 1999, 65, 3048-3055. | 1.4 | 112 |
| 1410 | Development of a Colony Lift Immunoassay To Facilitate Rapid Detection and Quantification of <i>Escherichia coli</i> O157:H7 from Agar Plates and Filter Monitor Membranes. <i>Vaccine Journal</i> , 1998, 5, 567-573. | 2.6 | 21 |
| 1411 | Preparation, characterization, and immunological properties in mice of <i>Escherichia coli</i> O157 O-specific polysaccharide-protein conjugate vaccines. <i>Infection and Immunity</i> , 1994, 62, 5048-5054. | 1.0 | 57 |
| 1412 | Some structures and processes of human epithelial cells involved in uptake of enterohemorrhagic <i>Escherichia coli</i> O157:H7 strains. <i>Infection and Immunity</i> , 1994, 62, 5142-5150. | 1.0 | 77 |
| 1413 | Use of heme and hemoglobin by <i>Escherichia coli</i> O157 and other Shiga-like-toxin-producing <i>E. coli</i> serogroups. <i>Infection and Immunity</i> , 1995, 63, 700-702. | 1.0 | 53 |
| 1414 | The role of the <i>eaeA</i> gene in diarrhea and neurological complications in a gnotobiotic piglet model of enterohemorrhagic <i>Escherichia coli</i> infection. <i>Infection and Immunity</i> , 1995, 63, 3621-3627. | 1.0 | 207 |
| 1415 | Temperature- and medium-dependent secretion of proteins by Shiga toxin-producing <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 1996, 64, 4472-4479. | 1.0 | 89 |
| 1416 | Secretion of extracellular proteins by enterohemorrhagic <i>Escherichia coli</i> via a putative type III secretion system. <i>Infection and Immunity</i> , 1996, 64, 4826-4829. | 1.0 | 156 |
| 1417 | Serum antibody responses of cattle following experimental infection with <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 1996, 64, 1879-1883. | 1.0 | 60 |
| 1418 | Polysaccharide side chains are not required for attaching and effacing adhesion of <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 1996, 64, 3196-3200. | 1.0 | 35 |
| 1419 | Pathogenicity of <i>Escherichia coli</i> O157:H7 in the intestines of neonatal calves. <i>Infection and Immunity</i> , 1997, 65, 1842-1848. | 1.0 | 179 |
| 1420 | Localization of intravenously administered verocytotoxins (Shiga-like toxins) 1 and 2 in rabbits immunized with homologous and heterologous toxoids and toxin subunits. <i>Infection and Immunity</i> , 1997, 65, 2509-2516. | 1.0 | 50 |
| 1421 | Sensitization of human umbilical vein endothelial cells to Shiga toxin: involvement of protein kinase C and NF-kappaB. <i>Infection and Immunity</i> , 1997, 65, 3337-3344. | 1.0 | 34 |
| 1422 | Role of Tumor Necrosis Factor Alpha in Gnotobiotic Mice Infected with an <i>Escherichia coli</i> O157:H7 Strain. <i>Infection and Immunity</i> , 1998, 66, 197-202. | 1.0 | 81 |
| 1423 | Evolution of Enterohemorrhagic <i>Escherichia coli</i> Hemolysin Plasmids and the Locus for Enterocyte Effacement in Shiga Toxin-Producing <i>E. coli</i> . <i>Infection and Immunity</i> , 1998, 66, 2553-2561. | 1.0 | 88 |
| 1424 | Molecular Evolution of a Pathogenicity Island from Enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Infection and Immunity</i> , 1998, 66, 3810-3817. | 1.0 | 400 |
| 1425 | Identification and Characterization of a Newly Isolated Shiga Toxin 2-Converting Phage from Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Infection and Immunity</i> , 1998, 66, 4100-4107. | 1.0 | 41 |
| 1426 | Monoclonal Antibody to Shiga Toxin 2 Which Blocks Receptor Binding and Neutralizes Cytotoxicity. <i>Infection and Immunity</i> , 1999, 67, 5717-5722. | 1.0 | 35 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1427 | Antibody-Based Protection of Gnotobiotic Piglets Infected with <i>Escherichia coli</i> O157:H7 against Systemic Complications Associated with Shiga Toxin 2. <i>Infection and Immunity</i> , 1999, 67, 3645-3648. | 1.0 | 35 |
| 1428 | Pas, a Novel Protein Required for Protein Secretion and Attaching and Effacing Activities of Enterohemorrhagic <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1998, 180, 4370-4379. | 1.0 | 39 |
| 1429 | Molecular epidemiology of <i>Escherichia coli</i> O157:H7 strains by bacteriophage lambda restriction fragment length polymorphism analysis: application to a multistate foodborne outbreak and a day-care center cluster. <i>Journal of Clinical Microbiology</i> , 1993, 31, 3179-3183. | 1.8 | 54 |
| 1430 | Isolation of a <i>Citrobacter freundii</i> strain which carries the <i>Escherichia coli</i> O157 antigen. <i>Journal of Clinical Microbiology</i> , 1993, 31, 760-761. | 1.8 | 69 |
| 1431 | Laboratory investigation of a multistate food-borne outbreak of <i>Escherichia coli</i> O157:H7 by using pulsed-field gel electrophoresis and phage typing. <i>Journal of Clinical Microbiology</i> , 1994, 32, 3013-3017. | 1.8 | 347 |
| 1432 | <i>Escherichia coli</i> O157:H7 generates a unique biochemical profile on MicroScan conventional gram-negative identification panels. <i>Journal of Clinical Microbiology</i> , 1994, 32, 823-824. | 1.8 | 16 |
| 1433 | Simultaneous identification of strains of <i>Escherichia coli</i> serotype O157:H7 and their Shiga-like toxin type by mismatch amplification mutation assay-multiplex PCR. <i>Journal of Clinical Microbiology</i> , 1995, 33, 248-250. | 1.8 | 344 |
| 1434 | Sensitivity of bacteriologic culture for detection of <i>Escherichia coli</i> O157:H7 in bovine feces. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2616-2619. | 1.8 | 115 |
| 1435 | Clonal relatedness of Shiga-like toxin-producing <i>Escherichia coli</i> O101 strains of human and porcine origin. <i>Journal of Clinical Microbiology</i> , 1995, 33, 3174-3178. | 1.8 | 61 |
| 1436 | Direct detection of verotoxin-producing <i>Escherichia coli</i> in stool samples by PCR. <i>Journal of Clinical Microbiology</i> , 1995, 33, 519-524. | 1.8 | 52 |
| 1437 | Impact of free verotoxin testing on epidemiology of diarrhea caused by verotoxin-producing <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 1995, 33, 1114-1120. | 1.8 | 40 |
| 1438 | Arbitrarily primed PCR DNA fingerprinting of <i>Escherichia coli</i> O157:H7 strains by using templates from boiled cultures. <i>Journal of Clinical Microbiology</i> , 1995, 33, 1534-1536. | 1.8 | 55 |
| 1439 | Long-term shedding and clonal turnover of enterohemorrhagic <i>Escherichia coli</i> O157 in diarrheal diseases. <i>Journal of Clinical Microbiology</i> , 1995, 33, 1602-1605. | 1.8 | 143 |
| 1440 | Molecular epidemiology of <i>Escherichia coli</i> O157:H7 by restriction fragment length polymorphism using Shiga-like toxin genes. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2150-2154. | 1.8 | 25 |
| 1441 | Sorbitol-negative phenotype among enterohemorrhagic <i>Escherichia coli</i> strains of different serotypes and from different sources. <i>Journal of Clinical Microbiology</i> , 1995, 33, 2199-2201. | 1.8 | 38 |
| 1442 | Enterohemolytic phenotypes and genotypes of shiga toxin-producing <i>Escherichia coli</i> O111 strains from patients with diarrhea and hemolytic-uremic syndrome. <i>Journal of Clinical Microbiology</i> , 1996, 34, 2364-2367. | 1.8 | 108 |
| 1443 | Rapid detection and isolation of shiga-like toxin (verocytotoxin)-producing <i>Escherichia coli</i> by direct testing of individual enterohemolytic colonies from washed sheep blood agar plates in the VTEC-RPLA assay. <i>Journal of Clinical Microbiology</i> , 1996, 34, 2812-2814. | 1.8 | 118 |
| 1444 | Characterization of nonmotile variants of <i>Escherichia coli</i> O157 and other serotypes by using an anti-flagellin monoclonal antibody. <i>Journal of Clinical Microbiology</i> , 1996, 34, 2856-2859. | 1.8 | 48 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1445 | Escherichia coli O157:H7 in microbial flora of sheep. Journal of Clinical Microbiology, 1996, 34, 431-433. | 1.8 | 189 |
| 1446 | Isolation of enterohemorrhagic Escherichia coli O157 strains from patients with hemolytic-uremic syndrome by using immunomagnetic separation, DNA-based methods, and direct culture. Journal of Clinical Microbiology, 1996, 34, 516-519. | 1.8 | 115 |
| 1447 | Rapid Immunoassay for detection of Escherichia coli O157 directly from stool specimens. Journal of Clinical Microbiology, 1996, 34, 988-990. | 1.8 | 52 |
| 1448 | Neutralizing antibodies to Escherichia coli Verotoxin 1 and antibodies to O157 lipopolysaccharide in healthy farm family members and urban residents. Journal of Clinical Microbiology, 1996, 34, 2053-2057. | 1.8 | 74 |
| 1449 | Molecular characterization of Escherichia coli strains isolated from pigs with edema disease. Journal of Clinical Microbiology, 1997, 35, 20-24. | 1.8 | 39 |
| 1450 | Characterization of Escherichia coli O157:H7 and other Shiga toxin-producing E. coli serotypes isolated from sheep. Journal of Clinical Microbiology, 1997, 35, 892-899. | 1.8 | 143 |
| 1451 | Molecular typing of enterohemorrhagic Escherichia coli O157:H7 isolates in Japan by using pulsed-field gel electrophoresis. Journal of Clinical Microbiology, 1997, 35, 1675-1680. | 1.8 | 141 |
| 1452 | Evaluation of the premier EHEC assay for detection of Shiga toxin-producing Escherichia coli. Journal of Clinical Microbiology, 1997, 35, 2051-2054. | 1.8 | 119 |
| 1453 | Isolation of verotoxin-producing Escherichia coli O-rough:K1:H7 from two patients with traveler's diarrhea. Journal of Clinical Microbiology, 1997, 35, 2279-2282. | 1.8 | 9 |
| 1454 | Structure and Function of Plasmid pColD157 of Enterohemorrhagic Escherichia coli O157 and Its Distribution among Strains from Patients with Diarrhea and Hemolytic-Uremic Syndrome. Journal of Clinical Microbiology, 1998, 36, 24-29. | 1.8 | 29 |
| 1455 | Application of Multiplex PCR for Detection of Non-O157 Verocytotoxin-Producing Escherichia coli in Bloody Stools: Identification of Serogroups O26 and O111. Journal of Clinical Microbiology, 1998, 36, 3375-3377. | 1.8 | 37 |
| 1456 | Genomic Comparisons and Shiga Toxin Production among Escherichia coli O157:H7 Isolates from a Day Care Center Outbreak and Sporadic Cases in Southeastern Wisconsin. Journal of Clinical Microbiology, 1998, 36, 727-733. | 1.8 | 28 |
| 1457 | Enterohemorrhagic, Shiga Toxin-Producing Escherichia coli O111:H2 Associated with an Outbreak of Hemolytic-Uremic Syndrome. Journal of Clinical Microbiology, 1998, 36, 840-842. | 1.8 | 133 |
| 1458 | Isolation and Characterization of Verocytotoxin-Producing Escherichia coli O157 Strains from Dutch Cattle and Sheep. Journal of Clinical Microbiology, 1998, 36, 878-882. | 1.8 | 165 |
| 1459 | Insertion Element IS 3 -Based PCR Method for Subtyping Escherichia coli O157:H7. Journal of Clinical Microbiology, 1998, 36, 1180-1184. | 1.8 | 21 |
| 1460 | Non-O157:H7 Stx2-Producing Escherichia coli Strains Associated with Sporadic Cases of Hemolytic-Uremic Syndrome in Adults. Journal of Clinical Microbiology, 1998, 36, 1777-1780. | 1.8 | 139 |
| 1461 | Evaluation of a Microplate Latex Agglutination Method (Verotox-F Assay) for Detecting and Characterizing Verotoxins (Shiga Toxins) in Escherichia coli. Journal of Clinical Microbiology, 1999, 37, 396-399. | 1.8 | 61 |
| 1462 | Clonal Diversity of Chilean Isolates of Enterohemorrhagic Escherichia coli from Patients with Hemolytic-Uremic Syndrome, Asymptomatic Subjects, Animal Reservoirs, and Food Products. Journal of Clinical Microbiology, 1999, 37, 778-781. | 1.8 | 75 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1463 | Virulence Factors and Phenotypical Traits of Verotoxin-Producing <i>Escherichia coli</i> Strains Isolated from Asymptomatic Human Carriers. <i>Journal of Clinical Microbiology</i> , 1999, 37, 1570-1572. | 1.8 | 39 |
| 1464 | Molecular Detection and Identification of Intimin Alleles in Pathogenic <i>Escherichia coli</i> by Multiplex PCR. <i>Journal of Clinical Microbiology</i> , 1999, 37, 2719-2722. | 1.8 | 85 |
| 1465 | Prevalence of <i>Escherichia coli</i> O157:H7 from Cull Dairy Cows in New York State and Comparison of Culture Methods Used during Preharvest Food Safety Investigations. <i>Journal of Clinical Microbiology</i> , 2000, 38, 318-322. | 1.8 | 29 |
| 1466 | Comparison of Sorbitol MacConkey Agar and a Two-Step Method Which Utilizes Enzyme-Linked Immunosorbent Assay Toxin Testing and a Chromogenic Agar To Detect and Isolate Enterohemorrhagic <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2000, 38, 547-551. | 1.8 | 42 |
| 1467 | Selective Isolation of <i>eae</i> -Positive Strains of Shiga Toxin-Producing <i>Escherichia coli</i> . <i>Journal of Clinical Microbiology</i> , 2000, 38, 1684-1687. | 1.8 | 34 |
| 1468 | Performance of the ImmunoCard STAT! <i>E. coli</i> O157:H7 Test for Detection of <i>Escherichia coli</i> O157:H7 in Stools. <i>Journal of Clinical Microbiology</i> , 2000, 38, 1866-1868. | 1.8 | 18 |
| 1469 | Intimin and the intimate attachment of bacteria to human cells. <i>Journal of Clinical Investigation</i> , 1993, 92, 1117-1118. | 3.9 | 3 |
| 1470 | The role of the <i>eae</i> gene of enterohemorrhagic <i>Escherichia coli</i> in intimate attachment in vitro and in a porcine model. <i>Journal of Clinical Investigation</i> , 1993, 92, 1418-1424. | 3.9 | 342 |
| 1471 | Microbiology of Ready-to-Eat Foods. , 2010, , 1-60. | | 4 |
| 1472 | Antimicrobial activity of nutmeg against <i>Escherichia coli</i> O157. <i>Journal of Bioscience and Bioengineering</i> , 2002, 94, 315-20. | 1.1 | 39 |
| 1473 | Lactose induces the expression of shiga toxins in enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Journal of Preventive Veterinary Medicine</i> , 2015, 39, 137-143. | 0.1 | 1 |
| 1474 | Acid resistance mechanisms in enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Journal of Preventive Veterinary Medicine</i> , 2018, 42, 124-132. | 0.1 | 3 |
| 1475 | Comparisons of Native Shiga Toxins (Stxs) Type 1 and 2 with Chimeric Toxins Indicate that the Source of the Binding Subunit Dictates Degree of Toxicity. <i>PLoS ONE</i> , 2014, 9, e93463. | 1.1 | 22 |
| 1476 | Comparative Analysis of Super-Shedder Strains of <i>Escherichia coli</i> O157:H7 Reveals Distinctive Genomic Features and a Strongly Aggregative Adherent Phenotype on Bovine Rectoanal Junction Squamous Epithelial Cells. <i>PLoS ONE</i> , 2015, 10, e0116743. | 1.1 | 36 |
| 1477 | Isolation of Multidrug-Resistant <i>Escherichia coli</i> O157 from Goats in the Somali Region of Ethiopia: A Cross-Sectional, Abattoir-Based Study. <i>PLoS ONE</i> , 2015, 10, e0142905. | 1.1 | 38 |
| 1478 | Response to Single and Divided Doses of Shiga Toxin-1 in a Primate Model of Hemolytic Uremic Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 1458-1467. | 3.0 | 47 |
| 1479 | Occurrence of Shiga toxin producing <i>E. coli</i> from raw milk. <i>Pure and Applied Biology</i> , 2016, 5, 270-276. | 0.1 | 2 |
| 1480 | Different molecular approaches used for detection of <i>Escherichia coli</i> O157:H7 from different sources. <i>Pure and Applied Biology</i> , 2017, 6, . | 0.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1481 | Visual Detection of Enterohemorrhagic Escherichia coli O157:H7 Using Loop-Mediated Isothermal Amplification. <i>Electronic Physician</i> , 2016, 8, 2576-2585. | 0.2 | 12 |
| 1482 | Pathogenic Escherichia coli. , 2001, , . | | 6 |
| 1483 | 34.ÂPathogenic<i>Escherichia coli</i>. , 2015, , . | | 1 |
| 1485 | Acute Gastroenteritis in Children. , 2003, 5, 279. | | 2 |
| 1486 | Therapeutic Strategies to Protect the Central Nervous System against Shiga Toxin from Enterohemorrhagic Escherichia coli. <i>Current Neuropharmacology</i> , 2020, 19, 24-44. | 1.4 | 11 |
| 1487 | Virulence and Antimicrobial Characteristics of Escherichia Coli Isolated from Diseased Chickens in China and Algeria. <i>Journal of Advances in Agriculture</i> , 0, 10, 1821-1833. | 0.1 | 1 |
| 1488 | Prevalence and pathogenicity of Shiga toxin-producing Escherichia coli in beef cattle and their products ^{1,2} . <i>Journal of Animal Science</i> , 2007, 85, E63-E72. | 0.2 | 275 |
| 1489 | Investigation of a spatiotemporal cluster of verotoxin-producing Escherichia coli O157 infections in eastern England in 2007. <i>Eurosurveillance</i> , 2011, 16, . | 3.9 | 3 |
| 1490 | Vero Cytotoxin-Producing Escherichia coli O157 Outbreaks in England and Wales, 1995: Phenotypic Methods and Genotypic Subtyping. <i>Emerging Infectious Diseases</i> , 1997, 3, 561-565. | 2.0 | 60 |
| 1491 | Human Infections with Shiga Toxin-Producing Escherichia coli Other Than Serogroup O157 in Germany. <i>Emerging Infectious Diseases</i> , 1998, 4, 635-639. | 2.0 | 117 |
| 1492 | Sporadic STEC O157 Infection: Secondary Household Transmission in Wales. <i>Emerging Infectious Diseases</i> , 1998, 4, 657-661. | 2.0 | 65 |
| 1493 | Costs and Benefits of a Subtype-Specific Surveillance System for Identifying Escherichia coli O157:H7 Outbreaks. <i>Emerging Infectious Diseases</i> , 2000, 6, 293-297. | 2.0 | 38 |
| 1495 | Associations between Indicators of Livestock Farming Intensity and Incidence of Human Shiga Toxin-Producing Escherichia coli Infection. <i>Emerging Infectious Diseases</i> , 2002, 8, 252-257. | 2.0 | 96 |
| 1496 | Haemolytic-Uraemic Syndrome as a Sequela of Diarrhoeal Disease. <i>Journal of Health, Population and Nutrition</i> , 2012, 30, 257-61. | 0.7 | 24 |
| 1497 | Risk factors for Shiga toxin-producing Escherichia coli infections in preadolescent schoolchildren in Buenos Aires, Argentina. <i>Journal of Infection in Developing Countries</i> , 2012, 6, 378-386. | 0.5 | 10 |
| 1498 | Detection and Frequency of Stx2 Gene in Escherichia coli O157 and O157:H7 Strains Isolated from Sheep Carcasses in Shiraz-Iran. <i>Pakistan Journal of Biological Sciences</i> , 2008, 11, 1085-1092. | 0.2 | 8 |
| 1499 | Prevalence and Molecular Characterization of E. coli O157:H7 Isolated from Water Bodies in Ile-Ife and Environs. <i>Journal of Bacteriology & Parasitology</i> , 2018, 09, . | 0.2 | 2 |
| 1500 | Houseflies: not simple mechanical vectors of enterohemorrhagic Escherichia coli O157:H7.. <i>American Journal of Tropical Medicine and Hygiene</i> , 1999, 61, 625-629. | 0.6 | 167 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1501 | Sensitivity of Escherichia coli to Seaweed (Ascophyllum nodosum) Phlorotannins and Terrestrial Tannins. Asian-Australasian Journal of Animal Sciences, 2009, 22, 238-245. | 2.4 | 90 |
| 1502 | Qualitative Microbiological Risk Assessment of Unpasteurized Fruit Juice and Cider. International Food Risk Analysis Journal, 2013, , 1. | 0.8 | 11 |
| 1503 | A Case Report of Escherichia Coli O157 Infection, Which was Difficult to Discriminate from Intussusception.. Japanese Journal of Gastroenterological Surgery, 2001, 34, 259-262. | 0.0 | 3 |
| 1504 | Improved Detection of Viable Escherichia coli O157:H7 in Milk by Using Reverse Transcriptase-PCR. Korean Journal for Food Science of Animal Resources, 2011, 31, 158-165. | 1.5 | 2 |
| 1505 | Microbial Risk Assessment of Non-Enterohemorrhagic Escherichia coli in Natural and Processed Cheeses in Korea. Korean Journal for Food Science of Animal Resources, 2017, 37, 579-592. | 1.5 | 10 |
| 1506 | Isolation and genomic characterization of Escherichia coli O157:NM and Escherichia coli O157:H7 in minced meat and some traditional dairy products in Iran. African Journal of Biotechnology, 2012, 11, . | 0.3 | 8 |
| 1507 | The unexhausted potential of E. coli. ELife, 2015, 4, . | 2.8 | 251 |
| 1508 | Molecular Epidemiological Analysis of Enterohemorrhagic Escherichia coli Infections in Japan. Japanese Journal of Medical Science and Biology, 1998, 51, S115-S123. | 0.4 | 1 |
| 1509 | Detection of Escherichia coli O157 in vegetables. IOSR Journal of Agriculture and Veterinary Science, 2013, 6, 16-18. | 0.1 | 8 |
| 1510 | Multifunctional magnetic nanoparticle cloud assemblies for <i>in situ</i> capture of bacteria and isolation of microbial DNA. Analyst, The, 2021, 146, 7491-7502. | 1.7 | 5 |
| 1511 | Adhesion Behavior of Escherichia coli Strains on Glass: Role of Cell Surface Qualitative and Quantitative Hydrophobicity in Their Attachment Ability. International Journal of Microbiology, 2021, 2021, 1-9. | 0.9 | 10 |
| 1512 | Bacterial Chaperone Protein Hfq Facilitates the Annealing of Sponge RNAs to Small Regulatory RNAs. Journal of Molecular Biology, 2021, 433, 167291. | 2.0 | 3 |
| 1513 | Meat and meat products. , 2000, , 1-74. | | 0 |
| 1514 | Foodborne Gastroenteritis Caused by Escherichia coli. , 2000, , 531-547. | | 0 |
| 1515 | Microbiological pathogens: live poultry considerations. , 2000, , 131-146. | | 0 |
| 1516 | Microbiological pathogens. , 2000, , . | | 2 |
| 1517 | Title is missing!. Japanese Journal of Food Microbiology, 2001, 18, 159-163. | 0.3 | 0 |
| 1518 | Escherichia coli Vaccines. , 2003, , 110-127. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1519 | Public Health and the Control of Food Hygiene in Japan. Journal of Rural Problems, 2003, 38, 179-187. | 0.1 | 0 |
| 1522 | Safety of Minimally Processed, Acidified, and Fermented Vegetable Products. , 2005, , 313-335. | | 2 |
| 1523 | Evolutionary aspects of toxin-producing bacteria. , 2006, , 25-43. | | 0 |
| 1524 | Bacteriological Quality of Mozzarella Cheese Sold in Tripoli Governorate. Journal of Veterinary Medical Research, 2007, 17, 99-104. | 0.2 | 1 |
| 1525 | A Case of Escherichia coli O157 Hemorrhagic Colitis. Taehan Hmsang Misaengmul Hakhoe Chi = Korean Journal of Clinical Microbiology, 2008, 11, 66. | 0.5 | 1 |
| 1526 | Foodborne and Waterborne Disease. , 2008, , 397-406. | | 1 |
| 1527 | Molecular Genetic Characterization of Shiga Toxin-producing E. coli Isolated from Diarrhea Patients and Cattle in Gwangju Area, Korea. Journal of Bacteriology and Virology, 2009, 39, 79. | 0.0 | 1 |
| 1528 | Ä°ki Farklı pH DeÄŸerine Kadar Ä°nkÄ¼be Edilen ve 4oCâ€™de Depolanan YoÄŸurtlarda E. coli O157:H7â€™nin ÇanlÄ± Kalma Durumu. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2009, , . | 0.0 | 0 |
| 1529 | Gastroenteriti di origine alimentare causate da Escherichia coli. Food, 2009, , 687-706. | 0.0 | 0 |
| 1530 | EPIDEMIOLOGY OF INFECTIOUS DISEASES. , 2009, , 118-135. | | 0 |
| 1531 | Prevalence of Escherichia coli O157 from Cattle and Foods in the Mekong Delta, Vietnam. Japan Journal of Veterinary Informatics, 2009, 13, 107-113. | 0.1 | 4 |
| 1532 | DIARRHEA-CAUSING AND DYSENTERY-CAUSING ESCHERICHIA COLI. , 2009, , 1525-1540. | | 1 |
| 1533 | Komplexe GerinnungsstÄ¶rungen. , 2010, , 529-569. | | 0 |
| 1536 | ESCHERICHIA COLI, PRODUTORAS DE SHIGATOXINAS DETECTADAS EM FEZES DE BOVINOS LEITEIROS. Arquivos Do Instituto Biologico, 2010, 77, 567-573. | 0.4 | 1 |
| 1537 | Direct detection of Escherichia coli O157 and its major virulence factor genes in animal faeces at slaughter using multiplex polymerase chain reaction (PCR). African Journal of Microbiology Research, 2011, 5, . | 0.4 | 0 |
| 1538 | Enterohemorrhagic Escherichia coli- Its Control from a Viewpoint of Food Safety -. Journal of Disaster Research, 2011, 6, 426-434. | 0.4 | 0 |
| 1539 | Groundwater contamination in Agbowo community, Ibadan Nigeria: Impact of septic tanks distances to wells. Malaysian Journal of Microbiology, 2011, , . | 0.1 | 10 |
| 1540 | Isolation and Characterization of Enterohaemorrhagic Escherichia coli O157:H7 and EHEC O157:NM from Raw Bovine, Camel, Water Buffalo, Caprine and Ovine Milk in Iran. Kafkas Universitesi Veteriner Fakultesi Dergisi, 2012, , . | 0.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1541 | Enteric Diseases Transmitted Through Food, Water, and Zoonotic Exposures. , 2012, , 392-400.e4. | | 1 |
| 1542 | Epidemiology of Shiga Toxin-Producing Escherichia coli. Japanese Journal of Food Microbiology, 2012, 29, 141-154. | 0.3 | 3 |
| 1543 | Are potassium levels in children with hemolytic uremic syndrome predictive of outcome?. Open Journal of Pediatrics, 2012, 02, 264-267. | 0.0 | 0 |
| 1544 | PREVALENCE AND ANTIMICRIBIAL SUSCEPTIBILITY OF ESCHERICHIA COLI O157:H7 ISOLATED FROM HUMAN AND ANIMAL SOURCES IN BASRAH PROVINCE. Basrah Journal of Veterinary Research, 2012, 11, 47-55. | 0.1 | 1 |
| 1545 | Verotoxin -producing Escherichia coli Old Bug New Infections. IOSR Journal of Pharmacy, 2013, 3, 16-20. | 0.1 | 0 |
| 1546 | Catfish Special Edition: Thermal Inactivation of Non-O157:H7 Shiga Toxin Producing Escherichia coli (STEC) on Catfish Fillets. Journal of Food Processing & Technology, 2013, 01, . | 0.2 | 0 |
| 1547 | Significant Presence of Nontoxinogenic Coliforms in the Drinking Water Supply of the Mattingly Residential Area of St. Kitts Suggests that the Most Common Cause of Gastroenteritis could be Transmission due to Enteric Viruses in Drinking Water. , 2013, 03, . | | 0 |
| 1548 | Vigilancia de Escherichia coli O157: H7 en alimentos y aguas. CÃ¡tedra Villarreal, 2013, 1, 26-37. | 0.1 | 0 |
| 1549 | Birth of a Pathogen. , 0, , 89-110. | | 0 |
| 1550 | Enterohemorrhagic Escherichia coli in Ruminant Hosts. , 0, , 201-215. | | 0 |
| 1551 | Enteric Escherichia coli Infections. , 1992, , 201-219. | | 4 |
| 1552 | Intestinal Infections. , 1994, , 505-512. | | 0 |
| 1553 | Escherichia coli. Infectious Agents and Pathogenesis, 1996, , 101-131. | 0.1 | 1 |
| 1554 | Foodborne Gastroenteritis Caused by Escherichia coli. Food Science Text Series, 1998, , 527-543. | 0.3 | 4 |
| 1555 | The Role of Cytokines for the Pathogenesis of Hemolytic Uremic Syndrome Caused by Escherichia coli O 157:H7 Infections.. Japanese Journal of Pediatric Nephrology, 1998, 11, 29-33. | 0.0 | 0 |
| 1556 | Studies of Selective Enrichment and Isolation by Immunomagnetic Separation for Escherichia coli O157.. Japanese Journal of Food Microbiology, 1999, 16, 181-185. | 0.3 | 1 |
| 1558 | Animal Models of Enterohemorrhagic <i>Escherichia coli</i> Infection. , 0, , 157-174. | | 1 |
| 1559 | Enterohemorrhagic Escherichia coli Genomics: Past, Present, and Future. , 0, , 55-71. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1560 | Prevalence and Characterization of Antibiotic Resistance Food Borne Pathogens Isolated from Locally Produced Chicken Raw Meat and their Handlers. Journal of Dairy Veterinary & Animal Research, 2015, 2, . | 0.3 | 5 |
| 1562 | The effect of Verotoxin Producing Escherichia coli in Development of Experimental Gastroenteritis among Streptomycin Treated Murine Model: A Longitudinal Study. Bangladesh Journal of Microbiology, 2016, 30, 31-38. | 0.2 | 0 |
| 1563 | Identification of Shiga toxin producing E. Coli from raw Meat. Pure and Applied Biology, 2016, 5, 255-262. | 0.1 | 0 |
| 1564 | DETEKSI GEN PENYANDI ADHESIN PADA VEROCYTOTOXIGENIC Escherichia coli (VTEC) ISOLAT SAPI (Detection of Gene Encoding Adhesin of Verocytotoxigenic Escherichia coli (VTEC) Isolated from) Tj ETQq1 1 0.7846.14 rgBT (Overlock) | 0.1 | 0 |
| 1565 | Bacterial contamination of drinking water used at dairy farms in Quetta, Balochistan. Pure and Applied Biology, 2016, 5, . | 0.1 | 2 |
| 1566 | Risk of Escherichia coli O157:H7 infection linked to the consumption of beef. Food Research, 2017, 1, 67-76. | 0.3 | 1 |
| 1567 | Edema disease of swine: differentiation of clinical variants and terminal pathologies. Bulletin Veterinary Biotechnology, 2018, 32, 335-341. | 0.1 | 0 |
| 1568 | Adoptions and Adaptations. , 2018, , . | | 0 |
| 1569 | PREVALENCE OF E. coli O157:H7 ISOLATED FROM HUMAN AND ANIMAL SOURCE IN KIRIKKALE PROVINCE. KÄ±rÄ±kkale Äœniversitesi TÄ±p FakÄ¼ltesi Dergisi, 2018, 20, 256-262. | 0.0 | 0 |
| 1570 | The Use of Bacteriophages in Animal Health and Food Protection. , 2019, , 213-256. | | 3 |
| 1571 | Digital holographic interferometric in vitro imaging of Escherichia coli (E. coli) bacteria. , 2019, , . | | 1 |
| 1573 | Escherichia coli O157:H7 in Raw and Processed Meat with Virulence Genes Detection in Aswan Governorate. Zagazig Veterinary Journal, 2019, 47, 259-266. | 0.1 | 0 |
| 1575 | Mechanisms involved in the adaptation of Escherichia coli O157:H7 to the host intestinal microenvironment. Clinical Science, 2020, 134, 3283-3301. | 1.8 | 2 |
| 1576 | Detection of Escherichia coli O157:H7 and other verocytotoxin-producing E. coli (VTEC) in food. Journal of Applied Microbiology, 1997, 82, 537-551. | 1.4 | 3 |
| 1653 | Pathogenic Shiga toxin-producing Escherichia coli in the intestine of calves. Canadian Journal of Veterinary Research, 2002, 66, 65-72. | 1.1 | 30 |
| 1681 | Escherichia coli O157:H7 infections. Western Journal of Medicine, 1994, 161, 57-8. | 0.3 | 0 |
| 1682 | A case-control study of verocytotoxigenic Escherichia coli infection in cats with diarrhea. Canadian Journal of Veterinary Research, 1998, 62, 87-92. | 1.1 | 6 |
| 1683 | Virulence markers in Shiga toxin-producing Escherichia coli isolated from cattle. Canadian Journal of Veterinary Research, 1999, 63, 177-84. | 1.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1684 | A cluster of Escherichia coli O157:H7 infections with the hemolytic-uremic syndrome and death in California. A mandate for improved surveillance. <i>Western Journal of Medicine</i> , 1996, 165, 15-9. | 0.3 | 16 |
| 1686 | Vaccination with type III secreted proteins leads to decreased shedding in calves after experimental infection with Escherichia coli O157. <i>Canadian Journal of Veterinary Research</i> , 2011, 75, 98-105. | 0.2 | 15 |
| 1687 | A brief overview of Escherichia coli O157:H7 and its plasmid O157. <i>Journal of Microbiology and Biotechnology</i> , 2010, 20, 5-14. | 0.9 | 134 |
| 1688 | Microbial quality of water in rural households of Ethiopia: implications for milk safety and public health. <i>Journal of Health, Population and Nutrition</i> , 2014, 32, 190-7. | 0.7 | 13 |
| 1689 | Molecular classification and drug resistance analysis of Escherichia coli isolated from poultry in China. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 836-44. | 1.3 | 4 |
| 1690 | Survey on O157:H7 enterohemorrhagic Escherichia coli (EHEC) in cattle in Golestan province, Iran. <i>Iranian Journal of Microbiology</i> , 2014, 6, 276-80. | 0.8 | 2 |
| 1691 | Probiotics in the prevention and treatment of infections with Helicobacter pylori, Enterohemorrhagic Escherichia coli, and Rotavirus. , 2022, , 281-304. | | 1 |
| 1692 | The predominance of Shiga toxin-producing E. coli in the Southeast Coast of India. <i>Marine Pollution Bulletin</i> , 2022, 174, 113188. | 2.3 | 4 |
| 1693 | Renaissance for Phage-Based Bacterial Control. <i>Environmental Science & Technology</i> , 2022, 56, 4691-4701. | 4.6 | 15 |
| 1694 | Innovative Treatments Enhancing the Functionality of Gut Microbiota to Improve Quality and Microbiological Safety of Foods of Animal Origin. <i>Annual Review of Food Science and Technology</i> , 2022, 13, 433-461. | 5.1 | 3 |
| 1695 | Plasmonic Metasurfaces for Specific SERS Detection of Shiga Toxins. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 4969-4979. | 4.0 | 9 |
| 1696 | <i>Escherichia coli</i> O157:H7 and Its Effect on Human Health. , 0, , . | | 2 |
| 1697 | Genomewide transcriptional response of Escherichia coli O157:H7 to norepinephrine. <i>BMC Genomics</i> , 2022, 23, 107. | 1.2 | 7 |
| 1699 | Optical Discrimination of Different Strains of <i>Escherichia Coli</i> Using Graphene Based Plasmonic Nano Structure. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 1700 | Mcc1229, an Stx2a-Amplifying Microcin, Is Produced <i>In Vivo</i> and Requires CirA for Activity. <i>Infection and Immunity</i> , 2022, 90, IAI0058721. | 1.0 | 2 |
| 1701 | Burden of Diarrhoeagenic <i>Escherichia coli</i> in Santa Rosa, Guatemala in active healthâ€services surveillance during 2008â€2009 and 2014â€2015. <i>Tropical Medicine and International Health</i> , 2022, 27, 408-417. | 1.0 | 2 |
| 1702 | Droplet Digital PCR (ddPCR) Analysis for Detecting Shiga-Toxin-Producing Escherichia coli (STEC). <i>Applied Sciences (Switzerland)</i> , 2022, 12, 3654. | 1.3 | 2 |
| 1703 | Wastewater reuse for irrigation of produce: A review of research, regulations, and risks. <i>Science of the Total Environment</i> , 2022, 828, 154385. | 3.9 | 36 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1704 | Understanding the transmission dynamics of <i>Escherichia coli</i> O157:H7 super-shedding infections in feedlot cattle. <i>PeerJ</i> , 2021, 9, e12524. | 0.9 | 2 |
| 1725 | Verocytotoxigenic <i>E. coli</i> : Safe Laboratory Practices. , 0, , 421-434. | | 0 |
| 1727 | Infections with verotoxin-producing <i>Escherichia coli</i> O157:H7 and other serotypes, including the outbreak strain O104:H4. <i>Acta Clinica Belgica</i> , 2012, 67, 7-12. | 0.5 | 2 |
| 1729 | The Complex Role of Lactic Acid Bacteria in Food Detoxification. <i>Nutrients</i> , 2022, 14, 2038. | 1.7 | 32 |
| 1730 | Detection of <i>Campylobacter jejuni</i> Presence in Trinidad's Aquatic Environments. <i>Water, Air, and Soil Pollution</i> , 2022, 233, . | 1.1 | 1 |
| 1732 | The Changing Epidemiology of Verocytotoxigenic <i>Escherichia Coli</i> in the Uk. <i>Journal of the Royal College of Physicians of Edinburgh</i> , The, 1998, 28, 468-474. | 0.2 | 1 |
| 1734 | Regulation Mechanisms of Virulence Genes in Enterohemorrhagic <i>Escherichia coli</i> . <i>Foodborne Pathogens and Disease</i> , 2022, 19, 598-612. | 0.8 | 7 |
| 1735 | DFT and Molecular Dynamics Simulation Studies of 4-(2-(2-(2- Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 472 Td (Chloroacetamide) in Drug Design and Discovery. 2024. 21, 289-296. | 0.4 | 0 |
| 1736 | Characterization of transcriptional activities at a divergent promoter of the type VI secretion system in enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Journal of Microbiology</i> , 2022, 60, 928-934. | 1.3 | 0 |
| 1737 | Food Safety: Infectious Disease. , 2020, , . | | 0 |
| 1738 | Plasmon-Enhanced Bimodal Nanosensors: An Enzyme-Free Signal Amplification Strategy for Ultrasensitive Detection of Pathogens. <i>Analytical Chemistry</i> , 2022, 94, 13968-13977. | 3.2 | 7 |
| 1739 | Prevalence and characterization of pathogenic <i>Escherichia coli</i> from carcasses and environmental samples of cattle and pig slaughterhouses. <i>Korean Journal of Veterinary Service</i> , 2022, 45, 191-199. | 0.0 | 0 |
| 1740 | The MBS microbial rapid detection system for rapid detection of major pathogenic bacteria in feed: comparison with plate counting method. <i>BMC Microbiology</i> , 2022, 22, . | 1.3 | 5 |
| 1741 | Emergence of infectious diseases and role of advanced nanomaterials in point-of-care diagnostics: a review. <i>Biotechnology and Genetic Engineering Reviews</i> , 0, , 1-89. | 2.4 | 15 |
| 1742 | Isolation, Characterization, and Genome Analysis of a Novel Bacteriophage, <i>Escherichia</i> Phage vB_EcoM-4HA13, Representing a New Phage Genus in the Novel Phage Family Chaseviridae. <i>Viruses</i> , 2022, 14, 2356. | 1.5 | 2 |
| 1743 | Microbial contamination and quantitative microbial risk assessment of high-density polyethylene (HDPE) film sachet drinking water in Ghana. <i>Journal of Water and Health</i> , 2022, 20, 1587-1603. | 1.1 | 0 |
| 1744 | Molecular Lipopolysaccharide Di-Vaccine Protects from Shiga-Toxin Producing Epidemic Strains of <i>Escherichia coli</i> O157:H7 and O104:H4. <i>Vaccines</i> , 2022, 10, 1854. | 2.1 | 1 |
| 1745 | Host Cellular Response during Enterohaemorrhagic <i>Escherichia coli</i> Shiga Toxin Exposure. <i>Microbiology and Biotechnology Letters</i> , 2022, 50, 441-456. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1746 | Studies on Simultaneous Enrichment and Detection of Escherichia coli O157:H7 during Sample Shipment. <i>Foods</i> , 2022, 11, 3653. | 1.9 | 1 |
| 1748 | PHYTOCHEMICAL AND PHARMACOLOGICAL STUDY ON SELECTED INDONESIAN WEEDS EXTRACTS: A NOVEL INSIGHT TO ANTI-SHIGELLOSIS. <i>International Journal of Applied Pharmaceutics</i> , 0, , 79-85. | 0.3 | 0 |
| 1749 | Commercially Available Siderophore-Receptor and Porin-Based Vaccine Reduces the Prevalence of E. coli O157:H7 in the Feces of Beef Cattle under Field Conditions in 10 Commercial Feedlots. , 0, , 138. | | 0 |
| 1750 | The impact of combined sewer outflows on urban water quality: Spatio-temporal patterns of fecal coliform in indianapolis. <i>Environmental Pollution</i> , 2023, 327, 121531. | 3.7 | 2 |
| 1751 | Incidence of Foodborne Diseases in the United States and Canada. , 2024, , 181-190. | | 0 |
| 1752 | A decrease in the incidence of Shiga toxin-related hemolytic uremic syndrome as a cause of kidney transplantation at an argentine referral center. <i>Pediatric Transplantation</i> , 2023, 27, . | 0.5 | 1 |
| 1753 | Draft Genome Sequences of 110 Shiga Toxin-Producing Escherichia coli Isolates Collected from Bovine Manure Samples in the Southern United States. <i>Microbiology Resource Announcements</i> , 2023, 12, . | 0.3 | 0 |
| 1754 | Zoonotic Diseases of Swine: Food-borne and Occupational Aspects of Infection. , 2023, , 1-50. | | 0 |
| 1756 | Shiga Toxin and Its Effect on the Central Nervous System. , 2023, , 177-204. | | 1 |
| 1757 | Milk and Dairy Products. , 2024, , 73-89. | | 0 |
| 1761 | Food Safety: Infectious Disease. , 2020, , . | | 0 |
| 1762 | Zoonotic Diseases of Swine: Food-Borne and Occupational Aspects of Infection. , 2023, , 113-162. | | 0 |
| 1763 | Significant Risk of Shiga Toxin-Producing E. coli in Certain Halal Foods. , 2023, , 301-317. | | 0 |
| 1768 | Pathogenic Factors and Recent Study on the Rapid Detection of Shiga Toxin-Producing Escherichia coli (STEC). <i>Molecular Biotechnology</i> , 0, , . | 1.3 | 0 |
| 1771 | Invasion. , 2024, , 377-390. | | 0 |