

CITATION REPORT

List of articles citing

Clinical and biochemical evidence of endothelial cell dysfunction in the pregnancy syndrome preeclampsia

DOI: 10.1093/ajh/4.8.700

American Journal of Hypertension, 1991, 4, 700-8.

Source: <https://exaly.com/paper-pdf/22325890/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
352	Hypertension in pregnancy. 1992 , 326, 927-32		241
351	The kidney in hypertensive pregnancies--victim and villain. 1992 , 20, 427-42		30
350	The oxygen consumption/oxygen delivery curve in severe preeclampsia: evidence for a fixed oxygen extraction state. <i>American Journal of Obstetrics and Gynecology</i> , 1993 , 169, 1448-55	6.4	44
349	Association between pregnancy-induced hypertension and asthma during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1993 , 168, 1463-6	6.4	54
348	Hypertension and pregnancy: impact of the Working Group report. 1993 , 21, 29-36		4
347	Pre-eclampsia: more than pregnancy-induced hypertension. 1993 , 341, 1447-51		1084
346	Hypertension in pregnancy. <i>Hypertension</i> , 1993 , 22, 127-37	8.5	40
345	Cardiovascular Research in Pregnancy: The Role of Animal Models. 1993 , 12, 413-437		12
344	Endothelin-1 production in umbilical arteries from hypertensive pregnant women. 1994 , 106, 162-5		1
343	Invited Review: The Brain in Eclampsia. 1994 , 13, 115-133		30
342	Systemic and Uteroplacental Hemodynamics and the Prostaglandin System in Pregnancy-Induced Hypertension and Normal Pregnancy. 1994 , 13, 273-283		1
341	Daycare assessment and hypertensive disorders of pregnancy. 1994 , 6, 57-70		2
340	Hypertension in pregnancy: hemodynamics and diurnal arterial pressure profile. 1994 , 47, 233-9		2
339	Volume homeostasis in normal pregnancy and pre-eclampsia: physiology and clinical implications. 1994 , 8, 287-310		54
338	Preeclampsia and antioxidant nutrients: decreased plasma levels of reduced ascorbic acid, alpha-tocopherol, and beta-carotene in women with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 171, 150-7	6.4	192
337	The duration of hypertension in the puerperium of preeclamptic women: relationship with renal impairment and week of delivery. <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 171, 506-12	6.4	73
336	The intrapartum platelet count in patients with HELLP (hemolysis, elevated liver enzymes, and low platelets) syndrome: is it predictive of later hemorrhagic complications?. <i>American Journal of Obstetrics and Gynecology</i> , 1994 , 171, 799-804	6.4	49

335	Cellular Sodium Transport in Severe Preeclampsia and Chronic Hypertension During Pregnancy. 1994 , 13, 135-143		8
334	The role of the vascular endothelium in the contractile responses of human chorionic plate artery in pre-eclampsia to prostaglandin F2 alpha, 5-hydroxytryptamine, and potassium chloride. 1995 , 195, 171-82		4
333	Severely impaired fetal growth is preceded by maternal hemodynamic maladaptation in very early pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1995 , 74, 693-7	3.8	106
332	Preeclampsia and postpartum renal failure: examples of pregnancy-induced microangiopathy. 1995 , 99, 343-7		7
331	Immunohistochemical characterization of placental nitric oxide synthase expression in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 687-94	6.4	49
330	Nitric oxide concentrations are increased in the fetoplacental circulation in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 714-8	6.4	106
329	Endothelial dysfunction yes, cytotoxicity no!. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 978-9	6.4	12
328	Absence of relaxation to lactate in human placental vessels of pregnancies with severe preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 1800-6	6.4	7
327	Lack of beneficial effects on the NO-donor, molsidomine, in the L-NAME-induced pre-eclamptic syndrome in pregnant rats. 1996 , 119, 1642-8		13
326	Lysosomal enzymuria in preeclampsia. 1996 , 27, 826-33		9
325	Improvement of a toxæmic pregnancy with Molsidomine, a nitric oxide donor. 1996 ,		
324	Relationships Between Plasma Endothelin 1 And Prostacyclin in Normal and Preeclamptic Pregnancy. 1996 , 15, 25-38		6
323	Importance of Nitric Oxide in Control of Systemic and Renal Hemodynamics During Normal Pregnancy: Studies in the Rat and Implications for Preeclampsia. 1996 , 15, 147-169		41
322	IgM Autoantibodies Specific for Xanthine Oxidase Are Not Increased in Preeclampsia. 1996 , 15, 203-209		
321	Comparison of selenium levels in pre-eclamptic and normal pregnancies. 1996 , 55, 9-20		34
320	Decreased transferrin and increased transferrin saturation in sera of women with preeclampsia: implications for oxidative stress. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 175, 692-700	6.4	73
319	Long-term nitric oxide blockade in the pregnant rat: effects on blood pressure and plasma levels of endothelin-1. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 175, 484-8	6.4	70
318	Fasting serum triglycerides, free fatty acids, and malondialdehyde are increased in preeclampsia, are positively correlated, and decrease within 48 hours post partum. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 174, 975-82	6.4	273

317	Hyperuricemia and xanthine oxidase in preeclampsia, revisited. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 174, 288-91	6.4	145
316	Nitric oxide, the endothelium, pregnancy and pre-eclampsia. 1996 , 103, 4-15		108
315	Impact of nitric oxide deficiency on blood pressure and glomerular hemodynamic adaptations to pregnancy in the rat. 1996 , 50, 1132-8		57
314	Trophoblast function in normal and preeclamptic pregnancy. 1996 , 8, 57-66		24
313	Serum Platelet-Activating Factor Acetylhydrolase Activity in Normal Pregnancy and Preeclampsia. 1996 , 15, 51-59		3
312	Improvement of a toxæmic pregnancy with molsidomine, a nitric oxide donor. 1996 , 11, 391-2		
311	Oxidative stress and preeclampsia. 1997 , 9, 73-101		15
310	Endothelial adhesion molecules and leukocyte integrins in preeclamptic patients. <i>Hypertension</i> , 1997 , 29, 291-6	8.5	73
309	Hypoxia stimulates cytokine production by villous explants from the human placenta. 1997 , 82, 1582-8		191
308	The Role of Angiotensin II Regulation of Glomerular Filtration Rate During Pregnancy. 1997 , 16, 347-355		
307	Endothelial nitric oxide synthase in placental villous tissue from normal, pre-eclamptic and intrauterine growth restricted pregnancies. 1997 , 12, 167-72		132
306	The Cytokine Interleukin-6 Increases Expression of the Cell Adhesion Molecules E-Selectin and VCAM-1 on Endothelial Cells in Vitro: A Role in Preeclampsia?. 1997 , 16, 403-415		2
305	Effect of the L-Arginine-Nitric Oxide Pathway on Human Placental Vascular Tone and Corticotropin-Releasing Hormone Secretion. 1997 , 16, 367-378		3
304	Neutrophil CD11B expression and neutrophil activation in pre-eclampsia. 1997 , 92, 37-44		90
303	Effect of Indomethacin and NENitro-L-Arginine Methyl Ester on the Pressure/Flow Relation in Isolated Perfused Hindlimbs From Pregnant and Nonpregnant Rats. 1997 , 4, 229-235		
302	Loss of endothelium-dependent relaxation in myometrial resistance arteries in pre-eclampsia. 1997 , 104, 1152-8		86
301	Increased levels of intercellular adhesion molecules and vascular cell adhesion molecules in pre-eclampsia. 1997 , 104, 466-70		34
300	Postpartum microangiopathic haemolysis complicating severe preeclampsia. 1997 , 37, 308-12		

299	Increased ascorbate radical formation and ascorbate depletion in plasma from women with preeclampsia: implications for oxidative stress. 1997 , 23, 597-609		102
298	Circulating endothelial cell adhesion molecules as diagnostic markers for the early identification of pregnant women at risk for development of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1997 , 177, 443-9	6.4	139
297	Association of circulating endothelium and noradrenaline with increased calcium-channel binding sites in the placental bed in pre-eclampsia. 1998 , 105, 1104-12		9
296	Circulating markers of oxidative stress are raised in normal pregnancy and pre-eclampsia. 1998 , 105, 1195-9		171
295	Plasma homocysteine concentration is increased in preeclampsia and is associated with evidence of endothelial activation. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 179, 1605-11	6.4	173
294	Serum from preeclamptic women induces vascular cell adhesion molecule-1 expression on human endothelial cells in vitro: a possible role of increased circulating levels of free fatty acids. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 179, 665-70	6.4	24
293	Etiology and pathogenesis of preeclampsia: current concepts. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 179, 1359-75	6.4	575
292	Autocoid synthesis and action in abnormal placental flows reviewed: Causative vs. compensatory roles. 1998 , 19, 315-328		3
291	Nitric oxide in preeclampsia: lack of evidence for decreased production. 1998 , 76, 65-70		32
290	Fetal plasma levels of circulating endothelial cell adhesion molecules in normal and preeclamptic pregnancies. 1998 , 78, 41-5		20
289	Endothelial-cell permeability and protein kinase C in pre-eclampsia. 1998 , 351, 945-9		54
288	Thromboxane and Prostacyclin Production of Trophoblast Cells After Very Low-Density Lipoprotein Incubation. 1998 , 17, 103-114		
287	Increased nitrotyrosine in the diabetic placenta: evidence for oxidative stress. 1998 , 21, 1753-8		97
286	Myogenic and Endothelial Properties of Myometrial Resistance Arteries from Women with Preeclampsia. 1998 , 17, 271-281		5
285	Endothelin in Primate Pregnancy and an Experimental Preeclampsia-Like Syndrome. 1998 , 17, 227-240		2
284	Dyslipidemia, iron, and oxidative stress in preeclampsia: assessment of maternal and feto-placental interactions. 1998 , 16, 75-92		78
283	Activity of urinary kallikrein patients with hypertensive disorders of pregnancy. 1998 , 79, 481-2		
282	Fetal growth and maternal exposure to particulate matter during pregnancy. 1999 , 107, 475-80		245

281	Mechanisms of endothelium-dependent relaxation in myometrial resistance vessels and their alteration in preeclampsia. 1999 , 18, 57-71		25
280	High Body Mass Index and Hypercholesterolemia. 1999 , 94, 543-550		8
279	Preeclampsia: The Endothelium, Circulating Factor(s) and Vascular Endothelial Growth Factor. 1999 , 6, 3-10		33
278	Concentrations of serum granulocyte-colony-stimulating factor in normal pregnancy and preeclampsia. 1999 , 18, 95-106		20
277	Endothelin-1 and relaxation of the rat aorta during pregnancy in nitroarginine-induced hypertension. 1999 , 13, 204-12		5
276	Folic acid and homocyst(e)ine metabolic defects and the risk of placental abruption, pre-eclampsia and spontaneous pregnancy loss: A systematic review. 1999 , 20, 519-29		327
275	Animal models of preeclampsia. 1999 , 23, 2-13		54
274	Vascular reactivity in preeclampsia. 1999 , 23, 34-44		34
273	The effect of isosorbide dinitrate on placental blood flow and maternal blood pressure in women with pregnancy induced hypertension. <i>American Journal of Hypertension</i> , 1999 , 12, 341-7	2.3	24
272	Higher cholesterol and insulin levels in pregnancy are associated with increased risk for pregnancy-induced hypertension. <i>American Journal of Hypertension</i> , 1999 , 12, 276-82	2.3	49
271	What causes pre-eclampsia?. 1999 , 13, 41-57		21
270	High body mass index and hypercholesterolemia: risk of hypertensive disorders of pregnancy. 1999 , 94, 543-50		117
269	Effects of lipoproteins from pre-eclamptic women on umbilical endothelial cell 6-oxo-prostaglandin F1 α and endothelin 1 synthesis, and nitric oxide synthase 3 mRNA expression. 1999 , 97, 697		
268	Is proteinuric pre-eclampsia a different disease in primigravida and multigravida?. 1999 , 97, 475-483		16
267	Effects of lipoproteins from pre-eclamptic women on umbilical endothelial cell 6-oxo-prostaglandin F1 α and endothelin 1 synthesis, and nitric oxide synthase 3 mRNA expression. 1999 , 97, 697-706		1
266	Is proteinuric pre-eclampsia a different disease in primigravida and multigravida?. 1999 , 97, 475		8
265	Plasma Homocyst(e)ine Concentrations in Eclamptic and Preeclamptic African Women Postpartum. 1999 , 94, 355-360		3
264	Does a predisposition to the metabolic syndrome sensitize women to develop pre-eclampsia? <i>Journal of Hypertension</i> , 1999 , 17, 1307-15	1.9	74

263	Elevated second-trimester serum homocyst(e)ine levels and subsequent risk of preeclampsia. 1999 , 48, 98-103		70
262	Resting peripheral blood flow in normal pregnancy and in pre-eclampsia. 2000 , 99, 505-510		15
261	Resting peripheral blood flow in normal pregnancy and in pre-eclampsia. 2000 , 99, 505		5
260	Preeclampsia: Evidence for impaired shear stress-mediated nitric oxide release in uterine circulation. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 160-166	6.4	40
259	Oxidative stress causes vascular dysfunction in the placenta. 2000 , 9, 79-82		60
258	A comparative study of serum soluble vascular cell adhesion molecule-1 and soluble intercellular adhesion molecule-1 in preeclampsia. 2000 , 20, 114-9		22
257	Maternal cerebral hemodynamics in pregnancy-related hypertension. A prospective transcranial Doppler study. 2000 , 16, 179-87		55
256	Preeclampsia: evidence for impaired shear stress-mediated nitric oxide release in uterine circulation. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 160-6	6.4	44
255	The impact of polycyclic aromatic hydrocarbons and fine particles on pregnancy outcome. 2000 , 108, 1159-64		315
254	Role of peroxynitrite in altered fetal-placental vascular reactivity in diabetes or preeclampsia. 2000 , 278, H1311-9		108
253	Oxidative stress causes vascular dysfunction in the placenta. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2000 , 9, 79-82	2	10
252	Altered subcellular distribution of cadherin-5 in endothelial cells caused by the serum of pre-eclamptic patients. 2000 , 6, 1027-32		13
251	Maternal serum levels of macrophage colony-stimulating factor are associated with adverse pregnancy outcome. 2000 , 89, 19-25		12
250	Analysis of the role of HLA-G in preeclampsia. 2000 , 61, 1126-31		32
249	The relationship between serum nitrate and endothelin-1 concentrations in preeclampsia. <i>Life Sciences</i> , 2000 , 67, 1447-54	6.8	31
248	Hipertensi3 arterial en el embarazo. 2000 , 17, 258-271		
247	Pathophysiology of hypertension during preeclampsia linking placental ischemia with endothelial dysfunction. <i>Hypertension</i> , 2001 , 38, 718-22	8.5	298
246	Increased production of tumor necrosis factor-alpha TNF-alpha by IUGR human placentae. 2001 , 94, 69-72		76

245	Pathophysiology of preeclampsia and the role of serotonin. 2001 , 95, 12-21		61
244	Preeclamptic serum enhances endothelin-converting enzyme expression in cultured endothelial cells. <i>American Journal of Hypertension</i> , 2001 , 14, 77-83	2.3	9
243	Plasma concentrations of carotenoids, retinol, and tocopherols in preeclamptic and normotensive pregnant women. 2001 , 153, 572-80		63
242	Preeclampsia: linking placental ischemia with cardiovascular-renal dysfunction. 2001 , 16, 282-6		12
241	Downregulation of placental syncytin expression and abnormal protein localization in pre-eclampsia. 2001 , 22, 808-12		138
240	Perinatal implications of maternal hypertension. 2001 , 8, 108-19		21
239	Fas and Fas ligand expression in maternal blood and in umbilical cord blood in preeclampsia. <i>Pediatric Research</i> , 2001 , 50, 743-9	3.2	44
238	Endothelin type a receptor blockade attenuates the hypertension in response to chronic reductions in uterine perfusion pressure. <i>Hypertension</i> , 2001 , 37, 485-9	8.5	138
237	Plasma folate, vitamin B(12), and homocyst(e)ine concentrations in preeclamptic and normotensive Peruvian women. 2001 , 153, 474-80		60
236	Brief review: hypertension in pregnancy : a manifestation of the insulin resistance syndrome?. <i>Hypertension</i> , 2001 , 37, 232-9	8.5	166
235	The levels of circulatory cell free fetal DNA in maternal plasma are elevated prior to the onset of preeclampsia. 2002 , 21, 77-83		148
234	Vascular mechanisms of increased arterial pressure in preeclampsia: lessons from animal models. 2002 , 283, R29-45		157
233	Fetal cells and cell-free fetal DNA in maternal blood: new insights into pre-eclampsia. 2002 , 8, 501-8		62
232	Pregnancy-associated and placental proteins in the placental tissue of normal pregnant women and patients with pre-eclampsia at term. 2002 , 147, 785-93		42
231	The Effect of a Nitric Oxide Donor on Fetal Heart Rate Patterns in Patients With Hypertension. 2002 , 100, 987-991		1
230	Skin capillary density changes in normal pregnancy and pre-eclampsia. <i>Journal of Hypertension</i> , 2002 , 20, 2439-43	1.9	45
229	Soluble adhesion molecules: marker of pre-eclampsia and intrauterine growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002 , 12, 28-34	2	31
228	The effect of a nitric oxide donor on fetal heart rate patterns in patients with hypertension. 2002 , 100, 987-91		3

227	Enhanced thromboxane synthesis during chronic reductions in uterine perfusion pressure in pregnant rats. <i>American Journal of Hypertension</i> , 2002 , 15, 793-7	2.3	31
226	Plasma levels of vitamin E in pregnant women prior to the development of preeclampsia and other hypertensive complications. 2002 , 54, 26-30		10
225	Characterization of five marker levels of the hemostatic system and endothelial status in normotensive pregnancy and pre-eclampsia. 2002 , 69, 297-302		33
224	Abnormal maternal cardiac function and morphology in pregnancies complicated by intrauterine fetal growth restriction. 2002 , 20, 452-7		64
223	Nitric oxide pathways in human bladder carcinoma. The distribution of nitric oxide synthases, soluble guanylyl cyclase, cyclic guanosine monophosphate, and nitrotyrosine. 2002 , 95, 2293-301		26
222	Pathophysiology of preeclampsia: linking placental ischemia/hypoxia with microvascular dysfunction. <i>Microcirculation</i> , 2002 , 9, 147-60	2.9	236
221	Cardiovascular and thromboembolic events following hypertensive pregnancy. 2003 , 42, 982-9		113
220	Twenty-four-hour blood pressure monitoring in normoalbuminuric normotensive type 1 diabetic women during pregnancy. 2003 , 17, 292-6		10
219	Impaired cerebral glucose metabolism in eclampsia: a new finding in two cases. 2003 , 18, 41-6		10
218	Association between gaseous ambient air pollutants and adverse pregnancy outcomes in Vancouver, Canada. 2003 , 111, 1773-8		212
217	MATERNAL CARDIOVASCULAR HAEMODYNAMICS IN NORMAL AND COMPLICATED PREGNANCIES. 2003 , 14, 355-385		6
216	Maternal Body Mass Index and the Risk of Preeclampsia: A Systematic Overview. 2003 , 14, 368-374		449
215	Exposure to air pollution during different gestational phases contributes to risks of low birth weight. 2003 , 18, 638-43		114
214	Elevated levels of adhesion molecules derived from leukocytes and endothelial cells in patients with pregnancy-induced hypertension. 2003 , 22, 31-43		16
213	Zerebrale Perfusionsstörung und reversibles posteriores Leukenzephalopathie-Syndrom bei Eklampsie. 2003 , 63, 1110-1118		
212	Endothelial cells and peripheral blood mononuclear cells are a potential source of extraplacental activin a in preeclampsia. 2003 , 88, 5995-6001		26
211	Maternal body mass index and the risk of preeclampsia: a systematic overview. 2003 , 14, 368-74		537
210	PRE-ECLAMPSIA — STILL A DISEASE OF THEORIES. 2003 , 49, 69-115		21

209	Plasma total cysteine, pregnancy complications, and adverse pregnancy outcomes: the Hordaland Homocysteine Study. 2003 , 77, 467-72		57
208	Maternal serum levels of VCAM-1, ICAM-1 and E-selectin in preeclampsia. 2004 , 19, 688-92		39
207	Cytochrome P-450 inhibition attenuates hypertension induced by reductions in uterine perfusion pressure in pregnant rats. <i>Hypertension</i> , 2004 , 43, 623-8	8.5	32
206	Animal models of preeclampsia. <i>Seminars in Nephrology</i> , 2004 , 24, 596-606	4.8	74
205	L-arginine attenuates hypertension in pregnant rats with reduced uterine perfusion pressure. <i>Hypertension</i> , 2004 , 43, 832-6	8.5	85
204	Upregulation of neutrophil surface adhesion molecules in infants of pre-eclamptic women. 2004 , 24, 208-12		8
203	Central hemodynamics of hypertensive disorders in pregnancy. <i>American Journal of Hypertension</i> , 2004 , 17, 941-6	2.3	64
202	Pre-eclampsia and cardiovascular disease: metabolic syndrome of pregnancy?. 2004 , 175, 189-202		220
201	Association of C677T polymorphism in the methylenetetrahydrofolate reductase gene with hypertension in pregnancy and pre-eclampsia: a meta-analysis. <i>Journal of Hypertension</i> , 2004 , 22, 1655-62 ^{1.9}		70
200	Hypoxia-inducible factor 1-related diseases and prospective therapeutic tools. 2004 , 94, 221-32		35
199	Mapping the theories of preeclampsia: the role of homocysteine. 2005 , 105, 411-25		75
198	An exploration of health effects of folic acid in pregnancy beyond reducing neural tube defects. 2005 , 27, 13-9		4
197	Correlation between maternal plasma homocysteine and zinc levels in preeclamptic women. 2005 , 104, 97-105		21
196	Excessive stimulation of poly(ADP-ribosyl)ation contributes to endothelial dysfunction in pre-eclampsia. 2005 , 144, 772-80		20
195	Hypertension during pregnancy: a disorder begging for pathophysiological support. <i>Hypertension</i> , 2005 , 46, 1250-1	8.5	25
194	Role of endothelin in mediating tumor necrosis factor-induced hypertension in pregnant rats. <i>Hypertension</i> , 2005 , 46, 82-6	8.5	160
193	Effects of arecoline in relaxing human umbilical vessels and inhibiting endothelial cell growth. 2005 , 33, 399-405		22
192	Pulse wave reflection in currently and previously preeclamptic women. 2005 , 24, 171-80		75

191	Polymorphisms of interleukin-6, hepatic lipase and calpain-10 genes, and preeclampsia. 2006 , 128, 175-9		16
190	Oxidative stress markers and antioxidant levels in normal pregnancy and pre-eclampsia. 2006 , 94, 23-7		116
189	A prospective study of early-pregnancy plasma malondialdehyde concentration and risk of preeclampsia. 2006 , 39, 722-6		19
188	Systematic reviews of research to assess causation: a guide to methods and application. 2006 , 1, 251-256		1
187	Magnesium sulfate effectively reduces blood pressure in an animal model of preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 171-6	2	15
186	Enhanced endothelin synthesis by endothelial cells exposed to sera from pregnant rats with decreased uterine perfusion. <i>Hypertension</i> , 2006 , 47, 615-8	8.5	73
185	Alterations in the maternal peripheral microvascular response in pregnancies complicated by preeclampsia and the impact of fetal sex. 2006 , 13, 573-8		46
184	Pre-eclampsia is associated with sleep-disordered breathing and endothelial dysfunction. 2006 , 27, 328-33		119
183	Lower rate of preeclampsia after antioxidant supplementation in pregnant women with low antioxidant status. 2006 , 25, 241-53		82
182	Systemic hemodynamic and regional blood flow changes in response to chronic reductions in uterine perfusion pressure in pregnant rats. 2007 , 293, H2080-4		60
181	Candidate-gene association study of mothers with pre-eclampsia, and their infants, analyzing 775 SNPs in 190 genes. 2007 , 63, 1-16		90
180	Pathophysiology of Hypertension During Preeclampsia: Role of Inflammatory Cytokines. 2007 , 3, 69-74		0
179	Troponin I levels in patients with preeclampsia. 2007 , 120, 819.e13-4		33
178	A meta-analysis of association between C677T polymorphism in the methylenetetrahydrofolate reductase gene and hypertension. 2007 , 15, 1239-45		86
177	Murine pre-eclampsia induced by unspecific activation of the immune system correlates with alterations in the eNOS and AT1 receptor expression in the kidneys and placenta. 2007 , 28, 688-700		10
176	Alterations in lipid peroxidation and antioxidant status in pregnancy with preeclampsia. 2008 , 313, 37-44		78
175	Arterial stiffness and dipper/nondipper blood pressure status in women with preeclampsia. 2008 , 25, 925-34		5
174	Impaired cytotrophoblast cell-cell fusion is associated with reduced Syncytin and increased apoptosis in patients with placental dysfunction. 2008 , 75, 175-83		124

173	Folic acid supplementation in early second trimester and the risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 45.e1-7	6.4	109
172	Umbilical cord plasma homocysteine concentrations at delivery in pregnancies complicated by pre-eclampsia. 2008 , 48, 261-5		3
171	Pre-eclampsia is a disease of oxidative stress resulting from the catabolism of DNA (primarily fetal) to uric acid by xanthine oxidase in the maternal liver: A hypothesis. 2008 , 1, 35-43		12
170	Pathophysiology of hypertension during preeclampsia: linking placental ischemia with endothelial dysfunction. 2008 , 294, H541-50		357
169	Catalase activity, serum trace element and heavy metal concentrations, and vitamin A, D and E levels in pre-eclampsia. 2008 , 36, 1335-41		46
168	Fetal growth restriction and maternal cardiac function. 2008 , 3, 119-127		3
167	Poster Session Abstracts. 2008 , 27, 513-711		
166	Hypertension in response to chronic reductions in uterine perfusion in pregnant rats: effect of tumor necrosis factor-alpha blockade. <i>Hypertension</i> , 2008 , 52, 1161-7	8.5	135
165	Modulation of matrix metalloproteinase secretion by adenosine A3 receptor in preeclamptic villous explants. <i>Reproductive Sciences</i> , 2008 , 15, 939-49	3	13
164	Placental ischemia and cardiovascular dysfunction in preeclampsia and beyond: making the connections. 2008 , 6, 1367-77		35
163	Maternal exposure to folic acid antagonists and placenta-mediated adverse pregnancy outcomes. 2008 , 179, 1263-8		49
162	Non-Neoplastic Kidney. 2009 , 979-1042		
161	Prevention of Preeclampsia: Is it Still a Disappointment?. 2009 , 2, CMWH.S2385		2
160	Effects of 17-hydroxyprogesterone on tumor necrosis factor-alpha-induced hypertension during pregnancy. <i>American Journal of Hypertension</i> , 2009 , 22, 1120-5	2.3	34
159	Vascular biology of preeclampsia. 2009 , 7, 375-84		195
158	Pulse wave analysis: a preliminary study of a novel technique for the prediction of pre-eclampsia. 2009 , 116, 268-76; discussion 276-7		66
157	Gender differences in fetal growth of newborns exposed prenatally to airborne fine particulate matter. 2009 , 109, 447-56		75
156	Anti-angiogenic and teratological activities associated with exposure to total particulate matter from commercial cigarettes. 2009 , 47, 368-76		8

155	Preeclampsia. 2009 , 341-357		
154	The role of autocrine TGFbeta1 in endothelial cell activation induced by phagocytosis of necrotic trophoblasts: a possible role in the pathogenesis of pre-eclampsia. 2010 , 221, 87-95		41
153	Transforming growth factor-beta 1 gene polymorphisms in Korean patients with pre-eclampsia. 2010 , 63, 291-8		14
152	Stroke in Pregnancy. 333-344		2
151	Diabetes in Women. 2010 ,		1
150	Role of endothelin in mediating soluble fms-like tyrosine kinase 1-induced hypertension in pregnant rats. <i>Hypertension</i> , 2010 , 55, 394-8	8.5	140
149	Interleukin-10 inhibits the in vivo and in vitro adverse effects of TNF-alpha on the endothelium of murine aorta. 2010 , 299, H1160-7		47
148	Air pollution and birth outcomes: a systematic review. 2011 , 37, 498-516		360
147	P. 302-353		
146	Epistasis between COMT and MTHFR in maternal-fetal dyads increases risk for preeclampsia. <i>PLoS ONE</i> , 2011 , 6, e16681	3.7	46
145	C-reactive protein levels, blood pressure and the risks of gestational hypertensive complications: the Generation R Study. <i>Journal of Hypertension</i> , 2011 , 29, 2413-21	1.9	22
144	Elevated serum levels of interleukin-6, interleukin-1 and human chorionic gonadotropin in pre-eclampsia. 2011 , 66, 468-75		72
143	Reduced uterine perfusion pressure model is not successful to mimic severe preeclampsia. 2011 , 32, 675-680		15
142	Fetal ERAP2 variation is associated with preeclampsia in African Americans in a case-control study. 2011 , 12, 64		44
141	Platelet function in pre-eclampsia. 2011 , 37, 131-6		26
140	Hypertension in response to placental ischemia during pregnancy: role of B lymphocytes. <i>Hypertension</i> , 2011 , 57, 865-71	8.5	92
139	Placental lesions associated with maternal underperfusion are more frequent in early-onset than in late-onset preeclampsia. 2011 , 39, 641-52		172
138	Abnormal spiral artery remodelling in the decidual segment during pregnancy: from histology to clinical correlation. 2011 , 64, 1064-8		38

137	Increased myogenic responses of resistance-sized mesenteric arteries after reduced uterine perfusion pressure in pregnant rats. 2011 , 30, 45-57		12
136	Angiogenic growth factors in the diagnosis and prediction of pre-eclampsia. 2012 , 122, 43-52		109
135	Calcium channel blockers prevent endothelial cell activation in response to necrotic trophoblast debris: possible relevance to pre-eclampsia. 2012 , 96, 484-93		15
134	Hypertension in response to CD4(+) T cells from reduced uterine perfusion pregnant rats is associated with activation of the endothelin-1 system. 2012 , 303, R144-9		39
133	FOLATE METABOLISM AND PREECLAMPSIA. 2012 , 23, 131-155		2
132	Dimethyl acetals, an indirect marker of the endogenous antioxidant plasmalogen level, are reduced in blood lipids of Sudanese pre-eclamptic subjects whose background diet is high in carbohydrate. 2012 , 32, 241-6		18
131	Comparison of interleukin-6 levels in maternal and umbilical cord blood in early- and late-onset preeclampsia. <i>Gynecological Endocrinology</i> , 2012 , 28, 640-3	2.4	6
130	Genetic variants, endothelial function, and risk of preeclampsia among American Indians. 2012 , 31, 1-10		5
129	Homocysteine, folate and pregnancy outcomes. 2012 , 32, 520-4		24
128	The increased maternal serum levels of IL-6 are associated with the severity and onset of preeclampsia. 2012 , 60, 856-60		40
127	Maternal plasma concentrations of angiogenic/antiangiogenic factors in the third trimester of pregnancy to identify the patient at risk for stillbirth at or near term and severe late preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 287.e1-287.e15	6.4	103
126	Circulating levels of neutrophil gelatinase-associated lipocalin (NGAL) correlate with the presence and severity of preeclampsia. <i>Reproductive Sciences</i> , 2013 , 20, 1083-9	3	18
125	Maternal plasma concentrations of sST2 and angiogenic/anti-angiogenic factors in preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 1359-70	2	30
124	Demystifying animal models of adverse pregnancy outcomes: touching bench and bedside. 2013 , 69, 567-84		25
123	Searching for genes involved in hypertension development in special populations: children and pre-eclamptic women. Where are we standing now?. 2013 , 51, 2253-69		3
122	Maternal serum placental growth factor, pregnancy-associated plasma protein-a and free human chorionic gonadotrophin at 30-33 weeks in the prediction of pre-eclampsia. 2013 , 33, 164-72		24
121	Pathophysiology of hypertension in pre-eclampsia: a lesson in integrative physiology. 2013 , 208, 224-33		130
120	Microvascular remodelling in preeclampsia: quantifying capillary rarefaction accurately and independently predicts preeclampsia. <i>American Journal of Hypertension</i> , 2013 , 26, 1162-9	2.3	14

119	Differences and similarities in the transcriptional profile of peripheral whole blood in early and late-onset preeclampsia: insights into the molecular basis of the phenotype of preeclampsia. 2013 , 41, 485-504		27
118	Pravastatin attenuates hypertension, oxidative stress, and angiogenic imbalance in rat model of placental ischemia-induced hypertension. <i>Hypertension</i> , 2013 , 61, 1103-10	8.5	78
117	Maternal serum tumour necrosis factor receptor 1 (TNF-R1) at 30-33 weeks in the prediction of preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 763-7	2	3
116	Matrix Metalloproteinases as Drug Targets in Preeclampsia. <i>Current Drug Targets</i> , 2013 , 14, 325-334	3	1
115	Expression and localization of COMMD1 proteins in human placentas from women with preeclampsia. 2013 , 54, 494-9		1
114	Hypertension, inflammation and T lymphocytes are increased in a rat model of HELLP syndrome. 2014 , 33, 41-54		26
113	Maternal plasma soluble TRAIL is decreased in preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 217-27	2	13
112	The effect of antenatal L-arginine and antioxidant supplementation on oxidative stress marker levels in newborns. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014 , 8, OC10-2	0	1
111	Potential role of A2B adenosine receptors on proliferation/migration of fetal endothelium derived from preeclamptic pregnancies. 2014 , 2014, 274507		19
110	Innate and adaptive immune interactions at the fetal-maternal interface in healthy human pregnancy and pre-eclampsia. 2014 , 5, 125		83
109	The anti-aging factor Klotho during human pregnancy and its expression in pregnancies complicated by small-for-gestational-age neonates and/or preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014 , 27, 449-57	2	13
108	Vascular dysfunction in preeclampsia. <i>Microcirculation</i> , 2014 , 21, 4-14	2.9	101
107	Endothelial dysfunction and preeclampsia: role of oxidative stress. 2014 , 5, 372		217
106	Maternal tissue blood flow and oxygen saturation in pre-eclampsia and intrauterine growth restriction. 2014 , 178, 148-52		4
105	Thrombotic microangiopathies. 2014 , 43, 797-805		26
104	Calcitonin gene- and parathyroid hormone-related peptides in normotensive and preeclamptic pregnancies: a nested case-control study. 2014 , 290, 897-903		24
103	Methylenetetrahydrofolate reductase gene C677T, A1298C polymorphisms and pre-eclampsia risk: a meta-analysis. 2014 , 41, 5435-48		8
102	The effects of superoxide dismutase mimetic MnTMPyP on the altered blood-brain barrier integrity in experimental preeclampsia with or without seizures in rats. 2014 , 1563, 91-102		7

101	Retraction: Etiopathology of preeclampsia [Recent progress from the perspective of a poor/ischemic placenta. <i>Hypertension Research in Pregnancy</i> , 2014 , 2, 98-107	0.7	0
100	Macronutrient Intake, Fertility, and Pregnancy Outcome. 2015 , 51-68		
99	IFI16 mediates soluble Flt-1 and endoglin production by trophoblast cells. <i>Journal of Hypertension</i> , 2015 , 33, 1658-65	1.9	7
98	Intrauterine hypoxia: clinical consequences and therapeutic perspectives. 2015 , 79		4
97	Metabolic disorder of pregnancy (understanding pathophysiology of diabetes and preeclampsia). 2015 , 29, 328-38		29
96	Interleukin-1 alpha variation is associated with the risk of developing preeclampsia. 2015 , 193, 75-8		9
95	Neurovascular compression of medulla oblongata [Association for gestation-induced hypertension. 2015 , 84, 605-610		5
94	Pre-eclampsia: A Multifaceted Disorder of Pregnancy. 2015 , 347-358		
93	Pulmonary embolism in the setting of HELLP syndrome. 2015 , 24, 184-90		3
92	Arterial Disorders. 2015 ,		1
91	Effect of socio-economic status and estimation of lipid peroxidation and antioxidant in preeclamptic pregnant women: a case-control study. 2015 , 34, 125-35		14
90	Maternal plasma fetuin-A concentration is lower in patients who subsequently developed preterm preeclampsia than in uncomplicated pregnancy: a longitudinal study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1260-1269	2	3
89	Ischemic placental syndrome--prediction and new disease monitoring. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 2033-9	2	3
88	Does preeclampsia have any adverse effect on fetal heart?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 2312-5	2	3
87	Endocan, a putative endothelial cell marker, is elevated in preeclampsia, decreased in acute pyelonephritis, and unchanged in other obstetrical syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015 , 28, 1621-32	2	31
86	Soluble TNF-Like Weak Inducer of Apoptosis as a New Marker in Preeclampsia: A Pilot Clinical Study. 2016 , 2016, 5930589		3
85	The burden of maternal morbidity and mortality attributable to hypertensive disorders in pregnancy: a prospective cohort study from Uganda. 2016 , 16, 205		27
84	Are hypertensive disorders in pregnancy associated with congenital malformations in offspring? Evidence from the WHO Multicountry cross sectional survey on maternal and newborn health. 2016 , 16, 198		15

83	Hypertension in Pregnancy. 2016 , 107-132		
82	Increased levels of serum clusterin is associated with intrauterine growth restriction and adverse pregnancy outcomes in preeclampsia. 2016 , 44, 269-75		7
81	The presence of brain white matter lesions in relation to preeclampsia and migraine. 2016 , 36, 284-8		1
80	High serum copper level is associated with an increased risk of preeclampsia in Asians: A meta-analysis. 2017 , 39, 14-24		16
79	Vitamin D supplementation reduces some AT1-AA-induced downstream targets implicated in preeclampsia including hypertension. 2017 , 312, R125-R131		13
78	Microvascular function in pre-eclampsia is influenced by insulin resistance and an imbalance of angiogenic mediators. 2017 , 5, e13185		9
77	Myeloperoxidase in Hypertensive Disorders of Pregnancy and Its Relation With Nitric Oxide. <i>Hypertension</i> , 2017 , 69, 1173-1180	8.5	13
76	Mechanisms of Antiphospholipid Antibody-Mediated Pregnancy Morbidity. 2017 , 117-143		3
75	Antiphospholipid Syndrome. 2017 ,		3
74	Cyclic Nucleotides Differentially Regulate Cx43 Gap Junction Function in Uterine Artery Endothelial Cells From Pregnant Ewes. <i>Hypertension</i> , 2017 , 70, 401-411	8.5	4
73	Maternal endothelial damage as a disorder shared by early preeclampsia, late preeclampsia and intrauterine growth restriction. 2017 , 45, 793-802		10
72	The role of soluble epoxide hydrolase in preeclampsia. 2017 , 108, 81-85		5
71	Myeloperoxidase is not a good biomarker for preeclampsia prediction. 2017 , 7, 10257		6
70	The Endothelin Type A Receptor as a Potential Therapeutic Target in Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	29
69	Endothelial dysfunction and arterial stiffness in pre-eclampsia demonstrated by the EndoPAT method. 2017 , 28, 23-29		17
68	[Can Pravastatin influence Pregnancies at High-risk for Preeclampsia?]. <i>Zeitschrift Fur Geburtshilfe Und Neonatologie</i> , 2018 , 222, 31-33	0.6	1
67	Complex Analysis of Total and Fetal DNA and Cytokines in Blood Plasma of Pregnant Women with Preeclampsia. 2018 , 164, 721-725		3
66	The Endothelin System: A Critical Player in the Pathophysiology of Preeclampsia. 2018 , 20, 32		46

65	Preeclampsia: From Inflammation to Immunoregulation. 2018 , 11, 1179545X17752325		70
64	Prospective biomarkers in preterm preeclampsia: A review. 2018 , 14, 72-78		29
63	SRC-3 Plays a Critical Role in Human Umbilical Vein Endothelial Cells by Regulating the PI3K/Akt/mTOR Pathway in Preeclampsia. <i>Reproductive Sciences</i> , 2018 , 25, 748-758	3	16
62	First trimester serum afamin concentrations are associated with the development of pre-eclampsia and gestational diabetes mellitus in pregnant women. 2018 , 476, 160-166		16
61	Acute effects of air pollution on spontaneous abortion, premature delivery, and stillbirth in Ahvaz, Iran: a time-series study. 2018 , 25, 5447-5458		60
60	Vascular responses of aortic, renal, and uterine arteries in suramin-induced preeclampsia-like syndrome in rats. 2018 , 48, 1328-1339		1
59	Androgens in maternal vascular and placental function: implications for preeclampsia pathogenesis. 2018 , 156, R155-R167		43
58	Clinical significance of platelet-to-lymphocyte ratio in women with preeclampsia. 2018 , 80, e12973		13
57	Maternal Exposure to Ambient Particulate Matter $PM_{2.5}$ During Pregnancy and the Risk for High Blood Pressure in Childhood. <i>Hypertension</i> , 2018 , 72, 194-201	8.5	38
56	Preeclampsia and Related Cardiovascular Risk: Common Genetic Background. 2018 , 20, 71		20
55	Measurement of area difference ratio of Photoplethysmographic pulse wave in patients with pre-eclampsia. 2018 , 18, 280		3
54	Prevention and Treatment of Fetal Growth Restriction by Influencing Maternal Hemodynamics and Blood Volume. 2018 , 134-140		
53	Reductions of Circulating Nitric Oxide are Followed by Hypertension during Pregnancy and Increased Activity of Matrix Metalloproteinases-2 and -9 in Rats. 2019 , 8,		9
52	Takotsubo syndrome occurring concomitantly with pre-eclampsia: A case report. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 1071-1075	1.9	2
51	Giants in Obstetrics and Gynecology Series: A profile of James M. Roberts, MD. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 527-536.e1	6.4	1
50	A perspective on pre-eclampsia and neurodevelopmental outcomes in the offspring: Does maternal inflammation play a role?. <i>International Journal of Developmental Neuroscience</i> , 2019 , 77, 69-76	2.7	12
49	The profiles of soluble adhesion molecules in the "great obstetrical syndromes". <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 2113-2136	2	14
48	Oxidative stress: Normal pregnancy versus preeclampsia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165354	6.9	76

47	ELABELA plasma concentrations are increased in women with late-onset preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 33, 5-15	2	26
46	Inflammation-The role of ATP in pre-eclampsia. <i>Microcirculation</i> , 2020 , 27, e12585	2.9	6
45	Association of methylenetetrahydrofolate reductase C677T polymorphism with the pre-eclampsia risk in Hakka pregnant women in Southern China. <i>Gynecological Endocrinology</i> , 2020 , 36, 322-326	2.4	1
44	Why thromboembolism occurs in some patients with thrombocytopenia and treatment strategies. <i>Thrombosis Research</i> , 2020 , 196, 500-509	8.2	2
43	Association of Maternal Plasma Total Cysteine and Growth among Infants in Nepal: A Cohort Study. <i>Nutrients</i> , 2020 , 12,	6.7	3
42	Regulation of Uterine Spiral Artery Remodeling: a Review. <i>Reproductive Sciences</i> , 2020 , 27, 1932-1942	3	16
41	Effect of high-dose folic acid supplementation on the prevention of preeclampsia in twin pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-6	2	1
40	Mechanisms linking exposure to preeclampsia and the risk for cardiovascular disease. <i>Journal of Developmental Origins of Health and Disease</i> , 2020 , 11, 235-242	2.4	9
39	Cys-peptide mediates the protective role in preeclampsia-like rat and cell models. <i>Life Sciences</i> , 2020 , 251, 117625	6.8	4
38	Comparison of the effects on maternal endothelial cell activation: an in vitro study of anti-hypertensive drugs clinically used in pre-eclampsia. <i>Journal of Human Hypertension</i> , 2021 ,	2.6	0
37	Pathophysiology of Preeclampsia: The Role of Exosomes. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	10
36	Early delivery or expectant management for late preterm preeclampsia: A meta-analysis of randomized controlled trials. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1392-1400	3.8	2
35	The role of leukemia inhibitory factor in pathogenesis of pre-eclampsia: molecular and cell signaling approach. <i>Journal of Molecular Histology</i> , 2021 , 52, 635-642	3.3	2
34	Preeclampsia and Cardiovascular Risk for Offspring. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	7
33	Are genetic variations in IL-1β and IL-6 cytokines associated with the risk of pre-eclampsia? Evidence from a systematic review and meta-analysis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021 , 1-10	2	1
32	Impact of TLR7 and TLR9 polymorphisms on susceptibility to placental infections and pregnancy complications. <i>Journal of Reproductive Immunology</i> , 2021 , 146, 103342	4.2	3
31	Animal models of preeclampsia. <i>Seminars in Nephrology</i> , 2004 , 24, 596-606	4.8	33
30	Maternal circulating concentrations of soluble Fas and Elabela in early- and late-onset preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020 , 1-14	2	8

29	Effects of kinin blockade on the blood pressure of salt-loaded pregnant rats. <i>Hypertension</i> , 1995 , 25, 823-7	8.5	6
28	Nitrotyrosine residues in placenta. Evidence of peroxynitrite formation and action. <i>Hypertension</i> , 1996 , 28, 488-93	8.5	184
27	Patients with preeclampsia develop agonistic autoantibodies against the angiotensin AT1 receptor. <i>Journal of Clinical Investigation</i> , 1999 , 103, 945-52	15.9	608
26	Preeclampsia selectively impairs endothelium-dependent relaxation and leads to oscillatory activity in small omental arteries. <i>Journal of Clinical Investigation</i> , 1998 , 101, 464-70	15.9	105
25	Metabolic disease in the fetus predisposes to maternal hepatic complications of pregnancy. <i>Pediatric Research</i> , 2000 , 47, 6-8	3.2	13
24	Protein profiling of preeclampsia placental tissues. <i>PLoS ONE</i> , 2014 , 9, e112890	3.7	14
23	The prediction of late-onset preeclampsia: Results from a longitudinal proteomics study. <i>PLoS ONE</i> , 2017 , 12, e0181468	3.7	52
22	Therapeutic Prospects in Preeclampsia - A Mini-Review. <i>Current Medicinal Chemistry</i> , 2019 , 26, 4786-4798	4.3	3
21	Matrix metalloproteinases as drug targets in preeclampsia. <i>Current Drug Targets</i> , 2013 , 14, 325-34	3	52
20	Microcirculation in pregnancy. <i>Physiological Research</i> , 2014 , 63, 395-408	2.1	8
19	Serum FRAP Levels and Pre-eclampsia among Pregnant Women in a Rural Community of Northern India. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2016 , 10, LC12-LC15	0	1
18	Uterine Effects of Nitric Oxide. 2000 , 270-285		
17	End Tidal Breath Carbon Monoxide (ETCO) Levels in Pregnant Women. 2002 , 55-65		
16	Aortic Function in Pregnancy. 2008 , 60-62		
15	Hypertensive disorders of pregnancy. 2011 , 277-290		1
14	Intracellular calcium ion concentrations in endothelial cells in preeclampsia. <i>Hypertension Research in Pregnancy</i> , 2013 , 1, 93-97	0.7	
13	NO in Normal and Preeclamptic Pregnancy. 1997 , 384-400		
12	Impact of nulliparity, hypertensive disorders of pregnancy, and gestational diabetes on vasomotor symptoms in midlife women. <i>Menopause</i> , 2020 , 27, 1363-1370	2.5	1

11	Brain Function Monitoring of Critically Ill Pregnant Patients. 2020 , 335-342		
10	Pathophysiological roles of ADMA-mediated endothelial injury in hypertensive disorders of pregnancy. <i>Hypertension Research in Pregnancy</i> , 2020 , 8, 40-46	0.7	0
9	Preeclampsia. Still an enigma. <i>Western Journal of Medicine</i> , 1996 , 164, 315-20		4
8	Change in brain size during and after pregnancy: study in healthy women and women with preeclampsia. <i>American Journal of Neuroradiology</i> , 2002 , 23, 19-26	4.4	118
7	Serum Vasostatin-1 Level is Increased in Women with Preeclampsia.. <i>Zeitschrift Fur Geburtshilfe Und Neonatologie</i> , 2022 ,	0.6	
6	New theory about the pathophysiology of preeclampsia derived from the paradox of positive effects of maternal smoking. <i>Journal of Hypertension</i> , 2022 , 40, 1223-1230	1.9	0
5	Evaluation of systemic Inflammatory response markers in patients with preeclampsia.		0
4	SEVERE PRE-ECLAMPSIA COMPLICATED BY HELLP SYNDROME IN THE HOFFBAUER AND SYNCYTIOTROPHOBLAST CELLS (ULTRASTRUCTURAL AND IMMUNOHISTOCHEMICAL STUDY).		0
3	New immune horizons in therapeutics and diagnostic approaches to preeclampsia		0
2	Role of Cytotrophoblast Cells and Placenta-Derived Exosomes in Regulatory B Cell Differentiation and Function during Pregnancy.		0
1	A bibliometric review of 35 years of studies about preeclampsia. 14,		0