

CITATION REPORT

List of articles citing

Aspects on estimation of the risk of calcium oxalate crystallization in urine

DOI: 10.1159/000282232

Urologia Internationalis, 1991, 47, 255-9.

Source: <https://exaly.com/paper-pdf/22354573/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
90	Calcium oxalate crystallization properties in urine with different specific electrical conductivities. <i>Journal of Urology</i> , 1992 , 148, 990-4	2.5	7
89	Calcium phosphate: an important crystal phase in patients with recurrent calcium stone formation?. <i>Urological Research</i> , 1993 , 21, 175-80		25
88	Urinary calcium oxalate saturation in stone formers and normal subjects: an application of the EQUIL2 program. <i>British Journal of Urology</i> , 1994 , 73, 358-61		12
87	Circadian variations in the risk of urinary calcium oxalate stone formation. <i>British Journal of Urology</i> , 1994 , 74, 294-7		25
86	Idiopathic calcium oxalate urinary lithiasis: usefulness of Parks and Tiselius indices in the evaluation of the risk of stone formation. <i>Urologia Internationalis</i> , 1995 , 55, 88-92	1.9	4
85	Crystallization Properties in Urine from Calcium Oxalate Stone Formers. <i>Journal of Urology</i> , 1995 , 154, 940-946	2.5	22
84	Evaluation of the risk of stone formation: study on crystalluria in patients with recurrent calcium oxalate urolithiasis. <i>European Urology</i> , 1996 , 29, 456-61	10.2	15
83	Risk factors of calcium stone formation in patients with primary Sjögren's syndrome. <i>Urological Research</i> , 1996 , 24, 39-43		5
82	Risk factors in urinary calcium oxalate stone formation and their relation to urinary calcium oxalate supersaturation. <i>International Journal of Urology</i> , 1996 , 3, 356-60	2.3	14
81	Comparison of the Equil2 program and other methods for estimating the ion-activity product of urinary calcium oxalate: a new simplified method is proposed. <i>International Journal of Urology</i> , 1996 , 3, 383-5	2.3	12
80	Risk formulas in calcium oxalate urolithiasis. <i>World Journal of Urology</i> , 1997 , 15, 176-85	4	57
79	Evaluation of urine composition and calcium salt crystallization properties in standardized volume-adjusted 12-h night urine from normal subjects and calcium oxalate stone formers. <i>Urological Research</i> , 1997 , 25, 365-72		5
78	Estimated levels of supersaturation with calcium phosphate and calcium oxalate in the distal tubule. <i>Urological Research</i> , 1997 , 25, 153-9		33
77	Metabolic risk factors in patients with first-time and recurrent stone formations as determined by comprehensive metabolic evaluation. <i>Urology</i> , 1998 , 52, 750-5	1.6	38
76	High-calcium intake abolishes hyperoxaluria and reduces urinary crystallization during a 20-fold normal oxalate load in humans. <i>Nephrology Dialysis Transplantation</i> , 1998 , 13, 2241-7	4.3	85
75	Repeated urine analysis in patients with calcium stone disease. <i>European Urology</i> , 1998 , 33, 323-32	10.2	17
74	Factors influencing the course of calcium oxalate stone disease. <i>European Urology</i> , 1999 , 36, 363-70	10.2	25

73	Effects of a Common sense diet on urinary composition and supersaturation in patients with idiopathic calcium urolithiasis. <i>European Urology</i> , 1999 , 36, 136-43	10.2	14
72	Risk of calcium oxalate nephrolithiasis after calcium or combined calcium and calcitriol supplementation in postmenopausal women. <i>Osteoporosis International</i> , 2000 , 11, 486-92	5.3	33
71	Comparison of metabolic risk factors in patients with recurrent urolithiasis stratified according to age and gender. <i>European Urology</i> , 2000 , 38, 297-301	10.2	15
70	Long-term follow-up of stone formers treated with a low dose of sodium potassium citrate. <i>Scandinavian Journal of Urology and Nephrology</i> , 2000 , 34, 36-41		22
69	Contribution of dietary oxalate to urinary oxalate excretion. <i>Kidney International</i> , 2001 , 59, 270-6	9.9	332
68	Effect of acidosis on urine supersaturation and stone formation in genetic hypercalciuric stone-forming rats. <i>Kidney International</i> , 2001 , 59, 1415-23	9.9	41
67	Urinary composition and lithogenic risk in normal subjects following oligomineral versus bicarbonate-alkaline high calcium mineral water intake. <i>Urologia Internationalis</i> , 2001 , 67, 49-53	1.9	20
66	Risk of calcium oxalate nephrolithiasis in postmenopausal women supplemented with calcium or combined calcium and estrogen. <i>Maturitas</i> , 2002 , 41, 149-56	5	17
65	Medical evaluation of nephrolithiasis. <i>Endocrinology and Metabolism Clinics of North America</i> , 2002 , 31, 1031-50	5.5	26
64	An approximate estimate of the ion-activity product of calcium oxalate in rat urine. <i>Urological Research</i> , 2003 , 31, 410-3		17
63	Effect of vitamin C supplements on urinary oxalate and pH in calcium stone-forming patients. <i>Kidney International</i> , 2003 , 63, 1066-71	9.9	89
62	A risk factor model of stone-formation. <i>Frontiers in Bioscience - Landmark</i> , 2003 , 8, s1330-8	2.8	43
61	Urinary saturation and risk factors for calcium oxalate stone disease based on spot and 24-hour urine specimens. <i>Frontiers in Bioscience - Landmark</i> , 2003 , 8, a167-76	2.8	26
60	[Quantification of the stone clinic effect in patients with nephrolithiasis]. <i>Revista Da Associação Médica Brasileira</i> , 2004 , 50, 79-82	1.4	3
59	Schedule of taking calcium supplement and the risk of nephrolithiasis. <i>Kidney International</i> , 2004 , 65, 1835-41	9.9	38
58	Fat malabsorption induced by gastrointestinal lipase inhibitor leads to an increase in urinary oxalate excretion. <i>Kidney International</i> , 2004 , 66, 676-82	9.9	38
57	Influence of a high-oxalate diet on intestinal oxalate absorption. <i>World Journal of Urology</i> , 2005 , 23, 324-9		20
56	Is there a relation between irritable Bowel syndrome and urinary stone disease?. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 605-8	4	8

55	Importance of magnesium in absorption and excretion of oxalate. <i>Urologia Internationalis</i> , 2005 , 74, 262-79	29
54	[Urinary calculi. Metabolism and diagnosis]. <i>Der Urologe</i> , 2006 , 45 Suppl 4, 181-4	1
53	Laboratory assessment. <i>Urologia Internationalis</i> , 2007 , 79 Suppl 1, 20-5	1.9 14
52	Long-term lemonade based dietary manipulation in patients with hypocitraturic nephrolithiasis. <i>Journal of Urology</i> , 2007 , 177, 1358-62; discussion 1362; quiz 1591	2.5 89
51	Urinary concentration of osteopontin and association with urinary supersaturation and crystal formation. <i>International Journal of Urology</i> , 2007 , 14, 630-4	2.3 17
50	Intestinal and renal handling of oxalate loads in normal individuals and stone formers. <i>Urological Research</i> , 2007 , 35, 111-7	27
49	Influence of a low- and a high-oxalate vegetarian diet on intestinal oxalate absorption and urinary excretion. <i>European Journal of Clinical Nutrition</i> , 2008 , 62, 1090-7	5.2 8
48	Effect of soda consumption on urinary stone risk parameters. <i>Journal of Endourology</i> , 2009 , 23, 347-50	2.7 28
47	Evaluation of nephrolithiasis in autosomal dominant polycystic kidney disease patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009 , 4, 838-44	6.9 58
46	Assessment of crystallization risk formulas in pediatric calcium stone-formers. <i>Pediatric Nephrology</i> , 2009 , 24, 1997-2003	3.2 13
45	Increased protein intake on controlled oxalate diets does not increase urinary oxalate excretion. <i>Urological Research</i> , 2009 , 37, 63-8	26
44	Effects of <i>Lactobacillus casei</i> and <i>Bifidobacterium breve</i> on urinary oxalate excretion in nephrolithiasis patients. <i>Urological Research</i> , 2009 , 37, 95-100	34
43	Effects of calcium supplementation on body weight reduction in overweight calcium stone formers. <i>Urological Research</i> , 2009 , 37, 133-9	6
42	Studies on the role of calcium phosphate in the process of calcium oxalate crystal formation. <i>Urological Research</i> , 2009 , 37, 181-92	32
41	Temporary risk identification in urolithiasis. <i>Urological Research</i> , 2009 , 37, 377-80	1
40	Assessment of lithogenic risk in children based on a morning spot urine sample. <i>Journal of Urology</i> , 2010 , 184, 2103-8	2.5 7
39	1,2,3,4,6-Penta-O-galloyl-beta-D-glucose reduces renal crystallization and oxidative stress in a hyperoxaluric rat model. <i>Kidney International</i> , 2011 , 79, 538-45	9.9 30
38	Impact of dietary calcium and oxalate, and <i>Oxalobacter formigenes</i> colonization on urinary oxalate excretion. <i>Journal of Urology</i> , 2011 , 186, 135-9	2.5 83

37	Who Forms Stones and Why?. <i>European Urology Supplements</i> , 2011 , 10, 408-414	0.9	14
36	A hypothesis of calcium stone formation: an interpretation of stone research during the past decades. <i>Urological Research</i> , 2011 , 39, 231-43		71
35	Response to dietary oxalate after bariatric surgery. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 2033-40	6.9	37
34	Effects of drinking water quality on urinary parameters in men with and without urinary tract stones. <i>Urology</i> , 2012 , 79, 501-7	1.6	12
33	Experimental design study on the combined effect of citrateβpyrophosphate and citrateβluminum on calcium oxalate monohydrate crystallization. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2012 , 7, 328-336	1.3	2
32	Simplified estimates of ion-activity products of calcium oxalate and calcium phosphate in mouse urine. <i>Urological Research</i> , 2012 , 40, 285-91		2
31	A proposed method for approximate estimates of the ion-activity products of calcium oxalate and calcium phosphate in spot-urine samples or in urine samples collected during less well defined periods of time. <i>Urolithiasis</i> , 2013 , 41, 105-9	3.2	5
30	Comparison of renal function and metabolic abnormalities of cystine stone patients and calcium oxalate stone patients in China. <i>World Journal of Urology</i> , 2013 , 31, 1219-23	4	9
29	Effects of phytate and minerals on the bioavailability of oxalate from food. <i>Food Chemistry</i> , 2013 , 141, 1690-3	8.5	25
28	Impact of fluid intake in the prevention of urinary system diseases: a brief review. <i>Current Opinion in Nephrology and Hypertension</i> , 2013 , 22 Suppl 1, S1-10	3.5	45
27	Hydration biomarkers in free-living adults with different levels of habitual fluid consumption. <i>British Journal of Nutrition</i> , 2013 , 109, 1678-87	3.6	120
26	Effect of renal insufficiency on stone recurrence in patients with urolithiasis. <i>Journal of Korean Medical Science</i> , 2014 , 29, 1132-7	4.7	10
25	A meta-analysis of coffee intake and risk of urolithiasis. <i>Urologia Internationalis</i> , 2014 , 93, 220-8	1.9	21
24	Factors Associated With the Lower Prevalence of Nephrolithiasis in Children Compared With Adults. <i>Urology</i> , 2015 , 86, 587-92	1.6	2
23	Should we modify the principles of risk evaluation and recurrence preventive treatment of patients with calcium oxalate stone disease in view of the etiologic importance of calcium phosphate?. <i>Urolithiasis</i> , 2015 , 43 Suppl 1, 47-57	3.2	11
22	Experimental determination of multiple thermodynamic and kinetic risk factors for nephrolithiasis in the urine of healthy controls and calcium oxalate stone formers: does a universal discriminator exist?. <i>Urolithiasis</i> , 2015 , 43, 479-87	3.2	5
21	Respective influence of calcium and oxalate urine concentration on the formation of calcium oxalate monohydrate or dihydrate crystals. <i>Comptes Rendus Chimie</i> , 2016 , 19, 1504-1513	2.7	27
20	Crystalluria analysis improves significantly etiologic diagnosis and therapeutic monitoring of nephrolithiasis. <i>Comptes Rendus Chimie</i> , 2016 , 19, 1514-1526	2.7	18

19	An empirical method to determine inadequacy of dietary water. <i>Nutrition</i> , 2016 , 32, 79-82	4.8	20
18	Whey protein and albumin effects upon urinary risk factors for stone formation. <i>Urolithiasis</i> , 2017 , 45, 421-428	3.2	7
17	Clinical and genetic characterization of Chinese pediatric cystine stone patients. <i>Journal of Pediatric Urology</i> , 2017 , 13, 629.e1-629.e5	1.5	4
16	Urinary stone risk factors in the descendants of patients with kidney stone disease. <i>Pediatric Nephrology</i> , 2018 , 33, 1173-1181	3.2	8
15	Kidney Stone Prevention: Dynamic Testing of Edible Calcium Oxalate Scale Inhibitors. <i>Crystal Growth and Design</i> , 2018 , 18, 7441-7450	3.5	9
14	Effect of sample time on urinary lithogenic risk indexes in healthy and stone-forming adults and children. <i>BMC Urology</i> , 2018 , 18, 116	2.2	4
13	The influence of dietary supplementation with cranberry tablets on the urinary risk factors for nephrolithiasis. <i>World Journal of Urology</i> , 2019 , 37, 561-566	4	4
12	Daily Green Tea Infusions in Hypercalciuric Renal Stone Patients: No Evidence for Increased Stone Risk Factors or Oxalate-Dependent Stones. <i>Nutrients</i> , 2019 , 11,	6.7	9
11	Evaluating the associations between urinary excretion of magnesium and that of other components in calcium stone-forming patients. <i>International Urology and Nephrology</i> , 2019 , 51, 279-284	2.3	6
10	Lime powder regimen supplement alleviates urinary metabolic abnormalities in urolithiasis patients. <i>Nephrology</i> , 2019 , 24, 791-797	2.2	1
9	Simple dietary advice targeting five urinary parameters reduces urinary supersaturation in idiopathic calcium oxalate stone formers. <i>Urolithiasis</i> , 2020 , 48, 425-433	3.2	7
8	Urinary supersaturation on fractionated urine collections: which urine sample can explain better the variability observed on 24-h urine? A proof-of-concept study. <i>Urolithiasis</i> , 2020 , 48, 403-408	3.2	2
7	Effect of parathyroidectomy on renal stone recurrence. <i>Urolithiasis</i> , 2021 , 49, 327-334	3.2	2
6	Composition of Urine Collected from Non-Stone-Forming Chinese Persons during Different Short-Term Periods of the Day. <i>Urologia Internationalis</i> , 2021 , 1-8	1.9	
5	From crystalluria to kidney stones, some physicochemical aspects of calcium nephrolithiasis. <i>World Journal of Nephrology</i> , 2014 , 3, 256-67	3.6	17
4	Physicochemical Aspects of Uro-crystallization and Stone Formation. 2010 , 17-30		
3	Biochemical Risk Evaluation in Patients with Urolithiasis. 2012 , 671-682		
2	Prospective long-term evaluation of incomplete distal renal tubular acidosis in idiopathic calcium nephrolithiasis diagnosed (treated) by low-dose NHCL loading - gender prevalences and impact of alkali treatment.. <i>Journal of Nephrology</i> , 2022 , 1	4.8	0

- 1 International Alliance of Urolithiasis (IAU) guidelines on the metabolic evaluation and medical management of urolithiasis. **2023**, 51,

o