

CITATION REPORT

List of articles citing

Mean and range of the ambulatory pressure in normotensive subjects from a meta-analysis of 23 studies

DOI: 10.1016/0002-9149(91)90529-t
American Journal of Cardiology, 1991, 67, 723-7.

Source: <https://exaly.com/paper-pdf/22434371/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
192	More on "white coat" hypertension. <i>Hypertension</i> , 1991 , 17, 826-7	8.5	1
191	The diurnal blood pressure profile. A population study. 1992 , 5, 386-92		125
190	Variability between current definitions of 'normal' ambulatory blood pressure. Implications in the assessment of white coat hypertension. <i>Hypertension</i> , 1992 , 20, 555-62	8.5	163
189	Circadian rhythm of blood pressure in patients with obstructive sleep apnea. <i>Blood Pressure</i> , 1992 , 1, 219-22	1.7	30
188	Decision to treat mild hypertension after assessment by ambulatory monitoring and World Health Organisation recommendations. 1992 , 305, 1062-6		13
187	Ambulatory blood pressure monitoring for evaluation and management of hypertensives: effect on outcome and cost effectiveness. 1992 , 32, 610-3		10
186	Management of hypertension. 1992 , 38, 774-839		
185	The increase in blood pressure with age and body mass index is overestimated by conventional sphygmomanometry. <i>American Journal of Epidemiology</i> , 1992 , 136, 450-9	3.8	43
184	The cardiologist's approach to evaluation and management of the patient with essential hypertension. 1993 , 126, 648-66		4
183	White coat hypertension and related phenomena. A clinical approach. 1993 , 46 Suppl 2, 95-102		7
182	The Bergen Blood Pressure Study: ambulatory blood pressure in subjects with an accurately defined family history of hypertension or normotension. <i>Blood Pressure</i> , 1993 , 2, 197-204	1.7	9
181	What Is Normal Blood Pressure? Comparison of Ambulatory Pressure Level and Variability In Patients With Normal or Abnormal Left Ventricular Geometry. 1993 ,		
180	"White coat" hypertension and alerting reaction in elderly and very elderly hypertensive patients. <i>Blood Pressure</i> , 1993 , 2, 262-71	1.7	38
179	Ambulatory blood pressure of adults in Ohasama, Japan. <i>Hypertension</i> , 1993 , 22, 900-12	8.5	118
178	Effect of nasal continuous positive airway pressure during sleep on 24-hour blood pressure in obstructive sleep apnea. 1993 , 16, 539-44		169
177	Relationship between chemosensitivity, obesity and blood pressure in obstructive sleep apnoea. <i>Blood Pressure</i> , 1994 , 3, 47-54	1.7	26
176	The Bergen Blood Pressure Study: inappropriately low levels of circulating atrial natriuretic peptide in offspring of hypertensive families. <i>Blood Pressure</i> , 1994 , 3, 223-30	1.7	16

175	Effect of exercise training on ambulatory blood pressure. 1994 , 15, 10-5		20
174	The relationship between 24-hour ambulatory blood pressures and laboratory measures of cardiovascular reactivity. 1994 , 19, 193-209		7
173	A Fourier series approach for comparing groups of subjects on ambulatory blood pressure patterns. 1994 , 13, 1201-10		5
172	Diurnal and nocturnal blood pressure drops in patients with focal ischemic glaucoma. 1994 , 232, 675-9		52
171	Comparison of ambulatory blood pressure monitoring and conventional office measurement in the workers of a chemical company. 1994 , 46, 151-7		4
170	La mesure de la pression artérielle l'interprétation des valeurs élevées. 1994 , 3, 513-517		
169	Ambulatory blood pressure. An independent predictor of prognosis in essential hypertension. <i>Hypertension</i> , 1994 , 24, 793-801	8.5	1369
168	Automated blood pressure monitoring. 1994 , 95, 89-108		4
167	'White-coat' hypertension in patients with newly diagnosed hypertension: evaluation of prevalence by ambulatory monitoring and impact on cost of health care. <i>European Heart Journal</i> , 1995 , 16, 692-7	9.5	52
166	Relation between diurnal variation of blood pressure and left ventricular mass in a Chinese population. <i>American Journal of Cardiology</i> , 1995 , 75, 1239-1243	3	43
165	Test-retest reliability of 24-hour ambulatory blood pressures. 1995 , 20, 137-54		3
164	Latent overhydration and nocturnal hypertension in diabetic nephropathy. 1995 , 38, 216-20		51
163	Differential effects of an alpha 1-blocker (doxazosin) on diurnal blood pressure variation in dipper and non-dipper type hypertension. 1995 , 18, 125-30		41
162	Interdialysis blood pressure control by long haemodialysis sessions. 1995 ,		0
161	Ambulatory Blood Pressure Monitoring in the Diagnosis of Hypertension. 1995 , 13, 479-490		16
160	Normotension and hypertension defined by 24-hour ambulatory blood pressure monitoring. <i>Blood Pressure</i> , 1995 , 4, 266-82	1.7	71
159	The Bergen Blood Pressure Study: prehypertensive changes in cardiac structure and function in offspring of hypertensive families. <i>Blood Pressure</i> , 1995 , 4, 16-22	1.7	32
158	[Variability of blood pressure. Clinical and therapeutic implications]. 1995 , 16, 131-6		4

157	The ambulatory blood pressure in normotensive and hypertensive subjects: results from an international database. 1995 , 46, 106-14	7
156	Ambulatory blood pressure monitoring in glaucoma. The nocturnal dip. <i>Ophthalmology</i> , 1995 , 102, 61-9	7.3 234
155	Aging and blood pressure rhythms. 1996 , 783, 186-203	
154	Blood pressure rhythms in sleep disorders and dysautonomia. 1996 , 783, 204-21	8
153	Ambulatory blood pressure monitoring in clinical trials. 1996 , 783, 295-303	5
152	Cost-effectiveness of hypertension treatment. <i>Clinical and Experimental Hypertension</i> , 1996 , 18, 399-413	2.2 9
151	Clinical features of subjects with mitral valve prolapse: a study with 24-hour ambulatory blood pressure monitoring. 1996 , 87, 374-8	2
150	Simultaneous 24-Hour Monitoring of Intraocular Pressure and Arterial Blood Pressure in Patients with Progressive and Non-Progressive Primary Open-Angle Glaucoma. 1996 , 6, 273-278	34
149	What is a normal blood pressure on ambulatory monitoring?. 1996 ,	
148	Special feature: what is a normal blood pressure in ambulatory monitoring?. 1996 , 11, 241-5	47
147	Blood pressure publication guidelines. Society for Psychophysical Research. 1996 , 33, 1-12	125
146	Talking effect and white coat phenomenon in hypertensive patients. 1996 , 22, 114-22	7
145	White-coat normotension and blood pressure variability. 1996 , 47, 663-8	5
144	Blood pressure, insulin resistance and left ventricular function in alcoholics. <i>Journal of Hypertension</i> , 1997 , 15, 1219-26	1.9 15
143	Interactive action of the white-coat effect and the blood pressure levels on cardiovascular complications in hypertension. 1997 , 103, 208-16	39
142	Ambulatory blood pressure monitoring: how reproducible is it?. 1997 , 10, 936-9	29
141	Hypertension prophylaxis with omega-3 fatty acids in heart transplant recipients. 1997 , 29, 1324-31	37
140	DYSAUTONOMY SYNDROME: RESULTS OF AMBULATORY BLOOD PRESSURE MONITORING IN DIABETICS IN CONGO. 1997 , 11, 117s-118s	

139	The effects of recent food, alcohol, and tobacco intake and the temporal scheduling of testing on cardiovascular activity at rest and during psychological stress. 1997 , 34, 204-12		24
138	Baroreflex sensitivity in drug-treated systemic hypertension. <i>American Journal of Cardiology</i> , 1997 , 80, 1369-72	3	14
137	Relationship between Joint National Committee-VI classification of hypertension and ambulatory blood pressure in patients with hypertension diagnosed by casual blood pressure. 1998 , 21, 801-6		7
136	Effects of age and gender on ambulatory blood pressure and heart rate. <i>Journal of Human Hypertension</i> , 1998 , 12, 253-7	2.6	21
135	Ambulatory blood pressure in 570 Danes aged 19-21 years: the Odense Schoolchild Study. <i>Journal of Human Hypertension</i> , 1998 , 12, 755-60	2.6	3
134	Ambulatory blood pressure monitoring in pregnancy: what is normal?. 1998 , 178, 836-42		58
133	Absence of endogenous circadian rhythmicity in blood pressure?. 1998 , 11, 373-7		73
132	Hypertension in young patients after renal transplantation: ambulatory blood pressure monitoring versus casual blood pressure. 1998 , 11, 497-501		62
131	Ambulatory blood pressure and urinary albumin excretion in diabetic (non-insulin-dependent and insulin-dependent) hypertensive patients: relationships at baseline and after treatment by the angiotensin converting enzyme inhibitor trandolapril. 1998 , 11, 1065-73		14
130	Ambulatory 24-h blood pressure monitoring in healthy, middle-aged smokeless tobacco users, smokers, and nontobacco users. 1998 , 11, 1153-63		82
129	[Ambulatory blood pressure monitoring in the aged. The EPICARDIAN study. The EPICARDIAN Work Group]. <i>Revista Espanola De Cardiologia</i> , 1998 , 51, 965-71	1.5	4
128	Prevention of coronary heart disease in clinical practice: recommendations of the Second Joint Task Force of European and other Societies on Coronary Prevention. 1998 , 140, 199-270		422
127	Hypertension as a Candidate for Disease Management Initiatives. 1998 , 3, 215-227		1
126	Changes of circadian blood pressure patterns are associated with the occurrence of lucunar infarction. 1998 , 55, 683-8		54
125	Prevention of coronary heart disease in clinical practice. Recommendations of the Second Joint Task Force of European and other Societies on coronary prevention. <i>European Heart Journal</i> , 1998 , 19, 1434-503	9.5	757
124	Ambulatory blood pressure monitoring in patients receiving long, slow home haemodialysis. 1999 , 14, 2676-9		48
123	Echocardiography overestimates left ventricular mass in hemodialysis patients relative to magnetic resonance imaging. 1999 , 56, 2248-53		108
122	White coat hypertension: a recognised syndrome with uncertain implications. <i>Journal of Human Hypertension</i> , 1999 , 13, 5-8	2.6	6

121	Ambulatory blood pressure monitoring and echocardiography--noninvasive techniques for evaluation of the hypertensive patient. 1999 , 41, 397-440		12
120	Using lifestyle and coping to reduce job stress and improve health in high risk office workers. 1999 , 15, 143-152		22
119	Canadian hypertension society guidelines for ambulatory blood pressure monitoring. 1999 , 12, 1149-57		45
118	Nocturnal hypotension: role in glaucoma progression. <i>Survey of Ophthalmology</i> , 1999 , 43 Suppl 1, S10-6	6.1	151
117	Twenty-four hour profile of blood pressure in patients with acromegaly. Correlation with demographic, clinical and hormonal features. <i>Journal of Endocrinological Investigation</i> , 1999 , 22, 48-54	5.2	80
116	Clinical value of ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 1999 , 17, 585-95	1.9	66
115	Extent of cerebral white matter lesions is related to changes of circadian blood pressure rhythmicity. 2000 , 57, 1302-7		41
114	Ambulatory blood pressure of adults in Novosibirsk, Russia: interim report on a population study. <i>Blood Pressure Monitoring</i> , 2000 , 5, 291-6	1.3	31
113	Carotid remodeling in essential hypertension: role of blood pressure, indexed parameters, and association with cardiac mass and aortic stiffness. <i>Clinical and Experimental Hypertension</i> , 2000 , 22, 717-29	2.2	7
112	Relationships between cardiovascular remodelling and the pulse pressure in never treated hypertension. <i>Journal of Human Hypertension</i> , 2000 , 14, 23-30	2.6	43
111	Ambulatory blood pressure monitoring and microalbuminuria in normotensive subjects with insulin-dependent diabetes mellitus. 2000 , 75, 195-204		3
110	Modern approaches to blood pressure measurement. 2000 , 57, 510-20		47
109	A comparison of the indirect estimate of mean arterial pressure calculated by the conventional equation and calculated to compensate for a change in heart rate. 2000 , 21, 90-5		22
108	Clinical study to investigate the predictive parameters for the onset of atrial fibrillation in patients with essential hypertension. 2000 , 139, 814-9		138
107	Ambulatory blood pressure monitoring and organ damage. <i>Hypertension</i> , 2000 , 36, 894-900	8.5	253
106	Reproducibility of ambulatory blood pressure monitoring in hemodialysis patients. 2000 , 36, 983-90		82
105	Ambulatory blood pressure monitoring in children with aortic coarctation and kidney transplantation. 2000 , 136, 520-3		50
104	Equipos de monitorizaci3n ambulatoria de la presi3n arterial: normas e indicaciones para su utilizaci3n, an3lisis y valoraci3n de los diferentes par3metros. <i>Hipertension Y Riesgo Vascular</i> , 2000 , 17, 307-316	0.5	

103	Retrobulbar blood flow in glaucoma patients with nocturnal over-dipping in systemic blood pressure. 2001 , 132, 641-7		61
102	The effect of aerobic exercise on recovery ambulatory blood pressure in normotensive men and women. 2001 , 72, 267-72		3
101	Autonomic dysfunction and ambulatory blood pressure in renal transplant recipients. 2001 , 71, 1277-81		27
100	Defining ambulatory and home blood pressure normality: further considerations based on data from the PAMELA study. <i>Journal of Hypertension</i> , 2001 , 19, 995-9	1.9	31
99	Omega-3 fatty acids improve blood pressure control and preserve renal function in hypertensive heart transplant recipients. <i>European Heart Journal</i> , 2001 , 22, 428-36	9.5	45
98	The relation between maternal work, ambulatory blood pressure, and pregnancy hypertension. 2002 , 56, 389-93		20
97	Hypertension staging through ambulatory blood pressure monitoring. <i>Hypertension</i> , 2002 , 40, 792-4	8.5	5
96	Hypertension in relation to nitric oxide, asymmetric dimethylarginine, and inflammation: different patterns in heart transplant recipients and individuals with essential hypertension. 2002 , 74, 1395-400		10
95	Meta-analysis on the therapeutic state of hypertensive population in Japan: focusing on the impact of new diagnostic criteria of Japanese Guideline for the Management of Hypertension 2000. 2002 , 12, 112-9		3
94	Role of Ambulatory Blood Pressure Measurement in Diagnosis and Control of Hypertension. 2002 , 58, 307-9		
93	Hipertensi� arterial. 2002 , 6, 1-9		
92	Comparison of ambulatory blood pressure values in patients with glaucoma and ocular hypertension. <i>Eye</i> , 2003 , 17, 593-8	4.4	18
91	Importancia de la automedida de presi� arterial domiciliaria en el diagn�stico de la hipertensi� de Bata blanca� <i>Hipertension Y Riesgo Vascular</i> , 2003 , 20, 361-367	0.5	
90	European guidelines on cardiovascular disease prevention in clinical practice: Third Joint Task Force of European and other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of eight societies and by invited experts). <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003 , 16, 51-576		44
89	The Norwegian office-, home-, and ambulatory blood pressure study (NOHA). <i>Blood Pressure</i> , 2003 , 12, 211-9	1.7	20
88	2003 European Society of Hypertension-European Society of Cardiology guidelines for the management of arterial hypertension. <i>Journal of Hypertension</i> , 2003 , 21, 1011-53	1.9	2526
87	Effet des variations de la pression intra-oculaire et de la pression art�rielle dans la progression du glaucome. <i>Journal Francais D�Ophtalmologie</i> , 2004 , 27, 27-32	0.8	2
86	Corneal regular and irregular astigmatism assessed by Fourier analysis of videokeratography data in normal and pathologic eyes. <i>Ophthalmology</i> , 2004 , 111, 752-7	7.3	50

85	2003 European Society of Hypertension-European Society of Cardiology Guidelines for the Management of Arterial Hypertension. <i>Cardiology</i> , 2004 , 4, 6-51		
84	24-hour ambulatory blood-pressure effects of valsartan and hydrochlorothiazide combinations compared with amlodipine in hypertensive patients at increased cardiovascular risk: a VAST sub-study. <i>Blood Pressure Monitoring</i> , 2005 , 10, 85-91	1.3	11
83	Sequential follow-up clinic and ambulatory blood pressure evaluation in a low risk population of white-coat hypertensive patients and in normotensives. <i>Blood Pressure Monitoring</i> , 2005 , 10, 57-64	1.3	28
82	The reproducibility of dipping status: beyond the cutoff points. <i>Blood Pressure Monitoring</i> , 2005 , 10, 201-5	1.3	24
81	Quantitative Study of Circadian Variations of Ambulatory Blood Pressure in Chinese Healthy, Hypertensive, and Diabetes Subjects. <i>Clinical and Experimental Hypertension</i> , 2005 , 27, 187-194	2.2	9
80	Nurse-recorded clinic and ambulatory blood pressures correlate equally well with left ventricular mass and carotid intima-media thickness. <i>Journal of Internal Medicine</i> , 2005 , 257, 514-22	10.8	16
79	Quantitative Study of Circadian Variations of Ambulatory Blood Pressure in Chinese Healthy, Hypertensive, and Diabetes Subjects. <i>Clinical and Experimental Hypertension</i> , 2005 , 27, 187-194	2.2	2
78	Análisis de la variabilidad de la presión arterial mediante la automedida de la presión arterial en Navarra. <i>Hipertension</i> , 2005 , 22, 241-248		0
77	Análisis de la variabilidad de la presión arterial mediante la automedida de la presión arterial en Navarra. <i>Hipertension Y Riesgo Vascular</i> , 2005 , 22, 241-248	0.5	
76	2007 Guidelines for the management of arterial hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2007 , 28, 1462-536	9.5	1418
75	[Determination of normality limit of blood pressure by home self-measurement]. <i>Revista Clinica Espanola</i> , 2006 , 206, 305-13	0.7	
74	Diurnal blood pressure pattern in patients with primary aldosteronism. <i>Journal of Endocrinological Investigation</i> , 2006 , 29, 26-31	5.2	12
73	Hypertension artérielle. <i>EMC - Traité de Médecine AKOS</i> , 2006 , 1, 1-9		
72	Hyperglycemia and nocturnal systolic blood pressure are associated with left ventricular hypertrophy and diastolic dysfunction in hypertensive diabetic patients. <i>Cardiovascular Diabetology</i> , 2006 , 5, 19	8.7	16
71	24-h blood pressure monitoring in normal tension glaucoma: night-time blood pressure variability. <i>Journal of Human Hypertension</i> , 2006 , 20, 137-42	2.6	53
70	2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>Journal of Hypertension</i> , 2007 , 25, 1105-87	1.9	3825
69	Blood Pressure Monitoring in Cardiovascular Medicine and Therapeutics. 2007 ,		8
68	2007 ESH-ESC Guidelines for the management of arterial hypertension: the task force for the management of arterial hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>Blood Pressure</i> , 2007 , 16, 135-232	1.7	247

67	Sleep, Blood Pressure Regulation, and Hypertension. <i>Sleep Medicine Clinics</i> , 2007 , 2, 77-86	3.6	6
66	[ESH/ESC 2007 Guidelines for the management of arterial hypertension]. <i>Revista Espanola De Cardiologia</i> , 2007 , 60, 968.e1-94	1.5	29
65	Is fatigue in Marfan syndrome related to orthostatic intolerance?. <i>Clinical Autonomic Research</i> , 2008 , 18, 187-93	4.3	22
64	Diagnostic thresholds for ambulatory blood pressure moving lower: a review based on a meta-analysis-clinical implications. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 377-81	2.3	30
63	Obstructive sleep apnea and hypertension. <i>Journal of Clinical Hypertension</i> , 2008 , 10, 549-55	2.3	20
62	The circadian variations in systemic blood pressure, ocular perfusion pressure, and ocular blood flow: risk factors for glaucoma?. <i>Survey of Ophthalmology</i> , 2008 , 53, 559-67	6.1	54
61	Role of ambulatory blood pressure monitoring in the management of hypertension. <i>American Journal of Health-System Pharmacy</i> , 2008 , 65, 209-18	2.2	28
60	Obstructive sleep apnea, cardiovascular disease, and pulmonary hypertension. <i>Proceedings of the American Thoracic Society</i> , 2008 , 5, 200-6		99
59	Elevated blood pressure in primary care varies in relation to circadian and seasonal changes. <i>Journal of Human Hypertension</i> , 2008 , 22, 755-60	2.6	13
58	A proposed algorithm for diagnosing hypertension using automated office blood pressure measurement. <i>Journal of Hypertension</i> , 2010 , 28, 703-8	1.9	57
57	Nocturnal blood pressure fall as predictor of diabetic nephropathy in hypertensive patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2010 , 9, 36	8.7	19
56	Glaucoma Risk Factors: Ocular Blood Flow. 2010 , 111-134		3
55	Thresholds for Central Blood Pressures and Augmentation Indices - are They Needed and How Far are We in the Process of Their Definition?. <i>Current Hypertension Reviews</i> , 2012 , 8, 91-99	2.3	0
54	Longing for clinical excellence: a critical outlook into the NICE recommendations on hypertension management--is nice always good?. <i>Journal of Hypertension</i> , 2012 , 30, 660-8	1.9	35
53	Differences between office and ambulatory blood pressures in children and adolescents attending a hospital hypertension clinic. <i>Journal of Hypertension</i> , 2013 , 31, 2165-75	1.9	17
52	Optimizing blood pressure control in hypertension: the need to use ABPM. <i>Blood Pressure</i> , 2013 , 22, 65-72	1.7	7
51	Ocular perfusion pressure in glaucoma. <i>Acta Ophthalmologica</i> , 2014 , 92, e252-66	3.7	134
50	Indications for a systemic work-up in glaucoma. <i>Canadian Journal of Ophthalmology</i> , 2014 , 49, 506-11	1.4	10

49	White Coat Hypertension. 2015 ,		2
48	Spinal NF- κ B and chemokine ligand 5 expression during spinal glial cell activation in a neuropathic pain model. <i>PLoS ONE</i> , 2015 , 10, e0115120	3.7	26
47	White Coat Hypertension: Definition, Terminology and Prevalence. 2015 , 1-19		
46	Renal resistance and long-term blood pressure in individuals genetically predisposed for essential hypertension: 10-year follow-up of the Danish Hypertension Prevention Project. <i>Journal of Hypertension</i> , 2016 , 34, 1170-7	1.9	3
45	Does Nocturnal Hypotension Play a Causal Role in Nonarteritic Anterior Ischemic Optic Neuropathy?. <i>Journal of Neuro-Ophthalmology</i> , 2016 , 36, 329-33	2.6	7
44	A manifesto for cardiovascular imaging: addressing the human factor. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 1311-1321	4.1	7
43	Review of and Updates on Hypertension in Obstructive Sleep Apnea. <i>International Journal of Hypertension</i> , 2017 , 2017, 1848375	2.4	52
42	Masked Hypertension is Associated With Cognitive Decline in Geriatric Age-Geriatric MASKed Hypertension and Cognition (G-MASH-cog) Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 248-254	6.4	8
41	Big Data and Blood Pressure Control: Insights from the PAMELA and BP-CARE Study Cohorts. <i>Current Hypertension Reports</i> , 2018 , 20, 82	4.7	3
40	Outcome-Driven Thresholds for Ambulatory Blood Pressure Based on the New American College of Cardiology/American Heart Association Classification of Hypertension. <i>Hypertension</i> , 2019 , 74, 776-783	8.5	13
39	The Association between a 24-Hour Blood Pressure Pattern and Circadian Change in Plasma Aldosterone Concentration for Patients with Aldosterone-Producing Adenoma. <i>International Journal of Endocrinology</i> , 2019 , 2019, 4828402	2.7	2
38	Blood Pressure Measurement, White-Coat and Masked Hypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2019 , 383-394	0.1	
37	Estimating the reference range from a meta-analysis. <i>Research Synthesis Methods</i> , 2021 , 12, 148-160	7.2	4
36	Obstructive sleep apnea and ambulatory blood pressure monitoring: current evidence and research gaps. <i>Journal of Human Hypertension</i> , 2021 , 35, 315-324	2.6	2
35	Influence of Circadian Rhythm in the Eye: Significance of Melatonin in Glaucoma. <i>Biomolecules</i> , 2021 , 11,	5.9	9
34	Ambulatory Blood Pressure Monitoring to Diagnose and Manage Hypertension. <i>Hypertension</i> , 2021 , 77, 254-264	8.5	13
33	Estimating the reference interval from a fixed effects meta-analysis. <i>Research Synthesis Methods</i> , 2021 , 12, 630-640	7.2	0
32	Sex steroids receptors, hypertension, and vascular ageing. <i>Journal of Human Hypertension</i> , 2021 ,	2.6	7

31	Circulating Interleukin-37 Levels in Healthy Adult Humans - Establishing a Reference Range. <i>Frontiers in Immunology</i> , 2021 , 12, 708425	8.4	2
30	Sodium, Potassium, the Sympathetic Nervous System, and the Renin-Angiotensin System. 2001 , 171-189		6
29	Blood pressure profile is associated with microalbuminuria and retinopathy in hypertensive nondiabetic patients. <i>Wiener Klinische Wochenschrift</i> , 2018 , 130, 204-210	2.3	5
28	Twenty-four hour antihypertensive efficacy of indapamide, 1.5-mg sustained release: results of two randomized double-blind controlled studies. <i>Journal of Cardiovascular Pharmacology</i> , 1998 , 32, 673-8	3.1	23
27	European guidelines on cardiovascular disease prevention in clinical practice Third Joint Task Force of European and other Societies on Cardiovascular Disease Prevention in Clinical Practice (constituted by representatives of eight societies and by invited experts). <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003 , 10, S1-S78		145
26	Is white coat hypertension associated with arterial disease or left ventricular hypertrophy?. <i>Hypertension</i> , 1995 , 26, 413-9	8.5	83
25	Target organ status and serum lipids in patients with white coat hypertension. <i>Hypertension</i> , 1995 , 26, 801-7	8.5	77
24	Nocturnal blood pressure fall on ambulatory monitoring in a large international database. The "Ad Hoc" Working Group. <i>Hypertension</i> , 1997 , 29, 30-9	8.5	214
23	Confirmation or exclusion of stage I hypertension by ambulatory blood pressure monitoring. <i>Hypertension</i> , 1997 , 29, 1109-13	8.5	13
22	Ambulatory and home blood pressure normality in the elderly: data from the PAMELA population. <i>Hypertension</i> , 1997 , 30, 1-6	8.5	107
21	Left ventricular filling profiles in young white-coat hypertensive patients without hypertrophy. <i>Hypertension</i> , 1997 , 30, 746-52	8.5	9
20	Frequency and related factors of masked hypertension at a worksite in Korea. <i>Journal of Preventive Medicine and Public Health</i> , 2011 , 44, 131-9	3.7	5
19	Descenso pressórico durante o sono e microalbuminúria em pacientes normotensos com diabetes tipo 1. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2001 , 45, 271-277		
18	Arterielle Hypertonie. 2002 , 590-663		
17	EMGT (Early Manifest Glaucoma Trial). 2003 , 62-62		
16	Hypertension. 2009 , 437-464		
15	Arterielle Hypertonie. 2010 , 361-406		
14	Ambulatory Blood Pressure Monitoring. 2011 , 531-534		

13	Tanatril Prague BP Project. <i>Cor Et Vasa</i> , 2011 , 53, 547-551	0.3	
12	Other Areas of Cardiovascular Reactivity and Behavioral Medicine Research and Some Final Thoughts. 1994 , 187-208		
11	Klinischer Teil. 1996 , 141-369		
10	Early Markers of Cardiovascular Damage. 1998 , 103-122		
9	Ambulatory Blood Pressure Monitoring. <i>Developments in Cardiovascular Medicine</i> , 1999 , 217-227		
8	Relationship Between Transient or Permanent Low Blood Pressure and Glaucoma. 1999 , 213-216		
7	Diagnostic Approach to White Coat Effect and White Coat Hypertension. 2015 , 21-50		
6	White-Coat and Masked Hypertension. 2018 , 104-114		
5	The Association of Obstructive Sleep Apnea and Hypertension. <i>Cureus</i> , 2019 , 11, e4858	1.2	5
4	Sodium, Potassium, the Sympathetic Nervous System, and the Renin-Angiotensin System. 2007 , 203-223		
3	Arterielle Hypertonie. 2007 , 351-396		
2	A guide to estimating the reference range from a meta-analysis using aggregate or individual participant data.. <i>American Journal of Epidemiology</i> , 2022 ,	3.8	0
1	Ambulatory blood pressure monitoring for the management of hypertension.. <i>Chinese Medical Journal</i> , 2022 ,	2.9	0