

CITATION REPORT

List of articles citing

Prediction of uneventful cardioversion and maintenance of sinus rhythm from direct-current electrical cardioversion of chronic atrial fibrillation and flutter

DOI: 10.1016/0002-9149(91)90707-r
American Journal of Cardiology, 1991, 68, 41-6.

Source: <https://exaly.com/paper-pdf/22434549/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
423	A randomized comparison of external and internal cardioversion of chronic atrial fibrillation. 1992 , 86, 1415-20		221
422	An approach to evaluating thrombolytic therapy in acute myocardial infarction. The Unsatisfactory outcome End point. 1992 , 86, 683-7		51
421	Time for a prospective, randomized trial of the "open artery hypothesis" in survivors of acute myocardial infarction. <i>American Journal of Cardiology</i> , 1992 , 69, 1359-60	3	12
420	Time course of hemodynamic changes and improvement of exercise tolerance after cardioversion of chronic atrial fibrillation unassociated with cardiac valve disease. <i>American Journal of Cardiology</i> , 1993 , 72, 560-6	3	213
419	From The Lancet The case of Dr John Henderson Bell. 1993 , 341, 1322		
418	Atrial arrhythmias. 1993 , 341, 1317-22		119
417	Continuous 12-lead ST-segment recovery analysis in the TAMI 7 study. Performance of a noninvasive method for real-time detection of failed myocardial reperfusion. 1993 , 88, 437-46		178
416	Potential benefits of late reperfusion of infarcted myocardium. The open artery hypothesis. 1993 , 88, 2426-36		226
415	Functional capacity before and after cardioversion of atrial fibrillation: a controlled study. 1994 , 72, 161-6		85
414	Recovery of atrial function after atrial compartment operation for chronic atrial fibrillation in mitral valve disease. 1994 , 24, 392-8		60
413	Coronary anatomy and prognosis of young, asymptomatic survivors of myocardial infarction. 1994 , 96, 354-8		38
412	Experimental models of arrhythmias: toys or truth?. 1994 , 15 Suppl A, 2-8		102
411	Cardioversion of atrial fibrillation: how important is a long arrhythmia duration?. 1994 , 39, 78-9		
410	Contemporary management of atrial fibrillation. 1995 , 79, 1135-52		7
409	Clinical and echocardiographic features of intermittent atrial fibrillation that predict recurrent atrial fibrillation. Stroke Prevention in Atrial Fibrillation (SPAF) Investigators. <i>American Journal of Cardiology</i> , 1995 , 76, 355-8	3	119
408	Low energy endocardial cardioversion of atrial arrhythmias in humans. 1995 , 18, 1869-75		21
407	Cardioversion of atrial fibrillation. 1995 , 71, 457-65		29

406	Effects of lisinopril in patients with heart failure and chronic atrial fibrillation. 1995 , 1, 355-63		95
405	Relation of initial infarct size to extent of left ventricular remodeling in the year after acute myocardial infarction. 1995 , 25, 567-73		156
404	Role of echocardiography in the evaluation and management of atrial fibrillation. 1996 , 14, 543-53		3
403	Recurrent atrial fibrillation. 1996 , 131, 1233-4		
402	Unstable angina. 1996 , 131, 1234-5		
401	An unusual case of cardiac tamponade following electrical cardioversion. 1996 , 53, 317-20		4
400	Atrial fibrillation: restoration and maintenance of sinus rhythm and indications for anticoagulation therapy. 1996 , 125, 311-23		61
399	Atrial fibrillation in the elderly. 1996 , 19, 765-75		23
398	Efficacy of serial electrical cardioversion therapy in patients with chronic atrial fibrillation after valve replacement and implications for surgery to cure atrial fibrillation. <i>American Journal of Cardiology</i> , 1996 , 78, 1140-4	3	13
397	Electrophysiologic mechanisms of perpetuation of atrial fibrillation. <i>American Journal of Cardiology</i> , 1996 , 77, 10A-23A	3	131
396	Atrial fibrillation: maintenance of sinus rhythm versus rate control. <i>American Journal of Cardiology</i> , 1996 , 77, 24A-37A	3	87
395	Direct-current cardioversion for the conversion of atrial flutter. <i>American Journal of Cardiology</i> , 1996 , 77, 658-60	3	12
394	Effect of late percutaneous angioplastic recanalization of total coronary artery occlusion on left ventricular remodeling, ejection fraction, and regional wall motion. <i>American Journal of Cardiology</i> , 1996 , 78, 729-35	3	62
393	Epidemiology and mechanism of atrial fibrillation and atrial flutter. <i>American Journal of Cardiology</i> , 1996 , 78, 3-11	3	64
392	Safety and risk/benefit analysis of ibutilide for acute conversion of atrial fibrillation/flutter. <i>American Journal of Cardiology</i> , 1996 , 78, 46-52	3	110
391	Cardioversion of atrial fibrillation in the elderly. ALKK-Study Group. Arbeitsgemeinschaft Leitender Kardiologischer Krankenhausärzte. <i>American Journal of Cardiology</i> , 1996 , 78, 1380-4	3	52
390	Chronic Atrial Fibrillation. 1996 , 156, 2585		134
389	Low energy internal cardioversion of atrial fibrillation resistant to transthoracic shocks. 1996 , 75, 635-8		31

388	The antiarrhythmic treatment of atrial fibrillation. 1996 , 34, 41-5	1
387	An ovine model of acute myocardial infarction and chronic left ventricular dysfunction. 1997 , 48, 679-88	21
386	Long-term outcome of electrical cardioversion in patients with chronic atrial flutter. 1997 , 77, 56-61	28
385	Heart failure and atrial fibrillation: current concepts and controversies. 1997 , 77, 309-13	67
384	Spontaneous cardioversion and mitral valve repair: a role for surgical cardioversion (Cox-maze)? 1997 , 11, 76-80	16
383	Restoring Sinus Rhythm in Patients With Atrial Flutter and Fibrillation: Pharmacologic or Electrical Cardioversion?. 1997 , 2, 135-144	6
382	Do ACE inhibitors provide protection for the heart in the clinical setting of acute myocardial infarction?. 1997 , 54 Suppl 5, 48-58	6
381	Pharmacological management of arrhythmias in the elderly. 1997 , 11, 96-110	7
380	Patient characteristics and underlying heart disease as predictors of recurrent atrial fibrillation after internal and external cardioversion in patients treated with oral sotalol. 1997 , 134, 419-25	51
379	TIMI grade 3 flow and reocclusion after intravenous thrombolytic therapy: a pooled analysis. 1997 , 133, 273-82	26
378	Angiotensin-converting enzyme inhibitor therapy affects left ventricular mass in patients with ejection fraction > 40% after acute myocardial infarction. 1997 , 29, 49-54	34
377	Acute conversion of atrial fibrillation and flutter: direct current cardioversion versus intravenously administered pure class III agents. 1997 , 29, 391-3	11
376	Detection of patients at risk for recurrence of atrial fibrillation after successful electrical cardioversion by signal-averaged P-wave ECG. 1997 , 60, 181-5	47
375	Rounded biphasic waveform reduces energy requirements for transvenous catheter cardioversion of atrial fibrillation and flutter. 1997 , 20, 226-9	32
374	Hemodynamic effects and clinical determinants of defibrillation threshold for transvenous atrial defibrillation using biatrial biphasic shocks in patients with chronic atrial fibrillation. 1997 , 20, 899-908	29
373	Cardioversion of atrial fibrillation and subsequent maintenance of sinus rhythm. 1997 , 20, 2675-83	36
372	Transesophageal echocardiographic predictors for maintenance of sinus rhythm after electrical cardioversion of atrial fibrillation. <i>American Journal of Cardiology</i> , 1997 , 79, 1355-9	3 64
371	Direct-current cardioversion of atrial tachyarrhythmias under oral flecainide therapy. <i>American Journal of Cardiology</i> , 1997 , 80, 645-8	3 2

370	Comparison of left ventricular mass and geometric remodeling in treated and untreated men and women >50 years of age with systemic hypertension. <i>American Journal of Cardiology</i> , 1997 , 80, 648-51	3	6
369	Atrial fibrillation and stroke: elucidating a newly discovered risk factor. <i>American Journal of Cardiology</i> , 1997 , 80, 11D-18D; discussion 35D-39D	3	11
368	Atrial fibrillation: a review of mechanism, etiology, and therapy. 1997 , 20, 640-50		48
367	Prospective randomized trial of external versus internal transcatheter cardioversion in patients with chronic atrial fibrillation. 1998 , 2, 249-53		7
366	Conversion of atrial fibrillation to sinus rhythm using acute intravenous procainamide infusion. 1998 , 12, 75-81		15
365	Rhythm management in atrial fibrillation--with a primary emphasis on pharmacological therapy: Part 1. 1998 , 21, 590-602		25
364	Factors influencing long term persistence of sinus rhythm after a first electrical cardioversion for atrial fibrillation. 1998 , 21, 284-7		55
363	Oral loading with propafenone: a placebo-controlled study in elderly and nonelderly patients with recent onset atrial fibrillation. 1998 , 21, 2465-9		16
362	Electrophysiological properties of the fibrillating atrium: implications for therapy. 1998 , 25, 293-302		13
361	Acute treatment of atrial fibrillation: why and when to maintain sinus rhythm. <i>American Journal of Cardiology</i> , 1998 , 81, 3C-15C	3	52
360	Echocardiographic parameters for predicting maintenance of sinus rhythm after internal atrial defibrillation. <i>American Journal of Cardiology</i> , 1998 , 81, 1446-9	3	49
359	Heterogeneous fate of perfusion and contraction after anterior wall acute myocardial infarction and effects on left ventricular remodeling. <i>American Journal of Cardiology</i> , 1998 , 82, 1457-62	3	0
358	The peri-operative management of atrial fibrillation. 1998 , 53, 665-76		18
357	Cardioversion of atrial fibrillation in the setting of mild to moderate heart failure. 1998 , 63, 63-70		33
356	Early recurrences of atrial fibrillation after electrical cardioversion: a result of fibrillation-induced electrical remodeling of the atria?. 1998 , 31, 167-73		231
355	Supraventricular arrhythmias in the elderly: choose therapy with care. 1998 , 11, 5-8		
354	Conversion efficacy and safety of repeated doses of ibutilide in patients with atrial flutter and atrial fibrillation. Study Investigators. 1998 , 136, 632-42		63
353	The use of drugs for cardioversion of recent onset atrial fibrillation and flutter. Focus on ibutilide. 1998 , 12, 461-76		5

352	Atrioverter: an implantable device for the treatment of atrial fibrillation. 1998 , 98, 1651-6	222
351	Update on Atrial Fibrillation: Restoration of Sinus Rhythm or Ventricular Rate Control?. 1998 , 3, 185-194	1
350	Atrial fibrillation: current knowledge and recommendations for management. Working Group on Arrhythmias of the European Society of Cardiology. 1998 , 19, 1294-320	194
349	Ibutilide. 1998 , 97, 493-7	138
348	Myocardial tissue characterization after acute myocardial infarction with wavelet image decomposition: a novel approach for the detection of myocardial viability in the early postinfarction period. 1998 , 98, 634-41	25
347	The search for novel antiarrhythmic strategies. Sicilian Gambit. 1998 , 19, 1178-96	20
346	The search for novel antiarrhythmic strategies. Sicilian Gambit. 1998 , 62, 633-48	6
345	Pacing-induced Atrial Electrical Remodeling and its Recovery in Conscious Dog Atria. 1998 , 28, 961	
344	Cardioversion for atrial fibrillation: the views of consultant physicians, geriatricians and cardiologists. 1999 , 28, 73-5	8
343	Reversal of atrial electrical remodeling following cardioversion of long-standing atrial fibrillation in man. 1999 , 42, 470-6	148
342	Atrial electrophysiological remodeling caused by rapid atrial activation: underlying mechanisms and clinical relevance to atrial fibrillation. 1999 , 42, 298-308	88
341	Attenuation of electrical remodelling in chronic atrial fibrillation following oral treatment with verapamil. 1999 , 1, 234-41	24
340	Atrial fibrillation detection and R-wave synchronization by Metrix implantable atrial defibrillator: implications for long-term efficacy and safety. The Metrix Investigators. 1999 , 99, 1446-51	40
339	Randomised comparison of electrode positions for cardioversion of atrial fibrillation. 1999 , 81, 576-9	50
338	Pharmacotherapy of atrial fibrillation. 1999 , 1, 81-96	4
337	Lack of prevention of heart failure by serial electrical cardioversion in patients with persistent atrial fibrillation. 1999 , 82, 486-93	16
336	Low energy internal atrial cardioversion in atrial fibrillation lasting more than a year. 1999 , 22, 243-6	18
335	Comparison of different methods for manual P wave duration measurement in 12-lead electrocardiograms. 1999 , 22, 1532-8	87

334	Early recurrence of atrial fibrillation after external cardioversion. 1999 , 22, 1614-9		34
333	Tachycardia induced electrical remodeling of the atria and the autonomic nervous system in goats. 1999 , 22, 1656-67		30
332	Heterogeneous changes in electrophysiologic properties in the paroxysmal and chronically fibrillating human atrium. 1999 , 10, 125-35		49
331	Evaluation of atrial refractoriness and atrial fibrillation inducibility immediately after internal cardioversion in patients with chronic persistent atrial fibrillation. 1999 , 13, 507-11		6
330	Transvenous atrial defibrillation--techniques and clinical applications. 1999 , 22, 614-22		8
329	The use of atropine for facilitation of direct current cardioversion from atrial fibrillation--results of a pilot study. 1999 , 22, 712-4		9
328	Efficacy of amiodarone for the termination of persistent atrial fibrillation. <i>American Journal of Cardiology</i> , 1999 , 83, 58-61	3	66
327	Long-term outcome in patients with chronic atrial fibrillation after successful internal cardioversion. <i>American Journal of Cardiology</i> , 1999 , 83, 607-9, A8, A10	3	15
326	Double external direct-current shocks for refractory atrial fibrillation. <i>American Journal of Cardiology</i> , 1999 , 83, 972-4, A10	3	27
325	Pharmacologic versus direct-current electrical cardioversion of atrial flutter and fibrillation. <i>American Journal of Cardiology</i> , 1999 , 84, 147R-151R	3	90
324	Atrial arrhythmia in atrial septal defect. 1999 , 341, 540-1		1
323	Prediction of atrial fibrillation recurrence after cardioversion by P wave signal-averaged electrocardiography. 1999 , 70, 15-21		51
322	Favorable effects of flecainide in transvenous internal cardioversion of atrial fibrillation. 1999 , 33, 333-41		48
321	Defibrillation-guided radiofrequency ablation of atrial fibrillation secondary to an atrial focus. 1999 , 33, 1217-26		99
320	Ventricular function. 1999 , 37, 341-59, vi		16
319	[Internal cardioversion with low-energy shocks in atrial fibrillation resistant to external electric cardioversion]. 1999 , 52, 105-12		1
318	ACC/AHA guidelines for coronary angiography. A report of the American College of Cardiology/American Heart Association Task Force on practice guidelines (Committee on Coronary Angiography). Developed in collaboration with the Society for Cardiac Angiography and Interventions. 1999 , 33, 1756-824		794
317	Atrial defibrillation with a transvenous lead: a randomized comparison of active can shocking pathways. 1999 , 34, 358-62		20

316	Treatment of Acute Atrial Fibrillation: Ventricular Rate Control and Restoration of Sinus Rhythm. 2000 , 7, 85-95		
315	Predictors of atrial defibrillation threshold in internal cardioversion. 2000 , 23, 1898-901		10
314	Efficacy and safety of transvenous atrial cardioversion in patients with mitral valve disease and long-standing atrial fibrillation. 2000 , 23, 1894-7		3
313	Signal-averaged P wave duration predicts early recurrence of atrial fibrillation after cardioversion. 2000 , 23, 259-65		30
312	Therapy of atrial fibrillation: rhythm control versus rate control. 2000 , 23, 891-903		18
311	Prevalence and significance of focal sources of atrial arrhythmia in patients undergoing cardioversion of persistent atrial fibrillation. 2000 , 11, 616-22		13
310	Catheter ablation of chronic atrial fibrillation targeting the reinitiating triggers. 2000 , 11, 2-10		163
309	Beneficial effects of an open artery on left ventricular remodeling after myocardial infarction. 2000 , 42, 471-483		17
308	Role of atrial pressure in the success of electrical cardioversion of chronic atrial fibrillation. <i>American Journal of Cardiology</i> , 2000 , 86, 223-6	3	1
307	Cost-effective management of acute atrial fibrillation: role of rate control, spontaneous conversion, medical and direct current cardioversion, transesophageal echocardiography, and antiembolic therapy. <i>American Journal of Cardiology</i> , 2000 , 85, 36D-45D	3	81
306	[Electrical remodeling in atrial fibrillation--cellular and molecular mechanisms]. 2000 , 89, 795-802		0
305	Prevention of short term reversible chronic atrial fibrillation by permanent pacing at the triangle of Koch. 2000 , 4, 575-83		12
304	Randomised double blind trial of oral versus intravenous flecainide for the cardioversion of acute atrial fibrillation. 2000 , 84, 37-40		39
303	Amiodarone to prevent recurrence of atrial fibrillation. Canadian Trial of Atrial Fibrillation Investigators. 2000 , 342, 913-20		864
302	Transthoracic cardioversion of atrial fibrillation: comparison of rectilinear biphasic versus damped sine wave monophasic shocks. 2000 , 101, 1282-7		269
301	Is there a place for the late cardioversion of atrial fibrillation? A long-term follow-up study of patients with post-thyrototoxic atrial fibrillation. 2000 , 21, 327-33		53
300	Comparison of intravenously administered dofetilide versus amiodarone in the acute termination of atrial fibrillation and flutter. A multicentre, randomized, double-blind, placebo-controlled study. 2000 , 21, 1265-73		75
299	The effect of oral magnesium, alone or as an adjuvant to sotalol, after cardioversion in patients with persistent atrial fibrillation. 2000 , 21, 1177-85		12

298	Cost analysis of transthoracic cardioversion of atrial fibrillation with and without ibutilide pretreatment. 2000 , 5, 259-66	2
297	Systematic review of the management of atrial fibrillation in patients with heart failure. 2000 , 21, 614-32	85
296	Electrical, morphological, and ultrastructural remodeling and reverse remodeling in a canine model of chronic atrial fibrillation. 2000 , 102, 1454-60	212
295	Oral amiodarone increases the efficacy of direct-current cardioversion in restoration of sinus rhythm in patients with chronic atrial fibrillation. 2000 , 21, 66-73	92
294	Effects of diltiazem pretreatment on direct-current cardioversion in patients with persistent atrial fibrillation: a single-blind, randomized, controlled study. 2000 , 140, e12	35
293	Prediction of paroxysmal atrial fibrillation in patients with congestive heart failure: a prospective study. 2000 , 35, 405-13	110
292	Heart rate variability and early recurrence of atrial fibrillation after electrical cardioversion. 2001 , 37, 157-62	100
291	ACC/AHA guidelines for percutaneous coronary intervention (revision of the 1993 PTCA guidelines) ³¹ This document was approved by the American College of Cardiology Board of Trustees in April 2001 and by the American Heart Association Science Advisory and Coordinating Committee in March 2001. ³² When citing this document, the American College of Cardiology and	86
290	Initial energy setting, outcome and efficiency in direct current cardioversion of atrial fibrillation and flutter. 2001 , 38, 1498-504 ; Kereiakes D, Kern MJ, Kuntz. 2001 , 37, 2239	75
289	Resolution of right heart enlargement after closure of secundum atrial septal defect with transcatheter technique. 2001 , 38, 1528-32	89
288	ACC/AHA/ESC guidelines for the management of patients with atrial fibrillation: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines and Policy Conferences (Committee to Develop Guidelines for the Management of Patients With Atrial Fibrillation) Developed in Collaboration With the North American Society of Pacing and Electrophysiology. 2001	54
287	Recovery of electrophysiological parameters after conversion of atrial fibrillation. 2001 , 79, 183-9 ; 38, 1266	17
286	Electrical cardioversion for atrial fibrillation: outcomes in "real-life" clinical practice. 2001 , 81, 29-35	39
285	[New concepts on the treatment of atrial fibrillation]. 2001 , 117, 427-37	0
284	Guías de práctica clínica de la Sociedad Española de Cardiología en arritmias cardíacas. 2001 , 54, 307-367	31
283	[Independent predictive factors of acute and first year success after electrical cardioversion in patients with chronic atrial fibrillation]. 2001 , 54, 958-64	6
282	Management of patients with syncope and cardiac arrhythmias in an emergency department observation unit. 2001 , 19, 105-21, vii	7
281	Left atrial volume: important risk marker of incident atrial fibrillation in 1655 older men and women. 2001 , 76, 467-75	454

280	Left atrial appendage outflow velocity index is superior to conventional criteria for prediction of maintenance of sinus rhythm after cardioversion. An echocardiographic study in patients with atrial fibrillation of a few months duration. 2001 , 35, 119-24	8
279	Atrial fibrillation. 2001 , 344, 1067-78	400
278	Treatment of atrial fibrillation with radiofrequency ablation and simultaneous multipolar mapping of the pulmonary veins. 2001 , 77, 407-28	
277	Clinical value of left atrial appendage flow velocity for predicting of cardioversion success in patients with non-valvular atrial fibrillation. 2001 , 22, 2201-8	42
276	Antiarrhythmic agents in facilitating electrical cardioversion of atrial fibrillation and promoting maintenance of sinus rhythm. 2001 , 95, 1-8	19
275	L-type calcium currents in atrial myocytes from patients with persistent and non-persistent atrial fibrillation. 2001 , 96, 151-9	64
274	The prognostic significance of atrial arrhythmias recorded early after cardioversion for atrial fibrillation. 2001 , 24, 1076-81	8
273	Report of the NASPE/NHLBI round table on future research directions in atrial fibrillation. 2001 , 24, 1435-51	6
272	Early reinitiation of atrial fibrillation after electrical defibrillation: a new electrophysiological phenomenon. 2001 , 24, 1581-4	9
271	Factors predicting success rate and recurrence of atrial fibrillation after first electrical cardioversion in patients with persistent atrial fibrillation. 2001 , 24, 238-44	99
270	Cardioversion of Atrial Fibrillation: Recent Developments. 2001 , 5, 189-194	
269	Report of the NASPE/NHLBI Round Table on Future Research Directions in Atrial Fibrillation. North American Society of Pacing and Electrophysiology. 2001 , 5, 345-64	1
268	A new algorithm for transthoracic cardioversion of atrial fibrillation based on body weight. <i>American Journal of Cardiology</i> , 2001 , 88, 1043-5	3 8
267	Pharmacologic conversion of atrial fibrillation: a systematic review of available evidence. 2001 , 44, 121-52	53
266	Atrial fibrillation in patients with heart failure: pharmacologic options. 2001 , 7, 22-29	3
265	Internal cardioversion. Is it needed? How best to perform it. 2001 , 3, 87-9	1
264	Acute pressure overload cardiac arrhythmias are dependent on the presence of myocardial tissue catecholamines. 2001 , 85, 576	10
263	ACC/AHA/ESC guidelines for the management of patients with atrial fibrillation. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines and Policy Conferences (Committee to develop guidelines for the management of patients with atrial fibrillation) developed in collaboration with the North American Society of Pacing and Electrophysiology. 2001 , 22, 1852-923	307

262	Hyperthyroidism and the management of atrial fibrillation. 2002 , 12, 489-93	61
261	Predictors of clinical recurrence after successful electrical cardioversion of chronic persistent atrial fibrillation: clinical and electrophysiological observations. 2002 , 97, 133-7	8
260	Success of serial external electrical cardioversion of persistent atrial fibrillation in maintaining sinus rhythm; a randomized study. 2002 , 23, 1522-8	23
259	Electrical cardioversion for atrial fibrillation and flutter. 2002 , CD002903	2
258	Emboic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion. 2002 , 40, 926-33	136
257	New approaches to atrial fibrillation management: a critical review of a rapidly evolving field. 2002 , 62, 2377-97	54
256	Atrial fibrillation in the elderly: facts and management. 2002 , 19, 819-46	47
255	Effect of shock polarity on the efficacy of transthoracic atrial defibrillation. 2002 , 143, 541-5	5
254	[The efficacy of scheduled cardioversion in atrial fibrillation. Comparison of two schemes of treatment: electrical versus pharmacological cardioversion]. 2002 , 55, 113-20	12
253	Initial energy for external electrical cardioversion of atrial fibrillation. 2002 , 79, 129-38	2
252	[Pharmacological therapy of atrial fibrillation and atrial flutter]. 2002 , 27, 329-44	
251	[Atrial fibrillation in heart failure]. 2002 , 27, 378-87	
250	[Remodeling in atrial fibrillation]. 2002 , 27, 312-21	2
249	Clinical evaluation of a policy of early repeated internal cardioversion for recurrence of atrial fibrillation. 2002 , 13, 135-41	29
248	Determinants of first-shock success for atrial implantable cardioverter defibrillators. 2002 , 13, 347-54	22
247	Cardioversion of atrial fibrillation with ibutilide: when is it most effective?. 2002 , 25, 411-5	7
246	Prevention of and medical therapy for atrial arrhythmias in heart failure. 2002 , 7, 267-83	13
245	Effect of 60 minutes of rapid atrial pacing on atrial action potential duration in the in-situ canine heart. 2003 , 8, 165-71	4

244	An update on electrical cardioversion of atrial fibrillation. 2003 , 7, 285-9	9
243	Remodeling of cardiomyocyte ion channels in human atrial fibrillation. 2003 , 98, 137-48	141
242	Welche Rolle spielt die Antiarrhythmika-Therapie nach Pulmonalvenenablation?. 2003 , 14, 30-37	
241	Elektrisches Remodeling bei chronischem Vorhofflimmern des Menschen. 2003 , 14, 72-79	
240	Experimental study of the effect of the vagus nerve on atrial electrical remodeling. 2003 , 36, 295-300	15
239	Pharmacologic conversion of atrial fibrillation: a systematic review of available evidence. 2003 , 28, 353-409	
238	[External electrical cardioversion of atrial arrhythmia: predictive criteria of success]. 2003 , 52, 232-8	3
237	Effect of recanalization of chronic total occlusions on global and regional left ventricular function in patients with or without previous myocardial infarction. 2003 , 60, 368-74	101
236	Recent advances in drug therapy for atrial fibrillation. 2003 , 14, S40-7	19
235	Effect of amiodarone on dispersion of atrial refractoriness and cycle length in patients with atrial fibrillation. 2003 , 14, 485-91	16
234	Effect of Atrial Fibrillation Duration on Probability of Immediate Recurrence after Transthoracic Cardioversion. 2003 , 14, 182-185	22
233	Effects of P-wave dispersion on atrial fibrillation in patients with acute anterior wall myocardial infarction. 2003 , 8, 101-6	18
232	Higher energy monophasic DC cardioversion for persistent atrial fibrillation: is it time to start at 360 joules?. 2003 , 8, 121-6	17
231	Clinical predictors and time course of arrhythmia recurrence in patients with early reinitiation of atrial fibrillation after successful internal cardioversion. 2003 , 26, 1809-14	5
230	Effectiveness and costs of chemical versus electrical cardioversion of atrial fibrillation. 2003 , 88, 157-66	15
229	Novel passive implantable atrial defibrillator using transcutaneous radiofrequency energy transmission successfully cardioverts atrial fibrillation. 2003 , 108, 1382-8	11
228	Use of enalapril to facilitate sinus rhythm maintenance after external cardioversion of long-standing persistent atrial fibrillation. Results of a prospective and controlled study. 2003 , 24, 2090-8	208
227	Poor maintenance of sinus rhythm after electrical cardioversion of patients with atrial fibrillation or flutter: a 5-year follow-up of 268 consecutive patients. 2003 , 37, 324-8	17

226	Comparison of outpatient vs inpatient direct current cardioversion of atrial fibrillation: safety, efficacy and cost savings. 2003 , 5, H19-H24	7
225	Rate or rhythm control in persistent atrial fibrillation?. 2003 , 96, 881-92	21
224	Cardioversion of atrial fibrillation: how and when?. 2003 , 5, H40-H44	3
223	Effectiveness of direct-current cardioversion for treatment of supraventricular tachyarrhythmias, in particular atrial fibrillation, in surgical intensive care patients. 2003 , 31, 401-5	53
222	Intracardiac low-energy versus transthoracic high-energy direct-current cardioversion of atrial fibrillation: a randomised comparison. 2003 , 99, 72-7	3
221	Cardioversion of uncomplicated paroxysmal atrial fibrillation: a survey of practice by Canadian emergency physicians. 2004 , 6, 155-60	12
220	A randomized placebo-controlled trial of pre-treatment and short- or long-term maintenance therapy with amiodarone supporting DC cardioversion for persistent atrial fibrillation. 2004 , 25, 144-50	62
219	Incidence and management of early recurrent atrial fibrillation (ERAF) after transthoracic electrical cardioversion. 2004 , 6, 15-20	12
218	Efficacy of biphasic shock for transthoracic cardioversion of persistent atrial fibrillation: can we predict energy requirements?. 2004 , 27, 764-8	22
217	Comparison of the rectilinear biphasic waveform with the monophasic damped sine waveform for external cardioversion of atrial fibrillation and flutter. <i>American Journal of Cardiology</i> , 2004 , 93, 1495-9	43
216	Impact of biphasic electrical cardioversion of atrial fibrillation on early recurrent atrial fibrillation and shock efficacy. 2004 , 15, 895-7	11
215	Rate versus rhythm control in atrial fibrillation. 2004 , 22, 63-9	14
214	Atrial Fibrillation. 2004 , 363-377	
213	Efficacy of internal cardioversion for chronic atrial fibrillation in patients with and without left ventricular dysfunction. 2004 , 95, 43-7	7
212	Effects of revascularisation and contractile reserve on left ventricular remodelling in patients with impaired left ventricular function. 2004 , 93, 55-61	9
211	Atrial fibrillation. 2: Management. 2004 , 65, 546-52	
210	Electrical cardioversion for atrial fibrillation and flutter. 2005 , CD002903	12
209	Recurrence of atrial fibrillation after internal cardioversion of persistent atrial fibrillation: prognostic importance of electrophysiologic parameters. 2005 , 69, 1514-20	9

208	Cardioversion of atrial fibrillation. 2005 , 48, 88-107	11
207	Electrical and structural remodeling: role in the genesis and maintenance of atrial fibrillation. 2005 , 48, 153-68	80
206	Reduced cardioversion thresholds for atrial fibrillation and flutter using the rectilinear biphasic waveform. 2005 , 13, 145-50	6
205	C reactive protein concentration and recurrence of atrial fibrillation after electrical cardioversion. 2005 , 91, 1303-5	55
204	Recent developments in atrial fibrillation. 2005 , 330, 238-43	47
203	Electrical cardioversion of atrial fibrillation: different methods for a safe and effective technique. 2005 , 3, 601-10	2
202	Impact of atrial fibrillation duration on postcardioversion recurrence. 2005 , 2, 1324-9	12
201	Clinical predictors of atrial defibrillation thresholds with a dual-coil, active pectoral lead system. 2005 , 2, 49-54	6
200	P wave dispersion and short-term vs. late atrial fibrillation recurrences after cardioversion. 2005 , 101, 355-61	43
199	The dubious value of echocardiographic and plasma ANP measurements in predicting outcome of cardioversion in patients with persistent atrial fibrillation. 2005 , 103, 280-5	5
198	Outpatient electrical cardioversion of atrial fibrillation: efficacy, safety and patients' quality of life. 2005 , 105, 26-30	10
197	Diabetes mellitus is a strong, independent risk for atrial fibrillation and flutter in addition to other cardiovascular disease. 2005 , 105, 315-8	267
196	[Therapeutic success of a prospective cardioversion protocol for persistent atrial fibrillation]. 2006 , 59, 1038-46	2
195	ACC/AHA/ESC: Guías de Práctica Clínica 2006 para el manejo de pacientes con fibrilación auricular. Versión resumida. 2006 , 59, 1329.e1-1329.e64	2
194	ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation--executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients With Atrial Fibrillation). 2006 , 48, 876-908	865
193	ACC/AHA/ESC 2006 Guidelines for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients With Atrial Fibrillation). 2006 , 48, 876-908	261
192	ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation: full text: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 guidelines for the management of patients with atrial fibrillation) 2006 , 48, 876-908	530
191	A randomized trial of prophylactic antiarrhythmic agents (amiodarone and sotalol) in patients with atrial fibrillation for whom direct current cardioversion is planned. 2006 , 151, 863.e1-6	24

190	The effect of patient sex on recurrence of atrial fibrillation following successful direct current cardioversion. 2006 , 152, 155.e9-13	24
189	Electrical cardioversion for persistent or chronic atrial fibrillation: outcome and clinical factors predicting short and long term success rate. 2006 , 107, 389-94	20
188	High-sensitivity C-reactive protein is predictive of successful cardioversion for atrial fibrillation and maintenance of sinus rhythm after conversion. 2006 , 108, 346-53	105
187	Left atrial appendage-flow velocity predicts cardioversion success in atrial fibrillation. 2006 , 208, 243-50	6
186	Biphasic transoesophageal vs. transthoracic electrical cardioversion of persistent atrial fibrillation. 2006 , 7, 594-600	1
185	Rate of conversion and recurrence after sotalol treatment in patients with direct current-refractory atrial fibrillation. 2006 , 29, 56-60	3
184	Long-term sinus rhythm maintenance after cardioversion of persistent atrial fibrillation: is the treatment success predictable?. 2006 , 21, 375-81	11
183	The outcome of direct current cardioversion (DCC) for the treatment of atrial fibrillation (AF) in a district general hospital in Ireland. 2006 , 175, 41-5	
182	Atrial fibrillation in intensive care units. 2006 , 17, 367-374	6
181	Prediction of sinus rhythm maintenance following DC-cardioversion of persistent atrial fibrillation - the role of atrial cycle length. 2006 , 6, 11	17
180	A simple point score system for predicting the efficacy of external rectilinear biphasic cardioversion for persistent atrial fibrillation. 2006 , 8, 297-301	2
179	ACC/AHA/ESC 2006 Guidelines for the Management of Patients With Atrial Fibrillation Executive Summary. 2006 , 114, 700-752	237
178	ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation-executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation). developed in collaboration with the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation). 2006 , 114, 700-752	479
177	ACC/AHA/ESC 2006 Guidelines for the Management of Patients With Atrial Fibrillation: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation). developed in collaboration with the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation). 2006 , 114, 700-752	1653
176	Prediction of atrial fibrillation in patients with cardiac dysfunctions: P wave signal-averaged ECG and chemoreflex sensitivity in atrial fibrillation. 2007 , 9, 601-7	8
175	Atrial premature complexes and heart rate have prognostic significance in 1-month atrial fibrillation recurrence after electrical cardioversion. 2007 , 9, 633-7	14
174	Segmental atrial contraction in patients restored to sinus rhythm after cardioversion for chronic atrial fibrillation: a colour Doppler tissue imaging study. 2008 , 9, 12-7	26
173	The effect of diabetes mellitus on the P-wave dispersion. 2007 , 71, 880-3	47

172	Practical management of common atrial arrhythmias 2: common atrial flutter. 2007 , 68, 201-4		1
171	DC cardioversion of persistent atrial fibrillation: a comparison of two protocols. 2007 , 114, 16-21		21
170	AMERICAN COLLEGE OF CARDIOLOGY, AMERICAN HEART ASSOCIATION AND EUROPEAN SOCIETY OF CARDIOLOGY GUIDELINES (2006) FOR THE MANAGEMENT OF PATIENTS WITH ATRIAL FIBRILLATION (ENDING). 2007 , 3, 84-111		
169	Electrical cardioversion for persistent atrial fibrillation or atrial flutter in clinical practice: predictors of long-term outcome. 2007 , 61, 748-56		25
168	Electrical cardioversion for AF-the state of the art. 2007 , 30, 554-67		30
167	Relation of C-reactive protein to long-term risk of recurrence of atrial fibrillation after electrical cardioversion. <i>American Journal of Cardiology</i> , 2007 , 99, 1421-4	3	55
166	[Inflammatory state in patients with atrial fibrillation before and after electrical cardioversion]. 2007 , 31, 126-32		3
165	Misuse of antithrombotic therapy in atrial fibrillation patients: frequent, pervasive and persistent. 2007 , 23, 65-71		23
164	Left ventricular remodeling can be predicted with left ventricular volume response during dobutamine echocardiography after acute myocardial infarction. 2008 , 31, 259-64		5
163	Maintenance of Sinus Rhythm after Cardioversion of Atrial Fibrillation in Patients with Lone Atrial Fibrillation and Patients with Hypertension. 2008 , 3, 103-108		0
162	Restoring Sinus Rhythm in Atrial Fibrillation: Electrical or Pharmacological Cardioversion. 2008 , 3, 109-114		2
161	Clinical effectiveness of antiarrhythmic treatment after electrical cardioversion in patients without structural heart disease. 2008 , 61, 1274-9		1
160	Optimal heart failure therapy and successful cardioversion in heart failure patients with atrial fibrillation. 2008 , 155, 890-5		21
159	Utilidad en la práctica clínica del tratamiento antiarrítmico tras cardioversión eléctrica en pacientes sin cardiopatía estructural. 2008 , 61, 1274-1279		4
158	Electrical and pharmacologic cardioversion for atrial fibrillation. 2008 , 92, 101-20, xi		4
157	Atrial fibrillation and renin-angiotensin system. 2008 , 2, 215-23		10
156	Influence of diabetes on the maintenance of sinus rhythm after a successful direct current cardioversion in patients with atrial fibrillation. 2008 , 101, 181-7		15
155	Biphasic energy selection for transthoracic cardioversion of atrial fibrillation. The BEST AF Trial. 2008 , 94, 884-7		35

154 Electrophysiological Basis of Atrial Fibrillation. **2008**, 49-71

153 The pathophysiology and management of atrial fibrillation. **2008**, 3, 201-209

5

152 . **2008**,

4

151 Ablation Strategies in Chronic Atrial Fibrillation. **2009**, 163-189

150 The prognosis of patients with atrial fibrillation is improved when sinus rhythm is restored: report from the Stockholm Cohort of Atrial Fibrillation (SCAF). **2009**, 95, 1000-5

19

149 Baseline apnoea/hypopnoea index and high-sensitivity C-reactive protein for the risk of recurrence of atrial fibrillation after successful electrical cardioversion: a predictive model based upon the multiple effects of significant variables. **2009**, 11, 902-9

30

148 Comparison of antero-lateral versus antero-posterior electrode position for biphasic external cardioversion of atrial flutter. *American Journal of Cardiology*, **2009**, 104, 1547-50

3

10

147 NHG-Standaard Atriumfibrilleren. **2009**, 52, 646-663

9

146 Short-term and long-term success of electrical cardioversion in atrial fibrillation in managed care system. **2009**, 2, 39

16

145 Renin-angiotensin-aldosterone system blockade in atrial fibrillation and left atrial remodelling. **2009**, 63, 982-5

2

144 Clinical predictors of termination and clinical outcome of catheter ablation for persistent atrial fibrillation. **2009**, 54, 788-95

148

143 Electrical and pharmacologic cardioversion for atrial fibrillation. **2009**, 27, 95-107, ix

10

142 Electrocardiographic markers of cardioversion success in patients with atrial fibrillation. **2009**, 102, 885-9

2

141 Reference left atrial dimensions and volumes by steady state free precession cardiovascular magnetic resonance. **2010**, 12, 65

167

140 Ventricular pauses during atrial fibrillation predict relapse after electrical cardioversion: a prospective study. **2010**, 33, 934-8

2

139 Outcomes in patients requiring cardioversion following catheter ablation of atrial fibrillation. **2010**, 21, 27-32

16

138 First time and repeat cardioversion of atrial tachyarrhythmias - a comparison of outcomes. **2010**, 64, 1062-8

2

137 A pre-existent elevated C-reactive protein is associated with the recurrence of atrial tachyarrhythmias after catheter ablation in patients with atrial fibrillation. **2010**, 12, 1213-8

8

136	[Electrical cardioversion for atrial fibrillation]. 2010 , 135, 750-4	1
135	Optimization of initial energy for cardioversion of atrial tachyarrhythmias with biphasic shocks. 2010 , 28, 159-65	29
134	Long-term single- and multiple-procedure outcome and predictors of success after catheter ablation for persistent atrial fibrillation. 2011 , 8, 1391-7	154
133	Atrial fibrillation. 2011 , 29, 747-58, vi	7
132	2011 ACCF/AHA/HRS focused updates incorporated into the ACC/AHA/ESC 2006 Guidelines for the management of patients with atrial fibrillation: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines developed in partnership with the European Society of Cardiology and in collaboration with the European Heart Rhythm Association and the Heart Rhythm Society. 2011 , 57, e101-98	645
131	. 2011 ,	5
130	Pharmacologic and Non-Pharmacologic Treatment of Chronic Atrial Fibrillation [With Special Reference to Valvular Atrial Fibrillation in Rheumatic Heart Disease. 2011 ,	
129	Fibrillation auriculaire. 2011 , 6, 1-13	
128	The impact of dilated left atrium on rhythm control in patients with newly diagnosed persistent atrial fibrillation: the Belgrade atrial fibrillation project. 2011 , 65, 1202-3	1
127	Noninvasive time and frequency predictors of long-standing atrial fibrillation early recurrence after electrical cardioversion. 2011 , 34, 1241-50	19
126	Efficacy of acupuncture in preventing atrial fibrillation recurrences after electrical cardioversion. 2011 , 22, 241-7	61
125	Asymmetric dimethylarginine concentration and recurrence of atrial tachyarrhythmias after catheter ablation in patients with persistent atrial fibrillation. 2011 , 32, 147-54	10
124	Annals of emergency medicine journal club. To shock or not to shock: that is the question; is there an answer? Answers to the January 2011 journal club questions. 2011 , 57, 694-702	
123	C-reactive protein, interleukin 6, and N-terminal pro-brain natriuretic peptide following cardioversion of atrial fibrillation: is there a role of biomarkers in arrhythmia recurrence?. 2011 , 62, 310-6	11
122	2011 ACCF/AHA/HRS focused updates incorporated into the ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation: a report of the American College of Cardiology Foundation/American Heart Association Task Force on practice guidelines. 2011 , 123, e269-367	643
121	The significance of the shape of the left atrial roof as a novel index for determining the electrophysiological and structural characteristics in patients with atrial fibrillation. 2011 , 13, 803-8	28
120	Ibutilide for the Cardioversion of Paroxysmal Atrial Fibrillation during Radiofrequency Ablation of Supraventricular Tachycardias. 2011 , 2011, 270143	
119	Effect of prophylactic amiodarone in a patient with rheumatic valve disease undergoing valve replacement surgery. 2012 , 15, 253-4	

118	The significance of the left atrial volume index in cardioversion success and its relationship with recurrence in patients with non-valvular atrial fibrillation subjected to electrical cardioversion: a study on diagnostic accuracy. 2013 , 13, 18-25	12
117	Minimally invasive surgical therapies for atrial fibrillation. 2012 , 2012, 606324	6
116	Clinical correlates of immediate success and outcome at 1-year follow-up of real-world cardioversion of atrial fibrillation: the Euro Heart Survey. 2012 , 14, 666-74	79
115	Planning and monitoring of patients for electrical cardioversion for atrial fibrillation. 2012 , 20, 148-54	7
114	The use of ranolazine to facilitate electrical cardioversion in cardioversion-resistant patients: a case series. 2012 , 35, 302-7	44
113	Multidimensional ECG-based analysis of cardiac autonomic regulation predicts early AF recurrence after electrical cardioversion. 2012 , 45, 116-22	5
112	Atrial Fibrillation and Flutter: Diagnosis and Treatment. 2013 , 85-100	
111	Low efficacy of cardioversion of persistent atrial fibrillation with the implantable cardioverter-defibrillator. 2013 , 21, 548-53	9
110	Overview of pathophysiology and management of AF. 2013 , 8, 241-249	5
109	Predictors of long-term maintenance of normal sinus rhythm after successful electrical cardioversion. 2014 , 37, 381-5	18
108	Intracoronary injection of adenosine before reperfusion in patients with ST-segment elevation myocardial infarction: a randomized controlled clinical trial. 2014 , 177, 935-41	57
107	The mechanical fibrillation pattern of the atrial myocardium is associated with acute and long-term success of electrical cardioversion in patients with persistent atrial fibrillation. 2014 , 11, 1514-21	4
106	Atrial fibrillation: antiarrhythmic therapy. 2014 , 39, 351-91	5
105	The efficacy and tolerability of commonly used agents to prevent recurrence of atrial fibrillation after successful cardioversion. 2014 , 14, 241-51	3
104	High Atrial Defibrillation Threshold With Internal Cardioversion Indicates Arrhythmogenicity of Superior Vena Cava in Non-Long-Standing Persistent Atrial Fibrillation. 2015 , 79, 1479-85	3
103	Constitutively Active Acetylcholine-Dependent Potassium Current Increases Atrial Defibrillation Threshold by Favoring Post-Shock Re-Initiation. 2015 , 5, 15187	5
102	Concurrent Cardioversion of Atrial Fibrillation during ICD Shock Testing. 2015 , 38, 864-9	
101	Can we predict the failure of electrical cardioversion of acute atrial fibrillation? The FinCV study. 2015 , 38, 368-75	19

100	Improvement of the myocardial performance index in atrial fibrillation patients treated with amiodarone after cardioversion. 2015 , 42, 107-15	4
99	Atrial Fibrillation. 2015 , 33, 597-612	4
98	Baseline NT-ProBNP level predicts success of cardioversion of atrial fibrillation with flecainide. 2015 , 23, 182-9	4
97	Left Atrial Volume Index Predicts Recurrence of Stroke in Patients with Nonsustained Atrial Tachycardia. 2015 , 24, 2408-15	6
96	Atrial fibrillation: review of current treatment strategies. 2016 , 8, E886-E900	35
95	Executive Summary: European Heart Rhythm Association Consensus Document on the Management of Supraventricular Arrhythmias: Endorsed by Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulación Cardíaca y Electrofisiología (SOLEACE). 2016 , 5, 210-224	3
94	The HAS-BLED score predicts long-term major bleeding and death in anticoagulated non-valvular atrial fibrillation patients undergoing electrical cardioversion. 2016 , 217, 42-8	4
93	Long-Term Predictors of Thromboembolic Events in Nonvalvular Atrial Fibrillation Patients Undergoing Electrical Cardioversion. 2016 , 80, 605-12	3
92	Systematic analysis of ECG predictors of sinus rhythm maintenance after electrical cardioversion for persistent atrial fibrillation. 2016 , 13, 1020-1027	13
91	2015 ACC/AHA/HRS guideline for the management of adult patients with supraventricular tachycardia: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. 2016 , 13, e136-221	58
90	2015 ACC/AHA/HRS Guideline for the Management of Adult Patients With Supraventricular Tachycardia: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. 2016 , 67, e27-e115	246
89	2015 ACC/AHA/HRS Guideline for the Management of Adult Patients With Supraventricular Tachycardia: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. 2016 , 133, e506-74	142
88	2015 ACC/AHA/HRS Guideline for the Management of Adult Patients With Supraventricular Tachycardia: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. 2016 , 133, e471-505	46
87	2015 ACC/AHA/HRS guideline for the management of adult patients with supraventricular tachycardia: Executive summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. 2016 , 13, e92-135	16
86	2015 ACC/AHA/HRS Guideline for the Management of Adult Patients With Supraventricular Tachycardia: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. 2016 , 67, 1575-1623	66
85	Impact of thermolysis-derived coronary blood flow patterns after percutaneous coronary intervention on mid-term left ventricular remodeling in patients with ST elevation myocardial infarction. 2017 , 32, 1-7	1
84	Prediction of ineffective elective cardioversion of atrial fibrillation: a retrospective multi-center patient cohort study. 2017 , 17, 33	17
83	Atrial fibrillation and hyperthyroidism: A literature review. 2017 , 69, 545-550	36

82	WITHDRAWN: Electrical cardioversion for atrial fibrillation and flutter. 2017 , 11, CD002903	3
81	The effects of rhythm control strategies versus rate control strategies for atrial fibrillation and atrial flutter: a protocol for a systematic review with meta-analysis and Trial Sequential Analysis. 2017 , 6, 47	4
80	European Heart Rhythm Association (EHRA) consensus document on the management of supraventricular arrhythmias, endorsed by Heart Rhythm Society (HRS), Asia-Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulaci3n Cardiac y Electrofisiologia (SOLAECE). 2017 , 19, 465-511	85
79	Atrial Flutter, Typical and Atypical: A Review. 2017 , 6, 55-62	26
78	The significance of the left atrial volume index in prediction of atrial fibrillation recurrence after electrical cardioversion. 2017 , 9, 54-59	21
77	Cardioversion of persistent atrial fibrillation is associated with a 24-hour relapse gap: Observations from prolonged postcardioversion rhythm monitoring. 2018 , 41, 366-371	3
76	Coarse fibrillatory waves in atrial fibrillation predict success of electrical cardioversion. 2018 , 23, e12528	4
75	Progression of late postoperative atrial fibrillation in patients with tetralogy of Fallot. 2018 , 29, 30-37	5
74	Low cardiovascular event rate and high atrial fibrillation recurrence rate one year after electrical cardioversion. 2018 , 60, e246-e250	2
73	An illness-specific version of the Revised Illness Perception Questionnaire in patients with atrial fibrillation (AF IPQ-R): Unpacking beliefs about treatment control, personal control and symptom triggers. 2018 , 33, 499-517	7
72	Pharmacologic and Nonpharmacologic Management of Atrial Fibrillation. 2019 , 103, 835-846	2
71	50-Year-Old Man With Dyspnea on Exertion, Orthopnea, and Weight Gain. 2019 , 94, e95-e100	
70	Direct Current Cardioversion of Atrial Arrhythmias in Adults With Cardiac Amyloidosis. 2019 , 73, 589-597	62
69	2019 ESC Guidelines for the management of patients with supraventricular tachycardiaThe Task Force for the management of patients with supraventricular tachycardia of the European Society of Cardiology (ESC). 2020 , 41, 655-720	267
68	Catheter ablation of atrial flutter: Critical isthmus identification and localization. 2020 , 39, 315-316	2
67	Cardioversion of atrial fibrillation and atrial flutter revisited: current evidence and practical guidance for a common procedure. 2020 , 22, 1149-1161	19
66	Multicellular Models of Cardiac Arrhythmias: Focus on Atrial Fibrillation. 2020 , 7, 43	14
65	2020 ESC Guidelines for the diagnosis and management of atrial fibrillation developed in collaboration with the European Association for Cardio-Thoracic Surgery (EACTS): The Task Force for the diagnosis and management of atrial fibrillation of the European Society of Cardiology (ESC) Developed with the special contribution of the European Heart Rhythm Association (EHRA) of the ESC. 2021 , 42, 373-498	1676

64	Compressed sensing acceleration of cardiac cine imaging allows reliable and reproducible assessment of volumetric and functional parameters of the left and right atrium. 2021 , 31, 7219-7230	0
63	Stroke due to Left Atrial Appendage Thrombus after Pulmonary Vein Isolation despite Novel Oral Anticoagulant: A Case Report. 2021 , 13, 225-232	0
62	Prevalence and predictors of persistent sinus rhythm after elective electrical cardioversion for atrial fibrillation. 2021 , 22, 626-630	0
61	Guía ESC 2020 sobre el diagnóstico y tratamiento de la fibrilación auricular, desarrollada en colaboración de la European Association of Cardio-Thoracic Surgery (EACTS). 2021 , 74, 437.e1-437.e116	3
60	Contemporary management of persistent atrial fibrillation. 2021 ,	0
59	Non-pharmacological interventions to improve the success of electrical cardioversion in patients with atrial fibrillation. 2021 , 2, e0133	0
58	NHG-Standaard Atriumfibrilleren. 2011 , 313-339	0
57	Characteristics of Patients with Chronic Atrial Fibrillation and the Prediction of Successful DC Electrical Cardioversion. 1992 , 67-86	2
56	Atrial Fibrillation. 2009 , 1069-1132	5
55	Anticoagulation for patients with atrial fibrillation. Editorial may have overinterpreted data. 2000 , 321, 638-9	1
54	Non-invasive characterisation of coronary lesion morphology by multi-slice computed tomography: a promising new technology for risk stratification of patients with coronary artery disease. 2001 , 85, 576-8	38
53	Effects of pretreatment with verapamil on early recurrences after electrical cardioversion of persistent atrial fibrillation: a randomised study. 2001 , 85, 578-80	8
52	Atrial fibrillation begets atrial fibrillation. A study in awake chronically instrumented goats. 1995 , 92, 1954-68	2177
51	Effect of atrial fibrillation on atrial refractoriness in humans. 1996 , 94, 1600-6	223
50	Verapamil reduces tachycardia-induced electrical remodeling of the atria. 1997 , 95, 1945-53	188
49	Electrical remodeling due to atrial fibrillation in chronically instrumented conscious goats: roles of neurohumoral changes, ischemia, atrial stretch, and high rate of electrical activation. 1997 , 96, 3710-20	233
48	Heart rate variability in patients with atrial fibrillation is related to vagal tone. 1997 , 96, 1209-16	78
47	Sinus Node Dysfunction in Atrial Fibrillation: Cause or Effect?. <i>Journal of Atrial Fibrillation</i> , 2008 , 1, 30	0.8 5

- 46 Usefulness of High Sensitivity C-Reactive Protein in Predicting Recurrence of Atrial Fibrillation after Electrical Cardioversion. **2015**, 74, 233-237 2
- 45 Acupuncture for paroxysmal and persistent atrial fibrillation: An effective non-pharmacological tool?. **2012**, 4, 60-5 22
- 44 Clinical experience of new antiarrhythmic drug refralon for pharmacological cardioversion in patients with atrial fibrillation after pulmonary vein cryoablation. **2021**, 28, 55-62
- 43 Experience of pharmacological cardioversion with refralon in persistent atrial fibrillation and flutter according to the data of the cardiology department of Orenburg regional clinical hospital. **2021**, 28, 13-20
- 42 Atrioverter: an implantable device for the treatment of atrial fibrillation. **2000**, 611-620
- 41 Antiarrhythmic Drug Therapy Before Electrical Cardioversion of Atrial Fibrillation: Is It Really Useful?. **2000**, 80-84
- 40 Pacing therapy for atrial fibrillation. **2001**, 68, 15-23
- 39 Effects of pretreatment with verapamil on early recurrences after electrical cardioversion of persistent atrial fibrillation: a randomised study. **2001**, 85, 578-580
- 38 Signal-Averaged P-Wave: How Useful Is It in Identifying Patients at High Risk of Recurrences after Cardioversion?. **2002**, 407-412
- 37 Molecular Mechanisms of Remodeling in Human Atrial Fibrillation. **2002**, 199-212
- 36 Hochaltrige Patienten. **2004**, 563-577
- 35 Cardiac Arrhythmias and the Perioperative Period. **2005**, 323-366
- 34 Adjunctive Pharmacotherapy for Elective Direct Current Cardioversion in Patients With Atrial Fibrillation. **2012**, 3, 158-163 1
- 33 Cardiovascular Disease. **2012**, 478-549
- 32 Disturbances of Cardiac Rhythm. **1993**, 163-194
- 31 Antiarrhythmische Therapie bei Vorhofflimmern: Senkung der Kammerfrequenz oder Kardioversion?. **1994**, 53-67
- 30 Elektrische Therapie von Vorhofflimmern und Vorhofflattern. **1994**, 69-86
- 29 Restoration of Sinus Rhythm: Pharmacological or Electrical?. **1998**, 27-32

28	Role of Implantable Atrial Defibrillators in the Treatment of Atrial Fibrillation. 1998 , 265-270		
27	Antiarrhythmic Drug Administration before Electrical Cardioversion of Atrial Fibrillation: Is It Useful to Prevent Early Arrhythmia Recurrence?. 1998 , 45-50		
26	Criteria for Selection of Patients for Internal Atrial Defibrillator Implantations. 1998 , 287-290		
25	Catheter ablation of atrial flutter: Critical isthmus identification and localization. 2020 , 39, 315-316		
24	Pharmakologische Therapie von Vorhofflimmern und Vorhofflattern. 2007 , 121-139		
23	Therapie des Vorhofflimmerns. 2006 , 115-123		
22	Treatment of Cardiac Arrhythmias. 2005 , 305-328		
21	Vorhofflimmern (VoFl). 2007 , 381-396		
20	Vorhofflimmern (VoFl). 2008 , 381-396		
19	Treatment of nonvalvular atrial fibrillation. <i>Western Journal of Medicine</i> , 1995 , 162, 331-9		7
18	Determinants of successful direct current cardioversion for atrial fibrillation and flutter: the importance of rapid referral. <i>British Journal of General Practice</i> , 2000 , 50, 710-1	1.6	2
17	Baseline NT-Pro-BNP levels and arrhythmia recurrence in outpatients undergoing elective cardioversion of persistent atrial fibrillation: a survival analysis. <i>Indian Pacing and Electrophysiology Journal</i> , 2009 , 9, 15-24	1.5	5
16	Factors related to the early and late success of direct current cardioversion of chronic nonrheumatic atrial fibrillation: An echocardiographic study. <i>Experimental and Clinical Cardiology</i> , 2001 , 6, 200-5		1
15	First And Second-Generation Cryoballoon Ablation Efficacy Restoring And Maintaining Sinus Rhythm In Patients Electrically Selected And Treated For Long-Standing Persistent Atrial Fibrillation After Acute Complete Electrical Disconnection Of Pulmonary Veins From The Left Atrium Demonstrated. <i>Journal of Atrial Fibrillation</i> , 2018 , 8, 1333	0.8	
14	Peak Early Diastolic Transmitral Velocity As A Surrogate Marker Of Short-Term Atrial Fibrillation Recurrence After Electrical Cardioversion. <i>Journal of Atrial Fibrillation</i> , 2015 , 8, 1251	0.8	
13	Alternative Therapies in the Treatment of Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , 2013 , 5, 754	0.8	
12	Medical, interventional, and surgical treatment strategies for atrial fibrillation. <i>Deutsches A&#x0308;rztblatt International</i> ,	2.5	0
11	Efficacy of amiodarone for the prevention of atrial fibrillation recurrence after cardioversion. <i>Cardiovascular Journal of Africa</i> , 2021 , 32, 1-12	0.7	

10	Hyperthyroidism and the Risk of Cardiac Arrhythmias: A Narrative Review. <i>Cureus</i> , 2022 ,	1.2
9	Vorhofflimmern. 2022 , 111, 640-652	
8	Personalizing configuration for atrial fibrillation external electrical cardioversion to improve first shock efficacy. 2022 , 23, 655-662	o
7	Amplitude das Ondas F como Preditor de Tromboembolismo e de Sucesso da Cardiovers� El�trica em Pacientes com Fibrila� Atrial Persistente. 2022 ,	o
6	Eurasian guidelines for the prevention and treatment of cardiovascular diseases in patients with obesity (2022). 2022 , 6-56	o
5	Eurasian guidelines for the prevention and treatment of cardiovascular diseases in patients with obesity (2022). 2022 , 6-56	o
4	Electrical Cardioversion for Persistent Atrial Fibrillation in the Era of Catheter Ablation: A Real-world Observational Study. 2022 , 8, 25	o
3	Techniques improving electrical cardioversion success for patients with atrial fibrillation: a systematic review and meta-analysis.	o
2	Epidemiology, Mechanisms, and Management of Atrial Fibrillation in Cardiac Amyloidosis. 2023 , 48, 101571	o
1	Incidence, Risk Factors, and Outcomes of Incident Atrial Fibrillation in Patients With Graves Disease. 2023 ,	o