CITATION REPORT List of articles citing

Effects on quality of life with comprehensive rehabilitation after acute myocardial infarction

DOI: 10.1016/0002-9149(91)90870-q American Journal of Cardiology, 1991, 67, 1084-9.

Source: https://exaly.com/paper-pdf/22434711/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 293 | Economic evaluation of cardiac rehabilitation soon after acute myocardial infarction. <i>American Journal of Cardiology</i> , 1993 , 72, 154-61 | 3 | 151 |
| 292 | Secondary prevention after acute myocardial infarction. American Journal of Cardiology, 1993, 72, 759- | 623 | 88 |
| 291 | A self-administered quality-of-life questionnaire after acute myocardial infarction. 1993 , 46, 1249-56 | | 105 |
| 290 | Issues in contemporary cardiac rehabilitation: a historical perspective. <i>Journal of the American College of Cardiology</i> , 1993 , 21, 822-34 | 15.1 | 93 |
| 289 | Quality of life in cardiovascular disease. 1993 , 69, 460-6 | | 42 |
| 288 | Quality of life six months after myocardial infarction treated with thrombolytic therapy. AUS-TASK Group. Australian arm of International tPA/SK Mortality Trial. 1994 , 161, 532-6 | | 52 |
| 287 | An economic analysis of strategies for the use of contrast media for diagnostic cardiac catheterization. 1994 , 14, 325-35 | | 13 |
| 286 | The involvement of the spouse in cardiac rehabilitation. 1994 , 15, 203-218 | | 9 |
| 285 | Moricizine and quality of life in the Cardiac Arrhythmia Suppression Trial II (CAST II). 1994 , 15, 437-49 | | 12 |
| 284 | Stress management in cardiac patients: a preliminary study of the predictors of improvement in quality of life. <i>Journal of Psychosomatic Research</i> , 1994 , 38, 267-80 | 4.1 | 34 |
| 283 | Cognitive-behavioural interventions in cardiac rehabilitation. <i>Journal of Psychosomatic Research</i> , 1994 , 38, 169-82 | 4.1 | 38 |
| 282 | Behavioral changes following chronic myocardial infarction in rats. 1994 , 56, 585-9 | | 41 |
| 281 | Quality of life after myocardial infarction. 1994 , 47, 1287-96 | | 118 |
| 280 | Cardiac rehabilitation: the role of psychological intervention. 1994 , 11, 151-152 | | 2 |
| 279 | Medical treatment of myocardial infarction in France and Northern Ireland. Results from the ECTIM study. Enqu £ e cas-Tmoins de l'Infarctus du Myocarde. 1995 , 16, 348-53 | | 5 |
| 278 | Evaluation of a home-based rehabilitation programme for patients recovering from acute myocardial infarction. 1995 , 11, 10-9 | | 33 |
| 277 | Enhancing emotional well-being by comprehensive rehabilitation in patients with coronary heart disease. 1995 , 16, 1070-8 | | 41 |

| 276 | Cardiac rehabilitation: how can it be improved?. Journal of Psychosomatic Research, 1995, 39, 519-23 | 4.1 | 17 |
|--------------------------|---|-----|---------------------|
| 275 | A randomised controlled trial of community based counselling among those discharged from hospital with ischaemic heart disease. 1995 , 25, 362-4 | | 20 |
| 274 | Proceedings of the Annual Scientific Meeting of the Australian Rheumatology Association. 1995 , 25, 382-408 | | |
| 273 | Alteplase: a pharmacoeconomic evaluation of its use in the management of myocardial infarction. 1995 , 8, 428-59 | | 5 |
| 272 | 'Quality of life' after therapy in rats with myocardial infarction: dissociation between hemodynamic and behavioral improvement. 1996 , 298, 17-25 | | 6 |
| 271 | Anxiety and depression after acute myocardial infarction. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 1996 , 25, 98-107 | 2.6 | 99 |
| 270 | Cardiac Rehabilitation as Secondary Prevention: Quick Reference Guide for Clinicians. 1996 , 4, 97-126 | | |
| 269 | Ergebnisorientierte Evaluation kardiologischer Rehabilitation. 1996 , 4, 335-348 | | 1 |
| 268 | Comparison of standard- and extended-length participation in cardiac rehabilitation on body composition, functional capacity, and blood lipids. <i>American Journal of Cardiology</i> , 1996 , 78, 769-73 | 3 | 48 |
| | | | |
| 267 | An improved questionnaire for assessing quality of life after acute myocardial infarction. <i>Quality of Life Research</i> , 1996 , 5, 151-61 | 3.7 | 149 |
| 267 266 | | 3.7 | 149 |
| | Life Research, 1996 , 5, 151-61 | 3.7 | ,, |
| 266 | Life Research, 1996, 5, 151-61 Quick Reference Guide for Clinicians Cardiac Rehabilitation as Secondary Prevention. 1996, 8, 183-195 | 3.7 | 1 |
| 266 265 | Life Research, 1996, 5, 151-61 Quick Reference Guide for Clinicians Cardiac Rehabilitation as Secondary Prevention. 1996, 8, 183-195 Outcomes measurement: health-related quality of life. 1996, 8, 82-93 | 3.7 | 1 |
| 266 265 264 | Quick Reference Guide for Clinicians Cardiac Rehabilitation as Secondary Prevention. 1996, 8, 183-195 Outcomes measurement: health-related quality of life. 1996, 8, 82-93 Outcomes measurement: health state preferences and economic evaluation. 1996, 8, 94-102 | 3.7 | 1 19 14 |
| 266 265 264 263 | Quick Reference Guide for Clinicians Cardiac Rehabilitation as Secondary Prevention. 1996, 8, 183-195 Outcomes measurement: health-related quality of life. 1996, 8, 82-93 Outcomes measurement: health state preferences and economic evaluation. 1996, 8, 94-102 Screening for Mild Thyroid Failure at the Periodic Health Examination. 1996, 276, 285 | 3.7 | 1 19 14 91 |
| 266 265 264 263 | Quick Reference Guide for Clinicians Cardiac Rehabilitation as Secondary Prevention. 1996, 8, 183-195 Outcomes measurement: health-related quality of life. 1996, 8, 82-93 Outcomes measurement: health state preferences and economic evaluation. 1996, 8, 94-102 Screening for Mild Thyroid Failure at the Periodic Health Examination. 1996, 276, 285 Risk stratification after myocardial infarction. 1997, 126, 561-82 | 3.7 | 1 19 14 91 83 |

| 258 | Evidence for the effectiveness of cardiac rehabilitation. 1997 , 1, 64-74 | 9 |
|--------------------------|--|--------------|
| 257 | Cardiac rehabilitation: do exercise programmes make a difference?. 1997 , 1, 193-199 | 6 |
| 256 | Factors associated with work resumption: a 5 year follow-up with cardiac patients. 1997 , 59, 291-7 | 20 |
| 255 | Predictors of quality of life after hospital admission for heart attack or angina. 1997 , 59, 161-6 | 39 |
| 254 | Evidence for the effectiveness of cardiac rehabilitation. 1998 , 14, 38-48 | 17 |
| 253 | Physical activity and cardiac rehabilitation: a critical review of the literature. 1998 , 2, 179-186 | 3 |
| 252 | Effects of interventions in health care settings on physical activity or cardiorespiratory fitness. 1998 , 15, 413-30 | 109 |
| 251 | Secondary prevention of coronary heart disease. 1998 , 79, 1006-17 | 8 |
| 250 | Cardiac Rehabilitation. 1998 , 4, 143-156 | 4 |
| | | |
| 249 | Cardiac rehabilitation in the elderly. 1998 , 10, 273-83 | 1 |
| 249 248 | Cardiac rehabilitation in the elderly. 1998, 10, 273-83 Aims, design and enrollment rate of the Cardiac Rehabilitation in Advanced Age (CR-AGE) randomized, controlled trial. 1998, 10, 368-76 | 5 |
| | Aims, design and enrollment rate of the Cardiac Rehabilitation in Advanced Age (CR-AGE) | |
| 248 | Aims, design and enrollment rate of the Cardiac Rehabilitation in Advanced Age (CR-AGE) randomized, controlled trial. 1998 , 10, 368-76 Protection motivation theory and the prediction of exercise and low-fat diet behaviours among | 5 |
| 248 | Aims, design and enrollment rate of the Cardiac Rehabilitation in Advanced Age (CR-AGE) randomized, controlled trial. 1998, 10, 368-76 Protection motivation theory and the prediction of exercise and low-fat diet behaviours among Australian cardiac patients. 1998, 13, 411-429 | 5 |
| 248 247 246 | Aims, design and enrollment rate of the Cardiac Rehabilitation in Advanced Age (CR-AGE) randomized, controlled trial. 1998, 10, 368-76 Protection motivation theory and the prediction of exercise and low-fat diet behaviours among Australian cardiac patients. 1998, 13, 411-429 Cardiac rehabilitation: structure, effectiveness and the future. 1998, 7, 1033-40 | 5 |
| 248 247 246 245 | Aims, design and enrollment rate of the Cardiac Rehabilitation in Advanced Age (CR-AGE) randomized, controlled trial. 1998, 10, 368-76 Protection motivation theory and the prediction of exercise and low-fat diet behaviours among Australian cardiac patients. 1998, 13, 411-429 Cardiac rehabilitation: structure, effectiveness and the future. 1998, 7, 1033-40 Exercãio para pacientes com doenā arterial coronariana. 1998, 4, 122-126 Quality of life four years after acute myocardial infarction: short form 36 scores compared with a | 5 64 9 |
| 248 247 246 245 | Aims, design and enrollment rate of the Cardiac Rehabilitation in Advanced Age (CR-AGE) randomized, controlled trial. 1998, 10, 368-76 Protection motivation theory and the prediction of exercise and low-fat diet behaviours among Australian cardiac patients. 1998, 13, 411-429 Cardiac rehabilitation: structure, effectiveness and the future. 1998, 7, 1033-40 Exercçio para pacientes com doenë arterial coronariana. 1998, 4, 122-126 Quality of life four years after acute myocardial infarction: short form 36 scores compared with a normal population. 1999, 81, 352-8 Cardiac rehabilitation: socially deprived patients are less likely to attend but patients ineligible for | 5 64 9 |

(2000-1999)

| 2 40 | Neurocognitive functioning and improvement in quality of life following participation in cardiac rehabilitation. <i>American Journal of Cardiology</i> , 1999 , 83, 1374-8 | 3 | 84 |
|-------------|--|-----|-----|
| 239 | Psychosocial outcome assessments for use in cardiac rehabilitation service evaluation: a 10-year systematic review. 1999 , 48, 1373-93 | | 55 |
| 238 | Review of quality-of-life evaluations in patients with angina pectoris. 1999 , 16, 141-52 | | 29 |
| 237 | Effects of exercise rehabilitation in the elderly. 1999 , 3, 117-120 | | 1 |
| 236 | Rehabilitation following myocardial infarction: Evaluation of both fast-trackland low level exercise on both physical and psychological parameters. 1999 , 3, 178-182 | | 2 |
| 235 | [Quality of life and social support in patients with non-complicated acute myocardial infarct]. 1999 , 52, 467-74 | | 5 |
| 234 | Personal perceptions and women's participation in cardiac rehabilitation. 1999 , 24, 158-65 | | 17 |
| 233 | Cardiac rehabilitation in older coronary patients. 1999 , 47, 98-105 | | 40 |
| 232 | Impaired heart rate response during incremental exercise in patients with acute myocardial infarction and after coronary artery bypass grafting: evaluation of coefficients with Karvonen's formula. 2000 , 64, 851-5 | | 11 |
| 231 | Design of a randomized controlled trial of comprehensive rehabilitation in patients with myocardial infarction, stabilized acute coronary syndrome, percutaneous transluminal coronary angioplasty or coronary artery bypass grafting: Akershus Comprehensive Cardiac Rehabilitation Trial (the CORE | | 11 |
| 230 | Exercise adherence among older adults: challenges and strategies. 2000 , 21, 212S-7S | | 115 |
| 229 | Physiologic and related behavioral outcomes from the Women's Lifestyle Heart Trial. <i>Annals of Behavioral Medicine</i> , 2000 , 22, 1-9 | 4.5 | 95 |
| 228 | Measuring the health related quality of life of people with ischaemic heart disease. 2000 , 83, 641-4 | | 123 |
| 227 | Quality of Life and Self Efficacy in Cardiac Rehabilitation Patients Over 70 Years of Age Following Acute Myocardial Infarction and Bypass Revascularization Surgery. 2000 , 9, 210-218 | | 14 |
| 226 | Time to reevaluate risk stratification guidelines for medically supervised exercise training in patients with coronary artery disease. 2000 , 283, 1476-8 | | 2 |
| 225 | Support Group Intervention for Women with Osteoporosis. 2000 , 25, 88-92 | | 8 |
| 224 | Cardiac rehabilitation: a review of current developments. 2000 , 20, 923-43 | | 36 |
| 223 | The psychosocial and physical impact of exercise rehabilitation following coronary artery bypass surgery. 2000 , 4, 63-70 | | 11 |

| 222 | Effects of exercise and cardiac rehabilitation on cardiovascular outcomes. 2000 , 84, 251-65, x-xi | | 37 |
|-------------|---|----|-----|
| 221 | [Adaptation of the MacNew QLMI quality of life questionnaire after myocardial infarction to be used in the Spanish population]. 2000 , 115, 768-71 | | 18 |
| 220 | Cardiac rehabilitation and secondary prevention of coronary heart disease. 2001 , 345, 892-902 | | 551 |
| 219 | Developing interventions for chronically ill patients: is coping a helpful concept?. 2001 , 21, 205-40 | | 146 |
| 218 | Exercise-based rehabilitation for coronary heart disease. 2000 , CD001800 | | 272 |
| 217 | [Return to occupational and sexual activity after myocardial revascularization surgery]. <i>Revista Latino-Americana De Enfermagem</i> , 2001 , 9, 26-31 | 5 | 8 |
| 216 | Indicators of myocardial dysfunction and quality of life, one year after acute infarction. 2001, 3, 561-8 | | 13 |
| 215 | Changes in the quality of life: a major goal of cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2001 , 21, 189-200 | | 43 |
| 214 | Cost-analysis of gym-based versus home-based cardiac rehabilitation programs. <i>Australian Health Review</i> , 2001 , 24, 51-61 | .8 | 19 |
| 213 | Cardiac rehabilitation: a comprehensive review. 2001 , 2, 221-232 | | 19 |
| 212 | [Developing evidence based guidelines on cardiac rehabilitation - phase 1: a qualitative review]. 2002 , 41, 226-36 | | 6 |
| 211 | Number needed to treat in cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2002 , 22, 22-30 | | 27 |
| 2 10 | Patient characteristics and outcomes of cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2002 , 22, 253-60 | | 50 |
| 209 | The case for cardiac rehabilitation after coronary revascularization: achieving realistic outcome assessments. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2002 , 22, 418-20 | | 2 |
| 208 | The quality of life in chronic diseaseheart failure is as bad as it gets. 2002, 23, 1806-8 | | 9 |
| 207 | Comorbidity of depression with other medical diseases in the elderly. 2002 , 52, 559-88 | | 206 |
| 206 | Trial of the effects of an advice and relaxation tape given within the first 24 h of admission to hospital with acute myocardial infarction. 2002 , 82, 107-14; discussion 115-6 | | 13 |
| 205 | Factors influencing health-related quality of life in cardiac rehabilitation patients. 2002 , 17, 124-31, 154 | | 18 |

(2003-2002)

| 204 | The MacNew heart disease health-related quality of life instrument: reference data for users. <i>Quality of Life Research</i> , 2002 , 11, 173-83 | 3.7 | 112 |
|-----|---|-----|-----|
| 203 | Development and validation of a short measure of health status for individuals with acute myocardial infarction: the myocardial infarction dimensional assessment scale (MIDAS). <i>Quality of Life Research</i> , 2002 , 11, 535-43 | 3.7 | 34 |
| 202 | Health-related quality of life in patients with coronary artery disease treated for angina: validity and reliability of German translations of two specific questionnaires. <i>Quality of Life Research</i> , 2003 , 12, 199-212 | 3.7 | 58 |
| 201 | Health-related quality of life in patients with coronary artery disease after different treatments for angina in routine clinical practice. 2003 , 28, 421-8 | | 57 |
| 200 | Long-term changes in exercise capacity, quality of life, body anthropometry, and lipid profiles after a cardiac rehabilitation program in obese patients with coronary heart disease. <i>American Journal of Cardiology</i> , 2003 , 91, 321-5 | 3 | 59 |
| 199 | Effectiveness of home-based cardiac rehabilitation for special needs patients. 2003 , 41, 121-9 | | 18 |
| 198 | Effects of a comprehensive cardiac rehabilitation program on quality of life and exercise tolerance in women: A retrospective analysis. 2003 , 4, 1 | | 27 |
| 197 | Effects of exercise and cardiac rehabilitation on cardiovascular outcomes. 2003 , 21, 435-48, viii | | 25 |
| 196 | Quality of life in patients with coronary heart disease-I: assessment tools. <i>Health and Quality of Life Outcomes</i> , 2003 , 1, 42 | 3 | 71 |
| 195 | Improved exercise tolerance and quality of life with cardiac rehabilitation of older patients after myocardial infarction: results of a randomized, controlled trial. 2003 , 107, 2201-6 | | 215 |
| 194 | Psychological assessments for cardiac rehabilitation patients. 2003 , 92, 201-7 | | 10 |
| 193 | Quantifying quality of life for economic analysis: time out for time tradeoff. 2003 , 29, 81-6 | | 33 |
| 192 | Risk factor profile and achievement of treatment goals among hypertensive patients from the Israeli Blood Pressure Control (IBPC) programinitial cost utility analysis. 2003 , 12, 225-31 | | 5 |
| 191 | Factors associated with non-attendance at a secondary prevention clinic for cardiac patients. <i>European Journal of Cardiovascular Nursing</i> , 2003 , 2, 151-7 | 3.3 | 15 |
| 190 | The Perceived Benefits of a Group CBT Intervention for Patients With Coronary Heart Disease. 2003 , 17, 59-65 | | 3 |
| | | | |
| 189 | The psychometric properties of four quality of life instruments used in cardiovascular populations. Journal of Cardiopulmonary Rehabilitation and Prevention, 2003 , 23, 122-38 | | 19 |
| 189 | | | 3 |

| 186 | Quality of life and self-efficacy: gender and diagnoses considerations for management during cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2003 , 23, 299-306 | 41 |
|-----|---|------|
| 185 | Exercise training for heart failure patients improves respiratory muscle endurance, exercise tolerance, breathlessness, and quality of life. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2003 , 23, 10-6 | 36 |
| 184 | Research and commentary: Change in exercise tolerance, activity and sleep patterns, and quality of life in patients with cancer participating in a structured exercise program. 2003 , 30, 441-54; discussion 441-54 | 70 |
| 183 | Effects of phase III cardiac rehabilitation programs on health-related quality of life in elderly patients with coronary artery disease: Juntendo Cardiac Rehabilitation Program (J-CARP). 2003 , 67, 73-7 | 68 |
| 182 | MacNew Heart Disease LebensqualitEsfragebogen nach Herzinfarkt:. 2004 , 33, 270-280 | 22 |
| 181 | Cardiac rehabilitation programmes: predictors of non-attendance and drop-out. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2004 , 11, 328-35 | 115 |
| 180 | Women and cardiac rehabilitation: a review of the literature. 2003 , 16, 92-101 | 3 |
| 179 | Swedish Council on Technology Assessment in Health Care (SBU). Chapter 8. Sick leave due to coronary artery disease or stroke. 2004 , 63, 181-206 | 40 |
| 178 | Change in quality of life in the year following cardiac rehabilitation. <i>Quality of Life Research</i> , 2004 , 13, 399-410 | 33 |
| 177 | The MacNew Heart Disease health-related quality of life instrument: a summary. <i>Health and Quality of Life Outcomes</i> , 2004 , 2, 3 | 162 |
| 176 | Exercise-based rehabilitation for patients with coronary heart disease: systematic review and meta-analysis of randomized controlled trials. 2004 , 116, 682-92 | 1560 |
| 175 | A short course of cardiac rehabilitation program is highly cost effective in improving long-term quality of life in patients with recent myocardial infarction or percutaneous coronary intervention. 2004 , 85, 1915-22 | 110 |
| 174 | Optimizing risk stratification in cardiac rehabilitation with inclusion of a comorbidity index. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2004 , 24, 8-13; quiz 14-5 | 19 |
| 173 | Do men and women achieve similar benefits from cardiac rehabilitation?. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2004 , 24, 45-51 | 23 |
| 172 | Psychological interventions for coronary heart disease. 2004 , CD002902 | 91 |
| 171 | Improvement in physiological outcomes and health-related quality of life following cardiac rehabilitation in patients with acute myocardial infarction. 2004 , 68, 315-20 | 78 |
| 170 | Depression screening in cardiac rehabilitation: AACVPR Task Force Report. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2005 , 25, 11-3 | 22 |
| 169 | Assessment of quality of life with 5 different scales in patients participating in comprehensive cardiac rehabilitation after acute myocardial infarction. 2005 , 69, 1527-34 | 23 |

(2006-2005)

| 168 | Are QALYs based on time trade-off comparable?A systematic review of TTO methodologies. 2005 , 14, 39-53 | | 80 |
|-----|--|-----|-----|
| 167 | Utility in Health Studies. 2005, | | |
| 166 | Cost-effectiveness of rehabilitation after an acute coronary event: a randomised controlled trial. 2005 , 183, 450-5 | | 76 |
| 165 | Cardiac rehabilitation services in Denmark: still room for expansion. 2005 , 33, 376-83 | | 16 |
| 164 | The Euro Cardio-QoL Project. An international study to develop a core heart disease health-related quality of life questionnaire, the HeartQoL. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 87-94 | | 36 |
| 163 | Resumption and maintenance of employment after a first acute myocardial infarction: sociodemographic, vocational and medical predictors. 2005 , 103, 37-43 | | 10 |
| 162 | Determinants of health-related quality of life in coronary artery disease patients: a prospective study generating a structural equation model. <i>Psychosomatics</i> , 2005 , 46, 212-23 | 2.6 | 80 |
| 161 | Do illness perceptions predict attendance at cardiac rehabilitation and quality of life following myocardial infarction?. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 315-22 | 4.1 | 61 |
| 160 | Prevalence and patterns of anxiety and depression in patients undergoing elective percutaneous transluminal coronary angioplasty. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2005 , 34, 393-401 | 2.6 | 35 |
| 159 | A randomized clinical trial of hospital-based, comprehensive cardiac rehabilitation versus usual care for patients with congestive heart failure, ischemic heart disease, or high risk of ischemic heart disease (the DANREHAB trial)design, intervention, and population. <i>American Heart Journal</i> , 2005 , | 4.9 | 18 |
| 158 | Quality of life after acute myocardial infarction: a comparison of diabetic versus non-diabetic acute myocardial infarction patients in Quebec acute care hospitals. <i>Health and Quality of Life Outcomes</i> , 2005 , 3, 80 | 3 | 17 |
| 157 | Cost-effectiveness of alternative treatments for women with osteoporosis in Canada. 2006 , 22, 1425-30 | 6 | 38 |
| 156 | Reabilita® card@ca com @fase no exerc@io: uma revis® sistem@ca. 2006 , 12, 279-285 | | 6 |
| 155 | 7. Sport for special groups. 2006 , 184, 297-302 | | 9 |
| 154 | Physical activity for people with cardiovascular disease: recommendations of the National Heart Foundation of Australia. 2006 , 184, 71-5 | | 57 |
| 153 | The management of depression in patients with coronary heart disease. 109-124 | | 2 |
| 152 | Evidence for prescribing exercise as therapy in chronic disease. 2006 , 16 Suppl 1, 3-63 | | 814 |
| 151 | Is psychometric scoring of the McNew Quality of Life after Myocardial Infarction questionnaire superior to the clinimetric scoring? A comparison of the two approaches. <i>Quality of Life Research</i> , 2006 , 15, 357-65 | 3.7 | 19 |

| 150 | Psychosocial and cultural influences on cardiovascular health and quality of life among Hispanic cardiac patients in South Florida. 2006 , 29, 255-68 | | 31 |
|-----|---|-----|-----|
| 149 | Cardiac rehabilitation in Austria: short term quality of life improvements in patients with heart disease. 2006 , 118, 744-53 | | 15 |
| 148 | Quality of life assessment in cardiac populations. 2006 , 118, 715-7 | | O |
| 147 | Quality of life in dementia in perspective: An explorative study of variations in opinions among people with dementia and their professional caregivers, and in literature. 2006 , 5, 533-558 | | 106 |
| 146 | Physical activity and negative emotional response after percutaneous coronary intervention. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 254-60 | | 2 |
| 145 | An evaluation of two behavioral rehabilitation programs, qigong versus progressive relaxation, in improving the quality of life in cardiac patients. 2006 , 12, 373-8 | | 31 |
| 144 | Goal setting as an outcome measure: A systematic review. 2006 , 20, 756-72 | | 246 |
| 143 | Validation of the EuroQol questionnaire in cardiac rehabilitation. 2006 , 92, 62-7 | | 115 |
| 142 | Secondary prevention programmes for coronary heart disease: a meta-regression showing the merits of shorter, generalist, primary care-based interventions. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 538-46 | | 58 |
| 141 | Cardiovascular Prevention and Rehabilitation. 2007, | | 14 |
| 140 | The rise and fall of cardiac rehabilitation in the United Kingdom since 1998. 2007 , 29, 57-61 | | 44 |
| 139 | Cardiac rehabilitation outcomes no different after on-pump versus off-pump coronary artery bypass surgery. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2007 , 27, 35-41 | 3.6 | 1 |
| 138 | Emotional and adjustment issues faced by cardiac patients seen in clinical practice: a qualitative survey of experienced clinicians. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2007 , 27, 291-7 | 3.6 | 14 |
| 137 | Trajectories of recovery of quality of life in women after an acute cardiac event. 2007 , 12, 1-15 | | 24 |
| | | | |
| 136 | Religiosity and Spirituality: Influence on Quality of Life and Perceived Patient Self-Efficacy among Cardiac Patients and Their Spouses. <i>Journal of Religion and Health</i> , 2007 , 46, 299-313 | 2.6 | 21 |
| 136 | | 2.6 | 6 |
| | Cardiac Patients and Their Spouses. <i>Journal of Religion and Health</i> , 2007 , 46, 299-313 | 2.6 | |

| 132 | A prospective, controlled multisite study of psychosocial and behavioral change following women's cardiac rehabilitation participation. 2008 , 17, 241-8 | 18 |
|-----|---|-----|
| 131 | Hospital-based comprehensive cardiac rehabilitation versus usual care among patients with congestive heart failure, ischemic heart disease, or high risk of ischemic heart disease: 12-month 4.9 results of a randomized clinical trial. <i>American Heart Journal</i> , 2008 , 155, 1106-13 | 72 |
| 130 | Community or patient preferences for cost-effectiveness of cardiac rehabilitation: does it matter?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 608-15 | 19 |
| 129 | The impact of peripheral arterial disease on health-related quality of life in the Peripheral Arterial Disease Awareness, Risk, and Treatment: New Resources for Survival (PARTNERS) Program. 2008 , 13, 15-24 | 217 |
| 128 | Effects of phase II cardiac rehabilitation on job stress and health-related quality of life after return to work in middle-aged patients with acute myocardial infarction. 2009 , 50, 279-90 | 27 |
| 127 | Quality of life after coronary artery bypass graft surgery in the elderly. <i>European Journal of Cardiovascular Nursing</i> , 2009 , 8, 74-81 | 20 |
| 126 | Gender differences in cardiac patients: a longitudinal investigation of exercise, autonomic anxiety, negative affect and depression. 2009 , 14, 375-85 | 18 |
| 125 | Multicenter randomized controlled trial of a home walking intervention after outpatient cardiac rehabilitation on health-related quality of life in women. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 633-7 | 16 |
| 124 | Psychometric properties of MacNew Heart Disease Health-related Quality of Life Questionnaire: Brazilian version. 2009 , 65, 1084-94 | 12 |
| 123 | A cost-effectiveness model comparing endovascular repair to open surgical repair of abdominal aortic aneurysms in Canada. 2009 , 12, 245-52 | 29 |
| 122 | Service and business model for technology enabled and home-based cardiac rehabilitation programs. 2009 , 2009, 303-7 | 3 |
| 121 | Reliability of World Health Organization's Quality of Life-BREF versus Short Form 36 Health Survey questionnaires for assessment of quality of life in patients with coronary artery disease. 2009 , 10, 316-21 | 14 |
| 120 | [Health-related quality of life, anxiety and depression before and after coronary artery bypass grafting]. 2010 , 160, 44-53 | 7 |
| 119 | [Quality of life in dementia, opinions among people with dementia, their professional caregivers, and in literature]. 2010 , 41, 241-55 | 6 |
| 118 | Cardiorespiratory fitness and quality of life at different exercise intensities after myocardial infarction. 2010 , 95, 399-404 | 15 |
| 117 | Exercise-based cardiac rehabilitation for coronary heart disease. 2011 , CD001800 | 461 |
| 116 | Efficacy of exercise-based cardiac rehabilitation post-myocardial infarction: a systematic review and meta-analysis of randomized controlled trials. <i>American Heart Journal</i> , 2011 , 162, 571-584.e2 | 419 |
| 115 | Tai chi enhances the effects of endurance training in the rehabilitation of elderly patients with chronic heart failure. 2011 , 2011, 761958 | 35 |

| 114 | Psychological and pharmacological interventions for depression in patients with coronary artery disease. <i>The Cochrane Library</i> , 2011 , CD008012 | 5.2 | 106 |
|-----|--|-----|-----|
| 113 | Clinical and functional predictors of health-related quality of life during cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2011 , 31, 223-9 | 3.6 | 5 |
| 112 | The impact of high-calorie-expenditure exercise on quality of life in older adults with coronary heart disease. 2011 , 19, 99-116 | | 14 |
| 111 | . 2011, | | 1 |
| 110 | Long-term effects of an expanded cardiac rehabilitation programme after myocardial infarction or coronary artery bypass surgery: a five-year follow-up of a randomized controlled study. 2011 , 25, 79-87 | | 31 |
| 109 | Cardiac rehabilitation Imoving forward with new models of care. 2011 , 16, 31-38 | | 3 |
| 108 | Is EQ-5D a valid quality of life instrument in patients with acute coronary syndrome?. 2011 , 11, 156-62 | | 11 |
| 107 | The effect of individual training and counselling programme for patients with myocardial infarction over patients' quality of life. 2012 , 18, 445-53 | | 3 |
| 106 | Psychometric properties of the German version of the MacNew heart disease health-related quality of life questionnaire. <i>Health and Quality of Life Outcomes</i> , 2012 , 10, 83 | 3 | 6 |
| 105 | The MacNew Heart Disease Health-Related Quality of Life Questionnaire in patients with angina and patients with ischemic heart failure. 2012 , 15, 143-50 | | 30 |
| 104 | Cardiac rehabilitation may not provided a quality of life benefit in coronary artery disease patients. 2012 , 12, 406 | | 4 |
| 103 | Psychometric properties of the Flemish version of the MacNew heart disease health-related quality of life questionnaire. 2012 , 67, 31-9 | | 11 |
| 102 | Health Related Quality of Life in Coronary Patients. 2012, | | 5 |
| 101 | Validation of an instrument to measure the impact of coronary disease on patient's daily life. 2012 , 21, 485-94 | | 4 |
| 100 | Effects of home-based rehabilitation on health-related quality of life and psychological status in Chinese patients recovering from acute myocardial infarction. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2012 , 41, 15-25 | 2.6 | 50 |
| 99 | Assessing acute coronary syndrome patients' cardiac-related beliefs, motivation and mood over time to predict non-attendance at cardiac rehabilitation. 2012 , 68, 2778-88 | | 11 |
| 98 | Changes in illness perceptions and quality of life during participation in cardiac rehabilitation. 2013 , 20, 582-9 | | 25 |
| 97 | Long-term effects of a cardiac rehabilitation program in the control of cardiovascular risk factors. 2013 , 32, 191-199 | | 12 |

| [Long-term effects of a cardiac rehabilitation program in the control of cardiovascular risk factors]. 2013 , 32, 191-9 | | 22 |
|---|--|--|
| Characteristics of psychological interventions that improve depression in people with coronary heart disease: a systematic review and meta-regression. 2013 , 75, 211-21 | | 86 |
| Psychosocial outcomes of an exercise maintenance intervention after phase II cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2013 , 33, 91-8 | 3.6 | 14 |
| Build it and they will come: outcomes from a successful cardiac rehabilitation program at an Aboriginal Medical Service. <i>Australian Health Review</i> , 2013 , 37, 79-82 | 1.8 | 41 |
| [Measure of disease impact: instrument construct validity in patients with coronary artery disease]. Revista Da Escola De Enfermagem Da USP, 2013 , 47, 843-51 | 1 | 2 |
| Comparison of cardiac rehabilitation programs combined with relaxation and meditation techniques on reduction of depression and anxiety of cardiovascular patients. <i>Open Cardiovascular Medicine Journal</i> , 2013 , 7, 99-103 | 0.7 | 12 |
| VALIDATION OF THE MACNEW QUESTIONNAIRE FOR THE ASSESSMENT OF HEALTH-RELATED QUALITY OF LIFE IN PATIENTS WITH ISHEMIC HEART DISEASE. <i>Rational Pharmacotherapy in Cardiology</i> , 2014 , 10, 584-596 | 0.5 | 1 |
| Utility in Health Studies. 2014 , | | |
| The costs and benefits of technology-enabled, home-based cardiac rehabilitation measured in a randomised controlled trial. <i>Journal of Telemedicine and Telecare</i> , 2014 , 20, 419-22 | 6.8 | 41 |
| Telephone-delivered health coaching improves anxiety outcomes after myocardial infarction: the 'ProActive Heart' trial. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 30-8 | 3.9 | 25 |
| Physical activity matters: associations among body mass index, physical activity, and health-related quality of life trajectories over 10 years. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 1265-75 | 2.5 | 13 |
| Religiosity and religious coping in patients with cardiovascular disease: change over time and associations with illness adjustment. <i>Journal of Religion and Health</i> , 2014 , 53, 1907-17 | 2.6 | 18 |
| Practical and Methodical Components of Conducting Respiratory Gymnastics Programs Involving Hypertensive Subjects. <i>Procedia, Social and Behavioral Sciences</i> , 2014 , 117, 517-521 | | |
| Quality of life of coronary artery disease patients after the implementation of planning strategies for medication adherence. <i>Revista Latino-Americana De Enfermagem</i> , 2015 , 23, 11-9 | 1.5 | 1 |
| Developing a laddered algorithm for the management of intractable epistaxis: a risk analysis. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2015 , 141, 405-9 | 3.9 | 15 |
| Exercise as Treatment for Anxiety: Systematic Review and Analysis. <i>Annals of Behavioral Medicine</i> , 2015 , 49, 542-56 | 4.5 | 160 |
| The Italian MacNew heart disease health-related quality of life questionnaire: a validation study. <i>Internal and Emergency Medicine</i> , 2015 , 10, 359-68 | 3.7 | 3 |
| The dimensional structure of the MacNew Health Related Quality of Life questionnaire: A Mokken Scale Analysis. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 43-8 | 4.1 | 4 |
| | Characteristics of psychological interventions that improve depression in people with coronary heart disease: a systematic review and meta-regression. 2013, 75, 211-21 Psychosocial outcomes of an exercise maintenance intervention after phase II cardiac rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2013, 33, 91-8 Build it and they will come: outcomes from a successful cardiac rehabilitation program at an Aboriginal Medical Service. Australian Health Review, 2013, 37, 79-82 [Measure of disease impact: instrument construct validity in patients with coronary artery disease]. Revista Da Escola De Enfermagem Da U S P, 2013, 47, 843-51 Comparison of cardiac rehabilitation programs combined with relaxation and meditation techniques on reduction of depression and anxiety of cardiovascular patients. Open Cardiovascular Medicine Journal, 2013, 7, 99-103 VALIDATION OF THE MACNEW QUESTIONNAIRE FOR THE ASSESSMENT OF HEALTH-RELATED QUALITY OF LIFE IN PATIENTS WITH ISHEMIC HEART DISEASE. Rational Pharmacotherapy in Cardiology, 2014, 10, 584-596 Utility in Health Studies. 2014, The costs and benefits of technology-enabled, home-based cardiac rehabilitation measured in a randomised controlled trial. Journal of Telemedicine and Telecare, 2014, 20, 419-22 Telephone-delivered health coaching improves anxiety outcomes after myocardial infarction: the 'ProActive Heart' trial. European Journal of Preventive Cardiology, 2014, 21, 30-8 Physical activity matters: associations among body mass index, physical activity, and health-related quality of life trajectories over 10 years. Journal of Religion and Health, 2014, 53, 1907-17 Practical and Methodical Components of Conducting Respiratory Gymnastics Programs Involving Hypertensive Subjects. Procedia, Social and Behavioral Sciences, 2014, 117, 517-521 Quality of life of coronary artery disease patients after the implementation of planning strategies for medication adherence. Revista Latino-Americana De Enfermagem, 2015, 23, 11-9 Developing a laddere | Characteristics of psychological interventions that improve depression in people with coronary heart disease: a systematic review and meta-regression. 2013, 75, 211-21 Psychosocial outcomes of an exercise maintenance intervention after phase II cardiac rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2013, 33, 91-8 Build it and they will come: outcomes from a successful cardiac rehabilitation program at an Aboriginal Medical Service. Australian Health Review, 2013, 37, 79-82 [Measure of disease impact: instrument construct validity in patients with coronary artery disease]. Revista Da Escola De Enfermagem Da U 5 P, 2013, 47, 843-51 Comparison of cardiac rehabilitation programs combined with relaxation and meditation techniques on reduction of depression and anxiety of cardiovascular patients. Open Cardiovascular Medicine Journal, 2013, 7, 99-103 VALIDATION OF THE MACNEW QUESTIONNAIRE FOR THE ASSESSMENT OF HEALTH-RELATED QUALITY OF LIFE IN PATIENTS WITH ISHEMIC HEART DISEASE. Rational Pharmacotherapy in Cardiology, 2014, 10, 584-596 Utility of Life In PATIENTS WITH ISHEMIC HEART DISEASE. Rational Pharmacotherapy in Cardiology, 2014, 10, 584-596 Utility matters: associations among body mass index, physical activity, and health-related quality of life trajectories over 10 years. Journal of Physical Activity and Health, 2014, 11, 1265-75 Religiosity and religious coping in patients with cardiovascular disease: change over time and associations with illness adjustment. Journal of Religion and Health, 2014, 53, 1907-17 Practical and Methodical Components of Conducting Respiratory Gymnastics Programs Involving Hypertensive Subjects. Procedia, Social and Behavioral Sciences, 2014, 117, 517-521 Quality of life of coronary artery disease patients after the implementation of planning strategies for medication adherence. Revista Latino-Americana De Enfermagem, 2015, 23, 11-9 Developing a laddered algorithm for the management of intractable epistaxis: a risk analysis. JAMA Coloraryngology |

| 78 | Early exercise-based rehabilitation improves health-related quality of life and functional capacity after acute myocardial infarction: a randomized controlled trial. <i>Canadian Journal of Cardiology</i> , 2015 , 31, 308-13 | 3.8 | 47 |
|-----------|--|------|-----|
| 77 | Recomendaciones sobre rehabilitaciñ cardñca en la cardiopatñ isquínica de la Sociedad de Rehabilitaciñ Cardio-Respiratoria (SORECAR). <i>Rehabilitacion</i> , 2015 , 49, 102-124 | 1 | 4 |
| 76 | The sustainability of exercise capacity changes in home versus center-based cardiac rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2015, 35, 21-8 | 3.6 | 16 |
| <i>75</i> | Religiosity and Spirituality During Cardiac Rehabilitation: A LONGITUDINAL EVALUATION OF PATIENT-REPORTED OUTCOMES AND EXERCISE CAPACITY. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2015 , 35, 246-54 | 3.6 | 4 |
| 74 | Can physical activity be used as a tool to reduce depression in patients after a cardiac event? What is the evidence? A systematic literature study. <i>Scandinavian Journal of Psychology</i> , 2015 , 56, 175-81 | 2.2 | 6 |
| 73 | Time Trade-Off as a Measure of Health-Related Quality of Life: Long Bone Nonunions Have a Devastating Impact. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015 , 97, 1406-10 | 5.6 | 48 |
| 72 | Validation of the French version of the MacNew heart disease health-related quality of life questionnaire. <i>Archives of Cardiovascular Diseases</i> , 2015 , 108, 107-17 | 2.7 | 7 |
| 71 | Effects of resistance training combined with moderate-intensity endurance or low-volume high-intensity interval exercise on cardiovascular risk factors in patients with coronary artery disease. <i>Journal of Science and Medicine in Sport</i> , 2015 , 18, 637-42 | 4.4 | 43 |
| 70 | Exercise-based cardiac rehabilitation for coronary heart disease. <i>The Cochrane Library</i> , 2016 , CD001800 | 5.2 | 271 |
| 69 | The Use of Biomarkers for the Early Detection of Vulnerable Atherosclerotic Plaques and Vulnerable Patients. A Review. <i>Journal of Cardiovascular Emergencies</i> , 2016 , 2, 106-113 | 0.3 | 8 |
| 68 | Treatment of anxiety in patients with coronary heart disease: Rationale and design of the UNderstanding the benefits of exercise and escitalopram in anxious patients WIth coroNary heart Disease (UNWIND) randomized clinical trial. <i>American Heart Journal</i> , 2016 , 176, 53-62 | 4.9 | 23 |
| 67 | Association Between Cardiac Rehabilitation Participation and Health Status Outcomes After Acute Myocardial Infarction. <i>JAMA Cardiology</i> , 2016 , 1, 980-988 | 16.2 | 29 |
| 66 | A review of health-related quality of life patient-reported outcome measures in cardiovascular nursing. <i>European Journal of Cardiovascular Nursing</i> , 2016 , 15, 114-25 | 3.3 | 22 |
| 65 | Psychometric evaluation of the Sinhalese version of MacNew Heart Disease Health Related Quality of Life Questionnaire in patients with stable angina. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 44 | 3 | 2 |
| 64 | Exercise-Based Cardiac Rehabilitation for Coronary Heart Disease: Cochrane Systematic Review and Meta-Analysis. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1-12 | 15.1 | 877 |
| 63 | The Contribution of Individual Exercise Training Components to Clinical Outcomes in Randomised Controlled Trials of Cardiac Rehabilitation: A Systematic Review and Meta-regression. <i>Sports Medicine - Open</i> , 2017 , 3, 19 | 6.1 | 39 |
| 62 | Effect of Cardiac Rehabilitation Dose on Mortality and Morbidity: A Systematic Review and Meta-regression Analysis. <i>Mayo Clinic Proceedings</i> , 2017 , 92, 1644-1659 | 6.4 | 50 |
| 61 | The cost-effectiveness of exercise-based cardiac rehabilitation: a systematic review of the characteristics and methodological quality of published literature. <i>Health Economics Review</i> , 2017 , 7, 37 | 2 | 14 |

(2020-2017)

| 60 | Quality of Life and Physical Activity: Their Relationship with Physical and Psychological Well-Being. 2017 , | | 4 |
|----|--|-------|----|
| 59 | The effect of exercise therapy on depressive and anxious symptoms in patients with ischemic heart disease: A systematic review. <i>Journal of Psychosomatic Research</i> , 2018 , 105, 80-91 | 4.1 | 22 |
| 58 | Treatment of Anxiety in Patients With Coronary Heart Disease: A Systematic Review. <i>Psychosomatics</i> , 2018 , 59, 318-332 | 2.6 | 15 |
| 57 | On the Run for Hippocampal Plasticity. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2018 , 8, | 5.4 | 75 |
| 56 | Effect of Psychosocial and Vocational Interventions on Return-to-Work Rates Post-Acute Myocardial Infarction: A SYSTEMATIC REVIEW. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018 , 38, 215-223 | 3.6 | 6 |
| 55 | Short- and Longer-Term Association Between Body Mass Index and Health Status in Cardiac Rehabilitation Patients. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018 , 38, 85-91 | 3.6 | 1 |
| 54 | Web-based cardiac habilitatio alternative for those declining or dropping out of conventional rehabilitation: results of the WREN feasibility randomised controlled trial. <i>Open Heart</i> , 2018 , 5, e000860 | o^3 | 9 |
| 53 | Comparative Effectiveness of the Core Components of Cardiac Rehabilitation on Mortality and Morbidity: A Systematic Review and Network Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2018 , 7, | 5.1 | 61 |
| 52 | Efficacy of Different Types of Exercise-Based Cardiac Rehabilitation on Coronary Heart Disease: a Network Meta-analysis. <i>Journal of General Internal Medicine</i> , 2018 , 33, 2201-2209 | 4 | 22 |
| 51 | Cost-Effectiveness of Cardiac Rehabilitation in Patients with Coronary Artery Disease: A Meta-Analysis. <i>Cardiology Research and Practice</i> , 2019 , 2019, 1840894 | 1.9 | 10 |
| 50 | Effects of "plate model" as a part of dietary intervention for rehabilitation following myocardial infarction: a randomized controlled trial. <i>Cardiovascular Diagnosis and Therapy</i> , 2019 , 9, 179-188 | 2.6 | 4 |
| 49 | Adding Life to Years in Cardiac Rehabilitation: Importance of Measuring Quality of Life. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 235-237 | 3.8 | |
| 48 | Cost-Effectiveness of Exercise-Based Cardiac Rehabilitation in Chilean Patients Surviving Acute Coronary Syndrome. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019 , 39, 168-174 | 3.6 | 2 |
| 47 | Measuring subjective wellbeing in patients with heart disease: relationship and comparison between health-related quality of life instruments. <i>Quality of Life Research</i> , 2019 , 28, 1017-1028 | 3.7 | 10 |
| 46 | Effect of exercise-based cardiac rehabilitation on anxiety and depression in patients with myocardial infarction: A systematic review and meta-analysis. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2019 , 48, 1-7 | 2.6 | 25 |
| 45 | Utilizing the Time Trade-Off, Standard Gamble, and Willingness to Pay Utility Measures to Evaluate Health-Related Quality of Life Prior to Knee or Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2019 , 34, 9-14 | 4.4 | 1 |
| 44 | Psychosocial Health. 2020 , 193-225 | | |
| 43 | . 2020, | | 3 |

| 42 | Longitudinal evaluation of the effects of illness perceptions and beliefs about cardiac rehabilitation on quality of life of patients with coronary artery disease and their caregivers. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 158 | 3 | 2 |
|----|--|------|-----|
| 41 | Mapping MacNew Heart Disease Quality of Life Questionnaire onto country-specific EQ-5D-5L utility scores: a comparison of traditional regression models with a machine learning technique. <i>European Journal of Health Economics</i> , 2021 , 22, 341-350 | 3.6 | 2 |
| 40 | Poor sleep quality predicts decline in physical health functioning in patients with coronary heart disease and moderating role of social support. <i>Behavioral Medicine</i> , 2021 , 1-17 | 4.4 | 0 |
| 39 | Physical exercise as an add-on treatment to cognitive behavioural therapy for anxiety: a systematic review. <i>Behavioural and Cognitive Psychotherapy</i> , 2021 , 49, 626-640 | 2.1 | 4 |
| 38 | Prevalence of Return to Work in Cardiovascular Patients After Cardiac Rehabilitation: A Systematic Review and Meta-analysis. <i>Current Problems in Cardiology</i> , 2021 , 47, 100876 | 17.1 | 0 |
| 37 | Validation of the Italian HeartQoL: a short health-related quality of life questionnaire for patients with ischemic heart disease. <i>Internal and Emergency Medicine</i> , 2021 , 1 | 3.7 | 2 |
| 36 | Interventions to support return to work for people with coronary heart disease. <i>The Cochrane Library</i> , 2019 , 3, CD010748 | 5.2 | 13 |
| 35 | Health-Related Quality of Life in Cardiac Patients. 2007 , 256-268 | | 2 |
| 34 | Cardiac Rehabilitation. 2009 , 919-954 | | 3 |
| 33 | Quality of life and anxiety in a phase II cardiac rehabilitation program. <i>Medicine and Science in Sports and Exercise</i> , 1999 , 31, 216-23 | 1.2 | 23 |
| 32 | Quality of life in cardiac patient research: a meta-analysis. <i>Nursing Research</i> , 1996 , 45, 173-80 | 1.9 | 40 |
| 31 | Outcome assessment in cardiac rehabilitation. Health-related quality of life and economic evaluation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1997 , 17, 179-94 | | 34 |
| 30 | Cost-effectiveness of cardiac rehabilitation after myocardial infarction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1997 , 17, 222-31 | | 117 |
| 29 | Predictors of health-related quality of life with cardiac rehabilitation after acute myocardial infarction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1998 , 18, 95-103 | | 73 |
| 28 | The assessment of recovery in patients after myocardial infarction using three generic quality-of-life measures. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1998 , 18, 139-44 | | 26 |
| 27 | Goal attainment in a randomized controlled trial of rehabilitation after myocardial infarction. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1999 , 19, 29-34 | | 22 |
| 26 | Risk stratification for exercise training in cardiac patients: do the proposed guidelines work?. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1999 , 19, 118-25 | | 21 |
| 25 | Impact of duration in a cardiac rehabilitation program on coronary risk profile and health-related quality of life outcomes. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2000 , 20, 115-21 | | 59 |

(2022-2000)

| 24 | Comparison of intensive outpatient cardiac rehabilitation to standard outpatient care in veterans: effects on quality of life. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2000 , 20, 383-8 | | 15 |
|----|---|---------------|----|
| 23 | The Euro Cardio-QoL Project. An international study to develop a core heart disease health-related quality of life questionnaire, the HeartQoL. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 87-94 | | 28 |
| 22 | Expressed preferences for health education of patients after percutaneous coronary intervention. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 572-579 | | 18 |
| 21 | Retrospective study of influence of deprivation on uptake of cardiac rehabilitation. <i>BMJ: British Medical Journal</i> , 1996 , 313, 267-8 | | 73 |
| 20 | Sleep conditions and quality of life among patients with ischemic heart disease after elective percutaneous coronary intervention. <i>Health</i> , 2013 , 05, 532-537 | 0.4 | 2 |
| 19 | Indikationsspezifische krankengymnastische Gruppenkonzepte. 2004 , 463-543 | | |
| 18 | Cardiac rehabilitation. 2004, 219-225 | | |
| 17 | Management of Unstable Angina Using Risk Stratification Methods. <i>Developments in Cardiovascular Medicine</i> , 1999 , 41-55 | | |
| 16 | UnterstEzung des REkkehrprozesses bei Patienten mit koronarer Herzkrankheit. 2017 , 183-193 | | |
| 15 | Retorno ao trabalho de pacientes com Stidrome Coronariana Aguda. <i>Revista Brasileira De Sat</i> le Ocupacional, 44, | O | |
| 14 | Exercise-based cardiac rehabilitation for coronary heart disease. <i>The Cochrane Library</i> , 2021 , 11, CD001 | 18 9 Ω | 12 |
| 13 | Rehabilitation After Acute MI. 2005 , 531-541 | | |
| 12 | Economic Evaluation of Cardiac Rehabilitation. 2007, 494-501 | | |
| 11 | Standard and alternative adjunctive treatments in cardiac rehabilitation. <i>Texas Heart Institute Journal</i> , 1993 , 20, 198-212 | 0.8 | 5 |
| 10 | Cardiac rehabilitation effects on quality of life in patients after acute myocardial infarction. <i>Hippokratia</i> , 2006 , 10, 176-81 | 0.4 | 4 |
| 9 | Factor Structure of the World Health Organization's Quality of Life Questionnaire-BREF in Patients with Coronary Artery Disease. <i>International Journal of Preventive Medicine</i> , 2013 , 4, 1052-8 | 1.6 | 4 |
| 8 | Early Phase II Comprehensive Cardiac Rehabilitation after Acute Myocardial Infarction. <i>Acta Cardiologica Sinica</i> , 2019 , 35, 425-429 | 1.1 | 2 |
| 7 | Improving Wellbeing After Acute Coronary Syndrome Current Problems in Cardiology, 2022 , 101201 | 17.1 | |

| 6 | Psychological and pharmacological interventions for depression in patients with coronary artery disease <i>The Cochrane Library</i> , 2021 , 12, CD008012 | 5.2 | 3 |
|---|--|--------|-------------|
| 5 | Time trade-off health state utility values for depression: a systematic review and meta-analysis. | | O |
| 4 | Quality of Life and Subjective Health: Strengthening the Subjective Perspective in Cardiology. 2022 , 1 | 341-13 | 62 0 |
| 3 | Differential associations of emotional and physical domains of the MacNew Heart with changes in 6-min walking test. | | О |
| 2 | Exercise-based cardiac rehabilitation for coronary heart disease: a meta-analysis. 2023, 44, 452-469 | | О |
| 1 | Remote maintenance cardiac rehabilitation (MAINTAIN): A protocol for a randomised feasibility study. 2023 , 9, 205520762311521 | | 0 |