

CITATION REPORT

List of articles citing

Vapor-liquid equilibria by UNIFAC group contribution.
5. Revision and extension

DOI: 10.1021/ie00058a017

Industrial & Engineering Chemistry Research,
1991, 30, 2352-2355.

Source: <https://exaly.com/paper-pdf/22471007/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
798	(Vapour + liquid) equilibria in (2-methylpyridine + benzene or ethyl ethanoate or chlorobenzene) at the temperature 303.15 K. 1992 , 24, 1319-1322		9
797	Phase equilibria and multiple azeotropy of the acetic acid-isobutyl acetate system. <i>Fluid Phase Equilibria</i> , 1992 , 79, 187-199	2.5	27
796	Infinite-dilution activity coefficients by comparative ebulliometry. Binary systems of chloroethenes with chloromethanes, chloroethanes, and 1,1,2-trichlorotrifluoroethane. <i>Fluid Phase Equilibria</i> , 1992 , 78, 229-237	2.5	7
795	Vorausberechnung von Octanol/Wasser-Verteilungskoeffizienten mit Hilfe der UNIFAC-Methode. 1993 , 65, 201-203		1
794	Analysis of a modification of the ASOG method for vapor-liquid equilibrium prediction. <i>Chemical Engineering and Processing: Process Intensification</i> , 1993 , 32, 277-281	3.7	
793	The thermodynamics of long-lived organic pollutants. <i>Fluid Phase Equilibria</i> , 1993 , 82, 63-69	2.5	8
792	UNIFAC model as a heuristic guide for estimating retention in reversed-phase liquid chromatography. 1993 , 656, 69-79		13
791	Study of initial- and transition-state solvation in the solvolysis of tert-butyl halides in alcohols from infinite dilution activity coefficients. 1993 , 6, 133-138		7
790	Study of initial state and transition state solvation in the Menshutkin reaction of triethylamine with ethyl iodide in alcohols from infinite dilution activity coefficients. 1993 , 6, 595-599		5
789	Compatibility of functional groups in Kow-based QSARs: Application to nitro compounds. 1993 , 12, 1847-1849		4
788	Estimation of the aqueous solubility of complex organic compounds. 1993 , 26, 1239-1261		43
787	Infinite-dilution activity coefficients by comparative ebulliometry. Binary systems containing chloroform and diethylamine. <i>Fluid Phase Equilibria</i> , 1994 , 95, 149-162	2.5	6
786	Modelling the influence of pressure on the phase behavior of systems containing water oil and nonionic surfactants. <i>Fluid Phase Equilibria</i> , 1994 , 93, 55-74	2.5	24
785	Prediction of the solubility of aromatic hydrocarbons in supercritical CO ₂ with EoS _{GE} models. <i>Fluid Phase Equilibria</i> , 1994 , 102, 121-141	2.5	25
784	Thermophysical properties: What have we learned recently, and what do we still need to know?. 1994 , 15, 1013-1035		7
783	Phasengleichgewichtsmodelle zur Synthese und Auslegung von Trennprozessen. 1994 , 66, 792-808		15
782	Application of the LCVM model to multicomponent systems: Extension of the UNIFAC interaction parameter table and prediction of the phase behavior of synthetic gas condensate and oil systems. <i>Fluid Phase Equilibria</i> , 1994 , 101, 187-210	2.5	26

781	Prediction of vapor-liquid equilibria of aqueous systems in the subcritical range by using the NRTL equation. <i>Fluid Phase Equilibria</i> , 1994 , 99, 63-74	2.5	7
780	Vapor-liquid equilibria of binary refrigerant mixtures containing propylene or R134a. <i>Fluid Phase Equilibria</i> , 1994 , 92, 149-194	2.5	74
779	Extraction of ethyl and methyl esters of polyunsaturated fatty acids with aqueous silver nitrate solutions. <i>Industrial & Engineering Chemistry Research</i> , 1994 , 33, 341-345	3.9	33
778	Equation-of-State Group Contributions from Infinite-Dilution Activity Coefficients. <i>Industrial & Engineering Chemistry Research</i> , 1994 , 33, 975-980	3.9	25
777	Estimation of aqueous solubility, octanol/water partition coefficient, and henry's law constant for polychlorinated biphenyls using unifac. 1994 , 29, 657-669		14
776	Henry's Law Constants and Infinite Dilution Activity Coefficients for Volatile Organic Compounds in Water by a Validated Batch Air Stripping Method. 1994 , 28, 2133-8		38
775	Vapor-Liquid Equilibria of Propyl Propanoate with 1-Alkanols at 101.32 kPa of Pressure. <i>Journal of Chemical & Engineering Data</i> , 1994 , 39, 907-910	2.8	17
774	An extension to the UNIFAC group assignment for prediction of vapor-liquid equilibria of mixtures containing refrigerants. <i>Fluid Phase Equilibria</i> , 1995 , 107, 161-188	2.5	48
773	Further development, status and results of the PSRK method for the prediction of vapor-liquid equilibria and gas solubilities. <i>Fluid Phase Equilibria</i> , 1995 , 112, 1-22	2.5	51
772	Solid-liquid equilibria in binary mixtures of organic compounds. <i>Fluid Phase Equilibria</i> , 1995 , 113, 117-126	2.5	87
771	A data bank for azeotropic data & status and applications. <i>Fluid Phase Equilibria</i> , 1995 , 103, 51-76	2.5	41
770	Prediction of high-pressure vapor-liquid equilibria using ASOG. <i>Fluid Phase Equilibria</i> , 1995 , 104, 253-260	2.5	17
769	From UNIFAC to modified UNIFAC to PSRK with the help of DDB. <i>Fluid Phase Equilibria</i> , 1995 , 107, 1-29	2.5	42
768	Thermodynamic study of the micellar solution & solid surfactant equilibrium. <i>Fluid Phase Equilibria</i> , 1995 , 110, 1-15	2.5	10
767	Phase equilibria in binary systems containing N-monosubstituted amides and hydrocarbons. <i>Fluid Phase Equilibria</i> , 1995 , 110, 183-196	2.5	17
766	Research activities on supercritical fluid science and technology in Japan & review. 1995 , 8, 177-204		71
765	A method for the prediction of vapour-liquid equilibria of refrigerant mixtures at low and moderate pressure. <i>International Journal of Refrigeration</i> , 1995 , 18, 550-556	3.8	10
764	Vapor-Liquid Equilibria for the Ternary System Acetone + Methanol + Chlorobenzene at 101.325 kPa. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 1203-1205	2.8	6

763	Vapor-Liquid Equilibria and Excess Enthalpies for Octane + N-Methylacetamide, Cyclooctane + N-Methylacetamide, and Octane + Acetic Anhydride at 125 .degree.C. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 1228-1232	2.8	17
762	A Computer-Aided Molecular Design of Fluids That Optimize Absorption Cycle COP. 1995 , 117, 156-160		4
761	Solubility of polychlorinated biphenyls in water/alcohol mixtures. 2. Predictive methods. 1995 , 29, 3001-6		10
760	Vapour-liquid equilibrium of the ethanol-propanal system. 1995 , 91, 273-278		22
759	Prediction of Liquid-Liquid Equilibrium for Binary Polymer Solutions with Simple Activity Coefficient Models. <i>Industrial & Engineering Chemistry Research</i> , 1995 , 34, 1823-1834	3.9	39
758	Densities and Isobaric Vapor-Liquid Equilibria of Butyl Esters (Methanoate to Butanoate) with Ethanol at 101.32 kPa. <i>Journal of Chemical & Engineering Data</i> , 1995 , 40, 1178-1183	2.8	33
757	Prediction of Activity Coefficients at Infinite Dilution by Using the Weighted Volatility Function. 1996 , 32, 1-24		12
756	Predictive Local Composition Models for Solid/Liquid Equilibrium in n-Alkane Systems: Wilson Equation for Multicomponent Systems. <i>Industrial & Engineering Chemistry Research</i> , 1996 , 35, 918-929	3.9	71
755	Substrate specificity and kinetics of <i>Candida rugosa</i> lipase in organic media. 1996 , 799, 257-61		3
754	Vapor-Liquid Equilibrium for Methanol + 1,1-Dimethylpropyl Methyl Ether at (288.15, 308.15, and 328.15) K. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 537-542	2.8	18
753	Polyazeotropy in Associating Systems: The 2-Methylpropyl Ethanoate + Ethanoic Acid System. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 1191-1195	2.8	32
752	Densities and Isobaric Vapor-Liquid Equilibria for the Mixtures Formed by Four Butyl Esters and 1-Butanol. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 53-58	2.8	34
751	A critical review of Henry's law constants for environmental applications. 1996 , 26, 205-297		227
750	Prediction of Infinite-Dilution Activity Coefficients in Binary Mixtures with UNIFAC. A Critical Evaluation. <i>Industrial & Engineering Chemistry Research</i> , 1996 , 35, 1438-1445	3.9	53
749	Infinite Dilution Activity Coefficients Predicted from UNIFAC Model. New Experimental Data for the Solvolytic Reactions of 2-Chloro-2-methylpropane in Methanol/Ethanol, Methanol/2-Methoxyethanol, and Ethanol/2-Methoxyethanol. <i>Industrial & Engineering Chemistry Research</i> , 1996 , 35, 3759-3762	3.9	2
748	UNIFAC Prediction of Aqueous and Nonaqueous Solubilities of Chemicals with Environmental Interest. 1996 , 30, 1369-1376		48
747	Azeotropic Data for Binary and Ternary Systems at Moderate Pressures. <i>Journal of Chemical & Engineering Data</i> , 1996 , 41, 202-209	2.8	55
746	Compilation and Correlation of Limiting Activity Coefficients of Nonelectrolytes in Water. <i>Industrial & Engineering Chemistry Research</i> , 1996 , 35, 1044-1058	3.9	88

- 745 Estimating water solubilities of organics as a function of temperature. **1996**, 30, 2222-2225 11
- 744 Prediction of the Solvent Dependence of Enzymatic Prochiral Selectivity by Means of Structure-Based Thermodynamic Calculations. *Journal of the American Chemical Society*, **1996**, 118, 3366-3374 16.4 67
- 743 Formamide(C1O) alkan-1-ols solvent systems. **1996**, 92, 3347-3352 91
- 742 Influence of the Third Component on the Temperature of the Crystal Surfactant Micellar Solution Equilibrium. **1996**, 12, 5263-5270 14
- 741 The viscosity of liquid hydrocarbons and their mixtures. **1996**, 1-23
- 740 Mixing rules for accurate prediction of vapor-liquid equilibria of gas/large alkane systems using SRK equation of state combined with unifac.. **1996**, 29, 315-322 20
- 739 PSRK Prediction of Critical Points in Binary Mixtures Containing Alkanes or Cycloalkanes.. **1996**, 29, 1054-1057 3
- 738 Vapor-Liquid Equilibrium of the Methanol-tert-Butyl Methyl Ether (MTBE) System. **1996**, 100, 482-489 21
- 737 Further development, status and results of the PSRK method for the prediction of vapor-liquid equilibria and gas solubilities. *Fluid Phase Equilibria*, **1996**, 121, 185-206 2.5 133
- 736 Aqueous solubility determination of volatile organic compounds by capillary gas chromatography. **1996**, 19, 413-416 4
- 735 Substrate specificity and kinetics of *Candida rugosa* lipase in organic media. **1996**, 18, 340-6 88
- 734 Towards the development of a second-order approximation in activity coefficient models based on group contributions. *Fluid Phase Equilibria*, **1996**, 118, 1-12 2.5 22
- 733 Prediction of critical points in multicomponent systems using the PSRK group contribution equation of state. *Fluid Phase Equilibria*, **1996**, 118, 175-200 2.5 50
- 732 Molecular modeling in engineering design and materials development. *Fluid Phase Equilibria*, **1996**, 116, 225-236 2.5 5
- 731 Measurement and prediction of limiting activity coefficients. *Fluid Phase Equilibria*, **1996**, 116, 333-342 2.5 40
- 730 Excess free energy mixing rules for cubic equations of state. *Fluid Phase Equilibria*, **1996**, 116, 454-464 2.5 19
- 729 The performance of EoS/GE models in the prediction of Vapor-Liquid Equilibria in asymmetric systems. *Fluid Phase Equilibria*, **1996**, 116, 480-487 2.5 43
- 728 Modeling of the micellar solution - solid surfactant equilibrium. *Fluid Phase Equilibria*, **1996**, 117, 320-333 2.5 4

727	Vapor-liquid equilibria for the system water + tert.-pentanol at 4 temperatures. <i>Fluid Phase Equilibria</i> , 1996 , 120, 143-165	2.5	8
726	Solubility of anthracene and anthraquinone in acetonitrile, methyl ethyl ketone, isopropol alcohol and their mixtures. <i>Fluid Phase Equilibria</i> , 1996 , 121, 267-272	2.5	14
725	Vapor-liquid equilibria at 101.32 kPa in mixtures formed by the first four butyl alkanoates and butan-2-ol. <i>Fluid Phase Equilibria</i> , 1996 , 124, 161-175	2.5	11
724	The performance of UNIFAC and related group contribution models part I. Prediction of infinite dilution activity coefficients. 1996 , 287, 235-249		3
723	Viscosities of the ternary mixture (1-butanol + n-hexane + 1-butylamine) at the temperatures 298.15 and 313.15 K. <i>Fluid Phase Equilibria</i> , 1996 , 124, 147-159	2.5	35
722	Thermodynamic properties of sugars in aqueous solutions: correlation and prediction using a modified UNIQUAC model. <i>Fluid Phase Equilibria</i> , 1996 , 123, 71-95	2.5	66
721	Dye solubility. 1996 , 145-195		5
720	Solvent Induced Change of Enzyme Enantioselectivity: Rule Or Exception?. 1997 , 15, 175-184		15
719	Locating All Homogeneous Azeotropes in Multicomponent Mixtures. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 160-178	3.9	53
718	Analysis of the UNIFAC-Type Group-Contribution Models at the Highly Dilute Region. 1. Limitations of the Combinatorial and Residual Expressions. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 4965-4972	3.9	21
717	Prediction of Vapor-Liquid Equilibria with the LCVM Model: Systems Containing Light Gases with Medium and High Molecular Weight Compounds. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 5454-5460	3.9	32
716	An Analysis of the UNIFAC-Type Group-Contribution Models at the Highly Dilute Region. 2. Empirical Improvements with Application to Water/Hydrocarbon Mixtures. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 4973-4976	3.9	6
715	Water Absorption by Organics: Survey of Laboratory Evidence and Evaluation of UNIFAC for Estimating Water Activity. 1997 , 31, 3318-3324		100
714	Aqueous Solubility Depression for Hydrophobic Organic Chemicals in the Presence of Partially Miscible Organic Solvents. 1997 , 31, 384-389		7
713	A Thermodynamic Approach Using Group Contribution Methods to Model the Partitioning of Semivolatile Organic Compounds on Atmospheric Particulate Matter. 1997 , 31, 2805-2811		107
712	Vapor-Liquid Equilibria and Densities for Ethyl Esters (Ethanoate to Butanoate) and Alkan-2-ol (C3-C4) at 101.32 kPa. <i>Journal of Chemical & Engineering Data</i> , 1997 , 42, 1090-1100	2.8	34
711	Measurement and Prediction of Ternary Solid-Liquid Equilibria. <i>Journal of Chemical & Engineering Data</i> , 1997 , 42, 886-889	2.8	7
710	Solute-Solvent Interactions in Amide-Water Mixed Solvents. <i>Journal of Physical Chemistry B</i> , 1997 , 101, 7991-7997	3.4	123

709	Measurement and Modeling of Solubilities of d-Glucose in Water/Alcohol and Alcohol/Alcohol Systems. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 2816-2820	3.9	30
708	Experimental Measurements and Thermodynamic Modeling of Paraffinic Wax Formation in Undercooled Solutions. <i>Industrial & Engineering Chemistry Research</i> , 1997 , 36, 4977-4983	3.9	65
707	Margules Equations Applied to PAH Solubilities in Alcohol/Water Mixtures. 1997 , 31, 3516-3522		28
706	A new GE-mixing-rule using the Dohrn-Prasnitz equation of state for the prediction of phase equilibria of nonideal mixtures. <i>Fluid Phase Equilibria</i> , 1997 , 131, 37-49	2.5	4
705	A modified UNIFAC model for the calculation of thermodynamic properties of aqueous and non-aqueous solutions containing sugars. <i>Fluid Phase Equilibria</i> , 1997 , 139, 47-74	2.5	66
704	Model and experimental data research of natural gas storage for vehicular usage. <i>Separation and Purification Technology</i> , 1997 , 12, 35-41	8.3	12
703	Limiting activity coefficients in the 1-alkanol + n-alkane systems: survey, critical evaluation and recommended values, interpretation in terms of association models. <i>Fluid Phase Equilibria</i> , 1997 , 133, 73-87	2.5	24
702	Vapor-liquid equilibrium of the methanol/[1,1-dimethylethyl methyl ether (MTBE) or 1,1-dimethylpropyl methyl ether (TAME)] systems. <i>Fluid Phase Equilibria</i> , 1997 , 133, 89-103	2.5	17
701	Molecular shape effects on limiting activity coefficients: normal, branched and cyclic alkanes in 1-propanol or 2-propanol. <i>Fluid Phase Equilibria</i> , 1997 , 137, 133-140	2.5	13
700	Compilation of group-contribution prediction of VLE and excess enthalpy. <i>Fluid Phase Equilibria</i> , 1997 , 136, 63-77	2.5	2
699	Further development of the PSRK model for the prediction of gas solubilities and vapor-liquid equilibria at low and high pressures II. <i>Fluid Phase Equilibria</i> , 1997 , 141, 113-127	2.5	61
698	Infinite dilution activity coefficients of apple juice aroma compounds. 1997 , 34, 145-158		40
697	Effect of chain length on interactions of aliphatic alcohols with suspended human serum albumin. 1997 , 69, 239-48		17
696	Thermodynamic analysis of solvent effect on substrate specificity of lyophilized enzymes suspended in organic media. 1997 , 56, 340-4		25
695	Phase equilibria of d-glucose and sucrose in mixed solvent mixtures: Comparison of UNIQUAC 1-based models. 1997 , 303, 135-151		46
694	Chain-of-rotators equation of state for polar and non-polar substances and mixtures. <i>Fluid Phase Equilibria</i> , 1998 , 142, 83-100	2.5	2
693	Present status of group-contribution methods for the synthesis and design of chemical processes. <i>Fluid Phase Equilibria</i> , 1998 , 144, 37-47	2.5	51
692	Vapor-liquid equilibrium of binary mixtures of chlorobenzene with 3-methyl-1-butanol, 3-methyl-2-butanol and 2-methyl-2-butanol, at 100 kPa. <i>Fluid Phase Equilibria</i> , 1998 , 153, 265-277	2.5	4

691	Contaminant transport resulting from multicomponent nonaqueous phase liquid pool dissolution in three-dimensional subsurface formations. 1998 , 31, 1-21		42
690	Modeling the partitioning of BTEX in water-reformulated gasoline systems containing ethanol. 1998 , 34, 315-341		56
689	Adsorptive control of water in esterification with immobilized enzymes: I. Batch reactor behavior. 1998 , 60, 434-44		22
688	Adsorptive control of water in esterification with immobilized enzymes: II. fixed-bed reactor behavior. 1998 , 60, 445-53		11
687	Kinetic and thermodynamic study of 2-bromo-2-methylbutane, 2-chloro-2-methylbutane and 3-chloro-3-methylpentane in diols. 1998 , 11, 36-40		2
686	Computer-aided molecular design with simulated annealing and molecular graphs. 1998 , 22, S615-S618		26
685	Terminal and penultimate models of copolymerization in the styrene-acrylonitrile system in bulk according to UNIFAC. 1998 , 39, 3901-3904		
684	Prediction of vapor-liquid equilibria in non-polymer and polymer solutions using an ASOG-based equation of state (PRASOG). <i>Fluid Phase Equilibria</i> , 1998 , 144, 59-68	2.5	13
683	Application of UNIFAC models to partition coefficients of biochemicals between water and n-octanol or n-butanol. <i>Fluid Phase Equilibria</i> , 1998 , 144, 87-95	2.5	8
682	Prediction of infinite dilution activity coefficients in aqueous solutions by group contribution models. A critical evaluation. <i>Fluid Phase Equilibria</i> , 1998 , 144, 97-112	2.5	30
681	Experimental VLE at 101.32 kPa in binary systems composed of ethyl methanoate and alkan-1-ols or alkan-2-ols and treatment of data using a correlation with temperature-dependent parameters. <i>Fluid Phase Equilibria</i> , 1998 , 146, 351-370	2.5	22
680	Prediction of vapor-liquid equilibria for asymmetric systems at low and high pressures with the PSRK model. <i>Fluid Phase Equilibria</i> , 1998 , 143, 71-82	2.5	54
679	Prediction of infinite dilution activity coefficients for systems including water based on the group contribution model with mixture-type groups. <i>Fluid Phase Equilibria</i> , 1998 , 149, 27-40	2.5	10
678	Vapor-liquid equilibria of 2-propanol-1,4-dioxane mixtures. <i>Fluid Phase Equilibria</i> , 1998 , 150-151, 775-787	2.5	9
677	Viscosities of the ternary mixture (1-butanol+n-hexane+1-chlorobutane) at 298.15 K and 313.15 K. <i>Fluid Phase Equilibria</i> , 1998 , 152, 133-148	2.5	25
676	Application of Supercritical Fluid Extraction in Industrial Waste Treatment: Thermodynamic Modeling and Design. 1998 , 33, 387-410		8
675	On the role of Transition-State Substrate Desolvation in Enzymatic Enantioselectivity in Aqueous-Organic Mixtures. 1998 , 16, 233-248		11
674	Vapor-liquid Equilibrium of Polymer + Solvent Mixtures by the Chain-of-Rotators Equation of State. <i>Industrial & Engineering Chemistry Research</i> , 1998 , 37, 3142-3150	3.9	3

673	A Thermodynamic Approach for Modeling Partitioning of Semivolatile Organic Compounds on Atmospheric Particulate Matter: Humidity Effects. 1998 , 32, 1237-1243		83
672	Group-Contribution Equation of State for the Prediction of Vapor-Liquid Equilibria of Mixtures Containing Hydrofluorocarbons and Alkanes. <i>Industrial & Engineering Chemistry Research</i> , 1998 , 37, 3105-3111	3.9	5
671	Measurement and Prediction of Reid Vapor Pressure of Gasoline in the Presence of Additives. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 386-392	2.8	31
670	Densities and Vapor-Liquid Equilibrium Values for Binary Mixtures Composed of Methanol + an Ethyl Ester at 141.3 kPa with Application of an Extended Correlation Equation for Isobaric VLE Data. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 638-645	2.8	38
669	Dynamic Viscosities of (Methyl Acetate or Methanol) with (Ethanol, 1-Propanol, 2-Propanol, 1-Butanol, and 2-Butanol) at 298.15 K. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 417-421	2.8	36
668	Prediction of Infinite Dilution Activity Coefficients of Organic Compounds in Aqueous Solution from Molecular Structure. 1998 , 38, 200-209		30
667	A Modified UNIFAC (Dortmund) Model. 3. Revision and Extension. <i>Industrial & Engineering Chemistry Research</i> , 1998 , 37, 4876-4882	3.9	273
666	Isobaric Vapor-Liquid Equilibria for Ternary Mixtures: Saturated Hydrocarbons, Xylenes, and Ethylbenzene with Sulfolane at 101.325 kPa. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 396-399	2.8	4
665	Synthesis of Distillation Processes Using Thermodynamic Models and the Dortmund Data Bank. <i>Industrial & Engineering Chemistry Research</i> , 1998 , 37, 3112-3123	3.9	95
664	Vapor-Liquid Equilibria at 413.65 K and Excess Enthalpies at 323.15, 363.15, and 413.15 K for Mixtures of Benzene, Toluene, Phenol, and Benzaldehyde. <i>Journal of Chemical & Engineering Data</i> , 1998 , 43, 941-948	2.8	15
663	Prediction of octanol-water partition coefficients, Henry coefficients and water solubilities using UNIFAC. 1998 , 65, 57-86		40
662	Computational and Experimental Examination of the Effect of Inorganic Salts on Chymotryptic Enantioselectivity in Water. 1999 , 17, 81-93		3
661	Solvent effects on true terminal reactivity ratios for styrene-methyl methacrylate copolymerization system. 1999 , 40, 6925-6932		5
660	Kinetics of lipase-catalyzed esterification in organic media: Correct model and solvent effects on parameters. 1999 , 24, 463-470		97
659	Thermodynamically controlled synthesis of β -lactam antibiotics. Equilibrium concentrations and side-chain properties. 1999 , 24, 498-506		54
658	Contributions of additional group interaction parameters through limiting activity coefficient measurements on aliphatic alcohols, aromatic hydrocarbons, ketones and an ester in tetrahydroxyethylethylenediamine and tetraethylene pentamine. <i>Chemical Engineering Journal</i> , 1999 , 75, 87-92	14.7	2
657	Phase equilibria in the ternary system hexane+ethyl 1,1-dimethylethyl ether+heptane. <i>Fluid Phase Equilibria</i> , 1999 , 154, 99-108	2.5	21
656	Phase equilibria in the ternary system ethyl 1,1-dimethylethyl ether+heptane+octane. <i>Fluid Phase Equilibria</i> , 1999 , 154, 213-222	2.5	12

655	Vapor-Liquid equilibria of the binary mixtures formed by nitromethane with five alkyl alkanoates at 101.3 kPa. <i>Fluid Phase Equilibria</i> , 1999 , 155, 287-296	2.5	7
654	Thermophysical properties of methanol+some polyethylene glycol dimethyl ether by UNIFAC and DISQUAC group-contribution models for absorption heat pumps. <i>Fluid Phase Equilibria</i> , 1999 , 155, 327-337	2.5	13
653	Beyond basic UNIFAC. <i>Fluid Phase Equilibria</i> , 1999 , 158-160, 349-356	2.5	17
652	Prediction of vapor-Liquid equilibria in mixed-solvent electrolyte systems using the group contribution concept. <i>Fluid Phase Equilibria</i> , 1999 , 162, 97-113	2.5	100
651	Vapor-Liquid equilibrium of binary mixtures of trichloroethylene with 1-pentanol, 2-methyl-1-butanol and 3-methyl-1-butanol at 100 kPa. <i>Fluid Phase Equilibria</i> , 1999 , 155, 229-239	2.5	9
650	Thermodynamic prediction of active ingredient loading in polymeric microparticles. 1999 , 60, 77-100		22
649	Improvement of SRK equation of state for vapor-liquid equilibria of petroleum fluids. <i>AIChE Journal</i> , 1999 , 45, 1125-1134	3.6	17
648	Prediction of Vapor-Liquid Equilibria Using Peng-Robinson and Soave-Redlich-Kwong Equations of State. <i>Chemical Engineering and Technology</i> , 1999 , 22, 379-399	2	31
647	Adsorptive control of water in esterification with immobilized enzymes. Continuous operation in a periodic counter-current reactor. 1999 , 66, 137-146		24
646	Vapor-Liquid Equilibria at 453.25 K and Excess Enthalpies at 363.15 K and 413.15 K for Mixtures of Benzene, Toluene, Phenol, Benzaldehyde, and Benzyl Alcohol with Benzyl Benzoate. <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 303-308	2.8	9
645	MTBE and alkylate co-production: fundamentals and operating experience. 1999 , 52, 307-319		25
644	SAR/QSAR approaches to solubility, partitioning and sorption of phthalates. 1999 , 38, 2613-2624		26
643	Prediction of Activity Coefficients in Polymer and Copolymer Solutions Using Simple Activity Coefficient Models. <i>Industrial & Engineering Chemistry Research</i> , 1999 , 38, 4975-4984	3.9	29
642	Experimental Determination of Densities and Isobaric Vapor-Liquid Equilibria of Binary Mixtures Formed by a Propyl Alkanoate (Methanoate to Butanoate) + An Alkan-2-ol (C3, C4). <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 772-783	2.8	30
641	Phase Equilibria in the Systems Ethyl 1,1-Dimethylethyl Ether + Methylcyclohexane, 2,2,4-Trimethylpentane + Methylcyclohexane, and Ethyl 1,1-Dimethylethyl Ether + 2,2,4-Trimethylpentane + Methylcyclohexane at 94.00 kPa. <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 912-917	2.8	10
640	Vapor-Liquid Equilibrium of Binary Mixtures of Tetrachloroethylene with 1-Pentanol, 3-Methyl-1-butanol, and 2-Methyl-1-butanol. <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 286-290	2.8	3
639	Vapor-Liquid Equilibria for the Ternary System Acetone + Methanol + Water at 101.325 kPa. <i>Journal of Chemical & Engineering Data</i> , 1999 , 44, 661-665	2.8	25
638	Estimation of Physical Properties. 2000 ,		1

637	Phase Equilibria in the Systems Oxolane + Vinyl Acetate, Oxolane + Ethyl 1,1-Dimethylethyl Ether and Vinyl Acetate + Ethyl 1,1-Dimethylethyl Ether. 2000 , 38, 553-565		3
636	Application of the Predictive UNIFAC Model to the Pentan-3-one/Chloroalkane and 5-Chloro-2-pentanone/Hydrocarbon Binary Systems. <i>Chemical Engineering and Technology</i> , 2000 , 23, 367-370	2	0
635	Estimations of vapor pressure and activity coefficients in water and octanol for selected aromatic chemicals at 25°C. 2000 , 19, 2623-2630		7
634	Solubilities of anthracene, fluoranthene and pyrene in organic solvents: Comparison of calculated values using UNIFAC and modified UNIFAC (Dortmund) models with experimental data and values using the mobile order theory. 2000 , 78, 1168-1174		30
633	Multisolute adsorption equilibria in a reversed-phase liquid chromatography system. <i>Chemical Engineering Science</i> , 2000 , 55, 909-929	4.4	50
632	On the development of novel chemicals using a systematic synthesis approach. Part I. Optimisation framework. <i>Chemical Engineering Science</i> , 2000 , 55, 2529-2546	4.4	64
631	Thermodynamic study on binary mixtures of propyl ethanoate and an alkan-1-ol (C ₂ H ₄). Isobaric vapor-liquid equilibria and excess properties. <i>Fluid Phase Equilibria</i> , 2000 , 170, 87-111	2.5	42
630	Viscosities of the ternary mixture (2-butanol+n-hexane+1-butylamine) at 298.15 and 313.15 K. <i>Fluid Phase Equilibria</i> , 2000 , 169, 277-292	2.5	39
629	Revision and extension of the group contribution equation of state to new solvent groups and higher molecular weight alkanes. <i>Fluid Phase Equilibria</i> , 2000 , 172, 129-143	2.5	40
628	A UNIFAC model for phase equilibrium calculations in aqueous and nonaqueous sugar solutions. <i>Fluid Phase Equilibria</i> , 2000 , 173, 39-55	2.5	48
627	Solid-liquid equilibrium of D-lactose in ethanol/water. <i>Fluid Phase Equilibria</i> , 2000 , 173, 121-134	2.5	74
626	PSRK group contribution equation of state: revision and extension III. <i>Fluid Phase Equilibria</i> , 2000 , 167, 173-186	2.5	81
625	Partitioning of some biomolecules at high pressures to aqueous/organic liquid-liquid phases of the carbon dioxide+water+1-propanol system. 2000 , 17, 197-213		11
624	Regioselective enzymatic diol esterification in batch and fixed-Bed adsorptive reactors: experiments and modeling. 2000 , 16, 600-9		7
623	Measurement of infinite-dilution activity coefficients of alcohols in water using relative gas-liquid chromatographic method. 2000 , 17, 502-505		9
622	Vapor-Liquid Equilibria in the Systems Ethyl 1,1-Dimethylethyl Ether + Cyclohexane and + Benzene at 94.00 kPa. 2000 , 38, 391-404		9
621	Enzymatic Production of Alkyl Esters Through Lipase-Catalyzed Transesterification Reactions in Organic Solvents: Solvent Effects and Prediction Capabilities of Equilibrium Conversions. 2000 , 18, 259-269		4
620	DISTILLATION Vapour-liquid Equilibrium: Theory. 2000 , 1159-1169		

619	Design of Solvents for Extractive Distillation. <i>Industrial & Engineering Chemistry Research</i> , 2000 , 39, 1423-1429	3.9	69
618	The Estimation of Partition Coefficients, Solubility Coefficients, and Permeability Coefficients for Organic Molecules in Polymers. 2000 , 37-55		2
617	Thermodynamic Modeling and Experimental Studies of Dearomatization Process from a Complex Petroleum Fraction. 2000 , 35, 743-754		4
616	Vapor-Liquid Equilibrium of Binary Mixtures Containing Diethylamine + Diisopropylamine, Diethylamine + Dipropylamine, and Chloroform + Diisopropylamine at 101.3 kPa, and Vapor Pressures of Dipropylamine. <i>Journal of Chemical & Engineering Data</i> , 2000 , 45, 867-871	2.8	29
615	Phase Equilibria in the Systems Cyclohexane + 2,2,4-Trimethylpentane and Ethyl 1,1-Dimethylethyl Ether + Cyclohexane + 2,2,4-Trimethylpentane at 94.00 kPa. <i>Journal of Chemical & Engineering Data</i> , 2000 , 45, 600-605	2.8	5
614	Engineering, Chemical Data Correlation. 2000 ,		
613	Isobaric Vapor-Liquid Equilibria in the Systems Ethyl 1,1-Dimethylethyl Ether + Hexane and + Heptane. 2000 , 38, 217-232		11
612	Prediction of Phase Equilibria for Binary and Ternary Mixtures Involving tert-Butyl Methyl Ether and tert-Amyl Methyl Ether. <i>Industrial & Engineering Chemistry Research</i> , 2000 , 39, 767-774	3.9	3
611	Prediction of Gas Solubilities in Aqueous Electrolyte Systems Using the Predictive Soave-Redlich-Kwong Model. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 3703-3710	3.9	39
610	Enzymatic Reactions in Non-Conventional Media: Prediction of Solvent Water Content for Optimum Water Activity. 2001 , 19, 99-118		3
609	From UNIFAC to Modified UNIFAC (Dortmund) <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 957-964	3.9	85
608	Thermodynamics of Ternary Mixtures Containing Sugars. SLE of d-Fructose in Pure and Mixed Solvents. Comparison between Modified UNIQUAC and Modified UNIFAC. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 4633-4640	3.9	40
607	Application of Group Contribution Models to the Calculation of the Octanol-Water Partition Coefficient. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 434-443	3.9	16
606	Prediction of Critical Micelle Concentrations of Nonionic Surfactants in Aqueous and Nonaqueous Solvents with UNIFAC. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 2362-2366	3.9	19
605	Measurement and Correlation of Isothermal Vapor-Liquid Equilibrium Data for the System Ethanol + 2-Propanol + Barium Iodide. <i>Journal of Chemical & Engineering Data</i> , 2001 , 46, 1623-1626	2.8	3
604	Comments on Optimization of a Wastewater System Containing the Ternary Homogeneous Azeotropic System Ethyl Acetate-Ethanol-Water <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 492-493	3.9	1
603	Modeling the formation of secondary organic aerosol. 1. Application of theoretical principles to measurements obtained in the alpha-pinene/, beta-pinene/, sabinene/, delta3-carene/, and cyclohexane/ozone systems. 2001 , 35, 1164-72		114
602	Phase Equilibria in the Systems 1-Hexene + 2,2,4-Trimethylpentane and 1-Hexene + Ethyl 1,1-Dimethylethyl Ether + 2,2,4-Trimethylpentane at 94.00 kPa. <i>Journal of Chemical & Engineering Data</i> , 2001 , 46, 511-515	2.8	9

601	Partition controlled delivery of hydrophobic substances in toxicity tests using poly(dimethylsiloxane) (PDMS) films. 2001 , 35, 4097-102		89
600	Isobaric Vapor-Liquid Equilibria in the Systems Methyl Acetate + 2,2-Dioxybis[propane], 2,2-Dioxybis[propane] + Toluene, and Methanol + 2-Methyl-2-butanol. <i>Journal of Chemical & Engineering Data</i> , 2001 , 46, 223-228	2.8	11
599	Phase Equilibria in the Systems 1-Hexene + Benzene and 1-Hexene + Ethyl 1,1-Dimethylethyl Ether + Benzene at 94.00 kPa. <i>Journal of Chemical & Engineering Data</i> , 2001 , 46, 506-510	2.8	8
598	Predicting Cosolvency. 3. Evaluation of the Extended Log-Linear Model. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 5029-5035	3.9	11
597	Phase Equilibria of the Ternary System Benzene + Cyclohexane + 1-Pentanol at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2001 , 46, 410-413	2.8	5
596	Partitioning of Ethyl Acetate, Maltol, Glucose, and Fructose to Liquid Phases of the Carbon Dioxide + Water + 1-Propanol System. <i>Industrial & Engineering Chemistry Research</i> , 2001 , 40, 4990-4997	3.9	3
595	Evaluation of the Group Contribution Activity Coefficient Models for the Calculation of the Thermodynamic Factor Relating to Self- and Mutual-Diffusion Coefficients in Polymer Solutions.. 2001 , 34, 1493-1498		3
594	Modified UNIFAC (Dortmund). Reliable Model for the Development of Thermal Separation Processes.. 2001 , 34, 43-54		37
593	The limiting activity coefficient of phenol in water and some organic solvents from differential ebulliometry. <i>Fluid Phase Equilibria</i> , 2001 , 181, 59-70	2.5	10
592	FT-IR spectroscopic investigations of hydrogen bonding in alcohol-hydrocarbon solutions. <i>Fluid Phase Equilibria</i> , 2001 , 186, 1-25	2.5	119
591	Analysis of infinite dilution activity coefficients of solutes in hydrocarbons from UNIFAC. <i>Fluid Phase Equilibria</i> , 2001 , 181, 163-186	2.5	20
590	Vapor-Liquid equilibria for the binary systems decane + 1,1-dimethylethyl methyl ether (MTBE) and decane + 1,1-dimethylpropyl methyl ether (TAME) at 308.15, 318.15 and 328.15 K. <i>Fluid Phase Equilibria</i> , 2001 , 187-188, 299-310	2.5	7
589	Comparison of the performance of the LCVM model (an EoS/GE model) and the PHCT EoS (the Perturbed Hard Chain Theory Equation of State) in the prediction of the Vapor-Liquid Equilibria of binary systems containing light gases. 2001 , 19, 123-132		6
588	New process for separating propylene and propane by extractive distillation with aqueous acetonitrile. <i>Chemical Engineering Journal</i> , 2001 , 84, 581-586	14.7	36
587	Thermodynamic modeling of precipitation behavior in mixed micellar systems. 2001 , 183-185, 635-649		7
586	(Vapour + liquid) equilibria for the ternary system (benzene+ cyclohexane + anisole) at p= 101.32 kPa. 2001 , 33, 1765-1776		4
585	Critical Micelle Concentrations of Nonionic Surfactants in Organic Solvents: Approximate Prediction with UNIFAC. 2001 , 240, 277-283		26
584	Prediction of infinite dilution activity coefficients of chlorinated organic compounds in aqueous solution from quantum-chemical descriptors. 2001 , 22, 1851-1856		5

583	Primary nucleation of paracetamol in acetone/water mixtures. <i>Chemical Engineering Science</i> , 2001 , 56, 2305-2313	4.4	84
582	Experimental determination of critical data of mixtures and their relevance for the development of thermodynamic models. <i>Chemical Engineering Science</i> , 2001 , 56, 6905-6913	4.4	32
581	Prediction of Infinite Dilution Volatilities of Aroma Compounds in Water. 2001 , 66, 447-452		9
580	Calorimetric and Fourier transform infrared spectroscopic study of solid proteins immersed in low water organic solvents. 2001 , 1547, 359-69		64
579	Alcoholysis catalyzed by <i>Candida antarctica</i> lipase B in a gas/solid system obeys a Ping Pong Bi Bi mechanism with competitive inhibition by the alcohol substrate and water. 2001 , 1550, 90-9		57
578	Biosurfactant-enhanced solubilization of NAPL mixtures. 2001 , 48, 45-68		56
577	The effect of water on gas/particle partitioning of secondary organic aerosol. Part I: Pinene/ozone system. 2001 , 35, 6049-6072		169
576	Isobaric Phase Equilibria in the Binary Systems Ethyl 1,1-Dimethylethyl Ether + 1-hexene and + Cyclohexene at 94.00 kPa. 2001 , 39, 43-54		8
575	Phase Equilibria in the Systems Ethyl 1,1-Dimethylethyl Ether + Benzene + 2,2,4-Trimethylpentane and Benzene + 2,2,4-Trimethylpentane at 94.00 kPa. 2001 , 39, 637-654		4
574	BENCH-SCALE APPLICATION OF SUPERCRITICAL FLUID EXTRACTION FOR THE REMOVAL OF PHENOL FROM AQUEOUS SOLUTION. 2001 , 36, 2279-2291		4
573	Effect of Pressure on the Vapor-Liquid Equilibria of the System Methanol + Ethyl 1,1-Dimethylethyl Ether. 2001 , 39, 723-737		4
572	Isobaric Vapor-Liquid Equilibria and Densities for the System Methyl 1,1-Dimethylethyl Ether +2-Propanol. 2002 , 40, 277-294		9
571	Simultaneous Synthesis and Design of Novel Chemicals and Chemical Process Flowsheets. 2002 , 10, 115-120		5
570	Predicting adhesion between a crystalline polymer and silane-treated glass surfaces in filled composites. 2002 , 16, 1949-1956		10
569	The prediction of adhesion between polymer matrices and silane-treated glass surfaces in filled composites. 2002 , 16, 495-507		9
568	Hammersley stochastic annealing: efficiency improvement for combinatorial optimization under uncertainty. 2002 , 34, 761-777		9
567	Kinetics and Activation Thermodynamics of the Solvolysis of Tert-Pentyl and Tert-Hexyl Halides in Alcohols. 2002 , 2002, 535-536		
566	Continuous Regioselective Enzymatic Esterification in a Simulated Moving Bed Reactor. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 4722-4732	3.9	27

565	Phase Equilibria of the Binary Systems 1-Hexene with o-Xylene, m-Xylene, p-Xylene, Toluene, and Ethylbenzene at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2002 , 47, 867-871	2.8	24
564	Phase Equilibria in the Systems 1-Hexene + Heptane and 1-Hexene + Ethyl 1,1-Dimethylethyl Ether + Heptane at 94.00 kPa. 2002 , 40, 67-81		11
563	Volumetric properties, viscosities and refractive indices of binary mixed solvents containing methyl benzoate. 2002 , 4, 5833-5840		40
562	Free-Volume Activity Coefficient Models for Dendrimer Solutions. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 4848-4853	3.9	15
561	Estimation of Mixture Properties from First- and Second-Order Group Contributions with the UNIFAC Model. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 3260-3273	3.9	46
560	Efficient Combinatorial Optimization under Uncertainty. 2. Application to Stochastic Solvent Selection. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 1285-1296	3.9	39
559	Isobaric Vapor-Liquid Equilibria of the Binary Systems Cyclohexane with o-Xylene, m-Xylene, p-Xylene, and Ethylbenzene at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2002 , 47, 1154-1158	2.8	10
558	Vapor-Liquid Equilibria for the Binary System Hexane + 1,1-Dimethylpropyl Methyl Ether at 298.15, 308.15, 318.15, and 328.15 K. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 1364-1369	3.9	6
557	Integrated Solvent Selection and Recycling for Continuous Processes. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 4479-4488	3.9	48
556	Thermophysical Properties of Acetone or Methanol + n-Alkane (C9 to C12) Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2002 , 47, 887-893	2.8	50
555	Prediction of Solubility of Solid Organic Compounds in Solvents by UNIFAC. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 5114-5124	3.9	89
554	Measurement and Correlation of Isothermal Vapor-Liquid Equilibrium Data for the System Tetrahydrofuran + Methanol + Lithium Bromide. <i>Journal of Chemical & Engineering Data</i> , 2002 , 47, 482-486	2.8	1
553	Phase Equilibria and Static Properties. 2002 , 71-125		
552	Nonideal equilibrium dissolution of trichloroethene from a decane-based nonaqueous phase liquid mixture: Experimental and modeling investigation. 2002 , 38, 2-1-2-9		16
551	UNIFAC Parameters for Four New Groups. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 2047-2057	3.9	32
550	A Modified UNIFAC (Dortmund) Model. 4. Revision and Extension. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 1678-1688	3.9	160
549	Prediction of Micelle Formation for Aqueous Polyoxyethylene Alcohol Solutions with the UNIFAC Model. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 892-898	3.9	17
548	Experimental Determination and Prediction of Gas Solubility Data for CO ₂ + H ₂ O Mixtures Containing NaCl or KCl at Temperatures between 313 and 393 K and Pressures up to 10 MPa. <i>Industrial & Engineering Chemistry Research</i> , 2002 , 41, 4393-4398	3.9	146

547	Semi-empirical strategies for predicting adhesion. 2002 , 1-73		4
546	Isobaric Vapor-Liquid Equilibria and Densities for the System Ethyl 1,1-Dimethylethyl Ether + 2-Propanol. 2002 , 40, 685-702		7
545	Prediction of physico-chemical properties for PCs/DFs using the UNIFAC model with an alternative approximation for group assignment. 2002 , 49, 135-42		8
544	Phase-equilibria calculation by group-contribution perturbed-hard-sphere-chain equation of state. <i>AICHE Journal</i> , 2002 , 48, 359-368	3.6	41
543	Measurement and calculation of critical points for binary and ternary mixtures. <i>AICHE Journal</i> , 2002 , 48, 2350-2356	3.6	15
542	Calculation of solubilities of the pesticides diuron and monuron in organic nonelectrolyte solvents using UNIFAC and modified UNIFAC (dortmund) models. 2002 , 80, 530-535		
541	Laboratory and pilot-scale study on dehydration of benzene by pervaporation. <i>Journal of Membrane Science</i> , 2002 , 203, 127-136	9.6	38
540	Determination of ASOG parameters for selecting azeotropic mixtures containing hydrofluoroethers. <i>Fluid Phase Equilibria</i> , 2002 , 194-197, 653-662	2.5	12
539	Solvent selection for pharmaceuticals. <i>Fluid Phase Equilibria</i> , 2002 , 194-197, 771-782	2.5	176
538	Vapor-liquid equilibria and excess properties of octane + 1,1-dimethylpropyl methyl ether (TAME) mixtures. <i>Fluid Phase Equilibria</i> , 2002 , 200, 41-51	2.5	7
537	Revision of UNIFAC group interaction parameters of group contribution models to improve prediction results of vapor-liquid equilibria for solvent-polymer systems. <i>Fluid Phase Equilibria</i> , 2002 , 202, 367-383	2.5	10
536	Interaction enthalpies of solid bovine pancreatic chymotrypsin with organic solvents: comparison with FTIR-spectroscopic data. 2002 , 382, 151-160		13
535	Solvent improvement for separating C4 with ACN. 2002 , 26, 1213-1221		14
534	Chain-length selectivity of various lipases during hydrolysis, esterification and alcoholysis in biphasic aqueous medium. 2002 , 31, 648-655		78
533	More realistic soil cleanup standards with dual-equilibrium desorption. 2002 , 40, 153-64		35
532	A thermodynamic study on binary and ternary mixtures of acetonitrile, water and butyl acetate. <i>Fluid Phase Equilibria</i> , 2002 , 203, 83-98	2.5	59
531	Phase equilibria behaviour of n-heptane with o-xylene, m-xylene, p-xylene and ethylbenzene at 101.3 kPa. 2002 , 34, 1975-1984		19
530	Quantitative structure-property relationships for physiologically based pharmacokinetic modeling of volatile organic chemicals in rats. 2003 , 189, 221-32		45

529	Solid-phase peptide synthesis by ion-paired alpha-chymotrypsin in nonaqueous media. 2003 , 81, 809-17		27
528	Simultaneous prediction of the critical and sub-critical phase behavior in mixtures using equations of state II. Carbon dioxide/heavy n-alkanes. <i>Chemical Engineering Science</i> , 2003 , 58, 2529-2550	4-4	38
527	A review of the different techniques for solid surface acid-base characterization. 2003 , 105, 151-75		132
526	Application of IR-spectroscopy in thermodynamic investigations of associating solutions. <i>Fluid Phase Equilibria</i> , 2003 , 205, 195-214	2.5	21
525	Thermodynamic and IR spectroscopic studies of solutions with simultaneous association and solvation. <i>Fluid Phase Equilibria</i> , 2003 , 208, 23-51	2.5	28
524	Limiting activity coefficients in binary mixtures of 1-alkanols and toluene. <i>Fluid Phase Equilibria</i> , 2003 , 209, 265-280	2.5	12
523	Water plays a different role on activation thermodynamic parameters of alcoholysis reaction catalyzed by lipase in gaseous and organic media. 2003 , 1645, 56-62		25
522	Solid/gas biocatalysis: an appropriate tool to study the influence of organic components on kinetics of lipase-catalyzed alcoholysis. 2003 , 1652, 27-34		11
521	Alcoholysis catalyzed by <i>Candida antarctica</i> lipase B in a gas/solid system: effects of water on kinetic parameters. 2003 , 1648, 24-32		33
520	Predicting aqueous solubilities from aqueous free energies of solvation and experimental or calculated vapor pressures of pure substances. 2003 , 119, 1661-1670		88
519	Greener by design. 2003 , 37, 5432-44		23
518	Measurements, Correlations, and Predictions of Viscosities for the Ternary Mixture (2-Butanol + Hexane + 1-Chlorobutane) at 298.15 K and 313.15 K. <i>Journal of Chemical & Engineering Data</i> , 2003 , 48, 302-307	2.8	13
517	Industrial Needs in Physical Properties. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 6359-6374	3.7	77
516	Solvent Strength Parameters and Retention Factors in Pure Water Using UNIFAC-Predicted Activity Coefficients. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 6320-6330	3.9	2
515	Isobaric Vapor-Liquid Equilibria and Excess Properties for the Binary Systems of Methyl Esters + Heptane. <i>Journal of Chemical & Engineering Data</i> , 2003 , 48, 1183-1190	2.8	48
514	Vapor-Liquid Equilibria by UNIFAC Group Contribution. 6. Revision and Extension. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 183-188	3.9	224
513	Prediction of Infinite Dilution Activity Coefficients Using COSMO-RS. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 3635-3641	3.9	74
512	Onset of Rayleigh-Bénard convection in a ternary liquid system and the Onsager law with generalized thermal diffusion. 2003 , 83, 2033-2038		2

511	Vapor-Liquid Equilibrium of the Ethanol + 2-Methyl-1-butanol System. <i>Journal of Chemical & Engineering Data</i> , 2003 , 48, 14-17	2.8	9
510	Predicting the Solubilities of Complex Chemicals I. Solutes in Different Solvents. <i>Industrial & Engineering Chemistry Research</i> , 2003 , 42, 5622-5634	3.9	45
509	Isobaric Vapor-Liquid Equilibria and Densities for the Binary Systems Oxolane + Ethyl 1,1-Dimethylethyl Ether, Oxolane + 2-Propanol and Propan-2-One + Trichloromethane. 2003 , 41, 283-301		13
508	Computer aided biochemical process engineering. 2003 , 1-10		1
507	Models for Liquid Phase Activity Coefficients - UNIFAC. 2004 , 19, 59-74		3
506	Equations of State with Emphasis on Excess Gibbs Energy Mixing Rules. 2004 , 75-111		1
505	Molecular Design of Solvents: An Efficient Search Algorithm for Branched Molecules. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 784-790	3.9	12
504	Excess Properties and Isobaric Vapor-Liquid Equilibria for Binary Mixtures of Methyl Esters +tert-Butanol. <i>Journal of Chemical & Engineering Data</i> , 2004 , 49, 1602-1612	2.8	26
503	Enantioselective acylation of R-2-pentanol in a solid/gas reactor catalysed by lipase B from <i>Candida antarctica</i> . 2004 , 32, 53-59		18
502	Vapor-Liquid equilibria calculation for asymmetric systems using Patel-Teja equation of state with a new mixing rule. <i>Fluid Phase Equilibria</i> , 2004 , 224, 213-219	2.5	31
501	VLE predictions with the Peng-Robinson equation of state and temperature dependent kij calculated through a group contribution method. <i>Fluid Phase Equilibria</i> , 2004 , 224, 285-304	2.5	289
500	Experimental determination and prediction of gas solubility data for oxygen in acetonitrile. 2004 , 36, 1015-1018		31
499	PSRK method for gas hydrate equilibria: I. Simple and mixed hydrates. <i>AIChE Journal</i> , 2004 , 50, 203-214	3.6	30
498	Incorporating uncertainty in chemical process design for environmental risk assessment. 2004 , 23, 315-328		4
497	Atmospheric organic aerosol production by heterogeneous acid-catalyzed reactions. 2004 , 5, 1647-61		54
496	Solubility, dissolution rate and phase transition studies of ranitidine hydrochloride tautomeric forms. 2004 , 282, 73-85		54
495	Effect of concentration polarisation and osmotic pressure on flux in organic solvent nanofiltration. <i>Journal of Membrane Science</i> , 2004 , 236, 121-136	9.6	109
494	The use of VMD data/model to test different thermodynamic models for vapour-liquid equilibrium. <i>Journal of Membrane Science</i> , 2004 , 239, 227-241	9.6	16

493	Measurement and correlation of isobaric vapour-liquid equilibrium data and excess properties of ethyl methanoate with alkanes (hexane to decane). <i>Fluid Phase Equilibria</i> , 2004 , 215, 175-186	2.5	26
492	Vapor-phase chemical equilibrium for the hydrogenation of benzene to cyclohexane from reaction-ensemble molecular simulation. <i>Fluid Phase Equilibria</i> , 2004 , 219, 181-193	2.5	16
491	Vapor-liquid equilibria in dendrimer and hyperbranched polymer solutions: experimental data and modeling using UNIFAC-FV. <i>Fluid Phase Equilibria</i> , 2004 , 221, 83-96	2.5	18
490	Liquid-liquid equilibria for mixtures of {methyl acetate + methanol + n-alkane (C10-12)} at several temperatures and 1 atm. 2004 , 36, 237-243		7
489	Improved model of multicomponent adsorption in reversed-phase liquid chromatography. 2004 , 1024, 9-14		10
488	Thermodynamic uncertainties in batch processing and optimal control. 2004 , 28, 2245-2258		24
487	Vapor-liquid Equilibria of the Binary System 1-Pentanol + Anisole and the Quaternary System Benzene + Cyclohexane + 1-Pentanol + Anisole at 101.32 kPa. <i>Journal of Chemical & Engineering Data</i> , 2004 , 49, 872-875	2.8	8
486	Application of the PSRK Model for Systems Containing Strong Electrolytes. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 6607-6615	3.9	23
485	Liquid-liquid Equilibria of Methyl Acetate + Methanol + Octane or Nonane. <i>Journal of Chemical & Engineering Data</i> , 2004 , 49, 664-667	2.8	3
484	Hygroscopic properties of levoglucosan and related organic compounds characteristic to biomass burning aerosol particles. 2004 , 109, n/a-n/a		114
483	UNIFAC Modeling of Cosolvent Phase Partitioning in Nonaqueous Phase Liquid-Water Systems. 2004 , 130, 478-483		20
482	Rigorous dynamic modeling and simulation of wine distillations. 2004 , 15, 515-521		35
481	Universal Mixing Rule for Cubic Equations of State Applicable to Symmetric and Asymmetric Systems: Results with the Peng-Robinson Equation of State. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 6238-6246	3.9	77
480	Effect of activity coefficient models on predictions of secondary organic aerosol partitioning. 2004 , 35, 1415-1438		24
479	Bibliography. 2005 , 1213-1254		
478	A curved multi-component aerosol hygroscopicity model framework: Part 2 - Including organic compounds. <i>Atmospheric Chemistry and Physics</i> , 2005 , 5, 1223-1242	6.8	148
477	Partitioning of water in organic systems with lipase immobilized in polyurethane foams. 2005 , 26, 29-37		14
476	Systems with ionic liquids: Measurement of VLE and λ -data and prediction of their thermodynamic behavior using original UNIFAC, mod. UNIFAC(Do) and COSMO-RS(OL). 2005 , 37, 603-619		368

475	PSRK group contribution equation of state: comprehensive revision and extension IV, including critical constants and E-function parameters for 1000 components. <i>Fluid Phase Equilibria</i> , 2005 , 227, 157-164	2.5	93
474	Solubility of L-Dopa in supercritical carbon dioxide: prediction using a cubic equation of state. 2005 , 34, 231-236		5
473	Extension of the group contribution associating equation of state to mixtures containing phenol, aromatic acid and aromatic ether compounds. <i>Fluid Phase Equilibria</i> , 2005 , 231, 197-210	2.5	18
472	Experimental and predicted vapour-liquid equilibrium of 1,4-dioxane with cycloalkanes and benzene. <i>Fluid Phase Equilibria</i> , 2005 , 238, 1-6	2.5	10
471	Systematic errors in the measurement of adsorption isotherms by frontal analysis Impact of the choice of column hold-up volume, range and density of the data points. 2005 , 1097, 98-115		44
470	Adsorbed solution model for prediction of normal-phase chromatography process with varying composition of the mobile phase. 2005 , 1092, 65-75		7
469	Performance of a Conductor-Like Screening Model for Real Solvents Model in Comparison to Classical Group Contribution Methods. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 1610-1624	3.9	131
468	An improved prediction result of entropic-FV model for vapor-liquid equilibria of solvent-polymer systems. 2005 , 97, 1145-1153		6
467	Crystal growth rates of paracetamol in mixtures of water + acetone + toluene. <i>AIChE Journal</i> , 2005 , 51, 2441-2456	3.6	20
466	Application of CAMD in separating hydrocarbons by extractive distillation. <i>AIChE Journal</i> , 2005 , 51, 3114-3121	3.1	41
465	Stripping as a pretreatment process of industrial oily wastewater. 2005 , 117, 135-9		35
464	Effect of adsorption of organic solvents on the band profiles in reversed-phase non-linear chromatography. <i>Chemical Engineering Science</i> , 2005 , 60, 1411-1427	4.4	21
463	Simultaneous prediction of interfacial tension and phase equilibria in binary mixtures: An approach based on cubic equations of state with improved mixing rules. <i>Fluid Phase Equilibria</i> , 2005 , 227, 225-238	2.5	58
462	Solvent optimization for efficient enzymatic monoacylglycerol production based on a glycerolysis reaction. 2005 , 82, 559-564		80
461	Thermodynamic fundamentals. 2005 , 1-58		4
460	Application of PSRK for Process Design. 2005 , 192, 336-350		10
459	Vapor-Liquid Equilibria at 101.32 kPa and Excess Properties of Binary Mixtures of Butyl Esters + tert-Butyl Alcohol. <i>Journal of Chemical & Engineering Data</i> , 2005 , 50, 444-454	2.8	30
458	Molecular structure-based prediction of the steady-state blood concentrations of inhaled organics in rats. 2005 , 15, 361-6		1

457	Compositional evolution of the emplaced fuel source in the vadose zone field experiment at Airbase Verle, Denmark. 2005 , 39, 8251-63		24
456	Correlation and Prediction of Environmental Properties of Alcohol Ethoxylate Surfactants Using the UNIFAC Method. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 7255-7261	3.9	12
455	Isobaric Vapor-Liquid Equilibria at 97.3 kPa and Excess Properties at (303.15, 308.15, and 313.15) K of Binary Mixture of p-Xylene + Decane. <i>Journal of Chemical & Engineering Data</i> , 2005 , 50, 1891-1896	2.8	12
454	Semiempirical Model of the Vapor-Liquid Phase Behavior of the Hydrogen Chloride-Water System. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 639-644	3.9	4
453	Measurement and Prediction of Solubility of Four Arylamine Molecules in Benzene, Hexane, and Methanol. <i>Journal of Chemical & Engineering Data</i> , 2005 , 50, 1794-1800	2.8	6
452	Vapor-Liquid Equilibria and Excess Properties of the Binary System Vinyl Acetate + p-Xylene. <i>Journal of Chemical & Engineering Data</i> , 2005 , 50, 1897-1901	2.8	11
451	Characterization and preferential solvation of the hexane/hexan-1-ol/methylbenzoate ternary solvent. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 6375-85	3.4	13
450	Improved Genetic Algorithms for Deterministic Optimization and Optimization under Uncertainty. Part II. Solvent Selection under Uncertainty. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 7138-7146	3.9	33
449	Evaluation of binary solvent mixtures for efficient monoacylglycerol production by continuous enzymatic glycerolysis. 2006 , 54, 7113-9		53
448	Measurement and correlation of liquid-liquid equilibria of methanol + 2-butanone + n-alkanes (C10-C12) ternary mixtures. 2006 , 44, 293-301		1
447	Correlation and Prediction of Excess Quantities and Vapor-Liquid Equilibria of Alkyl Esters + tert-Butyl Alcohol: Experimental Data for Propyl Esters + tert-Butyl Alcohol. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 730-742	2.8	13
446	Equilibrium phase diagrams of aqueous mixtures of malonic acid and sulfate/ammonium salts. 2006 , 110, 12158-65		28
445	Modification of UNIFAC parameter table Revision 5 for representation of aqueous solubility and 1-octanol/water partition coefficient for POPs. 2006 , 63, 698-706		3
444	Solubility of Berberine Chloride in Various Solvents. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 642-644	2.8	19
443	Modified LIQUAC and Modified LIFACA Further Development of Electrolyte Models for the Reliable Prediction of Phase Equilibria with Strong Electrolytes. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 2361-2373	3.9	46
442	Thermodynamic property calculations with the universal mixing rule for EoS/GE models: Results with the Peng-Robinson EoS and a UNIFAC model. <i>Fluid Phase Equilibria</i> , 2006 , 241, 216-228	2.5	50
441	Integrating product and process design with optimal control: A case study of solvent recycling. <i>Chemical Engineering Science</i> , 2006 , 61, 2001-2009	4.4	11
440	Effect of temperature on competitive adsorption of the solute and the organic solvent in reversed-phase liquid chromatography. 2006 , 1103, 284-95		22

439	Liquid-Liquid equilibrium of (perfluoroalkane+alkane) binary mixtures. <i>Fluid Phase Equilibria</i> , 2006 , 242, 210-219	2.5	45
438	Chemical equilibria of multiple-reaction systems from reaction ensemble Monte Carlo simulation and a predictive equation of state: Combined hydrogenation of ethylene and propylene. <i>Fluid Phase Equilibria</i> , 2006 , 242, 189-203	2.5	12
437	Excess molar volumes and excess viscosities of the 2,2,4-trimethylpentane (1)+3-methyl-1-butanol (2) and propan-2-ol (3) ternary system at 298.15 K. 2006 , 124, 37-44		20
436	Thermodynamic Modelling as a Tool in the Design of Microsphere Controlled-Delivery Systems. 2006 , 84, 652-663		3
435	Isobaric Vapor-Liquid Equilibria of 1-Butanol- β -Xylene System. 2006 , 27, 85-91		4
434	Binary liquid-Liquid equilibrium in the systems containing monofunctional benzene derivatives and 1,2-ethanediol. <i>Fluid Phase Equilibria</i> , 2006 , 249, 104-108	2.5	9
433	Vapor pressure prediction for alkenoic and aromatic organic compounds by a UNIFAC-based group contribution method. 2006 , 40, 3588-3600		35
432	Prediction of activity coefficients in liquid aerosol particles containing organic compounds, dissolved inorganic salts, and water-Part 2: Consideration of phase separation effects by an X-UNIFAC model. 2006 , 40, 6422-6436		62
431	Thermodynamic modeling of activity coefficient and prediction of solubility: Part 2. Semipredictive or semiempirical models. 2006 , 95, 798-809		31
430	SIMPOL.1: A simple group contribution method for predicting vapor pressures and enthalpies of vaporization of multifunctional organic compounds. 2007 ,		5
429	Sampling Techniques. 2007 ,		6
428	A new atmospheric aerosol phase equilibrium model (UHAERO): organic systems. <i>Atmospheric Chemistry and Physics</i> , 2007 , 7, 4675-4698	6.8	13
427	Surface tensions of multi-component mixed inorganic/organic aqueous systems of atmospheric significance: measurements, model predictions and importance for cloud activation predictions. <i>Atmospheric Chemistry and Physics</i> , 2007 , 7, 2371-2398	6.8	76
426	Physicochemical properties of selected polybrominated diphenyl ethers and extension of the UNIFAC model to brominated aromatic compounds. 2007 , 67, 1858-65		34
425	Experimental Determination and Calculation of Gas Solubility Data for Nitrogen in Different Solvents. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 4654-4659	3.9	22
424	Liquid-Liquid Equilibria of Water + 2-Butanol + (Methyl Methacrylate or Butyl Methacrylate or Isobutyl Methacrylate) at (288.2 and 318.2) K. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 1950-1954 ⁸	2.8	1954 ⁸
423	Application of MOSCED and UNIFAC to Screen Hydrophobic Solvents for Extraction of Hydrogen-Bonding Organics from Aqueous Solution. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 4621-4625	3.9	18
422	Modeling of Simultaneous Chemical and Phase Equilibria in Esterification of Acetic Acid with Ethanol in High-Pressure Carbon Dioxide. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 5437-5445 ⁸	3.9	5445 ⁸

421	Isobaric Vapor-Liquid Equilibrium Data and Excess Properties of Binary Systems Comprised of Alkyl Methanoates + Hexane. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 215-225	2.8	25
420	Liquid-Liquid Equilibria for the Ternary Systems Water + 2-Propanol + Methyl Methacrylate, + Butyl Methacrylate, and + Isobutyl Methacrylate. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 1424-1428	2.8	2
419	Separation of Glycol Ethers and Similar LCST-Type Hydrogen-Bonding Organics from Aqueous Solution Using Distillation or Liquid-Liquid Extraction. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 3774-3786	3.9	8
418	A method for prediction of UNIFAC group interaction parameters. <i>AIChE Journal</i> , 2007 , 53, 1620-1632	3.6	18
417	Computer-aided framework for pure component properties and phase equilibria prediction for organic systems. <i>Fluid Phase Equilibria</i> , 2007 , 261, 199-204	2.5	16
416	Influence of preferential adsorption of mobile phase on retention behavior of amino acids on the teicoplanin chiral selector. 2007 , 1173, 58-70		20
415	Selection of entrainers in the 1-hexene/n-hexane system with a limited solubility. <i>Fluid Phase Equilibria</i> , 2007 , 260, 29-35	2.5	73
414	Extension of the group-contribution lattice-fluid equation of state. <i>Fluid Phase Equilibria</i> , 2007 , 260, 135-145	2.5	9
413	Solubility analysis of buspirone hydrochloride polymorphs: measurements and prediction. 2007 , 338, 55-63		31
412	Vapor-Liquid equilibrium of polymer+solvent systems: Experimental data and thermodynamic modeling. 2007 , 48, 5646-5652		15
411	The lower explosion point—a good measure for explosion prevention: Experiment and calculation for pure compounds and some mixtures. 2007 , 20, 536-540		19
410	Prediction of polycyclic aromatic hydrocarbon solubilities in benzene. 2007 , 2, 144-150		1
409	Prediction of the Partition Coefficient for Acetic Acid in a Two-Phase System Soybean Oil-Water. 2007 , 84, 669-674		6
408	Liquid-Liquid equilibria for the ternary systems water + 1-propanol + methyl methacrylate, +butyl methacrylate, and +isobutyl methacrylate. <i>Fluid Phase Equilibria</i> , 2007 , 258, 1-6	2.5	6
407	Liquid-Liquid equilibria of water+1-butanol+methyl methacrylate or butyl methacrylate or isobutyl methacrylate at 288.15K and 318.15K. <i>Fluid Phase Equilibria</i> , 2007 , 259, 189-194	2.5	17
406	Liquid-Liquid equilibria of the systems isobutyl acetate+isobutyl alcohol+water and isobutyl acetate+isobutyl alcohol+glycerol at different temperatures. <i>Fluid Phase Equilibria</i> , 2008 , 265, 122-128	2.5	11
405	A comparative study of thermodynamic properties of binary mixtures containing perfluoroalkanes. <i>Journal of Thermal Analysis and Calorimetry</i> , 2008 , 92, 145-154	4.1	15
404	Optimized intermolecular potential for nitriles based on Anisotropic United Atoms model. 2008 , 14, 571-80		5

403	Prediction of High-Pressure Phase Equilibria using Cubic EOS: What Can Be Learned?. 2008 , 80, 927-942		17
402	The Effect of Additives and Impurities on the Partition of Ethanol into n-Decanol from Aqueous Solutions. 2008 , 8, 551-569		2
401	Thermodynamics of Aqueous Systems. 141-191		1
400	A new methodology to probe Shape Selectivity in Porous Adsorbents. 2008 , 116, 607-613		14
399	Limiting activity coefficients in binary mixtures of 1-alkanols and ethylbenzene. <i>Fluid Phase Equilibria</i> , 2008 , 263, 64-70	2.5	5
398	Study of liquid-liquid equilibrium of the systems isobutyl acetate+acetic acid+water and isobutyl alcohol+acetic acid+water at different temperatures. <i>Fluid Phase Equilibria</i> , 2008 , 271, 76-81	2.5	29
397	Measurement and prediction of pyrene solubility in pure, binary, ternary and quaternary solvent systems. <i>Fluid Phase Equilibria</i> , 2008 , 264, 29-44	2.5	7
396	Influence of chemical composition and microstructure on the hygroscopic growth of pyrogenic aerosol. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2008 , 44, 416-431	1	7
395	Comparison of activity coefficient models for atmospheric aerosols containing mixtures of electrolytes, organics, and water. 2008 , 42, 5459-5482		17
394	Vapor-Liquid Equilibrium of Copolymer+Solvent Systems: Experimental Data and Thermodynamic Modeling with New UNIFAC Groups. 2008 , 16, 605-611		4
393	Exploring the possibility of predicting CALB activity in liquid organic medium, with the aid of intrinsic kinetic parameters and intrinsic solvent effect data obtained in solid/gaz reactor. 2008 , 52-53, 121-127		4
392	Predictive molecular thermodynamic models for liquid solvents, solid salts, polymers, and ionic liquids. 2008 , 108, 1419-55		122
391	Impact of Multicomponent Transport on Numerical Prediction of Isolated Droplet Combustion Behaviors. 2008 ,		
390	Solubilities of Stearic Acid in Organic Solvents and in Azeotropic Solvent Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 628-633	2.8	26
389	Liquid-Liquid Equilibria of Mixtures Containing Methyl Acetate + Methanol + Hexane or Heptane. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 89-93	2.8	4
388	Phase partitioning modeling of ethanol, isopropanol, and methanol with BTEX compounds in water. 2008 , 154, 320-9		17
387	Selective Conversion of D-Fructose to 5-Hydroxymethylfurfural by Ion-Exchange Resin in Acetone/Dimethyl sulfoxide Solvent Mixtures. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 9234-9239	3.9	149
386	Estimation of Physical Properties. 2008 ,		3

385	Isobaric Vapor-Liquid Equilibria of Hexane + 1-Decene and Octane + 1-Decene Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 398-402	2.8	7
384	An integrated QSPR-PBPK modelling approach for in vitro-in vivo extrapolation of pharmacokinetics in rats. 2008 , 19, 669-80		13
383	Vapor-Liquid equilibrium, densities, and interfacial tensions for the system benzene + propan-1-ol. 2008 , 46, 175-190		8
382	The Kelvin versus the Raoult Term in the K _{il} er Equation. 2008 , 65, 4004-4016		46
381	Vapor pressure, density, viscosity and refractive index of dimethyl sulfoxide + 1,4-dimethylbenzene system. 2008 , 73, 73-85		24
380	Thermodynamics of Fluid Phase and Chemical Equilibria. 2008 , 255-392		
379	SIMPOL.1: a simple group contribution method for predicting vapor pressures and enthalpies of vaporization of multifunctional organic compounds. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 2773-2796	6.8	392
378	A thermodynamic model of mixed organic-inorganic aerosols to predict activity coefficients. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 4559-4593	6.8	238
377	Effects of uncertainties in the thermodynamic properties of aerosol components in an air quality model [Part 1: Treatment of inorganic electrolytes and organic compounds in the condensed phase. <i>Atmospheric Chemistry and Physics</i> , 2008 , 8, 1057-1085	6.8	45
376	. 2008 ,		15
375	Computation of Hydrate Phase Equilibria and Its Application to the Yamal-Europe Gas Pipeline. 2009 , 27, 208-225		6
374	Factual data banks and their application to the synthesis and design of chemical processes and the development and testing of thermophysical property estimation methods. 2009 , 81, 1745-1768		15
373	Kinetics of the synthesis of propyl and butyl acrylates in the presence of some heteropolyacids as catalysts. 2009 , 41, 12-17		6
372	Measurement and prediction of phase diagrams of the enantiomeric 3-chloromandelic acid system. <i>Chemical Engineering Science</i> , 2009 , 64, 192-197	4.4	19
371	Phase equilibria of (water+levulinic acid+dibasic esters) ternary systems. <i>Fluid Phase Equilibria</i> , 2009 , 282, 20-24	2.5	10
370	Prediction of phase equilibrium in mixtures containing ionic liquids using UNIFAC. <i>Fluid Phase Equilibria</i> , 2009 , 284, 99-105	2.5	54
369	Improvement of an Entropic-FV model based on solubility parameters for prediction of vapor-liquid equilibria of solvent-polymer systems. <i>Fluid Phase Equilibria</i> , 2009 , 285, 105-111	2.5	4
368	Isobaric vapor-liquid equilibrium for binary mixtures of 1-hexene+n-hexane and cyclohexane+cyclohexene at 30, 60 and 101.3kPa. <i>Fluid Phase Equilibria</i> , 2009 , 279, 11-16	2.5	24

- 367 Application of UNIFAC models for prediction of vapor-liquid and liquid-liquid equilibria relevant to separation and purification processes of crude biodiesel fuel. **2009**, 88, 1472-1477 68
- 366 Dynamic behaviour of non-isothermal compressible natural gases mixed with hydrogen in pipelines. **2009**, 34, 6722-6729 19
- 365 Present status and potential of group contribution methods for process development. **2009**, 41, 731-747 71
- 364 About Phase equilibria on four binary systems containing 3-methylthiophene by E. Sapei, et al. [Fluid Phase Equilib. 279 (2009) 8186]. *Fluid Phase Equilibria*, **2009**, 286, 111-112 2.5
- 363 Modeling of polycyclic aromatic hydrocarbon SLE in aromatic solvents. **2009**, 5, 517-526
- 362 Prediction of Vapor-Liquid Equilibrium at High Pressure Using a New Excess Free Energy Mixing Rule Coupled with the Original UNIFAC Method and the SRK Equation of State. *Industrial & Engineering Chemistry Research*, **2009**, 48, 6836-6845 3.9 7
- 361 Solubilities of Lauric Acid in n-Hexane, Acetone, Propanol, 2-Propanol, 1-Bromopropane, and Trichloroethylene from (279.0 to 315.3) K. *Journal of Chemical & Engineering Data*, **2009**, 54, 1371-1374 2.8 8
- 360 The Solubility of Beclomethasone-17,21-dipropionate in Selected Organic Solvents: Experimental Measurement and Thermodynamic Modeling. **2009**, 13, 1322-1326 4
- 359 Solubilities of biologically active phenolic compounds: measurements and modeling. *Journal of Physical Chemistry B*, **2009**, 113, 3469-76 3.4 77
- 358 UNIFAC Model for Ionic Liquids. *Industrial & Engineering Chemistry Research*, **2009**, 48, 2697-2704 3.9 210
- 357 Solubilities of Palmitic Acid in Pure Solvents and Its Mixtures. *Journal of Chemical & Engineering Data*, **2009**, 54, 64-68 2.8 19
- 356 Thermodynamic Property Modeling for Chemical Process and Product Engineering: Some Perspectives. *Industrial & Engineering Chemistry Research*, **2009**, 48, 4619-4637 3.9 40
- 355 Influence of non-ideality on condensation to aerosol. *Atmospheric Chemistry and Physics*, **2009**, 9, 1325-1337 3.7 27
- 354 Amorphous and crystalline aerosol particles interacting with water vapor: conceptual framework and experimental evidence for restructuring, phase transitions and kinetic limitations. *Atmospheric Chemistry and Physics*, **2009**, 9, 9491-9522 6.8 375
- 353 The sensitivity of secondary organic aerosol component partitioning to the predictions of component properties [Part 1: A systematic evaluation of some available estimation techniques. *Atmospheric Chemistry and Physics*, **2010**, 10, 10255-10272 6.8 40
- 352 An Economical Method for Isolation of Dioscin from *Dioscorea nipponica* Makino by HSCCC Coupled with ELSD, and a Computer-Aided UNIFAC Mathematical Model. **2010**, 71, 15-23 50
- 351 Quantitative correlation of physical and chemical properties with chemical structure: utility for prediction. **2010**, 110, 5714-89 372
- 350 QSPR analysis of infinite dilution activity coefficients of chlorinated organic compounds in water. *Fluid Phase Equilibria*, **2010**, 291, 111-116 2.5 23

349	Isobaric (vapour + liquid) equilibria for the (1-propanol + 1-butanol) binary mixture at (53.3 and 91.3) kPa. 2010 , 42, 792-796		6
348	The effects of organic solvents on the efficiency and regioselectivity of N-acetyl-lactosamine synthesis, using the β -galactosidase from <i>Bacillus circulans</i> in hydro-organic media. 2010 , 26, 1278-89		25
347	Supercritical fluid extraction of minor components of vegetable oils: β -sitosterol. 2010 , 101, 201-209		22
346	Measurement and prediction of solubilities of active pharmaceutical ingredients. 2010 , 388, 73-81		77
345	From van der Waals to VTPR: The systematic improvement of the van der Waals equation of state. 2010 , 55, 438-447		19
344	Prediction of liquid-liquid equilibrium from the Peng-Robinson+COSMOSAC equation of state. <i>Chemical Engineering Science</i> , 2010 , 65, 1955-1963	4.4	32
343	Extraction of biofuels and biofeedstocks from aqueous solutions using ionic liquids. 2010 , 34, 1406-1412		81
342	Measurement and correlation of the saturation concentrations for single and mixed aqueous electrolyte solutions at various temperatures. 2010 , 258, 187-193		4
341	Excess properties and isobaric vapor-liquid equilibria for four binary systems of alkyl (methyl to butyl) methanoates with decane. <i>Fluid Phase Equilibria</i> , 2010 , 291, 18-31	2.5	11
340	Liquid-liquid equilibrium of the ternary system water+acetic acid+sec-butyl acetate. <i>Fluid Phase Equilibria</i> , 2010 , 293, 73-78	2.5	11
339	Isobaric vapor-liquid equilibria for binary and ternary mixtures with cyclohexane, cyclohexene, and morpholine at 100kPa. <i>Fluid Phase Equilibria</i> , 2010 , 296, 178-183	2.5	6
338	Improvements of COSMO-SAC for vapor-liquid and liquid-liquid equilibrium predictions. <i>Fluid Phase Equilibria</i> , 2010 , 297, 90-97	2.5	191
337	Equilibrium modeling of xylene adsorption on molecular sieves. <i>Fluid Phase Equilibria</i> , 2010 , 298, 54-59	2.5	9
336	Liquid-Phase Esterification of Methacrylic Acid with Methanol Catalyzed by Heteropolyacid. 2010 , 8,		5
335	Vapor-Liquid Equilibria for Ethyl Acetate + Methanol at (0.1, 0.5, and 0.7) MPa. Measurements with a New Ebulliometer. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 5701-5706	2.8	20
334	Integrated Process Modeling and Product Design of Biodiesel Manufacturing. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 1197-1213	3.9	69
333	Isobaric Vapor-Liquid Equilibria for Binary and Ternary Mixtures with Cyclohexane, Cyclohexene, and Methyl Isobutyl Ketone at 100 kPa. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 5812-5817	2.8	8
332	Measurements of the Excess Properties and Vapor-Liquid Equilibria at 101.32 kPa for Mixtures of Ethyl Ethanoate + Alkanes (from C5 to C10) <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 5519-5533	2.8	30

331	Equilibrium Phase Behavior of Triblock Copolymer + Sodium or + Potassium Hydroxides + Water Two-Phase Systems at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 3847-3852	2.8	17
330	Measurement and Correlation of Solubilities of Decanedioic Acid in C ₄ -C ₆ Alcohol Solvents. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 1411-1415	2.8	19
329	Isobaric Vapor-Liquid Equilibrium for Binary Mixtures of 3-Methyl-1-butanol + 3-Methyl-1-butyl Ethanoate and 1-Pentanol + Pentyl Ethanoate at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 2349-2354	2.8	9
328	Isothermal Binary Vapor-Liquid Equilibrium for 2-Methylpropane and n-Butane with 1,2-Ethanedithiol and 2-Methyl-2-propanethiol. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 291-296	2.8	5
327	Laboratory and modelling study of the hygroscopic properties of two model humic acid aerosol particles. 2010 , 41, 457-467		13
326	Isobaric Vapor-Liquid Equilibria for Binary and Ternary Mixtures with Cyclohexane, Cyclohexene, and 2-Methoxyethanol at 100 kPa. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 62-68	2.8	11
325	Prediction of Infinite-Dilution Activity Coefficients Using UNIFAC and COSMO-SAC Variants. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 7488-7496	3.9	57
324	Isobaric Vapor-Liquid Equilibria of Heptane + 1-Butanol and Heptane + 1-Pentanol Systems at (53.3 and 91.3) kPa. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 2140-2144	2.8	13
323	Solid-Liquid Equilibrium of Tristearin with Refined Rice Bran and Palm Oils. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 5078-5082	2.8	9
322	Solid-Liquid Equilibrium of Binary Mixtures Containing Fatty Acids and Triacylglycerols. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 3277-3284	2.8	27
321	Liquid-Liquid and Vapor-Liquid-Liquid Equilibrium of the 2-Butanone + 2-Butanol + Water System. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 1755-1761	2.8	11
320	Analytical modeling of degradation product partitioning kinetics in source zones containing entrapped DNAPL. 2011 , 47,		6
319	Molecular Thermodynamic Modeling and Design of Microencapsulation Systems for Drug Delivery. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 1229-1237	2.8	5
318	Liquid-Liquid Phase Equilibria of 1-Propanol + Water + n-Alcohol Ternary Systems at 298.15 K and Atmospheric Pressure. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 3214-3221	2.8	25
317	The sensitivity of secondary organic aerosol (SOA) component partitioning to the predictions of component properties [Part 3: Investigation of condensed compounds generated by a near-explicit model of VOC oxidation. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 13145-13159	6.8	19
316	Estimating fusion properties for functionalised acids. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 8385-8394	6.8	8
315	New and extended parameterization of the thermodynamic model AIOMFAC: calculation of activity coefficients for organic-inorganic mixtures containing carboxyl, hydroxyl, carbonyl, ether, ester, alkenyl, alkyl, and aromatic functional groups. <i>Atmospheric Chemistry and Physics</i> , 2011 , 11, 9155-9206	6.8	240
314	Determination of ASOG Parameters-Extension and Revision. 2011 , 44, 304-306		6

313	Group Contribution Methodologies for the Prediction of Thermodynamic Properties and Phase Behavior in Mixtures. 2011 , 135-172		3
312	Kinetic study of 2-butanol O-acylation and sec-butylamine N-acylation catalyzed by <i>Candida antarctica</i> lipase B. 2011 , 70, 108-113		13
311	Kinetic limitations on tracer partitioning in ganglia dominated source zones. 2011 , 126, 195-207		4
310	Prediction of miscibility gaps in water/ether mixtures using COSMO-SAC model. <i>Fluid Phase Equilibria</i> , 2011 , 310, 19-24	2.5	22
309	A new method for evaluation of UNIFAC interaction parameters. <i>Fluid Phase Equilibria</i> , 2011 , 309, 68-75	2.5	25
308	Finding a suitable thermodynamic model and phase equilibria for hydrodeoxygenation reactions of methyl heptanoate. 2011 , 90, 3315-3322		12
307	Atmospheric amines [Part II. Thermodynamic properties and gas/particle partitioning. 2011 , 45, 561-577		187
306	Predicting Infinite Dilution Activity Coefficients of Chlorinated Organic Compounds in Aqueous Solution Based on Three-Dimensional WHIM and GETAWAY Descriptors. 2011 , 40, 118-130		5
305	Analysis and application of GCPlus models for property prediction of organic chemical systems. <i>Fluid Phase Equilibria</i> , 2011 , 302, 274-283	2.5	8
304	A generalized reference state at constant volume for the prediction of phase equilibria from low pressure model parameters: Application to size-asymmetric systems and to the Wong-Bandler mixing rule. <i>Chemical Engineering Science</i> , 2011 , 66, 4148-4156	4.4	7
303	Simultaneous prediction of vapour-liquid and liquid-liquid equilibria (VLE and LLE) of aqueous mixtures with the SAFT- γ group contribution approach. <i>Fluid Phase Equilibria</i> , 2011 , 306, 82-96	2.5	49
302	Liquid-liquid equilibrium of aqueous two-phase systems composed of poly(ethylene oxide) 1500 and different electrolytes ((NH ₄) ₂ SO ₄ , ZnSO ₄ and K ₂ HPO ₄): Experimental and correlation. <i>Fluid Phase Equilibria</i> , 2011 , 305, 19-24	2.5	40
301	Fundamental challenges and opportunities for preparative supercritical fluid chromatography. 2011 , 1218, 1037-114		179
300	Experimental study and modelling of saturation molality of NaCl in quaternary aqueous electrolyte solutions at various temperatures. 2011 , 267, 228-232		1
299	Direct prediction of the binary parameters of a cubic equation of state from those of a low-pressure gE model. <i>Fluid Phase Equilibria</i> , 2011 , 302, 305-309	2.5	
298	. 2011 ,		
297	Partial Derivative Fitted Taylor Expansion: an efficient method for calculating gas/liquid equilibria in atmospheric aerosol particles [Part 2: Organic compounds. <i>Geoscientific Model Development</i> , 2012 , 5, 1-13	6.3	13
296	Measurement and Correlation of Solubility of LiBr in Binary Solvents Formed by Acetone and Water Using LIFAC Model. 2012 , 455-456, 911-918		1

295	Modeling the gas-particle partitioning of secondary organic aerosol: the importance of liquid-liquid phase separation. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 3857-3882	6.8	179
294	Parameterising secondary organic aerosol from α -pinene using a detailed oxidation and aerosol formation model. <i>Atmospheric Chemistry and Physics</i> , 2012 , 12, 5343-5366	6.8	9
293	Non-linear optimization of high-pressure gas networks with respect to hydrate control / Nieliniowa optymalizacja sieci gazowej wysokiego ciśnienia z uwzględnieniem zapobieganiu hydratów. 2012 , 57, 627-643		
292	Kinetics Study for Ion-Exchange-Resin Catalyzed Hydrolysis of Methyl Glycolate. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 11653-11658	3.9	13
291	Solvent Effects on Vapor-Liquid Equilibria of the Binary System 1-Hexene + n-Hexane. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 3721-3729	2.8	6
290	A self-consistent Gibbs excess mixing rule for cubic equations of state. <i>Fluid Phase Equilibria</i> , 2012 , 334, 76-88	2.5	16
289	Measurements of thermodynamic and optical properties of selected aqueous organic and organic-inorganic mixtures of atmospheric relevance. 2012 , 116, 9954-68		50
288	Product Separation after Chemical Interesterification of Vegetable Oils with Methyl Acetate. Part I: Vapor-Liquid Equilibrium. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 8087-8094	3.9	8
287	Product Separation after Chemical Interesterification of Vegetable Oils with Methyl Acetate. Part II: Liquid-Liquid Equilibrium. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 10201-10206	3.9	9
286	Solubilities of Fatty Acids and Triglycerides in 1-Bromopropane. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 1160-1164	2.8	2
285	Adsorption of Volatile Organic Compounds. Experimental and Theoretical Study. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 16697-16708	3.9	17
284	Deliquescence and efflorescence behavior of ternary inorganic/organic/water aerosol particles. 2012 , 116, 6199-210		29
283	Isobaric VLE at 0.6MPa for binary systems Isobutyl Acetate+Ethanol, +1-Propanol or +2-Propanol. <i>Fluid Phase Equilibria</i> , 2012 , 331, 12-17	2.5	19
282	Simultaneous design of ionic liquid entrainers and energy efficient azeotropic separation processes. 2012 , 42, 248-262		88
281	Vapor-Liquid Equilibrium of Ethyl Acetate + $C_nH_{2n+1}OH$ ($n=1,2,3$) Binary Systems at 0.3 MPa. 2012 , 20, 723-730		9
280	Protein dynamics in organic media at varying water activity studied by molecular dynamics simulation. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 2575-85	3.4	53
279	Application of Neural Networks in the Prediction of Surface Tensions of Binary Mixtures. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 2775-2781	3.9	20
278	Methodologies for Fuel Cell Process Engineering. 2012 , 597-644		4

277	Thermodynamic stability, spectroscopic identification, and gas storage capacity of CO ₂ -CH ₄ -N ₂ mixture gas hydrates: implications for landfill gas hydrates. 2012 , 46, 4184-90		47
276	Calculation of drug-like molecules solubility using predictive activity coefficient models. <i>Fluid Phase Equilibria</i> , 2012 , 322-323, 48-55	2.5	15
275	Thermodynamic prediction of vapor-liquid equilibrium of supercritical CO ₂ or CHF ₃ +ionic liquids. 2012 , 66, 29-35		17
274	Solubilities of p-coumaric and caffeic acid in ionic liquids and organic solvents. 2013 , 62, 69-78		27
273	Experimental Determination of Densities and Isobaric Vapor-Liquid Equilibria of Methyl Acetate and Ethyl Acetate with Alcohols (C ₃ and C ₄) at 0.3 MPa. 2013 , 34, 1906-1917		2
272	Experimental Determination of Vapor-Liquid Equilibria. Binary Systems of Methyl Acetate, Ethyl Acetate, and Propyl Acetate with 1-Propanol at 0.6 MPa. <i>Journal of Chemical & Engineering Data</i> , 2013 , 58, 2861-2867	2.8	5
271	Excess Mixture Properties and Activity Coefficients. 2013 , 271-349		
270	Kinetics of Mixed Ethanol/n-Butanol Esterification of Butyric Acid with Amberlyst 70 and p-Toluene Sulfonic Acid. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 1845-1853	3.9	16
269	Measurement of p-Toluenesulfonic Acid-Catalyzed Reaction Kinetics of 1,2-Propylene Glycol Acetylation Using In Situ ¹ H NMR Spectroscopy. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 9337-9342	3.9	2
268	Computer-aided solvent screening for biocatalysis. 2013 , 85-86, 200-213		20
267	Volatility of organic aerosol: evaporation of ammonium sulfate/succinic acid aqueous solution droplets. 2013 , 47, 12123-30		17
266	A Comparison Between PSRK and GERG-2004 Equation of State for Simulation of Non-Isothermal Compressible Natural Gases Mixed with Hydrogen in Pipelines / Porównanie równań stanu opracowanych według metody PSRK oraz GERG-2004 wykorzystanych do symulacji zachowania mieszanin gazów naturalnych zmieszanych z tlenkiem wodoru w przewodach. 2013 , 58, 131-144		1
265	Mass-based hygroscopicity parameter interaction model and measurement of atmospheric aerosol water uptake. <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 717-740	6.8	50
264	Model for acid-base chemistry in nanoparticle growth (MABNAG). <i>Atmospheric Chemistry and Physics</i> , 2013 , 13, 12507-12524	6.8	39
263	Assessing Hydrate Formation in Natural Gas Pipelines Under Transient Operation / Ocena zjawiska tworzenia się hydratów w warunkach nieustalonego przepływu gazu w gazociągach. 2013 , 58, 131-144		
262	Representation of phase equilibria and densities for complex systems using a van der Waals volume translated equation of state with a UNIFAC mixing rule. 2014 , 34, 26-30		
261	Assessing the use of NMR chemical shifts for prediction of VLE in non-ideal binary liquid mixtures. <i>Chemical Engineering Science</i> , 2014 , 119, 331-333	4.4	1
260	Solubility of fructose in water-ethanol and water-methanol mixtures by using H-bonding models. 2014 , 79, E839-48		11

259	The use of COSMO-SAC to predict relative adhesion between polymer matrices and silane-treated glass surfaces in filled particulate composites. 2014 , 28, 1312-1322		1
258	Evaluation of COSMO-RS model in binary and ternary mixtures of natural antioxidants, ionic liquids and organic solvents. <i>Fluid Phase Equilibria</i> , 2014 , 369, 55-67	2.5	19
257	Development and analysis of the Original UNIFAC-CI model for prediction of vapor-liquid and solid-liquid equilibria. <i>Fluid Phase Equilibria</i> , 2014 , 366, 24-44	2.5	6
256	Estimation of critical properties of reaction mixtures obtained in different reaction conditions during the synthesis of biodiesel with supercritical methanol from soybean oil. <i>Chemical Engineering Journal</i> , 2014 , 241, 418-432	14.7	21
255	Simultaneous correlation of infinite dilution activity coefficient, vapor-liquid, and liquid-liquid equilibrium data with F-SAC. <i>Fluid Phase Equilibria</i> , 2014 , 364, 31-41	2.5	11
254	UNIFAC model for ionic liquid-CO ₂ systems. <i>AIChE Journal</i> , 2014 , 60, 716-729	3.6	85
253	Liquid Phase Equilibria of the Water + Acetic Acid + Dimethyl Carbonate Ternary System at Several Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 3353-3358	2.8	7
252	The Crystal-T algorithm: a new approach to calculate the SLE of lipidic mixtures presenting solid solutions. 2014 , 16, 16740-54		18
251	Vapor-Liquid Equilibrium and Physical Properties for Distillation. 2014 , 45-95		1
250	One-parameter modified nonrandom two-liquid (NRTL) activity coefficient model. <i>Fluid Phase Equilibria</i> , 2014 , 379, 196-205	2.5	19
249	Algorithmic Framework for Quality Assessment of Phase Equilibrium Data. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 2283-2293	2.8	27
248	Experimental Vapor-Liquid Equilibria Data of Methyl Acetate or Ethyl Acetate with 2-Butanol at 0.3 MPa and 0.6 MPa. Quality Assessment and Predictions. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 2763-2772	2.8	2
247	Phase Equilibria in the Ternary System Hexacosane + Dibenzofuran + Biphenyl: Experimental Data and Prediction with DISQUAC Model. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 1991-1997	2.8	2
246	Determination and Correlation of Solubilities of Lauric Acid in Eight Alcohols. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 2725-2731	2.8	21
245	Isobaric vapor-liquid equilibrium for binary system of methyl myristate+methyl palmitate at 0.5, 1.0 and 1.4kPa. <i>Fluid Phase Equilibria</i> , 2014 , 382, 133-138	2.5	8
244	Selection of Solvents with A-UNIFAC Applied to Detoxification of Aqueous Solutions. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 17051-17058	3.9	6
243	Liquid Phase Equilibria of Water + Formic Acid + Dimethyl Carbonate Ternary System at Several Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2014 , 59, 2781-2787	2.8	14
242	Density and viscosity for the solutions of 1-butanol with nitromethane and acetonitrile at 303.15 to 323.15 K. 2014 , 190, 208-214		18

241	Measurements of activity coefficients at infinite dilution in vegetable oils and capric acid using the dilutor technique. <i>Fluid Phase Equilibria</i> , 2014 , 361, 215-222	2.5	15
240	Determination and thermodynamic evaluation of isobaric VLE of methyl acetate or ethyl acetate with 2-propanol at 0.3 and 0.6MPa. <i>Fluid Phase Equilibria</i> , 2014 , 375, 1-10	2.5	9
239	Simultaneous liquid-liquid and vapour-liquid equilibria predictions of selected oxygenated aromatic molecules in mixtures with alkanes, alcohols, water, using the polar GC-PC-SAFT. 2014 , 92, 2912-2935 ²¹		
238	Group Contribution Methodologies for the Prediction of Thermodynamic Properties and Phase Behavior in Mixtures. 2014 , 135-172		1
237	Hygroscopicity of organic compounds from biomass burning and their influence on the water uptake of mixed organic ammonium sulfate aerosols. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 11165-11183 ³³	6.8	
236	Henry's law constants of diacids and hydroxy polyacids: recommended values. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 2699-2712	6.8	17
235	Modelling non-equilibrium secondary organic aerosol formation and evaporation with the aerosol dynamics, gas- and particle-phase chemistry kinetic multilayer model ADCHAM. <i>Atmospheric Chemistry and Physics</i> , 2014 , 14, 7953-7993	6.8	76
234	Improved AIOMFAC model parameterisation of the temperature dependence of activity coefficients for aqueous organic mixtures. <i>Atmospheric Chemistry and Physics</i> , 2015 , 15, 447-493	6.8	31
233	Describing the sorption characteristics of a ternary system of benzene (1) and alcohol (2) in a nonporous polymer membrane (3) by the Flory-Huggins model. 2015 , 55, 1187-1195		4
232	Combining mixing rules with QSPR models for pure chemicals to predict the flash points of binary organic liquid mixtures. 2015 , 74, 61-70		20
231	Removal of thiophene from n-heptane/thiophene mixtures by spiral wound pervaporation module: Modelling, validation and influence of operating conditions. <i>Journal of Membrane Science</i> , 2015 , 490, 328-345	9.6	24
230	The UNIFAC model and the partition of alkyl and alkylphenol ethoxylate surfactants in the excess phases of middle phase microemulsions. <i>Fluid Phase Equilibria</i> , 2015 , 397, 117-125	2.5	15
229	Technical Evaluation of Ionic Liquid-Extractive Processing of Ultra Low Sulfur Diesel Fuel. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 10843-10853	3.9	15
228	¹ H- and ¹³ C-NMR spectroscopic study of chemical equilibria in the system acetaldehyde + water. <i>AIChE Journal</i> , 2015 , 61, 177-187	3.6	19
227	Effects of amine structure and base strength on acid-base cooperative aldol condensation. 2015 , 246, 35-45		36
226	Description of the behavior of dichloroalkanes-containing solutions with three [bXmpy][BF ₄] isomers, using the experimental information of thermodynamic properties, ¹ H NMR spectral and the COSMO-RS-methodology. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 3527-34	3.4	
225	Solutions of alkyl methanoates and alkanes: Simultaneous modeling of phase equilibria and mixing properties. Estimation of behavior by UNIFAC with recalculation of parameters. <i>Fluid Phase Equilibria</i> , 2015 , 402, 38-49	2.5	8
224	Liquid-liquid phase equilibria of the quaternary system {water (1)+acrylic acid (2)+acetic acid (3)+cyclopentyl methyl ether (4)}: Measurement, correlation, and comparative study. <i>Fluid Phase Equilibria</i> , 2015 , 403, 23-29	2.5	9

223	Liquid-liquid equilibrium of binary and ternary systems composed by palm oil or palm oil fractions with methanol/ethanol and water. <i>Fluid Phase Equilibria</i> , 2015 , 404, 17-25	2.5	11
222	Solubility of polycyclic aromatic hydrocarbons in sub-critical water: A predictive approach using EoS/GE models. <i>Fluid Phase Equilibria</i> , 2015 , 399, 22-29	2.5	4
221	Systematic and practical solvent system selection strategy based on the nonrandom two-liquid segment activity coefficient model for real-life counter-current chromatography separation. 2015 , 1393, 47-56		9
220	Efficient ant colony optimization for computer aided molecular design: Case study solvent selection problem. 2015 , 78, 1-9		53
219	Estimating terpene and terpenoid emissions from conifer oleoresin composition. 2015 , 113, 32-40		6
218	Measurement and prediction of solvent effect on enzymatic esterification reactions. <i>Fluid Phase Equilibria</i> , 2015 , 398, 51-62	2.5	7
217	Simplification and Intensification of a C5 Separation Process. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 9798-9804	3.9	12
216	Reparameterization of COSMO-SAC for Phase Equilibrium Properties Based on Critically Evaluated Data. <i>Journal of Chemical & Engineering Data</i> , 2015 , 60, 3554-3561	2.8	11
215	Group Contribution Methods for Phase Equilibrium Calculations. 2015 , 6, 267-92		29
214	High pressure vapor-liquid equilibria of methyl acetate or ethyl acetate with 2-propanol at 1.5 MPa. Experimental data and predictions. 2015 , 102, 337-344		4
213	How do temperature and chemical structure affect surface properties of aqueous solutions of carboxylic acids?. 2015 , 467, 78-88		8
212	Isobaric (vapor+liquid) equilibrium for n-propyl acetate with 1-butanol or 2-butanol. Binary mixtures at 0.15 and 0.6MPa. <i>Fluid Phase Equilibria</i> , 2015 , 385, 196-204	2.5	11
211	Prediction of cloud condensation nuclei activity for organic compounds using functional group contribution methods. <i>Geoscientific Model Development</i> , 2016 , 9, 111-124	6.3	29
210	Discontinuities in hygroscopic growth below and above water saturation for laboratory surrogates of oligomers in organic atmospheric aerosols. 2016 ,		
209	Prediction of phase equilibrium conditions for gas hydrates formed in the presence of cyclopentane or cyclohexane. <i>Fluid Phase Equilibria</i> , 2016 , 427, 82-89	2.5	16
208	Mixture design using derivative-free optimization in the space of individual component properties. <i>AIChE Journal</i> , 2016 , 62, 1514-1530	3.6	15
207	Equation of state based on the hole-lattice theory and surface-charge density (COSMO): Part B - Vapor-liquid equilibrium for mixtures. <i>Fluid Phase Equilibria</i> , 2016 , 419, 1-10	2.5	2
206	Measurement and correlation of the vapor-liquid equilibrium for methanol + acetonitrile + imidazolium-based ionic liquids at 101.3 kPa. 2016 , 101, 25-30		13

205	A new UNIFAC parameterization for the prediction of liquid-liquid equilibrium of biodiesel systems. <i>Fluid Phase Equilibria</i> , 2016 , 425, 98-107	2.5	23
204	Cage Occupancy and Stability of N ₂ O-Encaged Structure I and II Clathrate Hydrates. <i>Energy & Fuels</i> , 2016 , 30, 9628-9634	4.1	9
203	Extensive Accuracy Test of the Force-Field-Based Quasichemical Method PACMAC. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 3989-3997	2.8	5
202	Review of pre-combustion capture and ionic liquid in carbon capture and storage. 2016 , 183, 1633-1663		154
201	Surface properties and surface thickness of aqueous solutions of alcohols. 2016 , 224, 442-451		17
200	Methodology for the experimental measurement of vapor-liquid equilibrium distillation curves using a modified ASTM D86 setup. 2016 , 182, 467-479		24
199	Group contribution method for multicomponent evaporation with application to transportation fuels. 2016 , 102, 833-845		17
198	The NRTL-PRA group contribution EoS for the simultaneous prediction of LLE, VLE and hE of hydrocarbon mixtures with associating compounds. <i>Fluid Phase Equilibria</i> , 2016 , 427, 126-142	2.5	4
197	Discontinuities in hygroscopic growth below and above water saturation for laboratory surrogates of oligomers in organic atmospheric aerosols. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 12767-12792	6.8	25
196	Hygroscopic behavior of multicomponent organic aerosols and their internal mixtures with ammonium sulfate. <i>Atmospheric Chemistry and Physics</i> , 2016 , 16, 4101-4118	6.8	59
195	Aggregation thermodynamics for asphaltene precipitation. <i>AIChE Journal</i> , 2016 , 62, 1254-1264	3.6	11
194	Hygroscopic Behavior of Multicomponent Aerosols Involving NaCl and Dicarboxylic Acids. 2016 , 120, 1029-38		49
193	Prediction of carbon dioxide solubility in ionic liquids using MLP and radial basis function (RBF) neural networks. 2016 , 60, 151-164		43
192	Modeling, simulation and analysis of a process for the production of crotonaldehyde. <i>Chemical Engineering and Processing: Process Intensification</i> , 2016 , 101, 101-111	3.7	5
191	Influence of hydrocarbon species on the removal of thiophene from FCC gasoline by using a spiral wound pervaporation module. <i>Journal of Membrane Science</i> , 2016 , 507, 43-54	9.6	13
190	Using MD Simulations To Calculate How Solvents Modulate Solubility. <i>Journal of Chemical Theory and Computation</i> , 2016 , 12, 1930-41	6.4	27
189	Flash point prediction of tailor-made green diesel blends containing B5 palm oil biodiesel and alcohol. 2016 , 175, 287-293		19
188	Solubility Prediction of Active Pharmaceutical Compounds with the UNIFAC Model. 2016 , 37, 1		8

187	Measurement and Modeling of High Pressure Vapor-Liquid Equilibrium for Methyl Acetate or Ethyl Acetate with 2-Butanol. Isobaric Data at 1.5 MPa. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 1136-1145	2.8	2
186	Thermodynamic modeling of aqueous systems containing amines and amine hydrochlorides: Application to methylamine, morpholine, and morpholine derivatives. <i>Fluid Phase Equilibria</i> , 2016 , 418, 160-174	2.5	16
185	Model-based optimal design of experiments - semidefinite and nonlinear programming formulations. 2016 , 151, 153-163		8
184	Water uptake of multicomponent organic mixtures and their influence on hygroscopicity of inorganic salts. 2016 , 45, 156-63		9
183	Modifying the Surface Properties of Heterogeneous Catalysts Using Polymer-Derived Microenvironments. 2016 , 59, 19-28		8
182	Liquid-Liquid and liquid-Liquid equilibrium for ternary system water-acetonitrile-cyclohexane at 298.15 K. <i>Fluid Phase Equilibria</i> , 2016 , 408, 10-14	2.5	16
181	Homogenous multi-agent optimization for process systems engineering problems with a case study of computer aided molecular design. <i>Chemical Engineering Science</i> , 2017 , 159, 194-206	4.4	12
180	Reaction Process of Resin-Catalyzed Methyl Formate Hydrolysis in Biphasic Continuous Flow. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 1439-1449	3.9	5
179	Evaporation of pure and blended droplets of diesel and alcohols (C2-C9) under diesel engine conditions. 2017 , 71, 311-326		8
178	Thermodynamic models to accurately describe the PVTxy-behavior of water / carbon dioxide mixtures. <i>Fluid Phase Equilibria</i> , 2017 , 442, 125-139	2.5	27
177	Selective Encaging of NO in NO-N Binary Gas Hydrates via Hydrate-Based Gas Separation. 2017 , 51, 3550-3557		24
176	Isobaric Vapor-Liquid-Liquid Phase Equilibria Measurements of Three Ternary Water + 2-Butanone + Aliphatic Alcohol (Ethanol, 1-Propanol, 2-Propanol) Systems at 101.3 kPa. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 1767-1775	2.8	1
175	Development of phase separation solvent for CO2 capture by aqueous (amine + ether) solution. 2017 , 113, 64-70		34
174	Hygroscopicity of Organic Compounds as a Function of Carbon Chain Length and Carboxyl, Hydroperoxy, and Carbonyl Functional Groups. 2017 , 121, 5164-5174		14
173	Thermodynamics of Viscous Flow of tert-Butanol with Butylamines: UNIFAC-VISCO, Grunberg-Nissan and McAllister Three Body Interaction Models for Viscosity Prediction and Quantum Chemical (DFT) Calculations. 2017 , 46, 1104-1120		3
172	Isobaric vapor-liquid equilibrium of 2-propanone+2-butanol system at 101.325 kPa: Experimental and molecular dynamics simulation. 2017 , 34, 2011-2018		1
171	Measurement and Modeling of Phase Equilibrium, Volumetric Properties and Molar Refractivity of 2-Methylpropan-2-ol + Ethane-1,2-diol. 2017 , 46, 1177-1201		1
170	An integrated framework for designing formulated products. 2017 , 107, 61-76		27

169	Estimation of unknown UNIFAC interaction parameters between thiophene and olefin, and thiol and olefin functional groups. <i>Fluid Phase Equilibria</i> , 2017 , 442, 81-86	2.5	3
168	Measurements and Modeling of VLE Data for Butyl Acetate with 2-Propanol or 2-Butanol. Binary Systems at 0.15 and 0.6 MPa. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 2296-2306	2.8	6
167	Group Contribution Approach To Predict the Refractive Index of Pure Organic Components in Ambient Organic Aerosol. 2017 , 51, 9683-9690		8
166	Optimization of reaction conditions and the donor substrate in the synthesis of hexyl- β -D-galactoside. 2017 , 58, 128-136		10
165	Prediction of vapor-liquid equilibria for the alcohol + glycerol systems using UNIFAC and modified UNIFAC (Dortmund). 2017 ,		1
164	The correlation and prediction of infinite dilution activity coefficients of compounds in water at 298.15 K. <i>Fluid Phase Equilibria</i> , 2017 , 449, 117-129	2.5	9
163	Prediction of limiting activity coefficients for binary vapor-liquid equilibrium using neural networks. <i>Fluid Phase Equilibria</i> , 2017 , 433, 174-183	2.5	15
162	Sampling Techniques. 2017 , 1-54		
161	Secondary organic aerosol from atmospheric photooxidation of indole. <i>Atmospheric Chemistry and Physics</i> , 2017 , 17, 11605-11621	6.8	10
160	Secondary Organic Aerosol from Atmospheric Photooxidation of Indole. 2017 ,		
159	Evaluation of Thermodynamic Models for Predicting Phase Equilibria of (hbox {CO}_{2}) + Impurity Binary Mixture. 2018 , 39, 1		7
158	Predicting Limiting Activity Coefficients and Phase Behavior from Molecular Structure: Expanding MOSCED to Alkanediols Using Group Contribution Methods and Electronic Structure Calculations. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 2586-2598	2.8	10
157	Separation of benzene and cyclohexane by extractive distillation intensified with ionic liquid. <i>Chemical Engineering and Processing: Process Intensification</i> , 2018 , 126, 81-89	3.7	39
156	Effect of Heterogeneous Chemical Reactions on the K _{Bl} er Activation of Aqueous Organic Aerosols. 2018 , 122, 4322-4337		6
155	Extractive distillation of methylal/methanol mixture using ethylene glycol as entrainer. <i>Fluid Phase Equilibria</i> , 2018 , 462, 172-180	2.5	29
154	Equilibrium data and thermodynamic studies of α -mylase partition in aqueous two-phase systems. <i>Fluid Phase Equilibria</i> , 2018 , 463, 69-79	2.5	11
153	Extractive distillation of methylal/methanol mixture using the mixture of dimethylformamide (DMF) and ionic liquid as entrainers. 2018 , 216, 503-512		37
152	CO ₂ capture by methanol, ionic liquid, and their binary mixtures: Experiments, modeling, and process simulation. <i>AIChE Journal</i> , 2018 , 64, 2168-2180	3.6	38

151	Hygroscopicity of organic surrogate compounds from biomass burning and their effect on the efflorescence of ammonium sulfate in mixed aerosol particles. <i>Atmospheric Chemistry and Physics</i> , 2018 , 18, 1045-1064	6.8	16
150	Systematic identification method for data analysis and phase equilibria modelling for lipids systems. 2018 , 121, 153-169		9
149	Isobaric vapor-liquid equilibrium for binary system of methyl caprate + methyl laurate at 2, 4 and 6 kPa. 2018 , 116, 241-247		1
148	Extension of the group contribution NRTL-PRA EoS for the modeling of mixtures containing light gases and alcohols with water and salts. <i>Fluid Phase Equilibria</i> , 2018 , 458, 194-210	2.5	4
147	The correlation and prediction of the temperature variation of infinite dilution activity coefficients of compounds in water. <i>Fluid Phase Equilibria</i> , 2018 , 455, 1-5	2.5	4
146	Gas drying with ionic liquids. <i>AIChE Journal</i> , 2018 , 64, 606-619	3.6	36
145	Measurement and Correlation of Isobaric Vapor-Liquid Equilibrium of Three Binary Systems Containing Chlorobenzene at 50.00 and 101.33 kPa. 2018 , 24, 8-15		2
144	Separation of 2-Propanol/Water/n-Hexane Ternary System by Batch Distillation in a Commercial Plant. <i>Kagaku Kogaku Ronbunshu</i> , 2018 , 44, 350-354	0.4	
143	Phase Equilibrium Measurement of n-Butane/Water/n-Butanol System for Development of an Energy-Saving Biobutanol Extraction Process. 2018 , 08,		
142	Peng-Robinson Equation of State Model for Polycyclic Aromatic Hydrocarbons and Long-Chain Hydrocarbons Solubilities in Supercritical Fluids. Correlations Based on Solute Molecular Properties. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 4061-4075	2.8	3
141	Elucidating the Effects of Metal Complexation on Morphological and Rheological Properties of Polymer Solutions by a Dissipative Particle Dynamics Model. 2018 , 51, 4987-5000		15
140	Hygroscopicity of dimethylammonium-, sulfate-, and ammonium-containing nanoparticles. 2018 , 52, 971-983		3
139	Experimental Binary VLE Data of Morpholine with 1-Butanol and 3-Methyl-1-butanol Systems. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 3215-3226	2.8	1
138	Separation of the Methanol-Ethanol-Water Mixture Using Ionic Liquid. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 11167-11177	3.9	20
137	Vapor-Liquid Equilibrium of Binary Components of the BrCF ₂ COOCH ₃ /CF ₃ COOH/BrCF ₂ COOH/CF ₃ COOCH ₃ Quaternary System. 2018 , 52, 295-306		1
136	Partitioning of volatile organic compounds to aerosols: A review. 2018 , 212, 282-296		15
135	Monitoring the progress of catalytic cracking for model compounds in the mid-infrared (MIR) 3200-800 cm ⁻¹ range. <i>Chemical Engineering Science</i> , 2018 , 192, 788-802	4.4	5
134	Mathematical Modeling and Simulation of Biodiesel Production in a Semibatch Bubble Reactor. <i>Energy & Fuels</i> , 2018 , 32, 9614-9623	4.1	2

133	Capturing Condensable Gases with Ionic Liquids. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 12202-12214	3.9	33
132	Estimation of Physical Constants of Biodiesel-Related Fatty Acid Alkyl Esters: Normal Boiling Point, Critical Temperature, Critical Pressure, and Acentric Factor. <i>Industrial & Engineering Chemistry Research</i> , 2018 , 57, 8552-8565	3.9	8
131	Measurement and Modelization of VLE for Butyl Acetate with Methanol, Ethanol, 1-Propanol, and 1-Butanol. Experimental Data at 0.15 MPa. <i>Journal of Chemical & Engineering Data</i> , 2018 , 63, 2228-2242	2.8	3
130	Predicting the Phase Behavior of Alcohols, Aromatic Alcohols, and Their Mixtures Using the Modified Group-Contribution Perturbed-Chain Statistical Associating Fluid Theory. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 16963-16977	3.9	8
129	Activity Coefficients for Liquid Organic Reactions: Towards a Better Understanding of True Kinetics with the Synthesis of Jasmin Aldehyde as Showcase. 2019 , 20,		5
128	A predictive group-contribution model for the viscosity of aqueous organic aerosol. 2019 ,		
127	Thermodynamic Modeling and Solubility Measurement of Cetirizine Hydrochloride and Deferiprone in Pure Solvents of Acetonitrile, Ethanol, Acetic Acid, Sulfolane, and Ethyl Acetate and Their Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 5486-5496	2.8	5
126	The Impact of Temperature and Ethanol Concentration on the Global Recovery of Specific Polyphenols in an Integrated HPLC/RP Process on Carmine Pomace Extracts. <i>Molecules</i> , 2019 , 24,	4.8	17
125	A new pot still distillation model approach with parameter estimation by multi-objective optimization. 2019 , 130, 106570		5
124	Formation and evolution of aqueous organic aerosols via concurrent condensation and chemical aging. 2019 , 265, 45-67		7
123	Structural effect on the vapor-liquid equilibrium of toluene-ionic liquid systems. <i>Chemical Engineering Science</i> , 2019 , 198, 1-15	4.4	15
122	Liquid-Liquid Equilibrium Data and Thermodynamic Modeling for Aqueous Two-Phase System Peg 1500 + Sodium Sulfate + Water at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 810-816	2.8	13
121	Modelling the hygroscopic growth factors of aerosol material containing a large water-soluble organic fraction, collected at the Storm Peak Laboratory. 2019 , 214, 116760		2
120	Techno-economic Feasibility of Reactive Distillation for Biodiesel Production from Algal Oil: Comparing with a Conventional Multiunit System. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 12028-12040	3.9	14
119	Investigation of surface tension and surface properties of alkanolamine-alcohol mixtures at T = 313.15 K and P = 90.6 kPa. 2019 , 287, 110924		11
118	UNIFAC Parameters. 2019 , 745-746		
117	Atmospheric Ternary Liquid-Liquid Equilibrium for the Diethyl Carbonate + 1-Propanol + Water System at Temperature of 303.15, 313.15, 323.15, and 333.15 K. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 1029-1034	2.8	11
116	Rigorous Design and Optimization of Methyl Glycolate Production Process through Reactive Distillation Combined with a Middle Dividing-Wall Column. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 5215-5227	3.9	5

115	Computer-aided solvent selection and design for the efficient extraction of a pharmaceutical molecule. 2019 , 97, 1605-1618		4
114	Solid-Liquid Equilibria and Characterization of the Reaction Mixture To Produce Sucrose Palmitate in Solvent-Free Media. <i>Journal of Chemical & Engineering Data</i> , 2019 , 64, 2052-2061	2.8	0
113	The Acidity of Atmospheric Particles and Clouds. 2019 ,		8
112	A new modeling approach for a CO ₂ capture process based on a blended amine solvent. 2019 , 61, 206-214		8
111	Classical Models Part 2: Activity Coefficient Models and Applications. 2019 , 103-162		
110	A Novel Eutectic Mixture of Biphenyl and Diphenylmethane as a Potential Liquid Organic Hydrogen Carrier: Catalytic Hydrogenation. 2019 , 7, 113-121		17
109	Alternative production of methanol from industrial CO ₂ . 2020 , 146, 1192-1203		71
108	An empirical correlation for the relative permittivity of liquids in a wide temperature range: Application to the modeling of electrolyte systems with a GE/EoS approach. <i>Fluid Phase Equilibria</i> , 2020 , 506, 112371	2.5	3
107	Solubility of Lanosterol in Organic Solvents and in Water-Alcohol Mixtures at 101.8 kPa. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 436-445	2.8	10
106	A predictive power sequence equation for vapor pressures of pure organic fluids and partial pressures in multicomponent systems in equilibrium. <i>Fluid Phase Equilibria</i> , 2020 , 506, 112409	2.5	1
105	The role of physicochemical properties in the nanoprecipitation of cellulose acetate. 2020 , 230, 115628		4
104	Vapor-Liquid and chemical equilibria model for formaldehyde-trioxane-sulfuric acid-water mixtures. 2020 , 95, 719-729		1
103	Thermodynamic Modeling of Aqueous Two-Phase Systems Composed of Macromolecules and Sulfate Salts at pH 2.0. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 9-18	2.8	4
102	Primary Nucleation of Benzoic Acid in Aqueous Ethanol Solution. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 484-490	3.9	5
101	Density-based UNIFAC model for solubility prediction of solid solutes in supercritical fluids. <i>Fluid Phase Equilibria</i> , 2020 , 506, 112376	2.5	1
100	Modeling of precipitation considering multi-component form of Asphaltene using a solid solution framework. 2020 , 263, 116766		4
99	Effect of chemical aging of aqueous organic aerosols on the rate of their steady-state nucleation. 2020 , 22, 17612-17619		2
98	Methodology to Predict Thermodynamic Data from Spectroscopic Analysis. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 21548-21566	3.9	2

97	Ordered Hydrogen-Bonded Alcohol Networks Confined in Lewis Acid Zeolites Accelerate Transfer Hydrogenation Turnover Rates. <i>Journal of the American Chemical Society</i> , 2020 , 142, 19379-19392	16.4	22
96	Gas Solubility in Ionic Liquids: UNIFAC-IL Model Extension. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 16805-16821	3.9	11
95	Thermodynamic analysis of liquid-phase dehydrogenation of o-ethoxycyclohexanol to guaethol. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 146, 637	4.1	
94	Determination and correlation of temperature and pH value dependent solubility of dl-methionine. <i>AIChE Journal</i> , 2020 , 66, e16270	3.6	3
93	The Acidity of Atmospheric Particles and Clouds. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 4809-4888	6.8	165
92	Highly Selective Cross-Etherification of 5-Hydroxymethylfurfural with Ethanol. <i>ACS Catalysis</i> , 2020 , 10, 6771-6785	13.1	14
91	A predictive group-contribution model for the viscosity of aqueous organic aerosol. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 2987-3008	6.8	17
90	On the thermodynamics of biocatalytic reactions with application of group-contribution correlation and prediction. <i>Fluid Phase Equilibria</i> , 2020 , 518, 112623	2.5	1
89	Mutual Impact of Mineral and Organic Components in Atmospheric Aerosol. <i>Izvestiya - Atmospheric and Oceanic Physics</i> , 2020 , 56, 72-78	1	
88	A Benchmark Open-Source Implementation of COSMO-SAC. <i>Journal of Chemical Theory and Computation</i> , 2020 , 16, 2635-2646	6.4	32
87	Separation of the Dimethyl Carbonate + Ethanol Mixture Using Imidazolium-Based Ionic Liquids as Entrainers. <i>Journal of Chemical & Engineering Data</i> , 2020 , 65, 1705-1714	2.8	9
86	Vapor-liquid equilibrium of 3-ethoxy-1,2-propanediol + water/ethanol/diethyl ether/glycerol/1,2-propanediol at different pressures. <i>Fluid Phase Equilibria</i> , 2020 , 512, 112519	2.5	0
85	Liquid-liquid, vapor-liquid and vapor-liquid-liquid experimental equilibrium of the system water + 1-butanol + 2-butanol at 101.3 kPa and data correlation. <i>Fluid Phase Equilibria</i> , 2020 , 517, 112617	2.5	4
84	Ionic-Liquid-Based Bioisoprene Recovery Process Design. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 7355-7366	3.9	5
83	Comparison of MOSCED (NRTL) model results with regular correlative and predictive models based on vapor-liquid equilibrium calculations for azeotropic systems. <i>Fluid Phase Equilibria</i> , 2020 , 516, 112592	2.5	
82	Molecular Mechanism for Azeotrope Formation in Ethanol/Benzene Binary Mixtures through Gibbs Ensemble Monte Carlo Simulation. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 3371-3386	3.4	4
81	Experimental Binary Vapor-Liquid Equilibrium Data of Morpholine with Methanol, 1-Propanol, and 2-Ethoxyethanol. <i>Journal of Chemical & Engineering Data</i> , 2021 , 66, 178-188	2.8	1
80	Sub-millimeter sized multi-component jet fuel surrogate droplet combustion: Physicochemical preferential vaporization effects. <i>Proceedings of the Combustion Institute</i> , 2021 , 38, 3313-3323	5.9	5

79	Simulation on vapor-liquid equilibrium of CO ₂ -[emim][Tf ₂ N] in flow state and depressurization of its refrigeration cycle based on Aspen Plus. <i>International Journal of Refrigeration</i> , 2021 , 124, 75-84	3.8	3
78	Cellulose Nanofiber Nanocomposite Pervaporation Membranes for Ethanol Recovery. <i>ACS Applied Nano Materials</i> , 2021 , 4, 568-579	5.6	9
77	Excess mixture properties and activity coefficients. 2021 , 281-364		1
76	Review on the Applications and Modifications of the Chen-Quo Model for Hydrate Formation and Dissociation. <i>Energy & Fuels</i> , 2021 , 35, 2936-2964	4.1	5
75	Vapor-Liquid Equilibria and Chemical Equilibria in the System (Formaldehyde + Water + Isoprenol). <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 4471-4483	3.9	5
74	Physicochemical Characterization and Simulation of the Solid-Liquid Equilibrium Phase Diagram of Terpene-Based Eutectic Solvent Systems. <i>Molecules</i> , 2021 , 26,	4.8	7
73	A New Functional Group Selection Method for Group Contribution Models and Its Application in the Design of Electronics Cooling Fluids. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 7291-7300	3.9	1
72	Review on Hydrate-Based CH ₄ Separation from Low-Concentration Coalbed Methane in China. <i>Energy & Fuels</i> , 2021 , 35, 8494-8509	4.1	11
71	The Representation of Cross Second Virial Coefficients by Multifluid Mixture Models and Other Equations of State. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 9286-9295	3.9	2
70	Nano-catalytic heterogeneous reactive distillation for algal biodiesel production: Multi-objective optimization and heat integration. <i>Energy Conversion and Management</i> , 2021 , 241, 114298	10.6	3
69	Maximizing Propylene Separation from Propane by Extractive Distillation with Aqueous N-Methyl-2-pyrrolidone as Separating Agent. <i>Chemical Engineering and Technology</i> , 2021 , 44, 1726-1736 ²		0
68	Energy and exergy analysis of an absorption system with working pairs LiBr-H ₂ O and Carrol-H ₂ O at applications of cooling and heating. <i>International Journal of Refrigeration</i> , 2021 , 132, 156-156	3.8	1
67	Suitable Experimentation-Modeling Binomial to Design the Extraction of an Alkanol with Water in Aqueous Ternary Solutions of Ester-Akanol. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 13938-13949	3.9	
66	Cellulose nanocrystals as a tunable nanomaterial for pervaporation membranes with asymmetric transport properties. <i>Journal of Membrane Science</i> , 2021 , 635, 119473	9.6	7
65	Thermodynamic fundamentals. 2022 , 1-63		
64	Thermodynamic behavior and spectroscopic properties of CO and C ₃ H ₈ mixed gas hydrates: Implications for hydrate-based gas separation. <i>Chemical Engineering Journal</i> , 2022 , 428, 132076	14.7	1
63	Effective solvent system selection in the recrystallization purification of pharmaceutical products. <i>AIChE Journal</i> , 2021 , 67, e17169	3.6	3
62	Phase Equilibria in Fluid Systems. 173-321		1

61	Technische Thermodynamik. 2007 , F1-F95		1
60	Berechnungsmethoden für Stoffeigenschaften. 2002 , 107-523		2
59	Introduction. 2006 , 1-59		1
58	Surface Modification of Porous Silica Using Supercritical Carbon Dioxide. <i>Kagaku Kogaku Ronbunshu</i> , 2012 , 38, 391-396	0.4	3
57	Modeling of salt solubilities in mixed solvents. <i>Brazilian Journal of Chemical Engineering</i> , 2000 , 17, 117-131		14
56	Treatment of non-ideality in the SPACCIM multiphase model [Part 2: Impacts on the multiphase chemical processing in deliquesced aerosol particles. <i>Atmospheric Chemistry and Physics</i> , 2020 , 20, 10351-10375	6.8	5
55	New and extended parameterization of the thermodynamic model AIOMFAC: calculation of activity coefficients for organic-inorganic mixtures containing carboxyl, hydroxyl, carbonyl, ether, ester, alkenyl, alkyl, and aromatic functional groups.		3
54	The sensitivity of secondary organic aerosol (SOA) component partitioning to the predictions of component properties [Part 3: Investigation of condensed compounds generated by a near-explicit model of VOC oxidation.		4
53	Technical Note: Estimating fusion properties for polyacids.		1
52	Modeling the gas-particle partitioning of secondary organic aerosol: the importance of liquid-liquid phase separation.		1
51	Henry's law constants of diacids and hydroxypolyacids: recommended values.		2
50	Model for acid-base chemistry in nanoparticle growth (MABNAG).		1
49	Hygroscopicity of organic compounds from biomass burning and their influence on the water uptake of mixed organic-ammonium sulfate aerosols.		2
48	Improved AIOMFAC model parameterisation of the temperature dependence of activity coefficients for aqueous organic mixtures.		1
47	Hygroscopic behavior of multicomponent organic aerosols and their internal mixtures with ammonium sulfate.		7
46	Effects of uncertainties in the thermodynamic properties of aerosol components in an air quality model [Part I: Treatment of inorganic electrolytes and organic compounds in the condensed phase.		1
45	A thermodynamic model of mixed organic-inorganic aerosols to predict activity coefficients.		4
44	Amorphous and crystalline aerosol particles interacting with water vapor [Part 1: Microstructure, phase transitions, hygroscopic growth and kinetic limitations.		4

43	Treatment of non-ideality in the SPACCIM multiphase model [Part 1: Model development. <i>Geoscientific Model Development</i> , 2016 , 9, 247-281	6.3	6
42	Prediction of cloud condensation nuclei activity for organic compounds using functional group contribution methods.		1
41	FORest Canopy Atmosphere Transfer (FORCAST) 2.0: model updates and evaluation with observations at a mixed forest site. <i>Geoscientific Model Development</i> , 2021 , 14, 6309-6329	6.3	1
40	Modeling the solubility of carbon dioxide in the MDEA + AEEA aqueous solution using the SAFT-HR equation of state and extended UNIQUAC model. <i>Main Group Chemistry</i> , 2021 , 1-17	0.6	2
39	Technische Thermodynamik. 2000 , 787-862		
38	A new atmospheric aerosol phase equilibrium model (UHAERO): organic systems.		
37	Influence of non-ideality on aerosol growth.		
36	The sensitivity of secondary organic aerosol component partitioning to the predictions of component properties [Part 1: A systematic evaluation of some available estimation techniques.		
35	Parameterising secondary organic aerosol from α -pinene using a detailed oxidation and aerosol formation model.		
34	Extraction Process Design. 871-918		1
33	Modelling non-equilibrium secondary organic aerosol formation and evaporation with the aerosol dynamics, gas- and particle-phase chemistry kinetic multi-layer model ADCHAM.		2
32	Bibliography. 2015 , 89-95		
31	Treatment of non-ideality in the multiphase model SPACCIM [Part 1: Model development.		0
30	Introduction to properties of ionic liquid mixtures. 2016 , 1-53		
29	Stoffmodelle der Technischen Thermodynamik. 2019 , 1-29		
28	Estudo Termoquímico na Produção de Aditivo de Gasolina Tert-Amil-Methyl-Ether (TAME). <i>Revista Ion</i> , 2019 , 32, 87-95	0.4	1
27	Extraction of aromatic and polyaromatic compounds with NMP: experimental and model description. <i>Fluid Phase Equilibria</i> , 2021 , 113293	2.5	2
26	Stoffmodelle. F18-F34		

25	Preparation of defect-free asymmetric gas separation membranes with dihydrolevoglucosenone (Cyrene™) as a greener polar aprotic solvent. <i>Journal of Membrane Science</i> , 2022 , 644, 120173	9.6	0
24	Thermodynamic and molecular insights into gas drying with ionic liquid based mixed absorbents. <i>Chemical Engineering Science</i> , 2022 , 250, 117382	4.4	0
23	Vapor-liquid equilibrium in methanol+water system and modeling from 298.15 to 373.15 K. <i>Materials Today: Proceedings</i> , 2021 ,	1.4	0
22	Thermodynamic modelling of industrially important associating mixtures with a group-contribution equation of state. <i>Fluid Phase Equilibria</i> , 2022 , 557, 113375	2.5	
21	Predictive Approach for the Solubility and Permeability of Binary Gas Mixtures in Glassy Polymers Based on an NETGP-NRHB Model. <i>Industrial & Engineering Chemistry Research</i> , 2022 , 61, 3439-3456	3.9	2
20	Experimental and Predicted Values of Bubble Point Pressure for Binary and Ternary Systems Consisting of 1-Butanol, 2-Methyl-1-propanol, Glycerol, and Water. <i>Journal of Chemical & Engineering Data</i> ,	2.8	0
19	Optimal Reflux Splitting Reactive Distillation for Algal Biodiesel Production: Waste Heat Recovery through Vapor Recompression and Organic Rankine Cycle. <i>Separation and Purification Technology</i> , 2022 , 121007	8.3	1
18	Ethanol Dehydration with Ionic Liquids from Molecular Insights to Process Intensification. <i>ACS Sustainable Chemistry and Engineering</i> , 2022 , 10, 441-455	8.3	1
17	Optimizing Algal Biodiesel Production from a Novel Reactive Distillation based Unit: Reducing CO ₂ Emission and Cost. <i>Chemical Engineering and Processing: Process Intensification</i> , 2022 , 108948	3.7	1
16	Partitioning of Crocin in a Novel Aqueous Two-Phase System Composed of a Deep Eutectic Solvent and Acetonitrile. <i>Journal of Chemical & Engineering Data</i> , 2022 , 67, 1205-1213	2.8	0
15	Understanding butanol recovery and coupling effects in pervaporation of Acetone-Butanol-Ethanol (ABE) solutions: A modelling and experimental study. <i>Journal of Membrane Science</i> , 2022 , 658, 120711	9.6	0
14	Decrease in CO ₂ emissions in obtaining polymer grade propylene by extractive distillation process. <i>Chemical Engineering and Technology</i> ,	2	
13	Liquid-liquid equilibria in mixtures of formaldehyde, water, methanol, and isoprenol. <i>Fluid Phase Equilibria</i> , 2022 , 561, 113521	2.5	0
12	Vapor pressure curves and isobaric vapor-liquid equilibrium for binary systems with compounds obtained from glycerol to be used as components of a bio-diesel mixture. 2022 , 175, 106882		
11	A new molecular thermodynamic model of liquid-liquid interfacial tension. 2023 , 564, 113593		0
10	Stoffmodelle der Technischen Thermodynamik. 2022 , 485-513		0
9	Elements and Chemical Bonds Contribution Estimation of Activity Coefficients in Nonideal Liquid Mixtures. 2022 , 10, 2141		1
8	Solubility Determination, Thermodynamic Modeling, and Solvent Effect of 2,4-Dihydroxyacetophenone in 10 Monosolvents and Two Binary Solvents from 293.15 to 333.15 K.		0

- 7 Artificial neural network modeling on the polymer-electrolyte aqueous two-phase systems involving biomolecules. **2023**, 306, 122624 1
- 6 Prediction of parameters of group contribution models of mixtures by matrix completion. 0
- 5 Development of a New Group Contribution Equation of State for associating compounds. **2023**, 113824 0
- 4 New Model to Predict Infinite Dilution Activity Coefficients Based on $(\bar{V}/V)_{T,x} - j_0$. **2023**, 8, 12439-12444 0
- 3 Implementation of solvation free energy framework to predict the vapor-liquid equilibrium behaviors for the water-hydrazine and ethanol-water azeotropic systems. **2023**, 275, 118751 0
- 2 Enthalpy effect on the kinetics of concurrent nucleation and chemical aging of aqueous organic aerosols: The stage of thermal relaxation. **2023**, 128773 0
- 1 Size-dependent hygroscopicity of levoglucosan and D-glucose aerosol nanoparticles. **2023**, 23, 4763-4774 0