

Permanent neuronal deficits in rats exposed to alcohol

Teratology

44, 147-163

DOI: [10.1002/tera.1420440203](https://doi.org/10.1002/tera.1420440203)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Acute and long-term neuronal deficits in the rat olfactory bulb following alcohol exposure during the brain growth spurt. <i>Neurotoxicology and Teratology</i> , 1991, 13, 611-619.	2.4	44
2	Early postnatal alcohol exposure acutely and permanently reduces the number of granule cells and mitral cells in the rat olfactory bulb: A stereological study. <i>Journal of Comparative Neurology</i> , 1992, 324, 557-566.	1.6	99
3	The Effects of the Timing of Ethanol Exposure during the Brain Growth Spurt on the Number of Cerebellar Purkinje and Granule Cell Nuclear Profiles. <i>Alcoholism: Clinical and Experimental Research</i> , 1993, 17, 610-622.	2.4	233
4	Vulnerability of Cerebellar Granule Cells to Alcohol-Induced Cell Death Diminishes with Time in Culture. <i>Alcoholism: Clinical and Experimental Research</i> , 1993, 17, 1014-1021.	2.4	71
5	Effects of chronic alcohol consumption and of dehydration on the supraoptic nucleus of adult male and female rats. <i>Neuroscience</i> , 1993, 56, 657-672.	2.3	56
6	Transient cortical astrogliosis induced by alcohol exposure during the neonatal brain growth spurt in rats. <i>Developmental Brain Research</i> , 1993, 72, 85-97.	1.7	91
7	Effects of hyperbilirubinaemia on glutathione S-transferase isoenzymes in cerebellar cortex of the Gunn rat. <i>Biochemical Journal</i> , 1993, 291, 453-461.	3.7	14
8	Glutathione S-transferase isoenzymes in rat brain neurons and glia. <i>Journal of Neuroscience</i> , 1993, 13, 2013-2023.	3.6	136
9	Alcohol-induced brain growth restrictions (microencephaly) were not affected by concurrent exposure to cocaine during the brain growth spurt. <i>Teratology</i> , 1994, 50, 250-255.	1.6	13
10	Cocaine-induced somatic growth deficit during the brain growth spurt is prevented by artificial-rearing. <i>Neurotoxicology and Teratology</i> , 1994, 16, 291-296.	2.4	5
11	Fetal alcohol syndrome: the vulnerability of the developing brain and possible mechanisms of damage. <i>Metabolic Brain Disease</i> , 1994, 9, 291-322.	2.9	210
12	Chronic exposure to alcohol during development alters the calcium currents of cultured cerebellar Purkinje neurons. <i>Brain Research</i> , 1994, 634, 283-290.	2.2	20
13	Effect of in utero ethanol exposure on the postnatal ontogeny of insulin-like growth factor-1, and type-1 and type-2 insulin-like growth factor receptors in the rat brain. <i>Neuroscience</i> , 1994, 63, 579-589.	2.3	28
14	Chronic ethanol alters CNS cholinergic and cerebellar development in chick embryos. <i>Alcohol</i> , 1994, 11, 187-194.	1.7	11
15	Developing rat Purkinje cells are more vulnerable to alcohol-induced depletion during differentiation than during neurogenesis. <i>Alcohol</i> , 1994, 11, 147-156.	1.7	133
16	Structural Reorganization in the Supraoptic Nucleus of Withdrawn Rats following Long-Term Alcohol Consumption. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 879-885.	2.4	16
17	Acute Prenatal Ethanol Exposure and Luteinizing Hormone-Releasing Hormone Messenger RNA Expression in the Fetal Mouse Brain. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 153-159.	2.4	6
18	Permanent Neuronal Cell Loss in the Inferior Olive of Adult Rats Exposed to Alcohol during the Brain Growth Spurt: A Stereological Investigation. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 1321-1326.	2.4	58

#	ARTICLE	IF	CITATIONS
19	Acute exposure to alcohol during early postnatal life causes a deficit in the total number of cerebellar Purkinje cells in the rat. <i>Journal of Comparative Neurology</i> , 1995, 360, 506-512.	1.6	58
20	Effects of prenatal alcohol exposure on the postnatal morphology of the rat oculomotor nucleus. <i>Teratology</i> , 1995, 51, 318-328.	1.6	13
21	THIAMINE ADMINISTRATION DURING CHRONIC ALCOHOL INTAKE IN PREGNANT AND LACTATING RATS: EFFECTS ON THE OFFSPRING NEUROBEHAVIOURAL DEVELOPMENT. <i>Alcohol and Alcoholism</i> , 1996, 31, 27-40.	1.6	36
22	Spatial locations gone awry: Object and spatial memory deficits in children with fetal alcohol syndrome. <i>Neuropsychologia</i> , 1996, 34, 209-223.	1.6	175
23	Chronic alcohol reduces calcium signaling elicited by glutamate receptor stimulation in developing cerebellar neurons. <i>Brain Research</i> , 1996, 728, 166-174.	2.2	27
24	Temporal determinants of neonatal alcohol-induced cerebellar damage and motor performance deficits. <i>Pharmacology Biochemistry and Behavior</i> , 1996, 55, 531-540.	2.9	76
25	Long-Term Effect of Postnatal Alcohol Exposure on the Number of Cells in the Neocortex of the Rat: A Stereological Study. <i>Alcoholism: Clinical and Experimental Research</i> , 1996, 20, 615-623.	2.4	56
26	Purkinje cell deficits in nonhuman primates following weekly exposure to ethanol during gestation. , 1996, 53, 230-236.		44
27	Behavioral deficits induced by binge-like exposure to alcohol in neonatal rats: Importance of developmental timing and number of episodes. , 1996, 29, 433-452.		92
28	Alterations in the estrogen sensitivity of hypothalamic proenkephalin mRNA expression with age and prenatal exposure to alcohol. <i>Molecular Brain Research</i> , 1997, 47, 215-222.	2.3	10
29	Optic Nerve Hypoplasia in Fetal Alcohol Syndrome: An Update. <i>European Journal of Ophthalmology</i> , 1997, 7, 262-270.	1.3	50
30	Microencephaly and Selective Decreases in Cerebellar Purkinje Cell Numbers Following Combined Exposure to Ethanol and Methadone during Rat Brain Development. <i>Developmental Neuroscience</i> , 1997, 19, 438-445.	2.0	17
31	Chronic Alcohol Consumption and Withdrawal Do Not Induce Cell Death in the Suprachiasmatic Nucleus, But Lead to Irreversible Depression of Peptide Immunoreactivity and mRNA Levels. <i>Journal of Neuroscience</i> , 1997, 17, 1302-1319.	3.6	101
32	Ultrastructure of Rat Purkinje Neurons after Chronic Ethanol Consumption and Prolonged Abstinence. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 1997, 26, 93-98.	0.7	7
33	Alcohol-Induced Purkinje Cell Loss with a Single Binge Exposure in Neonatal Rats: A Stereological Study of Temporal Windows of Vulnerability. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 738-744.	2.4	98
34	Binge-Like Alcohol Exposure of Neonatal Rats Via Intragastric Intubation Induces Both Purkinje Cell Loss and Cortical Astrogliosis. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 1010-1017.	2.4	83
35	MK-801 Administration During Ethanol Withdrawal in Neonatal Rat Pups Attenuates Ethanol-Induced Behavioral Deficits. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 1218-1225.	2.4	70
36	Therapeutic Motor Training Increases Parallel Fiber Synapse Number Per Purkinje Neuron in Cerebellar Cortex of Rats Given Postnatal Binge Alcohol Exposure: Preliminary Report. <i>Alcoholism: Clinical and Experimental Research</i> , 1997, 21, 1257-1263.	2.4	25

#	ARTICLE	IF	CITATIONS
37	Neonatal Binge Ethanol Exposure Using Intubation: Timing and Dose Effects on Place Learning. <i>Neurotoxicology and Teratology</i> , 1997, 19, 435-446.	2.4	145
38	Neonatal Cocaine Alters Behavioural Responsiveness to Scopolamine and Cholinergic Development in Mice. <i>Pharmacology Biochemistry and Behavior</i> , 1997, 56, 557-563.	2.9	10
39	Alcohol, astroglia, and brain development. <i>Molecular Neurobiology</i> , 1997, 15, 65-81.	4.0	150
40	Learning abilities depend on NMDA-receptor density in hippocampus in adult rats. <i>Journal of Neural Transmission</i> , 1997, 104, 281-289.	2.8	25
41	Glial-derived neurotrophic factor rescues calbindin-D28k-immunoreactive neurons in alcohol-treated cerebellar explant cultures. , 1997, 33, 835-847.		53
42	Neonatal Ethanol Exposure Impairs Eyeblink Conditioning in Weanling Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 270-275.	2.4	91
43	Neuroanatomical and Neurophysiological Mechanisms Involved in Central Nervous System Dysfunctions Induced by Prenatal Alcohol Exposure. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 304-312.	2.4	190
44	Electrophysiological Characterization of Cerebellar Neurons from Adult Rats Exposed to Ethanol during Development. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 1137-1145.	2.4	28
45	Distributional pattern of apoptotic cells in rat cerebellar vermis experimentally induced by methylmercury intoxication. <i>Neuropathology</i> , 1998, 18, 33-37.	1.2	4
46	3-D Confocal Laser Scanning Microscopy used in Morphometric Analysis of Rat Purkinje Cell Dendritic Spines after Chronic Ethanol Consumption. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 1998, 27, 393-397.	0.7	14
47	Therapeutic effects of complex motor training on motor performance deficits induced by neonatal binge-like alcohol exposure in rats. <i>Brain Research</i> , 1998, 800, 48-61.	2.2	125
48	Alcohol-induced Purkinje cell loss depends on developmental timing of alcohol exposure and correlates with motor performance. <i>Developmental Brain Research</i> , 1998, 105, 159-166.	1.7	169
49	Binge Neonatal Alcohol Intubations Induce Dose-Dependent Loss of Purkinje Cells. <i>Neurotoxicology and Teratology</i> , 1998, 20, 285-292.	2.4	91
50	Effects of Neonatal Ethanol Exposure on Cholinergic Neurons of the Rat Medial Septum. <i>Alcohol</i> , 1998, 15, 219-226.	1.7	8
51	Neonatal Alcohol Exposure Produces Hyperactivity in High-Alcohol-Sensitive But Not in Low-Alcohol-Sensitive Rats. <i>Alcohol</i> , 1998, 16, 237-242.	1.7	21
52	The effect of the timing of ethanol exposure during early postnatal life on total number of Purkinje cells in rat cerebellum. <i>Journal of Anatomy</i> , 1999, 194, 423-431.	1.5	22
53	Purkinje Cell Vulnerability to Developmental Ethanol Exposure in the Rat Cerebellum. <i>Alcoholism: Clinical and Experimental Research</i> , 1999, 23, 1650-1659.	2.4	82
54	Ethanol Decreases Glial Derived Neurotrophic Factor (GDNF) Protein Release but Not mRNA Expression and Increases GDNF-Stimulated Shc Phosphorylation in the Developing Cerebellum. <i>Alcoholism: Clinical and Experimental Research</i> , 1999, 23, 1691-1697.	2.4	35

#	ARTICLE	IF	CITATIONS
55	Ethanol Induces Cell Death and Cell Cycle Delay in Cultures of Pheochromocytoma PC12 Cells. <i>Alcoholism: Clinical and Experimental Research</i> , 1999, 23, 644-656.	2.4	43
56	Effect of Exogenous Thyroxine on the Development of the Purkinje Cell in Fetal Alcohol Effects in the Rat. <i>Experimental and Molecular Pathology</i> , 1999, 67, 175-191.	2.1	4
57	Alterations in hippocampal and hypothalamic monoaminergic neurotransmitter systems after alcohol exposure during all three trimester equivalents in adult rats. <i>Journal of Neural Transmission</i> , 1999, 106, 773-786.	2.8	17
58	Postnatal ethanol exposure blunts upregulation of GABAA receptor currents in Purkinje neurons. <i>Brain Research</i> , 1999, 832, 124-135.	2.2	29
59	Prenatal Binge-Like Alcohol Exposure in the Rat Results in Region-Specific Deficits in Brain Growth. <i>Neurotoxicology and Teratology</i> , 1999, 21, 285-291.	2.4	74
60	Comparative Effects of Developmental Thiamine Deficiencies and Ethanol Exposure on the Morphometry of the CA3 Pyramidal Cells. <i>Neurotoxicology and Teratology</i> , 1999, 21, 579-586.	2.4	28
61	DNA fragmentation during exposure of rat cerebella to ethanol under hypoxia imposed in vitro. , 1999, 38, 82-92.		19
62	Effects of prenatal alcohol exposure on neuropsychological functioning. <i>Developmental Neuropsychology</i> , 1999, 15, 111-140.	1.4	25
63	Neonatal alcohol exposure produces more severe motor coordination deficits in high alcohol sensitive rats compared to low alcohol sensitive rats. <i>Alcohol</i> , 2000, 20, 93-99.	1.7	20
64	Ethanol Induces Fas/Apo [Apoptosis]-1 mRNA and Cell Suicide in the Developing Cerebral Cortex. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 535-543.	2.4	102
65	Brain High Energy Phosphate Responses to Alcohol Exposure in Neonatal Rats: An In Vivo 31P-NMR Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 865-872.	2.4	6
66	Ethanol neurobehavioral teratogenesis and the role of the hippocampal glutamateâ€N-methyl-d-aspartate receptorâ€nitric oxide synthase system. <i>Neurotoxicology and Teratology</i> , 2000, 22, 607-616.	2.4	35
67	Neonatal choline supplementation ameliorates the effects of prenatal alcohol exposure on a discrimination learning task in rats. <i>Neurotoxicology and Teratology</i> , 2000, 22, 703-711.	2.4	158
68	Therapeutic motor training ameliorates cerebellar effects of postnatal binge alcohol. <i>Neurotoxicology and Teratology</i> , 2000, 22, 125-132.	2.4	53
69	Glial-derived neurotrophic factor (GDNF) prevents ethanol-induced apoptosis and JUN kinase phosphorylation. <i>Developmental Brain Research</i> , 2000, 119, 209-216.	1.7	101
70	Spatial Memory Following Prenatal Alcohol Exposure: More than a Material Specific Memory Deficit. <i>Child Neuropsychology</i> , 2000, 6, 115-128.	1.3	49
71	Brain dysmorphology in individuals with severe prenatal alcohol exposure. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 148.	2.1	170
72	Classical eyeblink conditioning: Clinical models and applications. <i>Integrative Psychological and Behavioral Science</i> , 2001, 36, 220-238.	0.3	26

#	ARTICLE	IF	CITATIONS
73	Regional differences in cell loss associated with binge-like alcohol exposure during the first two trimesters equivalent in the rat. <i>Alcohol</i> , 2001, 23, 49-57.	1.7	141
74	Brain dysmorphology in individuals with severe prenatal alcohol exposure. <i>Developmental Medicine and Child Neurology</i> , 2001, 43, 148-154.	2.1	394
75	Reduced Seizure Threshold and Hippocampal Cell Loss in Rats Exposed to Alcohol During the Brain Growth Spurt. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 70-82.	2.4	70
76	Third Trimester Binge Ethanol Exposure Results in Fetal Hypercapnea and Acidemia but Not Hypoxemia in Pregnant Sheep. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 269-276.	2.4	44
77	Alcohol Exposure During the Brain Growth Spurt Promotes Hippocampal Seizures, Rapid Kindling, and Spreading Depression. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 734-745.	2.4	45
78	Fetal Alcohol Exposure and Temporal Vulnerability: Effects of Binge-Like Alcohol Exposure on the Ventrolateral Nucleus of the Thalamus. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 774-780.	2.4	31
79	Alcohol-Mediated Purkinje Cell Loss in the Absence of Hypoxemia During the Third Trimester in an Ovine Model System. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 1051-1057.	2.4	49
80	Prenatal ethanol exposure, generalized learning impairment, and medial prefrontal cortical deficits in rats. <i>Neurotoxicology and Teratology</i> , 2001, 23, 453-462.	2.4	78
81	Critical Role for Glial Cells in the Propagation and Spread of Lymphocytic Choriomeningitis Virus in the Developing Rat Brain. <i>Journal of Virology</i> , 2002, 76, 6618-6635.	3.4	49
82	Alcohol-Induced Damage to the Developing Brain: Functional Approaches Using Classical Eyeblink Conditioning. , 2002, , 135-153.		0
83	Time course and manner of Purkinje neuron death following a single ethanol exposure on postnatal day 4 in the developing rat. <i>Neuroscience</i> , 2002, 114, 327-337.	2.3	118
84	Deficiency of neuronal nitric oxide synthase (nNOS) worsens alcohol-induced microencephaly and neuronal loss in developing mice. <i>Developmental Brain Research</i> , 2002, 138, 45-59.	1.7	64
85	Effects of prenatal exposure to ethanol on the cyclin-dependent kinase system in the developing rat cerebellum. <i>Developmental Brain Research</i> , 2002, 139, 237-245.	1.7	30
86	Therapeutic effects of complex motor training on motor performance deficits induced by neonatal binge-like alcohol exposure in rats. <i>Brain Research</i> , 2002, 937, 83-93.	2.2	90
87	Using eyeblink classical conditioning as a test of the functional consequences of exposure of the developing cerebellum to alcohol. <i>Integrative Psychological and Behavioral Science</i> , 2002, 38, 45-64.	0.3	2
88	Ethanol Induces Apoptosis in Cerebellar Granule Neurons by Inhibiting Insulin-Like Growth Factor 1 Signaling. <i>Journal of Neurochemistry</i> , 1998, 71, 196-204.	3.9	115
89	Selective and Enduring Deficits in Spatial Learning After Limited Neonatal Binge Alcohol Exposure in Male Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 83-93.	2.4	76
90	Fetal alcohol exposure and temporal vulnerability: effects of binge-like alcohol exposure on the developing rat hippocampus. <i>Neurotoxicology and Teratology</i> , 2003, 25, 447-458.	2.4	238

#	ARTICLE	IF	CITATIONS
91	Critical periods for ethanol-induced cell loss in the hippocampal formation. <i>Neurotoxicology and Teratology</i> , 2003, 25, 519-528.	2.4	132
92	Differential vulnerability to motor deficits in second replicate HAS and LAS rats following neonatal alcohol exposure. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 75, 17-24.	2.9	11
93	Alcohol and nutritional control treatments during neurogenesis in rat brain reduce total neuron number in locus coeruleus, but not in cerebellum or inferior olive. <i>Alcohol</i> , 2003, 30, 67-74.	1.7	26
94	Patterned Purkinje cell death in the cerebellum. <i>Progress in Neurobiology</i> , 2003, 70, 473-507.	5.7	191
95	Chronic prenatal ethanol exposure-induced decrease of guinea pig hippocampal CA1 pyramidal cell and cerebellar Purkinje cell density. <i>Canadian Journal of Physiology and Pharmacology</i> , 2003, 81, 476-484.	1.4	47
97	Verbal and Visuospatial Learning and Memory Function in Children With Moderate Prenatal Alcohol Exposure. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 497-507.	2.4	142
98	Perinatal choline supplementation does not mitigate motor coordination deficits associated with neonatal alcohol exposure in rats. <i>Neurotoxicology and Teratology</i> , 2004, 26, 223-229.	2.4	41
99	The effects of ethanol on the developing cerebellum and eyeblink classical conditioning. <i>Cerebellum</i> , 2004, 3, 178-187.	2.5	57
100	Vitamin E protects against alcohol-induced cell loss and oxidative stress in the neonatal rat hippocampus. <i>International Journal of Developmental Neuroscience</i> , 2004, 22, 363-377.	1.6	102
101	Vitamin E Does Not Protect Against Neonatal Ethanol-Induced Cerebellar Damage or Deficits in Eyeblink Classical Conditioning in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 117-129.	2.4	72
102	Moderate-Level Prenatal Alcohol Exposure Alters Striatal Dopamine System Function in Rhesus Monkeys. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 1685-1697.	2.4	45
103	Astrocytes protect neurons from ethanol-induced oxidative stress and apoptotic death. <i>Journal of Neuroscience Research</i> , 2005, 80, 655-666.	2.9	92
104	Functional mechanisms of apoptosis-related proteins in neonatal rat cerebellum are differentially influenced by ethanol at postnatal days 4 and 7. <i>Journal of Neuroscience Research</i> , 2005, 81, 632-643.	2.9	29
105	ULTRASTRUCTURE OF RAT PUP'S PURKINJE NEURONS WHOSE MOTHERS WERE EXPOSED TO ETHANOL DURING PREGNANCY AND LACTATION. <i>International Journal of Neuroscience</i> , 2005, 115, 1669-1686.	1.6	4
106	Regional differences in vulnerability of the cerebellar foliations of rats exposed to neonatal X-irradiation. <i>Neuroscience Letters</i> , 2006, 402, 86-91.	2.1	11
107	Impaired trace fear conditioning following neonatal ethanol: Reversal by choline.. <i>Behavioral Neuroscience</i> , 2006, 120, 482-487.	1.2	68
108	Effects of Acute Ethanol Exposure on Regulatory Mechanisms of Bcl-2-Associated Apoptosis Promoter, Bad, in Neonatal Rat Cerebellum: Differential Effects During Vulnerable and Resistant Developmental Periods. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 1031-1038.	2.4	22
109	The effects of moderate neonatal ethanol exposure on eyeblink conditioning and deep cerebellar nuclei neuron numbers in the rat. <i>Alcohol</i> , 2006, 39, 135-150.	1.7	19

#	ARTICLE	IF	CITATIONS
110	Effects of prenatal exposure to alcohol on activity, anxiety, motor coordination, and memory in young adult Wistar rats. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 85, 345-355.	2.9	73
111	Severe alcohol-induced neuronal deficits in the hippocampus and neocortex of neonatal mice genetically deficient for neuronal nitric oxide synthase (nNOS). <i>Journal of Comparative Neurology</i> , 2006, 499, 290-305.	1.6	24
112	Lymphocytic choriomeningitis virus infection of the developing brain: critical role of host age. <i>Annals of Neurology</i> , 2007, 62, 356-374.	5.3	48
113	Binge-like ethanol exposure during the early postnatal period impairs eyeblink conditioning at short and long CS-US intervals in rats. <i>Developmental Psychobiology</i> , 2007, 49, 589-605.	1.6	27
114	Early postnatal alcohol exposure reduced the size of vibrissal barrel field in rat somatosensory cortex (SI) but did not disrupt barrel field organization. <i>Alcohol</i> , 2007, 41, 253-261.	1.7	9
115	Postnatal environmental or experiential amelioration of neurobehavioral effects of perinatal alcohol exposure in rats. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 202-211.	6.1	57
116	Teratogenic Effects of the Interaction Acetylsalicylic Acid (ASA) and Ethanol: Morphologic and Morphometric Evaluation of the Lingual Epithelium in Rat Fetuses. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2007, 36, 14-18.	0.7	1
117	Temporal Vulnerability of Fetal Cerebellar Purkinje Cells to Chronic Binge Alcohol Exposure: Ovine Model. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 1738-1745.	2.4	38
118	Undernutrition during early life increases the level of apoptosis in the dentate gyrus but not in the CA2+CA3 region of the hippocampal formation. <i>Brain Research</i> , 2007, 1143, 60-69.	2.2	15
119	Ethanol-exposed neonatal rats are impaired as adults in classical eyeblink conditioning at multiple unconditioned stimulus intensities. <i>Brain Research</i> , 2007, 1150, 155-166.	2.2	12
120	Mechanisms of ethanol-induced degeneration in the developing, mature, and aging cerebellum. <i>Cerebellum</i> , 2008, 7, 332-347.	2.5	90
121	Neuronal and glial alterations in the cerebellar cortex of maternally deprived rats: Gender differences and modulatory effects of two inhibitors of endocannabinoid inactivation. <i>Developmental Neurobiology</i> , 2008, 68, 1429-1440.	3.0	38
122	Ethanol exposure of neonatal rats does not increase biomarkers of oxidative stress in isolated cerebellar granule neurons. <i>Alcohol</i> , 2008, 42, 29-36.	1.7	21
123	Ethanol neurotoxicity and dentate gyrus development. <i>Congenital Anomalies (discontinued)</i> , 2008, 48, 110-117.	0.6	24
124	Maturation-Dependent Alcohol Resistance in the Developing Mouse: Cerebellar Neuronal Loss and Gene Expression During Alcohol-Vulnerable and -Resistant Periods. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1439-1450.	2.4	32
125	Environmental Enrichment Alters Neurotrophin Levels After Fetal Alcohol Exposure in Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2008, 32, 1741-1751.	2.4	21
126	The protective effect of neuronal nitric oxide synthase (nNOS) against alcohol toxicity depends upon the NO-cGMP-PKG pathway and NF- κ B. <i>NeuroToxicology</i> , 2008, 29, 1080-1091.	3.0	36
127	Acid-sensitive channel inhibition prevents fetal alcohol spectrum disorders cerebellar Purkinje cell loss. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 295, R596-R603.	1.8	22

#	ARTICLE	IF	CITATIONS
128	Voluntary exercise influences behavioral development in rats exposed to alcohol during the neonatal brain growth spurt.. Behavioral Neuroscience, 2008, 122, 1264-1273.	1.2	66
129	Timing of moderate level prenatal alcohol exposure influences gene expression of sensory processing behavior in rhesus monkeys. Frontiers in Integrative Neuroscience, 2009, 3, 30.	2.1	11
130	Insulin-like growth factor-I mitigates motor coordination deficits associated with neonatal alcohol exposure in rats. Neurotoxicology and Teratology, 2009, 31, 40-48.	2.4	21
131	Neonatal binge alcohol exposure produces dose dependent deficits in interstimulus interval discrimination eyeblink conditioning in juvenile rats. Brain Research, 2009, 1248, 162-175.	2.2	9
132	Magnetic Resonance Microscopy Defines Ethanol-Induced Brain Abnormalities in Prenatal Mice: Effects of Acute Insult on Gestational Day 8. Alcoholism: Clinical and Experimental Research, 2009, 33, 1001-1011.	2.4	127
133	Ethanol inhibition of aspartyl-asparaginyl- β -hydroxylase in fetal alcohol spectrum disorder: Potential link to the impairments in central nervous system neuronal migration. Alcohol, 2009, 43, 225-240.	1.7	49
134	Early maternal deprivation in rats induces gender-dependent effects on developing hippocampal and cerebellar cells. International Journal of Developmental Neuroscience, 2009, 27, 233-241.	1.6	89
135	A single exposure to alcohol during brain development induces microencephaly and neuronal losses in genetically susceptible mice, but not in wild type mice. NeuroToxicology, 2009, 30, 459-470.	3.0	34
136	Hippocampal cell loss and neurogenesis after fetal alcohol exposure: Insights from different rodent models. Brain Research Reviews, 2010, 64, 283-303.	9.0	164
137	Variants of contextual fear conditioning are differentially impaired in the juvenile rat by binge ethanol exposure on postnatal days 4-9. Behavioural Brain Research, 2010, 212, 133-142.	2.2	36
138	Developmental alterations in olivary climbing fiber distribution following postnatal ethanol exposure in the rat. Neuroscience, 2010, 169, 1438-1448.	2.3	10
139	Voluntary exercise induces adult hippocampal neurogenesis and BDNF expression in a rodent model of fetal alcohol spectrum disorders. European Journal of Neuroscience, 2011, 33, 1799-1811.	2.6	61
140	Effects of Dose and Period of Neonatal Alcohol Exposure on the Context Preexposure Facilitation Effect. Alcoholism: Clinical and Experimental Research, 2011, 35, 1160-1170.	2.4	32
141	Trophic and proliferative perturbations of in vivo/in vitro cephalic neural crest cells after ethanol exposure are prevented by Neurotrophin 3. Neurotoxicology and Teratology, 2011, 33, 422-430.	2.4	21
142	Chronic ethanol exposure and folic acid supplementation: Fetal growth and folate status in the maternal and fetal guinea pig. Reproductive Toxicology, 2011, 31, 500-506.	2.9	12
143	Biobehavioral Markers of Adverse Effect in Fetal Alcohol Spectrum Disorders. Neuropsychology Review, 2011, 21, 148-166.	4.9	48
144	Fetal alcohol exposure leads to abnormal olfactory bulb development and impaired odor discrimination in adult mice. Molecular Brain, 2011, 4, 29.	2.6	45
145	Effects of intra-uterine and early extra-uterine malnutrition on seizure threshold and hippocampal morphometry of pup rats. Nutritional Neuroscience, 2011, 14, 151-158.	3.1	17

#	ARTICLE	IF	CITATIONS
146	Effects of Ethanol Exposure on Nervous System Development in Zebrafish. <i>International Review of Cell and Molecular Biology</i> , 2012, 299, 255-315.	3.2	30
147	Acute and Long-Term Urkinje Cell Loss Following a Single Ethanol Binge During the Early Third Trimester Equivalent in the Rat. <i>Alcoholism: Clinical and Experimental Research</i> , 2012, 36, 1365-1373.	2.4	28
148	Early Postnatal Ethanol Exposure: Glutamatergic Excitotoxic Cell Death During Acute Withdrawal. <i>Neurophysiology</i> , 2012, 44, 376-386.	0.3	3
149	Neonatal alcohol exposure and the hippocampus in developing male rats: effects on behaviorally induced CA1 c-Fos expression, CA1 pyramidal cell number, and contextual fear conditioning. <i>Neuroscience</i> , 2012, 206, 89-99.	2.3	35
150	Neuroimmune mechanisms in fetal alcohol spectrum disorder. <i>Developmental Neurobiology</i> , 2012, 72, 1302-1316.	3.0	31
151	Differential effects of ethanol on c-jun N-terminal kinase, 14-3-3 proteins, and Bax in postnatal day 4 and postnatal day 7 rat cerebellum. <i>Brain Research</i> , 2012, 1432, 15-27.	2.2	12
152	Alcohol exposure during development: Impact on the epigenome. <i>International Journal of Developmental Neuroscience</i> , 2013, 31, 391-397.	1.6	90
153	Neonatal ethanol exposure results in dose-dependent impairments in the acquisition and timing of the conditioned eyeblink response and altered cerebellar interpositus nucleus and hippocampal CA1 unit activity in adult rats. <i>Alcohol</i> , 2013, 47, 447-457.	1.7	19
154	Hippocampal-dependent Pavlovian conditioning in adult rats exposed to binge-like doses of ethanol as neonates. <i>Behavioural Brain Research</i> , 2013, 242, 191-199.	2.2	6
155	Intracellular calcium plays a critical role in the alcohol-mediated death of cerebellar granule neurons. <i>Journal of Neurochemistry</i> , 2013, 124, 323-335.	3.9	34
156	Effects of neonatal alcohol dose and exposure window on long delay and trace eyeblink conditioning in juvenile rats. <i>Behavioural Brain Research</i> , 2013, 236, 307-318.	2.2	21
157	Ethanol influences on bax associations with mitochondrial membrane proteins in neonatal rat cerebellum. <i>Developmental Neurobiology</i> , 2013, 73, 127-141.	3.0	15
158	Effect of folic acid in prenatal alcohol induced behavioral impairments in Swiss albino mice. <i>Annals of Neurosciences</i> , 2013, 20, 134-8.	1.7	10
159	Rehabilitation Training Using Complex Motor Learning Rescues Deficits in Eyeblink Classical Conditioning in Female Rats Induced by Binge-Like Neonatal Alcohol Exposure. <i>Alcoholism: Clinical and Experimental Research</i> , 2013, 37, 1561-1570.	2.4	14
160	Transgenerational effects of paternal alcohol exposure in mouse offspring. <i>Animal Cells and Systems</i> , 2013, 17, 429-434.	2.2	15
161	Impaired trace fear conditioning and diminished ERK1/2 phosphorylation in the dorsal hippocampus of adult rats administered alcohol as neonates. <i>Behavioral Neuroscience</i> , 2014, 128, 187-198.	1.2	12
162	Significant long-term, but not short-term, hippocampal-dependent memory impairment in adult rats exposed to alcohol in early postnatal life. <i>Developmental Psychobiology</i> , 2014, 56, 1316-1326.	1.6	17
163	Examination of Age-dependent effects of fetal ethanol exposure on behavior, hippocampal cell counts, and doublecortin immunoreactivity in rats. <i>Developmental Neurobiology</i> , 2014, 74, 498-513.	3.0	24

#	ARTICLE	IF	CITATIONS
164	Maternal Iron Deficiency Worsens the Associative Learning Deficits and Hippocampal and Cerebellar Losses in a Rat Model of Fetal Alcohol Spectrum Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 2097-2107.	2.4	25
165	Differential Effects of Ethanol on Bid, <scp>tB</scp>id, and Bax:<scp>tB</scp>id Interactions in Postnatal Day 4 and Postnatal Day 7 Rat Cerebellum. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 55-63.	2.4	8
166	Fetal Alcohol Spectrum Disorder: Potential Role of Endocannabinoids Signaling. <i>Brain Sciences</i> , 2015, 5, 456-493.	2.3	40
167	Eyeblink Classical Conditioning. , 2015, , 635-641.		0
168	Genetic Absence of nNOS Worsens Fetal Alcohol Effects in Mice. II: Microencephaly and Neuronal Losses. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 221-231.	2.4	20
169	The effects of black garlic ethanol extract on the spatial memory and estimated total number of pyramidal cells of the hippocampus of monosodium glutamate-exposed adolescent male Wistar rats. <i>Anatomical Science International</i> , 2015, 90, 275-286.	1.0	24
170	Deficient PKR in RAX/PKR Association Ameliorates Ethanol-Induced Neurotoxicity in the Developing Cerebellum. <i>Cerebellum</i> , 2015, 14, 386-397.	2.5	23
171	The effects of postnatal alcohol exposure and galantamine on the context pre-exposure facilitation effect and acetylcholine efflux using inÂvivo microdialysis. <i>Alcohol</i> , 2015, 49, 193-205.	1.7	10
172	Safety assessment for ethanol-based topical antiseptic use by health care workers: Evaluation of developmental toxicity potential. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 73, 248-264.	2.7	24
173	Alcohol Dehydrogenase Alleles and Impact on Neuropathology. , 2016, , 510-519.		1
174	Ethanol-Induced Neurodegeneration and Glial Activation in the Developing Brain. <i>Brain Sciences</i> , 2016, 6, 31.	2.3	51
175	Neonatal Ethanol Exposure Impairs Trace Fear Conditioning and Alters <scp>NMDA</scp> Receptor Subunit Expression in Adult Male and Female Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2016, 40, 309-318.	2.4	27
176	The Effects of Prenatal Alcohol Exposure on Episodic Memory Functioning: A Systematic Review: Table 1.. <i>Archives of Clinical Neuropsychology</i> , 2016, 31, 710-726.	0.5	17
177	Inflammatory responses to alcohol in the CNS: nuclear receptors as potential therapeutics for alcohol-induced neuropathologies. <i>Journal of Leukocyte Biology</i> , 2016, 100, 951-959.	3.3	48
178	Chromatin Switches during Neural Cell Differentiation and Their Dysregulation by Prenatal Alcohol Exposure. <i>Genes</i> , 2017, 8, 137.	2.4	17
179	Disruption of Cholesterol Homeostasis inÂDevelopmental Neurotoxicity. , 2017, , 1077-1088.		0
180	Neonatal Ethanol and Choline Treatments Alter the Morphology of Developing Rat Hippocampal Pyramidal Neurons in Opposite Directions. <i>Neuroscience</i> , 2018, 374, 13-24.	2.3	15
181	Sex Differences in Early Postnatal Microglial Colonization of the Developing Rat Hippocampus Following a Single-Day Alcohol Exposure. <i>Journal of NeuroImmune Pharmacology</i> , 2018, 13, 189-203.	4.1	23

#	ARTICLE	IF	CITATIONS
182	Activity-dependent Signaling and Epigenetic Abnormalities in Mice Exposed to Postnatal Ethanol. <i>Neuroscience</i> , 2018, 392, 230-240.	2.3	14
183	CB1R-Mediated Activation of Caspase-3 Causes Epigenetic and Neurobehavioral Abnormalities in Postnatal Ethanol-Exposed Mice. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 45.	2.9	25
184	The effects of developmental alcohol exposure on the neurobiology of spatial processing. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 107, 775-794.	6.1	23
185	Differentially sensitive neuronal subpopulations in the central nervous system and the formation of hindbrain heterotopias in ethanol-exposed zebrafish. <i>Birth Defects Research</i> , 2019, 111, 700-713.	1.5	10
186	Neonatal Ethanol Disturbs the Normal Maturation of Parvalbumin Interneurons Surrounded by Subsets of Perineuronal Nets in the Cerebral Cortex: Partial Reversal by Lithium. <i>Cerebral Cortex</i> , 2019, 29, 1383-1397.	2.9	23
187	Midline Thalamic Damage Associated with Alcohol-Use Disorders: Disruption of Distinct Thalamocortical Pathways and Function. <i>Neuropsychology Review</i> , 2020, 31, 447-471.	4.9	7
188	Postnatal Ethanol Exposure Activates HDAC-Mediated Histone Deacetylation, Impairs Synaptic Plasticity Gene Expression and Behavior in Mice. <i>International Journal of Neuropsychopharmacology</i> , 2020, 23, 324-338.	2.1	23
189	Early Ethanol Exposure Inhibits the Differentiation of Hippocampal Dentate Gyrus Granule Cells in a Mouse Model of Fetal Alcohol Spectrum Disorders. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 1112-1122.	2.4	1
190	A Systematic Review of the Effects of Perinatal Alcohol Exposure and Perinatal Marijuana Exposure on Adult Neurogenesis in the Dentate Gyrus. <i>Alcoholism: Clinical and Experimental Research</i> , 2020, 44, 1164-1174.	2.4	11
191	CE-123, a novel dopamine transporter inhibitor, attenuates locomotor hyperactivity and improves cognitive functions in rat model of fetal alcohol spectrum disorders. <i>Behavioural Brain Research</i> , 2021, 410, 113326.	2.2	9
192	Divergent and overlapping hippocampal and cerebellar transcriptome responses following developmental ethanol exposure during the secondary neurogenic period. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 1408-1423.	2.4	9
193	Neonatal ethanol causes profound reduction of cholinergic cell number in the basal forebrain of adult animals. <i>Alcohol</i> , 2021, 97, 1-11.	1.7	9
194	Ethanol modulation of hippocampal neuroinflammation, myelination, and neurodevelopment in a postnatal mouse model of fetal alcohol spectrum disorders. <i>Neurotoxicology and Teratology</i> , 2021, 87, 107015.	2.4	7
195	Eyeblink Conditioning in Animal Models and Humans. <i>Neuromethods</i> , 2011, , 1-27.	0.3	1
196	Teratogenic Effects of Alcohol:Current Status of Animal Research and in vitro Models. <i>Archives of Toxicology Supplement</i> , 1996, 18, 71-80.	0.7	8
197	Perinatal Addictions: Intrauterine Exposures. , 2015, , 2333-2363.		1
198	Fetal Alcohol Effects: Rat Model of Alcohol Exposure during the Brain Growth Spurt. , 1992, , 45-75.		37
199	Disruption of cholesterol homeostasis in developmental neurotoxicity. , 2011, , 855-862.		4

#	ARTICLE	IF	CITATIONS
200	Glial Targets of Developmental Exposure to Ethanol. , 2006, , 295-312.		5
201	Ethanol Induces Fas/Apo [Apoptosis]-1 mRNA and Cell Suicide in the Developing Cerebral Cortex. Alcoholism: Clinical and Experimental Research, 2000, 24, 535-543.	2.4	5
202	Brain High Energy Phosphate Responses to Alcohol Exposure in Neonatal Rats: An In Vivo 31P-NMR Study. Alcoholism: Clinical and Experimental Research, 2000, 24, 865-872.	2.4	2
203	Fetal Alcohol Exposure and Temporal Vulnerability: Effects of Binge-Like Alcohol Exposure on the Ventrolateral Nucleus of the Thalamus. Alcoholism: Clinical and Experimental Research, 2001, 25, 774-780.	2.4	2
204	Alcohol-Mediated Purkinje Cell Loss in the Absence of Hypoxemia During the Third Trimester in an Ovine Model System. Alcoholism: Clinical and Experimental Research, 2001, 25, 1051-1057.	2.4	3
205	TOTAL NUMBER: A BRIEF REVIEW OF ITS IMPORTANCE AND ITS USE IN ASSESSING CEREBELLAR DAMAGE IN THE RAT FOLLOWING EARLY POSTNATAL ALCOHOL EXPOSURE. Image Analysis and Stereology, 2000, 19, 25.	0.9	2
206	Chronic alcohol exposure during critical developmental periods differentially impacts persistence of deficits in cognitive flexibility and related circuitry. International Review of Neurobiology, 2021, 160, 117-173.	2.0	10
207	Calcium Signaling Pathway Protects the Developing Brain against Alcohol-induced Neuronal Death—This research was supported by NIAAA fellowship AA014081 to AMHK, NIAAA grant AA11577 and a Carver Trust Foundation Collaborative Pilot Grant to N J P, the John Martin Fund for Neuroanatomic Research, FY01-217 from the March of Dimes Birth Defects Foundation, a Young Investigator Award from the Child Neurology Society, and NICHD grant P30HD27748 and NINDS grant NS02007 to D J B., , 2005, , 871-885.		0
208	Teratogenic Effects of Drugs and Passive Addiction. , 2008, , 1009-1054.		2
209	Drug Abuse Neurotoxicity: Alcohol and Nicotine as Developmental Stressors. , 2014, , 2003-2023.		0
210	Chemical teratogenesis. , 1993, 41, 9-50.		6
211	Role of Oxidative Stress in Ethanol-induced Neurotoxicity in the Developing Cerebellum. Iranian Journal of Basic Medical Sciences, 2012, 15, 965-74.	1.0	17
212	Neurobiology of Neuronal Network Alteration in Intellectual Disability Related to Fetal Alcohol Spectrum Disorders. Journal of Behavioral and Brain Science, 2022, 12, 43-81.	0.5	2
213	Mechanisms of ethanol-induced degeneration in the developing, mature, and aging cerebellum. Cerebellum, 2008, 7, 1-16.	2.5	0
214	Exercise in Adolescence Enhances Callosal White Matter Refinement in the Female Brain in a Rat Model of Fetal Alcohol Spectrum Disorders. Cells, 2023, 12, 975.	4.1	3
215	Estimates of total neuron number show that neonatal ethanol causes immediate and lasting neuron loss in cortical and subcortical areas. Frontiers in Neuroscience, 0, 17, .	2.8	3
216	Ameliorative effect of rutin and silymarin in alcohol-induced cognitive dysfunction in rats: Evidence of its antioxidative potential. AIP Conference Proceedings, 2024, , .	0.4	0