

The pharmacology of the efferent function of sensory n

Autonomic and Autacoid Pharmacology

11, 173-208

DOI: [10.1111/j.1474-8673.1991.tb00317.x](https://doi.org/10.1111/j.1474-8673.1991.tb00317.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Ruthenium red and capsaicin induce a neurogenic inflammatory response in the rabbit eye: effects of $\bar{I}\%$ -conotoxin GVIA and tetrodotoxin. <i>European Journal of Pharmacology</i> , 1991, 209, 175-183.	1.7	7
2	Peptidergic sensory neurons in the control of vascular functions: Mechanisms and significance in the cutaneous and splanchnic vascular beds. , 1992, 121, 49-146.		196
3	Release of calcitonin gene-related peptide-like (CGRP-LI) immunoreactivity from rat isolated soleus muscle by low pH, capsaicin and potassium. <i>Neuroscience Letters</i> , 1992, 143, 19-22.	1.0	34
4	Therapeutic potential of capsaicin-like molecules: Studies in animals and humans. <i>Life Sciences</i> , 1992, 51, 1777-1781.	2.0	60
5	Release of sensory CGRP by hypertonic NaCl is not blocked by tetrodotoxin, $\bar{I}\%$ -conotoxin, nifedipine and ruthenium red. <i>Life Sciences</i> , 1992, 51, PL73-PL76.	2.0	2
6	Capsaicin releases calcitonin gene-related peptide from the human iris and ciliary body in vitro. <i>Regulatory Peptides</i> , 1992, 41, 83-92.	1.9	21
7	Rapid neural growth: Calcitonin gene-related peptide and substance P-containing nerves attain exceptional growth rates in regenerating deer antler. <i>Neuroscience</i> , 1992, 50, 953-963.	1.1	36
8	Investigation on TTX-resistant component of the contractile response to electrical field stimulation of the guinea-pig urinary bladder. <i>Pharmacological Research</i> , 1992, 25, 357-358.	3.1	0
9	Adenosine inhibits action potential-dependent release of calcitonin gene-related peptide- and substance P-like immunoreactivities from primary afferents in rat spinal cord. <i>Neuroscience Letters</i> , 1992, 144, 211-214.	1.0	48
10	Sensory neuropeptide interactions in the production of plasma extravasation in the rat. <i>Neuroscience</i> , 1992, 50, 745-749.	1.1	94
11	Cyclophosphamide cystitis in rats: involvement of capsaicin-sensitive primary afferents. <i>Journal of the Autonomic Nervous System</i> , 1992, 38, 201-208.	1.9	97
12	UK-14,304, R(\hat{a}) \hat{t} -methyl-histamine and SMS 201-995 block plasma protein leakage within dura mater by prejunctional mechanisms. <i>European Journal of Pharmacology</i> , 1992, 224, 145-150.	1.7	59
13	Changes in airway reactivity to exogenous and endogenous acetylcholine and substance P after anaphylactic bronchoconstriction in anaesthetized guinea-pigs. <i>Autonomic and Autacoid Pharmacology</i> , 1992, 12, 403-409.	0.7	12
14	The modulation by nedocromil sodium of proteases released from rat peritoneal mast cells capable of degrading vasoactive intestinal peptide and calcitonin gene-related peptide. <i>Immunopharmacology</i> , 1993, 25, 197-204.	2.0	5
15	Tachykinin receptors and tachykinin receptor antagonists. <i>Autonomic and Autacoid Pharmacology</i> , 1993, 13, 23-93.	0.7	590
16	Role of substance P (SP) in development of symptoms of neurogenic inflammation in the oral mucosa of the rat. <i>Journal of Periodontal Research</i> , 1993, 28, 191-196.	1.4	32
17	The inhibition of neurogenic inflammation. <i>General Pharmacology</i> , 1993, 24, 519-529.	0.7	24
18	Virus-induced airway inflammation and hyperresponsiveness in the guinea-pig is inhibited by levodropropizine. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1993, 348, 213-219.	1.4	4

#	ARTICLE	IF	CITATIONS
19	Characterization of sensory neurotransmission and its inhibition via α_2 -adrenoceptors and via non- α_2 -receptors in rabbit iris. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1993, 347, 394-401.	1.4	20
20	Vanilloid receptors in the urinary bladder: regional distribution, localization on sensory nerves, and species-related differences. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1993, 347, 624-629.	1.4	29
21	[³ H]resiniferatoxin binding by the vanilloid receptor: species-related differences, effects of temperature and sulfhydryl reagents. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1993, 347, 84-91.	1.4	52
22	Inhibitory influence of sympathetic nerves on afferent nerve-induced extravasation in the rat incisor pulp upon direct electrical stimulation of the tooth. <i>Archives of Oral Biology</i> , 1993, 38, 483-490.	0.8	25
23	Calcitonin gene-related peptide (CGRP)1 receptor mediates vasodilation in the rat isolated and perfused kidney. <i>Life Sciences</i> , 1993, 53, PL153-PL158.	2.0	16
24	Capsaicin desensitization to the human nasal mucosa selectively reduces pain evoked by citric acid.. <i>British Journal of Clinical Pharmacology</i> , 1993, 35, 178-183.	1.1	30
25	Effects of capsaicin and 5-HT ₃ antagonists on 5-hydroxytryptamine-evoked release of calcitonin gene-related peptide in the guinea-pig heart. <i>British Journal of Pharmacology</i> , 1993, 108, 431-435.	2.7	29
26	Virus-induced airway hyperresponsiveness in the guinea-pig: possible involvement of histamine and inflammatory cells. <i>British Journal of Pharmacology</i> , 1993, 108, 1083-1093.	2.7	22
27	Effect of capsazepine on the release of calcitonin gene-related peptide-like immunoreactivity (CGRP-LI) induced by low pH, capsaicin and potassium in rat soleus muscle. <i>British Journal of Pharmacology</i> , 1993, 110, 609-612.	2.7	44
28	Cardiovascular effects of intrathecally administered bradykinin in the rat: characterization of receptors with antagonists. <i>British Journal of Pharmacology</i> , 1993, 110, 1369-1374.	2.7	18
29	The effect of compound on contractions induced by toluene diisocyanate in isolated guinea-pig bronchus. <i>European Journal of Pharmacology - Environmental Toxicology and Pharmacology Section</i> , 1993, 248, 67-73.	0.8	8
30	Sensory neuropeptide release by bradykinin: mechanisms and pathophysiological implications. <i>Regulatory Peptides</i> , 1993, 47, 1-23.	1.9	160
31	Effect of Sensory Denervation on the Response of Rat Molar Pulp to Exposure Injury. <i>Journal of Dental Research</i> , 1993, 72, 613-618.	2.5	93
32	Relaxant innervation of the guinea-pig trachealis: demonstration of capsaicin-sensitive and -insensitive vagal pathways.. <i>Journal of Physiology</i> , 1993, 460, 719-739.	1.3	39
33	Capsaicin-induced airway obstruction in tracheally perfused guinea pig lungs.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1994, 149, 1175-1179.	2.5	13
34	Functional Consequences of Prejunctional Receptor Activation or Blockade in the Iris. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 1994, 10, 109-123.	0.6	9
35	Substance P antagonist does not block the stimulation of rapidly adapting pulmonary stretch receptors by ammonia. <i>Lung</i> , 1994, 172, 31-45.	1.4	9
36	Antagonists of NK2 tachykinin receptors as a potential new class of antibronchospastic agents. <i>General Pharmacology</i> , 1994, 25, 1-6.	0.7	6

#	ARTICLE	IF	CITATIONS
37	Acute joint inflammationâ€™Mechanisms and mediators. <i>General Pharmacology</i> , 1994, 25, 1285-1296.	0.7	39
38	New insights into the local regulation of blood flow by perivascular nerves and endothelium. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 1994, 47, 527-543.	1.1	136
39	Application of classification schemes to the enteric nervous system. <i>Journal of the Autonomic Nervous System</i> , 1994, 48, 17-29.	1.9	95
40	Cardiovascular effects of intrathecally administered endothelins and big endothelin-1 in conscious rats: receptor characterization and mechanism of action. <i>Brain Research</i> , 1994, 648, 239-248.	1.1	10
41	Antagonism of substance P and related peptides by RP 67580 and CP-96,345, at tachykinin NK1 receptor sites, in the rat urinary bladder. <i>European Journal of Pharmacology</i> , 1994, 251, 9-14.	1.7	23
42	Pharmacological studies of stonefish (<i>Synanceja trachynis</i>) venom. <i>Toxicon</i> , 1994, 32, 1197-1210.	0.8	22
43	Characterization of the capsaicinâ€™sensitive component of cyclophosphamideâ€™induced inflammation in the rat urinary bladder. <i>British Journal of Pharmacology</i> , 1994, 111, 1017-1022.	2.7	90
44	Benzodiazepineâ€™induced intestinal motor disturbances in rats: mediation by γ -aminobutyric acid (GABA) sites on capsaicinâ€™sensitive afferent neurones. <i>British Journal of Pharmacology</i> , 1994, 113, 268-274.	2.7	1
45	Role of 5-HT ₃ receptors and afferent fibers in the effects of mast cell degranulation on colonic motility in rats. <i>Gastroenterology</i> , 1994, 107, 976-984.	0.6	46
46	Heteroreceptor-mediated modulation of noradrenaline and acetylcholine release from peripheral nerves. , 1995, 126, 265-412.		95
47	Raynaud's phenomenon and scleroderma dysregulated neuroendothelial control of vascular tone. <i>Arthritis and Rheumatism</i> , 1995, 38, 1-4.	6.7	95
48	Proton inhibition of [³ H]resiniferatoxin binding to vanilloid (capsaicin) receptors in rat spinal cord. <i>European Journal of Pharmacology</i> , 1995, 289, 181-187.	2.7	24
49	Resiniferatoxin binding to vanilloid receptors in guinea pig and human airways.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1995, 152, 59-63.	2.5	94
50	Effect of capsaicin on learning, retention and extinction of spatial and active avoidance tasks in adult rats neonatally treated. <i>Cognitive Brain Research</i> , 1995, 2, 221-227.	3.3	8
51	Tachykinins and calcitonin gene-related peptide (CGRP) as co-transmitters released from peripheral endings of sensory nerves. <i>Progress in Neurobiology</i> , 1995, 45, 1-98.	2.8	430
52	Resistance to Agingâ€™Associated Obesity in Capsaicinâ€™Desensitized Rats One Year after Treatment. <i>Obesity</i> , 1995, 3, 337-344.	4.0	68
53	Regulation of substance P release mediated via prejunctional histamine H ₃ receptors. <i>European Journal of Pharmacology</i> , 1995, 273, 83-88.	1.7	77
54	ATP-sensitive K ⁺ channels mediate regulation of substance P release via the prejunctional histamine H ₃ receptor. <i>European Journal of Pharmacology</i> , 1995, 277, 45-49.	1.7	21

#	ARTICLE	IF	CITATIONS
55	Opposite modulation by tachykinin (NK1) and CGRP receptors of sympathetic control of mouse vas deferens motility. <i>European Journal of Pharmacology</i> , 1995, 278, 117-124.	1.7	9
56	The modulation of the increase in rat facial skin blood flow observed after trigeminal ganglion stimulation. <i>European Journal of Pharmacology</i> , 1995, 284, 69-76.	1.7	15
57	Effects of intracerebral injections of VIP on jejunal alanine absorption and gastric acid secretion in rats. <i>Regulatory Peptides</i> , 1995, 55, 269-276.	1.9	16
58	Increase in plasma calcitonin gene-related peptide from the extracerebral circulation during nitroglycerin-induced cluster headache attack. <i>Pain</i> , 1995, 60, 119-123.	2.0	246
59	Inhibition of tachykinin release from peripheral endings of sensory nerves by nociceptin, a novel opioid peptide. <i>British Journal of Pharmacology</i> , 1996, 118, 1567-1569.	2.7	113
60	The stimulation of capsaicin-sensitive neurones in a vanilloid receptor-mediated fashion by pungent terpenoids possessing an unsaturated 1,4-dialdehyde moiety. <i>British Journal of Pharmacology</i> , 1996, 119, 283-290.	2.7	54
61	Evidence for adrenergic and tachykinin activity in venom of the stonefish (<i>Synanceja trachynis</i>). <i>Toxicon</i> , 1996, 34, 541-554.	0.8	19
62	Role of endothelin in mediating neurogenic plasma extravasation in rat dura mater. <i>Pain</i> , 1996, 64, 315-322.	2.0	60
63	Increased delayed type hypersensitivity in rats subjected to unilateral mononeuropathy is mediated by neurokinin-1 receptors. <i>Journal of Neuroimmunology</i> , 1996, 65, 119-124.	1.1	8
64	Tachykinin and kinin receptor antagonists: therapeutic perspectives in allergic airway disease. <i>Trends in Pharmacological Sciences</i> , 1996, 17, 255-259.	4.0	86
65	Vanilloid receptors: new insights enhance potential as a therapeutic target. <i>Pain</i> , 1996, 68, 195-208.	2.0	190
66	Interganglionic segregation of distinct vagal afferent fibre phenotypes in guinea-pig airways. <i>Journal of Physiology</i> , 1996, 496, 521-530.	1.3	202
67	Chapter 20. Capsaicin-sensitive sensory nerve terminals with local and systemic efferent functions: facts and scopes of an unorthodox neurooculatory mechanism. <i>Progress in Brain Research</i> , 1996, 113, 343-359.	0.9	126
68	The effects of repeated dermal application of capsaicin to the human skin on pain and vasodilatation induced by intradermal injection of acid and hypertonic solutions. <i>British Journal of Clinical Pharmacology</i> , 1996, 41, 1-6.	1.1	20
69	Calcitonin gene-related peptide: Vasoactive effects and potential therapeutic role. <i>General Pharmacology</i> , 1996, 27, 607-611.	0.7	86
70	Chronic dexamethasone treatment and its effects on sensory neuropeptides, pulpal injury reactions and reparative dentin. <i>Brain Research</i> , 1996, 723, 125-134.	1.1	10
72	Structural and Functional Association between Substance P- and Calcitonin Gene-related Peptide-immunoreactive Nerves and Accessory Cells in the Rat Dental Pulp. <i>Journal of Dental Research</i> , 1997, 76, 1818-1824.	2.5	39
73	Prejunctional modulation by nociceptin of nerve-mediated inotropic responses in guinea-pig left atrium. <i>European Journal of Pharmacology</i> , 1997, 332, 231-236.	1.7	44

#	ARTICLE	IF	CITATIONS
74	DMPP causes relaxation of rat distal colon by a purinergic and a nitrenergic mechanism. <i>European Journal of Pharmacology</i> , 1997, 334, 223-231.	1.7	33
75	Ketotifen prevents gastric hyperemia induced by intracisternal thyrotropin-releasing hormone at a low dose. <i>European Journal of Pharmacology</i> , 1997, 334, 241-247.	1.7	8
76	Tachykinin receptors in the guinea-pig isolated oesophagus: a complex system. <i>British Journal of Pharmacology</i> , 1997, 120, 1021-1028.	2.7	9
77	The effects of tachykinins on inflammatory and immune cells. <i>Regulatory Peptides</i> , 1997, 70, 75-90.	1.9	270
78	Inhibition by nociceptin of neurogenic inflammation and the release of SP and CGRP from sensory nerve terminals. <i>British Journal of Pharmacology</i> , 1997, 121, 613-615.	2.7	127
79	Local neurogenic regulation of rat hindlimb circulation: CO ₂ -induced release of calcitonin gene-related peptide from sensory nerves. <i>British Journal of Pharmacology</i> , 1997, 122, 710-714.	2.7	11
80	Synthesis and structure-activity relationships for a series of substituted pyrrolidine NK1/NK2 receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 2531-2536.	1.0	24
81	Sensory neuropeptides: their role in inflammation and wound healing. <i>Immunopharmacology</i> , 1997, 37, 133-152.	2.0	220
82	Mast cells: A possible link between psychological stress, enteric infection, food allergy and gut hypersensitivity in the Irritable Bowel syndrome. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1998, 13, 980-989.	1.4	53
83	Ovalbumin-induced neurogenic inflammation in the bladder of sensitized rats. <i>British Journal of Pharmacology</i> , 1998, 124, 190-196.	2.7	31
84	Bladder distension and activation of the efferent function of sensory fibres: similarities with the effect of capsaicin. <i>British Journal of Pharmacology</i> , 1998, 124, 259-266.	2.7	31
85	Cholinergic vasoregulation in normal and adjuvant monoarthritic rat knee joints. <i>Journal of the Autonomic Nervous System</i> , 1998, 72, 55-60.	1.9	13
86	Calcitonin Gene-Related Peptide (CGRP), but Not Tachykinins, Causes Relaxation of Small Arteries from the Rainbow Trout Gut. <i>Peptides</i> , 1998, 19, 577-584.	1.2	24
87	Inhibition of nociceptin on sensory neuropeptide release and mast cell-mediated plasma extravasation in rats. <i>European Journal of Pharmacology</i> , 1998, 347, 101-104.	1.7	45
88	Immune Defense Mechanisms of the Dental Pulp. <i>Critical Reviews in Oral Biology and Medicine</i> , 1998, 9, 179-200.	4.4	192
89	Regulation of airway neurogenic inflammation by neutral endopeptidase. <i>European Respiratory Journal</i> , 1998, 12, 1454-1462.	3.1	65
90	Neural mediation of vasoactive intestinal polypeptide inhibitory effect on jejunal alanine absorption. <i>American Journal of Physiology - Renal Physiology</i> , 1998, 275, G822-G828.	1.6	9
91	Involvement of Tachykinin NK1 Receptor in the Development of Allergen-induced Airway Hyperreactivity and Airway Inflammation in Conscious, Unrestrained Guinea Pigs. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999, 159, 423-430.	2.5	58

#	ARTICLE	IF	CITATIONS
92	A non-pungent triprenyl phenol of fungal origin, scutigeral, stimulates rat dorsal root ganglion neurons via interaction at vanilloid receptors. <i>British Journal of Pharmacology</i> , 1999, 126, 1351-1358.	2.7	52
93	Cough, cough receptors, and asthma in children. , 1999, 28, 59-70.		133
94	Tachykinins and kinins in airway allergy. <i>Expert Opinion on Investigational Drugs</i> , 1999, 8, 947-956.	1.9	6
95	Changes in afferent impulse activity of small intestine mesenteric nerves in response to antigen challenge. <i>Neuroscience</i> , 1999, 94, 1339-1342.	1.1	16
96	The induction of pain: an integrative review. <i>Progress in Neurobiology</i> , 1999, 57, 1-164.	2.8	1,516
97	Chapter VII Brain kallikreinâ€“kinin system: from receptors to neuronal pathways and physiological functions. <i>Handbook of Chemical Neuroanatomy</i> , 2000, , 241-300.	0.3	23
98	Glutamate-induced cobalt uptake reveals non-NMDA receptors in rat taste cells. , 2000, 417, 315-324.		35
99	Bufokinin: Actions And Distribution In The Toad Cardiovascular System. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000, 27, 911-916.	0.9	4
100	The Microcirculation and Inflammation: Site of Action for Glucocorticoids. <i>Microcirculation</i> , 2000, 7, 147-161.	1.0	121
101	Involvement of vanilloid receptors and purinoceptors in the Phoneutria nigriventer spider venom-induced plasma extravasation in rat skin. <i>European Journal of Pharmacology</i> , 2000, 391, 305-315.	1.7	23
102	Antinociceptive activity of ricinoleic acid, a capsaicin-like compound devoid of pungent properties. <i>European Journal of Pharmacology</i> , 2000, 407, 109-116.	1.7	26
103	<i>In Situ</i> Ca ²⁺ Imaging Reveals Neurotransmitter Receptors for Glutamate in Taste Receptor Cells. <i>Journal of Neuroscience</i> , 2000, 20, 7978-7985.	1.7	86
104	Principles of tachykininergic co-transmission in the peripheral and enteric nervous system. <i>Regulatory Peptides</i> , 2000, 93, 53-64.	1.9	75
105	Nociceptin and neurotransmitter release in the periphery. <i>Peptides</i> , 2000, 21, 977-984.	1.2	36
106	Innervation of Human Tooth Pulp in Relation to Caries and Dentition Type. <i>Journal of Dental Research</i> , 2001, 80, 389-393.	2.5	43
107	Effects of Inhaled Corticosteroids on Cough Threshold in Patients with Bronchial Asthma. <i>Pulmonary Pharmacology and Therapeutics</i> , 2001, 14, 35-40.	1.1	36
108	The Effect of Unilateral Sympathectomy and Cavity Preparation on Peptidergic Nerves and Cells in Rat Dental Pulp. <i>Experimental Neurology</i> , 2001, 169, 182-190.	2.0	23
109	NK1 Receptor Stimulation Causes Contraction and Inositol Phosphate Increase in Medium-size Human Isolated Bronchi. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 1206-1211.	2.5	43

#	ARTICLE	IF	CITATIONS
110	Acupuncture Mechanisms for Clinically Relevant Long-Term Effects – Reconsideration and a Hypothesis. <i>Acupuncture in Medicine</i> , 2002, 20, 82-99.	0.4	198
111	Mechanisms Underlying Tissue Selectivity of Anandamide and Other Vanilloid Receptor Agonists. <i>Molecular Pharmacology</i> , 2002, 62, 705-713.	1.0	49
112	Pelvic Nerve Plexus Trauma at Radical and Simple Hysterectomy: A Quantitative Study of Nerve Types in the Uterine Supporting Ligaments. <i>Journal of the Society for Gynecologic Investigation</i> , 2002, 9, 47-56.	1.9	29
113	Acupuncture mechanisms for clinical long-term effects, a hypothesis. <i>International Congress Series</i> , 2002, 1238, 31-47.	0.2	12
114	Comparative immunohistochemical analysis of the peptidergic innervation of human primary and permanent tooth pulp. <i>Archives of Oral Biology</i> , 2002, 47, 375-385.	0.8	50
115	The guinea-pig oesophagus is a versatile in vitro preparation for pharmacological studies. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2002, 29, 1047-1054.	0.9	5
116	Increased intestinal non-substance P tachykinin concentrations in malignant midgut carcinoid disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002, 14, 500-507.	1.4	14
117	Upregulation of proinflammatory cytokines and nerve growth factor by intraplantar injection of capsaicin in rats. <i>Journal of Physiology</i> , 2002, 545, 241-253.	1.3	59
118	Involvement of tachykinin receptors in <i>Clostridium perfringens</i> beta-toxin-induced plasma extravasation. <i>British Journal of Pharmacology</i> , 2003, 138, 23-30.	2.7	30
119	Pro-inflammatory Effect of Quercetin by Dual Blockade of Angiotensin Converting-enzyme and Neutral Endopeptidase In Vivo. <i>Nutritional Neuroscience</i> , 2003, 6, 309-316.	1.5	9
120	Calcium Signaling in Single Peripheral Sensory Nerve Terminals. <i>Journal of Neuroscience</i> , 2003, 23, 4793-4797.	1.7	40
121	Vascular Actions of Calcitonin Gene-Related Peptide and Adrenomedullin. <i>Physiological Reviews</i> , 2004, 84, 903-934.	13.1	655
122	Tachykinins and tachykinin receptors: a growing family. <i>Life Sciences</i> , 2004, 74, 1445-1463.	2.0	412
123	Different patterns of blood flow response in the trapezius muscle following needle stimulation (acupuncture) between healthy subjects and patients with fibromyalgia and work-related trapezius myalgia. <i>European Journal of Pain</i> , 2005, 9, 497-497.	1.4	96
124	Plasma Nociceptin Levels are Reduced in Migraine without Aura. <i>Cephalalgia</i> , 2005, 25, 261-266.	1.8	25
125	Neurogenic Aspects of Inflammation. <i>Rheumatic Disease Clinics of North America</i> , 2005, 31, 77-101.	0.8	80
126	Smooth muscle research: from Edith – bringing onwards. <i>Trends in Pharmacological Sciences</i> , 2006, 27, 158-165.	4.0	4
127	Cutaneous innervation before and after one treatment period of acupuncture. <i>British Journal of Dermatology</i> , 2006, 155, 970-976.	1.4	28

#	ARTICLE	IF	CITATIONS
128	Neuropeptides and their receptors: innovative science providing novel therapeutic targets. British Journal of Pharmacology, 2006, 147, S202-S211.	2.7	165
129	The effect of sensory nerve stimulation on sensory nerve function in people with peripheral neuropathy associated with diabetes. Neurological Research, 2007, 29, 743-748.	0.6	3
130	The transient receptor potential vanilloid 1 (TRPV1) receptor protects against the onset of sepsis after endotoxin. FASEB Journal, 2007, 21, 3747-3755.	0.2	95
131	Peripheral tissue-brain interactions in the regulation of food intake. Proceedings of the Nutrition Society, 2007, 66, 131-155.	0.4	74
132	Demonstration of 5-HT ₃ receptor function and expression in the mouse bladder. Naunyn-Schmiedeberg's Archives of Pharmacology, 2007, 375, 359-368.	1.4	16
133	Effectiveness of acupuncture, special dressings and simple, low-adherence dressings for healing venous leg ulcers in primary healthcare: study protocol for a cluster-randomized open-labeled trial. BMC Complementary and Alternative Medicine, 2008, 8, 29.	3.7	24
134	Ablation of primary afferent neurons by neonatal capsaicin treatment reduces the susceptibility of the portal hypertensive gastric mucosa to ethanol-induced injury in cirrhotic rats. European Journal of Pharmacology, 2008, 589, 245-250.	1.7	6
135	Motor Autonomic Transmission. , 2009, , 995-1000.		0
136	Tachykinins and Neurogenic Inflammation at Visceral Level. NeuroImmune Biology, 2009, 8, 289-320.	0.2	2
137	Sensory Ganglia. , 2009, , 657-668.		2
138	Excitatory and inhibitory urinary bladder reflexes induced by stimulation of cervicovaginal capsaicin-sensitive sensory fibers in rats. Naunyn-Schmiedeberg's Archives of Pharmacology, 2009, 379, 107-114.	1.4	4
139	In vivo effects of N/OFQ(1-13)NH ₂ and its structural analogue [ORN9]N/OFQ(1-13)NH ₂ on carrageenan-induced inflammation: rat-paw oedema and antioxidant status. Open Life Sciences, 2009, 4, 170-178.	0.6	6
140	Role of neuropeptides in skin inflammation and its involvement in diabetic wound healing. Expert Opinion on Biological Therapy, 2010, 10, 1427-1439.	1.4	67
141	Calcitonin gene-related peptide (CGRP) and its role in hypertension. Neuropeptides, 2011, 45, 93-104.	0.9	102
142	Pathways Underlying Afferent Signaling of Bronchopulmonary Immune Activation to the Central Nervous System. Chemical Immunology and Allergy, 2012, 98, 118-141.	1.7	12
143	New centrally acting agents for appetite control: from biological mechanisms to clinical efficacy. Current Medical Research and Opinion, 2014, 30, 961-969.	0.9	4
144	The Efferent/Motor Function of Sensory Nerves†. , 2017, , .		0
145	Fundamental pharmacological expressions on ocular exposure to capsaicin, the principal constituent in pepper sprays. Scientific Reports, 2018, 8, 12153.	1.6	14

#	ARTICLE	IF	CITATIONS
146	TRP Channel Agonists Activate Different Afferent Neuromodulatory Mechanisms in Guinea Pig Urinary Bladder. <i>Frontiers in Physiology</i> , 2021, 12, 692719.	1.3	4
147	Receptor Function in the Periphery. , 1994, , 515-580.		3
148	Parasympathetic Innervation of Airways Smooth Muscle. , 1994, , 43-78.		7
149	Modulation of Neurotransmitter Release from Airways Nerves. , 1994, , 209-259.		8
150	Inflammatory pain and the joint. , 1999, , 137-166.		1
151	Basic neurophysiological mechanisms of pain and pain control. , 1994, , 3-18.		9
152	Regulation of Cellular Phenotype in the Nociceptive Pathway. , 1994, , 337-360.		1
153	Pelvic nerve plexus trauma at radical and simple hysterectomy: a quantitative study of nerve types in the uterine supporting ligaments. <i>Journal of the Society for Gynecologic Investigation</i> , 2002, 9, 47-56.	1.9	91
154	Control of Gastric Functions by Extrinsic Sensory Neurons. , 2002, , 103-170.		2
155	Sensory neurons in the spinal cord of nominal female embryos in the marine turtle <i>Lepidochelys olivacea</i> respond to shifts in incubation temperature: implications for temperature dependent sex determination. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2011, 02, 1-7.	0.3	1
156	Capsaicin,trans-8-methyl-N-vanillyl-6-nonenamid. , 2001, , 622-625.		0
159	In vivo models of neurogenic inflammation. , 2006, , 121-135.		0
162	SENSORY NEUROPEPTIDES AND RHEUMATIC DISEASES. <i>Rheumatic Disease Clinics of North America</i> , 1993, 19, 975-991.	0.8	18
163	Local Effector Functions of Primary Afferent Nerve Fibres. , 1994, , 133-147.		0
164	The Role of Protons in the Activation of Primary Sensory Neurons. , 1999, , 33-42.		0
165	Calcitonin gene-related peptides and their receptors. , 1999, , 297-312.		0
166	Calcitonin gene-related peptide and thermal injury: review of literature. <i>Eplasty</i> , 2009, 9, e30.	0.4	7