

# CITATION REPORT

List of articles citing

## Plasticizing Effect of Water on Thermal Behavior and Crystallization of Amorphous Food Models

DOI: 10.1111/j.1365-2621.1991.tb07970.x  
Journal of Food Science, 1991, 56, 38-43.

**Source:** <https://exaly.com/paper-pdf/22489550/citation-report.pdf>

**Version:** 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 563 | Oxidation of methyl linoleate encapsulated in amorphous lactose-based food model. <b>1991</b> , 39, 637-641  |     | 174       |
| 562 | Beyond water activity: recent advances based on an alternative approach to the assessment of food quality and safety. <b>1991</b> , 30, 115-360  |     | 1153      |
| 561 | Water and Molecular Weight Effects on Glass Transitions in Amorphous Carbohydrates and Carbohydrate Solutions. <i>Journal of Food Science</i> , <b>1991</b> , 56, 1676-1681  | 3.4 | 334       |
| 560 | Effects of water on diffusion in food systems. <i>Advances in Experimental Medicine and Biology</i> , <b>1991</b> , 302, 157-73  | 3.6 | 31        |
| 559 | On the use of the WLF model in polymers and foods. <b>1992</b> , 32, 59-66   |     | 159       |
| 558 | Low-temperature stability and the glassy state in frozen foods. <i>Food Research International</i> , <b>1992</b> , 25, 317-325   | 7   | 84        |
| 557 | Crystallization of Amorphous Lactose. <i>Journal of Food Science</i> , <b>1992</b> , 57, 775-777   | 3.4 | 213       |
| 556 | Melting and glass transitions of low molecular weight carbohydrates. <b>1993</b> , 238, 39-48  |     | 503       |
| 555 | Chemical reaction kinetics in relation to glass transition temperatures in frozen food polymer solutions. <b>1993</b> , 61, 51-56  |     | 56        |
| 554 | The glassy state phenomenon in applications for the food industry: Application of the food polymer science approach to structurefunction relationships of sucrose in cookie and cracker systems. <b>1993</b> , 63, 133-176 |     | 105       |
| 553 | Water relationships in starch transitions. <b>1993</b> , 21, 105-131   |     | 87        |
| 552 | Glassy State in Bacterial Spores Predicted by Polymer Glass-Transition Theory. <i>Journal of Food Science</i> , <b>1993</b> , 58, 445-448  | 3.4 | 66        |
| 551 | WATER ACTIVITY and PHYSICAL STATE EFFECTS ON AMORPHOUS FOOD STABILITY. <b>1993</b> , 16, 433-447   |     | 213       |
| 550 | APPLICATION of the WLF EQUATION to DESCRIBE the COMBINED EFFECTS of MOISTURE and TEMPERATURE ON NONENZYMATIC BROWNING RATES IN FOOD SYSTEMS. <b>1993</b> , 17, 31-45   |     | 54        |
| 549 | Low-Temperature Transitions in Fresh and Osmotically Dehydrated Plant Materials. <b>1993</b> , 9, 204-209  |     | 38        |
| 548 | Effect of Water Content on the Glass Transition and Caking of Fish Protein Hydrolyzates. <b>1993</b> , 9, 651-654  |     | 84        |
| 547 | Temperature dependence of thermal inactivation rate constants of bacterial spores in a glassy state. <b>1993</b> , 12, 247-250   |     | 10        |

|     |  |     |     |
|-----|--|-----|-----|
| 546 | Precise determination of low level sucrose amorphism by microcalorimetry. <b>1993</b> , 40, 437-444  |     | 10  |
| 545 | SPRAY DRYING OF CONCENTRATED FRUIT JUICES. <b>1993</b> , 11, 1081-1092   |     | 194 |
| 544 | Water Activity and Food Polymer Science: Implications of State on Arrhenius and WLF Models in Predicting Shelf Life. <b>1994</b> , 271-289   |     | 1   |
| 543 | Glassy-state phenomena in gellan-sucrose-corn syrup mixtures. <b>1994</b> , 25, 101-109  |     | 37  |
| 542 | Changes in rheological properties of gliadin as a function of temperature and moisture: Development of a state diagram. <i>Journal of Food Engineering</i> , <b>1994</b> , 22, 241-252   | 6   | 47  |
| 541 | Water activity and Food polymer science: Implications of state on Arrhenius and WLF models in predicting shelf life. <i>Journal of Food Engineering</i> , <b>1994</b> , 22, 271-289  | 6   | 111 |
| 540 | Crystallization of indomethacin from the amorphous state below and above its glass transition temperature. <b>1994</b> , 83, 1700-5  |     | 350 |
| 539 | Water and the glass transition Dependence of the glass transition on composition and chemical structure: Special implications for flour functionality in cookie baking. <i>Journal of Food Engineering</i> , <b>1994</b> , 22, 143-188 | 6   | 81  |
| 538 | Caking and Stickiness of Dairy-Based Food Powders as Related to Glass Transition. <i>Journal of Food Science</i> , <b>1994</b> , 59, 43-46   | 3.4 | 169 |
| 537 | Glass transitions and product stability An overview. <b>1995</b> , 9, 307-315  |     | 51  |
| 536 | Inhibition of indomethacin crystallization in poly(vinylpyrrolidone) coprecipitates. <b>1995</b> , 84, 983-6   |     | 215 |
| 535 | Characterization of food polymers using state diagrams. <i>Journal of Food Engineering</i> , <b>1995</b> , 24, 339-360   | 6   | 201 |
| 534 | Retention of Diacetyl in Milk during Spray-Drying and Storage. <i>Journal of Food Science</i> , <b>1995</b> , 60, 894-897  | 3.4 | 31  |
| 533 | THERMAL PROPERTIES and MOISTURE SORPTION ISOTHERMS of SPRAY-DRIED ENCAPSULATED MILKFAT. <b>1995</b> , 19, 33-51  |     | 15  |
| 532 | A critical review of some non-equilibrium situations and glass transitions on water activity values of foods in the microbiological growth range. <i>Journal of Food Engineering</i> , <b>1995</b> , 25, 531-552                       | 6   | 35  |
| 531 | The effect of phase transitions on release of n-propanol entrapped in carbohydrate glasses. <i>Journal of Food Engineering</i> , <b>1995</b> , 24, 1-13  | 6   | 43  |
| 530 | Water and the glass transition Dependence of the glass transition on composition and chemical structure: Special implications for flour functionality in cookie baking. <i>Journal of Food Engineering</i> , <b>1995</b> , 24, 431-509 | 6   | 89  |
| 529 | Thermal analysis of proteins of pharmaceutical interest. <b>1995</b> , 248, 229-244  |     | 40  |

|     |  |     |     |
|-----|--|-----|-----|
| 528 | A Calorimetric Study of the Glass Transition Behaviors in Axes of Bean Seeds with Relevance to Storage Stability. <b>1995</b> , 109, 1471-1481                             |     | 68  |
| 527 | Evaluation of the Mechanisms Associated with the Release of Encapsulated Flavor Materials from Maltodextrin Matrices. <b>1995</b> , 143-160                                |     | 30  |
| 526 | Food Components and Polymers. <b>1995</b> , 109-156  |     | 15  |
| 525 | Prediction of the Physical State. <b>1995</b> , 157-192  |     | 7   |
| 524 | Time-Dependent Phenomena. <b>1995</b> , 193-245  |     | 7   |
| 523 | Water and Phase Transitions. <b>1995</b> , 73-107  |     | 17  |
| 522 | A study of acid-catalyzed sucrose hydrolysis in an amorphous polymeric matrix at reduced moisture contents. <i>Food Research International</i> , <b>1995</b> , 28, 359-365 | 7   | 48  |
| 521 | Glass transitions and water-food structure interactions. <b>1995</b> , 38, 103-269   |     | 209 |
| 520 | Food Processing and Storage. <b>1995</b> , 313-347   |     | 2   |
| 519 | Factors Influencing Volatile Release from Encapsulation Matrices. <b>1995</b> , 134-142  |     | 27  |
| 518 | Water Sorption Characteristics of Sugar Impregnated Strawberries. <b>1995</b> , 13, 1993-2010  |     | 16  |
| 517 | Caking phenomena in amorphous food powders. <b>1995</b> , 6, 149-155   |     | 251 |
| 516 | On modeling changes in food and biosolids at and around their glass transition temperature range. <b>1996</b> , 36, 49-67  |     | 48  |
| 515 | Control of the dehydration process in production of intermediate-moisture meat products: a review. <b>1996</b> , 39, 71-161  |     | 29  |
| 514 | Edible Wheat Gluten Film: Influence of Water Content on Glass Transition Temperature. <b>1996</b> , 44, 3474-3478  | 148 |     |
| 513 | Water activity, water glass dynamics, and the control of microbiological growth in foods. <b>1996</b> , 36, 465-513  |     | 86  |
| 512 | Is trehalose special for preserving dry biomaterials?. <b>1996</b> , 71, 2087-93   |     | 477 |
| 511 | Effect of hydrocolloids on starch thermal transitions, as measured by DSC. <b>1996</b> , 47, 1247-1266   |     | 65  |

|     |   |     |     |
|-----|---|-----|-----|
| 510 | Water activity and viscosity relations with glass transition temperatures in model food systems. <b>1996</b> , 275, 131-137   |     | 16  |
| 509 | Glass transition and caking of spray-dried lactose. <b>1996</b> , 31, 305-311   |     | 94  |
| 508 | Glass Transition State Diagram of a Baked Cracker and Its Relationship to Gluten. <i>Journal of Food Science</i> , <b>1996</b> , 61, 803-806  | 3-4 | 49  |
| 507 | Advanced Dairy Chemistry Volume 3. <b>1997</b> ,  |     | 8   |
| 506 | Kinetics of Food Deterioration and Shelf-Life Prediction. <b>1997</b> ,   |     | 4   |
| 505 | Effect of storage on texture. <b>1997</b> ,   |     | 2   |
| 504 | Translational Diffusion in Sucrose Solutions in the Vicinity of Their Glass Transition Temperature. <b>1997</b> , 101, 10674-10679  |     | 106 |
| 503 | Problems Associated With Spray Drying Of Sugar-Rich Foods. <b>1997</b> , 15, 671-684  |     | 396 |
| 502 | A SEMI-EMPIRICAL APPROACH TO OPTIMISE THE QUANTITY OF DRYING AIDS REQUIRED TO SPRAY DRY SUGAR-RICH FOODS. <b>1997</b> , 15, 2509-2525   |     | 140 |
| 501 | Kinetic Studies of Saffron ( <i>Crocus sativus</i> L.) Quality Deterioration. <b>1997</b> , 45, 2890-2898   |     | 81  |
| 500 | Recrystallization Kinetics and Glass Transition of Rice Starch Gel System. <b>1997</b> , 45, 4242-4248  |     | 94  |
| 499 | Thermal Stability of Dehydrated $\alpha$ -Amylase in Trehalose Matrices in Relation to its Phase Transitions. <i>LWT - Food Science and Technology</i> , <b>1997</b> , 30, 513-518  | 5-4 | 17  |
| 498 | Protective Role of Trehalose on Thermal Stability of Lactase in Relation to its Glass and Crystal Forming Properties and Effect of Delaying Crystallization. <i>LWT - Food Science and Technology</i> , <b>1997</b> , 30, 324-329 | 5-4 | 50  |
| 497 | Formulation of proteins in vacuum-dried glasses. I: Improved vacuum-drying of sugars using crystallising amino acids. <b>1997</b> , 44, 177-185   |     | 30  |
| 496 | Glass Transition of Tuna Flesh at Low Temperature and Effects of Salt and Moisture. <i>Journal of Food Science</i> , <b>1997</b> , 62, 496-499  | 3-4 | 43  |
| 495 | Effects of bovine somatotropin (rbSt) concentration at different moisture levels on the physical stability of sucrose in freeze-dried rbSt/sucrose mixtures. <b>1997</b> , 86, 365-71   |     | 51  |
| 494 | Thermal properties of fish myofibrillar protein-based films as affected by moisture content. <b>1997</b> , 38, 2399-2405  |     | 58  |
| 493 | Thermoplastic properties of fish myofibrillar proteins: application to biopackaging fabrication. <b>1997</b> , 38, 4071-4078  |     | 60  |

|     |  |     |     |
|-----|--|-----|-----|
| 492 | Corn Syrup Solids and Their Saccharide Fractions Affect Crystallization of Amorphous Sucrose. <i>Journal of Food Science</i> , <b>1998</b> , 63, 523-528                             | 3-4 | 60  |
| 491 | Texture and staling of wheat bread crumb: effects of water extractable proteins and 'pentosans'. <b>1998</b> , 323, 17-26  |     | 43  |
| 490 | Effect of drying method on the sorption characteristics of model fruit powders. <i>Journal of Food Engineering</i> , <b>1998</b> , 38, 381-392                                       | 6   | 84  |
| 489 | Glass transitions and shrinkage during drying and storage of osmosed apple pieces. <i>Food Research International</i> , <b>1998</b> , 31, 191-204                                    | 7   | 90  |
| 488 | Moisture migration and control in multi-domain foods. <b>1998</b> , 9, 47-55   |     | 169 |
| 487 | Effect of water content on the glass transition, caking and stickiness of protein hydrolysates. <b>1998</b> , 1, 141-161   |     | 39  |
| 486 | Retention of Aroma Compounds by Carbohydrates: Influence of Their Physicochemical Characteristics and of Their Physical State. A Review. <b>1998</b> , 46, 1981-1990                 |     | 211 |
| 485 | Physicochemical stability of crystalline sugars and their spray-dried forms: dependence upon relative humidity and suitability for use in powder inhalers. <b>1998</b> , 24, 895-909 |     | 53  |
| 484 | Strategies for large scale production and optimized stability of pharmaceutical liposomes developed for parenteral use. <b>1998</b> , 567-604  |     | 8   |
| 483 | Characterization of biomaterials using FT-Raman spectroscopy. <b>1998</b> ,  |     |     |
| 482 | Differential Scanning Calorimetry Glass Transition Temperatures of White Bread and Mold Growth in the Putative Glassy State. <b>1998</b> , 75, 64-69                                 |     | 19  |
| 481 | Sorption isotherms and glass transition temperatures of fish protein hydrolysates with different degrees of hydrolysis. <b>1999</b> , 2, 227-242                                     |     | 8   |
| 480 | Thermal analyses in foods and food processes. <b>1999</b> , 829-921  |     | 4   |
| 479 | Thermal transitions in freeze-dried carrot and its cell wall components. <b>1999</b> , 332, 203-210  |     | 25  |
| 478 | Implication of glass transition for the drying and stability of dried foods. <i>Journal of Food Engineering</i> , <b>1999</b> , 40, 71-79  | 6   | 453 |
| 477 | Effects of additives on the stability of <i>Humicola lanuginosa</i> lipase during freeze-drying and storage in the dried solid. <b>1999</b> , 88, 281-90                             |     | 65  |
| 476 | GLASS TRANSITION TEMPERATURE (T <sub>g</sub> ) AND WATER ACTIVITY (a <sub>w</sub> ) OF DEHYDRATED APPLE PRODUCTS. <b>1999</b> , 22, 91-101   |     | 25  |
| 475 | Impact of melting conditions of sucrose on its glass transition temperature. <b>1999</b> , 47, 4285-90   |     | 43  |

|     |   |     |     |
|-----|---|-----|-----|
| 474 | Rheology and crystallization kinetics of honey: Present status. <b>1999</b> , 2, 217-226  |     | 49  |
| 473 | Glass transition of wheat gluten plasticized with water, glycerol, or sorbitol. <b>1999</b> , 47, 538-43  |     | 158 |
| 472 | Water. <i>Food Science Text Series</i> , <b>1999</b> , 1-32   | 2   | 6   |
| 471 | Physical and Chemical Properties of Caramel Systems. <i>LWT - Food Science and Technology</i> , <b>1999</b> , 32, 162-166   | 3-4 | 20  |
| 470 | Effect of freezing rate and frozen storage on starch-sucrose-hydrocolloid systems. <b>2000</b> , 80, 2149-2158  |     | 54  |
| 469 | Crystallization inhibition in solid dispersions of MK-0591 and poly(vinylpyrrolidone) polymers. <b>2000</b> , 89, 1325-34   |     | 184 |
| 468 | Isothermal and non-isothermal crystallization in amorphous sucrose and lactose at low moisture contents. <b>2000</b> , 329, 423-30  |     | 41  |
| 467 | Water desorption isotherms for eleven varieties of dates. <i>Journal of Food Engineering</i> , <b>2000</b> , 43, 103-1076   |     | 24  |
| 466 | Mathematical Model for Prediction of Glass Transition Temperature of Fruit Powders. <i>Journal of Food Science</i> , <b>2000</b> , 65, 842-848                                    | 3-4 | 94  |
| 465 | The plasticizing effect of water on proteins, polysaccharides and their mixtures. Glassy state of biopolymers, food and seeds. <b>2000</b> , 14, 425-437                          |     | 222 |
| 464 | Water Sorption and Glass Transition of Amorphous Sugars Containing BSA.. <i>Journal of Chemical Engineering of Japan</i> , <b>2000</b> , 33, 657-660                              | 0.8 | 6   |
| 463 | Confectionery products. <b>2000</b> , 221-248   |     | 10  |
| 462 | Towards an improved understanding of glass transition and relaxations in foods: molecular mobility in the glass transition range. <b>2000</b> , 11, 41-55                         |     | 202 |
| 461 | Effect of oligomeric or polymeric additives on glass transition, viscosity and crystallization of amorphous isomalt. <i>Food Research International</i> , <b>2000</b> , 33, 41-51 | 7   | 25  |
| 460 | Experimental studies and kinetics of single drop drying and their relevance in drying of sugar-rich foods: A review. <b>2000</b> , 3, 323-351                                     |     | 53  |
| 459 | Effect of water content and molecular weight on the moisture isotherms and glass transition properties of inulin. <b>2000</b> , 3, 173-192  |     | 58  |
| 458 | Glass transition and water effects on sucrose inversion by invertase in a lactose-sucrose system. <b>2000</b> , 48, 2461-6  |     | 29  |
| 457 | Effects of glycerol and moisture gradient on thermomechanical properties of white bread. <b>2001</b> , 49, 4031-8   |     | 60  |

|     |   |     |     |
|-----|---|-----|-----|
| 456 | STICKINESS IN FOODS: A REVIEW OF MECHANISMS AND TEST METHODS. <b>2001</b> , 4, 1-33   |     | 211 |
| 455 | NEW MEASUREMENTS OF THE STICKY BEHAVIOR OF SKIM MILK POWDER. <b>2001</b> , 19, 471-484  |     | 105 |
| 454 | Determination of Williams-Landel-Lerry constants for a food polymer system: Effect of water activity and moisture content. <b>2001</b> , 45, 903-912  |     | 32  |
| 453 | Glass Transitions and State Diagram for Freeze-dried Pineapple. <i>LWT - Food Science and Technology</i> , <b>2001</b> , 34, 199-205  | 5-4 | 80  |
| 452 | Definition of the rheological glass transition temperature in association with the concept of iso-free-volume. <i>International Journal of Biological Macromolecules</i> , <b>2001</b> , 29, 315-21 | 7-9 | 47  |
| 451 | Glass transition and water effects on sucrose inversion in noncrystalline carbohydrate food systems. <i>Food Research International</i> , <b>2001</b> , 34, 895-901                                 | 7   | 37  |
| 450 | Crystallization kinetics of lactose in systems co-lyophilized with trehalose. Analysis by differential scanning calorimetry. <i>Food Research International</i> , <b>2001</b> , 34, 903-911         | 7   | 68  |
| 449 | CRITICAL ASSESSMENT OF THE APPLICATION OF THE WLF/FREE VOLUME THEORY TO THE STRUCTURAL PROPERTIES OF HIGH SOLIDS SYSTEMS: A REVIEW. <b>2001</b> , 4, 59-79  |     | 5   |
| 448 | Hot air and freeze-drying of high-value foods: a review. <i>Journal of Food Engineering</i> , <b>2001</b> , 49, 311-319   | 6   | 845 |
| 447 | State diagrams of arabinoxylan-water binaries. <b>2001</b> , 370, 83-89   |     | 22  |
| 446 | Phase diagram for freeze-dried persimmon. <b>2001</b> , 376, 83-89  |     | 52  |
| 445 | Evaluation of hydration states of protein in freeze-dried amorphous sugar matrix. <b>2001</b> , 90, 1955-63   |     | 35  |
| 444 | Degradation kinetics of beetroot pigment encapsulated in polymeric matrices. <b>2001</b> , 81, 691-700  |     | 85  |
| 443 | Phase transitions of pigskin gelatin. <b>2001</b> , 15, 377-382   |     | 120 |
| 442 | WATER PLASTICIZATION EFFECTS ON CRYSTALLIZATION BEHAVIOR OF LACTOSE IN A CO-LYOPHILIZED AMORPHOUS POLYSACCHARIDE MATRIX AND ITS RELEVANCE TO THE GLASS TRANSITION. <b>2002</b> , 5, 463-482         |     | 33  |
| 441 | FREEZE-DRYING CHARACTERISTICS OF STRAWBERRIES. <b>2002</b> , 20, 131-145  |     | 80  |
| 440 | Glass transitions for freeze-dried and air-dried tomato. <i>Food Research International</i> , <b>2002</b> , 35, 435-443   | 7   | 83  |
| 439 | COMPARISON OF GLASS TRANSITION TEMPERATURE AND STICKY POINT TEMPERATURE FOR SKIM MILK POWDER. <b>2002</b> , 20, 1177-1192   |     | 84  |



|     |   |     |     |
|-----|---|-----|-----|
| 438 | Water sorption and glass transition behaviors of freeze-dried sucrose-dextran mixtures. <b>2002</b> , 91, 2175-81   |     | 27  |
| 437 | Dynamic mechanical thermal analysis of cell wall polysaccharides extracted from lyophilised carrot <i>Daucus carota</i> . <b>2002</b> , 48, 277-286   |     | 11  |
| 436 | Co-crystallization of Sucrose at High Concentration in the Presence of Glucose and Fructose. <i>Journal of Food Science</i> , <b>2002</b> , 67, 1797-1802   | 3-4 | 46  |
| 435 | Glass Transition and Food Technology: A Critical Appraisal. <i>Journal of Food Science</i> , <b>2002</b> , 67, 2444-2458  | 3-4 | 261 |
| 434 | Influence of Physical State and Molecular Mobility of Freeze-Dried Maltodextrin Matrices on the Oxidation Rate of Encapsulated Lipids. <i>Journal of Food Science</i> , <b>2002</b> , 67, 3002-3010 | 3-4 | 37  |
| 433 | Physical Aging of Amorphous Fructose. <i>Journal of Food Science</i> , <b>2002</b> , 67, 3011-3018  | 3-4 | 7   |
| 432 | Retention of $\beta$ -Carotene Encapsulated in a Trehalose-based Matrix as Affected by Water Content and Sugar Crystallization. <i>Journal of Food Science</i> , <b>2002</b> , 67, 3039-3045        | 3-4 | 42  |
| 431 | Effects of $\kappa$ -Carrageenan on Crystallization and Invertase Activity in Lactose-Sucrose Systems. <i>Journal of Food Science</i> , <b>2002</b> , 67, 2190-2195                                 | 3-4 | 9   |
| 430 | Effects of types of sugar on the stabilization of protein in the dried state. <b>2003</b> , 92, 266-74  |     | 70  |
| 429 | FTIR study of state and phase transitions of low moisture sucrose and lactose. <b>2003</b> , 338, 2195-202  |     | 74  |
| 428 | Thermal stability of Hibiscus sabdariffa L. anthocyanins in solution and in solid state: effects of copigmentation and glass transition. <b>2003</b> , 83, 423-436                                  |     | 127 |
| 427 | GRINDING SPRAY-DRIED MILK POWDER NEAR the GLASS TRANSITION TEMPERATURE. <b>2003</b> , 26, 149-160   |     | 9   |
| 426 | Influence of Cooling Rate on Glass Transition Temperature of Sucrose Solutions and Rice Starch Gel. <i>Journal of Food Science</i> , <b>2003</b> , 68, 1970-1975                                    | 3-4 | 15  |
| 425 | Changes in the Physicochemical Properties of Wheat- and Soy-containing Breads During Storage as Studied by Thermal Analyses. <i>Journal of Food Science</i> , <b>2003</b> , 68, 2022-2027           | 3-4 | 77  |
| 424 | Quality Deterioration of Freeze-dried Foods as Explained by their Glass Transition Temperature and Internal Structure. <i>Journal of Food Science</i> , <b>2003</b> , 68, 892-903                   | 3-4 | 50  |
| 423 | Flavor Migration Out of Food Matrices: III. Migration of Limonene and Pyrazine in Formulated Dough Undergoing Microwave Reheating. <i>Journal of Food Science</i> , <b>2003</b> , 68, 931-936       | 3-4 | 7   |
| 422 | Flavor Delivery Systems. <b>2003</b> ,  |     | 13  |
| 421 | Sticky Region in Drying Definition and Identification. <b>2003</b> , 21, 1457-1469  |     | 81  |

|     |  |     |     |
|-----|--|-----|-----|
| 420 | Implication of Glass Transition and Sticky Point Temperatures in Food Processing. <b>2004</b> ,  |     |     |
| 419 | Glass Transition and Sticky Point Temperatures of Food Powders and its Relationship with Moisture Content and Water Activity. <b>2004</b> ,                                    |     |     |
| 418 | Maillard reaction rate in various glassy matrices. <b>2004</b> , 68, 2285-8  |     | 14  |
| 417 | The Glass Transition Behaviors of Hydroxyethyl Starch Solutions. <b>2004</b> , 2, 55-65  |     | 14  |
| 416 | Glass transition behaviour of fructose. <b>2004</b> , 39, 569-578  |     | 19  |
| 415 | Physicochemical, mechanical and thermal properties of brown rice grain with various moisture contents. <b>2004</b> , 39, 899-906   |     | 26  |
| 414 | Water Sorption and Plasticization Behavior of Spray-dried Lactose/Protein Mixtures. <i>Journal of Food Science</i> , <b>2004</b> , 69, E384-E391                               | 3-4 | 77  |
| 413 | Water Plasticization and Crystallization of Lactose in Spray-dried Lactose/Protein Mixtures. <i>Journal of Food Science</i> , <b>2004</b> , 69, FEP23-FEP29                    | 3-4 | 90  |
| 412 | INFLUENCE OF TEMPERATURE AND RELATIVE HUMIDITY ON THE PHYSICAL STATES OF COTTON CANDY. <b>2004</b> , 28, 274-287   |     | 26  |
| 411 | Effects of sugars and sugar alcohols on thermal transition and cold stability of corn starch gel. <b>2004</b> , 18, 133-142  |     | 89  |
| 410 | Effect of maltodextrin, glycerol monostearate and tricalcium phosphate on vacuum dried mango powder properties. <i>Journal of Food Engineering</i> , <b>2004</b> , 63, 125-134 | 6   | 200 |
| 409 | Water sorption isotherms and glass transition in strawberries: influence of pretreatment. <i>Journal of Food Engineering</i> , <b>2004</b> , 62, 315-321                       | 6   | 108 |
| 408 | Visualization of the crystallization of lactose from the amorphous state. <b>2004</b> , 93, 155-64   |     | 88  |
| 407 | Determining the critical relative humidity for moisture-induced phase transitions. <i>International Journal of Pharmaceutics</i> , <b>2004</b> , 287, 123-33                   | 6.5 | 112 |
| 406 | Stickiness measurement techniques for food powders: a review. <b>2004</b> , 145, 34-46   |     | 135 |
| 405 | Maltodextrin molecular weight distribution influence on the glass transition temperature and viscosity in aqueous solutions. <b>2004</b> , 58, 323-334                         |     | 117 |
| 404 | Simulation of Agglomeration in Spray Drying Installations: The EDECAD Project. <b>2004</b> , 22, 1403-1461   |     | 70  |
| 403 | Combined Influences of Humidity and Temperature upon the Inter-Particle Stickiness of a Whole Milk Powder. <b>2004</b> , 7, 499-509  |     | 5   |

|     |   |     |    |
|-----|---|-----|----|
| 402 | Thermal and physicochemical characterization of seven argentine rice flours and starches. <i>Food Research International</i> , <b>2004</b> , 37, 439-447  | 7   | 48 |
| 401 | Influence of hydrogenated starch hydrolysates on the glass transition and crystallisation of sugar alcohols. <i>Food Research International</i> , <b>2004</b> , 37, 409-415   | 7   | 12 |
| 400 | Retention of $\beta$ -galactosidase activity as related to Maillard reaction, lactose crystallization, collapse and glass transition in low moisture whey systems. <i>International Dairy Journal</i> , <b>2004</b> , 14, 517-525 | 3.5 | 34 |
| 399 | Estimation of Cryo-cutting Conditions for Frozen Surimi Gel Using DSC. <i>Food Science and Technology Research</i> , <b>2005</b> , 11, 236-239  | 0.8 | 2  |
| 398 | Spray drying of tomato pulp in dehumidified air: I. The effect on product recovery. <i>Journal of Food Engineering</i> , <b>2005</b> , 66, 25-34  | 6   | 79 |
| 397 | Effect of water activity on glass transitions of date pastes. <i>Journal of Food Engineering</i> , <b>2005</b> , 66, 253-258  |     | 36 |
| 396 | Use of DSC, DVS-DSC, and DVS-fast GC-FID to Evaluate the Physicochemical Changes that Occur in Artificial Cherry Durarome <sup>®</sup> upon Humidification. <i>Journal of Food Science</i> , <b>2005</b> , 70, E109-E116          | 3.4 | 15 |
| 395 | Effect of Relative Humidity on the Oxidative Stability of Microencapsulated Sea Buckthorn Seed Oil. <i>Journal of Food Science</i> , <b>2005</b> , 70, E37-E43  | 3.4 | 48 |
| 394 | ACCELERATED STORAGE, SHELF LIFE AND COLOR OF MANGO POWDER. <b>2005</b> , 29, 45-62  |     | 55 |
| 393 | EFFECT OF PRETREATMENTS AND ADDITIVES ON THE THERMAL BEHAVIOR AND HYGROSCOPICITY OF FREEZE-DRIED PINEAPPLE JUICE POWDER. <b>2005</b> , 29, 307-318  |     | 19 |
| 392 | Texture evolution of Amaretti Cookies during storage. <b>2005</b> , 221, 387-391  |     | 47 |
| 391 | Optimization of cocurrent spray drying process for sugar-rich foods. Part II Optimization of spray drying process based on glass transition concept. <i>Journal of Food Engineering</i> , <b>2005</b> , 71, 66-72                 | 6   | 36 |
| 390 | Correlating Perceived Crispness Intensity to Physical Changes in an Amorphous Snack Food. <b>2005</b> , 23, 887-905   |     | 16 |
| 389 | Development of stickiness in amorphous lactose at constant $T_{mg}$ levels. <i>International Dairy Journal</i> , <b>2005</b> , 15, 513-519  | 3.5 | 90 |
| 388 | Food Powders. <b>2005</b> ,   |     | 3  |
| 387 | Spray Drying of Raisin Juice Concentrate. <b>2006</b> , 24, 173-180   |     | 73 |
| 386 | The Composition, Rheological and Thermal Properties of Tajonal (Viguiera Dentata) Mexican Honey. <b>2006</b> , 9, 299-316   |     | 18 |
| 385 | Optimization of Maltodextrin and Tricalcium Phosphate for Producing Vacuum Dried Mango Powder. <b>2006</b> , 9, 13-24   |     | 24 |

|     |  |     |     |
|-----|--|-----|-----|
| 384 | Structural collapse prevents beta-carotene loss in a supercooled polymeric matrix. <b>2006</b> , 54, 79-85   |     | 30  |
| 383 | Temperature scanning FTIR analysis of hydrogen bonding states of various saccharides in amorphous matrixes below and above their glass transition temperatures. <b>2006</b> , 110, 15094-9                     |     | 52  |
| 382 | Thermal Lens and pH Measurements in Pure and Adulterated Brewed Coffee. <b>2006</b> , 34, 163-181  |     | 8   |
| 381 | State transitions and freeze concentration in trehalose-protein-cornstarch mixtures. <i>LWT - Food Science and Technology</i> , <b>2006</b> , 39, 930-938  | 5.4 | 16  |
| 380 | Differences in the physical state and thermal behavior of spray-dried and freeze-dried lactose and lactose/protein mixtures. <i>Innovative Food Science and Emerging Technologies</i> , <b>2006</b> , 7, 62-73 | 6.8 | 86  |
| 379 | State diagram of foods: Its potential use in food processing and product stability. <b>2006</b> , 17, 129-141  |     | 206 |
| 378 | Physical approaches for the delivery of active ingredients in foods. <b>2006</b> , 17, 244-254   |     | 191 |
| 377 | Phase Transitions and Transformations in Food Systems. <i>Food Additives</i> , <b>2006</b> , 287-352   |     | 0   |
| 376 | Frozen State Transitions of Sucrose-Protein-Cornstarch Mixtures. <i>Journal of Food Science</i> , <b>2006</b> , 70, E198-E204  | 3.4 | 20  |
| 375 | Quantification of low levels of amorphous content in sucrose by hyperDSC. <i>International Journal of Pharmaceutics</i> , <b>2006</b> , 307, 150-5   | 6.5 | 31  |
| 374 | Investigating the moisture-induced crystallization kinetics of spray-dried lactose. <i>International Journal of Pharmaceutics</i> , <b>2006</b> , 313, 23-8  | 6.5 | 45  |
| 373 | Water sorption isotherms and phase transitions in kiwifruit. <i>Journal of Food Engineering</i> , <b>2006</b> , 72, 147-156  |     | 112 |
| 372 | Glass transition related cohesion of amorphous sugar powders. <i>Journal of Food Engineering</i> , <b>2006</b> , 77, 997-1006  | 6   | 86  |
| 371 | Molecular mobility and dynamic site heterogeneity in amorphous lactose and lactitol from erythrosin B phosphorescence. <b>2006</b> , 123, 122-33   |     | 12  |
| 370 | Antiplasticization of cereal-based products by water. Part II: Breakfast cereals. <i>Journal of Food Engineering</i> , <b>2006</b> , 77, 644-652   | 6   | 34  |
| 369 | Physico-chemical lyophilization behavior of mannitol, human serum albumin formulations. <b>2006</b> , 28, 224-32   |     | 24  |
| 368 | Agglomeration in Spray Drying Installations (The EDECAD Project): Stickiness Measurements and Simulation Results. <b>2006</b> , 24, 721-726  |     | 28  |
| 367 | Applications of the Cyclone Stickiness Test for Characterization of Stickiness in Food Powders. <b>2006</b> , 24, 703-709  |     | 19  |

|     |   |     |     |
|-----|---|-----|-----|
| 366 | Carbohydrate-flavour interactions. <b>2006</b> , 208-228  |     | 7   |
| 365 | Sorption Isotherm, Glass Transitions and State Diagram for Freeze-dried Plum Skin and Pulp. <b>2006</b> , 12, 181-187   |     | 20  |
| 364 | Frozen State Transitions in Freeze-Concentrated Lactose-Protein-Cornstarch Systems. <b>2007</b> , 10, 577-587   |     | 6   |
| 363 | Moisture Sorption Behavior, and Effect of Moisture Content and Sorbitol on Thermo-Mechanical and Barrier Properties of Pectin Based Edible Films. <b>2007</b> , 3,                            |     | 5   |
| 362 | Water Activity and Physical Stability. 199-213  |     | 5   |
| 361 | Water sorption and time-dependent crystallization behaviour of freeze-dried lactose-salt mixtures. <i>LWT - Food Science and Technology</i> , <b>2007</b> , 40, 520-528                       | 5-4 | 37  |
| 360 | Glass transition and crystallization behaviour of freeze-dried lactose-salt mixtures. <i>LWT - Food Science and Technology</i> , <b>2007</b> , 40, 536-543                                    | 5-4 | 44  |
| 359 | Glass transition temperatures and some physical and sensory changes in stored spray-dried encapsulated flavors. <i>LWT - Food Science and Technology</i> , <b>2007</b> , 40, 1792-1797        | 5-4 | 43  |
| 358 | Water sorption and glass transition properties of spray dried lactose hydrolysed skim milk powder. <i>LWT - Food Science and Technology</i> , <b>2007</b> , 40, 1593-1600                     | 5-4 | 90  |
| 357 | Grape Drying: A Review. <b>2007</b> , 23, 257-280   |     | 50  |
| 356 | Stickiness, Functionality, and Microstructure of Food Powders. <b>2007</b> , 25, 959-969  |     | 33  |
| 355 | Glass Transition Behavior of Spray Dried Orange Juice Powder Measured by Differential Scanning Calorimetry (DSC) and Thermal Mechanical Compression Test (TMCT). <b>2007</b> , 10, 661-673    |     | 116 |
| 354 | Microstructure Analysis of Dried Yogurt: Effect of Different Drying Methods. <b>2007</b> ,  |     |     |
| 353 | Effects of Water Activity (aw) on Microbial Stability: As a Hurdle in Food Preservation. 239-271  |     | 27  |
| 352 | Untersuchungen zur Kristallisation von amorphen lactosehaltigen Pulvern. <b>2007</b> , 79, 303-312  |     | 3   |
| 351 | beta-carotene encapsulation in a mannitol matrix as affected by divalent cations and phosphate anion. <i>International Journal of Pharmaceutics</i> , <b>2007</b> , 332, 45-54                | 6.5 | 39  |
| 350 | Conformability of the kinetics of cohesion/stickiness development in amorphous sugar particles to the classical Arrhenius law. <i>Journal of Food Engineering</i> , <b>2007</b> , 79, 675-680 | 6   | 9   |
| 349 | Stickiness of maltodextrins using probe tack test during in-situ drying. <i>Journal of Food Engineering</i> , <b>2007</b> , 80, 859-868   | 6   | 18  |

|     |   |     |     |
|-----|---|-----|-----|
| 348 | Structure related changes during moistening of freeze dried apple tissue. <i>Journal of Food Engineering</i> , <b>2007</b> , 81, 27-32  | 6   | 30  |
| 347 | Amorphous state and delayed ice formation in sucrose solutions. <b>2007</b> , 26, 553-566   |     | 212 |
| 346 | EFFECT OF RELATIVE HUMIDITY ON RETENTION AND STABILITY OF VITAMIN A MICROENCAPSULATED BY SPRAY DRYING. <b>2007</b> , 31, 68-80  |     | 19  |
| 345 | Influence of Processing Methods on Mechanical and Structural Characteristics of Vacuum Microwave Dried Biopolymer Foams. <b>2007</b> , 85, 264-272  |     | 9   |
| 344 | Characteristics of hydrogen bond formation between sugar and polymer in freeze-dried mixtures under different rehumidification conditions and its impact on the glass transition temperature. <b>2008</b> , 97, 1301-12 |     | 17  |
| 343 | Untersuchung der Kristallisation amorpher Lactose in Milchpulver anhand Dynamischer Wasserdampfsorption. <b>2008</b> , 80, 351-357  |     |     |
| 342 | Influence of dehydration rate on the vitrification of corn protein. <b>2008</b> , 110, 1-7  |     | 4   |
| 341 | Glass transition and state diagram for fresh and freeze-dried Chinese gooseberry. <i>Journal of Food Engineering</i> , <b>2008</b> , 84, 307-312  | 6   | 60  |
| 340 | A new method of producing date powder granules: Physicochemical characteristics of powder. <i>Journal of Food Engineering</i> , <b>2008</b> , 87, 416-421   | 6   | 71  |
| 339 | Effect of type and content of binary polyol mixtures on physical and mechanical properties of starch-based edible films. <b>2008</b> , 71, 269-276  |     | 107 |
| 338 | Mathematical modelling of temperature induced moisture migration in bulk powders. <b>2008</b> , 63, 2330-2340   |     | 12  |
| 337 | Effect of sucrose on physical properties of spray-dried whole milk powder. <i>Journal of Food Science</i> , <b>2008</b> , 73, E431-8  | 3-4 | 1   |
| 336 | Crystallization Kinetics of Lactose and Sucrose Based On Isothermal Differential Scanning Calorimetry. <i>Journal of Food Science</i> , <b>2008</b> , 63, 192-197   | 3-4 | 49  |
| 335 | State transitions and physicochemical aspects of cryoprotection and stabilization in freeze-drying of <i>Lactobacillus rhamnosus</i> GG (LGG). <b>2008</b> , 104, 1732-43   |     | 46  |
| 334 | Effect of amylose content on physical and mechanical properties of potato-starch-based edible films. <b>2008</b> , 9, 658-63  |     | 30  |
| 333 | Properties of Dried and Intermediate Moisture Honey Products: A Review. <b>2008</b> , 11, 804-819   |     | 31  |
| 332 | Impact of caramelization on the glass transition temperature of several caramelized sugars. Part I: Chemical analyses. <b>2008</b> , 56, 5138-47  |     | 49  |
| 331 | Impact of caramelization on the glass transition temperature of several caramelized sugars. Part II: Mathematical modeling. <b>2008</b> , 56, 5148-52   |     | 10  |

|     |  |   |    |
|-----|--|---|----|
| 330 | Electrolyte effects on amorphous and supercooled sugar systems. <b>2008</b> , 354, 1760-1767   |   | 13 |
| 329 | Assessing the rate of solid-phase crystallization for lactose: The effect of the difference between material and glass-transition temperatures. <i>Food Research International</i> , <b>2008</b> , 41, 630-636 | 7 | 39 |
| 328 | Effect of Maltodextrin Addition during Spray Drying of Tomato Pulp in Dehumidified Air: I. Drying Kinetics and Product Recovery. <b>2008</b> , 26, 714-725   |   | 85 |
| 327 | Physical Properties of Food Materials. <b>2009</b> , 7-25  |   | 4  |
| 326 | Comparing the crystallization of sucrose and lactose in spray dryers. <b>2009</b> , 87, 87-95  |   | 35 |
| 325 | Glass Transition and Sticky Point Temperatures and Stability/Mobility Diagram of Fruit Powders. <b>2009</b> , 2, 89-95   |   | 97 |
| 324 | Bulk Properties of Food Particulate Materials: An Appraisal of their Characterisation and Relevance in Processing. <b>2009</b> , 2, 28-44  |   | 24 |
| 323 | Effect of moisture content on glass transition and sticky point temperatures of sugarcane, palmyra-palm and date-palm jaggery granules. <b>2009</b> , 45, 94-104   |   | 10 |
| 322 | Glass transition and state diagram for freeze-dried horse mackerel muscle. <b>2009</b> , 493, 55-60  |   | 18 |
| 321 | Sorption isotherm and state diagram of grapefruit as a tool to improve product processing and stability. <i>Journal of Food Engineering</i> , <b>2009</b> , 93, 52-58  | 6 | 76 |
| 320 | Glass transition temperatures of a ready to eat breakfast cereal formulation and its main components determined by DSC and DMTA. <b>2009</b> , 76, 528-534   |   | 40 |
| 319 | Food Stability Beyond Water Activity and Glass Transition: Macro-Micro Region Concept in the State Diagram. <b>2009</b> , 12, 726-740  |   | 81 |
| 318 | Measurement of thermal characteristics of spray-dried milk and juice blend. <b>2009</b> , 60 Suppl 7, 89-98  |   | 5  |
| 317 | New processing technique for viscous amorphous materials and characterisation of their stickiness and deformability. <b>2009</b> , 72, 183-8   |   | 5  |
| 316 | A review of process simulations and the use of additives in spray drying. <i>Food Research International</i> , <b>2009</b> , 42, 13-25   | 7 | 83 |
| 315 | Influence of relative humidity on oxidation of the free and encapsulated oil fractions in freeze-dried microencapsulated oils. <i>Food Research International</i> , <b>2009</b> , 42, 1492-1500                | 7 | 36 |
| 314 | Mapping the Different States of Food Components Using State Diagrams. <b>2009</b> , 261-276  |   | 6  |
| 313 | Moisture and temperature triggered release of a volatile active agent from soy protein coated paper: effect of glass transition phenomena on carvacrol diffusion coefficient. <b>2009</b> , 57, 658-65         |   | 35 |

312 State Diagrams of Foods. **2009**,

311 Amorphous and crystalline aerosol particles interacting with water vapor: conceptual framework and experimental evidence for restructuring, phase transitions and kinetic limitations. **2009**, 9, 9491-9522 375

310 Drying: Freeze. **2010**, 362-365

309 Thermal Phase Transitions in Food. *Contemporary Food Engineering*, **2010**, 225-250

308 Effect of maltodextrin on the stability of freeze-dried borj[*Borojoa patinoi* Cuatrec.] powder. *Journal of Food Engineering*, **2010**, 97, 72-78 6 46

307 Particle crystallization during spray drying in humid air. *Journal of Food Engineering*, **2010**, 99, 55-62 6 37

306 A novel technique for determining glass[*rubber*] transition in dairy powders. *Journal of Food Engineering*, **2010**, 99, 76-82 6 50

305 The effects of operating conditions on lactose crystallization in a pilot-scale spray dryer. *Journal of Food Engineering*, **2010**, 100, 551-556 6 13

304 Water sorption isotherms and phase transitions of sodium caseinate[*lipid*] films as affected by lipid interactions. **2010**, 24, 384-391 81

303 Water sorption, glass transition, and protein-stabilizing behavior of an amorphous sucrose matrix combined with various materials. **2010**, 99, 4669-77 13

302 Food stability determination by macro[*micro*] region concept in the state diagram and by defining a critical temperature. *Journal of Food Engineering*, **2010**, 99, 402-416 6 96

301 Influence of the microstructure and composition on the thermal[*physical*] properties of hard candy and cooling process. **2010**, 980, 250-256 4

300 Roles of water and solids composition in the control of glass transition and stickiness of milk powders. *Journal of Food Science*, **2010**, 75, E285-96 3-4 59

299 Effects of Varying CDS, Drying and Cooling Temperatures on Glass Transition Temperature of DDGS. **2010**,

298 Glass Transitions: Opportunities and Challenges. **2010**, 473-490 0

297 Dielectric and Mechanical Properties Around Glass Transition of Milk Powders. **2010**, 28, 1044-1054 22

296 Williams[*andel*][*Berry*] (WLF) Equation. **2010**, 1865-1877

295 Chemical deterioration and physical instability of food powders. **2010**, 663-700 10



|     |   |     |     |
|-----|---|-----|-----|
| 294 | Glass transition temperature and its relevance in food processing. <b>2010</b> , 1, 469-96  |     | 209 |
| 293 | Effect of the novel radiant zone drying method on anthocyanins and phenolics of three blueberry liquids. <b>2010</b> , 58, 324-30   |     | 16  |
| 292 | The influence of particle velocity on the stickiness of milk powder. <i>International Dairy Journal</i> , <b>2010</b> , 20, 121-127   | 3.5 | 13  |
| 291 | Influence of milk proteins on the development of lactose-induced stickiness in dairy powders. <i>International Dairy Journal</i> , <b>2010</b> , 20, 212-221  | 3.5 | 42  |
| 290 | A new technique for spray drying orange juice concentrate. <i>Innovative Food Science and Emerging Technologies</i> , <b>2010</b> , 11, 342-351   | 6.8 | 240 |
| 289 | An investigation into lactose crystallization under high temperature conditions during spray drying. <i>Food Research International</i> , <b>2010</b> , 43, 46-56   | 7   | 84  |
| 288 | Moisture and shelf life in sugar confections. <b>2010</b> , 50, 162-92  |     | 107 |
| 287 | An Investigation of the Relationship between Glass Transition Temperatures and the Crystallinity of Spray-Dried Powders. <b>2010</b> , 28, 361-368  |     | 23  |
| 286 | Effects of Osmotic Agents on Colour, Textural, Structural, Thermal, and Sensory Properties of Apple Slices. <b>2011</b> , 14, 1037-1048   |     | 29  |
| 285 | Glass transition changes during osmotic dehydration. <b>2011</b> , 1, 814-821   |     | 4   |
| 284 | Investigation of the heating rate dependency associated with the loss of crystalline structure in sucrose, glucose, and fructose using a thermal analysis approach (part I). <b>2011</b> , 59, 684-701        |     | 65  |
| 283 | Food Engineering Interfaces. <b>2011</b> ,  |     | 10  |
| 282 | Effects of heating conditions on the glass transition parameters of amorphous sucrose produced by melt-quenching. <b>2011</b> , 59, 3311-9  |     | 23  |
| 281 | Phase/State Transitions of Confectionery Sweeteners: Thermodynamic and Kinetic Aspects. <b>2011</b> , 10, 17-32   |     | 64  |
| 280 | Glass transition behavior of corn distillers dried grains with solubles (DDGS). <b>2011</b> , 54, 332-338   |     | 9   |
| 279 | Novel dry powder inhalation system based on dispersion of lyophilisates. <b>2011</b> , 43, 32-40  |     | 12  |
| 278 | Effect of maltodextrins in the water-content/water activity/glass transition relationships of noni ( <i>Morinda citrifolia</i> L.) pulp powder. <i>Journal of Food Engineering</i> , <b>2011</b> , 103, 47-51 | 6   | 32  |
| 277 | Mechanical relaxation times as indicators of stickiness in skim milk/maltodextrin solids systems. <i>Journal of Food Engineering</i> , <b>2011</b> , 106, 306-317   | 6   | 31  |

|     |   |     |     |
|-----|---|-----|-----|
| 276 | Influence of compression on water sorption, glass transition, and enthalpy relaxation behavior of freeze-dried amorphous sugar matrices. <i>International Journal of Pharmaceutics</i> , <b>2011</b> , 408, 76-83 | 6.5 | 16  |
| 275 | Structural and thermal characterization of galactomannans from non-conventional sources. <b>2011</b> , 83, 179-185  |     | 164 |
| 274 | Water sorption and plasticization of an amorphous galacto-oligosaccharide mixture. <b>2011</b> , 83, 831-835  |     | 22  |
| 273 | Optimization of Process Parameters for Foaming of Bael (Aegle marmelos L.) Fruit Pulp. <b>2011</b> , 4, 1450-1458   |     | 45  |
| 272 | Mechanical Relaxations and stickiness of milk solids/maltodextrin systems around glass transition. <b>2011</b> , 91, 2529-36  |     | 11  |
| 271 | Degradation of $\beta$ -carotene in amorphous polymer matrices. Effect of water sorption properties and physical state. <b>2011</b> , 91, 2587-93   |     | 29  |
| 270 | Formulation and stabilization of <i>Francisella tularensis</i> live vaccine strain. <b>2011</b> , 100, 3076-3087  |     | 27  |
| 269 | Prediction of dry mass glass transition temperature and the spray drying behaviour of a concentrate using a desorption method. <i>Journal of Food Engineering</i> , <b>2011</b> , 105, 460-467                    | 6   | 21  |
| 268 | The stability and shelf life of confectionery products. <b>2011</b> , 716-742   |     | 0   |
| 267 | State diagrams for improving processing and storage of foods, biological materials, and pharmaceuticals (IUPAC Technical Report). <b>2011</b> , 83, 1567-1617   |     | 46  |
| 266 | Pulmonary Delivery of Peptides and Proteins. <b>2011</b> , 23-46  |     | 9   |
| 265 | - Food Gels. <b>2012</b> , 130-163  |     |     |
| 264 | - Rheological Behavior of Biopolymer Suspensions. <b>2012</b> , 88-129  |     | 2   |
| 263 | A method for pomegranate seed application in food industries: Seed oil encapsulation. <b>2012</b> , 90, 639-652   |     | 100 |
| 262 | Impact of compression, physical aging, and freezing rate on the crystallization characteristics of an amorphous sugar matrix. <i>Journal of Food Engineering</i> , <b>2012</b> , 112, 313-318                     | 6   | 8   |
| 261 | Additivity of water sorption, alpha-relaxations and crystallization inhibition in lactose-maltodextrin systems. <b>2012</b> , 89, 1050-9  |     | 51  |
| 260 | Evaluation of the relevance of the glassy state as stability criterion for freeze-dried bacteria by application of the Arrhenius and WLF model. <b>2012</b> , 65, 308-18  |     | 20  |
| 259 | Food Materials Science and Engineering: An Overview. <b>2012</b> , 1-25   |     | 3   |

|     |   |     |     |
|-----|---|-----|-----|
| 258 | Processing and utilization of palm date fruits for edible applications. <b>2012</b> , 4, 78-86  |     | 2   |
| 257 | Combined Crystallization and Drying in a Pilot-Scale Spray Dryer. <b>2012</b> , 30, 998-1007  |     | 19  |
| 256 | Physical and chemical stability of tagatose powder. <i>Journal of Food Science</i> , <b>2012</b> , 77, C308-13  | 3.4 | 12  |
| 255 | Heterogeneity of the state and functionality of water molecules sorbed in an amorphous sugar matrix. <b>2012</b> , 351, 108-13  |     | 13  |
| 254 | Effect of glycerol and corn oil on physicochemical properties of polysaccharide films [A comparative study. <b>2012</b> , 27, 175-184   |     | 310 |
| 253 | Thermodynamics of meat proteins. <b>2012</b> , 27, 529-535  |     | 56  |
| 252 | An activated-state model for the prediction of solid-phase crystallization growth kinetics in dried lactose particles. <i>Journal of Food Engineering</i> , <b>2012</b> , 109, 691-700                | 6   | 16  |
| 251 | Drying kinetics and survival studies of dairy fermentation bacteria in convective air drying environment using single droplet drying. <i>Journal of Food Engineering</i> , <b>2012</b> , 110, 405-417 | 6   | 44  |
| 250 | Sugar Crystallization and Glass Transition as Destabilizing Factors of Protein-Stabilized Emulsions. <b>2012</b> , 7, 93-101  |     | 1   |
| 249 | Dispersibility and morphology of spray-dried soy powders depending on the spraying system. <b>2013</b> , 93, 431-442  |     | 10  |
| 248 | Optimization of the fine particle fraction of a lyophilized lysozyme formulation for dry powder inhalation. <b>2013</b> , 30, 1698-713  |     | 14  |
| 247 | Improving the physical stability of freeze-dried amorphous sugar matrices by compression at several hundreds MPa. <b>2013</b> , 102, 2187-97  |     | 7   |
| 246 | Improving Process Yield by Adding WPI to Lactose During Crystallization and Spray Drying Under High-Humidity Conditions. <b>2013</b> , 31, 393-404  |     | 29  |
| 245 | Dilatometry of powder compacts [Characterizing amorphous-crystalline transformations. <b>2013</b> , 236, 12-16  |     | 4   |
| 244 | Physical Properties of Food Materials. <b>2013</b> , 1-27   |     |     |
| 243 | Effect of Addition of Whey Protein Isolate on Spray-Drying Behavior of Honey with Maltodextrin as a Carrier Material. <b>2013</b> , 31, 1681-1692   |     | 76  |
| 242 | Effect of water on the chemical stability of amorphous pharmaceuticals: I. Small molecules. <b>2013</b> , 102, 1139-54  |     | 38  |
| 241 | Proteins, Peptides, and Controlled-Release Formulations for Inhalation. <b>2013</b> , 121-144   |     | 1   |

|     |  |   |     |
|-----|--|---|-----|
| 240 | Crystallization behavior of lactose/sucrose mixtures during water-induced crystallization. <i>Journal of Food Engineering</i> , <b>2013</b> , 116, 873-880       | 6 | 13  |
| 239 | Flavor Delivery Systems. <b>2013</b> , 1   |   | 3   |
| 238 | Fabrication and physicochemical characterization of HPMC films with commercial plant extract: Influence of light and film composition. <b>2013</b> , 31, 420-427 |   | 38  |
| 237 | Thermodynamic behavior of erythritol in aqueous solutions and in gelatine gels and its quantification. <b>2013</b> , 565, 124-131                                |   | 1   |
| 236 | Modelling crystallization in spray drying for food powder production. <b>2013</b> , 105-131  |   | 2   |
| 235 | Overlap between frontotemporal dementia and Alzheimer's disease: cerebrospinal fluid pattern and neuroimaging study. <b>2013</b> , 36, 49-55                     |   | 13  |
| 234 | Interpreting the Activated Rate Theory for Solid-Phase Crystallization: Comparing Lactose and Sucrose. <b>2013</b> , 31, 1320-1333                               |   | 3   |
| 233 | Water Sorption, Glass Transition, and Microstructures of Refractance Window and Freeze-Dried Mango (Philippine Carabao Var.) Powder. <b>2013</b> , 31, 1969-1978 |   | 40  |
| 232 | Surimi Gelation Chemistry. <b>2013</b> , 115-154   |   |     |
| 231 | Spray drying of the mixtures of mono-, di-, and oligosaccharides. <b>2013</b> , 6, 177-181   |   | 2   |
| 230 | Effect of Additives on Quality of Spray-Dried Fructooligosaccharide Powder. <b>2014</b> , 32, 1112-1118  |   | 15  |
| 229 | Influence of emulsion composition and spray-drying conditions on microencapsulation of tilapia oil. <b>2014</b> , 51, 2148-54                                    |   | 37  |
| 228 | Food caramels: a review. <b>2014</b> , 51, 1686-96   |   | 59  |
| 227 | Thermal and antimicrobial properties of chitosan-nanocellulose films for extending shelf life of ground meat. <b>2014</b> , 109, 148-54                          |   | 201 |
| 226 | Effect of lactic acid in-process crystallization of lactose/protein powders during spray drying. <i>Journal of Food Engineering</i> , <b>2014</b> , 137, 88-94   | 6 | 33  |
| 225 | Solid state of processed carbohydrate matrices from maltodextrin and sucrose. <i>Journal of Food Engineering</i> , <b>2014</b> , 129, 30-37                      | 6 | 9   |
| 224 | Physical characteristics of spray-dried dairy powders containing different vegetable oils. <i>Journal of Food Engineering</i> , <b>2014</b> , 122, 122-129       | 6 | 37  |
| 223 | Lepidium perfoliatum seed gum: a new source of carbohydrate to make a biodegradable film. <b>2014</b> , 101, 349-58  |   | 56  |

|     |  |     |    |
|-----|--|-----|----|
| 222 | Assessment of physicochemical properties, dissolution kinetics and storage stability of a novel strawberry confection designed for delivery of chemopreventive agents. <b>2014</b> , 1, 171-181                              |     | 7  |
| 221 | Dynamic and thermodynamic characteristics associated with the glass transition of amorphous trehalose-water mixtures. <b>2014</b> , 16, 11555-65   |     | 24 |
| 220 | Sorption isotherm and state diagram in evaluating storage stability for sultana raisins. <b>2014</b> , 59, 140-145   |     | 11 |
| 219 | Determination of amorphous/rubbery states in freeze-dried prebiotic sugars using a combined approach of near-infrared spectroscopy and multivariate analysis. <i>Food Research International</i> , <b>2014</b> , 64, 514-519 | 7   | 26 |
| 218 | The use of moisture sorption isotherms and glass transition temperature to assess the stability of powdered baby formulas. <b>2014</b> , 118, 911-918  |     | 20 |
| 217 | Interactions between carboxymethyl konjac glucomannan and soy protein isolate in blended films. <b>2014</b> , 101, 136-45  |     | 76 |
| 216 | Dehydration: Spray Drying vs Freeze Drying. <i>Contemporary Food Engineering</i> , <b>2015</b> , 157-221   |     |    |
| 215 | The role of acidity in crystallization of lactose and templating approach for highly-porous lactose production. <i>Journal of Food Engineering</i> , <b>2015</b> , 164, 1-9  | 6   | 14 |
| 214 | Mechanical properties of cork: Effect of hydration. <b>2015</b> , 82, 148-154  |     | 26 |
| 213 | The influence of residual water on the solid-state properties of freeze-dried fibrinogen. <b>2015</b> , 91, 1-8  |     | 5  |
| 212 | Physicochemical properties and storage stability of lutein microcapsules prepared with maltodextrins and sucrose by spray drying. <i>Journal of Food Science</i> , <b>2015</b> , 80, E359-69                                 | 3-4 | 27 |
| 211 | The use of CTAB and citric acid as templating agents in production of highly-porous lactose particles. <i>Journal of Food Engineering</i> , <b>2015</b> , 156, 59-66   | 6   | 6  |
| 210 | Spray Drying and Crystallization of Lactose with Humid Air in a Straight-Through System. <b>2015</b> , 33, 808-816   |     | 12 |
| 209 | Mapping Moisture Sorption Through Carbohydrate Composite Glass with Fourier Transform Near-Infrared (FT-NIR) Hyperspectral Imaging. <b>2015</b> , 10, 207-216  |     | 4  |
| 208 | Mechanical Behavior of Starch/Carbon Nanotubes Composites. <b>2015</b> , 141-171   |     | 3  |
| 207 | Fruit-Milk Powder: A Review of Spray Drying Technology. <b>2015</b> , 1113, 328-333  |     | 1  |
| 206 | Carbohydrates and Proteins as Nonequilibrium Components of Biological Materials. <b>2015</b> , 65-74   |     |    |
| 205 | Thermal characteristics and state diagram of <i>Penaeus vannamei</i> meat with and without maltodextrin addition. <b>2015</b> , 616, 92-99   |     | 10 |

|     |  |     |    |
|-----|--|-----|----|
| 204 | Physical stability of l-ascorbic acid amorphous solid dispersions in different polymers: A study of polymer crystallization inhibitor properties. <i>Food Research International</i> , <b>2015</b> , 76, 867-877                   | 7   | 17 |
| 203 | Measurement of the viscosity of freeze dried amorphous lactose near the glass transition temperature. <i>International Dairy Journal</i> , <b>2015</b> , 43, 27-32   | 3.5 | 9  |
| 202 | Spray drying of fruit and vegetable juices--a review. <b>2015</b> , 55, 701-19   |     | 47 |
| 201 | Solid-phase crystal growth kinetics of spray-dried glucose powders. <b>2015</b> , 93, 58-68  |     | 1  |
| 200 | Microstructure and lactose crystallization properties in spray dried nanoemulsions. <b>2015</b> , 3, 1-11  |     | 24 |
| 199 | Thermal transition and state diagram of yacon dried by combined heat pump and microwave method. <b>2015</b> , 119, 727-735   |     | 13 |
| 198 | X-ray diffraction analysis of lactose crystallization in freeze-dried lactose/whey protein systems. <i>Food Research International</i> , <b>2015</b> , 67, 1-11  | 7   | 32 |
| 197 | Effect of Relative Humidity on the Antioxidant Activity of Spray-Dried Banana Passion Fruit ( <i>Passiflora Mollissima</i> Baley)-Coated Pulp: Measurement of the Thermodynamic Properties of Sorption. <b>2015</b> , 202, 269-278 |     | 9  |
| 196 | Water and phase transitions. <b>2016</b> , 79-113  |     | 4  |
| 195 | Food processing and storage. <b>2016</b> , 315-355   |     | 2  |
| 194 | Prediction of the physical state. <b>2016</b> , 173-213  |     | 1  |
| 193 | Optimization of Sour Cherry Juice Spray Drying as Affected by Carrier Material and Temperature. <b>2016</b> , 54, 441-449  |     | 11 |
| 192 | Effect of borojo ( <i>Borojoa patinoi</i> Cuatrecasas) three-phase composition and gum arabic on the glass transition temperature. <b>2016</b> , 96, 1027-36   |     | 3  |
| 191 | The Stability and Shelf Life of Confectionery Products. <b>2016</b> , 545-573  |     | 5  |
| 190 | Amorphous lactose crystallisation kinetics. <i>International Dairy Journal</i> , <b>2016</b> , 56, 22-28   | 3.5 | 10 |
| 189 | Caking of lactose: A critical review. <b>2016</b> , 53, 1-12   |     | 51 |
| 188 | Dry influenza vaccines: towards a stable, effective and convenient alternative to conventional parenteral influenza vaccination. <b>2016</b> , 15, 1431-1447   |     | 16 |
| 187 | The relation of structural mobility and water sorption of soil organic matter studied by <sup>1</sup> H and <sup>13</sup> C solid-state NMR. <b>2016</b> , 284, 144-151  |     | 8  |

|     |  |     |    |
|-----|--|-----|----|
| 186 | Three interval thixotropy test to determine structural regeneration of a glucomannan based hydrocolloid film at air/water interface: Interfacial, molecular, thermal and surface characterization. <b>2016</b> , 61, 458-468                 |     | 14 |
| 185 | Effect of hydrolyzed whey protein on surface morphology, water sorption, and glass transition temperature of a model infant formula. <b>2016</b> , 99, 6961-6972   |     | 23 |
| 184 | Influence of Miscibility of Protein-Sugar Lyophilizates on Their Storage Stability. <b>2016</b> , 18, 1225-1232  |     | 28 |
| 183 | Impact of low-trans fat compositions on the quality of conventional and fat-reduced puff pastry. <b>2016</b> , 53, 2117-26   |     | 6  |
| 182 | Development of flexible bactericidal films based on poly(lactic acid) and essential oil and its effectiveness to reduce microbial growth of refrigerated rainbow trout. <i>LWT - Food Science and Technology</i> , <b>2016</b> , 72, 251-260 | 5.4 | 62 |
| 181 | Food components and polymers. <b>2016</b> , 115-172  |     | 0  |
| 180 | Crystallization and structural relaxation times in structural strength analysis of amorphous sugar/whey protein systems. <b>2016</b> , 60, 85-97   |     | 17 |
| 179 | Carotenoid stability in high total solid spray dried emulsions with gum Arabic layered interface and trehalose/WPI composites as wall materials. <i>Innovative Food Science and Emerging Technologies</i> , <b>2016</b> , 34, 310-319        | 6.8 | 26 |
| 178 | Structural relaxations of amorphous lactose and lactose-whey protein mixtures. <i>Journal of Food Engineering</i> , <b>2016</b> , 173, 106-115   | 6   | 32 |
| 177 | Spray drying of high hydrophilic solids emulsions with layered interface and trehalose-maltodextrin as glass formers for carotenoids stabilization. <i>Journal of Food Engineering</i> , <b>2016</b> , 171, 174-184                          | 6   | 20 |
| 176 | Physicochemical properties and structural characteristics of whole grain <i>Oryza sativa</i> L. with different treatments. <b>2016</b> , 22, 333-42  |     | 4  |
| 175 | Structural strength and crystallization of amorphous lactose in food model solids at various water activities. <i>Innovative Food Science and Emerging Technologies</i> , <b>2017</b> , 40, 27-34  | 6.8 | 15 |
| 174 | Candied Orange Peel Produced in Solutions with Various Sugar Compositions: Sugar Composition and Sorption Properties of the Product. <b>2017</b> , 40, e12367  |     | 8  |
| 173 | Tensile Fracture of Molecular Glasses Studied by Differential Scanning Calorimetry: Reduction of Heat Capacity by Lateral Constraint. <b>2017</b> , 121, 444-449   |     | 4  |
| 172 | State Diagram of Foods and Its Importance to Food Stability During Storage and Processing. <b>2017</b> , 251-260   |     |    |
| 171 | Crystal-Melt Phase Change of Food and Biopolymers. <b>2017</b> , 119-139   |     |    |
| 170 | Implication of Glass Transition to Drying and Stability of Dried Foods. <b>2017</b> , 225-238  |     | 3  |
| 169 | Sugar 3D Printing: Additive Manufacturing with Molten Sugar for Investigating Molten Material Fed Printing. <b>2017</b> , 4, 13-18   |     | 10 |

|     |   |     |     |
|-----|---|-----|-----|
| 168 | Challenges Involved in the Drying of Dairy Powders. <b>2017</b> , 287-299   |     | 0   |
| 167 | Moisture-Mediated Interactions Between Amorphous Maltodextrins and Crystalline Fructose. <i>Journal of Food Science</i> , <b>2017</b> , 82, 1142-1156                                   | 3-4 | 8   |
| 166 | Engineering Foods for Bioactives Stability and Delivery. <b>2017</b> ,  |     | 5   |
| 165 | Chemical Stability: Browning and Oxidation. <b>2017</b> , 361-400   |     | 2   |
| 164 | Relationships between surface energy analysis and functional characteristics of dairy powders. <b>2017</b> , 237, 1155-1162   |     | 15  |
| 163 | Dehydration of Nitrofurantoin Monohydrate during Melt Extrusion. <b>2017</b> , 17, 3707-3715  |     | 8   |
| 162 | Preparation and evaluation of hemicellulose films and their blends. <b>2017</b> , 70, 181-190   |     | 47  |
| 161 | Carotenoids stability in spray dried high solids emulsions using layer-by-layer (LBL) interfacial structure and trehalose-high DE maltodextrin as glass former. <b>2017</b> , 33, 32-39 |     | 16  |
| 160 | Structural strength analysis of amorphous trehalose-maltodextrin systems. <i>Food Research International</i> , <b>2017</b> , 96, 121-131  | 7   | 15  |
| 159 | Template-directed flower-like lactose with micro-meso-macroporous structure. <b>2017</b> , 117, 178-184   |     | 18  |
| 158 | State diagrams of candied orange peel obtained using different hypertonic solutions. <i>Journal of Food Engineering</i> , <b>2017</b> , 212, 234-241                                    | 6   | 7   |
| 157 | Glass transition prediction strategies based on the Couchman-Karasz equation in model confectionary systems. <i>Journal of Food Engineering</i> , <b>2017</b> , 214, 287-302            | 6   | 3   |
| 156 | Genuine antiplasticizing effect of water on a glass-former drug. <b>2017</b> , 7, 7470  |     | 7   |
| 155 | Mechanical Properties of Cork: Effect of Hydration. <b>2017</b> ,   |     | 1   |
| 154 | Two-Way 4D Printing: A Review on the Reversibility of 3D-Printed Shape Memory Materials. <b>2017</b> , 3, 663-674   |     | 155 |
| 153 | A review on mechanisms and commercial aspects of food preservation and processing. <b>2017</b> , 6,   |     | 130 |
| 152 | Effects of Chloride and Sulfate Salts on the Inhibition or Promotion of Sucrose Crystallization in Initially Amorphous Sucrose-Salt Blends. <b>2017</b> , 65, 11259-11272               |     | 5   |
| 151 | Characterisation of aged infant formulas and physicochemical changes. <b>2017</b> , 219, 117-125  |     | 25  |



|     |   |     |    |
|-----|---|-----|----|
| 150 | Determination of glass transitions in boiled candies by capacitance based thermal analysis (CTA) and genetic algorithm (GA). <i>Journal of Food Engineering</i> , <b>2017</b> , 193, 68-75                        | 6   | 21 |
| 149 | Rheological measurements for characterizing sticky point temperature of selected fruit powders: An experimental investigation. <i>Journal of Food Engineering</i> , <b>2017</b> , 195, 61-72                      | 6   | 14 |
| 148 | . <b>2017</b> ,   |     | 3  |
| 147 | Implications of Non-Equilibrium State Glass Transitions in Spray-Dried Sugar-Rich Foods. <b>2017</b> , 253-282  |     | 6  |
| 146 | Glass Transition and Crystallization in Foods. <b>2017</b> , 153-172  |     | 2  |
| 145 | Implications of Non-Equilibrium States and Glass Transitions in Fried Foods. <b>2017</b> , 209-239  |     | 0  |
| 144 | Sorption properties and phase transitions temperature of freeze-dried strawberry model based on hydrocolloids with a tailored structure. <b>2018</b> , 36, 1209-1223  |     | 3  |
| 143 | Physicochemical and sensory characterization of an extruded product from blue maize meal and orange bagasse using the response surface methodology. <b>2018</b> , 16, 498-505                                     |     | 3  |
| 142 | The effect of intrinsic and extrinsic factors on moisture sorption characteristics of hard candy. <b>2018</b> , 42, e13599  |     | 6  |
| 141 | Degradation of L-Ascorbic Acid in the Amorphous Solid State. <i>Journal of Food Science</i> , <b>2018</b> , 83, 670-681 <sub>3,4</sub>  |     | 9  |
| 140 | Water. <i>Food Science Text Series</i> , <b>2018</b> , 1-37   | 2   | 2  |
| 139 | Texture. <i>Food Science Text Series</i> , <b>2018</b> , 329-363  | 2   | 1  |
| 138 | Role of templating agents in the spray drying and postcrystallization of lactose for the production of highly porous powders. <b>2018</b> , 36, 1882-1891   |     | 13 |
| 137 | On the importance of droplet shrinkage in CFD-modeling of spray drying. <b>2018</b> , 36, 1785-1801   |     | 19 |
| 136 | Hygroscopic properties and glass transition of dehydrated mango, apple and banana. <b>2018</b> , 55, 540-549  |     | 10 |
| 135 | A Method for Estimating Glass Transition Temperature of Powders by Discoloration of Betanin under Temperature-programmed Heating Conditions. <i>Japan Journal of Food Engineering</i> , <b>2018</b> , 19, 191-196 | 0,2 | 0  |
| 134 | Review of some common commercial and noncommercial lab-scale spray dryers and preliminary tests for a prototype new spray dryer. <b>2018</b> , 36, 1900-1912  |     | 9  |
| 133 | Effects of Mono-, Di-, and Tri-Saccharides on the Stability and Crystallization of Amorphous Sucrose. <i>Journal of Food Science</i> , <b>2018</b> , 83, 2827-2839  | 3-4 | 7  |

|     |   |     |    |
|-----|---|-----|----|
| 132 | Study of the Barrier and Mechanical Properties of Packaging Edible Films Fabricated with Hydroxypropyl Methylcellulose (HPMC) Combined with Electro-Activated Whey. <b>2018</b> , 2, 169-180                    |     | 8  |
| 131 | Effect of gamma irradiation on structure, physicochemical and immunomodulatory properties of Astragalus polysaccharides. <i>International Journal of Biological Macromolecules</i> , <b>2018</b> , 120, 641-649 | 7.9 | 15 |
| 130 | Influence of the drying step in the steam-jet granulation process of dairy powders. <i>Journal of Food Engineering</i> , <b>2018</b> , 239, 33-39   | 6   | 5  |
| 129 | Spray-drying of grape skin-whey protein concentrate mixture. <b>2018</b> , 55, 3693-3702  |     | 8  |
| 128 | Time consolidation of skim milk powder near the glass transition temperature. <i>International Dairy Journal</i> , <b>2018</b> , 85, 105-111  | 3.5 | 7  |
| 127 | Physical properties of food materials. <b>2018</b> , 1-29   |     | 1  |
| 126 | Physical properties and sensory analysis of galacto-oligosaccharide glassy confections. <i>LWT - Food Science and Technology</i> , <b>2018</b> , 96, 499-506  | 5.4 | 2  |
| 125 | Effect of galacto-oligosaccharide purity on water sorption and plasticization behavior. <b>2018</b> , 268, 9-14   |     | 6  |
| 124 | Spray-Dried Proliposome Microparticles for High-Performance Aerosol Delivery Using a Monodose Powder Inhaler. <b>2018</b> , 19, 2434-2448   |     | 10 |
| 123 | Preparation and physical/chemical modification of galactomannan film for food packaging. <i>International Journal of Biological Macromolecules</i> , <b>2019</b> , 137, 1060-1067                               | 7.9 | 15 |
| 122 | Tuning molecular dynamics by hydration and confinement: antiplasticizing effect of water in hydrated prilocaine nanoclusters. <b>2019</b> , 21, 15576-15583   |     | 3  |
| 121 | . <b>2019</b> ,   |     |    |
| 120 | Regulatory Aspects for Formulation Design [with Focus on the Solid State]. <b>2019</b> , 155-207  |     | 1  |
| 119 | Thermal behaviour and degradation kinetics of apple pomace flours. <b>2019</b> , 673, 17-25   |     | 16 |
| 118 | Effects of emulsifiers on the moisture sorption and crystallization of amorphous sucrose lyophiles. <b>2019</b> , 3, 100050   |     | 2  |
| 117 | Investigation of thermal decomposition as a critical factor inhibiting cold crystallization in amorphous sucrose prepared by melt-quenching. <i>Journal of Food Engineering</i> , <b>2019</b> , 261, 87-99      | 6   | 4  |
| 116 | Isolation of Itraconazole Nanostructured Microparticles via Spray Drying with Rational Selection of Optimum Base for Successful Reconstitution and Compaction. <b>2019</b> , 20, 217                            |     | 4  |
| 115 | Heat recovery from spray dryer exhaust air: An example from an infant formula factory installation. <b>2019</b> , 37, 623-631   |     | 3  |

|     |  |     |    |
|-----|--|-----|----|
| 114 | Investigating the shear rheology of molten instant coffee at elevated pressures using the Cambridge multipass rheometer. <b>2019</b> , 115, 17-25  |     | 4  |
| 113 | Quality characteristics of dehydrated raw Kelulut honey. <b>2019</b> , 22, 556-571   |     | 11 |
| 112 | A taxonomy of shape-changing behavior for 4D printed parts using shape-memory polymers. <b>2019</b> , 4, 167-184   |     | 17 |
| 111 | Water Diffusion in the Semi-Liquid State during Industrial Candy Preparation. <b>2019</b> , 14, 193-204  |     | 2  |
| 110 | Identification of regions in a spray dryer susceptible to forced agglomeration by CFD simulations. <b>2019</b> , 346, 23-37  |     | 10 |
| 109 | Qodume Shahri ( <i>Lepidium perfoliatum</i> ) Seed Gum. <b>2019</b> , 251-272  |     | 5  |
| 108 | Physical Stability of an Amorphous Sugar Matrix Dried From Methanol as an Amorphous Solid Dispersion Carrier and the Influence of Heat Treatment. <b>2019</b> , 108, 2056-2062                             |     | 8  |
| 107 | Excipient selection for thermally stable enveloped and non-enveloped viral vaccine platforms in dry powders. <i>International Journal of Pharmaceutics</i> , <b>2019</b> , 561, 66-73                      | 6.5 | 15 |
| 106 | Water Activity and Glass Transition of Foods. <b>2019</b> ,  |     | 0  |
| 105 | Effect of amorphization method on the physicochemical properties of amorphous sucrose. <i>Journal of Food Engineering</i> , <b>2019</b> , 243, 125-141   | 6   | 12 |
| 104 | State of Bound Water: Measurement and Significance in Food Processing. <b>2019</b> ,   |     | 5  |
| 103 | Characteristics of Bound Water. <b>2019</b> , 29-45  |     | 2  |
| 102 | Effect of outlet drying temperature and milk fat content on the physicochemical characteristics of spray-dried camel milk powder. <b>2019</b> , 37, 1615-1624  |     | 15 |
| 101 | Optimizing the Quality of Food Powder Products: The Challenges of Moisture-Mediated Phase Transformations. <b>2019</b> , 10, 457-478   |     | 2  |
| 100 | Influence of spray drying on the stability of food-grade solid lipid nanoparticles. <i>Food Research International</i> , <b>2019</b> , 119, 741-750  | 7   | 26 |
| 99  | Phase Transition in Foods. <b>2019</b> , 421-442   |     | 1  |
| 98  | The application of dehumidified air in rapeseed and honeydew honey spray drying - Process performance and powders properties considerations. <i>Journal of Food Engineering</i> , <b>2019</b> , 245, 80-87 | 6   | 23 |
| 97  | Co-melting behaviour of sucrose, glucose & fructose. <b>2019</b> , 275, 292-298  |     | 13 |

|    |   |     |    |
|----|---|-----|----|
| 96 | Phase transitions of ascorbic acid and sodium ascorbate in a polymer matrix and effects on vitamin degradation. <b>2020</b> , 43, e13073  |     | 4  |
| 95 | Effects of trehalose and corn starch on the mechanical glass transition temperature and texture properties of deep-fried food with varying water and oil contents. <i>Journal of Food Engineering</i> , <b>2020</b> , 267, 109731 | 6   | 7  |
| 94 | Progress in Digital and Physical Manufacturing. <i>Lecture Notes in Mechanical Engineering</i> , <b>2020</b> ,  | 0.4 | 3  |
| 93 | Effect of Encapsulation Process on Technological Functionality and Stability of Spirulina Platensis Extract. <b>2020</b> , 15, 50-63  |     | 5  |
| 92 | Effect of texture modification by ascorbic acid and monoglycerides on the release of aroma compounds from fresh and aged wheat dumplings. <b>2020</b> , 246, 1-11   |     | 3  |
| 91 | Size reduction in feed technology and methods for determining, expressing and predicting particle size: A review. <b>2020</b> , 261, 114347   |     | 18 |
| 90 | 3D printing of very soft elastomer and sacrificial carbohydrate glass/elastomer structures for robotic applications. <b>2020</b> , 187, 108324  |     | 28 |
| 89 | Dynamic Mechanical Analysis as a Complementary Technique for Stickiness Determination in Model Whey Protein Powders. <b>2020</b> , 9,   |     | 2  |
| 88 | Evaluation of Degree of Collapse and Its Relationship with Retention of Organic Volatiles in Freeze-Dried Dextrin Matrices. <b>2020</b> , 59, 18298-18306   |     | 2  |
| 87 | Effects of maltodextrin content in double-layer emulsion for production and storage of spray-dried carotenoid-rich microcapsules. <b>2020</b> , 124, 208-221  |     | 11 |
| 86 | Assessment of Anticaking Agent on Caking Behavior of Jujube Amorphous Powder via Glass Transition and State Diagram. <b>2020</b> , 13, 1588-1599  |     | 1  |
| 85 | Unpurified soybean lecithins impact on the chemistry of proliposomes and liposome dispersions encapsulating vitamin D3. <b>2020</b> , 37, 100700  |     | 7  |
| 84 | Thermal properties of Corinthian currant pastes as affected by storage. <b>2020</b> , 44, e14755  |     | 0  |
| 83 | Physicochemical properties of coarse palm sap sugars as natural alternative sweetener. <b>2020</b> , 38, 100780   |     | 5  |
| 82 | Use of different biopolymers as carriers for purposes of obtaining a freeze-dried orange snack. <i>LWT - Food Science and Technology</i> , <b>2020</b> , 127, 109415  | 5.4 | 12 |
| 81 | Effect of storage conditions on the physicochemical properties of infant milk formula powders containing different lactose-to-maltodextrin ratios. <b>2020</b> , 319, 126591  |     | 15 |
| 80 | Influence of drying temperatures and storage parameters on the physicochemical properties of spray-dried infant milk formula powders. <i>International Dairy Journal</i> , <b>2020</b> , 105, 104696                              | 3.5 | 17 |
| 79 | The development and application of sticky-point models to spray drying processes for the manufacturing of nutritional powder products and infant formulas. <i>Journal of Food Engineering</i> , <b>2020</b> , 279, 109947         | 6   | 4  |

|    |   |     |    |
|----|---|-----|----|
| 78 | Influence of rice protein hydrolysate on lipid oxidation stability and physico-chemical properties of linseed oil microparticles obtained through spray-drying. <i>LWT - Food Science and Technology</i> , <b>2021</b> , 139, 110510    | 5.4 | 0  |
| 77 | Caramel stickiness: Effects of composition, rheology, and surface energy. <i>Journal of Food Engineering</i> , <b>2021</b> , 289, 110246  | 6   | 7  |
| 76 | Effects of polyphenols on crystallization of amorphous sucrose lyophiles. <b>2021</b> , 338, 128061   |     | 1  |
| 75 | Microscopy and spectroscopy techniques applied to analyze the microstructure of food powders. <b>2021</b> , 115-132   |     |    |
| 74 | Energy and exergy analyses of vacuum cooling as experimental assessment: case study for boiled cauliflower ( <i>Brassica Oleracea</i> Var). <b>2021</b> , 145, 1335-1352  |     | 1  |
| 73 | Recent initiatives in effective modeling of spray drying. <b>2021</b> , 39, 1614-1647   |     | 5  |
| 72 | Spouted bed drying of milkBlackberry mixture: Material thermal properties and process energy aspects. <b>2021</b> , 44, e13678  |     |    |
| 71 | Stabilization of Dry Sucrose Glasses by Four LEA_4 Proteins from. <b>2021</b> , 11,   |     | 1  |
| 70 | Adhesion of Food on Surfaces: Theory, Measurements, and Main Trends to Reduce It Prior to Industrial Drying. <i>Food Engineering Reviews</i> , <b>2021</b> , 13, 884  | 6.5 | 2  |
| 69 | Modeling Food Particle Systems: A Review of Current Progress and Challenges. <b>2021</b> , 12, 97-113   |     | 1  |
| 68 | Technologies and Applications Toward Preservation of Cells in a Dry State for Therapies. <b>2021</b> , 19, 332-341  |     | 2  |
| 67 | Effect of cellulose powder content on the water sorption, glass transition, mechanical relaxation, and caking of freeze-dried carbohydrate blend and food powders. <i>LWT - Food Science and Technology</i> , <b>2021</b> , 148, 111798 | 5.4 | 0  |
| 66 | Model-based prediction of the moisture sorption kinetics and humidity-induced collapse for freeze-dried cakes. <b>2022</b> , 248, 117129  |     | 0  |
| 65 | Soft Condensed Matter: A Perspective on the Physics of Food States and Stability. 87-114  |     | 2  |
| 64 | Effects of Water Activity ( $a_w$ ) on Microbial Stability as a Hurdle in Food Preservation. <b>2020</b> , 323-355  |     | 28 |
| 63 | Solid and Liquid States of Lactose. <b>2009</b> , 17-33   |     | 14 |
| 62 | Texture. <i>Food Science Text Series</i> , <b>1999</b> , 311-353  | 2   | 1  |
| 61 | Water in Milk Products. <b>1997</b> , 303-346   |     | 4  |

|    |   |     |    |
|----|---|-----|----|
| 60 | A food polymer science approach to structure-property relationships in aqueous food systems: non-equilibrium behavior of carbohydrate-water systems. <i>Advances in Experimental Medicine and Biology</i> , <b>1991</b> , 302, 29-101 | 3.6 | 86 |
| 59 | Effect of Glass Transition Temperature Range on the Caking Behavior of Freeze-dried Carbohydrate Blend Powders. <i>Food Engineering Reviews</i> , <b>2021</b> , 13, 204-214   | 6.5 | 2  |
| 58 | Water and the Glass Transition [Dependence of the Glass Transition on Composition and Chemical Structure: Special Implications for Flour Functionality in Cookie Baking. <b>1994</b> , 143-188  |     | 10 |
| 57 | Changes in Rheological Properties of Gliadin as a Function of Temperature and Moisture: Development of a State Diagram. <b>1994</b> , 241-252   |     | 1  |
| 56 | Amorphous wall materials properties and degradation of carotenoids in spray dried formulations. <i>Journal of Food Engineering</i> , <b>2018</b> , 223, 62-69   | 6   | 4  |
| 55 | Chapter 5 Crystallization and vitrification in aqueous glass-forming solutions. <b>1996</b> , 185-255   |     | 12 |
| 54 | Multiple States of Sorbed Water Molecules in Amorphous Sugar Matrix and Their Different Impacts on Physical Properties of the Matrix. <i>Japan Journal of Food Engineering</i> , <b>2011</b> , 12, 1-9                                | 0.2 | 2  |
| 53 | Mono- and Disaccharides. <b>2006</b> , 41-88  |     | 1  |
| 52 | Drying of Fruits. <b>2004</b> ,   |     | 1  |
| 51 | Freeze Drying. <i>Contemporary Food Engineering</i> , <b>2012</b> , 47-70   |     | 4  |
| 50 | Influence of Protein on Phase Transition of Amorphous Sugar.. <i>Journal of Chemical Engineering of Japan</i> , <b>1998</b> , 31, 325-329   | 0.8 | 10 |
| 49 | Formulation Challenges. <b>2008</b> , 623-636   |     | 1  |
| 48 | Amorphous and crystalline aerosol particles interacting with water vapor [Part 1: Microstructure, phase transitions, hygroscopic growth and kinetic limitations.  |     | 4  |
| 47 | Stability of Dry Enzymes. <b>2003</b> ,   |     |    |
| 46 | Utilization of Rheological Properties in Product and Process Development. <b>2003</b> ,   |     |    |
| 45 | Plasticization Effect of Water on Carbohydrates in Relation to Crystallization. <b>2003</b> ,   |     | 1  |
| 44 | Interaction of Water with Food Components. <i>Food Additives</i> , <b>2005</b> , 87-138   |     |    |
| 43 | Physical Properties of Foods and Effect of Water on Them IV Application of Glass Transition Concept in the Field of Food Science and Technology. <i>Japan Journal of Food Engineering</i> , <b>2009</b> , 10, 1-8                     | 0.2 | 1  |

|    |  |     |   |
|----|--|-----|---|
| 42 | Carrot Fiber as a Carrier in Spray Drying of Fructose. 191-197   |     |   |
| 41 | Complementary Aspects of Thermodynamics, Nonequilibrium Criteria, and Water Dynamics in the Development of Foods and Ingredients. 3-24   |     |   |
| 40 | Texture of Glassy Tapioca-FlourBased Baked Products as a Function of Moisture Content. 591-598   |     |   |
| 39 | Crystallization, Collapse, and Glass Transition in Low-Water Food Systems. 335-351   |     | 0 |
| 38 | Water Sorption of Corn Starch/Disaccharide Amorphous Mixtures and Crystallization of Disaccharides. <i>Japan Journal of Food Engineering</i> , <b>2011</b> , 12, 11-17   | 0.2 |   |
| 37 | A Thermomechanical Method for Determining Collapse Temperatures of Food Powders. <b>1994</b> , 155-157   |     |   |
| 36 | Hygienic Design of Food Processes. <b>2014</b> , 652-659   |     |   |
| 35 | Flavouring and Coating Technologies for Preservation and Processing of Foods. 267-312  |     |   |
| 34 | Impacts of Compression on Physicochemical Properties of Freeze-Dried Amorphous Sugar Matrix. <i>Journal of the Society of Powder Technology, Japan</i> , <b>2015</b> , 52, 121-131                                 | 0.3 |   |
| 33 | Polymers and Surfactants. 1-43   |     |   |
| 32 | Time-dependent phenomena. <b>2016</b> , 215-273  |     |   |
| 31 | Chapter 2 Mono- and Disaccharides Selected Physicochemical and Functional Aspects. <b>2016</b> , 37-92   |     |   |
| 30 | Effect of Thermostability of Granulated Sugars on the Flavor of Cooked Food. <i>Food Science and Technology Research</i> , <b>2018</b> , 24, 111-118   | 0.8 | 1 |
| 29 | Programming 4D Printed Parts Through Shape-Memory Polymers and Computer-Aided-Design. <i>Lecture Notes in Mechanical Engineering</i> , <b>2020</b> , 143-151   | 0.4 |   |
| 28 | LIQUID DIFFUSION DURING DRYING OF SORGHUM GRAINS UNDER DIFFERENT CONDITIONS. <i>Engenharia Agricola</i> , <b>2019</b> , 39, 737-743  | 0.6 | 1 |
| 27 | WaterSolid Interactions in Food Ingredients and Systems. <b>2020</b> , 123-159   |     | 1 |
| 26 | Water Activity and Physical Stability. <b>2020</b> , 255-269   |     | 2 |
| 25 | Effect of Maltodextrin Concentration and Inlet Air Temperature on Properties of Spray Dried Powder from Reverse Osmosis Concentrated Sweet Orange Juice. <i>Brazilian Archives of Biology and Technology</i> , 63, | 1.8 | 0 |

|    |   |     |   |
|----|---|-----|---|
| 24 | Enthalpy Relaxation and Food Stability. <b>2020</b> , 271-285   |     |   |
| 23 | Selected Applications of Water Activity Management in the Food Industry. <b>2020</b> , 465-482  |     | 1 |
| 22 | Environment, food residue, and dry cleaning tool all influence the removal of food powders and allergenic residues from stainless steel surfaces. <i>Innovative Food Science and Emerging Technologies</i> , <b>2022</b> , 75, 102877 | 6.8 | 1 |
| 21 | Heat treatment of milk: effect on concentrate viscosity, powder manufacture and end-product functionality. <i>International Dairy Journal</i> , <b>2021</b> , 105289  | 3.5 | 0 |
| 20 | Effects of two fatty acids on soy protein isolate/sodium alginate edible films: Structures and properties. <i>LWT - Food Science and Technology</i> , <b>2022</b> , 113221  | 5.4 | 1 |
| 19 | Kinetic fragility directly correlates with the many-body static amorphous order in glass-forming liquids. <i>Physical Review Materials</i> , <b>2022</b> , 6,   | 3.2 | 1 |
| 18 | Development of a novel rheological method for determining melting properties of gelatin-based gummies.. <i>International Journal of Biological Macromolecules</i> , <b>2022</b> ,   | 7.9 | 0 |
| 17 | Texture Modification of 3D-Printed Maltitol Candy by Changing Internal Design. <i>Applied Sciences (Switzerland)</i> , <b>2022</b> , 12, 4189   | 2.6 | 1 |
| 16 | Challenges in Dried Whey Powder Production: Quality Problems. <i>Food Research International</i> , <b>2022</b> , 111682   |     | 2 |
| 15 | Mannitol hemihydrate in lyophilized protein formulations: Impact of its dehydration during storage on sucrose crystallinity and protein stability. <i>International Journal of Pharmaceutics</i> , <b>2022</b> , 624, 121974          | 6.5 | 0 |
| 14 | Application of atomic force microscopy for food powders and contact materials. <b>2023</b> , 233-262  |     | 0 |
| 13 | Valorization of Amaranth ( <i>Amaranthus cruentus</i> ) Grain Extracts for the Development of Alginate-Based Active Films. <b>2022</b> , 27, 5798   |     | 1 |
| 12 | Solid and Liquid States of Lactose. <b>2022</b> , 19-37   |     | 0 |
| 11 | Non-Conventional Time Domain (TD)-NMR Approaches for Food Quality: Case of Gelatin-Based Candies as a Model Food. <b>2022</b> , 27, 6745  |     | 0 |
| 10 | Combining drug salt formation with amorphous solid dispersions is a double edged sword. <b>2022</b> , 352, 47-60  |     | 1 |
| 9  | Effects of lactic acid concentration and spray drying conditions on stickiness of acidified skim milk powder.   |     | 0 |
| 8  | Thermal characteristics of crystalline and amorphous 2'-fucosyllactose, a human milk oligosaccharide. <b>2023</b> , 410, 135438   |     | 0 |
| 7  | Dynamic Vapour Sorption. <b>2016</b> , 47-66  |     | 0 |



- 6 Preparation of antioxidant konjac glucomannan-based films enriched with *Ocimum gratissimum* L. essential oil Pickering emulsion and its effect on walnuts preservation. **2023**, 665, 131220
- 5 Pulsed light, microwave, and infrared treatments of jaggery: Comparing the microbial decontamination and other quality attributes. **2023**, 149, 109695
- 4 Melting of natural cheese: A review. **2023**, 142, 105648
- 3 The effect of feed formulation on surface composition of powders and wall deposition during spray drying of acidified dairy products. **2023**, 418, 118297
- 2 Water sorption and glass-to-rubber transition of amorphous sugar matrices, vacuum foam- and spray-dried from alcohols. **2023**, 349, 111483
- 1 The effects of maltodextrin/starch in soy protein isolate-gluten on thermal stability of high-moisture extrudates. **2023**,