

Meat, cooking methods and colorectal cancer: A case-re

International Journal of Cancer

49, 520-525

DOI: 10.1002/ijc.2910490408

Citation Report

#	ARTICLE	IF	CITATIONS
1	Promotion of Aberrant Crypt Foci and Cancer in Rat Colon by Thermolyzed Protein. Journal of the National Cancer Institute, 1992, 84, 1026-1030.	3.0	65
2	Multistep carcinogenesis: a 1992 perspective. Science, 1992, 258, 603-607.	6.0	266
3	Formation of DNA adducts of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in male Fischer-344 rats. Cancer Letters, 1992, 67, 117-124.	3.2	81
4	Metabolic polymorphisms affecting activation of toxic and mutagenic arylamines. Trends in Pharmacological Sciences, 1992, 13, 223-226.	4.0	29
5	Eating frequency—a neglected risk factor for colon cancer?. Cancer Causes and Control, 1992, 3, 77-81.	0.8	29
6	A Prospective Study of Stomach Cancer among a Rural Japanese Population: A 6-Year Survey. Japanese Journal of Cancer Research, 1992, 83, 568-575.	1.7	105
7	Quantitative correlation of mutagenic and carcinogenic potencies for heterocyclic amines from cooked foods and additional aromatic amines. Mutation Research - Environmental Mutagenesis and Related Subjects Including Methodology, 1992, 271, 269-287.	0.4	41
8	Covalent Binding of Food Carcinogens MeIQx, MeIQ and IQ to DNA and Protein in Microsomal Incubations and Isolated Rat Hepatocytes. Basic and Clinical Pharmacology and Toxicology, 1992, 70, 220-225.	0.0	9
9	Occupational exposures and cancer of the colon and rectum. American Journal of Industrial Medicine, 1992, 22, 291-303.	1.0	57
10	Food-group consumption and colon cancer in the adelaide case-control study. II. Meat, poultry, seafood, dairy foods and eggs. International Journal of Cancer, 1993, 53, 720-727.	2.3	67
11	Diet, aberrant crypt foci and colorectal cancer. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1993, 290, 111-118.	0.4	89
12	Practice parameters for the treatment of rectal carcinoma—Supporting documentation. Diseases of the Colon and Rectum, 1993, 36, 991-1006.	0.7	9
13	Cooking procedures and food mutagens: A literature review. Food and Chemical Toxicology, 1993, 31, 655-675.	1.8	210
14	The heterocyclic amines IQ and MeIQx show no promotive effect in a short-term in vivo liver carcinogenesis assay. Carcinogenesis, 1993, 14, 2123-2125.	1.3	6
15	Dose-dependence of 2-amino-1-methyl-6-phenylimidazo[4, 5-b]-pyridine (PhIP) carcinogenicity in rats. Carcinogenesis, 1993, 14, 2553-2557.	1.3	126
16	Reactive microcapsules for detection of carcinogen sources in the gut. Journal of Microencapsulation, 1993, 10, 283-308.	1.2	5
17	Mutagenic activation of IQ, PhIP, and MeIQx by hepatic microsomes from rat, monkey and man: low mutagenic activation of MeIQx in cynomolgus monkeys in vitro reflects low DNA adduct levels in vivo. Carcinogenesis, 1993, 14, 61-65.	1.3	64
18	Colon Cancer: A Review of the Epidemiology. Epidemiologic Reviews, 1993, 15, 499-545.	1.3	694

#	ARTICLE	IF	CITATIONS
19	Stressful Life Events and the Risk of Colorectal Cancer. <i>Epidemiology</i> , 1993, 4, 407-414.	1.2	50
20	Dietary Factors and Risk of Colon Cancer. <i>Annals of Medicine</i> , 1994, 26, 443-452.	1.5	284
21	Synergistic enhancement of small and large intestinal carcinogenesis by combined treatment of rats with five heterocyclic amines in a medium-term multi-organ bioassay. <i>Carcinogenesis</i> , 1994, 15, 2567-2573.	1.3	38
22	Structural determination of a new mutagenic heterocyclic amine, 2-amino-1,7,9-trimethylimidazo[4,5-g]quinoxaline (7,9-DiMeIQx), present in beef extract. <i>Carcinogenesis</i> , 1994, 15, 1151-1154.	1.3	21
23	Formation of DNA adducts by the food mutagen 2-amino-3,4,8-trimethyl-3H-imidazo [4,8-f]quinoxaline (4,8-DiMeIQx) in vitro and in vivo. Identification of a N-(2- $\alpha$ -deoxyguanosin-8-yl)-4,8-DiMeIQx adduct. <i>Carcinogenesis</i> , 1994, 15, 2553-2558.	1.3	19
24	Metabolic activation of aromatic and heterocyclic N-hydroxyarylamines by wild-type and mutant recombinant human NAT1 and NAT2 acetyltransferases. <i>Archives of Toxicology</i> , 1994, 68, 129-133.	1.9	99
25	Dietary factors and non-Hodgkin's lymphoma in Nebraska (United States). <i>Cancer Causes and Control</i> , 1994, 5, 422-432.	0.8	127
26	Dietary carcinogens and mammary carcinogenesis. Induction of rat mammary carcinomas by administration of heterocyclic amines in cooked foods. <i>Cancer</i> , 1994, 74, 1063-1069.	2.0	56
27	Increased risk of colorectal cancer among smokers: Results of a 26-year follow-up of us veterans and a review. <i>International Journal of Cancer</i> , 1994, 59, 728-738.	2.3	143
28	Intake of fried meat and risk of cancer: A follow-up study in Finland. <i>International Journal of Cancer</i> , 1994, 59, 756-760.	2.3	123
29	Diet and health: what should we eat?. <i>Science</i> , 1994, 264, 532-537.	6.0	846
30	Diet in the aetiology of cancer: a review. <i>European Journal of Cancer</i> , 1994, 30, 207-220.	1.3	93
31	New thoughts on carcinogenic risk assessment of environmental chemicals. <i>Experimental and Toxicologic Pathology</i> , 1994, 46, 51-54.	2.1	2
32	Prevention of heterocyclic amine formation by tea and tea polyphenols. <i>Cancer Letters</i> , 1994, 83, 143-147.	3.2	96
33	Fostering Leaner Red Meat in the Food Supply. <i>British Food Journal</i> , 1994, 96, 24-32.	1.6	4
34	Microsomal metabolism of the food mutagen 2-amino-3,4,8-trimethyl-3H-imidazo[4,5-f]-quinoxaline to mutagenic metabolites. <i>Mutagenesis</i> , 1994, 9, 59-65.	1.0	15
35	The consumption of well-done red meat and the risk of colorectal cancer.. <i>American Journal of Public Health</i> , 1994, 84, 856-858.	1.5	80
36	Insulin and colon cancer. <i>Cancer Causes and Control</i> , 1995, 6, 164-179.	0.8	696

#	ARTICLE	IF	CITATIONS
37	Exposure to and activation of dietary heterocyclic amines in humans. <i>Critical Reviews in Oncology/Hematology</i> , 1995, 21, 19-31.	2.0	16
38	A comparison of lymphocyte micronuclei and plasma micronutrients in vegetarians and non-vegetarians. <i>Carcinogenesis</i> , 1995, 16, 223-230.	1.3	71
39	Diet and Colorectal Cancer: Still an Open Question. <i>Journal of the National Cancer Institute</i> , 1995, 87, 1733-1735.	3.0	21
40	Inhibitory effect of chlorophyllin on PhIP-induced mammary carcinogenesis in female F344 rats. <i>Carcinogenesis</i> , 1995, 16, 2243-2246.	1.3	82
41	Non-promoting effects of lean beef in the rat colon carcinogenesis model. <i>Carcinogenesis</i> , 1995, 16, 1157-1160.	1.3	28
42	Heterocyclic amine content in fast-food meat products. <i>Food and Chemical Toxicology</i> , 1995, 33, 545-551.	1.8	155
43	Evaluation of hamburgers and hot dogs for the presence of mutagens. <i>Food and Chemical Toxicology</i> , 1995, 33, 815-820.	1.8	20
44	Inhibition of mutagenesis of 2-amino-3-methylimidazo[4,5- $\epsilon$ ]quinoline (IQ) by coumarins and furanocoumarins, chromanones and furanochromanones. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1995, 345, 57-71.	1.2	29
45	Modifying actions of solvent extracts from fruit and vegetable residues on 2-amino-3-methylimidazo[4,5-f]quinoline (IQ) and 2-amino-3,4-dimethylimidazo[4,5-f]quinoxaline (MeIQx) induced mutagenesis in <i>Salmonella typhimurium</i> TA 98. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1995, 341, 303-318.	1.2	54
46	Lack of aberrant crypt promotion and of mutagenicity in extracts of cooked casein, a colon cancer-promoting food. <i>Nutrition and Cancer</i> , 1995, 24, 249-256.	0.9	4
47	Human Exposure to Carcinogenic Heterocyclic Amines and Their Mutational Fingerprints in Experimental Animals. <i>Environmental Health Perspectives</i> , 1996, 104, 497.	2.8	8
48	Meat consumption and risk of lung cancer; a case-control study from Uruguay. <i>Lung Cancer</i> , 1996, 14, 195-205.	0.9	51
49	Inhibitory potential of pregnancy and lactation on mammary carcinogenesis induced by a food-derived carcinogen, 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine, in Sprague-Dawley rats. <i>Cancer Letters</i> , 1996, 101, 73-78.	3.2	6
50	Longitudinal distribution of arylamine N-acetyltransferases in the intestine of the hamster, mouse, and rat. <i>Biochemical Pharmacology</i> , 1996, 52, 1613-1620.	2.0	19
51	Chemical and Biological Influence of Hazardous Substances and Obstacle Organisms to Aquatic Environment and Their Control. <i>Risk Assessment of Genotoxic Substances Related to Human Diet in the Water Environment.. Journal of Japan Society on Water Environment</i> , 1996, 19, 847-854.	0.1	10
52	Heterocyclic amines: occurrence and prevention in cooked food.. <i>Environmental Health Perspectives</i> , 1996, 104, 280-288.	2.8	55
53	Human exposure to carcinogenic heterocyclic amines and their mutational fingerprints in experimental animals.. <i>Environmental Health Perspectives</i> , 1996, 104, 497-501.	2.8	35
54	Lack of inhibitory effect of benzyl isothiocyanate on 2-amino-1-methyl-6-phenylimidazo (4,5-b)pyridine (phIP)-induced mammary carcinogenesis in rats.. <i>Journal of Toxicological Sciences</i> , 1996, 21, 189-194.	0.7	8

#	ARTICLE	IF	CITATIONS
55	Genetic alterations in rat colon tumors induced by heterocyclic amines. , 1996, 77, 1593-1597.		22
56	Nutrition and colorectal cancer. <i>Cancer Causes and Control</i> , 1996, 7, 127-146.	0.8	311
57	Validation in rats of two biomarkers of exposure to the food-borne carcinogen 2-amino-1-methyl-6-phenylimidazo[4, 5-b]pyridine (PhIP): PhIP-DNA adducts and urinary PhIP. <i>Carcinogenesis</i> , 1996, 17, 67-72.	1.3	27
58	Presence of N2-(deoxyguanosin-8-yl)-2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (dG-C8-MeIQx) in human tissues. <i>Carcinogenesis</i> , 1996, 17, 1029-1034.	1.3	99
59	Evidence of anti-benzo[a]pyrene diolepoxide-DNA adduct formation in human colon mucosa. <i>Carcinogenesis</i> , 1996, 17, 2081-2083.	1.3	85
60	Organ distinctive mutagenicity in MutaTMMouse after short-term exposure to PhIP. <i>Mutagenesis</i> , 1996, 11, 505-509.	1.0	23
61	Meat intake, heterocyclic amines and risk of colorectal cancer. <i>International Journal of Oncology</i> , 1997, 10, 573-80.	1.4	6
62	The role of fat, fatty acids, and total energy intake in the etiology of human colon cancer. <i>American Journal of Clinical Nutrition</i> , 1997, 66, 1564S-1571S.	2.2	132
63	Effects of high- and low-risk diets on gut microflora-associated biomarkers of colon cancer in human flora-associated rats. <i>Nutrition and Cancer</i> , 1997, 27, 250-255.	0.9	38
64	Colon cancer from etiology to prevention. <i>American Journal of Surgery</i> , 1997, 174, 578-582.	0.9	3
65	Differential effect of acetyltransferase expression on the genotoxicity of heterocyclic amines in CHO cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1997, 390, 93-103.	0.9	45
66	Polar and non-polar heterocyclic amines in cooked fish and meat products and their corresponding pan residues. <i>Food and Chemical Toxicology</i> , 1997, 35, 555-565.	1.8	174
67	Heterocyclic aromatic amine content in pre-processed meat cuts produced in Canada. <i>Food and Chemical Toxicology</i> , 1997, 35, 199-206.	1.8	20
68	Food and cancer prevention. <i>Cancer Letters</i> , 1997, 114, 3-5.	3.2	2
69	Meat consumption and preparation, and genetic susceptibility in relation to colorectal adenomas. <i>Cancer Letters</i> , 1997, 114, 309-311.	3.2	5
70	Diet, obesity and low physical activity. <i>Apmis</i> , 1997, 105, 100-119.	0.9	8
71	Health risks of heterocyclic amines. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1997, 376, 37-41.	0.4	97
72	Assessing human risk to heterocyclic amines. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1997, 376, 53-60.	0.4	36

#	ARTICLE	IF	CITATIONS
73	Carcinogenicity of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in the rat. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1997, 376, 107-114.	0.4	83
74	Genetic changes induced by heterocyclic amines. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1997, 376, 161-167.	0.4	81
75	Exposure assessment of heterocyclic amines (HCAs) in epidemiologic studies. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1997, 376, 195-202.	0.4	73
76	Overview of carcinogenic heterocyclic amines. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1997, 376, 211-219.	0.4	284
77	Human exposure to mutagenic/carcinogenic heterocyclic amines and comutagenic $\hat{I}^2$ -carbolines. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1997, 376, 253-259.	0.4	69
78	Pilot study of free and conjugated urinary mutagenicity during consumption of pan-fried meats: possible modulation by cruciferous vegetables, glutathione S-transferase-M1, and N-acetyltransferase-2. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1997, 381, 83-96.	0.4	27
79	Diet and the prevention of cancer. , 1997, 16, 357-376.		16
80	Meat preparation and colorectal adenomas in a large sigmoidoscopy-based case-control study in California (United States). Cancer Causes and Control, 1997, 8, 175-183.	0.8	88
81	Risk of adenocarcinoma of the stomach and esophagus with meat cooking method and doneness preference. International Journal of Cancer, 1997, 71, 14-19.	2.3	161
82	Fried, well-done red meat and risk of lung cancer in women (United States). Cancer Causes and Control, 1998, 9, 621-630.	0.8	104
83	Inhibitory effects of antioxidants on formation of heterocyclic amines. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 1998, 402, 237-245.	0.4	94
84	Lifestyle and colorectal cancer: A case-control study. Environmental Health and Preventive Medicine, 1998, 3, 146-151.	1.4	12
85	The inherent genotoxic potency of food mutagens and other heterocyclic and carbocyclic aromatic amines and corresponding azides. European Food Research and Technology, 1998, 207, 428-433.	0.6	5
86	Enhancement of colon and stomach carcinogenesis in 1,2-dimethylhydrazine-treated rats fed a diet high in heterocyclic amines. European Food Research and Technology, 1998, 207, 455-458.	0.6	2
87	Heterocyclic amines formed in the diet: carcinogenicity and its modulation by dietary factors. Journal of Nutritional Biochemistry, 1998, 9, 604-612.	1.9	32
88	Heterocyclic amine content of pork products cooked by different methods and to varying degrees of doneness. Food and Chemical Toxicology, 1998, 36, 289-297.	1.8	201
89	Heterocyclic amine content in beef cooked by different methods to varying degrees of doneness and gravy made from meat drippings. Food and Chemical Toxicology, 1998, 36, 279-287.	1.8	273
90	Inhibition of PhIP mutagenicity by caffeine, lycopene, daidzein, and genistein. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 1998, 416, 125-128.	0.9	53

#	ARTICLE	IF	CITATIONS
91	Feeding of a well-cooked beef diet containing a high heterocyclic amine content enhances colon and stomach carcinogenesis in 1,2-dimethylhydrazine-treated rats. <i>Nutrition and Cancer</i> , 1998, 30, 220-226.	0.9	26
92	Dietary nitrosamines, heterocyclic amines, and risk of gastric cancer: A case-control study in Uruguay. <i>Nutrition and Cancer</i> , 1998, 30, 158-162.	0.9	66
93	Metabolism of the Food-Borne Mutagen 2-Amino-3,8-dimethylimidazo[4,5-f]quinoxaline in Humans. <i>Chemical Research in Toxicology</i> , 1998, 11, 217-225.	1.7	68
94	DIET, NUTRIENTS, AND GASTROINTESTINAL CANCER. <i>Gastroenterology Clinics of North America</i> , 1998, 27, 325-346.	1.0	16
95	Well-Done Meat Intake and the Risk of Breast Cancer. <i>Journal of the National Cancer Institute</i> , 1998, 90, 1724-1729.	3.0	258
96	Case-control study on the role of heterocyclic amines in the etiology of upper aerodigestive cancers in Uruguay. <i>Nutrition and Cancer</i> , 1998, 32, 43-48.	0.9	24
97	Absence of PhIP adducts, p53 and Apc mutations, in rats fed a cooked beef diet containing a high level of heterocyclic amines. <i>Nutrition and Cancer</i> , 1998, 30, 227-231.	0.9	8
98	Thermally oxidized dietary fat and colon carcinogenesis in rodents. <i>Nutrition and Cancer</i> , 1998, 30, 69-73.	0.9	36
99	Distribution and metabolism of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in female rats and their pups at dietary doses. <i>Carcinogenesis</i> , 1998, 19, 919-924.	1.3	27
100	Genetic analysis of PhIP intestinal mutations in MutaTMMouse. <i>Mutagenesis</i> , 1998, 13, 601-605.	1.0	38
101	Dietary Risk Factors for Colon Cancer in a Low-risk Population. <i>American Journal of Epidemiology</i> , 1998, 148, 761-774.	1.6	268
102	Effects of Lactic Acid Bacteria on Binding and Absorption of Mutagenic Heterocyclic Amines. <i>Bioscience, Biotechnology and Biochemistry</i> , 1998, 62, 197-200.	0.6	25
104	9. Colorectal cancer. <i>Medical Journal of Australia</i> , 1998, 169, 493-498.	0.8	14
105	Heterocyclic Amine Content of Cooked Meat and Risk of Prostate Cancer. <i>Journal of the National Cancer Institute</i> , 1999, 91, 2038-2044.	3.0	162
106	A population-based dietary inventory of cooked meat and assessment of the daily intake of food mutagens. <i>Food Additives and Contaminants</i> , 1999, 16, 215-225.	2.0	28
107	Anophthalmia in Litters of Female Rats Treated with the Food-Derived Carcinogen, 2-Amino-1-Methyl-6-Phenylimidazo[4,5-b]Pyridine. <i>Toxicologic Pathology</i> , 1999, 27, 628-631.	0.9	4
108	Mutagenesis of the N-(Deoxyguanosin-8-yl)-2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine DNA Adduct in Mammalian Cells. <i>Journal of Biological Chemistry</i> , 1999, 274, 27433-27438.	1.6	52
109	Neonatal exposure to the food mutagen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine via breast milk or directly induces intestinal tumors in multiple intestinal neoplasia mice. <i>Carcinogenesis</i> , 1999, 20, 1277-1282.	1.3	41

#	ARTICLE	IF	CITATIONS
110	Formation of Heterocyclic Amines in a Meat Juice Model System. <i>Journal of Food Science</i> , 1999, 64, 216-221.	1.5	66
111	Harvard Report on Cancer Prevention. Volume 3: prevention of colon cancer in the United States. <i>Cancer Causes and Control</i> , 1999, 10, 167-180.	0.8	86
112	Diet and risk of colorectal cancer in a cohort of Finnish men. <i>Cancer Causes and Control</i> , 1999, 10, 387-396.	0.8	298
113	Meat intake and risk of squamous cell esophageal cancer: a case-control study in Uruguay. , 1999, 82, 33-37.		31
114	INTERSPECIES DIFFERENCES IN CANCER SUSCEPTIBILITY AND TOXICITY*. <i>Drug Metabolism Reviews</i> , 1999, 31, 917-970.	1.5	133
115	Drug metabolism polymorphisms as modulators of cancer susceptibility. <i>Mutation Research - Reviews in Mutation Research</i> , 1999, 436, 227-261.	2.4	128
116	Dietary fat and carcinogenesis. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1999, 443, 111-127.	0.9	128
117	Phenolics: blocking agents for heterocyclic amine-induced carcinogenesis. <i>Food and Chemical Toxicology</i> , 1999, 37, 985-992.	1.8	58
118	Macromolecular adduct formation and metabolism of heterocyclic amines in humans and rodents at low doses. <i>Cancer Letters</i> , 1999, 143, 149-155.	3.2	86
119	Comparative biotransformation studies of MeIQx and PhIP in animal models and humans. <i>Cancer Letters</i> , 1999, 143, 161-165.	3.2	48
120	Chemoprevention of heterocyclic amine-induced carcinogenesis by phenolic compounds in rats. <i>Cancer Letters</i> , 1999, 143, 173-178.	3.2	62
121	Dietary heterocyclic amines and cancer of the colon, rectum, bladder, and kidney: a population-based study. <i>Lancet, The</i> , 1999, 353, 703-707.	6.3	247
122	Effects of a chargrilled meat diet on expression of CYP3A, CYP1A, and P-glycoprotein levels in healthy volunteers. <i>Gastroenterology</i> , 1999, 117, 89-98.	0.6	131
123	Colorectal Cancer: Molecules and Populations. <i>Journal of the National Cancer Institute</i> , 1999, 91, 916-932.	3.0	762
124	Chromatographic and related techniques for the determination of aromatic heterocyclic amines in foods. <i>Biomedical Applications</i> , 2000, 747, 139-169.	1.7	86
125	Colorectal disorders: A dietary management perspective. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2000, 9, S76-S82.	0.3	11
126	How we should deal with unavoidable exposure of man to environmental mutagens: cooked food mutagen discovery, facts and lessons for cancer prevention. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2000, 447, 15-25.	0.4	38
127	N-Acetyltransferase polymorphism and human cancer risk. <i>Environmental Health and Preventive Medicine</i> , 2000, 4, 165-173.	1.4	3



#	ARTICLE	IF	CITATIONS
128	Colorectal Neoplasia and Meat: Epidemiology and Mechanisms. , 2000, , 3-11.		1
130	Nutrition and dietary carcinogens. <i>Carcinogenesis</i> , 2000, 21, 387-395.	1.3	337
131	Comparing odds ratios for nested subsets of dietary components. <i>International Journal of Epidemiology</i> , 2000, 29, 1060-1064.	0.9	30
132	Glutathione S-Transferase Polymorphisms and Colorectal Cancer: A HuGE Review. <i>American Journal of Epidemiology</i> , 2000, 151, 7-32.	1.6	277
133	Occurrence of heterocyclic aromatic amines in the Swiss diet: analytical method, exposure estimation and risk assessment. <i>Food Additives and Contaminants</i> , 2001, 18, 533-551.	2.0	90
134	Metabolism of 2-Amino-3,8-dimethylimidazo[4,5-f]-quinoxaline in Human Hepatocytes: 2-Amino-3-methylimidazo[4,5-f]quinoxaline-8-carboxylic Acid Is a Major Detoxication Pathway Catalyzed by Cytochrome P450 1A2. <i>Chemical Research in Toxicology</i> , 2001, 14, 211-221.	1.7	66
135	Lung cancer risk and red meat consumption among Iowa women. <i>Lung Cancer</i> , 2001, 34, 37-46.	0.9	51
136	Analysis of 200 food items for benzo[a]pyrene and estimation of its intake in an epidemiologic study. <i>Food and Chemical Toxicology</i> , 2001, 39, 423-436.	1.8	420
137	Concentration of 2-amino-1-methyl-6-phenylimidazo(4,5-b)pyridine (PhIP) in urine and alkali-hydrolyzed urine after consumption of charbroiled beef. <i>Cancer Letters</i> , 2001, 173, 43-51.	3.2	30
138	Modern Management of Rectal Cancer. <i>Digestive Surgery</i> , 2001, 18, 1-20.	0.6	13
139	Intestinal tumours induced by the food carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine in multiple intestinal neoplasia mice have truncation mutations as well as loss of the wild-type Apc+ allele. <i>Mutagenesis</i> , 2001, 16, 309-315.	1.0	23
140	Understanding the Interaction Between Environmental Exposures and Molecular Events in Colorectal Carcinogenesis. <i>Cancer Investigation</i> , 2001, 19, 524-539.	0.6	10
141	Cytochrome P4501A2 (CYP1A2) activity and lung cancer risk: a preliminary study among Chinese women in Singapore. <i>Carcinogenesis</i> , 2001, 22, 673-677.	1.3	40
142	Dietary heterocyclic amines and microsatellite instability in colon adenocarcinomas. <i>Carcinogenesis</i> , 2001, 22, 1681-1684.	1.3	49
143	Effect of cruciferous vegetable consumption on heterocyclic aromatic amine metabolism in man. <i>Carcinogenesis</i> , 2001, 22, 1413-1420.	1.3	89
144	Chemoprevention of 2-amino-1-methyl-6-phenylimidazo- [4,5-b]pyridine-induced colon carcinogenesis by 1-O-hexyl-2,3,5-trimethylhydroquinone after initiation with 1,2-dimethylhydrazine in F344 rats. <i>Carcinogenesis</i> , 2002, 23, 283-287.	1.3	14
145	The food mutagen 2-amino-9H-pyrido[2,3-b]indole (A <sup>±</sup> C) but not its methylated form (MeA <sup>±</sup> C) increases intestinal tumorigenesis in neonatally exposed multiple intestinal neoplasia mice. <i>Carcinogenesis</i> , 2002, 23, 1373-1378.	1.3	7
146	Meat consumption and cancer of the large bowel. <i>European Journal of Clinical Nutrition</i> , 2002, 56, S19-S24.	1.3	37

#	ARTICLE	IF	CITATIONS
147	A pharmacogenetic study to investigate the role of dietary carcinogens in the etiology of colorectal cancer. <i>Carcinogenesis</i> , 2002, 23, 1839-1850.	1.3	241
148	Protective effect of acetaminophen against colon cancer initiation effects of 3,2- $\alpha^2$ -dimethyl-4-aminobiphenyl in rats. <i>European Journal of Cancer Prevention</i> , 2002, 11, 39-48.	0.6	14
149	Cooking methods, metabolic polymorphisms and colorectal cancer. <i>European Journal of Cancer Prevention</i> , 2002, 11, 75-84.	0.6	8
150	Dietary fat and cancer. <i>American Journal of Medicine</i> , 2002, 113, 63-70.	0.6	145
151	Heterocyclic aromatic amines in cooked hamburgers and chicken obtained from local fast food outlets in the Ottawa region. <i>Food Research International</i> , 2002, 35, 837-847.	2.9	52
152	Mutagenic and carcinogenic heterocyclic amines as affected by muscle types/skin and cooking in pan-roasted mackerel. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2002, 515, 189-195.	0.9	27
153	One dose of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) or 2-amino-3-methylimidazo[4,5-f]quinoline (IQ) induces tumours in Min/+ mice by truncation mutations or LOH in the Apc gene. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2002, 517, 157-166.	0.9	25
154	Protection by beverages, fruits, vegetables, herbs, and flavonoids against genotoxicity of 2-acetylaminofluorene and 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in metabolically competent V79 cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2002, 521, 57-72.	0.9	89
155	Genetic and environmental factors in cancer and neurodegenerative diseases. <i>Mutation Research - Reviews in Mutation Research</i> , 2002, 512, 135-153.	2.4	143
156	Meat consumption and meat preparation in relation to colorectal adenomas among sporadic and HNPCC family patients in The Netherlands. <i>European Journal of Cancer</i> , 2002, 38, 2300-2308.	1.3	34
157	Problems associated with the determination of heterocyclic amines in cooked foods and human exposure. <i>Food and Chemical Toxicology</i> , 2002, 40, 1197-1203.	1.8	76
158	Heterocyclic amines in poultry products: a literature review. <i>Food and Chemical Toxicology</i> , 2002, 40, 1213-1221.	1.8	91
159	Lack of modification of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx)-induced hepatocarcinogenesis in rats by fenbendazole â€“ a CYP1A2 inducer. <i>Cancer Letters</i> , 2002, 185, 39-45.	3.2	8
160	Modifiable risk factors for colon cancer. <i>Gastroenterology Clinics of North America</i> , 2002, 31, 925-943.	1.0	330
161	Molecular and genetic toxicology of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP). <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2002, 506-507, 91-99.	0.4	64
162	Analysis of total meat intake and exposure to individual heterocyclic amines in a case-control study of colorectal cancer: contribution of metabolic variation to risk. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2002, 506-507, 175-185.	0.4	126
163	Meat consumption, cancer risk and population groups within New Zealand. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2002, 506-507, 215-224.	0.4	23
164	Estimation of dietary HCA intakes in a large-scale population-based prospective study in Japan. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2002, 506-507, 233-241.	0.4	52

#	ARTICLE	IF	CITATIONS
165	Meat consumption and colorectal cancer risk: Dose-response meta-analysis of epidemiological studies. <i>International Journal of Cancer</i> , 2002, 98, 241-256.	2.3	418
166	Food groups and the risk of colorectal carcinoma in an Asian population. <i>Cancer</i> , 2002, 95, 2390-2396.	2.0	48
167	Carotenoids from tomatoes inhibit heterocyclic amine formation. <i>European Food Research and Technology</i> , 2002, 215, 108-113.	1.6	46
168	Cooking of meat and fish in Europe—results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Clinical Nutrition</i> , 2002, 56, 1216-1230.	1.3	42
169	Blue Chitin columns for the extraction of heterocyclic amines from cooked meat. <i>Journal of Chromatography A</i> , 2002, 977, 97-105.	1.8	21
170	Possible Influence of Glutathione S -Transferase GSTT1 Null Genotype on Age of Onset of Sporadic Colorectal Adenocarcinoma. <i>Diseases of the Colon and Rectum</i> , 2003, 46, 510-515.	0.7	20
171	Development and characterization of CHO repair-proficient cell lines for comparative mutagenicity and metabolism of heterocyclic amines from cooked food. <i>Environmental and Molecular Mutagenesis</i> , 2003, 41, 7-13.	0.9	11
172	Incorporation of the Food Mutagen 2-Amino-1-Methyl-6-Phenylimidazo[4,5-b]Pyridine (PhIP) into Fur and Correlation with Intestinal Tumorigenesis in Min /+ Mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2003, 92, 131-136.	0.0	3
173	Model for incorporating social context in health behavior interventions: applications for cancer prevention for working-class, multiethnic populations. <i>Preventive Medicine</i> , 2003, 37, 188-197.	1.6	206
174	Heterocyclic Amines, Meat Intake, and Association with Colon Cancer in a Population-based Study. <i>American Journal of Epidemiology</i> , 2003, 157, 434-445.	1.6	196
175	Colon Cancer: Prevalence, Screening, Gene Expression and Mutation, and Risk Factors and Assessment. <i>Journal of Environmental Science and Health, Part C: Environmental Carcinogenesis and Ecotoxicology Reviews</i> , 2003, 21, 65-131.	2.9	40
176	Probiotic mixture decreases DNA adduct formation in colonic epithelium induced by the food mutagen 2-amino-9H-pyrido[2,3-b]indole in a human-flora associated mouse model. <i>European Journal of Cancer Prevention</i> , 2003, 12, 101-107.	0.6	35
177	Cruciferous vegetable consumption alters the metabolism of the dietary carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in humans. <i>Carcinogenesis</i> , 2004, 25, 1659-1669.	1.3	87
178	Relative Validity of a Food Frequency Questionnaire with a Meat-Cooking and Heterocyclic Amine Module. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 293-298.	1.1	58
179	Meat intake, cooking-related mutagens and risk of colorectal adenoma in a sigmoidoscopy-based case-control study. <i>Carcinogenesis</i> , 2004, 26, 637-642.	1.3	78
180	Toxicology of Chemical Carcinogens. , 2004, , 83-180.		0
181	Beef Tallow Increases Apoptosis and Decreases Aberrant Crypt Foci Formation Relative to Soybean Oil in Rat Colon. <i>Nutrition and Cancer</i> , 2004, 50, 55-62.	0.9	4
182	Meat cooking habits and risk of colorectal cancer in Córdoba, Argentina. <i>Nutrition</i> , 2004, 20, 873-877.	1.1	47

#	ARTICLE	IF	CITATIONS
183	Blue Chitin Columns for the Extraction of Heterocyclic Amines from Urine Samples. <i>Chromatographia</i> , 2004, 60, 651-655.	0.7	10
184	Risk of Colorectal Adenomas in Relation to Meat Consumption, Meat Preparation, and Genetic Susceptibility in a Dutch Population. <i>Cancer Causes and Control</i> , 2004, 15, 225-236.	0.8	63
185	Meat-related mutagens/carcinogens in the etiology of colorectal cancer. <i>Environmental and Molecular Mutagenesis</i> , 2004, 44, 44-55.	0.9	371
186	Use of antioxidants to minimize the human health risk associated to mutagenic/carcinogenic heterocyclic amines in food. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 802, 189-199.	1.2	135
187	Phytoalexin resveratrol attenuates the mutagenicity of the heterocyclic amines 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine and 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 802, 217-223.	1.2	15
188	Evaluation of a new model system for studying the formation of heterocyclic amines. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004, 802, 19-26.	1.2	110
189	Meat Consumption Patterns and Preparation, Genetic Variants of Metabolic Enzymes, and Their Association with Rectal Cancer in Men and Women. <i>Journal of Nutrition</i> , 2004, 134, 776-784.	1.3	57
190	Meat intake and the recurrence of colorectal adenomas. <i>European Journal of Cancer Prevention</i> , 2004, 13, 159-164.	0.6	26
191	Promoting Behavior Change Among Working-Class, Multiethnic Workers: Results of the Healthy Directionsâ€™ Small Business Study. <i>American Journal of Public Health</i> , 2005, 95, 1389-1395.	1.5	129
192	Formation and Human Risk of Carcinogenic Heterocyclic Amines Formed from Natural Precursors in Meat. <i>Nutrition Reviews</i> , 2005, 63, 158-165.	2.6	159
193	Meat consumption and K-ras mutations in sporadic colon and rectal cancer in The Netherlands Cohort Study. <i>British Journal of Cancer</i> , 2005, 92, 1310-1320.	2.9	48
194	Potential sources of carcinogenic heterocyclic amines in the Chinese diet: results from a 24-h dietary recall study in Singapore. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 16-23.	1.3	16
195	Intraperitoneal injection of d-galactosamine provides a potent cell proliferation stimulus for the detection of initiation activities of chemicals in rat liver. <i>Journal of Applied Toxicology</i> , 2005, 25, 554-561.	1.4	4
196	Colonic adenocarcinomas rapidly induced by the combined treatment with 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine and dextran sodium sulfate in male ICR mice possess $\beta$ -catenin gene mutations and increases immunoreactivity for $\beta$ -catenin, cyclooxygenase-2 and inducible nitric oxide synthase. <i>Carcinogenesis</i> , 2005, 26, 229-238.	1.3	87
197	Meat Consumption and Risk of Colorectal Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2005, 293, 172.	3.8	461
198	Dietary Benzo[a]Pyrene Intake and Risk of Colorectal Adenoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2030-2034.	1.1	126
199	Meat, Meat Cooking Methods and Preservation, and Risk for Colorectal Adenoma. <i>Cancer Research</i> , 2005, 65, 8034-8041.	0.4	203
200	Primary Prevention of Colorectal Cancer: Lifestyle, Nutrition, Exercise. , 2005, 166, 177-211.		114

#	ARTICLE	IF	CITATIONS
201	Age at exposure and Apc status influence the levels of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP)-DNA adducts in mouse intestine and liver. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2005, 587, 73-89.	0.9	5
202	Equivocal impact of transplacental and lactational exposure to a food-derived carcinogen, 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine, on prostate and colon lesion development in F344 rats. Cancer Letters, 2005, 224, 23-30.	3.2	3
203	Modulation of cytochrome P450 enzymes by organosulfur compounds from garlic. Food and Chemical Toxicology, 2005, 43, 1753-1762.	1.8	76
204	The urologist as an advocate of men's health: 10 suggested steps toward helping patients achieve better overall health. Urology, 2005, 66, 52-56.	0.5	6
205	Lack of modification of 2-amino-3,8-dimethylimidazo[4,5-f]quinoxaline (MeIQx) rat hepatocarcinogenesis by caffeine, a CYP1A2 inducer, points to complex counteracting influences. Cancer Letters, 2006, 232, 289-299.	3.2	11
206	Contributions - B: Carcinogenic Factors: Exogenous. , 2006, , 101-227.		0
208	The Pursuit of Optimal Diets: A Progress Report. , 2006, , 37-56.		2
209	Enhancing effects of simultaneous treatment with sodium nitrite on 2-amino-3-methylimidazo[4,5-f]quinoline-induced rat liver, colon and Zymbal's gland carcinogenesis after initiation with diethylnitrosamine and 1,2-dimethylhydrazine. International Journal of Cancer, 2006, 118, 2399-2404.	2.3	11
210	Heterocyclic amines: Chemistry and health. Molecular Nutrition and Food Research, 2006, 50, 1150-1170.	1.5	102
211	Fried foods, olive oil and colorectal cancer. Annals of Oncology, 2007, 18, 36-39.	0.6	50
212	Highly elevated PSA and dietary PhIP intake in a prospective clinic-based study among African Americans. Prostate Cancer and Prostatic Diseases, 2007, 10, 261-269.	2.0	31
213	Meat intake, preparation methods, mutagens and colorectal adenoma recurrence. Carcinogenesis, 2007, 28, 2019-2027.	1.3	57
214	Processed meat intake, CYP2A6 activity and risk of colorectal adenoma. Carcinogenesis, 2007, 28, 1210-1216.	1.3	54
215	Diet, Gender, and Colorectal Neoplasia. Journal of Clinical Gastroenterology, 2007, 41, 731-746.	1.1	81
216	Inhibitory Effect of Fruit Extracts on the Formation of Heterocyclic Amines. Journal of Agricultural and Food Chemistry, 2007, 55, 10359-10365.	2.4	75
217	Biomarkers for Dietary Carcinogens: The Example of Heterocyclic Amines in Epidemiological Studies. , 0, , 299-308.		0
218	Intestinal bacteria metabolize the dietary carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine following consumption of a single cooked chicken meal in humans. Food and Chemical Toxicology, 2008, 46, 140-148.	1.8	42
219	Red Meat Intake, Doneness, Polymorphisms in Genes that Encode Carcinogen-Metabolizing Enzymes, and Colorectal Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3098-3107.	1.1	100

#	ARTICLE	IF	CITATIONS
220	Processed Meat and Colorectal Cancer: A Review of Epidemiologic and Experimental Evidence. <i>Nutrition and Cancer</i> , 2008, 60, 131-144.	0.9	340
221	Meat Consumption and Cancer. , 2008, , 272-281.		3
223	Meat Consumption and Colorectal Cancer: A Review of Epidemiologic Evidence. <i>Nutrition Reviews</i> , 2001, 59, 37-47.	2.6	104
224	Detection of Initiation Activity of 1,2-Dimethylhydrazine in in vivo Medium-Term Liver Initiation Assay Ssystem using 4-Week-Old Rats without Hepatocellular Proliferative Stimuli during the Test Chemical Treatment Period. <i>Journal of Veterinary Medical Science</i> , 2010, 72, 43-53.	0.3	6
225	Mutagenicity of Heterocyclic Amines by Biomimetic Chemical Models for Cytochrome P450 in Ames Assay. <i>Genes and Environment</i> , 2010, 32, 7-13.	0.9	3
226	Primary Prevention of Colorectal Cancer. <i>Gastroenterology</i> , 2010, 138, 2029-2043.e10.	0.6	535
227	Behavior and Dietary Modification in the Prevention of Colon Cancer. , 2011, , 47-64.		0
228	Meat consumption and cooking practices and the risk of colorectal cancer. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 668-675.	1.3	17
229	Caffeine, pentoxifylline and theophylline form stacking complexes with IQ-type heterocyclic aromatic amines. <i>Bioorganic Chemistry</i> , 2011, 39, 10-17.	2.0	34
230	The cooked meat-derived mammary carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine promotes invasive behaviour of breast cancer cells. <i>Toxicology</i> , 2011, 279, 139-145.	2.0	26
232	Rapid induction of colon carcinogenesis in CYP1A-humanized mice by 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine and dextran sodium sulfate. <i>Carcinogenesis</i> , 2011, 32, 233-239.	1.3	38
233	Meat consumption and the risk of incident distal colon and rectal adenoma. <i>British Journal of Cancer</i> , 2012, 106, 608-616.	2.9	62
234	Comparing strategies to assess multiple behavior change in behavioral intervention studies. <i>Translational Behavioral Medicine</i> , 2013, 3, 114-121.	1.2	19
235	Current Evidence on Healthy Eating. <i>Annual Review of Public Health</i> , 2013, 34, 77-95.	7.6	189
236	Overview of Colorectal Cancer. , 2013, , 1-28.		0
237	Heterocyclic Aromatic Amines Heterocomplexation with Biologically Active Aromatic Compounds and Its Possible Role in Chemoprevention. , 2013, 2013, 1-11.		10
238	The Reproducibility of Indoor Air Pollution (IAP) Measurement: A Test Case for the Measurement of Key Air Pollutants from the Pan Frying of Fish Samples. <i>Scientific World Journal</i> , The, 2014, 2014, 1-9.	0.8	5
240	An evidence-based conceptual framework of healthy cooking. <i>Preventive Medicine Reports</i> , 2016, 4, 23-28.	0.8	60

#	ARTICLE	IF	CITATIONS
241	Cooking methods and the formation of PhIP (2-Amino, 1-methyl, 6-phenylimidazo[4,5-b] pyridine) in the crust of the habitually consumed meat in Argentina. Food and Chemical Toxicology, 2016, 92, 88-93.	1.8	9
242	Amino Acids Inhibitory Effects and Mechanism on 2-Amino-1-Methyl-6-Phenylimidazo [4,5-b]Pyridine (PhIP) Formation in the Maillard Reaction Model Systems. Journal of Food Science, 2017, 82, 3037-3045.	1.5	16
243	Meat Consumption and Cancer. , 2017, , 604-611.		1
244	Meat intake, cooking methods and doneness and risk of colorectal tumours in the Spanish multicase-control study (MCC-Spain). European Journal of Nutrition, 2018, 57, 643-653.	1.8	13
245	Species differences in drug glucuronidation: Humanized UDP-glucuronosyltransferase 1 mice and their application for predicting drug glucuronidation and drug-induced toxicity in humans. Drug Metabolism and Pharmacokinetics, 2018, 33, 9-16.	1.1	50
246	A Review of the In Vivo Evidence Investigating the Role of Nitrite Exposure from Processed Meat Consumption in the Development of Colorectal Cancer. Nutrients, 2019, 11, 2673.	1.7	61
247	General Aspects of Primary Cancer Prevention. Digestive Diseases, 2019, 37, 406-415.	0.8	15
248	Inflammation as a Driver of Prostate Cancer Metastasis and Therapeutic Resistance. Cancers, 2020, 12, 2984.	1.7	69
249	Epidemiological perspectives of dietary sugars, salts and fats. , 2020, , 3-23.		3
250	Sulforaphane: A Broccoli Bioactive Phytochemical with Cancer Preventive Potential. Cancers, 2021, 13, 4796.	1.7	71
251	Dietary carcinogens and mammary carcinogenesis. Induction of rat mammary carcinomas by administration of heterocyclic amines in cooked foods. Cancer, 1994, 74, 1063-1069.	2.0	45
252	Colorectal Cancer: Epidemiology. , 2009, , 5-25.		7
253	Work and Occupation: Important Indicators of Socioeconomic Position and Life Experiences Influencing Cancer Disparities. , 2009, , 83-105.		1
254	Diet. , 1996, , 69-115.		4
255	Nutritional Factors in Human Cancers. Advances in Experimental Medicine and Biology, 1999, 472, 29-42.	0.8	29
256	Risk Factors and Screening for Colorectal Cancer. , 2011, , 7-23.		1
257	Chemical Methods for Assessing Systemic Exposure to Dietary Heterocyclic Amines in Man. Archives of Toxicology Supplement, 1996, 18, 251-258.	0.7	2
258	Enzymic and Interindividual Differences in the Human Metabolism of Heterocyclic Amines. Archives of Toxicology Supplement, 1996, 18, 286-302.	0.7	17

#	ARTICLE	IF	CITATIONS
259	Extrapolation of Heterocyclic Amine Carcinogenesis Data from Rodents and Nonhuman Primates to Humans. Archives of Toxicology Supplement, 1996, 18, 303-318.	0.7	51
260	Roles of Uridine Diphosphate Glucuronosyltransferases in Chemical Carcinogenesis. Handbook of Experimental Pharmacology, 1994, , 391-428.	0.9	6
262	Cancers of the Colon and Rectum. , 2006, , 809-829.		63
263	Quantitative Assessment of the Effect of Cytochrome P450 2C9 Gene Polymorphism and Colorectal Cancer. PLoS ONE, 2013, 8, e60607.	1.1	7
264	The possible involvement of mutagenic and carcinogenic heterocyclic amines in human cancer. , 2006, , 296-327.		6
265	Risk Factors for Colorectal Cancer in Korea: A Population-Based Retrospective Cohort Study. Annals of Coloproctology, 2019, 35, 347-356.	0.5	24
266	Risk Factors of Colorectal Cancer. Journal of the Korean Society of Coloproctology, 2009, 25, 356.	0.2	19
267	Incidence, Epidemiology and Prevention of Cancer and Management of Cancer Patients-an Overview. Journal of Medical Sciences (Faisalabad, Pakistan), 2003, 3, 429-456.	0.0	4
268	Meat Consumption Is a Risk Factor for Colorectal Cancer: Meta-Analysis of Case-Control Studies. Pakistan Journal of Nutrition, 2006, 5, 230-233.	0.2	7
269	Molecular Epidemiology of Colon Cancer. Cancer Research and Treatment, 2004, 36, 93.	1.3	5
270	A Comparison Study: the Risk Factors in the Lifestyles of Colorectal Cancer Patients and Healthy Adults. Journal of Korean Public Health Nursing, 2014, 28, 471-483.	0.2	1
271	Study on the Determination of Heterocyclic Amines in River Water by Liquid Chromatography/Mass Spectrometry.. Journal of Environmental Chemistry, 1999, 9, 637-646.	0.1	3
272	Colon and Rectal Cancer in Women. , 2000, , 962-976.		0
273	Nutrition and Colon Cancer. , 2001, , 357-372.		3
274	Vegetarian Diets and Dietary Guidelines for Chronic Disease Prevention. Modern Nutrition, 2001, , 371-409.	0.1	0
276	Dietary and Lifestyle Influences on Colorectal Carcinogenesis. , 2002, , 47-64.		0
277	Potential Benefits of Preventive Nutrition Strategies. , 2005, , 713-733.		3
278	Impact of Food Preservation, Processing, and Cooking on Cancer Risk. Chemical and Functional Properties of Food Components Series, 2005, , .	0.1	2



#	ARTICLE	IF	CITATIONS
280	Genetic Polymorphism of N -Acetyltransferase Genes as Risk Modifiers of Colorectal Cancer from Consumption of Well-Done Meat. , 2006, , 189-212.		0
281	Genetic Polymorphism of N -Acetyltransferase Genes as Risk Modifiers of Colorectal Cancer from Consumption of Well-Done Meat. , 2006, , 189-212.		0
282	Chemical and Biological Approaches for Detecting Environmental Causes of Cancer. Genes and Environment, 2009, 31, 87-96.	0.9	0
283	Concept of chemoprevention in colorectal cancer. World Journal of Gastrointestinal Oncology, 2009, 1, 21.	0.8	3
284	A Scientific Examination of Western Dietary Practices as They Relate to Food Practices in Ayurveda. , 2014, , 139-160.		0
285	The Mutagenic Heterocyclic Amines in Cooked Foods. Topics in Molecular Organization and Engineering, 1994, , 233-242.	0.1	0
286	Diet and Colon Cancer.. The Japanese Journal of Nutrition and Dietetics, 1996, 54, 71-78.	0.1	1
287	Modifying effect of KYN-54, a newly synthesized retinoidal butenolide, on 2-amino-3-methylimidazo(4,5-f) quinoline(IQ)-induced carcinogenesis in male F344 rats.. Journal of Toxicologic Pathology, 1996, 9, 323-327.	0.3	0
288	Potential Benefits of Preventive Nutrition Strategies. , 1997, , 423-440.		1
289	Study of large intestine carcinogenesis control by docosahexaenoic acid.. Journal of Lipid Nutrition, 1998, 7, 9-22.	0.1	0
290	ANALYSIS OF THE INCIDENCE RATE OF COLORECTAL CANCER AMONG RESIDENTS OF THE SUMY REGION. Eastern Ukrainian Medical Journal, 2020, 8, 407-423.	0.0	1
291	Comparative assessment of clinical trials, indications, pharmacokinetic parameters and side effects of approved platinum drugs. Pharmacia, 2022, 69, 1-7.	0.4	5
292	Influence of Different Cooking Methods on Fillet Steak Physicochemical Characteristics. International Journal of Environmental Research and Public Health, 2022, 19, 606.	1.2	5