

Conservation of freshwater fish in the British Isles: The threatened species

Aquatic Conservation: Marine and Freshwater Ecosystems
1, 25-54

DOI: [10.1002/aqc.3270010104](https://doi.org/10.1002/aqc.3270010104)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Freshwater fishes: a declining resource. , 0, , 383-400.		0
2	Threats To the Lake Fish Communities of the U.K. Arising From Eutrophication and Species Introductions. <i>Animal Biology</i> , 1991, 42, 233-242.	0.4	25
3	Long-term and short-term fluctuations in the numbers and catches of Arctic charr, <i>Salvelinus alpinus</i> (L.), in Windermere (northwest England). <i>Annales De Limnologie</i> , 1992, 28, 135-146.	0.6	10
4	Conservation of freshwater fish in the British Isles: the status of fish in national nature reserves. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 1992, 2, 19-34.	2.0	20
5	Conservation of freshwater fish in the British Isles: Proposals for management. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 1992, 2, 165-183.	2.0	30
6	Confirmation of the presence of schelly, <i>Coregonus lavaretus</i> , in Brotherswater, U.K.. <i>Journal of Fish Biology</i> , 1993, 42, 621-622.	1.6	4
7	The effect of large-scale spatial variation of pelagic fish on hydroacoustic estimates of their population density in Windermere (northwest England). <i>Ecology of Freshwater Fish</i> , 1993, 2, 160-166.	1.4	20
8	The importance of Loch Lomond National Nature Reserve for Fish. <i>Hydrobiologia</i> , 1994, 290, 103-104.	2.0	2
9	The ecology of lampreys (Petromyzonidae) in the Loch Lomond area. <i>Hydrobiologia</i> , 1994, 290, 105-120.	2.0	33
10	Phosphorus fractionation and mobility in Loch Leven sediments. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 1994, 4, 45-56.	2.0	29
11	The critical thermal limits for juvenile Arctic charr <i>Salvelinus alpinus</i> . <i>Journal of Fish Biology</i> , 1994, 45, 1041-1053.	1.6	78
12	Tolerance of parr of Arctic charr, <i>Salvelinus alpinus</i> , to reduced dissolved oxygen concentrations. <i>Journal of Fish Biology</i> , 1994, 44, 736-738.	1.6	17
13	Racial differences in eggs and juveniles of Windermere charr, <i>Salvelinus alpinus</i> . <i>Journal of Fish Biology</i> , 1994, 45, 407-415.	1.6	19
14	The role of zoos and public aquariums in fish conservation. <i>International Zoo Yearbook</i> , 1995, 34, 6-14.	0.9	9
15	Mitochondrial DNA analysis distinguishes between British populations of the whitefish. <i>Journal of Fish Biology</i> , 1995, 47, 145-155.	1.6	6
16	The conservation of freshwater fish: Past and present experience. <i>Biological Conservation</i> , 1995, 72, 259-270.	4.1	111
17	Legal aspects of the conservation of endemic freshwater fish in the northern Mediterranean region. <i>Biological Conservation</i> , 1995, 72, 321-334.	4.1	1
18	Status and conservation of euryhaline fish in Irish waters. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 1996, 6, 313-318.	2.0	2

#	ARTICLE	IF	CITATIONS
19	Changes in the population density of pelagic salmonids in relation to changes in lake enrichment in Windermere (northwest England). <i>Ecology of Freshwater Fish</i> , 1996, 5, 153-162.	1.4	22
20	Threatened freshwater fishes of Great Britain. , 1996, , 9-21.		22
21	The spawning migration and conservation of smelt <i>Osmerus eperlanus</i> in the River Cree, southwest Scotland. <i>Biological Conservation</i> , 1997, 80, 303-311.	4.1	12
22	The assessment of fish vulnerability in Switzerland based on distribution data. <i>Biological Conservation</i> , 1997, 80, 1-8.	4.1	9
23	Microhabitat use of fish larvae and 0+ juveniles in a highly regulated section of the River Great Ouse. <i>River Research and Applications</i> , 1997, 13, 267-276.	0.8	46
24	Conservation Status of the World's Fish Fauna: An Overview. , 1998, , 187-227.		18
25	Impact of a dam in the neotropics: what can be learned from young-of-the-year fish assemblages in tributaries of the River Sinnamary (French Guiana, South America)?. , 2000, 10, 25-51.		15
26	Temporal and geographical variation in lake trophic status in the English Lake District: evidence from (sub)fossil diatoms and aquatic macrophytes. <i>Freshwater Biology</i> , 2000, 45, 394-412.	2.4	36
27	A comparison of three methods for assessing the abundance of Arctic charr, <i>Salvelinus alpinus</i> , in Windermere (northwest England). <i>Fisheries Research</i> , 2001, 53, 39-46.	1.7	30
28	Evidence for the recent extinction of two Arctic charr <i>Salvelinus alpinus</i> (L.) populations in the West of Ireland. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2001, 11, 77-92.	2.0	17
29	The Irish pollan, <i>Coregonus autumnalis</i> : options for its conservation. <i>Journal of Fish Biology</i> , 2001, 59, 339-355.	1.6	21
30	Hydrology and the ecological quality of Scottish river ecosystems. <i>Science of the Total Environment</i> , 2002, 294, 131-159.	8.0	71
31	Methodology for drawing up a Red List of threatened freshwater fish in France. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2002, 12, 169-179.	2.0	23
32	Recent increase of North Sea houting and prospects for recolonization in the Netherlands. <i>Journal of Fish Biology</i> , 2002, 61, 251-253.	1.6	7
33	Larval rearing of burbot (<i>Lota lota</i> L.) using <i>Brachionus calyciflorus</i> rotifer as starter food. <i>Journal of Applied Ichthyology</i> , 2003, 19, 84-87.	0.7	50
34	Ireland's Most Threatened and Rare Freshwater Fish: an International Perspective on Fish Conservation. <i>Biology and Environment</i> , 2004, 104, 5-16.	0.3	7
35	Microsatellites from the burbot (<i>Lota lota</i>), a freshwater gadoid fish (Teleostei). <i>Molecular Ecology Notes</i> , 2005, 5, 390-392.	1.7	9
36	Ecology of Allis Shad <i>Alosa alosa</i> and Twaite Shad <i>Alosa fallax</i> in the Solway Firth, Scotland. <i>Hydrobiologia</i> , 2005, 534, 205-221.	2.0	34

#	ARTICLE	IF	CITATIONS
37	Aspects of anadromous Allis shad (<i>Alosa alosa</i> Linnaeus) and Twaite shad (<i>Alosa fallax</i> Lacépède) biology in four Irish Special Areas of Conservation (SACs): status, spawning indications and implications for conservation designation. <i>Hydrobiologia</i> , 2008, 602, 145-154.	2.0	15
38	Implications of climate change for the fishes of the British Isles. <i>Journal of Fish Biology</i> , 2009, 74, 1143-1205.	1.6	206
39	Former distribution and decline of the burbot (<i>Lota lota</i>) in the UK. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2010, 20, 371-377.	2.0	23
40	Effects of 12 factors on burbot <i>Lota lota</i> (L., 1758) weaning performances using fractional factorial design experiment. <i>Aquaculture</i> , 2011, 316, 104-110.	3.5	32
41	A review of the historical distribution and status of the burbot (<i>Lota lota</i>) in English rivers. <i>Journal of Applied Ichthyology</i> , 2011, 27, 1-8.	0.7	7
42	Factors affecting the population viability of the burbot, <i>Lota lota</i> . <i>Fisheries Management and Ecology</i> , 2011, 18, 322-332.	2.0	7
43	An experimental approach to estimating vulnerability of European whitefish (<i>Coregonus</i>) to overlock. <i>Freshwater Fish</i> , 2011, 20, 299-307.	1.4	10
44	Predation of the juvenile stages of diadromous fish by sea bass (<i>Dicentrarchus labrax</i>) in the tidal reaches of an English chalk stream. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2011, 21, 307-312.	2.0	13
45	A spatial analytical approach for selecting reintroduction sites for burbot in English rivers. <i>Freshwater Biology</i> , 2012, 57, 602-611.	2.4	3
46	Are phenotypic traits useful for differentiating among <i>a priori</i> <i>Coregonus</i> taxa?. <i>Journal of Fish Biology</i> , 2012, 80, 387-407.	1.6	21
47	Young-of-the-year (YOY) assemblage sampling as a tool for assessing the ecological quality of running waters. <i>Journal of Applied Ichthyology</i> , 2013, 29, 1040-1049.	0.7	4
48	Population genetic structure and geographical differentiation of burbot (<i>Lota lota</i>) in China. <i>Russian Journal of Genetics</i> , 2013, 49, 1047-1056.	0.6	9
49	The geometric morphometrics and condition of Pontic shad, <i>Alosa immaculata</i> (Pisces:). <i>International Zoo Yearbook</i> , 2013, 47, 129-139.	0.5	6
50	<i>Ex situ</i> and <i>in situ</i> approaches, including assisted reproduction, for the conservation of native species of charr (<i>Salmonidae</i>) and whitefish (<i>Coregonidae</i>) in Scotland. <i>International Zoo Yearbook</i> , 2013, 47, 129-139.	0.9	7
51	Temporal and spatial variations in the abundance and population structure of the spined loach (<i>Cobitis taenia</i>), a scarce fish species: implications for condition assessment and conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2014, 24, 818-830.	2.0	8
52	Two hearts are better than one: encouraging collaboration between freshwater fish conservation and freshwater fisheries management. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016, 26, 1007-1012.	2.0	3
53	Effectiveness of Local Biodiversity Action Plans to Identify Locally Rare and Endangered Fish in Scotland. <i>Scottish Geographical Journal</i> , 2016, 132, 74-84.	1.1	0
54	Difference in responses of two coastal species to fluctuating salinities and temperatures: Potential modification of specific distribution areas in the context of global change. <i>Estuarine, Coastal and Shelf Science</i> , 2016, 173, 9-15.	2.1	4

#	ARTICLE	IF	CITATIONS
55	An exploitation plan of tidal power in the Severn Estuary. MATEC Web of Conferences, 2018, 246, 02012.	0.2	0
56	Demonstrating the practical impact of publications in <i>Aquatic Conservation</i> â€“ The case of crucian carp <scp><i>Carassius carassius</i></scp> in the East of England. Aquatic Conservation: Marine and Freshwater Ecosystems, 2020, 30, 1753-1757.	2.0	9
57	The occurrence of polybrominated diphenyl ethers and their metabolites in Portuguese river biota. Science of the Total Environment, 2020, 713, 136606.	8.0	4
58	Allelic losses and gains during translocations of a high conservation value fish, <scp><i>Coregonus lavaretus</i></scp>. Aquatic Conservation: Marine and Freshwater Ecosystems, 2021, 31, 2575-2585.	2.0	3
59	Aspects of anadromous Allis shad (<i>Alosa alosa</i> Linnaeus) and Twaite shad (<i>Alosa fallax</i> LacÃ©pÃ©de) biology in four Irish Special Areas of Conservation (SACs): status, spawning indications and implications for conservation designation. , 2008, , 145-154.		1
60	Conservation Status of the Worldâ€™s Fish Fauna: An Overview. , 1998, , 187-227.		8
61	The status of the fish fauna in the Czech Republic. , 1996, , 89-98.		9
62	Scottish natural heritage and fish conservation in Scotland. , 1996, , 23-26.		3
63	Endangered freshwater fish in Ireland. , 1996, , 27-33.		13
65	The ecology of lampreys (Petromyzonidae) in the Loch Lomond area. , 1994, , 105-120.		0
66	Spawning migration of radio tagged landlocked Arctic Charr, <i>Salvelinus alpinus</i> L. in Ennerdale Lake, the English Lake District. , 1998, , 173-180.		1
67	Testing the devilâ€™s impact on southern Baltic and North Sea basins whitefish (<i>Coregonus</i> spp.) diversity. BMC Evolutionary Biology, 2018, 18, 208.	3.2	4
68	Integrating monitoring, expert knowledge and habitat management within conservation organisations for the delivery of the water framework directive: A proposed approach. , 2011, 30, 427-446.		4