

# Different aetiologies of Type 2 (non-insulin-dependent) non-obese subjects

Diabetologia

34, 483-487

DOI: [10.1007/bf00403284](https://doi.org/10.1007/bf00403284)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Non-Caucasian North American Populations: African Americans. , 0, , 155-179.		0
2	Analysis of Early-Phase Insulin Responses in Nonobese Subjects With Mild Glucose Intolerance. Diabetes Care, 1992, 15, 1517-1521.	4.3	75
3	Pathogenic Factors Responsible for Glucose Intolerance in Patients With NIDDM. Diabetes, 1992, 41, 1540-1546.	0.3	144
4	New Oral Thiazolidinedione Antidiabetic Agents Act as Insulin Sensitizers. Diabetes Care, 1992, 15, 1075-1079.	4.3	130
5	Insulin Action in Black Americans With NIDDM. Diabetes Care, 1992, 15, 1295-1302.	4.3	72
6	Infant nutrition and subsequent risk of Type 2 (non-insulin-dependent) diabetes mellitus. Diabetologia, 1993, 36, 267-268.	2.9	4
7	Insulin resistance and insulin deficiency in the pathogenesis of Type 2 (non-insulin-dependent) diabetes mellitus: errors of metabolism or of methods?. Diabetologia, 1993, 36, 1326-1331.	2.9	140
8	Insulin resistance, hypertension and microalbuminuria in patients with Type 2 (non-insulin-dependent) diabetes mellitus. Diabetologia, 1993, 36, 642-647.	2.9	247
9	Insulin Resistance in Aging Is Related to Abdominal Obesity. Diabetes, 1993, 42, 273-281.	0.3	273
10	Impact of Obesity on Insulin Action in NIDDM. Diabetes, 1993, 42, 405-410.	0.3	80
11	HLA-DQ Associations Distinguish Insulin-Resistant and Insulin-Sensitive Variants of NIDDM in Black Americans. Diabetes Care, 1993, 16, 429-433.	4.3	20
12	Insulin Therapy in Type II Diabetes. Diabetes Care, 1993, 16, 29-39.	4.3	50
13	Alterations in Glucose Metabolism in the Elderly Patient with Diabetes. Diabetes Care, 1993, 16, 1241-1248.	4.3	23
14	On the Diversity of Insulin Secretion and Sensitivity in Subjects with Impaired Glucose Tolerance. Experimental and Clinical Endocrinology and Diabetes, 1993, 101, 311-314.	0.6	0
15	Diabetes in the elderly. Reviews in Clinical Gerontology, 1993, 3, 39-53.	0.5	0
16	Metabolic Pathways of Glucose in Skeletal Muscle of Lean NIDDM Patients. Diabetes Care, 1993, 16, 1158-1166.	4.3	32
17	Glucose Effectiveness in Two Subtypes Within Impaired Glucose Tolerance: A Minimal Model Analysis. Diabetes, 1994, 43, 1211-1217.	0.3	32
18	The pathogenesis of NIDDM. Diabetologia, 1994, 37, S162-S168.	2.9	54

#	ARTICLE	IF	CITATIONS
19	Secondary failure of oral hypoglycaemic agents: Frequency, possible causes, and management. <i>Diabetes/metabolism Reviews</i> , 1994, 10, 31-43.	0.2	52
20	Vascular defects in the aetiology of peripheral insulin resistance in diabetes. A critical review of hypotheses and facts. <i>Diabetes/metabolism Reviews</i> , 1994, 10, 287-307.	0.2	27
21	Genetic epidemiology of non-insulin-dependent diabetes. <i>Diabetes/metabolism Reviews</i> , 1994, 10, 385-405.	0.2	10
22	Insulin sensitivity, insulin secretion, and glucose effectiveness in subjects with impaired glucose tolerance: A minimal model analysis. <i>Metabolism: Clinical and Experimental</i> , 1994, 43, 714-718.	1.5	41
23	Relationships Between Diabetes Duration, Metabolic Control and $\beta$ -Cell Function in a Representative Population of Type 2 Diabetic Patients in Sweden. <i>Diabetic Medicine</i> , 1994, 11, 794-801.	1.2	55
24	Non-Insulin-Dependent Diabetes Mellitus Complicated with Idiopathic Hypoparathyroidism.. <i>Internal Medicine</i> , 1995, 34, 904-907.	0.3	3
25	Autophosphorylation of Insulin Receptor in a Patient with Werner's Syndrome Associated with Insulin Resistant Diabetes Mellitus.. <i>Endocrine Journal</i> , 1995, 42, 107-113.	0.7	2
26	Serum proinsulin levels are disproportionately increased in elderly prediabetic subjects. <i>Diabetologia</i> , 1995, 38, 1176-1182.	2.9	83
27	Modified glucagon test allowing simultaneous estimation of insulin secretion and insulin sensitivity: application to obesity, insulin-dependent diabetes mellitus, and noninsulin-dependent diabetes mellitus.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1995, 80, 393-399.	1.8	6
28	Pancreatic Beta-Cell Dysfunction as the Primary Genetic Lesion in NIDDM. <i>JAMA - Journal of the American Medical Association</i> , 1995, 273, 1855.	3.8	181
29	Does Intra-Abdominal Adipose Tissue in Black Men Determine Whether NIDDM Is Insulin-Resistant or Insulin-Sensitive?. <i>Diabetes</i> , 1995, 44, 141-146.	0.3	131
30	Regulation of nutrient metabolism and energy expenditure. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 4-9.	1.5	50
31	Diabetes in the Elderly. <i>Diabetic Medicine</i> , 1995, 12, 949-960.	1.2	78
32	Insulin Treatment in Elderly Patients with Non-Insulin-Dependent Diabetes Mellitus. <i>Drugs and Aging</i> , 1996, 8, 183-192.	1.3	11
33	Hyperglycemia and impaired glucose tolerance in IGF binding protein-1 transgenic mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1996, 270, E565-E571.	1.8	17
34	Genetic contribution of polymorphism of the GLUT1 and GLUT4 genes to the susceptibility to type 2 (non-insulin-dependent) diabetes mellitus in different populations. <i>Acta Diabetologica</i> , 1996, 33, 193-197.	1.2	35
35	Poor physical fitness, and impaired early insulin response but late hyperinsulinaemia, as predictors of NIDDM in middle-aged Swedish men. <i>Diabetologia</i> , 1996, 39, 573-579.	2.9	125
36	Molecular Investigation of Age-Related Changes in Mouse Endocrine Pancreas. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1996, 51A, B331-B336.	1.7	14

#	ARTICLE	IF	CITATIONS
37	NIDDM in the elderly. <i>Diabetes Care</i> , 1996, 19, 1320-1325.	4.3	75
38	Normal hepatic insulin sensitivity in lean, mild noninsulin-dependent diabetic patients.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 3702-3708.	1.8	33
39	Resistance to insulin-mediated glucose disposal in patients with noninsulin-dependent diabetes mellitus in the absence of obesity or microalbuminuria--a Clinical Research Center study.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 1156-1159.	1.8	8
40	Benfluorex in obese noninsulin dependent diabetes mellitus patients poorly controlled by insulin: a double blind study versus placebo.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 3727-3732.	1.8	8
41	Glucose Tolerance, Insulin Secretion, and Insulin Sensitivity in Nonobese and Obese Japanese Subjects. <i>Diabetes Care</i> , 1997, 20, 1562-1568.	4.3	195
42	Insulin Sensitivity and Acute Insulin Response in African-Americans, Non-Hispanic Whites, and Hispanics With NIDDM: The Insulin Resistance Atherosclerosis Study. <i>Diabetes</i> , 1997, 46, 63-69.	0.3	192
43	Diabetes in the elderly. <i>Reviews in Clinical Gerontology</i> , 1997, 7, 13-29.	0.5	1
44	TACTICS FOR TYPE II DIABETES. <i>Endocrinology and Metabolism Clinics of North America</i> , 1997, 26, 659-677.	1.2	24
45	Meformin, plasma glucose and free fatty acids in type II diabetic out-patients: results of a clinical study. <i>Diabetes Research and Clinical Practice</i> , 1997, 37, 21-33.	1.1	14
46	Relationship of visceral adipose tissue and glucose disposal is independent of sex in black NIDDM subjects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1997, 273, E425-E432.	1.8	63
47	Markers of insulin resistance are associated with cardiovascular morbidity and predict overall mortality in long-standing non-insulin-dependent diabetes mellitus. <i>Acta Diabetologica</i> , 1998, 35, 52-56.	1.2	12
48	Is it worth treating diabetes? Lessons from the UKPDS. <i>Acta Diabetologica</i> , 1998, 35, 170-171.	1.2	6
49	Is Type 2 Diabetes a Different Disease in Obese and Nonobese Patients?. <i>Diabetes Care</i> , 1998, 21, 1680-1685.	4.3	25
50	Central Role of the Adipocyte in Insulin Resistance. <i>Journal of Basic and Clinical Physiology and Pharmacology</i> , 1998, 9, 205-222.	0.7	103
51	Is Insulin the Only Treatment for Obese NIDDM Patients Poorly Controlled By Oral Hypoglycemic Agents? <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998, 83, 2215-2215.	1.8	1
52	Insulin Resistance versus Insulin Deficiency in Non-Insulin-Dependent Diabetes Mellitus: Problems and Prospects. <i>Endocrine Reviews</i> , 1998, 19, 477-490.	8.9	371
53	Non-Insulin Dependent Diabetes in Children and Adolescents: The Therapeutic Challenge. <i>Clinical Pediatrics</i> , 1998, 37, 103-110.	0.4	40
54	The Genetic Basis of Type 2 Diabetes Mellitus: Impaired Insulin Secretion versus Impaired Insulin Sensitivity. <i>Endocrine Reviews</i> , 1998, 19, 491-503.	8.9	350

#	ARTICLE	IF	CITATIONS
55	Why Do the Clinical Sequelae of Estrogen Deficiency Affect Women More than Men? a. Journal of Clinical Endocrinology and Metabolism, 1998, 83, 2214-2215.	1.8	9
56	Pathophysiology of type 2 Diabetes in the Elderly. Clinics in Geriatric Medicine, 1999, 15, 239-254.	1.0	24
57	Heritability of Pancreatic Î²-Cell Function among Nondiabetic Members of Caucasian Familial Type 2 Diabetic Kindreds1. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 1398-1403.	1.8	125
58	Metabolic alterations in middle-aged and elderly obese patients with type 2 diabetes. Diabetes Care, 1999, 22, 112-118.	4.3	96
59	Type 2 Diabetes Mellitus: Update on Diagnosis, Pathophysiology, and Treatment. Journal of Clinical Endocrinology and Metabolism, 1999, 84, 1165-1171.	1.8	131
60	Is insulin resistance the principal cause of type 2 diabetes?. Diabetes, Obesity and Metabolism, 1999, 1, 257-263.	2.2	46
61	Heterogeneous relationship of early insulin response and fasting insulin level with development of non-insulin-dependent diabetes mellitus in non-diabetic Japanese subjects with or without obesity. Diabetes Research and Clinical Practice, 1999, 44, 129-136.	1.1	59
62	Changes in islet capillary angioarchitecture coincide with impaired B-cell function but not with insulin resistance in male Otsuka-Long-Evans-Tokushima fatty rats: Dimorphism of the diabetic phenotype at an advanced age. Metabolism: Clinical and Experimental, 1999, 48, 477-483.	1.5	37
63	Response to Glasgow and Anderson. Compliance and adherence. Diabetes Care, 2000, 23, 1034-1035.	4.3	4
64	Ketosis-onset diabetes without islet-associated autoantibodies in a patient with MELAS. Diabetes Care, 2000, 23, 1018-1019.	4.3	4
65	Plasma homocysteine and its determinants in diabetic retinopathy. Diabetes Care, 2000, 23, 1026-1027.	4.3	20
66	Are the results really different?. Diabetes Care, 2000, 23, 1040-1040.	4.3	2
67	Glycemic Control in Older Subjects with Type 2 Diabetes Mellitus in the Fremantle Diabetes Study. Journal of the American Geriatrics Society, 2000, 48, 1449-1453.	1.3	47
68	Stability of disease-associated antibody titers in pregnant women with type 1 diabetes with or without residual beta-cell function. Diabetes Care, 2000, 23, 1019-1021.	4.3	11
69	Hypoglycemia and pulmonary edema: a forgotten association. Diabetes Care, 2000, 23, 1023-1024.	4.3	28
70	Risk for silent celiac disease is higher in diabetic children with a diabetic sibling than in sporadic cases. Diabetes Care, 2000, 23, 1027-1028.	4.3	1
71	Elevated plasma levels of proinsulin in adult patients with Down's syndrome. Diabetes Care, 2000, 23, 1030-1031.	4.3	2
72	Decompensation of leucine nitrogen kinetics in gestational diabetes mellitus. Diabetes Care, 2000, 23, 1033-1034.	4.3	0

#	ARTICLE	IF	CITATIONS
73	Homeostasis model assessment and related simplified evaluations of insulin sensitivity from fasting insulin and glucose. <i>Diabetes Care</i> , 2000, 23, 1037-1038.	4.3	26
74	Assessment of insulin sensitivity: comparison between simplified evaluations and minimal model analysis. <i>Diabetes Care</i> , 2000, 23, 1038-1039.	4.3	6
75	Laboratory testing for microalbuminuria in the general community. <i>Diabetes Care</i> , 2000, 23, 1028-1030.	4.3	5
76	Castration and diabetes. <i>Diabetes Care</i> , 2000, 23, 1032-1033.	4.3	28
77	High total serum renin concentrations are associated with the development of background retinopathy in adolescents with type 1 diabetes. <i>Diabetes Care</i> , 2000, 23, 1025-1026.	4.3	7
78	Angiotensin II blockade is associated with decreased plasma leukocyte adhesion molecule levels in diabetic nephropathy. <i>Diabetes Care</i> , 2000, 23, 1031-1032.	4.3	33
79	Increased plasma plasminogen activator inhibitor 1 in relatives of type 2 diabetic patients. <i>Diabetes Care</i> , 2000, 23, 1035-1037.	4.3	4
80	Lack of evidence for bromocriptine effect on glucose tolerance, insulin resistance, and body fat stores in obese type 2 diabetic patients. <i>Diabetes Care</i> , 2000, 23, 1039-1040.	4.3	20
81	Homocysteine and insulin levels in type 2 diabetic patients. <i>Diabetes Care</i> , 2000, 23, 1041-1042.	4.3	4
82	No relationship between antibodies to GAD and microangiopathic complications in young Chinese diabetic patients. <i>Diabetes Care</i> , 2000, 23, 1045-1046.	4.3	4
83	Hyperinsulinemia and central adiposity: influence of chronic insulin therapy in type 1 diabetes. <i>Diabetes Care</i> , 2000, 23, 1024-1025.	4.3	12
84	Puberty as a risk factor for diabetic neuropathy. <i>Diabetes Care</i> , 2000, 23, 1044-1045.	4.3	13
85	Coxsackie B virus-induced autoimmunity to GAD does not lead to type 1 diabetes. <i>Diabetes Care</i> , 2000, 23, 1021-1022.	4.3	8
86	Does the choice of treatment for type 2 diabetes affect the physiological response to hypoglycemia?. <i>Diabetes Care</i> , 2000, 23, 1022-1023.	4.3	10
87	Type 1 diabetes in sardinia is not linked to nitrate levels in drinking water. <i>Diabetes Care</i> , 2000, 23, 1043-1044.	4.3	22
88	The effects of free fatty acids on glucose transport and phosphorylation in human skeletal muscle. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2000, 7, 211-216.	0.6	15
89	Endocrine and metabolic changes in human aging. <i>Age</i> , 2000, 23, 103-115.	3.0	5
90	Pharmacodynamics and pharmacokinetics of intravenous glibenclamide in Caucasian and Chinese patients with type-2 diabetes. <i>European Journal of Clinical Pharmacology</i> , 2000, 55, 721-727.	0.8	14

#	ARTICLE	IF	CITATIONS
91	Insulin action and insulin resistance in human skeletal muscle. <i>Diabetologia</i> , 2000, 43, 821-835.	2.9	312
92	Non-esterified fatty acids and the liver: why is insulin secreted into the portal vein?. <i>Diabetologia</i> , 2000, 43, 946-952.	2.9	130
93	Relation between weight gain and beta-cell secretory activity and non-esterified fatty acid production in 7-year-old African children: results from the Birth to Ten study. <i>Diabetologia</i> , 2000, 43, 978-985.	2.9	57
94	Pathophysiology of Diabetes in the Elderly. , 0, , 17-23.		3
95	Effect of acarbose on insulin sensitivity in elderly patients with diabetes. <i>Diabetes Care</i> , 2000, 23, 1162-1167.	4.3	130
96	Comparison between 2 insulin sensitivity indexes in obese patients. <i>Diabetes Care</i> , 2000, 23, 1042-1043.	4.3	6
97	Insulin Resistance Is Not Necessarily an Essential Component of Type 2 Diabetes <sup>1</sup> . <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 2113-2115.	1.8	51
98	Free Fatty Acids and Pathogenesis of Type 2 Diabetes Mellitus. <i>Trends in Endocrinology and Metabolism</i> , 2000, 11, 351-356.	3.1	508
99	Increased insulin sensitivity and decreased insulin secretion in offspring of insulin-sensitive type 2 diabetic patients. <i>Metabolism: Clinical and Experimental</i> , 2000, 49, 1219-1223.	1.5	19
101	The pathophysiology of type 2 diabetes mellitus: an overview. <i>Acta Physiologica Scandinavica</i> , 2001, 171, 241-247.	2.3	65
102	β <sub>2</sub> -cell deterioration - prospects for reversal or prevention. <i>Diabetes, Obesity and Metabolism</i> , 2001, 3, 20-27.	2.2	23
103	Effect of Aging and Diabetes on the Enteroinsular Axis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2001, 56, M575-M579.	1.7	45
104	Early-Onset Type 2 Diabetes: Metabolic and Genetic Characterization in the Mexican Population <sup>1</sup> . <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 220-226.	1.8	37
105	Accurate Assessment of β-Cell Function: The Hyperbolic Correction. <i>Diabetes</i> , 2002, 51, S212-S220.	0.3	452
106	Potential of Surgery for Curing Type 2 Diabetes Mellitus. <i>Annals of Surgery</i> , 2002, 236, 554-559.	2.1	315
107	Prevalence and characteristics of early-onset type 2 diabetes in Mexico. <i>American Journal of Medicine</i> , 2002, 113, 569-574.	0.6	50
108	Management of Type 2 Diabetes Mellitus. <i>Disease Management and Health Outcomes</i> , 2002, 10, 363-383.	0.3	2
109	Glucose metabolism in lean patients with mild type 2 diabetes mellitus: Evidence for insulin-sensitive and insulin-resistant variants. <i>Metabolism: Clinical and Experimental</i> , 2002, 51, 1047-1052.	1.5	10

#	ARTICLE	IF	CITATIONS
110	Incorporation of beta cell redifferentiation therapy into a lipoprivic strategy for reversing type 2 diabetes. <i>Medical Hypotheses</i> , 2002, 58, 462-471.	0.8	4
111	Early disturbances in insulin secretion in the development of type 2 diabetes mellitus. <i>Molecular and Cellular Endocrinology</i> , 2002, 197, 197-204.	1.6	32
112	Metabolic and molecular basis of insulin resistance. <i>Journal of Nuclear Cardiology</i> , 2003, 10, 311-323.	1.4	96
113	Sounding board: diabetes mellitus in the elderly: a truly heterogeneous entity?. <i>Diabetes, Obesity and Metabolism</i> , 2003, 5, 81-92.	2.2	1
114	Acarbose in the treatment of elderly patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2003, 59, 37-42.	1.1	97
115	Pancreatic beta-cell function and insulin sensitivity in japanese subjects with impaired glucose tolerance and newly diagnosed type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 476-481.	1.5	29
116	Contributions of Insulin-Resistance and Insulin-Secretory Defects to the Pathogenesis of Type 2 Diabetes Mellitus. <i>Mayo Clinic Proceedings</i> , 2003, 78, 447-456.	1.4	166
117	Inflammation-Sensitive Plasma Proteins, Diabetes, and Mortality and Incidence of Myocardial Infarction and Stroke: A Population-Based Study. <i>Diabetes</i> , 2003, 52, 442-447.	0.3	138
118	Synthetic Exendin-4 (Exenatide) Significantly Reduces Postprandial and Fasting Plasma Glucose in Subjects with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 3082-3089.	1.8	528
119	Obesity and Type-2 Diabetes in the Elderly. <i>Gerontology</i> , 2003, 49, 137-145.	1.4	10
121	Familiality of metabolic abnormalities is dependent on age at onset and phenotype of the type 2 diabetic proband. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E1297-E1303.	1.8	19
122	Nutritional Management of the Elderly Person with Diabetes. , 2004, , 147-168.		1
123	Type 2 diabetes mellitus is becoming the most common type of diabetes in school children. <i>Acta Diabetologica</i> , 2004, 41, 85-90.	1.2	50
124	The Role of Sulphonylureas in the Management of Type 2 Diabetes Mellitus. <i>Drugs</i> , 2004, 64, 1339-1358.	4.9	251
125	Pathogenesis of type 2 diabetes mellitus. <i>Medical Clinics of North America</i> , 2004, 88, 787-835.	1.1	887
126	Insulin resistance and insulin secretion in chronic hepatitis C virus infection. <i>Journal of Hepatology</i> , 2004, 41, 132-138.	1.8	83
127	K-value and low insulin secretion in a non-obese white population: predicted glucose tolerance after 25 years. <i>Diabetologia</i> , 2005, 48, 2262-2268.	2.9	26
128	Metabolic Alterations in Middle-Aged and Elderly Lean Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2005, 28, 1498-1499.	4.3	41



#	ARTICLE	IF	CITATIONS
129	Diabetes in the Elderly. <i>Medical Clinics of North America</i> , 2006, 90, 909-923.	1.1	25
130	The Expanding Role of Oxidative Stress, Renin Angiotensin System, and $\beta$ -Cell Dysfunction in the Cardiometabolic Syndrome and Type 2 Diabetes Mellitus. <i>Antioxidants and Redox Signaling</i> , 2007, 9, 943-954.	2.5	27
131	The Common C49620T Polymorphism in the Sulfonylurea Receptor Gene (ABCC8), Pancreatic Beta Cell Function and Long-Term Diabetic Complications in Obese Patients with Long-Lasting Type 2 Diabetes Mellitus. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2007, 115, 317-321.	0.6	12
133	Factors Associated with Glycemic Control in Patients with Type 2 Diabetes Mellitus in Rural Areas of the United States. <i>Insulin</i> , 2007, 2, 134-141.	0.2	9
134	Gastric Emptying, Diabetes, and Aging. <i>Clinics in Geriatric Medicine</i> , 2007, 23, 785-808.	1.0	30
135	Early-phase insulin secretion is disturbed in obese subjects with glucose intolerance. <i>Metabolism: Clinical and Experimental</i> , 2007, 56, 856-862.	1.5	11
136	Targeting hyperglycaemia with either metformin or repaglinide in non-obese patients with type 2 diabetes: results from a randomized crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2007, 9, 394-407.	2.2	40
137	Tagatose, a new antidiabetic and obesity control drug. <i>Diabetes, Obesity and Metabolism</i> , 2008, 10, 109-134.	2.2	122
138	The lean patient with type 2 diabetes: characteristics and therapy challenge. <i>International Journal of Clinical Practice</i> , 2007, 61, 3-9.	0.8	26
139	Identification of a regulatory SNP in the retinol binding protein 4 gene associated with type 2 diabetes in Mongolia. <i>Human Genetics</i> , 2007, 120, 879-888.	1.8	99
140	Evaluation of the association between retinal binding protein 4 polymorphisms and type 2 diabetes in Chinese by DHPLC. <i>Endocrine</i> , 2008, 34, 23-28.	1.1	9
141	Laparoscopic treatment of type 2 diabetes mellitus for patients with a body mass index less than 35. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2008, 22, 706-716.	1.3	138
142	Identification of a Regulatory Single Nucleotide Polymorphism in the Adiponectin (APM1) Gene Associated with Type 2 Diabetes in Han Nationality. <i>Biomedical and Environmental Sciences</i> , 2008, 21, 454-459.	0.2	31
143	Mechanistic Investigation of N,N-Diethyl-4-(phenyl-piperidin-4-ylidenemethyl)-benzamide-Induced Insulin Depletion in the Rat and RINm5F Cells. <i>Toxicological Sciences</i> , 2008, 105, 221-229.	1.4	4
144	Impact of metformin versus the prandial insulin secretagogue, repaglinide, on fasting and postprandial glucose and lipid responses in non-obese patients with type 2 diabetes. <i>European Journal of Endocrinology</i> , 2008, 158, 35-46.	1.9	26
145	Fate of the beta-cell in the pathophysiology of type 2 diabetes. <i>Journal of the American Pharmacists Association: JAPhA</i> , 2009, 49, S10-S15.	0.7	50
146	Treatment Considerations for Diabetes: A Pharmacist's Guide to Improving Care in the Elderly. <i>Journal of Pharmacy Practice</i> , 2009, 22, 575-587.	0.5	1
147	Combining insulin with metformin or an insulin secretagogue in non-obese patients with type 2 diabetes: 12 month, randomised, double blind trial. <i>BMJ: British Medical Journal</i> , 2009, 339, b4324-b4324.	2.4	32

#	ARTICLE	IF	CITATIONS
148	Efficacy and safety of exenatide in patients of Asian descent with type 2 diabetes inadequately controlled with metformin or metformin and a sulphonylurea. <i>Diabetes Research and Clinical Practice</i> , 2009, 83, 69-76.	1.1	82
149	The association of sleep duration and type 2 diabetes in Korean male adults with abdominal obesity: The Korean National Health and Nutrition Examination Survey 2005. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, e34-e36.	1.1	22
150	Insulin Clamp—Derived Measurements of Insulin Sensitivity and Insulin Secretion in Lean and Obese Asian Type 2 Diabetic Patients. <i>Metabolic Syndrome and Related Disorders</i> , 2010, 8, 113-118.	0.5	11
151	Diabetes in the Elderly. <i>Canadian Journal of Diabetes</i> , 2011, 35, 13-16.	0.4	1
152	A mechanistic approach for islet amyloid polypeptide aggregation to develop anti-amyloidogenic agents for type-2 diabetes. <i>Biochimie</i> , 2011, 93, 793-805.	1.3	65
153	Organic consequences of ileal transposition in rats with diet-induced obesity. <i>Nature Precedings</i> , 2011, , .	0.1	0
154	Association of an APOC3 promoter variant with type 2 diabetes risk and need for insulin treatment in lean persons. <i>Diabetologia</i> , 2011, 54, 1360-1367.	2.9	21
155	Early remission of type 2 diabetes mellitus by laparoscopic ileal transposition with sleeve gastrectomy surgery in 23—35 BMI patients. <i>International Journal of Diabetes in Developing Countries</i> , 2011, 31, 91-96.	0.3	7
156	History of Diabetes and Risk of Head and Neck Cancer: A Pooled Analysis from the International Head and Neck Cancer Epidemiology Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 294-304.	1.1	53
157	Over-nutrition, Obesity and Insulin Resistance in the Development of $\beta$ -Cell Dysfunction. <i>Current Diabetes Reviews</i> , 2012, 8, 76-83.	0.6	95
158	Type 2 diabetes in obese patients with body mass index of 30—35 kg/m <sup>2</sup> : sleeve gastrectomy versus medical treatment. <i>Surgery for Obesity and Related Diseases</i> , 2012, 8, 20-24.	1.0	50
160	Cut-off values of fasting and post-load plasma glucose and HbA <sub>1c</sub> for predicting Type 2 diabetes in community-dwelling Japanese subjects: the Hisayama Study. <i>Diabetic Medicine</i> , 2012, 29, 99-106.	1.2	21
161	Combining GLP-1 receptor agonists with insulin: therapeutic rationales and clinical findings. <i>Diabetes, Obesity and Metabolism</i> , 2013, 15, 3-14.	2.2	56
162	Le diabète chez les personnes âgées. <i>Canadian Journal of Diabetes</i> , 2013, 37, S567-S574.	0.4	0
163	Diabetes in the Elderly. <i>Canadian Journal of Diabetes</i> , 2013, 37, S184-S190.	0.4	68
164	The beneficial effect of metformin on $\beta$ -cell function in non-obese Chinese subjects with newly diagnosed type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 664-672.	1.7	23
165	Burden and spectrum of disease in people with diabetes in Tonga. <i>Public Health Action</i> , 2014, 4, 44-49.	0.4	8
166	Different Associations of Diabetes With $\beta$ -Cell Dysfunction and Insulin Resistance Among Obese and Nonobese Chinese Women With Prior Gestational Diabetes Mellitus. <i>Diabetes Care</i> , 2014, 37, 2533-2539.	4.3	55

#	ARTICLE	IF	CITATIONS
167	PO245 METABOLIC SYNDROME IN INSULIN SENSITIVE AND INSULIN RESISTANT DRUG NAIVE CHINESE TYPE 2 DIABETES. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S175.	1.1	0
168	PO244 INVESTIGATION OF UPPER GASTROINTESTINAL SYMPTOMS IN JAPANESE PATIENTS WITH DIABETES. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S174-S175.	1.1	0
171	Poor glycemic control in type 2 diabetes in the South of the Sahara: The issue of limited access to an HbA1c test. <i>Diabetes Research and Clinical Practice</i> , 2015, 108, 187-192.	1.1	49
172	Interaction of poor sleep quality, family history of type 2 diabetes, and abdominal obesity on impaired fasting glucose: a population-based cross-sectional survey in China. <i>International Journal of Diabetes in Developing Countries</i> , 2016, 36, 277-282.	0.3	0
174	Periodontitis is associated with diabetic retinopathy in non-obese adults. <i>Endocrine</i> , 2017, 56, 82-89.	1.1	19
175	Type 2 diabetes and obesity induce similar transcriptional reprogramming in human myocytes. <i>Genome Medicine</i> , 2017, 9, 47.	3.6	37
176	Diabetes in Older People. <i>Canadian Journal of Diabetes</i> , 2018, 42, S283-S295.	0.4	75
177	Pathogenesis of Type 2 Diabetes Mellitus. <i>Endocrinology</i> , 2018, , 1-74.	0.1	0
178	Exercise as "precision medicine" for insulin resistance and its progression to type 2 diabetes: a research review. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2018, 10, 21.	0.7	45
179	Pathogenesis of Type 2 Diabetes Mellitus. <i>Endocrinology</i> , 2018, , 181-253.	0.1	7
180	Age-Related Changes in Glucose Metabolism, Hyperglycemia, and Cardiovascular Risk. <i>Circulation Research</i> , 2018, 123, 886-904.	2.0	226
181	Increased $\beta$ -Cell Workload Modulates Proinsulin-to-Insulin Ratio in Humans. <i>Diabetes</i> , 2018, 67, 2389-2396.	0.3	37
182	Potential role of E4orf1 protein in aging-associated impairment in glycemic control. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 261-265.	1.2	2
183	Role of High-Density Lipoproteins in Cholesterol Homeostasis and Glycemic Control. <i>Journal of the American Heart Association</i> , 2020, 9, e013531.	1.6	27
185	Regulation of Adipose Tissue Lipolysis, Importance for the Metabolic Syndrome. <i>Advances in Experimental Medicine and Biology</i> , 1993, 334, 259-267.	0.8	5
186	Diabetes in the Elderly. , 2000, , 181-203.		18
187	Pathophysiology of Type 2 Diabetes Mellitus. <i>Handbook of Experimental Pharmacology</i> , 1996, , 7-42.	0.9	7
188	Serum proinsulin levels are disproportionately increased in elderly prediabetic subjects. <i>Diabetologia</i> , 1995, 38, 1176-1182.	2.9	14

#	ARTICLE	IF	CITATIONS
189	Poor physical fitness, and impaired early insulin response but late hyperinsulinaemia, as predictors of NIDDM in middle-aged Swedish men. <i>Diabetologia</i> , 1996, 39, 573-579.	2.9	73
190	Genetic contribution of polymorphism of the GLUT1 and GLUT4 genes to the susceptibility to type 2 (non-insulin-dependent) diabetes mellitus in different populations. <i>Acta Diabetologica</i> , 1996, 33, 193-197.	1.2	1
191	The Effects of Obesity on the Pharmacokinetics and Pharmacodynamics of Glipizide in Patients with Non-Insulin-Dependent Diabetes Mellitus. <i>Therapeutic Drug Monitoring</i> , 1996, 18, 6-13.	1.0	13
192	Quantitative assay using recombinant human islet glutamic acid decarboxylase (GAD65) shows that 64K autoantibody positivity at onset predicts diabetes type.. <i>Journal of Clinical Investigation</i> , 1993, 91, 368-374.	3.9	188
193	Multiple lipolysis defects in the insulin resistance (metabolic) syndrome.. <i>Journal of Clinical Investigation</i> , 1994, 93, 2590-2599.	3.9	149
194	Glucagon-like peptide-1 can reverse the age-related decline in glucose tolerance in rats.. <i>Journal of Clinical Investigation</i> , 1997, 99, 2883-2889.	3.9	150
195	Defects in insulin secretion and insulin action in non-insulin-dependent diabetes mellitus are inherited. Metabolic studies on offspring of diabetic probands.. <i>Journal of Clinical Investigation</i> , 1998, 101, 86-96.	3.9	123
196	Dietary Fiber, Carbohydrate Quality and Quantity, and Mortality Risk of Individuals with Diabetes Mellitus. <i>PLoS ONE</i> , 2012, 7, e43127.	1.1	89
197	Omega-3 fatty acids and other polyunsaturated fatty acids and weight control. , 2007, , 281-304.		1
198	Associations among Body Mass Index, Insulin Resistance, and Pancreatic $\beta$ -Cell Function in Korean Patients with New-Onset Type 2 Diabetes. <i>Korean Journal of Internal Medicine</i> , 2012, 27, 66.	0.7	44
199	Remission of Type 2 Diabetes Mellitus by Ileal Interposition with Sleeve gastrectomy. <i>International Journal of Endocrinology and Metabolism</i> , 2012, 9, 374-381.	0.3	9
200	Perspectives of Metabolic Surgery. , 2012, , 403-412.		0
202	Treatment of Diabetes. , 2003, , 681-694.		1
203	Advances in diabetes for the millennium: understanding insulin resistance. <i>MedGenMed: Medscape General Medicine</i> , 2004, 6, 11.	0.2	1
204	Probiotics supplementation for management of type II diabetes risk factors in adults with polycystic ovarian syndrome: a meta-analysis of randomized clinical trial. <i>Food Science and Human Wellness</i> , 2023, 12, 1053-1063.	2.2	4