CITATION REPORT List of articles citing

	Neuropathol	ogical sta	ageing of	f Alzheimer-	related	changes
--	-------------	------------	-----------	--------------	---------	---------

DOI: 10.1007/bf00308809 Acta Neuropathologica, 1991, 82, 239-59.

Source: https://exaly.com/paper-pdf/22618702/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2238	Direct Evidence of the Presence of Cross-Linked A Dimers in the Brains of Alzheimers Disease Patients.		
2237	The Consortium to Establish a Registry for Alzheimer's Disease (CERAD). Part II. Standardization of the neuropathologic assessment of Alzheimer's disease. 1991 , 41, 479-86		4104
2236	The human entorhinal cortex: normal morphology and lamina-specific pathology in various diseases. 1992 , 15, 6-31		268
2235	An 'anatomical cascade hypothesis' for Alzheimer's disease. 1992 , 15, 200-1		61
2234	Hippocampal excitatory amino acid receptors in elderly, normal individuals and those with Alzheimer's disease: non-N-methyl-D-aspartate receptors. 1992 , 50, 23-34		43
2233	Presence of abnormally phosphorylated Tau proteins in the entorhinal cortex of aged non-demented subjects. 1992 , 144, 143-6		40
2232	Reduced GAP-43 message levels are associated with increased neurofibrillary tangle density in the frontal association cortex (area 9) in Alzheimer's disease. 1992 , 13, 631-9		29
2231	Animal and drug modelling for Alzheimer synaptic pathology. 1992 , 39, 517-45		39
2230	Alzheimer's disease neuropathology. Current status of interpretation of lesion development. 1992 , 673, 270-84		16
2229	Lack of Alzheimer pathology after beta-amyloid protein injections in rat brain. 1992 , 13, 569-76		124
2228	Progressive transformation of the cytoskeleton associated with normal aging and Alzheimer's disease. 1992 , 594, 273-8		97
2227	Role of tau in the polymerization of peptides from beta-amyloid precursor protein. 1992 , 597, 227-32		21
2226	The Alzheimer-like phosphorylation of tau protein reduces microtubule binding and involves Ser-Pro and Thr-Pro motifs. 1992 , 307, 199-205		176
2225	Mitogen activated protein (MAP) kinase transforms tau protein into an Alzheimer-like state 1992 , 11, 2131-2138		415
2224	Immunocytochemistry of neurofibrillary tangles with antibodies to subregions of tau protein: identification of hidden and cleaved tau epitopes and a new phosphorylation site. <i>Acta Neuropathologica</i> , 1992 , 84, 596-605	14.3	66
2223	Allocortical neurofibrillary changes in progressive supranuclear palsy. <i>Acta Neuropathologica</i> , 1992 , 84, 478-83	14.3	53
2222	Mapping of neurofibrillary degeneration in Alzheimer's disease: evaluation of heterogeneity using the quantification of abnormal tau proteins. <i>Acta Neuropathologica</i> , 1992 , 85, 48-54	14.3	44

2221	Allocortical involvement in Huntington's disease. 1992 , 18, 539-47		75
2220	Neuronal degeneration in human diseases and animal models. 1992 , 23, 1277-94		29
2219	Entorhinal cortex of the human, monkey, and rat: metabolic map as revealed by cytochrome oxidase. 1992 , 326, 451-69		294
2218	Dementia in Parkinson's disease: biochemical evidence for cortical involvement using the immunodetection of abnormal Tau proteins. 1993 , 33, 445-50		55
2217	Progression in alzheimer's disease: Sequencing of neuropsychological decline. 1993 , 8, 755-763		19
2216	Autoradiographic comparison of cholinergic and other transmitter receptors in the normal human hippocampus. 1993 , 3, 307-15		54
2215	Parvalbumin-immunoreactive structures of the adult human entorhinal and transentorhinal region. 1993 , 3, 459-70		29
2214	Transneuronal changes in dendrites of GABAergic parvalbumin-containing neurons of the rat fascia dentata following entorhinal lesion. 1993 , 3, 481-90		34
2213	Evidence that transmitter-containing dystrophic neurites precede paired helical filament and Alz-50 formation within senile plaques in the amygdala of nondemented elderly and patients with Alzheimer's disease. 1993 , 334, 176-91		48
2212	Alzheimer neuropathology in mentally retarded adults: statistical independence of regional amyloid plaque and neurofibrillary tangle densities. <i>Acta Neuropathologica</i> , 1993 , 85, 260-6	14.3	10
	aniyloid plaque and nedroribilitary tarigle defisities. Acta Nearopathologica, 1333, 63, 200-0	~ T 'J	10
2211	Distribution of amyloid plaques in the cerebellum in Alzheimer's disease. <i>Acta Neuropathologica</i> , 1993 , 85, 682	14.3	4
2211	Distribution of amyloid plaques in the cerebellum in Alzheimer's disease. <i>Acta Neuropathologica</i> ,		
	Distribution of amyloid plaques in the cerebellum in Alzheimer's disease. <i>Acta Neuropathologica</i> , 1993 , 85, 682 Pathoarchitectonic pattern of iso- and allocortical lesions in juvenile and adult neuronal		4
2210	Distribution of amyloid plaques in the cerebellum in Alzheimer's disease. <i>Acta Neuropathologica</i> , 1993 , 85, 682 Pathoarchitectonic pattern of iso- and allocortical lesions in juvenile and adult neuronal ceroid-lipofuscinosis. 1993 , 16, 259-62 Cortical pyramidal neurone loss may cause glutamatergic hypoactivity and cognitive impairment in		4 8
2210	Distribution of amyloid plaques in the cerebellum in Alzheimer's disease. <i>Acta Neuropathologica</i> , 1993 , 85, 682 Pathoarchitectonic pattern of iso- and allocortical lesions in juvenile and adult neuronal ceroid-lipofuscinosis. 1993 , 16, 259-62 Cortical pyramidal neurone loss may cause glutamatergic hypoactivity and cognitive impairment in Alzheimer's disease: investigative and therapeutic perspectives. 1993 , 60, 1589-604 Beta-adrenoceptor density and subtype distribution in cerebellum and hippocampus from patients		8 212
2210 2209 2208	Distribution of amyloid plaques in the cerebellum in Alzheimer's disease. <i>Acta Neuropathologica</i> , 1993, 85, 682 Pathoarchitectonic pattern of iso- and allocortical lesions in juvenile and adult neuronal ceroid-lipofuscinosis. 1993, 16, 259-62 Cortical pyramidal neurone loss may cause glutamatergic hypoactivity and cognitive impairment in Alzheimer's disease: investigative and therapeutic perspectives. 1993, 60, 1589-604 Beta-adrenoceptor density and subtype distribution in cerebellum and hippocampus from patients with Alzheimer's disease. 1993, 347, 214-9 General cortical involvement in a late-onset case of Alzheimer disease. A biochemical approach by		4 8 212
2210 2209 2208 2207	Distribution of amyloid plaques in the cerebellum in Alzheimer's disease. <i>Acta Neuropathologica</i> , 1993, 85, 682 Pathoarchitectonic pattern of iso- and allocortical lesions in juvenile and adult neuronal ceroid-lipofuscinosis. 1993, 16, 259-62 Cortical pyramidal neurone loss may cause glutamatergic hypoactivity and cognitive impairment in Alzheimer's disease: investigative and therapeutic perspectives. 1993, 60, 1589-604 Beta-adrenoceptor density and subtype distribution in cerebellum and hippocampus from patients with Alzheimer's disease. 1993, 347, 214-9 General cortical involvement in a late-onset case of Alzheimer disease. A biochemical approach by quantitation of abnormal tau proteins. 1993, 18, 213-24 Organization and quantitative analysis of kainate receptor subunit GluR5-7 immunoreactivity in		4 8 212 14 2

2203	Differing patterns of aberrant neuronal sprouting in Alzheimer's disease with and without Lewy bodies. 1993 , 617, 258-66	49
2202	Alzheimer's disease-like dystrophic neurites characteristically associated with senile plaques are not found within other neurodegenerative diseases unless amyloid beta-protein deposition is present. 1993 , 606, 10-8	54
2201	Evidence that transmitter-containing dystrophic neurites precede those containing paired helical filaments within senile plaques in the entorhinal cortex of nondemented elderly and Alzheimer's disease patients. 1993 , 619, 55-68	29
2200	Entorhinal-hippocampal connections: a speculative view of their function. 1993 , 16, 58-64	222
2199	Tau protein and the neurofibrillary pathology of Alzheimer's disease. 1993 , 16, 460-5	516
2198	Evaluation of Neuropathological Stages Based on Quantification of Senile Changes in Non-Demented Elderly Individuals and Alzheimer-Type Dementia. 1993 , 13, 147-152	5
2197	Cholinergic systems: human diseases, animal models, and prospects for therapy. 1993 , 98, 51-60	16
2196	The relationship between tangle and plaque formation during healthy aging and mild dementia. 1993 , 14, 661-3	24
2195	Morphological and functional correlates of borders in the entorhinal cortex and hippocampus. 1993 , 3, 303-311	37
2194	Silver Labeling of Alzheimer Neurofibrillary Changes and Brain EAmyloid. 1993 , 16, 335-342	44
2193	Neuroanatomical connections and specific regional vulnerability in Alzheimer's disease. 1993 , 14, 45-7; discussion 55-6	25
2192	Neuropathological staging of Alzheimer lesions and intellectual status in Alzheimer's and Parkinson's disease patients. 1993 , 162, 179-82	258
2191	Pathological changes in frontal cortex from biopsy to autopsy in Alzheimer's disease. 1993 , 14, 589-96	60
2190	Beta A4 deposits are constant in the brain of the oldest old: an immunocytochemical study of 20 French centenarians. 1993 , 14, 191-4	128
2189	Histochemistry and immunohistochemistry of Alzheimer's disease. 1993 , 27, 1-63	3
2188	The synaptic organization of the neocortex in Alzheimer's disease. 1993 , 41, 334-40	74
2187	Tau as a marker for Alzheimer's disease. 1993 , 18, 480-3	102
2186	The role of synaptic proteins in the pathogenesis of disorders of the central nervous system. 1993 , 3, 77-85	118

2185	Neuropathological indexes of Alzheimer's disease in demented and nondemented persons aged 80 years and older. 1993 , 50, 349-58	235
2184	Structural correlates and cellular mechanisms in entorhinal pocampal dysfunction. 1993 , 3, 293-301	9
2183	Altered phosphorylation of growth-associated protein B50/GAP-43 in Alzheimer disease with high neurofibrillary tangle density. 1993 , 90, 11187-91	19
2182	Recent research on the causes of Alzheimer's disease. 1993 , 52, 255-62	3
2181	EntorhinalBippocampal interaction in mnestic disorders. 1993 , 3, 239-246	58
2180	Transneuronal changes in the lesioned entorhinal lippocampal system. 1993 , 3, 247-256	17
2179	Hippocampal p75 nerve growth factor receptor immunoreactivity in development, normal aging and senescence. 1993 , 147, 216-22	10
2178	Differential electroresponsiveness of stellate and pyramidal-like cells of medial entorhinal cortex layer II. 1993 , 70, 128-43	557
2177	Alterations of signal transduction in the lesioned entorhinalflippocampal system: A mini-review on alzheimer's disease-related changes and experimental data. 1993 , 3, 131-138	9
2176	Cellular and molecular pathology in alzheimer's disease. 1993 , 3, 270-287	41
2175	Roles for calcium signaling in structural plasticity and pathology in the hippocampal system. 1993 , 3, 73-87	33
2174	Modulation of associative memory function in a biophysical simulation of rat piriform cortex. 1994 , 72, 659-77	83
2173	Epitope mapping of monoclonal antibodies to the paired helical filaments of Alzheimer's disease: identification of phosphorylation sites in tau protein. 1994 , 301 (Pt 3), 871-7	328
2172	Alzheimer's disease, beta-amyloidosis, and aging. 1994 , 5, 275-92	23
2171	Alzheimer's disease: progress in pathological and aetiological aspects. 1994 , 4, 43-60	9
2170	Cortical and striatal neurone number in Huntington's disease. <i>Acta Neuropathologica</i> , 1994 , 88, 320-33 14.3	136
2169	Quantitative investigations on the human entorhinal area: left-right asymmetry and age-related changes. 1994 , 190, 181-94	42
2168	Alzheimer's disease with asymmetric atrophy of the cerebral hemispheres: morphometric analysis of four cases. <i>Acta Neuropathologica</i> , 1994 , 88, 440-7	26

2167	A sequence of cytoskeleton changes related to the formation of neurofibrillary tangles and neuropil threads. <i>Acta Neuropathologica</i> , 1994 , 87, 554-67	14.3	613
2166	Biochemical mapping of neurofibrillary degeneration in a case of progressive supranuclear palsy: evidence for general cortical involvement. <i>Acta Neuropathologica</i> , 1994 , 87, 572-7	14.3	71
2165	Quantitative neuropathologic analysis of Pick's disease cases. <i>Acta Neuropathologica</i> , 1994 , 87, 223-4	14.3	15
2164	Amygdala pathology in Parkinson's disease. <i>Acta Neuropathologica</i> , 1994 , 88, 493-500	14.3	208
2163	beta-Amyloid precursor protein isoforms show correlations with neurones but not with glia of demented subjects. <i>Acta Neuropathologica</i> , 1994 , 88, 545-52	14.3	14
2162	Neurofibrillary tangle predominant form of senile dementia of Alzheimer type: a rare subtype in very old subjects. <i>Acta Neuropathologica</i> , 1994 , 88, 565-70	14.3	89
2161	Hippocampal sclerosis: a common pathological feature of dementia in very old humans. <i>Acta Neuropathologica</i> , 1994 , 88, 599	14.3	31
2160	Alzheimer's disease: Recent advances in molecular pathology and genetics. 1994 , 9, 431-444		7
2159	Runaway synaptic modification in models of cortex: Implications for Alzheimer's disease. 1994 , 7, 13-40)	88
2158	Oxidative stress: free radical production in neural degeneration. 1994 , 63, 37-122		406
2158	Oxidative stress: free radical production in neural degeneration. 1994 , 63, 37-122 Alzheimer's disease. Risky apolipoprotein in brain. 1994 , 372, 45-6		406 51
2157	Alzheimer's disease. Risky apolipoprotein in brain. 1994 , 372, 45-6 Borderline State between Senile Dementia of 'Szheimer Type and Norm's Aging: A		51
2157 2156	Alzheimer's disease. Risky apolipoprotein in brain. 1994 , 372, 45-6 Borderline State between Senile Dementia of 'Szheimer Type and Norm's Aging: A Clinico-pathologic's An'sysis. 1994 , 14, 119-125 Dorothy Russell Memorial Lecture. The molecular pathology of Alzheimer's disease: are we any		51
2157 2156 2155	Alzheimer's disease. Risky apolipoprotein in brain. 1994, 372, 45-6 Borderline State between Senile Dementia of 'Szheimer Type and Norm's Aging: A Clinico-pathologic's An'sysis. 1994, 14, 119-125 Dorothy Russell Memorial Lecture. The molecular pathology of Alzheimer's disease: are we any closer to understanding the neurodegenerative process?. 1994, 20, 322-38		51 2 21
2157 2156 2155 2154	Alzheimer's disease. Risky apolipoprotein in brain. 1994, 372, 45-6 Borderline State between Senile Dementia of 'Szheimer Type and Norm's Aging: A Clinico-pathologic's An'sysis. 1994, 14, 119-125 Dorothy Russell Memorial Lecture. The molecular pathology of Alzheimer's disease: are we any closer to understanding the neurodegenerative process?. 1994, 20, 322-38 Transferrin receptors in the normal human hippocampus and in Alzheimer's disease. 1994, 20, 473-7 A modified NOR-silver impregnation technique for amyloid plaques and neurofibrillary tangles:		51 2 21 26
2157 2156 2155 2154 2153	Alzheimer's disease. Risky apolipoprotein in brain. 1994, 372, 45-6 Borderline State between Senile Dementia of 'Szheimer Type and Norm's Aging: A Clinico-pathologic's An'sysis. 1994, 14, 119-125 Dorothy Russell Memorial Lecture. The molecular pathology of Alzheimer's disease: are we any closer to understanding the neurodegenerative process?. 1994, 20, 322-38 Transferrin receptors in the normal human hippocampus and in Alzheimer's disease. 1994, 20, 473-7 A modified NOR-silver impregnation technique for amyloid plaques and neurofibrillary tangles: comparative assessment. 1994, 20, 478-86 Impairment in the acquisition of passive and active avoidance learning tasks due to bilateral entorhinal cortex lesions. 1994, 125, 14-21		51 2 21 26

2149	Alzheimer's disease is a laminar, regional, and neural system specific disease, not a global brain disease. 1994 , 15, 353-4; discussion 379-80	70
2148	Morphological criteria for the recognition of Alzheimer's disease and the distribution pattern of cortical changes related to this disorder. 1994 , 15, 355-6; discussion 379-80	138
2147	Neuron loss and shrinkage in the amygdala in Alzheimer's disease. 1994 , 15, 45-54	55
2146	Studying the Alzheimer's disease brain: insights, puzzles, and opportunities. 1994 , 15 Suppl 2, S79-83	5
2145	Human striatum: the distribution of neurofibrillary tangles in Alzheimer's disease. 1994 , 648, 327-31	41
2144	Selective increase in lipid peroxidation in the inferior temporal cortex in Alzheimer's disease. 1994 , 645, 338-42	145
2143	Adenylyl cyclase activity in Alzheimer's disease brain: stimulatory and inhibitory signal transduction pathways are differently affected. 1994 , 644, 291-6	47
2142	Rapidly progressing atrophy of medial temporal lobe in Alzheimer's disease. 1994 , 343, 829-30	181
2141	Differences in the pattern of hippocampal neuronal loss in normal ageing and Alzheimer's disease. 1994 , 344, 769-72	983
2140	Appearance of localized immunoreactivity for the alpha 4 integrin subunit and for fibronectin in brains from Alzheimer's, Lewy body dementia patients and aged controls. 1994 , 170, 71-3	14
2139	Acetylcholinesterase provides deeper insights into Alzheimer's disease. 1994 , 43, 21-30	19
2138	Effects of an exogenous beta-amyloid peptide on retention for spatial learning. 1994 , 62, 60-7	71
2137	Clusterin (SGP-2): a multifunctional glycoprotein with regional expression in astrocytes and neurons of the adult rat brain. 1994 , 339, 387-400	128
2136	Synaptic and neuritic alterations during the progression of Alzheimer's disease. 1994 , 174, 67-72	289
2135	Glutamine synthetase immunoreactivity in the human hippocampus is lamina-specific. 1994 , 165, 179-82	17
2134	Somatostatin messenger RNA-containing neurons in Alzheimer's disease: an in situ hybridization study in hippocampus, parahippocampal cortex and frontal cortex. 1994 , 61, 755-64	47
2133	Increased monoamine oxidase B activity in plaque-associated astrocytes of Alzheimer brains revealed by quantitative enzyme radioautography. 1994 , 62, 15-30	310
2132	Long lasting functional alterations in the rat dentate gyrus following entorhinal cortex lesion: a current source density analysis. 1994 , 61, 805-15	33

2131	Neurofibrillary tangles without cell loss in the lateral vestibular nucleus of patients with Alzheimer's disease. 1994 , 177, 11-4	3
2130	Cellular and molecular biology of Alzheimer's disease and animal models. 1994 , 45, 435-46	112
2129	Abnormally phosphorylated tau protein related to the formation of neurofibrillary tangles and neuropil threads in the cerebral cortex of sheep and goat. 1994 , 171, 1-4	109
2128	Abnormally phosphorylated tau protein in Alzheimer's disease: heterogeneity of individual regional distribution and relationship to clinical severity. 1994 , 63, 499-516	74
2127	Pathological Tau proteins of Alzheimer's disease as a biochemical marker of neurofibrillary degeneration. 1994 , 48, 287-95	31
2126	Apolipoprotein-E epsilon-4 is associated with increased neurofibrillary pathology in the Lewy body variant of Alzheimer's disease. 1994 , 182, 63-5	42
2125	Reverse genetics of the mouse central nervous system: targeted genetic analysis of neuropeptide function and reverse genetic screens for genes involved in human neurodegenerative disease. 1994 , 42, 319-31	3
2124	The differentiation of depression from dementia by temporal lobe magnetic resonance imaging. 1994 , 24, 633-40	53
2123	Longitudinal study on oral health in subjects with Alzheimer's disease. 1994 , 42, 57-63	91
2122	Reading in dementia of the Alzheimer type: A preserved ability?. 1994 , 8, 395-407	144
2122		144
2121		
2121	Neuropathological changes in Alzheimer disease. 1994 , 101, 383-90	88
2121	Neuropathological changes in Alzheimer disease. 1994 , 101, 383-90 Functional integrity of neural systems related to memory in Alzheimer's disease. 1994 , 100, 245-54	88
2121 2120 2119	Neuropathological changes in Alzheimer disease. 1994 , 101, 383-90 Functional integrity of neural systems related to memory in Alzheimer's disease. 1994 , 100, 245-54 Human Nervous System. 1995 , 325-344 Morphometrical comparison of neurofibrillary tangles and senile plaques in Alzheimer's disease	8853
2121 2120 2119 2118	Neuropathological changes in Alzheimer disease. 1994, 101, 383-90 Functional integrity of neural systems related to memory in Alzheimer's disease. 1994, 100, 245-54 Human Nervous System. 1995, 325-344 Morphometrical comparison of neurofibrillary tangles and senile plaques in Alzheimer's disease and the senile dementia of Alzheimer type. 1995, 15, 21-26	88536
2121 2120 2119 2118 2117	Neuropathological changes in Alzheimer disease. 1994, 101, 383-90 Functional integrity of neural systems related to memory in Alzheimer's disease. 1994, 100, 245-54 Human Nervous System. 1995, 325-344 Morphometrical comparison of neurofibrillary tangles and senile plaques in Alzheimer's disease and the senile dementia of Alzheimer type. 1995, 15, 21-26 The cortical neuritic pathology of Huntington's disease. 1995, 21, 18-26	8853673

2113	Alzheimer's disease. II. Ageing, Korsakoff's disease, Parkinson's disease, and Alzheimer's disease. 1995, 351, 189-222		73
2112	The human entorhinal cortex: a cytoarchitectonic analysis. 1995 , 355, 171-98		192
2111	Morphology and kainate-receptor immunoreactivity of identified neurons within the entorhinal cortex projecting to superior temporal sulcus in the cynomolgus monkey. 1995 , 357, 25-35		16
2110	Projections from the anterodorsal and anteroventral nucleus of the thalamus to the limbic cortex in the rat. 1995 , 358, 584-604		171
2109	Calretinin immunoreactive structures in the human hippocampal formation. 1995 , 360, 475-87		52
2108	Alzheimer's disease-type neurofibrillary degeneration in verrucose dysplasias of the cerebral cortex. <i>Acta Neuropathologica</i> , 1995 , 90, 356-65	14.3	8
2107	Cytoskeletal changes in rat cortical neurons induced by long-term intraventricular infusion of leupeptin. <i>Acta Neuropathologica</i> , 1995 , 89, 8-16	14.3	10
2106	Alzheimer's changes in non-demented and demented patients. <i>Acta Neuropathologica</i> , 1995 , 89, 112-3	14.3	13
2105	Ischemic stress induces deposition of amyloid beta immunoreactivity in human brain. <i>Acta Neuropathologica</i> , 1995 , 90, 461-6	14.3	128
2104	Interleukin-6 is present in early stages of plaque formation and is restricted to the brains of Alzheimer's disease patients. <i>Acta Neuropathologica</i> , 1995 , 89, 544-51	14.3	176
2103	GM1 ganglioside-bound amyloid beta-protein (A beta): a possible form of preamyloid in Alzheimer's disease. 1995 , 1, 1062-6		468
2102	Anatomy of the medial temporal lobe. 1995 , 13, 1047-55		62
2101	Mechanisms of cell death in cholinergic basal forebrain neurons in chronic alcoholics. 1995 , 10, 81-91		30
2100	Free radical theory of aging: Alzheimer disease pathogenesis. 1995 , 18, 97-119		77
2099	Triazolam in Alzheimer's disease: pilot study on sleep and memory effects. 1995 , 52, 447-52		30
2098	Autobiographical memory and executive function in early dementia of Alzheimer type. 1995 , 33, 1647-7	0	279
2097	Beta-amyloid(1-40) effects on behavior and memory. 1995 , 682, 69-74		78
2096	Effects of age on messenger RNA expression of glucocorticoid, thyroid hormone, androgen, and estrogen receptors in postmortem human hippocampus. 1995 , 700, 245-53		81

Molecular determinants of paired helical filament assembly and its therapeutic implications in Alzheimer's disease. 1995 , 7, 299-338	1
Episodic and semantic memory in Alzheimer's disease and progressive supranuclear palsy: a comparative study. 1995 , 17, 459-71	26
The impact of genetic and environmental factors on the pathobiology of Alzheimer's disease: a multifactorial disorder?. 1995 , 7, 361-383	2
2092 Abnormal tau proteins and neuronal degeneration in Alzheimer's disease. 1995 , 7, 349-360	1
2091 The Amyloid Peptide and Its Precursor in Alzheimer's Disease. 1995 , 6,	23
Neuropathological changes in Down's syndrome hippocampal formation. Effect of age and apolipoprotein E genotype. 1995 , 52, 373-8	123
Age-related distribution of neuropathologic changes in the cerebral cortex of patients with Dow syndrome. Quantitative regional analysis and comparison with Alzheimer's disease. 1995 , 52, 37	
2088 Alzheimer's disease neurofibrillary degeneration: Towards a possible in vitro model. 1995 , 49, 14	41-144
2087 DNA testing detente?. 1995 , 268, 371	
The morphologic and neurochemical basis of dementia: aging, hierarchical patterns of lesion	
distribution and vulnerable neuronal phenotype. 1995 , 6, 97-124	22
distribution and vulnerable neuronal phenotype. 1995 , 6, 97-124 Regional distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of very	old
distribution and vulnerable neuronal phenotype. 1995 , 6, 97-124 Regional distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of very patients. 1995 , 52, 1150-9 Age-related CNS disorder and early death in transgenic FVB/N mice overexpressing Alzheimer	old 64 482
distribution and vulnerable neuronal phenotype. 1995, 6, 97-124 Regional distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of very patients. 1995, 52, 1150-9 Age-related CNS disorder and early death in transgenic FVB/N mice overexpressing Alzheimer amyloid precursor proteins. 1995, 15, 1203-18 Dominant and differential deposition of distinct beta-amyloid peptide species, A beta N3(pE), in	old 64 482 511
distribution and vulnerable neuronal phenotype. 1995, 6, 97-124 Regional distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of very patients. 1995, 52, 1150-9 Age-related CNS disorder and early death in transgenic FVB/N mice overexpressing Alzheimer amyloid precursor proteins. 1995, 15, 1203-18 Dominant and differential deposition of distinct beta-amyloid peptide species, A beta N3(pE), in senile plaques. 1995, 14, 457-66 The N-methyl-D-aspartate antagonists phencyclidine, ketamine and dizocilpine as both behavior	old 64 482 511
distribution and vulnerable neuronal phenotype. 1995, 6, 97-124 Regional distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of very patients. 1995, 52, 1150-9 Age-related CNS disorder and early death in transgenic FVB/N mice overexpressing Alzheimer amyloid precursor proteins. 1995, 15, 1203-18 Dominant and differential deposition of distinct beta-amyloid peptide species, A beta N3(pE), in senile plaques. 1995, 14, 457-66 The N-methyl-D-aspartate antagonists phencyclidine, ketamine and dizocilpine as both behavior and anatomical models of the dementias. 1995, 20, 250-67 Differential expression of fetal and mature tau isoforms in primary cultures of rat cerebellar	old 64 482 511 Tal 252
distribution and vulnerable neuronal phenotype. 1995, 6, 97-124 Regional distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of very patients. 1995, 52, 1150-9 Age-related CNS disorder and early death in transgenic FVB/N mice overexpressing Alzheimer amyloid precursor proteins. 1995, 15, 1203-18 Dominant and differential deposition of distinct beta-amyloid peptide species, A beta N3(pE), in senile plaques. 1995, 14, 457-66 The N-methyl-D-aspartate antagonists phencyclidine, ketamine and dizocilpine as both behavior and anatomical models of the dementias. 1995, 20, 250-67 Differential expression of fetal and mature tau isoforms in primary cultures of rat cerebellar granule cells during differentiation in vitro. 1995, 34, 38-44	old 64 482 511 ral 252 13 35-47 21

2077	Apolipoprotein E immunoreactivity within neurofibrillary tangles: relationship to Tau and PHF in Alzheimer's disease. 1995 , 132, 162-71	45
2076	Differential sensitivity to proteolysis by brain calpain of adult human tau, fetal human tau and PHF-tau. 1995 , 368, 10-4	52
2075	Microtubules, Tau Protein,and Paired Helical Filaments in Alzheimer∄ Disease. 1995 , 143-160	
2074	Increased incidence of neurofibrillary tangles (NFT) in non-demented individuals with hypertension. 1995 , 131, 162-9	186
2073	Dual-task paradigm: a means to examine the central executive. 1995 , 769, 161-71	111
2072	Neuroanatomy of Alzheimer's disease: Hierarchical vulnerability and neural system compromise. 1995 , 16, 278-280	222
2071	Natural evolution of the neurodegenerative alterations in Alzheimer's disease. 1995 , 16, 280-282	11
2070	Staging of Alzheimer's disease-related neurofibrillary changes. 1995 , 16, 271-8; discussion 278-84	1589
2069	Examination of phosphorylated tau protein as a PHF-precursor at early stage Alzheimer's disease. 1995 , 16, 433-45	36
2068	Chrysamine-G binding to Alzheimer and control brain: autopsy study of a new amyloid probe. 1995 , 16, 541-8	113
2067	Differential correlation between neurochemical deficits, neuropathology, and cognitive status in Alzheimer's disease. 1995 , 16, 817-23	70
2066	'Lewy body disease': clinico-pathological correlations in 18 consecutive cases of Parkinson's disease with and without dementia. 1995 , 97, 13-22	66
2065	Neocortical neurofibrillary tangles correlate with dementia severity in Alzheimer's disease. 1995 , 52, 81-8	405
2064	Cognitive impairment in Alzheimer's disease correlates with ventricular width and atrophy-corrected cortical glucose metabolism. 1995 , 37, 270-7	33
2063	Increased messenger RNA expression of the 695 and 751 amino acid isoforms of the beta-amyloid protein precursor in the thalamus of 17-year-old cynomolgus (Macaca fascicularis) monkeys. 1995 , 65, 51-7	14
2062	Close-meshed prevalence rates of different stages as a tool to uncover the rate of Alzheimer's disease-related neurofibrillary changes. 1995 , 64, 209-17	190
2061	Paired helical filament-like phosphorylation of tau, deposition of beta/A4-amyloid and memory impairment in rat induced by chronic inhibition of phosphatase 1 and 2A. 1995 , 69, 691-8	123
2060	Apolipoprotein E polymorphism influences not only cerebral senile plaque load but also Alzheimer-type neurofibrillary tangle formation. 1995 , 66, 583-7	145

2059	Alteration in nicotine binding sites in Parkinson's disease, Lewy body dementia and Alzheimer's disease: possible index of early neuropathology. 1995 , 64, 385-95	366
2058	Neuropathology of Alzheimer's disease with special reference to neurofibrillary tangles. 1996 , 6, S4-25-S4-26	
2057	Role of inflammation, Apo E, and antichymotrypsin in Alzheimer's disease. 1996 , 6, S4-26	
2056	Molecular genetic studies in affective disorders. 1996 , 6, S4-26-S4-27	
2055	Carboxy terminal of beta-amyloid deposits in aged human, canine, and polar bear brains. 1996 , 17, 249-57	57
2054	Topography of brain atrophy during normal aging and Alzheimer's disease. 1996 , 17, 513-21	146
2053	Neuropathology in controls and demented subjects from the Baltimore Longitudinal Study of Aging. 1996 , 17, 365-71	120
2052	On the relationship between measles virus and Alzheimer neurofibrillary tangles in subacute sclerosing panencephalitis. 1996 , 17, 527-33	29
2051	Interleukin-6-associated inflammatory processes in Alzheimer's disease: new therapeutic options. 1996 , 17, 795-800	80
2050	beta-Amyloid converts an acute phase injury response to chronic injury responses. 1996 , 17, 723-31	91
2049	Age-related ubiquitin-positive granular structures in non-demented subjects and neurodegenerative disorders. 1996 , 142, 25-9	21
2048	Histological evidence for cholinergic alteration in the hippocampus following entorhinal cortex lesion. 1996 , 142, 7-11	12
2047	In vivo structural studies of the hippocampus in normal aging and in incipient Alzheimer's disease. 1996 , 777, 1-13	62
2046	Apolipoprotein E polymorphism is associated with both senile plaque load and Alzheimer-type neurofibrillary tangle formation. 1996 , 777, 276-80	17
2045	Preclinical evidence of Alzheimer's disease in persons homozygous for the epsilon 4 allele for apolipoprotein E. 1996 , 334, 752-8	1163
2044	Accumulation of advanced glycation end products of the Maillard reaction with age in human hippocampal neurons. 1996 , 208, 53-6	88
2043	Age, neurofibrillary changes, A beta-amyloid and the onset of Alzheimer's disease. 1996 , 210, 87-90	99
2042	A sex difference in neurodegeneration of the human hypothalamus. 1996 , 212, 103-6	37

2041	Differential messenger RNA expression of prodynorphin and proenkephalin in the human brain. 1996 , 72, 767-83	78
2040	The messenger RNAs for the N-methyl-D-aspartate receptor subunits show region-specific expression of different subunit composition in the human brain. 1996 , 73, 429-47	86
2039	Evidence for an early inflammatory response in the central nervous system of mice with scrapie. 1996 , 74, 1-5	173
2038	Tonic facilitation of glutamate release by presynaptic N-methyl-D-aspartate autoreceptors in the entorhinal cortex. 1996 , 75, 339-44	219
2037	Patterns of synaptic and nerve cell pathology in Alzheimer's disease. 1996 , 78, 9-14	22
2036	Neuropeptide Y receptor gene regulation in mouse adrenocortical Y-1 cells. 1996 , 63, 53-6	10
2035	Infusion of (+) -MK-801 and memantine contrasting effects on radial maze learning in rats with entorhinal cortex lesion. 1996 , 296, 239-46	86
2034	Gene expression of Alzheimer-associated presenilin-2 in the frontal cortex of Alzheimer and aged control brain. 1996 , 394, 17-20	13
2033	Dystrophic neurite formation associated with age-related beta amyloid deposition in the neocortex: clues to the genesis of neurofibrillary pathology. 1996 , 141, 1-11	68
2032	Improved selectivity and sensitivity in the visualization of neurofibrillary tangles, plaques and neuropil threads. 1996 , 5, 177-87	15
2031	The apolipoprotein E epsilon 4 allele in Parkinson's disease with Alzheimer lesions. 1996 , 224, 484-6	34
2030	Focal cortical atrophy syndromes. 1996 , 31, 188-229	57
2029	Beta-amyloid deposition and other measures of neuropathology predict cognitive status in Alzheimer's disease. 1996 , 17, 921-33	278
2028	Disentangling a complex pattern of interrelationships among multiple measures of Alzheimer neuropathology and clinical status: comments on Cummings, Pike, Shankle, and Cotman. 1996 , 17, 933-5; discussion 945-7	4
2027	Neuropathological markers of impaired cognition in the entorhinal cortex. 1996 , 17, 940-1; discussion 945-7	5
2026	The cellular and molecular correlates of cognitive impairments in the Alzheimer's disease brain. 1996 , 17, 941-3; discussion 945-7	4
2025	Neurofibrillary pathologycorrelation with hippocampal formation atrophy in Alzheimer disease. 1996 , 17, 909-19	104
2024	Conventional MRI volumetric measures of parietal and insular cortex in Alzheimer's disease. 1996 , 20, 1131-44	11

2023	Evolution of the neuropathology of Alzheimer's disease. 1996 , 165, 3-12		451
2022	Neuropsychological features of early Alzheimer's disease: preclinical and clinical stages. 1996 , 165, 63-7	1	62
2021	The 5-HT1A antagonist, WAY 100635, ameliorates the cognitive impairment induced by fornix transection in the marmoset. 1996 , 127, 245-254		4
2020	The 5-HT1A antagonist, WAY 100635, ameliorates the cognitive impairment induced by fornix transection in the marmoset. 1996 , 127, 245-254		O
2019	The 5-HI1A antagonist, WAY 100635, ameliorates the cognitive impairment induced by fornix transection in the marmoset. 1996 , 127, 245-254		39
2018	Performance on the Boston Cookie theft picture description task in patients with early dementia of the Alzheimer's type: Missing information. 1996 , 10, 395-408		70
2017	Neuropsychological Investigation of Anterior and Posterior Cortical Function in Early-Stage Probable Alzheimer Disease. 1996 , 9, 135-148		10
2016	Hippocampal pathology reflects memory deficit and brain imaging measurements in Alzheimer's disease: clinicopathologic correlations using three sets of pathologic diagnostic criteria. 1996 , 7, 76-81		26
2015	Contingent vulnerability of entorhinal parvalbumin-containing neurons in Alzheimer's disease. 1996 , 16, 3311-21		71
2014	Oxidative stress: Free radical production in neural degeneration. 1996 , 425-509		O
2013	Hippocampal and neocortical involvement in normal brain aging and dementia: morphological and neurochemical profile of the vulnerable circuits. 1996 , 44, 857-64		15
2012	The neurobiology of Alzheimer's disease. 1996 , 51, 80-90		7
2011	Galanin receptor antagonist M40 blocks galanin-induced choice accuracy deficits on a delayed-nonmatching-to-position task 1996 , 110, 1025-1032		49
2010	Profound loss of layer II entorhinal cortex neurons occurs in very mild Alzheimer's disease. 1996 , 16, 4491-500		1359
2009	Coexistence of parvalbumin and GABA in nonpyramidal neurons of the rat entorhinal cortex. 1996 , 706, 113-22		46
2008	The synaptic protein NACP is abnormally expressed during the progression of Alzheimer's disease. 1996 , 720, 230-4		47
2007	Regional cerebral glucose metabolism and postmortem pathology in Alzheimer's disease. <i>Acta Neuropathologica</i> , 1996 , 91, 174-9	14.3	83
2006	Diagnostic accuracy of Alzheimer's disease: a neuropathological study. <i>Acta Neuropathologica</i> , 1996 , 91, 185-93	14.3	83

2005	Diagnostic accuracy of Alzheimer's disease: a clinicopathological study. <i>Acta Neuropathologica</i> , 1996 , 91, 219-20	14.3	57
2004	Convergence of Lewy bodies and neurofibrillary tangles in amygdala neurons of Alzheimer's disease and Lewy body disorders. <i>Acta Neuropathologica</i> , 1996 , 91, 475-81	14.3	100
2003	Comparison of the neurofibrillary pathology in Alzheimer's disease and familial presenile dementia with tangles. <i>Acta Neuropathologica</i> , 1996 , 92, 42-8	14.3	142
2002	Different variants of frontotemporal dementia: a neuropathological and immunohistochemical study. <i>Acta Neuropathologica</i> , 1996 , 92, 170-9	14.3	69
2001	Development of Alzheimer-related neurofibrillary changes in the neocortex inversely recapitulates cortical myelogenesis. <i>Acta Neuropathologica</i> , 1996 , 92, 197-201	14.3	294
2000	Pattern of brain destruction in Parkinson's and Alzheimer's diseases. 1996 , 103, 455-90		265
1999	Neuropsychology of memory and SPECT in the diagnosis and staging of dementia of Alzheimer type. 1996 , 243, 175-90		26
1998	Of mind and matteror what really matters in Alzheimer's disease? Neurobiological substrates of clinical deficits in Alzheimer's disease. 1996 , 246, 116-7		
1997	Inflammatory mechanisms in Alzheimer's disease. 1996 , 246, 124-8		35
1996	The relationship between clinical dementia and neuropathological staging (Braak) in a very elderly community sample. 1996 , 246, 132-6		31
1995	Correlations between mental state and quantitative neuropathology in the Vienna Longitudinal Study on Dementia. 1996 , 246, 137-46		91
1994	Dementia of the Alzheimer type and related dementias in the aged: DAT subgroups and senile dementia of the neurofibrillary tangle type. 1996 , 16, 89-98		42
1993	A Morphometric study of subcortical neurofibrillary tangles in Alzheimer's disease. 1996 , 16, 231-238		3
1992	Effects of entorhinal cortex lesion on learning behavior and on hippocampus in the rat. 1996 , 50, 223-3	0	15
1991	Pathological diagnosis of Alzheimer-type dementia for old-old and oldest-old patients. 1996 , 46, 842-54	4	18
1990	Review. David Oppenheimer Memorial Lecture 1995: Some neuropathological aspects of Alzheimer's disease and its relevance to other disciplines. 1996 , 22, 3-11		60
1989	Neurofibrillary tangles, but not Alzheimer-type pathology, in a young boxer. 1996 , 22, 12-16		81
1988	Letter to the editor. 1996 , 22, 84-5		

1987	Constructional apraxia in Alzheimer's disease correlates with neuritic neuropathology in occipital cortex. 1996 , 741, 284-93	36
1986	Brain parenchymal and microvascular amyloid in Alzheimer's disease. 1996 , 6, 179-95	143
1985	Long-lasting transneuronal changes in rat dentate granule cell dendrites after entorhinal cortex lesion. A combined intracellular injection and electron microscopy study. 1996 , 6, 205-14; discussion 214-5	41
1984	Amyloid beta-peptide and the dementia of Parkinson's disease. 1996 , 11, 647-53	40
1983	Neurodegenerative disorders with extensive tau pathology: a comparative study and review. 1996 , 40, 139-48	275
1982	Apolipoprotein E genotype in elderly nondemented subjects without senile changes in the brain. 1996 , 40, 243-5	16
1981	Deficient glutamate transport is associated with neurodegeneration in Alzheimer's disease. 1996 , 40, 759-66	355
1980	LETTER TO THE EDITOR. Hippocampal Atrophy Measurement in Alzheimer Disease. 1996 , 11, 81-83	3
1979	Dementia in the elderly male alcoholic retrospective clinicopathological study. 1996 , 11, 209-218	3
1978	Functional cerebral activity during regeneration from entorhinal lesions in the rat. 1996 , 16, 342-52	5
1977	Progressive biparietal atrophy: an atypical presentation of Alzheimer's disease. 1996 , 61, 388-95	101
1976	Diffuse Lewy body disease: clinical features in nine cases without coexistent Alzheimer's disease. 1996 , 60, 531-8	38
1975	Low body weight in Alzheimer's disease is associated with mesial temporal cortex atrophy. 1996 , 46, 1585-91	165
1974	Brain atrophy in frontotemporal dementia. 1996 , 61, 157-65	56
1973	Alzheimer disease and nonfluent progressive aphasia. 1996 , 53, 1072-8	90
1972	Cerebral amyloid deposition and diffuse plaques in "normal" aging: Evidence for presymptomatic and very mild Alzheimer's disease. 1996 , 46, 707-19	526
1971	Therapeutic potential of nerve growth factor in Alzheimer's disease. 1997 , 3, 439-457	
1970	Criteria for Alzheimer's disease and the nosology of dementia with Lewy bodies. 1997 , 48, 126-32	136

1969	Insulin and insulin-like growth factor-1 regulate tau phosphorylation in cultured human neurons. 1997 , 272, 19547-53	381
1968	Chapter II Neurobiology and neuropathology of the human hypothalamus. 1997 , 39-137	39
1967	Apoptosis, neurotrophic factors and neurodegeneration. 1997 , 8, 223-65	38
1966	Disorders of semantic memory. 1997 , 62, 431-5	47
1965	The autonomic-related cortex: pathology in Alzheimer's disease. 1997 , 7, 86-95	60
1964	Lithium reduces tau phosphorylation by inhibition of glycogen synthase kinase-3. 1997 , 272, 25326-32	351
1963	IProtein and the Neurofibrillary Pathology of Alzheimer Disease. 1997, 199-218	2
1962	Chapter 2 The Neuronal Cytoskeleton: Changes Associated with Age, Neurodegenerative Disease, and Neuronal Insult. 1997 , 23-50	
1961	Binding of amyloid beta protein to the 20 S proteasome. 1997 , 272, 58-62	121
1960	The Neurofibrillary Pathology of Alzheimer's Disease. 1997 , 3, 131-141	10
1959	Neuropathologic assessment of Alzheimer's disease. 1997 , 49, S14-6	26
1958	Hippocampal sclerosis contributes to dementia in the elderly. 1997 , 48, 154-60	101
1957	Quantitative MR volumetry in Alzheimer's disease. Topographic markers and the effects of sex and education. 1997 , 49, 1504-12	100
1956	The ratio of mesial to neocortical temporal lobe blood flow as a predictor of dementia. 1997 , 45, 329-33	7
1955	Pet Evaluation of Drugs in Alzheimer and Parkinson Diseases. 1997 , 31, 1035-1044	
1954	Temporal lobe magnetic resonance imaging can differentiate Alzheimer's disease from normal ageing, depression, vascular dementia and other causes of cognitive impairment. 1997 , 27, 1267-75	52
1953	Accurate Prediction of Histologically Confirmed Alzheimer's Disease and the Differential Diagnosis of Dementia: The Use of NINCDS-ADRDA and DSM-III-R Criteria, SPECT, X-Ray CT, and Apo E4 in Medial Temporal Lobe Dementias. 1997 , 9, 191-222	34
1952	Neuropathological assessment of Alzheimer's disease: the experience of the Consortium to Establish a Registry for Alzheimer's Disease. 1997 , 9 Suppl 1, 263-8; discussion 269-72	22

1951	Co-localization of truncated tau and DNA fragmentation in Alzheimer's disease neurones. 1997 , 8, 3709-12	33
1950	Allelic variability in D21S11, but not in APP or APOE, is associated with cognitive decline in Down syndrome. 1997 , 8, 1645-9	18
1949	Perivascular astrocytes within Alzheimer's disease plaques. 1997 , 8, 1961-6	49
1948	Diabetics do not have increased Alzheimer-type pathology compared with age-matched control subjects. A retrospective postmortem immunocytochemical and histofluorescent study. 1997 , 49, 1306-11	151
1947	Chapter 3 Structural Changes in the Aged Brain. 1997 , 51-76	
1946	Mapping histology to metabolism: coregistration of stained whole-brain sections to premortem PET in Alzheimer's disease. 1997 , 5, 147-53	127
1945	Neuroprotection against Oxidative Stress by Estrogens: Structure-Activity Relationship. 1997 , 51, 535-541	631
1944	Infusion of D-cycloserine into temporal-hippocampal areas and restoration of mnemonic function in rats with disrupted glutamatergic temporal systems. 1997 , 328, 1-7	8
1943	Alzheimer-type of pathological changes in Chinese. 1997 , 145, 97-103	7
1942	Synapse alteration in hippocampal CA3 field following entorhinal cortex lesion. 1997 , 151, 1-5	55
1941	Changes in the ageing brain in health and disease. 1997 , 352, 1781-92	54
1940	Life and death of neurons in the aging brain. 1997 , 278, 412-9	1083
1939	Reduction of plasma glutamyl aminopeptidase activity in sporadic Alzheimer's disease. 1997 , 231, 526-30	24
1938	Specific A10 dopaminergic nuclei in the midbrain degenerate in Parkinson's disease. 1997 , 144, 202-13	102
1937	Immunohistochemical study of GABA(A) receptor beta2/3 subunits in the hippocampal formation of aged brains with Alzheimer-related neuropathologic changes. 1997 , 147, 333-45	36
1936	Expression of Fos, Jun, and Krox family proteins in Alzheimer's disease. 1997 , 147, 316-32	65
1935	Apolipoprotein E uptake and low-density lipoprotein receptor-related protein expression by the NTera2/D1 cell line: a cell culture model of relevance for late-onset Alzheimer's disease. 1997 , 4, 58-67	11
1934	Transneuronal degeneration in the spread of Alzheimer's disease pathology: immunohistochemical evidence for the transmission of tau hyperphosphorylation. 1997 , 4, 365-75	80

1933	Semantic memory disorders. 1997 , 1, 68-72	88
1932	Cerebral cortex pathology in aging and Alzheimer's disease: a quantitative survey of large hospital-based geriatric and psychiatric cohorts. 1997 , 25, 217-45	149
1931	Neurodegenerative disorders in humans: the role of glutathione in oxidative stress-mediated neuronal death. 1997 , 25, 335-58	576
1930	Olfactory identification in elderly schizophrenia and Alzheimer's disease. 1997 , 18, 163-7	54
1929	Unbiased estimation of neuronal numbers in the human nucleus coeruleus during aging. 1997 , 18, 393-9	88
1928	Spatial, temporal and numeric analysis of Alzheimer changes in the nucleus coeruleus. 1997 , 18, 401-6	74
1927	Correspondence. 1997 , 18, 389-392	25
1926	Prevalence, incidence and duration of Braak's stages in the general population: can we know?. 1997 , 18, 362-9; discussion 389-92	87
1925	Neuropathological staging of Alzheimer-related lesions: the challenge of establishing relations to age. 1997 , 18, 369-75; discussion 389-92	12
1924	Plaques and tangles: searching for primary events in a forest of data. 1997 , 18, 358-62; discussion 389-92	17
1923	The biological significance of neuropathological lesions in Alzheimer's disease. 1997 , 18, 379-82; discussion 389-92	2
1922	Frequency of stages of Alzheimer-related lesions in different age categories. 1997 , 18, 377-9; discussion 389-92	29
1921	The value of cross sectional neuroanatomical studies as a conceptual framework for prospective clinicopathological studies. 1997 , 18, 382-6; discussion 389-92	9
1920	The natural history of Alzheimer neurofibrillary tangles and amyloid deposits. 1997 , 18, 386-7; discussion 389-92	22
1919	Frequency of stages of Alzheimer-related lesions in different age categories. 1997, 18, 351-7	1234
1918	Consensus Recommendations for the Postmortem Diagnosis of Alzheimer∄ Disease. 1997 , 18, S1-S2	661
1917	The CERAD neuropathology protocol and consensus recommendations for the postmortem diagnosis of Alzheimer's disease: a commentary. 1997 , 18, S91-4	183
1916	Diagnostic criteria for neuropathologic assessment of Alzheimer's disease. 1997 , 18, S85-8	297

1915	Comparison of neuropathologic criteria for the diagnosis of Alzheimer's disease. 1997 , 18, S99-105	66
1914	Neuropathological criteria for the diagnosis of Alzheimer's disease. 1997 , 18, S13-9	60
1913	Neuropathological diagnosis of Alzheimer's disease: a perspective from longitudinal clinicopathological studies. 1997 , 18, S21-6	122
1912	The neuropathological diagnosis of Alzheimer's disease: clinical-pathological studies. 1997 , 18, S27-32	102
1911	Diagnosis and staging of Alzheimer disease. 1997 , 18, S33-42	43
1910	Diagnostic criteria for the neuropathological assessment of Alzheimer's disease: current status and major issues. 1997 , 18, S43-50	14
1909	A commentary on the diagnostic criteria for the neuropathological assessment of Alzheimer's disease. 1997 , 18, S51-2	8
1908	Diagnostic criteria for the neuropathologic assessment of Alzheimer's disease. 1997 , 18, S53-4	6
1907	Proposals for re-evaluation of current autopsy criteria for the diagnosis of Alzheimer's disease. 1997 , 18, S55-65	16
1906	Position paper on diagnostic criteria for Alzheimer disease. 1997 , 18, S71-3	13
1905	Neuropathological criteria for the diagnosis of Alzheimer's disease: are we really ready yet?. 1997 , 18, S3-12	16
1904	Strategies for improving the postmortem neuropathological diagnosis of Alzheimer's disease. 1997 , 18, S75-9	30
1903	Proposal to revise the morphologic criteria for the diagnosis of Alzheimer's disease. 1997 , 18, S81-4	0
1902	Alzheimer's disease: in vivo detection of differential vulnerability of brain regions. 1997 , 18, 463-8	82
1901	Decrease in adenylate cyclase activity antecedes neurofibrillary tangle formation. 1997 , 18, 275-9	14
1900	Elevated phosphocholine and phosphatidylcholine following rat entorhinal cortex lesions. 1997 , 18, 305-8	37
1899	[Weight loss in patients with Alzheimer-type dementia]. 1997 , 18, 776-85	5
1898	Further evidence for an association between a mutation in the APP gene and Lewy body formation. 1997 , 227, 49-52	21

1897	Cytoskeletal alterations in the aged human neurohypophysis. 1997 , 237, 93-6	9
1896	Neuritic plaques in the Lewy body variant of Alzheimer disease lack paired helical filaments. 1997 , 223, 73-6	14
1895	Substantia innominata: a notion which impedes clinical-anatomical correlations in neuropsychiatric disorders. 1997 , 76, 957-1006	237
1894	Morphological and electrophysiological characterization of layer III cells of the medial entorhinal cortex of the rat. 1997 , 77, 629-48	90
1893	Cell loss in the nucleus basalis is related to regional cortical atrophy in Alzheimer's disease. 1997 , 78, 641-52	52
1892	Non-plaque dystrophic dendrites in Alzheimer hippocampus: a new pathological structure revealed by glutamate receptor immunocytochemistry. 1998 , 82, 979-91	35
1891	Muscarinic modulation of the oscillatory and repetitive firing properties of entorhinal cortex layer II neurons. 1997 , 77, 1813-28	199
1890	Abeta deposition is associated with neuropil changes, but not with overt neuronal loss in the human amyloid precursor protein V717F (PDAPP) transgenic mouse. 1997 , 17, 7053-9	448
1889	Human tau becomes phosphorylated and forms filamentous deposits when overexpressed in lamprey central neurons in situ. 1997 , 94, 4733-8	75
1888	Apolipoprotein E and Neurofibrillary Tangles in Alzheimer's Disease. 1997 , 167, 119-122	
1887	XVIIIth International Symposium on Cerebral Blood Flow and Metabolism. 1997 , 17, S1-S806	
1886	Lewy bodies and progressive dementia: A critical review and meta-analysis. 1997 , 3, 179-194	30
1885	Alzheimer's disease research: a game of connect the dots. 1997 , 43, 8-19	10
1884	Aberrant expression of mitotic cdc2/cyclin B1 kinase in degenerating neurons of Alzheimer's disease brain. 1997 , 17, 3588-98	405
1883	Protection against oxidative stress-induced neuronal cell deatha novel role for RU486. 1997 , 9, 912-20	76
1882	Presenilin-1 polymorphism and neuropathological lesions of aging brain and late-onset Alzheimer's disease. 1997 , 17, 217-219	1
1881	Neurons and neurofibrillary tangles in the hippocampal cortex in familial and sporadic Alzheimer's disease. 1997 , 17, 301-306	3
1880	Concurrence of amyotrophic lateral sclerosis with limbic degeneration and Alzheimer's disease. 1997 , 17, 334-339	3

1879	Neurons and extracellular neurofibrillary tangles in the hippocampal subdivisions in early-onset familial Alzheimer's disease: a case study. 1997 , 51, 227-31	6
1878	Association of the mitochondrial tRNAA4336G mutation with Alzheimer's and Parkinson's diseases. 1997 , 23, 315-321	54
1877	Relationship between apolipoprotein E and the amyloid deposits and dystrophic neurites of Alzheimer's disease. 1997 , 23, 483-91	22
1876	Brain microvascular changes in Alzheimer's disease and other dementias. 1997 , 826, 7-24	132
1875	Neuropathology of suicide. A review and an approach. 1997 , 836, 201-19	16
1874	Aging. 1997 , 7, 1065-1069	78
1873	Neuropathologie de la maladie d'Alzheimer. 1997 , 14, 5-23	3
1872	Sulcal pattern of the anterior parahippocampal gyrus in the human adult. 1997 , 179, 335-9	32
1871	Bax expression in mammalian neurons undergoing apoptosis, and in Alzheimer's disease hippocampus. 1997 , 750, 223-34	130
1870	C-reactive protein-like immunoreactivity in the neurofibrillary tangles of Alzheimer's disease. 1997 , 749, 152-6	116
1869	Transglutaminase activity is increased in Alzheimer's disease brain. 1997 , 751, 323-9	169
1868	Evidence for recovery of spatial learning following entorhinal cortex lesions in mice. 1997 , 758, 187-200	51
1867	5-HT inhibits lateral entorhinal cortical neurons of the rat in vitro by activation of potassium channel-coupled 5-HT1A receptors. 1997 , 770, 10-7	27
1866	The progression of beta-amyloid deposition in the frontal cortex of the aged canine. 1997 , 774, 35-43	80
1865	Nicotinic and muscarinic cholinergic receptor binding in the human hippocampal formation during development and aging. 1997 , 101, 93-105	122
1864	Effects of D-cycloserine and aniracetam on spatial learning in rats with entorhinal cortex lesions. 1997 , 56, 21-9	28
1863	Apolipoprotein E and Alzheimer's disease: a review of recent studies. 1997 , 56, 675-85	51
1862	Lesioning of the inferior olive using a ventral surgical approach. Characterization of temporal and spatial astrocytic responses at the lesion site and in cerebellum. 1997 , 31, 245-64	8

1861	Cholinergic fibre loss associated with diffuse plaques in the non-demented elderly: the preclinical stage of Alzheimer's disease?. <i>Acta Neuropathologica</i> , 1997 , 93, 146-53	14.3	60	
1860	Expression of cell division markers in the hippocampus in Alzheimer's disease and other neurodegenerative conditions. <i>Acta Neuropathologica</i> , 1997 , 93, 294-300	14.3	184	
1859	Alzheimer's disease: transiently developing dendritic changes in pyramidal cells of sector CA1 of the Ammon's horn. <i>Acta Neuropathologica</i> , 1997 , 93, 323-5	14.3	106	
1858	Argyrophilic grain disease: widespread hyperphosphorylation of tau protein in limbic neurons. <i>Acta Neuropathologica</i> , 1997 , 93, 477-84	14.3	91	
1857	Dissociation of Alzheimer type pathology in a disconnected piece of cortex. <i>Acta Neuropathologica</i> , 1997 , 93, 501-7	14.3	51	
1856	Neurofibrillary pathology in the human paraventricular and supraoptic nuclei. <i>Acta Neuropathologica</i> , 1997 , 94, 99-102	14.3	23	
1855	Quantitative analysis of tau protein-immunoreactive accumulations and beta amyloid protein deposits in the cerebral cortex of the mouse lemur, Microcebus murinus. <i>Acta Neuropathologica</i> , 1997 , 94, 131-9	14.3	55	
1854	Differential pattern of beta-amyloid, amyloid precursor protein and apolipoprotein E expression in cortical senile plaques. <i>Acta Neuropathologica</i> , 1997 , 94, 255-65	14.3	17	
1853	Argyrophilic grain disease: distribution of grains in patients with and without dementia. <i>Acta Neuropathologica</i> , 1997 , 94, 353-8	14.3	73	
1852	Low prevalence of apolipoprotein E epsilon 4 allele in the neurofibrillary tangle predominant form of senile dementia. <i>Acta Neuropathologica</i> , 1997 , 94, 403-9	14.3	61	
1851	Does smoking protect from Alzheimer's disease? Alzheimer-type changes in 301 unselected brains from patients with known smoking history. <i>Acta Neuropathologica</i> , 1997 , 94, 450-4	14.3	64	
1850	Alterations in glutamate receptor 2/3 subunits and amyloid precursor protein expression during the course of Alzheimer's disease and Lewy body variant. <i>Acta Neuropathologica</i> , 1997 , 94, 539-48	14.3	37	
1849	Argyrophilic inclusions distinct from Alzheimer neurofibrillary changes in one case of dialysis-associated encephalopathy. <i>Acta Neuropathologica</i> , 1997 , 94, 612-6	14.3	22	
1848	Elevated protein levels of protein phosphatases PP-2A and PP-2B in astrocytes of Alzheimer's disease temporal cortex. 1997 , 104, 1329-38		12	
1847	MRI volumetry of the hippocampus: the effect of slice thickness on volume formation. 1997 , 15, 263-5		40	
1846	Present imperfect: a critical review of animal models of the mnemonic impairments in Alzheimer's disease. 1998 , 22, 99-120		63	
1845	Three-dimensional reconstruction of senile plaques in Alzheimer's disease. 1997 , 186, 263-9		2	
1844	Neuronal loss correlates with but exceeds neurofibrillary tangles in Alzheimer's disease. 1997 , 41, 17-2	4	975	

1843	A subset of senile dementia with high incidence of the apolipoprotein E epsilon2 allele. 1997 , 41, 693-5	44
1842	Metabolic reduction in the posterior cingulate cortex in very early Alzheimer's disease. 1997 , 42, 85-94	1388
1841	Brain atrophy progression measured from registered serial MRI: validation and application to Alzheimer's disease. 1997 , 7, 1069-75	269
1840	Distribution of calretinin-immunoreactivity in the rat entorhinal cortex: Coexistence with GABA. 1997 , 378, 363-378	46
1839	Volume and number of neurons of the human hippocampal formation in normal aging and Alzheimer's disease. 1997 , 379, 482-94	349
1838	Autoradiographic distribution of M1, M2, M3, and M4 muscarinic receptor subtypes in Alzheimer's disease. 1997 , 26, 341-50	89
1837	Alzheimer-type lesions in Huntington's disease. 1998 , 105, 787-99	34
1836	Transgenic mouse models of Alzheimer's disease and amyotrophic lateral sclerosis. 1998 , 8, 735-57	20
1835	Variability of senile dementia of Alzheimer type: A clinicopathological viewpoint. 1998 , 18, 77-79	
1834	Conditions of Alzheimer-type dementia in the old-old and oldest-old patients with special reference to extreme conditions of brain aging. 1998 , 18, 80-90	5
1833	Clinicopathological study of dementia in the elderly who died at home: A comparison of SDAT and non-demented subjects with SDAT changes. 1998 , 18, 162-166	
1832	Aging of the human limbic system: Observations of centenarian brains and analyses of genetic risk factors for senile changes. 1998 , 18, 228-234	3
1831	Neurofibrillary tangle pathology correlates with the activity of daily living of the house living aged population: A medicolegal aspect. 1998 , 18, 384-390	
1830	Learning impairments induced by glutamate blockade using dizocilpine (MK-801) in monkeys. 1998 , 125, 1013-8	40
1829	Transcription factor NF-kappaB: friend or foe of neurons?. 1998 , 3, 15-20	57
1828	Cellular and molecular neuropathology of the olfactory epithelium and central olfactory pathways in Alzheimer's disease and schizophrenia. 1998 , 855, 762-75	57
1827	Adverse psychological impact, glutamatergic dysfunction, and risk factors for Alzheimer's disease. 1998 , 23, 131-9	35
1826	Alzheimer changes are common in aged drivers killed in single car crashes and at intersections. 1998 , 96, 115-27	20

1825	Mitotic phosphorylation of tau protein in neuronal cell lines resembles phosphorylation in Alzheimer's disease. 1998 , 76, 176-84	60
1824	Embryonic entorhinal transplants partially ameliorate the deficits in spatial memory in adult rats with entorhinal cortex lesions. 1998 , 792, 97-104	15
1823	Accumulation of cyclin-dependent kinase 5 (cdk5) in neurons with early stages of Alzheimer's disease neurofibrillary degeneration. 1998 , 797, 267-77	195
1822	Advanced glycation endproducts are associated with Hirano bodies in Alzheimer's disease. 1998 , 796, 307-10	52
1821	Loss of inositol 1,4,5-trisphosphate receptor sites and decreased PKC levels correlate with staging of Alzheimer's disease neurofibrillary pathology. 1998 , 796, 209-21	55
1820	Immunohistochemical study of GABAA receptor alpha1 subunit in the hippocampal formation of aged brains with Alzheimer-related neuropathologic changes. 1998 , 799, 148-55	49
1819	Duration of neurofibrillary changes in the hippocampal pyramidal neurons. 1998, 799, 156-8	40
1818	Region- and cell-type-specific pattern of tau phosphorylation in dog brain. 1998 , 802, 259-66	26
1817	Pick's disease: cytoskeletal changes in the hypothalamic lateral tuberal nucleus. 1998 , 802, 119-24	15
1816	Neuronal and volume loss in CA1 of the hippocampal formation uniquely predicts duration and severity of Alzheimer disease. 1998 , 805, 267-9	98
1815	A reversal of the temporal gradient for famous person knowledge in semantic dementia: implications for the neural organisation of long-term memory. 1998 , 36, 803-25	185
1814	Neuromodulatory control of hippocampal function: towards a model of Alzheimer's disease. 1998 , 13, 99-121	77
1813	Tau in Alzheimer's disease. 1998 , 8, 425-7	395
1812	Hippocampal atrophy and apolipoprotein E genotype are independently associated with Alzheimer's disease. 1998 , 43, 303-10	158
1811	Cerebrospinal fluid F2-isoprostane levels are increased in Alzheimer's disease. 1998 , 44, 410-3	225
1810	Production of paired helical filament, tau-like proteins by PC12 cells: a model of neurofibrillary degeneration. 1998 , 52, 498-504	11
1809	Experimentally induced lysosomal dysfunction disrupts processing of hypothalamic releasing factors. 1998 , 401, 382-394	6
1808	Selective vulnerability of neocortical association areas in Alzheimer's disease. 1998 , 43, 16-23	23

1807	Glial reaction in aging and Alzheimer's disease. 1998 , 43, 24-8		74
1806	Ultrastructural aspects of neurofibrillary tangle formation in aging and Alzheimer's disease. 1998 , 43, 49-58		9
1805	Human medial temporal lobe in aging: anatomical basis of memory preservation. 1998 , 43, 8-15		66
1804	Entorhinal cortex of the rat: cytoarchitectonic subdivisions and the origin and distribution of cortical efferents. 1997 , 7, 146-83		322
1803	Cytoarchitectonic alterations in the supramarginal gyrus of late onset Alzheimer's disease. <i>Acta Neuropathologica</i> , 1998 , 95, 395-406	14.3	38
1802	Laminar spongiosis of the dentate gyrus: a sign of disconnection, present in cases of severe Alzheimer's disease. <i>Acta Neuropathologica</i> , 1998 , 95, 413-20	14.3	20
1801	Argyrophilic grain disease is associated with apolipoprotein E epsilon 2 allele. <i>Acta Neuropathologica</i> , 1998 , 96, 222-4	14.3	36
1800	Apolipoprotein E allele frequencies in argyrophilic grain disease. <i>Acta Neuropathologica</i> , 1998 , 96, 225-7	14.3	24
1799	Aging-associated neuropathology in Werner syndrome. Acta Neuropathologica, 1998, 96, 421-4	14.3	21
1798	Cytoskeletal alterations in the human tuberal hypothalamus related to argyrophilic grain disease. <i>Acta Neuropathologica</i> , 1998 , 96, 596-602	14.3	23
1797	The effects of excitotoxicity on the expression of the amyloid precursor protein gene in the brain and its modulation by neuroprotective agents. 1998 , 105, 463-78		25
1796	Evaluation of neuronal loss, astrocytosis and abnormalities of cytoskeletal components of large motor neurons in the human anterior horn in aging. 1998 , 105, 689-701		49
1795	Argyrophilic grain disease: frequency of occurrence in different age categories and neuropathological diagnostic criteria. 1998 , 105, 801-19		153
1794	Lu 25-109, a combined m1 agonist and m2 antagonist, modulates regulated processing of the amyloid precursor protein of Alzheimer's disease. 1998 , 105, 1029-43		13
1793	Characterization of perforant path lesions in rodent models of memory and attention. 1998 , 10, 823-38		60
1792	Lesion-induced transneuronal plasticity of the cholinergic innervation in the adult rat entorhinal cortex. 1998 , 10, 1054-62		11
1791	Argyrophilic grains of Braak: occurrence in dendrites of neurons containing hyperphosphorylated tau protein. 1998 , 24, 53-9		35
1790	Amyloid beta protein (A beta) deposition in dementia with Lewy bodies: predominance of A beta 42(43) and paucity of A beta 40 compared with sporadic Alzheimer's disease. 1998 , 24, 187-94		23

1789	The presence of FAC1 protein in Hirano bodies. 1998 , 24, 359-66	11
1788	Dendritic changes in Alzheimer's disease and factors that may underlie these changes. 1998 , 55, 595-609	86
1787	First one in, last one out: the role of gabaergic transmission in generation and degeneration. 1998 , 55, 651-8	35
1786	The regulation of amyloid precursor protein metabolism by cholinergic mechanisms and neurotrophin receptor signaling. 1998 , 56, 541-69	179
1785	Tau protein pathology in neurodegenerative diseases. 1998 , 21, 428-33	567
1784	GABAA receptor beta 2 and beta 3 subunits mRNA in the hippocampal formation of aged human brain with Alzheimer-related neuropathology. 1998 , 56, 268-72	30
1783	Expression of the alpha3 nicotinic receptor subunit mRNA in aging and Alzheimer's disease. 1998 , 63, 72-8	46
1782	Phosphorylation of tau, Abeta-formation, and apoptosis after in vivo inhibition of PP-1 and PP-2A. 1998 , 19, 3-13	82
1781	MRI of the hippocampus in Alzheimer's disease: sensitivity, specificity, and analysis of the incorrectly classified subjects. 1998 , 19, 23-31	243
1780	Volumes of the entorhinal and perirhinal cortices in Alzheimer's disease. 1998 , 19, 15-22	198
1779	Neurofibrillary degeneration and cell loss in the nucleus basalis in comparison to cortical Alzheimer pathology. 1998 , 19, 297-306	48
1778	Mitotic phosphoepitopes precede paired helical filaments in Alzheimer's disease. 1998 , 19, 287-96	176
1777	Visual-discrimination learning ability and beta-amyloid accumulation in the dog. 1998 , 19, 415-25	147
1776	Progression of neurofibrillary changes and PHF-tau in end-stage Alzheimer's disease is different from plaque and cortical microglial pathology. 1998 , 19, 517-25	60
1775	Loss of human hippocampal adenosine A1 receptors in dementia: evidence for lack of specificity. 1998 , 244, 1-4	37
1774	Ballooned neurons expressing alphaB-crystallin as a constant feature of the amygdala in argyrophilic grain disease. 1998 , 246, 165-8	44
1773	Expression of FAC1 in activated microglia during Alzheimer's disease. 1998 , 253, 163-6	5
1772	Cortical distribution of neurofibrillary tangles in Alzheimer's disease matches the pattern of neurons that retain their capacity of plastic remodelling in the adult brain. 1998 , 83, 991-1002	110

1771	The role of the central cholinergic projections in cognition: implications of the effects of scopolamine on discrimination learning by monkeys. 1998 , 45, 319-26	41
1770	Amyloid angiopathy in a Volga German family with Alzheimer's disease and a presenilin-2 mutation (N141I). 1998 , 43, 131-5	61
1769	Filamentous nerve cell inclusions in neurodegenerative diseases. 1998 , 8, 619-32	233
1768	Alzheimer's disease: a neuropathologic perspective. 1998 , 5, 109-117	3
1767	Mesial temporal lobe measurements on magnetic resonance imaging scans. 1998 , 83, 85-94	41
1766	Potential therapeutic targets for Alzheimer disease. 1998 , 2, 157-179	5
1765	Are living and non-living category-specific deficits causally linked to impaired perceptual or associative knowledge? evidence from a category-specific double dissociation. 1998 , 4, 311-338	206
1764	Ubiquitin and the Biology of the Cell. 1998,	32
1763	nNOS expressing neurons in the entorhinal cortex and hippocampus are affected in patients with Alzheimer's disease. 1998 , 150, 14-20	80
1762	Temporal cortex synaptophysin mRNA is reduced in Alzheimer's disease and is negatively correlated with the severity of dementia. 1998 , 150, 235-9	43
1761	Early amyloid deposition in the medial temporal lobe of young Down syndrome patients: a regional quantitative analysis. 1998 , 150, 296-304	153
1760	Huntingtin protein colocalizes with lesions of neurodegenerative diseases: An investigation in Huntington's, Alzheimer's, and Pick's diseases. 1998 , 150, 213-22	57
1759	Quantitative distribution of parvalbumin, calretinin, and calbindin D-28k immunoreactive neurons in the visual cortex of normal and Alzheimer cases. 1998 , 152, 278-91	67
1758	Multivariate analysis of laminar patterns of neurodegeneration in posterior cingulate cortex in Alzheimer's disease. 1998 , 153, 8-22	43
1757	High frequency of apolipoprotein E epsilon4 allele in young individuals with very mild Alzheimer's disease-related neurofibrillary changes. 1998 , 153, 152-5	87
1756	Involvement of precerebellar nuclei in Pick's disease. 1998 , 153, 351-65	14
1755	Possible causes of Alzheimer's disease: amyloid fragments, free radicals, and calcium homeostasis. 1998 , 5, 129-41	90
1754	GADD45 is induced in Alzheimer's disease, and protects against apoptosis in vitro. 1998 , 5, 245-52	53

1753	An overview of Alzheimer's disease research. 1998 , 104, 26S-31S; discussion 39S-42S	8
1752	Effect of entorhinal cortex lesion on hippocampal cholinergic system in rat in operant learning task as studied by in vivo brain microdialysis. 1998 , 157, 13-8	10
1751	Regional quantitative analysis of tau-positive neurons in progressive supranuclear palsy: comparison with Alzheimer's disease. 1998 , 159, 73-81	11
1750	Autopsy study of Alzheimer's disease brain pathology in schizophrenia. 1998 , 31, 177-84	20
1749	The functional neuroanatomy of episodic memory: the role of the frontal lobes, the hippocampal formation, and other areas. 1998 , 8, 198-213	193
1748	A nucleated assembly mechanism of Alzheimer paired helical filaments. 1998 , 95, 15712-7	292
1747	Nonsteroidal anti-inflammatory drug use and Alzheimer-type pathology in aging. 1998 , 50, 986-90	241
1746	Sulcal variability in the Alzheimer's brain: correlations with cognition. 1998 , 50, 145-51	41
1745	Cognitive decline is faster in Lewy body variant than in Alzheimer's disease. 1998 , 51, 351-7	239
1744	Metrifonate for Alzheimer's disease: is the next cholinesterase inhibitor better?. 1998 , 50, 1203-5	21
1743	The butyrylcholinesterase K variant and susceptibility to Alzheimer's disease. 1998 , 35, 1034-5	23
1742	Cerebrospinal fluid tau protein as a biochemical marker for Alzheimer's disease: a community based follow up study. 1998 , 64, 298-305	149
1741	Cortical variability and asymmetry in normal aging and Alzheimer's disease. 1998 , 8, 492-509	195
1740	Association of CYP2D microsatellite polymorphism with Lewy body variant of Alzheimer's disease. 1998 , 50, 1556-62	28
1739	Cognitive profiles of autopsy-confirmed Lewy body variant vs pure Alzheimer disease. 1998 , 55, 994-1000	95
1738	Hereditary dysphasic disinhibition dementia: a frontotemporal dementia linked to 17q21-22. 1998 , 50, 1546-55	149
1737	Prevalence of Alzheimer plaques in AIDS. 1998 , 65, 29-33	161
1736	Frontal cortical synaptophysin in Lewy body diseases: relation to Alzheimer's disease and dementia. 1998 , 64, 653-6	48

1735 References. **1998**, 669-772

1734	Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E epsilon4 allele. 1998 , 65, 322-7	86
1733	Variation in hippocampal neuron number with age and brain volume. 1998, 8, 710-8	76
1732	Absence of neurodegeneration and neural injury in the cerebral cortex in a sample of elderly patients with schizophrenia. 1998 , 55, 225-32	165
1731	Neurofibrillary pathology of Alzheimer's disease and other tauopathies. 1998, 117, 287-306	53
1730	Reduced neuronal activity and reactivation in Alzheimer's disease. 1998 , 117, 343-77	50
1729	Beyond the cholinergic hypothesis: the effect of metrifonate and other cholinesterase inhibitors on neuropsychiatric symptoms in Alzheimer's disease. 1998 , 9 Suppl 2, 8-14	37
1728	Expression profiles of multiple genes in single neurons of Alzheimer's disease. 1998 , 95, 9620-5	79
1727	Clinical subtypes of Alzheimer's disease. 1998 , 9 Suppl 3, 16-24	129
1726	Lewy body disease: can we diagnose it?. 1998 , 10, 405-12	32
1725	Alzheimer disease. 1998 , 42, 1-54	166
1724	Mutation in the tau gene in familial multiple system tauopathy with presenile dementia. 1998 , 95, 7737-41	1300
1723	Early diagnostic indices for the prevention of Alzheimer's disease. 1998 , 30, 553-9	25
1722	Accurate prediction of histologically confirmed Alzheimer's disease and the differential diagnosis of dementia: the use of NINCDS-ADRDA and DSM-III-R criteria, SPECT, X-ray CT, and Apo E4 in medial temporal lobe dementias. Oxford Project to Investigate Memory and Aging. 1998 , 10, 271-302	168
1721	Object and action naming in Alzheimer's disease and frontotemporal dementia [see comment]. 1998 , 50, 351-5	180
1720	The projection from hippocampal area CA1 to the subiculum sustains long-term potentiation. 1998 , 9, 847-50	43
1719	Interaction between paired-pulse facilitation and long-term potentiation in the projection from hippocampal area CA1 to the subiculum. 1998 , 9, 4109-13	45
1718	Clustering and switching on verbal fluency tests in Alzheimer's and Parkinson's disease. 1998 , 4, 137-43	196

1717	The overlap between Alzheimer's disease and vascular dementia: the role of white matter changes. 1998 , 9 Suppl 1, 30-5	21
1716	Neuropathological hallmarks of Alzheimer's and Parkinson's diseases. 1998 , 117, 267-85	93
1715	Repetition priming in normal aging and Alzheimer's disease: A review of findings and theories 1998 , 13, 88-119	198
1714	Influences of cognitive support on episodic remembering: Tracing the process of loss from normal aging to Alzheimer's disease 1998 , 13, 267-276	59
1713	Normal Aging and Alzheimer's Disease. 1998 , 83-92	1
1712	Alzheimer's Disease Pathology in Non-Demented Elderly. 1998 , 1, 81-89	12
1711	High constitutive NF-kappaB activity mediates resistance to oxidative stress in neuronal cells. 1998 , 18, 3224-32	172
1710	Signal Transduction Mechanisms in Alzheimer?s Disease. 1998 , 13, 110-116	1
1709	Alzheimer II Disease. 1998 , 162, 46-55	6
1708	Are there common neural mechanisms for learning, epilepsy, and Alzheimer's disease?. 1998 , 316-344	1
1707	Neurochemical aspects of memory dysfunction in neurodegenerative disease. 1998 , 87-99	
1706	The role of memory assessment in the preclinical detection of dementia. 1998 , 278-289	2
1705	Alzheimer's disease and brain development: common molecular pathways. 1998, 3, d100-12	6
1704	Ectopic cell cycle proteins predict the sites of neuronal cell death in Alzheimer's disease brain. 1998 , 18, 2801-7	464
1703	Cerebral amyloid induces aberrant axonal sprouting and ectopic terminal formation in amyloid precursor protein transgenic mice. 1999 , 19, 8552-9	167
1702	Increased Cyclin G1 Immunoreactivity During Alzheimer's Disease. 1999 , 1, 409-417	16
1701	cAMP-dependent protein kinase phosphorylations on tau in Alzheimer's disease. 1999 , 19, 7486-94	169
1700	Specific temporoparietal gyral atrophy reflects the pattern of language dissolution in Alzheimer's disease. 1999 , 122 (Pt 4), 675-86	75

1699	Clinical and pathological evidence for a frontal variant of Alzheimer disease. 1999 , 56, 1233-9	311
1698	Basal forebrain amnesia: does the nucleus accumbens contribute to human memory?. 1999 , 67, 163-8	27
1697	The tangled biology of tau. 1999 , 96, 7120-1	23
1696	Hypoxia versus ischemia. 1999 , 52, 7-8	37
1695	Comparison of Lewy body variant of Alzheimer's disease with pure Alzheimer's disease: Consortium to Establish a Registry for Alzheimer's Disease, Part XIX. 1999 , 52, 1839-44	103
1694	Immunoglobulin G and complement immunoreactivity in the cerebral cortex of patients with Rasmussen's encephalitis. 1999 , 53, 699-708	59
1693	Hippocampal and entorhinal cortex atrophy in frontotemporal dementia and Alzheimer's disease. 1999 , 52, 91-100	230
1692	Altered brain activation in cognitively intact individuals at high risk for Alzheimer's disease. 1999 , 53, 1391-6	169
1691	Neocortical and hippocampal glucose hypometabolism following neurotoxic lesions of the entorhinal and perirhinal cortices in the non-human primate as shown by PET. Implications for Alzheimer's disease. 1999 , 122 (Pt 8), 1519-31	169
1690	Inverse relation between Braak stage and cerebrovascular pathology in Alzheimer predominant dementia. 1999 , 67, 654-7	43
1689	Agrin in Alzheimer's disease: altered solubility and abnormal distribution within microvasculature and brain parenchyma. 1999 , 96, 6468-72	82
1688	Detection of neuritic plaques in Alzheimer's disease by magnetic resonance microscopy. 1999 , 96, 14079-84	204
1687	Progression of Alzheimer-related neuritic plaque pathology in the entorhinal region, perirhinal cortex and hippocampal formation. 1999 , 10, 70-6	21
1686	A morphometric study of subcortical changes in Alzheimer's disease. 1999 , 19, 161-171	2
1685	Clinicopathological multiplicity of dementia with Lewy bodies. 1999 , 19, 386-394	21
1684	An autopsied case of Down syndrome with Alzheimer pathology and Esynuclein immunoreactivity. 1999 , 19, 410-416	4
1683	Hippocampal plasticity in Alzheimer's disease: changes in highly polysialylated NCAM immunoreactivity in the hippocampal formation. 1999 , 11, 1754-64	90
1682	The acute inflammatory response in CNS following injection of prion brain homogenate or normal brain homogenate. 1999 , 25, 20-8	44

1681	Low amyloid (Abeta) plaque load and relative predominance of diffuse plaques distinguish argyrophilic grain disease from Alzheimer's disease. 1999 , 25, 295-305	22
1680	REVIEW: tau protein pathology in Alzheimer's disease and related disorders. 1999 , 25, 171-87	154
1679	beta-amyloid deposition and neurofibrillary tangle formation in the olfactory bulb in ageing and Alzheimer's disease. 1999 , 25, 481-91	118
1678	Discordance between traditional pathologic and energy metabolic changes in very early Alzheimer's disease. Pathophysiological implications. 1999 , 893, 350-2	40
1677	Ventromedial temporal lobe pathology in dementia, brain trauma, and schizophrenia. 1999 , 877, 575-94	21
1676	Alzheimer's disease. The tangled tale of tau. 1999 , 402, 588-9	73
1675	Magma fragmentation in eruptions. 1999 , 402, 589-591	27
1674	Biochemical dysfunction and memory loss: the case of Alzheimer's dementia. 1999 , 55, 601-16	30
1673	Is there a genetic basis for the deposition of beta-amyloid after fatal head injury?. 1999 , 19, 19-30	17
1672	Prediction of AD with MRI-based hippocampal volume in mild cognitive impairment. 1999 , 52, 1397-403	1139
1671	Phosphorylation that detaches tau protein from microtubules (Ser262, Ser214) also protects it against aggregation into Alzheimer paired helical filaments. 1999 , 38, 3549-58	428
1670	Neuropathologic differentiation of progressive supranuclear palsy and corticobasal degeneration. 1999 , 246 Suppl 2, II6-15	255
1669	Development in the research of molecular mechanism of Alzheimer disease. 1999 , 44, 1257-1264	1
1668	The activity of the pentose phosphate pathway is increased in response to oxidative stress in Alzheimer's disease. 1999 , 106, 317-28	69
1667	Cortical load of PHF-tau in Alzheimer's disease is correlated to cholinergic dysfunction. 1999 , 106, 513-23	17
1666	A high incidence of apolipoprotein E epsilon4 allele in middle-aged non-demented subjects with cerebral amyloid beta protein deposits. <i>Acta Neuropathologica</i> , 1999 , 97, 82-4	20
1665	Reverse relationship between beta-amyloid precursor protein and beta-amyloid peptide plaques in Down's syndrome versus sporadic/familial Alzheimer's disease. <i>Acta Neuropathologica</i> , 1999 , 97, 113-8	20
1664	Entorhinal cortex of aged subjects with Down's syndrome shows severe neuronal loss caused by neurofibrillary pathology. <i>Acta Neuropathologica</i> , 1999 , 97, 156-64	34

1663	No increased incidence of Alzheimer's disease in elderly schizophrenics. <i>Acta Neuropathologica</i> , 1999 , 97, 165-9	14.3	35
1662	Cytoskeletal pathology in familial cerebral amyloid angiopathy (British type) with non-neuritic amyloid plaque formation. <i>Acta Neuropathologica</i> , 1999 , 97, 170-6	14.3	52
1661	Immunohistochemical and ultrastructural characterization of neuritic clusters around ghost tangles in the hippocampal formation in progressive supranuclear palsy brains. <i>Acta Neuropathologica</i> , 1999 , 97, 565-76	14.3	12
1660	Microtubule-associated protein tau, heparan sulphate and alpha-synuclein in several neurodegenerative diseases with dementia. <i>Acta Neuropathologica</i> , 1999 , 97, 585-94	14.3	59
1659	Neuritic degeneration in the hippocampus and amygdala in Parkinson's disease in relation to Alzheimer pathology. <i>Acta Neuropathologica</i> , 1999 , 98, 157-64	14.3	70
1658	Neuronal cytoskeletal changes are an early consequence of repetitive head injury. <i>Acta Neuropathologica</i> , 1999 , 98, 171-8	14.3	237
1657	Neuropathological changes in the nucleus basalis correlate with clinical measures of dementia. <i>Acta Neuropathologica</i> , 1999 , 98, 186-96	14.3	50
1656	Astrocytes expressing hyperphosphorylated tau protein without glial fibrillary tangles in argyrophilic grain disease. <i>Acta Neuropathologica</i> , 1999 , 98, 251-6	14.3	70
1655	Apolipoprotein E isoforms and the development of low and high Braak stages of Alzheimer's disease-related lesions. <i>Acta Neuropathologica</i> , 1999 , 98, 273-80	14.3	80
1654	Alzheimer's disease pathology in motor cortex in dementia with Lewy bodies clinically mimicking corticobasal degeneration. <i>Acta Neuropathologica</i> , 1999 , 98, 317-22	14.3	40
1653	Mossy fiber involvement in progressive supranuclear palsy. <i>Acta Neuropathologica</i> , 1999 , 98, 341-4	14.3	5
1652	Absence of brain-derived neurotrophic factor and trkB receptor immunoreactivity in glia of Alzheimer's disease. <i>Acta Neuropathologica</i> , 1999 , 98, 345-8	14.3	29
1651	Basal and stimulated hippocampal adenylate cyclase activity in the experimentally lesioned rat entorhinal cortex. <i>Acta Neuropathologica</i> , 1999 , 98, 389-95	14.3	
1650	Cerebrospinal fluid lipoproteins are more vulnerable to oxidation in Alzheimer's disease and are neurotoxic when oxidized ex vivo. 1999 , 34, 1273-80		50
1649	Neuropsychiatric aspects of dementia with Lewy bodies. 1999 , 1, 85-92		18
1648	Cortical atrophy in Alzheimer's disease unmasks electrically silent sulci and lowers EEG dipolarity. 1999 , 46, 905-10		17
1647	A quantitative autoradiographic study of [3H]cAMP binding to cytosolic and particulate protein kinase A in post-mortem brain staged for Alzheimer's disease neurofibrillary changes and amyloid deposits. 1999 , 818, 383-96		27
1646	Sequence of neurodegeneration and accumulation of phosphorylated tau in cultured neurons after okadaic acid treatment. 1999 , 839, 253-62		57

1645	Cellular co-localization of phosphorylated tau- and NACP/alpha-synuclein-epitopes in lewy bodies in sporadic Parkinson's disease and in dementia with Lewy bodies. 1999 , 843, 53-61	140
1644	Quantitative autoradiography of [3H]forskolin binding sites in post-mortem brain staged for Alzheimer's disease neurofibrillary changes and amyloid deposits. 1999 , 850, 104-17	19
1643	Proteolysis by presenilins and the renaissance of tau. 1999 , 9, 241-4	19
1642	Editorial: useful URLs. 1999 , 9, 244	
1641	Tangles and plaques in nondemented aging and "preclinical" Alzheimer's disease. 1999 , 45, 358-68	1360
1640	A novel phenotype in familial Creutzfeldt-Jakob disease: Prion protein gene E200K mutation coupled with valine at codon 129 and type 2 protease-resistant prion protein. 1999 , 45, 812-816	52
1639	Overexpression of four-repeat tau mRNA isoforms in progressive supranuclear palsy but not in Alzheimer's disease. 1999 , 46, 325-32	130
1638	Ideomotor apraxia in progressive supranuclear palsy: a case study. 1999 , 14, 162-6	9
1637	The external globus pallidus in patients with Parkinson's disease and progressive supranuclear palsy. 1999 , 14, 626-33	30
1636	Analysis of information transmission in the Schaffer collaterals. 1999 , 9, 582-98	36
1635	A unifying hypothesis of Alzheimer's disease. II. Pathophysiological processes. 1999 , 14, 525-581	22
1634	Decreased awareness of cognitive deficits in patients with mild dementia of the Alzheimer type. 1999 , 14, 1019-1030	176
1633	The neuropathology of schizophrenic diseases: historical aspects and present knowledge. 1999 , 249 Suppl 4, 2-13	51
1632	Retrogenesis: clinical, physiologic, and pathologic mechanisms in brain aging, Alzheimer's and other dementing processes. 1999 , 249 Suppl 3, 28-36	108
1631	Cerebrovascular Dementia. 1999 , 12, 35-48	43
1630	Tau protein as a therapeutic target in Alzheimer disease and other neurodegenerative disorders. 1999 , 9, 1359-1370	7
1629	Stains for the differential diagnosis of degenerative dementias. 1999 , 74, 311-20	17
1628	Missense and silent tau gene mutations cause frontotemporal dementia with parkinsonism-chromosome 17 type, by affecting multiple alternative RNA splicing regulatory elements. 1999 , 96, 5598-603	448

1627	Drug development for neurodegenerative diseases: role of PET. 1999 , 31, 444-9	3
1626	Neuropathology of three clinical cases prospectively diagnosed as dementia with Lewy bodies. 1999 , 6, 149-154	2
1625	Effects of glutamate uptake blockers on stimulus-induced field potentials in rat entorhinal cortex in vitro. 1999 , 259, 103-6	6
1624	The effects of single and multiple episodes of theta patterned or high frequency stimulation on synaptic transmission from hippocampal area CA1 to the subiculum in rats. 1999 , 270, 99-102	12
1623	Cell cycle-related protein expression in vascular dementia and Alzheimer's disease. 1999 , 271, 45-8	83
1622	Evidence for activation of microglia in patients with psychiatric illnesses. 1999 , 271, 126-8	265
1621	Risk for Alzheimer's disease in older late-onset cases is associated with HLA-DRB1*03. 1999 , 275, 137-40	23
1620	Mutation screening of the tau gene in patients with early-onset Alzheimer's disease. 1999 , 277, 137-9	38
1619	Alterations in the ryanodine receptor calcium release channel correlate with Alzheimer's disease neurofibrillary and beta-amyloid pathologies. 1999 , 92, 499-513	118
1618	Subfield- and layer-specific changes in parvalbumin, calretinin and calbindin-D28K immunoreactivity in the entorhinal cortex in Alzheimer's disease. 1999 , 92, 515-32	79
1617	Elevated expression of p21ras is an early event in Alzheimer's disease and precedes neurofibrillary degeneration. 1999 , 91, 1-5	85
1616	Cortical areas abundant in extracellular matrix chondroitin sulphate proteoglycans are less affected by cytoskeletal changes in Alzheimer's disease. 1999 , 92, 791-805	147
1615	The histological validation of post mortem magnetic resonance imaging-determined hippocampal volume in Alzheimer's disease. 2000 , 95, 721-5	291
1614	Efferent connections of the anteromedial nucleus of the thalamus of the rat. 1999 , 30, 1-26	92
1613	Consciousness in mind: a correlate for ACh?. 1999 , 22, 541-3	4
1612	Phenotypic down-regulation of glutamate receptor subunit GluR1 in Alzheimer's disease. 1999 , 20, 287-95	67
1611	Neuronal loss and beta-amyloid removal in the amygdala of people with Down syndrome. 1999 , 20, 259-69	22
1610	Memory and mental status correlates of modified Braak staging. 1999 , 20, 573-9	209

	164
Cerebrovascular disease and threshold for dementia in the early stages of Alzheimer's disease. 1999 , 354, 919-20	400
Striatal dopaminergic markers in dementia with Lewy bodies, Alzheimer's and Parkinson's diseases: rostrocaudal distribution. 1999 , 122 (Pt 8), 1449-68	264
Assembly of paired helical filaments from mouse tau: implications for the neurofibrillary pathology in transgenic mouse models for Alzheimer's disease. 1999 , 451, 39-44	62
Starvation induces tau hyperphosphorylation in mouse brain: implications for Alzheimer's disease. 1999 , 461, 329-33	99
Apolipoprotein E genotype and its pathological correlation in Chinese Alzheimer's disease with late onset. 1999 , 30, 1172-7	20
1603 Cortical responses to sustained and divided attention in Alzheimer's disease. 1999 , 10, 269-81	62
1602 ELISA-quantitation of phosphorylated tau protein in the Alzheimer's disease brain. 1999 , 42, 205-10	30
Filamentous nerve cell inclusions in neurodegenerative diseases: tauopathies and alpha-synucleinopathies. 1999 , 354, 1101-18	143
1600 Glutamate Receptors and Excitotoxic Mechanisms in Alzheimer Disease. 1999, 655-679	
1599 EEG power spectrum differences in early and late onset forms of Alzheimer's disease. 1999 , 110, 621-31	61
Presence of sodium dodecyl sulfate-stable amyloid beta-protein dimers in the hippocampus CA1 not exhibiting neurofibrillary tangle formation. 1999 , 155, 23-8	61 57
Presence of sodium dodecyl sulfate-stable amyloid beta-protein dimers in the hippocampus CA1	
Presence of sodium dodecyl sulfate-stable amyloid beta-protein dimers in the hippocampus CA1 not exhibiting neurofibrillary tangle formation. 1999 , 155, 23-8 Soluble amyloid beta peptide concentration as a predictor of synaptic change in Alzheimer's	57
Presence of sodium dodecyl sulfate-stable amyloid beta-protein dimers in the hippocampus CA1 not exhibiting neurofibrillary tangle formation. 1999, 155, 23-8 Soluble amyloid beta peptide concentration as a predictor of synaptic change in Alzheimer's disease. 1999, 155, 853-62 The magnitude of brain lipid peroxidation correlates with the extent of degeneration but not with density of neuritic plaques or neurofibrillary tangles or with APOE genotype in Alzheimer's disease	57 1335
Presence of sodium dodecyl sulfate-stable amyloid beta-protein dimers in the hippocampus CA1 not exhibiting neurofibrillary tangle formation. 1999, 155, 23-8 Soluble amyloid beta peptide concentration as a predictor of synaptic change in Alzheimer's disease. 1999, 155, 853-62 The magnitude of brain lipid peroxidation correlates with the extent of degeneration but not with density of neuritic plaques or neurofibrillary tangles or with APOE genotype in Alzheimer's disease patients. 1999, 155, 863-8	57 1335 101
Presence of sodium dodecyl sulfate-stable amyloid beta-protein dimers in the hippocampus CA1 not exhibiting neurofibrillary tangle formation. 1999, 155, 23-8 Soluble amyloid beta peptide concentration as a predictor of synaptic change in Alzheimer's disease. 1999, 155, 853-62 The magnitude of brain lipid peroxidation correlates with the extent of degeneration but not with density of neuritic plaques or neurofibrillary tangles or with APOE genotype in Alzheimer's disease patients. 1999, 155, 863-8 Specific regional transcription of apolipoprotein E in human brain neurons. 1999, 154, 601-11 Neurochemical diversity of dystrophic neurites in the early and late stages of Alzheimer's disease.	57 1335 101 135

1591	Entorhinal cortex beta-amyloid load in individuals with mild cognitive impairment. 1999 , 158, 469-90	184
1590	Cerebellar involvement in Pick's disease: affliction of mossy fibers, monodendritic brush cells, and dentate projection neurons. 1999 , 159, 153-63	17
1589	Sex-dependent cytoskeletal changes of the human hypothalamus develop independently of Alzheimer's disease. 1999 , 160, 186-93	26
1588	Distribution of glutamate receptor subunit NMDAR1 in the hippocampus of normal elderly and patients with Alzheimer's disease. 1999 , 160, 194-204	38
1587	5HT antagonists attenuate MK801-impaired radial arm maze performance in rats. 1999 , 71, 259-71	63
1586	Neuromodulation and the hippocampus: memory function and dysfunction in a network simulation. 1999 , 121, 3-18	33
1585	Progression of clinical deterioration and pathological changes in patients with Alzheimer disease evaluated at biopsy and autopsy. 1999 , 56, 1254-61	32
1584	Neuropsychological function and apolipoprotein E genotype in the preclinical detection of Alzheimer's disease 1999 , 14, 295-303	184
1583	Neurofibrillary pathology in Alzheimer disease with Lewy bodies: two subgroups. 1999 , 56, 203-8	34
1582	Cholinergic neuromodulation and Alzheimer's disease: from single cells to network simulations. 1999 , 121, 19-45	17
1581	Mapping biochemistry to metabolism: FDG-PET and amyloid burden in Alzheimer's disease. 1999 , 10, 2911-7	44
1580	Xenon CT in Alzheimer's Disease. 1999 , 12, 247-250	
1579	Evidence for impaired sentence comprehension in early Alzheimer's disease. 1999 , 5, 393-404	28
1578	Living better longer through technology. 1999 , 11, 3-6	1
1577	Regional distribution of tau, beta-amyloid and beta-amyloid precursor protein in the Alzheimer's brain: a quantitative immunolabelling study. 1999 , 10, 3785-9	25
1576	Cerebral glucose metabolism in unilateral entorhinal cortex-lesioned rats: an animal PET study. 1999 , 10, 2113-8	18
1575	Clinicopathologic case report: rapidly progressive dementia with demyelinating polyneuropathy. 1999 , 11, 507-13	0
1574	MRI temporal lobe volume measures and neuropsychologic function in Alzheimer's disease. 1999 , 9, 2-9	40

(2000-1999)

1573	separable from late-onset Alzheimer's disease. 1999 , 10, 6-11	37
1572	Pain and Alzheimer's disease. 2000, 46, 235-41	20
1571	DNA Damage does not Correlate with Amyloid-beta-Plaques and Neurofibrillary Tangles in Familial Alzheimer's Disease Presenilin-1 [E280A] Mutation. 2000 , 2, 47-57	4
1570	Acute versus chronic pain experience in Alzheimer's disease. a new questionnaire. 2000 , 11, 11-6	23
1569	Correlation between Apolipoprotein-E polymorphism and Alzheimer's disease pathology. 2000 , 2, 223-9	10
1568	Low use of analgesics in Alzheimer's disease: possible mechanisms. 2000 , 63, 1-12	40
1567	Rediscovering good old friend IGF-I in the new millenium: possible usefulness in Alzheimer's disease and stroke. 2000 , 273-280	
1566	Memory enhancement for emotional stimuli is impaired in early Alzheimer's disease 2000 , 14, 82-92	98
1565	Fate of patients with questionable (very mild) Alzheimer's disease: longitudinal profiles of individual subjects' decline. 2000 , 11, 342-9	42
1564	Neuropathologic substrates of ischemic vascular dementia. 2000 , 59, 931-45	217
1563	Alpha-synuclein inclusions in Alzheimer and Lewy body diseases. 2000 , 59, 408-17	33
1562	Filamentous tau pathology in nerve cells, astrocytes, and oligodendrocytes of aged baboons. 2000 , 59, 39-52	60
1561	Tracking Alzheimer's disease in transgenic mice using fluorodeoxyglucose autoradiography. 2000 , 11, 987-91	57
1560	Orbital and dorsolateral frontal perfusion defect associated with behavioral response to cholinesterase inhibitor therapy in Alzheimer's disease. 2000 , 12, 209-18	43
1559	Sequence of Abeta-protein deposition in the human medial temporal lobe. 2000 , 59, 733-48	248
1558	Decreased vasopressin gene expression in the biological clock of Alzheimer disease patients with and without depression. 2000 , 59, 314-22	120
1557	The frontal aging hypothesis evaluated. 2000 , 6, 705-26	208
1556	Risk factors for nursing home placement in a population-based dementia cohort. 2000 , 48, 519-25	112

1555	Left frontotemporal hypoperfusion is associated with aggression in patients with dementia. 2000 , 57, 861-6	108
1554	Voxel-based analysis of confounding effects of age and dementia severity on cerebral metabolism in Alzheimer's disease. 2000 , 10, 39-48	68
1553	Measurement of global brain atrophy in Alzheimer's disease with unsupervised segmentation of spin-echo MRI studies. 2000 , 11, 260-6	24
1552	Loss of nucleus basalis neurons containing trkA immunoreactivity in individuals with mild cognitive impairment and early Alzheimer's disease. 2000 , 427, 19-30	198
1551	Roles for lipoprotein lipase in Alzheimer's disease: an association study. 2000 , 50, 291-6	28
1550	CT measurement of medial temporal lobe atrophy in Alzheimer's disease, vascular dementia, depression and paraphrenia. 2000 , 15, 306-12	16
1549	Assessment of cerebral blood flow in Alzheimer's disease by spin-labeled magnetic resonance imaging. 2000 , 47, 93-100	333
1548	Degeneration of the centr[medianparafascicular complex in Parkinson's disease. 2000 , 47, 345-352	149
1547	Mere forgetfulness or early Alzheimer's disease?. 2000 , 47, 419-420	3
1546	Use of structural magnetic resonance imaging to predict who will get Alzheimer's disease. 2000 , 47, 430-439	528
1546 1545	Use of structural magnetic resonance imaging to predict who will get Alzheimer's disease. 2000 , 47, 430-439 Regional brain atrophy in progressive supranuclear palsy and Lewy body disease. 2000 , 47, 718-728	528
	Regional brain atrophy in progressive supranuclear palsy and Lewy body disease. 2000 , 47, 718-728	
1545	Regional brain atrophy in progressive supranuclear palsy and Lewy body disease. 2000 , 47, 718-728	103
1545 1544	Regional brain atrophy in progressive supranuclear palsy and Lewy body disease. 2000 , 47, 718-728 Memory failure has different mechanisms in subcortical stroke and Alzheimer's disease. 2000 , 48, 275-284	103
1545 1544 1543	Regional brain atrophy in progressive supranuclear palsy and Lewy body disease. 2000, 47, 718-728 Memory failure has different mechanisms in subcortical stroke and Alzheimer's disease. 2000, 48, 275-284 Long-term potentiation of single subicular neurons in mice. 2000, 10, 684-92 Increased frequency of the alpha-1-antichymotrypsin T allele in cerebral amyloid angiopathy. 2000,	103 37 25
1545 1544 1543	Regional brain atrophy in progressive supranuclear palsy and Lewy body disease. 2000, 47, 718-728 Memory failure has different mechanisms in subcortical stroke and Alzheimer's disease. 2000, 48, 275-284 Long-term potentiation of single subicular neurons in mice. 2000, 10, 684-92 Increased frequency of the alpha-1-antichymotrypsin T allele in cerebral amyloid angiopathy. 2000, 20, 184-9	103 37 25
1545 1544 1543 1542 1541	Regional brain atrophy in progressive supranuclear palsy and Lewy body disease. 2000, 47, 718-728 Memory failure has different mechanisms in subcortical stroke and Alzheimer's disease. 2000, 48, 275-284 Long-term potentiation of single subicular neurons in mice. 2000, 10, 684-92 Increased frequency of the alpha-1-antichymotrypsin T allele in cerebral amyloid angiopathy. 2000, 20, 184-9 An autopsy case of Alzheimer's disease with a progressive supranuclear palsy overlap. 2000, 20, 233-8 Neuronal loss and neurofibrillary degeneration in the hippocampal cortex in late-onset sporadic	103 37 25 12

1537	Synthesis of a triply phosphorylated pentapeptide from human tau-protein. 2000 , 8, 2433-9	3
1536	Similar ultrastructural breakdown of cerebrocortical capillaries in Alzheimer's disease, Parkinson's disease, and experimental hypertension. What is the functional link?. 2000 , 903, 72-82	52
1535	Which vascular lesions are of importance in vascular dementia?. 2000 , 903, 239-43	66
1534	Density profiles of Alzheimer disease regional brain pathology for the huddinge brain bank: pattern recognition emulates and expands upon Braak staging. 2000 , 35, 851-64	51
1533	The processing and biological function of the human amyloid precursor protein (APP): lessons from different cellular models. 2000 , 35, 843-50	12
1532	Decreased thioredoxin and increased thioredoxin reductase levels in Alzheimer's disease brain. 2000 , 28, 418-27	156
1531	Insights from semantic dementia on the relationship between episodic and semantic memory. 2000 , 38, 313-24	141
1530	The nature and staging of attention dysfunction in early (minimal and mild) Alzheimer's disease: relationship to episodic and semantic memory impairment. 2000 , 38, 252-71	358
1529	Diagnosis of Alzheimer's disease: MRI of the hippocampus vs delayed recall. 2000 , 38, 579-84	66
1528	Rediscovering good old friend IGF-I in the new millenium: possible usefulness in Alzheimer's disease and stroke. 2000 , 74, 273-80	30
1527	Nicotinic receptor subtypes in human brain ageing, Alzheimer and Lewy body diseases. 2000 , 393, 215-22	147
1526	[Neuropathological diagnosis of neurodegenerative and dementia diseases]. 2000, 21, 364-74	7
1525	The effects of combined lesions of the subicular complex and the entorhinal cortex on two forms of spatial navigation in the water maze 2000 , 114, 211-217	51
1524	[Clinical aspects of "argyrophilic grain disease"]. 2000, 71, 38-43	8
1523	Practical measures to simplify the Braak tangle staging method for routine pathological screening. Acta Neuropathologica, 2000, 99, 199-208	29
1522	The transentorhinal cortex of the African green monkey: a combined light- and electron-microscopic study of calcium-binding protein containing neurons. 2000 , 202, 143-58	4
1521	Pathological features of cerebral cortical capillaries are doubled in Alzheimer's disease and Parkinson's disease. <i>Acta Neuropathologica</i> , 2000 , 100, 395-402	151
1520	Activated microglial cells and complement factors are unrelated to cortical Lewy bodies. <i>Acta Neuropathologica</i> , 2000 , 100, 701-8	36

1519	Distribution of chromogranin B-like immunoreactivity in the human hippocampus and its changes in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2000 , 100, 205-12	14.3	31
1518	Amyloid beta-protein (Abeta)-containing astrocytes are located preferentially near N-terminal-truncated Abeta deposits in the human entorhinal cortex. <i>Acta Neuropathologica</i> , 2000 , 100, 608-17	14.3	98
1517	alpha-Synuclein immunoreactivity in dementia with Lewy bodies: morphological staging and comparison with ubiquitin immunostaining. <i>Acta Neuropathologica</i> , 2000 , 99, 352-7	14.3	124
1516	Clinical validity of Braak neuropathological staging in the oldest-old. <i>Acta Neuropathologica</i> , 2000 , 99, 579-82; discussion 583-4	14.3	103
1515	Clinical validity of Braak staging in the oldest-old. <i>Acta Neuropathologica</i> , 2000 , 99, 583-584	14.3	20
1514	Senile dementia associated with amyloid beta protein angiopathy and tau perivascular pathology but not neuritic plaques in patients homozygous for the APOE-epsilon4 allele. <i>Acta Neuropathologica</i> , 2000 , 100, 1-12	14.3	60
1513	The extent of neurofibrillary pathology in perforant pathway neurons is the key determinant of dementia in the very old. <i>Acta Neuropathologica</i> , 2000 , 100, 29-35	14.3	57
1512	Coexisting pathologies in the brain: influence of vascular disease and Parkinson's disease on Alzheimer's pathology in the hippocampus. <i>Acta Neuropathologica</i> , 2000 , 100, 87-94	14.3	13
1511	Lewy body and Alzheimer pathology in a family with the amyloid-beta precursor protein APP717 gene mutation. <i>Acta Neuropathologica</i> , 2000 , 100, 145-52	14.3	48
1510	A double-labeling immunohistochemical study of tau exon 10 in Alzheimer's disease, progressive supranuclear palsy and Pick's disease. <i>Acta Neuropathologica</i> , 2000 , 100, 235-44	14.3	32
1509	Evolution of Alzheimer's disease-related cytoskeletal changes in the basal nucleus of Meynert. <i>Acta Neuropathologica</i> , 2000 , 100, 259-69	14.3	152
1508	E4 allele dosage does not predict cholinergic activity or synapse loss in Alzheimer's disease. 2000 , 54, 403-6		32
1507	. 2000,		
1506	Usefulness of MRI measures of entorhinal cortex versus hippocampus in AD. 2000 , 54, 1760-7		328
1505	Prospective validation of consensus criteria for the diagnosis of dementia with Lewy bodies. 2000 , 54, 1050-8		372
1504	Mild cognitive impairment: emerging therapeutics. 2000 , 34, 1179-88		9
1503	Fear recognition deficits after focal brain damage: a cautionary note. 2000 , 54, 575-81		133

1501 Access www.neurology.org now for full-text articles. **2000**, 54, 848-849

1500 Access www.neurology.org now for full-text articles. 2000 , 54, 587-587	
1499 Disease-Specific Brain Atlases. 2000 , 131-177	8
Synantic alterations in the vestibulocerebellar system in Alzheimer's diseasea Golgi and electron	
¹⁴⁹⁸ microscope study. 2000 , 120, 247-50	39
The cholinergic deficit coincides with Abeta deposition at the earliest histopathologic stages of Alzheimer disease. 2000 , 59, 308-13	103
1496 Cortical inflammation in Alzheimer disease but not dementia with Lewy bodies. 2000 , 57, 817-22	56
Rates of hippocampal atrophy correlate with change in clinical status in aging and AD. 2000 , 55, 484-89	671
Report of three cases of Alzheimer's disease with focal motor symptoms: clinical correlates of neuroimaging findings. 2000 , 1, 164-9	6
1493 Detection of preclinical Alzheimer's disease. 2000 , 343, 502-3	15
Ubiquitin immunochemistry as a diagnostic aid for community pathologists evaluating patients who have dementia. 2000 , 13, 420-6	27
1491 Ongoing trials in Alzheimer's disease. 2000 , 9, 899-915	9
1490 Pure hippocampal sclerosis: a rare cause of dementia mimicking Alzheimer's disease. 2000 , 54, 843-8	80
Regional metabolic patterns in mild cognitive impairment and Alzheimer's disease: A 1H MRS study. 2000 , 55, 210-7	392
Age-related cognitive decline, mild cognitive impairment or preclinical Alzheimer's disease?. 2000 , 32, 6-14	119
Patterns of brain activation in people at risk for Alzheimer's disease. 2000 , 343, 450-6	1029
Comparison of heteronymous monosynaptic Ia facilitation in young and elderly subjects in supine and standing positions. 2000 , 103, 1-17	66
Atypical dementia and spastic paraplegia in a patient with primary lateral sclerosis and numerous necortical beta amyloid plaques: new disorder or Alzheimer's disease variant?. 2000 , 13, 60-4	11
Early DAT is distinguished from aging by high-dimensional mapping of the hippocampus. Dementia of the Alzheimer type. 2000 , 55, 1636-43	214

1483	Advances in Research on Neurodegeneration. 2000 ,	О
1482	Phosphorylation of the beta-amyloid precursor protein at the cell surface by ectocasein kinases 1 and 2. 2000 , 275, 23523-9	39
1481	Cerebral correlates of psychotic symptoms in Alzheimer's disease. 2000 , 69, 167-71	127
1480	APOE and AD concordance in twin pairs as predictors of AD in first-degree relatives. 2000 , 54, 593-8	12
1479	Novel method to quantify neuropil threads in brains from elders with or without cognitive impairment. 2000 , 48, 1627-38	66
1478	Region-specific neurotrophin imbalances in Alzheimer disease: decreased levels of brain-derived neurotrophic factor and increased levels of nerve growth factor in hippocampus and cortical areas. 2000 , 57, 846-51	400
1477	Alpha-synuclein cortical Lewy bodies correlate with dementia in Parkinson's disease. 2000 , 54, 1916-21	484
1476	Mechanisms of cell death in neurodegenerative disorders. 2000 , 59, 95-114	43
1475	Clinical and pathologic findings in hereditary spastic paraparesis with spastin mutation. 2000 , 55, 89-94	94
1474	The enigma of cell death in neurodegenerative disorders. 2000 , 21-36	19
1473	Insulin-like growth factor-1 (IGF-1): a neuroprotective trophic factor acting via the Akt kinase pathway. 2000 , 261-72	52
1473 1472	pathway. 2000 , 261-72 Differentiating frontal and temporal variant frontotemporal dementia from Alzheimer's disease.	52 220
	pathway. 2000 , 261-72 Differentiating frontal and temporal variant frontotemporal dementia from Alzheimer's disease.	
1472	pathway. 2000, 261-72 Differentiating frontal and temporal variant frontotemporal dementia from Alzheimer's disease. 2000, 54, 2277-84 Alterations in trk A, trk B and trk C receptor immunoreactivities in parietal cortex and cerebellum in Alzheimer's disease. 2000, 44, 172-80	220
1472 1471 1470	pathway. 2000, 261-72 Differentiating frontal and temporal variant frontotemporal dementia from Alzheimer's disease. 2000, 54, 2277-84 Alterations in trk A, trk B and trk C receptor immunoreactivities in parietal cortex and cerebellum in Alzheimer's disease. 2000, 44, 172-80	220 52
1472 1471 1470 1469	Differentiating frontal and temporal variant frontotemporal dementia from Alzheimer's disease. 2000, 54, 2277-84 Alterations in trk A, trk B and trk C receptor immunoreactivities in parietal cortex and cerebellum in Alzheimer's disease. 2000, 44, 172-80 Memory and MRI-based hippocampal volumes in aging and AD. 2000, 54, 581-7	220 52 334
1472 1471 1470 1469	Differentiating frontal and temporal variant frontotemporal dementia from Alzheimer's disease. 2000, 54, 2277-84 Alterations in trk A, trk B and trk C receptor immunoreactivities in parietal cortex and cerebellum in Alzheimer's disease. 2000, 44, 172-80 Memory and MRI-based hippocampal volumes in aging and AD. 2000, 54, 581-7 Alzheimer-like neurodegeneration in aged antinerve growth factor transgenic mice. 2000, 97, 6826-31	220 52 334 253

(2000-2000)

Phonological and articulatory impairment in Alzheimer's disease: a case series. 2000 , 75, 277-309	84
Alzheimer-related tau-pathology in the perforant path target zone and in the hippocampal stratum oriens and radiatum correlates with onset and degree of dementia. 2000 , 163, 98-110	113
Quantitative volumetric analyses of brain magnetic resonance imaging from rat with chronic neuroinflammation. 2000 , 165, 347-54	35
In situ and in vitro study of colocalization and segregation of alpha-synuclein, ubiquitin, and lipids in Lewy bodies. 2000 , 166, 324-33	200
Effects of selective perirhinal and postrhinal lesions on acquisition and retention of a visual discrimination task in rats. 2000 , 73, 68-78	27
1460 The decline in synapses and cholinergic activity is asynchronous in Alzheimer's disease. 2000 , 55, 1278-8	3 101
Endocytic pathway abnormalities precede amyloid beta deposition in sporadic Alzheimer's disease and Down syndrome: differential effects of APOE genotype and presenilin mutations. 2000 , 157, 277-80	603
Staging of cytoskeletal and beta-amyloid changes in human isocortex reveals biphasic synaptic protein response during progression of Alzheimer's disease. 2000 , 157, 623-36	165
The cell cycle Cdc25A tyrosine phosphatase is activated in degenerating postmitotic neurons in Alzheimer's disease. 2000 , 157, 1983-90	81
Hippocampus and entorhinal cortex in frontotemporal dementia and Alzheimer's disease: a morphometric MRI study. 2000 , 47, 1056-63	180
Regionally selective changes in brain lysosomes occur in the transition from young adulthood to middle age in rats. 2000 , 97, 395-404	31
Nicotine binding in human striatum: elevation in schizophrenia and reductions in dementia with Lewy bodies, Parkinson's disease and Alzheimer's disease and in relation to neuroleptic medication. 2000 , 98, 79-87	136
Density and pharmacology of alpha5 subunit-containing GABA(A) receptors are preserved in hippocampus of Alzheimer's disease patients. 2000 , 98, 669-75	56
Neuropeptides in hippocampus and cortex in transgenic mice overexpressing V717F beta-amyloid precursor proteininitial observations. 2000 , 100, 259-86	68
Modelling cognitive dysfunctions with bilateral injections of ibotenic acid into the rat entorhinal cortex. 2000 , 101, 27-39	29
Morphology of spiny neurons in the human entorhinal cortex: intracellular filling with lucifer yellow. 2000 , 96, 515-22	10
Tau protein isoforms, phosphorylation and role in neurodegenerative disorders. 2000 , 33, 95-130	1420
1448 Wnt signaling function in Alzheimer's disease. 2000 , 33, 1-12	238

1447	Specific downregulation of presenilin 2 gene expression is prominent during early stages of sporadic late-onset Alzheimer's disease. 2000 , 78, 138-45	16
1446	The cause of neuronal degeneration in Alzheimer's disease. 2000 , 60, 139-65	201
1445	Presenilins and Alzheimer's disease: biological functions and pathogenic mechanisms. 2000 , 60, 363-84	125
1444	Regional distribution of cortical microglia parallels that of neurofibrillary tangles in Alzheimer's disease. 2000 , 285, 165-8	64
1443	Unbiased whole-brain analysis of gray matter loss in Alzheimer's disease. 2000 , 285, 231-3	129
1442	A frontal variant of Alzheimer's disease exhibits decreased calcium-independent phospholipase A2 activity in the prefrontal cortex. 2000 , 37, 17-31	55
1441	Neuronal expression of glutamine synthetase in Alzheimer's disease indicates a profound impairment of metabolic interactions with astrocytes. 2000 , 36, 471-82	119
1440	Formation of diffuse and fibrillar tangles in aging and early Alzheimer's disease. 2000 , 21, 1-10	37
1439	Region-specific age at onset of beta-amyloid in dogs. 2000 , 21, 89-96	116
1438	MRI description of cerebral atrophy in mouse lemur primates. 2000 , 21, 81-8	45
1437	NAD(P)H:quinone oxidoreductase activity is increased in hippocampal pyramidal neurons of patients with Aalzheimer's disease. 2000 , 21, 525-31	65
1436	Agrin and microvascular damage in Alzheimer's disease. 2000 , 21, 349-55	144
1435	Molecular misreading: a new type of transcript mutation expressed during aging. 2000, 21, 879-91	58
1434	Age-related progression of tau pathology in brains of baboons. 2000 , 21, 905-12	60
1433	Alzheimer's disease as a loss of differentiation control in a subset of neurons that retain immature features in the adult brain. 2000 , 21, 783-96	80
1432	Mitotic activation: a convergent mechanism for a cohort of neurodegenerative diseases. 2000 , 21, 815-28	169
1431	Atrophy of the medial occipitotemporal, inferior, and middle temporal gyri in non-demented elderly predict decline to Alzheimer's disease. 2000 , 21, 19-26	279
1430	Aberrant expression of nitric oxide synthase III in Alzheimer's disease: relevance to cerebral vasculopathy and neurodegeneration. 2000 , 21, 309-19	51

1429	Autopsy in dementing disorders of the elderly. 2000 , 6, 181-191	2
1428	Celloidin mounting (embedding without infiltration) - a new, simple and reliable method for producing serial sections of high thickness through complete human brains and its application to stereological and immunohistochemical investigations. 2000 , 20, 49-59	76
1427	The use of cerebral blood flow as an index of neuronal activity in functional neuroimaging: experimental and pathophysiological considerations. 2000 , 20, 215-24	61
1426	Properties of NACP/alpha-synuclein and its role in Alzheimer's disease. 2000 , 1502, 95-109	62
1425	Structure of tau protein and assembly into paired helical filaments. 2000 , 1502, 122-32	114
1424	The 5-HT1A antagonist, WAY 100 635, alleviates cognitive impairments induced by dizocilpine (MK-801) in monkeys. 2000 , 39, 547-52	61
1423	Part III. Neuropathology of Alzheimer's disease. 2000 , 46, 687-705	3
1422	Influence of social network on occurrence of dementia: a community-based longitudinal study. 2000 , 355, 1315-9	908
1421	Aging, mild cognitive impairment, and Alzheimer's disease. 2000 , 18, 789-806	98
1420	Brain Mapping in Dementia. 2000 , 217-239	4
1420 1419	Brain Mapping in Dementia. 2000, 217-239 Neuroimaging in dementia. 2000, 18, 885-902	34
1419	Neuroimaging in dementia. 2000 , 18, 885-902 Cerebral metabolic and cognitive decline in persons at genetic risk for Alzheimer's disease. 2000 ,	34
1419 1418	Neuroimaging in dementia. 2000, 18, 885-902 Cerebral metabolic and cognitive decline in persons at genetic risk for Alzheimer's disease. 2000, 97, 6037-42 Structure, microtubule interactions, and paired helical filament aggregation by tau mutants of	34
1419 1418 1417	Neuroimaging in dementia. 2000, 18, 885-902 Cerebral metabolic and cognitive decline in persons at genetic risk for Alzheimer's disease. 2000, 97, 6037-42 Structure, microtubule interactions, and paired helical filament aggregation by tau mutants of frontotemporal dementias. 2000, 39, 11714-21 Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of	34 610 279
1419 1418 1417 1416	Neuroimaging in dementia. 2000, 18, 885-902 Cerebral metabolic and cognitive decline in persons at genetic risk for Alzheimer's disease. 2000, 97, 6037-42 Structure, microtubule interactions, and paired helical filament aggregation by tau mutants of frontotemporal dementias. 2000, 39, 11714-21 Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of frontotemporal dementia from Alzheimer's disease?. 2000, 69, 178-86	34 610 279 432
1419 1418 1417 1416	Neuroimaging in dementia. 2000, 18, 885-902 Cerebral metabolic and cognitive decline in persons at genetic risk for Alzheimer's disease. 2000, 97, 6037-42 Structure, microtubule interactions, and paired helical filament aggregation by tau mutants of frontotemporal dementias. 2000, 39, 11714-21 Which neuropsychiatric and behavioural features distinguish frontal and temporal variants of frontotemporal dementia from Alzheimer's disease?. 2000, 69, 178-86 Neuropathology of Alzheimer's disease and related disorders. 2000, 18, 847-64 Magnetoencephalographic analysis of cortical activity in Alzheimer's disease: a pilot study. 2000,	34 610 279 432 43

1411	Parkinson's disease associated with argyrophilic grains clinically resembling progressive supranuclear palsy: an autopsy case. 2000 , 178, 70-4	17
1410	Cdk5 and munc-18/p67 co-localization in early stage neurofibrillary tangles-bearing neurons in Alzheimer type dementia brains. 2000 , 172, 63-9	47
1409	Occurrence of human alpha-synuclein immunoreactive neurons with neurofibrillary tangle formation in the limbic areas of patients with Alzheimer's disease. 2000 , 174, 81-4	64
1408	Neuropathologie de la maladie d'Alzheimer. 2000 , 11, 5-23	
1407	A morphometric MRI study of the hippocampus in first-episode, neuroleptic-nalle schizophrenia. 2001 , 50, 3-7	37
1406	Cognitive impairment in depression is not associated with neuropathologic evidence of increased vascular or Alzheimer-type pathology. 2001 , 49, 130-6	33
1405	Suicide and Alzheimer's pathology in the elderly: a case-control study. 2001 , 49, 137-45	79
1404	N-Methyl-D-aspartate receptor subunit proteins and their phosphorylation status are altered selectively in Alzheimer's disease. 2001 , 182, 151-9	109
1403	Magnetization transfer measurements of the hippocampus in the early diagnosis of Alzheimer's disease. 2001 , 188, 79-84	46
1402	Ubiquitinated granular structures and initial neurofibrillary changes in the human brain. 2001 , 192, 27-34	12
1402 1401	Ubiquitinated granular structures and initial neurofibrillary changes in the human brain. 2001, 192, 27-34 Distribution of m1 muscarinic acetylcholine receptors in the hippocampus of patients with Alzheimer's disease and dementia with Lewy bodies-an immunohistochemical study. 2001, 193, 23-8	12 40
1401	Distribution of m1 muscarinic acetylcholine receptors in the hippocampus of patients with	
1401	Distribution of m1 muscarinic acetylcholine receptors in the hippocampus of patients with Alzheimer's disease and dementia with Lewy bodies-an immunohistochemical study. 2001 , 193, 23-8	40
1401 1400	Distribution of m1 muscarinic acetylcholine receptors in the hippocampus of patients with Alzheimer's disease and dementia with Lewy bodies-an immunohistochemical study. 2001 , 193, 23-8 Dementia: Overview. 2001 , 3389-3396	40
1401 1400 1399	Distribution of m1 muscarinic acetylcholine receptors in the hippocampus of patients with Alzheimer's disease and dementia with Lewy bodies-an immunohistochemical study. 2001, 193, 23-8 Dementia: Overview. 2001, 3389-3396 Tauopathy in Drosophila: neurodegeneration without neurofibrillary tangles. 2001, 293, 711-4 Up-regulation of calcineurin Abeta mRNA in the Alzheimer's disease brain: assessment by cDNA	40 1 704
1401 1400 1399	Distribution of m1 muscarinic acetylcholine receptors in the hippocampus of patients with Alzheimer's disease and dementia with Lewy bodies-an immunohistochemical study. 2001, 193, 23-8 Dementia: Overview. 2001, 3389-3396 Tauopathy in Drosophila: neurodegeneration without neurofibrillary tangles. 2001, 293, 711-4 Up-regulation of calcineurin Abeta mRNA in the Alzheimer's disease brain: assessment by cDNA microarray. 2001, 284, 310-6 Neurofilament-immunoreactive neurons are not selectively vulnerable in Alzheimer's disease. 2001,	40 1 704 102
1401 1400 1399 1398	Distribution of m1 muscarinic acetylcholine receptors in the hippocampus of patients with Alzheimer's disease and dementia with Lewy bodies-an immunohistochemical study. 2001, 193, 23-8 Dementia: Overview. 2001, 3389-3396 Tauopathy in Drosophila: neurodegeneration without neurofibrillary tangles. 2001, 293, 711-4 Up-regulation of calcineurin Abeta mRNA in the Alzheimer's disease brain: assessment by cDNA microarray. 2001, 284, 310-6 Neurofilament-immunoreactive neurons are not selectively vulnerable in Alzheimer's disease. 2001, 8, 136-46 Complement association with neurons and beta-amyloid deposition in the brains of aged	40 1 704 102 8

(2001-2001)

1393	Correlation between caspase activation and neurofibrillary tangle formation in Alzheimer's disease. 2001 , 158, 189-98	139
1392	Staging of neurofibrillary degeneration caused by human tau overexpression in a unique cellular model of human tauopathy. 2001 , 158, 235-46	59
1391	Brain regional quantification of F-ring and D-/E-ring isoprostanes and neuroprostanes in Alzheimer's disease. 2001 , 158, 293-7	155
1390	Regional distribution of amyloid-Bri deposition and its association with neurofibrillary degeneration in familial British dementia. 2001 , 158, 515-26	115
1389	Structural analysis of Pick's disease-derived and in vitro-assembled tau filaments. 2001 , 158, 1481-90	50
1388	Hyperphosphorylated protein tau is restricted to neurons devoid of perineuronal nets in the cortex of aged bison. 2001 , 22, 25-33	37
1387	Neuropathological epidemiology of cerebral aging: a study of two genetic polymorphisms. 2001 , 22, 227-35	15
1386	Acrolein is increased in Alzheimer's disease brain and is toxic to primary hippocampal cultures. 2001 , 22, 187-94	364
1385	The prevalence of the neuropathological lesions of Alzheimer's disease is independent of race and gender. 2001 , 22, 169-75	56
1384	Cortical alterations of angiotensin converting enzyme, angiotensin II and AT1 receptor in Alzheimer's dementia. 2001 , 22, 541-6	181
1383	Hippocampal formation glucose metabolism and volume losses in MCI and AD. 2001 , 22, 529-39	448
1382	Selective cell loss in Edinger-Westphal in asymptomatic elders and Alzheimer's patients. 2001 , 22, 729-36	39
1381	MRI of human entorhinal cortex: a reliable protocol for volumetric measurement. 2001 , 22, 737-45	67
1380	MRI-derived entorhinal and hippocampal atrophy in incipient and very mild Alzheimer's disease. 2001 , 22, 747-54	395
1379	The role of activated astrocytes and of the neurotrophic cytokine S100B in the pathogenesis of Alzheimer's disease. 2001 , 22, 915-22	177
1378	Downregulation of neuronal cyclooxygenase-2 expression in end stage Alzheimer's disease. 2001 , 22, 823-36	91
1377	Alzheimer's disease as a disorder of mechanisms underlying structural brain self-organization. 2001 , 102, 723-65	148
1376	The morphological phenotype of beta-amyloid plaques and associated neuritic changes in Alzheimer's disease. 2001 , 105, 99-107	209

1375	Review of the next generation of Alzheimer's disease therapeutics: challenges for drug development. 2001 , 25, 27-57	48
1374	Ex vivo lumbar and post mortem ventricular cerebrospinal fluid substance P-immunoreactivity in Alzheimer's disease patients. 2001 , 299, 117-20	12
1373	Deafferentation of the hippocampus results in the induction of AT8 positive 'granules' in the rat. 2001 , 301, 5-8	5
1372	Tau, beta-amyloid and beta-amyloid precursor protein distribution in the entorhinal-hippocampal alvear and perforant pathways in the Alzheimer's brain. 2001 , 303, 193-7	16
1371	Amyloid beta protein deposition in patients with frontotemporal lobar degeneration: relationship to age and apolipoprotein E genotype. 2001 , 304, 161-4	37
1370	Intraneuronal Abeta accumulation precedes plaque formation in beta-amyloid precursor protein and presenilin-1 double-transgenic mice. 2001 , 306, 116-20	285
1369	Cerebrovascular melatonin MT1-receptor alterations in patients with Alzheimer's disease. 2001 , 308, 9-12	69
1368	Is the HM story only a "remote memory"? Some facts about hippocampus and memory in humans. 2001 , 127, 209-24	43
1367	Disturbance of neuronal plasticity is a critical pathogenetic event in Alzheimer's disease. 2001 , 19, 231-45	61
1366	Accumulation of C-terminally truncated tau protein associated with vulnerability of the perforant pathway in early stages of neurofibrillary pathology in Alzheimer's disease. 2001 , 22, 65-77	47
1365	Abnormal semantic network for "animals" but not "tools" in patients with Alzheimer's disease. 2001 , 37, 197-217	41
1364	The premotor region essential for rapid vertical eye movements shows early involvement in Alzheimer's disease-related cytoskeletal pathology. 2001 , 41, 2149-56	33
1363	Pathological correlates of late-onset dementia in a multicentre, community-based population in England and Wales. Neuropathology Group of the Medical Research Council Cognitive Function and Ageing Study (MRC CFAS). 2001 , 357, 169-75	1111
1362	Imaging of onset and progression of Alzheimer's disease with voxel-compression mapping of serial magnetic resonance images. 2001 , 358, 201-5	371
1361	New approaches to diagnose and treat Alzheimer's disease: a glimpse of the future. 2001 , 17, 393-410	17
1360	Ubiquinone (coenzyme q10) and mitochondria in oxidative stress of parkinson's disease. 2001 , 10, 224-53	107
1359	Memory training improves cognitive ability in patients with dementia. 2001 , 11, 245-261	43
1358	Neuropathologie du vieillissement cfBral. 2001 , 24 / n° 97, 19	1

1357	[Alzheimer's disease and magnetic resonance spectroscopy of the hippocampus]. 2001, 59, 865-70	14
1356	Etiology, Genetics, and Pathogenesis of Alzheimer's Disease. 2001 , 333-348	
1355	Problems of cell death in neurodegeneration and Alzheimer's Disease. 2001 , 3, 31-40	71
1354	Hyperphosphorylation of the retinoblastoma gene product and altered subcellular distribution of E2F-1 during Alzheimer's disease and amyotrophic lateral sclerosis. 2001 , 3, 377-385	57
1353	Hippocampal atrophy correlates with clinical features of Alzheimer disease in African Americans. 2001 , 58, 1593-7	20
1352	Brain Aging in Strepsirhine Primates. 2001 , 421-433	4
1351	Tau Phosphorylation. 2001 , 315-332	5
1350	Serum p97 levels as an aid to identifying Alzheimer's disease. 2001 , 3, 507-516	10
1349	Impaired affective prosody in AD: relationship to aphasic deficits and emotional behaviors. 2001 , 57, 1474-81	44
1348	Olfactory centres in Alzheimer's disease: olfactory bulb is involved in early Braak's stages. 2001 , 12, 285-8	172
1347	Clinical and pathologic features of two groups of patients with dementia with Lewy bodies: effect of coexisting Alzheimer-type lesion load. 2001 , 15, 31-44	82
1346	Measurements of both hippocampal blood flow and hippocampal gray matter volume in the same individuals with Alzheimer's disease. 2001 , 22, 473-7	10
1345	Repeated pain assessment in Alzheimer's disease. 2001 , 12, 400-7	39
1344	Selective deposition of mutant tau in the FTDP-17 brain affected by the P301L mutation. 2001 , 60, 872-84	39
1343	Cortical synapse loss in progressive supranuclear palsy. 2001 , 60, 403-10	37
1342	Senile plaques in an aged western lowland gorilla. 2001 , 50, 77-81	30
1341	Efficient MR-based screening method for Alzheimer's disease. 2001 ,	
1340	Dissociation of regional activation in mild AD during visual encoding: a functional MRI study. 2001 , 57, 812-6	123

1339	Heterogeneity of semantic and visuospatial deficits in early Alzheimer's disease 2001, 15, 155-164	51
1338	The spectrum of category effects in object and action knowledge in dementia of the Alzheimer's type 2001 , 15, 371-379	46
1337	Overview of Vascular Dementia. 205-218	2
1336	Sequence of neurofibrillary changes in aging and Alzheimer's disease: A confocal study with phospho-tau antibody, AD2. 2001 , 3, 417-425	35
1335	The neuropsychological diagnosis of Alzheimer's disease. 2001 , 3, 261-285	27
1334	Alzheimer's Disease: Genes, Pathogenesis and Risk Prediction. 2001 , 4, 197-203	19
1333	Preclinical Prediction of AD: Relation Between Neuropsychological and Neuroimaging Findings. 97-110	
1332	Paradoxical phosphorylation of the serine 199 on tau proteins from young individuals. 2001 , 12, 3177-81	5
1331	Ubiquitin-binding protein p62 is present in neuronal and glial inclusions in human tauopathies and synucleinopathies. 2001 , 12, 2085-90	287
1330	Spinal cord neurofibrillary pathology in Alzheimer disease and Guam Parkinsonism-dementia complex. 2001 , 60, 1075-86	39
1329	Frontal lobe dementia with novel tauopathy: sporadic multiple system tauopathy with dementia. 2001 , 60, 328-41	65
1328	Elevation of LDL receptor-related protein levels via ligand interactions in Alzheimer disease and in vitro. 2001 , 60, 430-40	33
1327	Alzheimer disease therapeutics. 2001 , 60, 923-8	33
1326	Clinical validity of A beta-protein deposition staging in brain aging and Alzheimer disease. 2001 , 60, 946-52	42
1325	Relationship between blood flow kinetics and severity of Alzheimer's disease: assessment of severity using a questionnaire-type examination, Alzheimer's disease assessment scale, cognitive sub-scale (ADAS(cog)). 2001 , 12, 318-25	12
1324	Neuropsychological Detection of Preclinical Alzheimer's Disease: Results of a Neuropathological Series of NormallControls. 111-122	
1323	The Swedish APP670/671 Alzheimer's disease mutation: the first evidence for strikingly increased oxidative injury in the temporal inferior cortex. 2001 , 12, 364-70	44
1322	Familial British Dementia. 487-493	

1321	Generation of aggregated beta-amyloid in the rat hippocampus impairs synaptic transmission and plasticity and causes memory deficits. 2001 , 21, 5703-14		174
1320	Alzheimer's disease-related synapse loss in the cingulate cortex. 2001 , 3, 495-505		51
1319	Chronic imaging of amyloid plaques in the live mouse brain using multiphoton microscopy. 2001 ,		2
1318	Entorhinal cortex disruption causes memory deficit in early Alzheimer's disease as shown by PET. 2001 , 12, 683-5		64
1317	Prevalence of Alzheimer's disease in very elderly people: a prospective neuropathological study. 2001 , 56, 1690-6		163
1316	Chronic elevation of amyloid precursor protein in the neocortex or hippocampus of marmosets with selective cholinergic lesions. 2001 , 108, 809-26		9
1315	Cortical neurons expressing calcium binding proteins are spared in dementia with Lewy bodies. Acta Neuropathologica, 2001 , 101, 36-42	3	28
1314	Prion protein expression in senile plaques in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2001 , 101, 49-5 <u>6</u> 4.	3	79
1313	Tangle-bearing neurons contain more free cholesterol than adjacent tangle-free neurons. <i>Acta Neuropathologica</i> , 2001 , 101, 547-54	3	62
1312	The autonomic higher order processing nuclei of the lower brain stem are among the early targets of the Alzheimer's disease-related cytoskeletal pathology. <i>Acta Neuropathologica</i> , 2001 , 101, 555-64	3	75
1311	Fas and Fas ligand expression in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2001 , 102, 121-31	3	44
1310	Fibrillar amyloid-beta affects neurofibrillary changes but only in neurons already involved in neurofibrillary degeneration. <i>Acta Neuropathologica</i> , 2001 , 101, 585-90	3	4
1309	Relationship between DNA fragmentation, morphological changes and neuronal loss in Alzheimer's disease and dementia with Lewy bodies. <i>Acta Neuropathologica</i> , 2001 , 101, 616-24	3	39
1308	Argyrophilic grain disease mimicking temporal Pick's disease: a clinical, radiological, and pathological study of an autopsy case with a clinical course of 15 years. <i>Acta Neuropathologica</i> , 14. 2001 , 102, 195-9	3	26
1307	Dementia with Lewy bodies and Alzheimer's disease. <i>Acta Neuropathologica</i> , 2001 , 102, 621-6	3	33
1306	Perisomatic granules (non-plaque dystrophic dendrites) of hippocampal CA1 neurons in Alzheimer's disease and Pick's disease: a lesion distinct from granulovacuolar degeneration. <i>Acta</i> 14. <i>Neuropathologica</i> , 2001 , 102, 636-44	3	29
1305	Dynamic regulation of EEG power and coherence is lost early and globally in probable DAT. 2001 , 251, 199-204		37
1304	Cerebral blood flow and metabolic abnormalities in Alzheimer's disease. 2001 , 15, 85-92		164

1303	Tau-66: evidence for a novel tau conformation in Alzheimer's disease. 2001 , 77, 1372-85	82
1302	Relationship of calbindin D28K-immunoreactive cells and neuropathological changes in the hippocampal formation of Alzheimer's disease. 2001 , 21, 162-7	29
1301	Locally reduced levels of acidic FGF lead to decreased expression of 28-kda calbindin and contribute to the selective vulnerability of the neurons in the entorhinal cortex in Alzheimer's disease. 2001 , 21, 203-11	24
1300	Frequency and distribution of TUNEL-positive neurons in brains of dementia with Lewy bodies: comparison with those in brains of Alzheimer's disease. 2001 , 21, 272-7	2
1299	Long-term synaptic alteration in the rat hippocampal CA3 field following an entorhinal cortex lesion. 2001 , 55, 573-8	4
1298	Effects of closed traumatic brain injury and genetic factors on the development of Alzheimer's disease. 2001 , 8, 707-10	55
1297	The relationship between alphaB-crystallin and neurofibrillary tangles in Alzheimer's disease. 2001 , 27, 180-8	28
1296	Evidence that neurones accumulating amyloid can undergo lysis to form amyloid plaques in Alzheimer's disease. 2001 , 38, 120-34	278
1295	Intra vitam lumbar and post mortem ventricular cerebrospinal fluid immunoreactive interleukin-6 in Alzheimer's disease patients. 2001 , 103, 126-30	36
1294	Changes in the cellular distribution of glutamine synthetase in Alzheimer's disease. 2001 , 66, 972-80	76
1293	Parkinson's disease with late Pick's dementia. 2001 , 16, 311-9	12
1292	Corticobasal syndrome with tau pathology. 2001 , 16, 656-67	46
1291	Apolipoprotein E immunoreactivity in neurons and neurofibrillary degeneration of aged non-demented and Alzheimer's disease patients. 2001 , 55, 48-58	4
1290	Down-regulation of trkA mRNA within nucleus basalis neurons in individuals with mild cognitive impairment and Alzheimer's disease. 2001 , 437, 296-307	61
1289	Entorhinal cortex of the mouse: cytoarchitectonical organization. 2001 , 11, 397-407	43
1288	Dementia in hereditary cerebral hemorrhage with amyloidosis-Dutch type is associated with cerebral amyloid angiopathy but is independent of plaques and neurofibrillary tangles. 2001 , 50, 765-72	110
1287	Novel amyloid precursor protein mutation in an Iowa family with dementia and severe cerebral amyloid angiopathy. 2001 , 49, 697-705	430
1286	Alzheimer's disease versus dementia with Lewy bodies: cerebral metabolic distinction with autopsy confirmation. 2001 , 50, 358-65	430

(2001-2001)

1285	Relationship of the extended tau haplotype to tau biochemistry and neuropathology in progressive supranuclear palsy. 2001 , 50, 494-502	68
1284	Orbitofrontal and anterior cingulate cortex neurofibrillary tangle burden is associated with agitation in Alzheimer disease. 2001 , 49, 355-361	222
1283	Loss and atrophy of layer II entorhinal cortex neurons in elderly people with mild cognitive impairment. 2001 , 49, 202-213	346
1282	Pathologic correlates of nondemented aging, mild cognitive impairment, and early-stage Alzheimer's disease. 2001 , 17, 101-18	359
1281	Nerve cells expressing heat-shock proteins in Parkinson's disease. <i>Acta Neuropathologica</i> , 2001 , 102, 449-54	44
1280	Imaging of amyloid-beta deposits in brains of living mice permits direct observation of clearance of plaques with immunotherapy. 2001 , 7, 369-72	420
1279	Vascular Cognitive Impairment. 2001 , 1, 27-38	10
1278	Neurodegenerative features in developmental brain disorders. 2001 , 21, 32-39	3
1277	Platelet amyloid precursor protein forms in AD: a peripheral diagnostic tool and a pharmacological target. 2001 , 122, 1997-2004	18
1276	Visual hallucinations are associated with lower alpha bungarotoxin binding in dementia with Lewy bodies. 2001 , 70, 571-9	43
1275	Alpha-synuclein-positive structures in cases with sporadic Alzheimer's disease: morphology and its relationship to tau aggregation. 2001 , 888, 287-296	123
1274	Expression of amyloid precursor protein, tau and presenilin RNAs in rat hippocampus following deafferentation lesions. 2001 , 907, 222-32	19
1273	Early involvement of the tegmentopontine reticular nucleus during the evolution of Alzheimer's disease-related cytoskeletal pathology. 2001 , 908, 107-12	18
1272	Hippocampal estrogen beta-receptor immunoreactivity is increased in Alzheimer's disease. 2001 , 908, 113-9	85
1271	Altered expression of the synuclein family mRNA in Lewy body and Alzheimer's disease. 2001 , 914, 48-56	136
1270	Increased cAMP immunostaining in cerebral vessels in Alzheimer's disease. 2001 , 922, 148-52	19
1269	Cognitive resources during sentence processing in Alzheimer's disease. 2001 , 39, 1419-31	31
1268	Ultrastructural study of rat hippocampus after chronic administration of aluminum L-glutamate: an acceleration of the aging process. 2001 , 36, 231-44	44

1267	Epidemiology and pathophysiology of Alzheimer's disease. 2001 , 3, 15-26	23
1266	Tracking the decline in cerebral glucose metabolism in persons and laboratory animals at genetic risk for Alzheimer's disease. 2001 , 1, 194-206	18
1265	Traumatic brain injury as a risk factor for Alzheimer disease. Comparison of two retrospective autopsy cohorts with evaluation of ApoE genotype. 2001 , 1, 3	50
1264	Visual mechanisms of spatial disorientation in Alzheimer's disease. 2001 , 11, 1083-92	63
1263	Differential regional cerebral uptake of (18)F-fluoro-2-deoxy-D-glucose in Alzheimer's disease and frontotemporal dementia at initial diagnosis. 2001 , 45, 19-27	36
1262	Neuronal and glial coexpression of argininosuccinate synthetase and inducible nitric oxide synthase in Alzheimer disease. 2001 , 60, 906-16	118
1261	Using census data and birth certificates to reconstruct the early-life socioeconomic environment and the relation to the development of Alzheimer's disease. 2001 , 12, 383-9	96
1260	Ectopic white matter neurons, a developmental abnormality that may be caused by the PSEN1 S169L mutation in a case of familial AD with myoclonus and seizures. 2001 , 60, 1137-52	37
1259	Variant Alzheimer disease with spastic paraparesis: neuropathological phenotype. 2001 , 60, 483-92	67
1258	Neurofibrillary pathology in transgenic mice overexpressing V717F beta-amyloid precursor protein. 2001 , 60, 357-68	99
1257	Cotton wool plaques in non-familial late-onset Alzheimer disease. 2001 , 60, 1051-61	52
1256	Microglial activation parallels system degeneration in progressive supranuclear palsy and corticobasal degeneration. 2001 , 60, 647-57	146
1255	Cholesterol accumulates in senile plaques of Alzheimer disease patients and in transgenic APP(SW) mice. 2001 , 60, 778-85	120
1254	A method for estimating progression rates in Alzheimer disease. 2001 , 58, 449-54	128
1253	Ratio of 8-hydroxyguanine in intact DNA to free 8-hydroxyguanine is increased in Alzheimer disease ventricular cerebrospinal fluid. 2001 , 58, 392-6	110
1252	Early-onset amyloid deposition and cognitive deficits in transgenic mice expressing a double mutant form of amyloid precursor protein 695. 2001 , 276, 21562-70	691
1251	Metabolic regulation of brain Abeta by neprilysin. 2001 , 292, 1550-2	808
1250	Prediction of cognitive decline in normal elderly subjects with 2-[(18)F]fluoro-2-deoxy-D-glucose/poitron-emission tomography (FDG/PET). 2001 , 98, 10966-71	520

1249	Mutant ubiquitin expressed in Alzheimer's disease causes neuronal death. 2001 , 15, 2680-8	117
1248	Systemic amyloid deposits in familial British dementia. 2001 , 276, 43909-14	57
1247	Elevation of beta-amyloid peptide 2-42 in sporadic and familial Alzheimer's disease and its generation in PS1 knockout cells. 2001 , 276, 42645-57	103
1246	Beyond the hippocampus: MRI volumetry confirms widespread limbic atrophy in AD. 2001 , 57, 1669-74	225
1245	Alzheimer's disease: its diagnosis and pathogenesis. 2001 , 48, 167-217	15
1244	Gender and age modify the association between APOE and AD-related neuropathology. 2001 , 56, 1696-701	85
1243	Lewy bodies are not increased in progressive supranuclear palsy compared with normal controls. 2001 , 57, 1675-8	41
1242	Differing patterns of temporal atrophy in Alzheimer's disease and semantic dementia. 2001 , 57, 216-25	486
1241	VLDL receptor polymorphism, cognitive impairment, and dementia. 2001 , 56, 1183-8	20
1240	Patients with Alzheimer's disease and dementia with Lewy bodies mistaken for Creutzfeldt-Jakob disease. 2001 , 71, 33-9	103
1239	Relations between hypometabolism in the posterior association neocortex and hippocampal atrophy in Alzheimer's disease: a PET/MRI correlative study. 2001 , 71, 315-21	52
1238	Apolipoprotein E epsilon 4 and the pattern of regional brain atrophy in Alzheimer's disease. 2001 , 57, 1461-6	126
1237	The status of ongoing trials for mild cognitive impairment. 2001 , 10, 741-52	17
1236	Rapid induction of intraneuronal neurofibrillary tangles in apolipoprotein E-deficient mice. 2001 , 98, 8832-7	35
1235	A neuropathological study of vascular factors in late-life depression. 2001 , 70, 83-7	62
1234	Temporal lobe rating scale: application to Alzheimer's disease and frontotemporal dementia. 2001 , 70, 165-73	132
1233	Understanding the neuropsychological syndrome of dementia. 2001 , 22, 251-59; quiz 260	8
1232	Senile dementia of the neurofibrillary tangle type: a comparison with Alzheimer's disease. 2001 , 12, 117-26	28

1231	Recovery and expression of messenger RNA from postmortem human brain tissue. 2001 , 14, 1157-61	60
1230	Stability of the preclinical episodic memory deficit in Alzheimer's disease. 2001 , 124, 96-102	289
1229	Mild cognitive impairment and Alzheimer disease: regional diffusivity of water. 2001 , 219, 101-7	272
1228	Longitudinal profiles of semantic impairment for living and nonliving concepts in dementia of Alzheimer's type. 2001 , 13, 892-909	87
1227	Neurosteroid quantification in human brain regions: comparison between Alzheimer's and nondemented patients. 2002 , 87, 5138-43	270
1226	Tau blocks traffic of organelles, neurofilaments, and APP vesicles in neurons and enhances oxidative stress. 2002 , 156, 1051-63	698
1225	Intracellular amyloid-beta 1-42, but not extracellular soluble amyloid-beta peptides, induces neuronal apoptosis. 2002 , 277, 15666-70	140
1224	Alzheimer Disease: evaluation of a functional MR imaging index as a marker. 2002 , 225, 253-9	233
1223	Phases of A beta-deposition in the human brain and its relevance for the development of AD. 2002 , 58, 1791-800	1908
1222	Patients with vascular dementia due to microvascular pathology have significant hippocampal neuronal loss. 2002 , 72, 747-51	96
1221	Cerebral and hippocampal volumetry in early Alzheimer's disease.	1
	Cerebral and hippocampal volumetry in early Alzheimer's disease. Imaging the progression of Alzheimer pathology through the brain. 2002, 99, 4135-7	145
1220	Imaging the progression of Alzheimer pathology through the brain. 2002 , 99, 4135-7 Abnormal verbal event related potentials in mild cognitive impairment and incipient Alzheimer's	145
1220 1219	Imaging the progression of Alzheimer pathology through the brain. 2002 , 99, 4135-7 Abnormal verbal event related potentials in mild cognitive impairment and incipient Alzheimer's disease. 2002 , 73, 377-84 Regional quantitative study of formation process of neurofibrillary tangles in the hippocampus of	145 86
1220 1219 1218	Imaging the progression of Alzheimer pathology through the brain. 2002, 99, 4135-7 Abnormal verbal event related potentials in mild cognitive impairment and incipient Alzheimer's disease. 2002, 73, 377-84 Regional quantitative study of formation process of neurofibrillary tangles in the hippocampus of non-demented elderly brains: Comparison with late-onset Alzheimer's disease brains. 2002, 22, 147-153 Mapping the evolution of regional atrophy in Alzheimer's disease: unbiased analysis of	145 86 8
1220 1219 1218 1217	Imaging the progression of Alzheimer pathology through the brain. 2002, 99, 4135-7 Abnormal verbal event related potentials in mild cognitive impairment and incipient Alzheimer's disease. 2002, 73, 377-84 Regional quantitative study of formation process of neurofibrillary tangles in the hippocampus of non-demented elderly brains: Comparison with late-onset Alzheimer's disease brains. 2002, 22, 147-153 Mapping the evolution of regional atrophy in Alzheimer's disease: unbiased analysis of fluid-registered serial MRI. 2002, 99, 4703-7	145 86 8 511

1213	Improved detection of substantia nigra pathology in Alzheimer's disease. 2002 , 50, 99-106	45
1212	Antemortem MRI findings correlate with hippocampal neuropathology in typical aging and dementia. 2002 , 58, 750-7	450
1211	Protein aggregates and dementia: is there a common toxicity?. 2002 , 72, 152-61	47
1210	Alzheimer's disease-related overexpression of the cation-dependent mannose 6-phosphate receptor increases Abeta secretion: role for altered lysosomal hydrolase distribution in beta-amyloidogenesis. 2002 , 277, 5299-307	79
1209	Selective neurofibrillary degeneration of the hippocampal CA2 sector is associated with four-repeat tauopathies. 2002 , 61, 1040-7	50
1208	Cyclin D1 and cyclin E are co-localized with cyclo-oxygenase 2 (COX-2) in pyramidal neurons in Alzheimer disease temporal cortex. 2002 , 61, 678-88	86
1207	Visual hallucinations in Lewy body disease relate to Lewy bodies in the temporal lobe. 2002 , 125, 391-403	511
1206	Altered distribution of cell cycle transcriptional regulators during Alzheimer disease. 2002 , 61, 358-67	76
1205	Colocalization and fluorescence resonance energy transfer between cdk5 and AT8 suggests a close association in pre-neurofibrillary tangles and neurofibrillary tangles. 2002 , 61, 557-64	59
1204	Argyrophilic grain disease is a sporadic 4-repeat tauopathy. 2002 , 61, 547-56	200
1203	Where does parkinson disease pathology begin in the brain?. 2002 , 61, 413-26	508
1202	Clinical correlates of selective pathology in the amygdala of patients with Parkinson's disease. 2002 , 125, 2431-45	324
1201	MRI measures of entorhinal cortex vs hippocampus in preclinical AD. 2002 , 58, 1188-96	443
1200	Parkinson disease neuropathology: later-developing dementia and loss of the levodopa response. 2002 , 59, 102-12	321
1199	Cognitive profiles differ in autopsy-confirmed frontotemporal dementia and AD. 2002, 58, 1801-8	154
1198	Tau protein phosphorylation as a therapeutic target in Alzheimer's disease. 2002 , 2, 395-415	49
1197	Hippocampal volume as an index of Alzheimer neuropathology: findings from the Nun Study. 2002 , 58, 1476-82	259
1196	Overexpression of hAPPswe impairs rewarded alternation and contextual fear conditioning in a transgenic mouse model of Alzheimer's disease. 2002 , 9, 243-52	102

1195	Fluoro Jade stains early and reactive astroglia in the primate cerebral cortex. 2002 , 50, 1135-7	32
1194	The Pocket Smell Test: successfully discriminating probable Alzheimer's dementia from vascular dementia and major depression. 2002 , 14, 197-201	65
1193	Alzheimer's Disease. 2002 , 252-266	1
1192	Nonoverlapping but synergetic tau and APP pathologies in sporadic Alzheimer's disease. 2002 , 59, 398-407	134
1191	Familial Danish dementia: a novel form of cerebral amyloidosis associated with deposition of both amyloid-Dan and amyloid-beta. 2002 , 61, 254-67	102
1190	Age at onset is associated with disease severity in Lewy body variant and Alzheimer's disease. 2002 , 13, 1825-8	50
1189	1H magnetic resonance spectroscopy, cognitive function, and apolipoprotein E genotype in normal aging, mild cognitive impairment and Alzheimer's disease. 2002 , 8, 934-42	89
1188	Proton MR spectroscopic study at 3 Tesla on glutamate/glutamine in Alzheimer's disease. 2002 , 13, 183-6	85
1187	Decline in verbal memory during preclinical Alzheimer's disease: examination of the effect of APOE genotype. 2002 , 8, 943-55	91
1186	Office of Rare Diseases neuropathologic criteria for corticobasal degeneration. 2002 , 61, 935-46	462
1185	BetaAPP and furin mRNA concentrates in immature senile plaques in the brain of Alzheimer patients. 2002 , 61, 815-29	29
1184	The neural substrates of episodic memory impairment in Alzheimer's disease as revealed by FDG-PET: relationship to degree of deterioration. 2002 , 125, 1116-24	120
1183	Tissue microarrays in the study of non-neoplastic disease of the nervous system. 2002 , 61, 653-62	25
1182	Is knowledge of famous people disproportionately impaired with patients with early and questionable Alzheimer's disease?. 2002 , 16, 344-358	75
1181	Relearning face-name associations in early Alzheimer's disease 2002 , 16, 538-547	157
1180	Using connectionist models to guide assessment of psycological disorder 2002 , 14, 263-278	28
1179	The apolipoprotein E gene, attention, and brain function 2002 , 16, 254-274	100
1178	Multiple combinations of co-factors produce variants of age-related cognitive decline: a theory. 2002 , 56, 221-39	34

1177	Progressive aphasia with Lewy bodies. 2002 , 14, 55-8	27
1176	Comparative diagnostic utility of different MR modalities in mild cognitive impairment and Alzheimer's disease. 2002 , 14, 198-207	110
1175	The Neuropathology of Alzheimer's Disease. 223-226	
1174	Two types of sporadic cerebral amyloid angiopathy. 2002 , 61, 282-93	235
1173	Progressive reduction of synaptophysin message in single neurons in Alzheimer disease. 2002 , 61, 384-95	44
1172	Distinguishing between neurodegenerative disease and disease-free aging: correlating neuropsychological evaluations and neuropathological studies in centenarians. 2002 , 64, 493-501	82
1171	Severe involvement of ambient gyrus in dementia with grains. 2002, 61, 789-96	43
1170	Pathological determinants of the transition to clinical dementia in Alzheimer's disease. 2002 , 28, 143-62	82
1169	The Acute versus Chronic Pain Questionnaire (ACPQ) and actual pain experience in older people. 2002 , 6, 304-12	2
1168	Dense-core senile plaques in the Flemish variant of Alzheimer's disease are vasocentric. 2002 , 161, 507-20	92
1167	Tau conformational changes correspond to impairments of episodic memory in mild cognitive impairment and Alzheimer's disease. 2002 , 177, 475-93	134
1166	Fimbria-fornix lesion does not affect APP levels and amyloid deposition in the hippocampus of APP+PS1 double transgenic mice. 2002 , 177, 565-74	13
1165	Increased p75(NTR) expression in hippocampal neurons containing hyperphosphorylated tau in Alzheimer patients. 2002 , 178, 104-11	66
1164	Alterations in cerebral blood flow and glucose utilization in mice overexpressing the amyloid precursor protein. 2002 , 9, 61-8	164
1163	Neurofilament-immunoreactive neurons in Alzheimer's disease and dementia with Lewy bodies. 2002 , 9, 249-57	34
1162	Insights into Abeta and presenilin from a canine model of human brain aging. 2002 , 9, 1-10	32
1161	Hippocampal A beta 42 levels correlate with spatial memory deficit in APP and PS1 double transgenic mice. 2002 , 9, 339-47	97
1160	Niemann-Pick disease type C yields possible clue for why cerebellar neurons do not form neurofibrillary tangles. 2002 , 11, 285-97	55

1159	Neuronal changes in normal human aging and Alzheimer's disease. 2002 , 49, 268-76	187
1158	Relationship in the formation process between neurofibrillary tangles and Lewy bodies in the hippocampus of dementia with Lewy bodies brains. 2002 , 195, 85-91	24
1157	Progression and staging of Lewy pathology in brains from patients with dementia with Lewy bodies. 2002 , 195, 153-9	115
1156	Severe involvement of the ambient gyrus in a case of dementia with argyrophilic grain disease. 2002 , 196, 71-5	15
1155	Effect of APOE genotype on microvascular basement membrane in Alzheimer's disease. 2002 , 203-204, 183-7	56
1154	Microvascular damage and platelet abnormalities in early Alzheimer's disease. 2002 , 203-204, 189-93	40
1153	Chapter IX Mapping neuropathology with inducible and constitutive transcription factors. 2002 , 217-251	
1152	The amyloid hypothesis of Alzheimer's disease: progress and problems on the road to therapeutics. 2002 , 297, 353-6	10460
1151	Brain aging and Alzheimer's disease; use it or lose it. 2002 , 138, 343-73	66
1150	Specificity of Brain Activation Patterns in People at Genetic Risk for Alzheimer Disease. 2002 , 10, 44-51	58
1149	Inherited dementias. 2002 , 20, 779-808, vii	10
1148	Cholinergic nicotinic systems in Alzheimer's disease: prospects for pharmacological intervention. 2002 , 16, 485-500	7
1147	Mild cognitive impairment: a clinically useful but currently ill-defined concept?. 2002, 8, 405-10	18
1146	Functional imaging of visuospatial processing in Alzheimer's disease. 2002 , 17, 1403-14	166
1145	The intralaminar nuclei assigned to the medial pain system and other components of this system are early and progressively affected by the Alzheimer's disease-related cytoskeletal pathology. 2002 , 23, 279-90	50
1144	Whole brain segmentation: automated labeling of neuroanatomical structures in the human brain. 2002 , 33, 341-55	5627
1143	Added clinical benefit of incorporating 2-deoxy-2-[18F]fluoro-D-glucose with positron emission tomography into the clinical evaluation of patients with cognitive impairment. 2002 , 4, 283-93	28
1142	Dementia, the fate of brain? Neuropathological point of view. 2002 , 325, 655-64	5

1141	Perceptual adaptation: motion parallels orientation. 2002 , 6, 136-143	125
1140	Categories, prototypes and memory systems in Alzheimer's disease. 2002 , 6, 132-136	6
1139	Abeta-degrading endopeptidase, neprilysin, in mouse brain: synaptic and axonal localization inversely correlating with Abeta pathology. 2002 , 43, 39-56	121
1138	Up-regulation of mitogen-activated protein kinases ERK1/2 and MEK1/2 is associated with the progression of neurofibrillary degeneration in Alzheimer's disease. 2002 , 109, 45-55	180
1137	Correlation between beta-amyloid peptide production and human APP-induced neuronal death. 2002 , 23, 1199-204	14
1136	Transglutaminase bonds in neurofibrillary tangles and paired helical filament tau early in Alzheimer's disease. 2002 , 40, 17-30	79
1135	Parkinson's disease: the thalamic components of the limbic loop are severely impaired by alpha-synuclein immunopositive inclusion body pathology. 2002 , 23, 245-54	99
1134	Cerebellar diffuse amyloid plaques are derived from dendritic Abeta42 accumulations in Purkinje cells. 2002 , 23, 213-23	70
1133	Use of bomb pulse carbon-14 to age senile plaques and neurofibrillary tangles in Alzheimer's disease. 2002 , 23, 179-86	28
1132	Biochemical markers related to Alzheimer's dementia in serum and cerebrospinal fluid. 2002 , 23, 485-508	159
1131	Abeta as a bioflocculant: implications for the amyloid hypothesis of Alzheimer's disease. 2002 , 23, 1051-72	115
1130	The challenges of developing and validating molecular and biochemical markers of Alzheimer's disease. 2002 , 23, 509-11; discussion 521-2	7
1129	Heparin attenuates cytotoxic and inflammatory activity of Alzheimer amyloid-beta in vitro. 2002 , 23, 531-6	46
1128	Psychosis in Alzheimer disease: postmortem magnetic resonance spectroscopy evidence of excess neuronal and membrane phospholipid pathology. 2002 , 23, 547-53	51
1127	The amyloid hypothesis: let sleeping dogmas lie?. 2002 , 23, 1101-5	53
1126	Brain aging in the canine: a diet enriched in antioxidants reduces cognitive dysfunction. 2002 , 23, 809-18	131
1125	Intracellular accumulation of beta-amyloid(1-42) in neurons is facilitated by the alpha 7 nicotinic acetylcholine receptor in Alzheimer's disease. 2002 , 110, 199-211	356
1124	Genotype-related differences of hippocampal apolipoprotein E levels only in early stages of neuropathological changes in Alzheimer's disease. 2002 , 114, 1103-14	30

1123	Seladin-1 transcription is linked to neuronal degeneration in Alzheimer's disease. 2002 , 113, 301-10	70
1122	Disruption of astroglial interlaminar processes in Alzheimer's disease. 2002 , 58, 235-42	46
1121	Neurotoxic effects of aluminium among foundry workers and Alzheimer's disease. 2002, 23, 761-74	214
1120	Pharmacotherapy for Alzheimer's disease: progress and prospects. 2002 , 23, 426-33	90
1119	Effects of fimbria-fornix lesion and amyloid pathology on spatial learning and memory in transgenic APP+PS1 mice. 2002 , 134, 433-45	45
1118	Functional neuroimaging in psychiatry. 2002 , 1247, 651-661	
1117	The subthalamic nucleus has neurofibrillary tangles in argyrophilic grain disease and advanced Alzheimer's disease. 2002 , 320, 81-5	19
1116	Neurofibrillary tangles in elderly patients with late onset schizophrenia. 2002 , 324, 109-12	23
1115	Beta-amyloid deposition and neurofibrillary tangle association with caspase activation in Down syndrome. 2002 , 330, 99-103	16
1114	Pathological relationships between microglial cell activity and tau and amyloid beta protein in patients with Alzheimer's disease. 2002 , 331, 171-4	40
1113	Selective reduction of diffusion anisotropy in white matter of Alzheimer disease brains measured by 3.0 Tesla magnetic resonance imaging. 2002 , 332, 45-8	192
1112	Biological Markers in Alzheimer Disease. 2002 , 10, 660-677	10
1111	Fisiopatologa de la enfermedad de Alzheimer. 2002 , 6, 1-11	
1110	Localization of Neurofibrillary Tangles and Beta-Amyloid Plaques in the Brains of Living Patients With Alzheimer Disease. 2002 , 10, 24-35	498
1109	Correlations between visual recognition memory and neocortical and hippocampal glucose metabolism after bilateral rhinal cortex lesions in the baboon: implications for Alzheimer's disease. 2002 , 22, 9166-70	20
1108	Amyloid precursor protein, presenilins, and alpha-synuclein: molecular pathogenesis and pharmacological applications in Alzheimer's disease. 2002 , 54, 469-525	354
1107	The Brain of the Aging Baboon: A Nonhuman Primate Model for Neuronal and Glial Tau Pathology. 2002 , 31, 118-129	3
1106	Neurotransmitter Changes in Alzheimer's Disease: Relationships to Symptoms and Neuropathology. 229-232	

Electrophysiologic and behavioral effects of perinatal and acute exposure of rats to lead and polychlorinated biphenyls. 2002 , 110 Suppl 3, 377-86	38
1104 Brain Imaging of Cognitive Disorders. 353-359	
Disturbances in the Amino Acid Transmitter Systems in Cognitive Disorders Classified and Diagnosed According to DSM-IV. 247-260	
1102 Neuroinflammation in Neurodegeneration: Lessons from Alzheimer's Disease. 283-294	
1101 Alzheimer's disease: targets for drug development. 2002 , 2, 1-9	8
1100 Clinical Diagnosis of Dementia: A Review. 2002 , 69-141	3
Aberrant neuronal and paracellular deposition of endostatin in brains of patients with Alzheimer's disease. 2002 , 22, 10621-6	41
Brainstem and cortical Lewy bodies in patients presenting clinically with Alzheimer's disease. 2002 , 4, 11-7	8
Transgenic mouse models with tau pathology to test therapeutic agents for Alzheimer's disease. 2002 , 2, 51-8	8
Patterns of cognitive impairment in Alzheimer's disease: assessment and differential diagnosis. 2002 , 7, e155	26
1095 La maladie dAlzheimer : une tauopathie parmi dButres ?. 2002 , 18, 727-736	3
1094 Confiabilidade de medidas volum E ricas de estruturas temporais mesiais. 2002 , 60, 420-428	7
1093 Cingulate cortex hypoperfusion predicts Alzheimer's disease in mild cognitive impairment. 2002 , 2, 9	155
1092 Galanin overexpressing transgenic mice. 2002 , 36, 145-56	47
1091 Ageing of the brain. 2002 , 123, 811-7	124
1090 Occurrence of T cells in the brain of Alzheimer's disease and other neurological diseases. 2002 , 124, 8	3-92 293
Relationship between attentional performance and corpus callosum morphometry in patients with Alzheimer's disease. 2002 , 40, 946-56	21
1088 Impaired fear conditioning in Alzheimer's disease. 2002 , 40, 1187-95	97

1087	Visual search in Alzheimer's disease: a deficiency in processing conjunctions of features. 2002 , 40, 1849-57	41
1086	Preface. 2002 , 54, 1533-1537	2
1085	Use of neuroimaging to detect early brain changes in people at genetic risk for Alzheimer's disease. 2002 , 54, 1561-6	15
1084	Sulfo-glycosaminoglycan content affects PHF-tau solubility and allows the identification of different types of PHFs. 2002 , 935, 65-72	17
1083	Alteration of cortical EEG in mice carrying mutated human APP transgene. 2002, 943, 181-90	39
1082	Olfactory identification and apolipoprotein E epsilon 4 allele in mild cognitive impairment. 2002 , 951, 77-81	64
1081	Impaired axonal transport of cortical neurons in Alzheimer's disease is associated with neuropathological changes. 2002 , 948, 138-44	67
1080	Sex differences in estrogen receptor alpha and beta expression in vasopressin neurons of the supraoptic nucleus in elderly and Alzheimer's disease patients: no relationship with cytoskeletal alterations. 2002 , 951, 322-9	8
1079	Loss of response to levodopa in Parkinson's disease and co-occurrence with dementia: role of D3 and not D2 receptors. 2002 , 955, 138-52	64
1078	APOE polymorphism and clinical duration determine regional neuropathology in Swedish APP(670, 671) mutation carriers: implications for late-onset Alzheimer's disease. 2002 , 6, 199-214	20
1077	[Etiology and pathogenesis of Alzheimer dementia]. 2002 , 152, 72-6	6
1076	Corticostriatal circuitry mediates fast-track visual categorization. 2002 , 13, 53-9	14
1075	ApoE epsilon3-haplotype modulates Alzheimer beta-amyloid deposition in the brain. 2002, 114, 288-91	26
1074	Upregulation of choline acetyltransferase activity in hippocampus and frontal cortex of elderly subjects with mild cognitive impairment. 2002 , 51, 145-55	553
1073	Parahippocampal tau pathology in healthy aging, mild cognitive impairment, and early Alzheimer's disease. 2002 , 51, 182-9	195
1072	Memory decline: The boundary between aging and age-related disease. 2002 , 51, 282-284	36
1071	Alzheimer's neurofibrillary pathology and the spectrum of cognitive function: findings from the Nun Study. 2002 , 51, 567-77	315
1070	Magnetization transfer imaging in normal aging, mild cognitive impairment, and Alzheimer's disease. 2002 , 52, 62-7	116

(2002-2002)

1069	Alzheimer's disease neurofibrillary pathology in entorhinal cortex and CA1 hippocampal subfield. 2002 , 67, 388-98		14	
1068	Region-specific reduction of A beta-degrading endopeptidase, neprilysin, in mouse hippocampus upon aging. 2002 , 70, 493-500		164	
1067	In vivo conversion of racemized beta-amyloid ([D-Ser 26]A beta 1-40) to truncated and toxic fragments ([D-Ser 26]A beta 25-35/40) and fragment presence in the brains of Alzheimer's patients. 2002 , 70, 474-83		203	
1066	Neuroplasticity in Alzheimer's disease. 2002 , 70, 402-37		87	
1065	Parkinson's disease and dementia with Lewy bodies: one disease or two?. 2002 , 17, 1161-5		56	
1064	Novelty detection and repetition suppression in a passive picture viewing task: a possible approach for the evaluation of neuropsychiatric disorders. 2002 , 17, 230-6		21	
1063	Loss of basal forebrain P75(NTR) immunoreactivity in subjects with mild cognitive impairment and Alzheimer's disease. 2002 , 443, 136-53		182	
1062	Morphological and electrophysiological characteristics of layer V neurons of the rat lateral entorhinal cortex. 2002 , 451, 45-61		45	
1061	Therapeutic strategies of Alzheimer's disease through manipulation of Almetabolism: a focus on Aldegrading peptidase, neprilysin. 2002 , 56, 171-183		4	
1060	Brain-imaging surrogate markers for detection and prevention of age-related memory loss. 2002 , 19, 17-21		14	
1059	Semantic memory. 2002 , 2, 516-22		21	
1058	Impact of coexistent Alzheimer pathology on the natural history of Parkinson's disease. 2002 , 109, 329-39	9	204	
1057	Alzheimer disease and cerebrovascular pathology: an update. 2002 , 109, 813-36		502	
1056	Vascular fibrosis and calcification in the hippocampus in aging, Alzheimer disease, and Down syndrome. <i>Acta Neuropathologica</i> , 2002 , 103, 333-43	4.3	31	
1055	Stage-dependent and sector-specific neuronal loss in hippocampus during Alzheimer's disease. Acta Neuropathologica, 2002 , 103, 363-9	4.3	128	
1054	Neuron loss from the hippocampus of Alzheimer's disease exceeds extracellular neurofibrillary tangle formation. <i>Acta Neuropathologica</i> , 2002 , 103, 370-6	4.3	130	
1053	Transneuronally altered dendritic processing of tangle-free neurons in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2002 , 103, 437-43	4.3	8	
1052	Cerebellar cortical tau pathology in progressive supranuclear palsy and corticobasal degeneration. Acta Neuropathologica, 2002 , 103, 469-74	4.3	40	

1051	Degenerative and vascular lesions of the brain have synergistic effects in dementia of the elderly. Acta Neuropathologica, 2002 , 103, 481-7	14.3	138
1050	Patterns of protein nitration in dementia with Lewy bodies and striatonigral degeneration. <i>Acta Neuropathologica</i> , 2002 , 103, 495-500	14.3	24
1049	Calpain activation in neurodegenerative diseases: confocal immunofluorescence study with antibodies specifically recognizing the active form of calpain 2. <i>Acta Neuropathologica</i> , 2002 , 104, 92-10	44.3	78
1048	Consensus neuropathological diagnosis of common dementia syndromes: testing and standardising the use of multiple diagnostic criteria. <i>Acta Neuropathologica</i> , 2002 , 104, 72-8	14.3	46
1047	A novel mutation (G217D) in the Presenilin 1 gene (PSEN1) in a Japanese family: presenile dementia and parkinsonism are associated with cotton wool plaques in the cortex and striatum. <i>Acta Neuropathologica</i> , 2002 , 104, 155-70	14.3	61
1046	Constant involvement of the Betz cells and pyramidal tract in amyotrophic lateral sclerosis with dementia: a clinicopathological study of eight autopsy cases. <i>Acta Neuropathologica</i> , 2002 , 104, 249-59	14.3	36
1045	NACP/alpha-synuclein immunoreactivity in diffuse neurofibrillary tangles with calcification (DNTC). <i>Acta Neuropathologica</i> , 2002 , 104, 333-41	14.3	30
1044	Hyperphosphorylated tau deposition parallels prion protein burden in a case of Gerstmann-Strussler-Scheinker syndrome P102L mutation complicated with dementia. <i>Acta Neuropathologica</i> , 2002 , 104, 342-50	14.3	37
1043	Interstitial cells subjacent to the entorhinal region expressing somatostatin-28 immunoreactivity are susceptible to development of Alzheimer's disease-related cytoskeletal changes. <i>Acta Neuropathologica</i> , 2002 , 104, 351-6	14.3	26
1042	Up-regulation of cell division cycle (cdc) 2 kinase in neurons with early stage Alzheimer's disease neurofibrillary degeneration. <i>Acta Neuropathologica</i> , 2002 , 104, 369-76	14.3	40
1041	Argyrophilic grain disease and Alzheimer's disease are distinguished by their different distribution of tau protein isoforms. <i>Acta Neuropathologica</i> , 2002 , 104, 425-34	14.3	74
1040	NACP/alpha-synuclein, NAC, and beta-amyloid pathology of familial Alzheimer's disease with the E184D presenilin-1 mutation: a clinicopathological study of two autopsy cases. <i>Acta Neuropathologica</i> , 2002 , 104, 637-48	14.3	31
1039	Specific tau phosphorylation sites correlate with severity of neuronal cytopathology in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2002 , 103, 26-35	14.3	678
1038	Unbiased morphological measurements show no neuronal loss in the substantia nigra in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2002 , 103, 43-7	14.3	11
1037	Increased melatonin 1a-receptor immunoreactivity in the hippocampus of Alzheimer's disease patients. 2002 , 32, 59-62		102
1036	Progressive supranuclear palsy: neuronal and glial cytoskeletal pathology in the higher order processing autonomic nuclei of the lower brainstem. 2002 , 28, 12-22		25
1035	Regional quantitative analysis of NFT in brains of non-demented elderly persons: comparisons with findings in brains of late-onset Alzheimer's disease and limbic NFT dementia. 2002 , 22, 34-9		17
1034	Demonstration and distribution of tau-positive glial coiled body-like structures in white matter and white matter threads in early onset Alzheimer's disease. 2002 , 22, 9-12		14

1033	Characterizing CGI-94 (comparative gene identification-94) which is down-regulated in the hippocampus of early stage Alzheimer's disease brain. 2002 , 15, 79-86	6
1032	Disturbances of consciousness in dementia with Lewy bodies associated with alteration in nicotinic receptor binding in the temporal cortex. 2002 , 11, 461-74	55
1031	Expert Commentary 2002 , 41, 38-39	
1030	Oxidative damage increases with age in a canine model of human brain aging. 2002 , 82, 375-81	138
1029	Parkinson's disease mimicking senile dementia of the Alzheimer type: a clinicopathological study of four autopsy cases. 2002 , 22, 77-84	10
1028	Sporadic amyotrophic lateral sclerosis with circumscribed temporal atrophy: a report of an autopsy case without dementia and with ubiquitinated intraneuronal inclusions. 2002 , 22, 308-16	30
1027	A 79-year-old woman with progressive cognitive impairment. 2002 , 22, 358-9	
1026	Excitotoxic lesions of the rhinal cortex in the baboon differentially affect visual recognition memory, habit memory and spatial executive functions. 2002 , 15, 1225-36	13
1025	Donepezil reverses a mnemonic deficit produced by scopolamine but not by perforant path lesion or transient cerebral ischaemia. 2002 , 15, 1827-40	34
1024	Two-dimensional characterization of paired helical filament-tau from Alzheimer's disease: demonstration of an additional 74-kDa component and age-related biochemical modifications. 1997 , 69, 834-44	55
1023	Apoptosis of astrocytes with enhanced lysosomal activity and oligodendrocytes in white matter lesions in Alzheimer's disease. 2002 , 28, 238-51	84
1022	Early accumulation of p62 in neurofibrillary tangles in Alzheimer's disease: possible role in tangle formation. 2002 , 28, 228-37	157
1021	Genetic association of argyrophilic grain disease with polymorphisms in alpha-2 macroglobulin and low-density lipoprotein receptor-related protein genes. 2002 , 28, 308-13	14
1020	Perceptual and semantic contributions to episodic memory: evidence from semantic dementia and Alzheimer's disease. 2002 , 47, 197-213	32
1019	Brain glucose hypometabolism after perirhinal lesions in baboons: implications for Alzheimer disease and aging. 2002 , 22, 1248-61	23
1018	Pathological lesions in vascular dementia. 2002 , 977, 279-91	14
1017	Toward a unified scheme for the aggregation of tau into Alzheimer paired helical filaments. 2002 , 41, 14885-96	268
1016	Limbic system perfusion in Alzheimer's disease measured by MRI-coregistered HMPAO SPET. 2002 , 29, 899-906	31

1015 Dementie: ziekte of veroudering?. **2002**, 6, 140-145

1014 Veroudering vraagt om verrijking. 2002 , 6, 156-160	
1013 Memory deficits in Alzheimer's disease: the encoding hypothesis and cholinergic function. 2002 , 9, 426-37	48
Changes in APP, PS1 and other factors related to Alzheimer's disease pathophysiology after trimethyltin-induced brain lesion in the rat. 2002 , 4, 625-636	33
1011 Death by necrosis. Uncontrollable catastrophe, or is there order behind the chaos?. 2002 , 3, 604-9	110
1010 Synaptic proteins in Alzheimer's disease. 2002 , 18, 53-63	39
1009 In vivo brain imaging of tangle burden in humans. 2002 , 19, 323-7	40
1008 Gamma-secretase: substrates and inhibitors. 2002 , 26, 81-95	19
1007 Axonal transport, tau protein, and neurodegeneration in Alzheimer's disease. 2002 , 2, 151-65	98
Hippocampal volume is associated with memory but not monmemory cognitive performance in patients with mild cognitive impairment. 2003 , 20, 241-8	57
1005 What can rodent models tell us about cognitive decline in Alzheimer's disease?. 2003 , 27, 249-76	21
Tangle and neuron numbers, but not amyloid load, predict cognitive status in Alzheimer's disease. 2003, 60, 1495-500	763
Plasticity of glutamate and GABAA receptors in the hippocampus of patients with Alzheimer's disease. 2003 , 23, 491-505	23
Cerebrovascular effects of amyloid-beta peptides: mechanisms and implications for Alzheimer's dementia. 2003 , 23, 681-9	79
1001 Plasticity and the spread of Alzheimer's disease-like changes. 2003 , 28, 1715-23	9
Neuritic alterations and neural system dysfunction in Alzheimer's disease and dementia with Lewy bodies. 2003 , 28, 1683-91	27
999 Lysosomes and brain aging in mammals. 2003 , 28, 1725-34	32
Cycles of aberrant synaptic sprouting and neurodegeneration in Alzheimer's and dementia with Lewy bodies. 2003 , 28, 1743-56	63

997	The neuropathological spectrum of neurodegenerative tauopathies. 2003, 55, 299-305	42
996	A meta-analysis of structural and functional brain imaging in dementia of the Alzheimer's type: a neuroimaging profile. 2003 , 13, 1-18	85
995	The induction of the TNFalpha death domain signaling pathway in Alzheimer's disease brain. 2003 , 28, 307-18	83
994	Discussion of the role of the extracellular signal-regulated kinase-phospholipase A2 pathway in production of reactive oxygen species in Alzheimer's disease. 2003 , 28, 319-26	31
993	Artificial grammar learning in Alzheimer's disease. 2003 , 3, 145-53	17
992	Applications of Radioanalytical Chemistry to Alzheimer's Disease. 2003 , 298-306	
991	Clinical and neuropathological correlates of Lewy body disease. <i>Acta Neuropathologica</i> , 2003 , 105, 341-5 0 _{4.3}	78
990	Role of protein kinase B in Alzheimer's neurofibrillary pathology. <i>Acta Neuropathologica</i> , 2003 , 105, 381-923	127
989	Stress proteins in neural cells: functional roles in health and disease. 2003 , 60, 337-49	82
988	[Visual search in healthy persons and Alzheimer's patients: relating cognitive function to clinical practice]. 2003 , 74, 863-8	1
987	[Magnetic resonance imaging in clinical diagnosis of dementia]. 2003, 43, 513-20	2
986	Type 2 diabetes and atrophy of medial temporal lobe structures on brain MRI. 2003, 46, 1604-10	389
985	Incidence of cerebrovascular lesions in Alzheimer's disease: a postmortem study. <i>Acta Neuropathologica</i> , 2003 , 105, 14-7	88
984	Dementia with Lewy bodies from the perspective of tauopathy. <i>Acta Neuropathologica</i> , 2003 , 105, 265-7 9 _{4.3}	60
983	Lewy body pathology is a frequent co-pathology in familial Alzheimer's disease. <i>Acta Neuropathologica</i> , 2003 , 105, 484-8	33
982	Different immunoreactivities of the microtubule-binding region of tau and its molecular basis in brains from patients with Alzheimer's disease, Pick's disease, progressive supranuclear palsy and corticobasal degeneration. <i>Acta Neuropathologica</i> , 2003 , 105, 489-98	41
981	Prevalence of cerebrovascular lesions in Parkinson's disease. A postmortem study. <i>Acta Neuropathologica</i> , 2003 , 105, 415-9	100
980	Polymorphism of the codon 129 of the prion protein (PrP) gene and neuropathology of cerebral ageing. <i>Acta Neuropathologica</i> , 2003 , 106, 71-4	22

979	Clinical and neuropathological correlates of Lewy body disease. <i>Acta Neuropathologica</i> , 2003 , 106, 188-9; author reply 190	14.3	13
978	Reply to K. Jellinger. <i>Acta Neuropathologica</i> , 2003 , 106, 190-190	14.3	
977	Alpha-synuclein pathology in Parkinson's and Alzheimer's disease brain: incidence and topographic distributiona pilot study. <i>Acta Neuropathologica</i> , 2003 , 106, 191-201	14.3	139
976	Reelin-immunoreactive Cajal-Retzius cells: the entorhinal cortex in normal aging and Alzheimer's disease. <i>Acta Neuropathologica</i> , 2003 , 106, 291-302	14.3	21
975	Variability and heterogeneity in Alzheimer's disease with cotton wool plaques: a clinicopathological study of four autopsy cases. <i>Acta Neuropathologica</i> , 2003 , 106, 348-56	14.3	26
974	Cerebral amyloid angiopathy in the elderly: vessel walls changes and relationship with dementia. <i>Acta Neuropathologica</i> , 2003 , 106, 367-73	14.3	51
973	Argyrophilic grain disease: molecular genetic difference to other four-repeat tauopathies. <i>Acta Neuropathologica</i> , 2003 , 106, 363-6	14.3	16
972	Age-associated prevalence and risk factors of Lewy body pathology in a general population: the Hisayama study. <i>Acta Neuropathologica</i> , 2003 , 106, 374-82	14.3	86
971	Oxidative damage in the olfactory system in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2003 , 106, 55	2-6 4.3	56
970	Diffuse form of argyrophilic grain disease: a new variant of four-repeat tauopathy different from limbic argyrophilic grain disease. <i>Acta Neuropathologica</i> , 2003 , 106, 575-83	14.3	32
969	Reduced glutamate neurotransmission in patients with Alzheimer's disease an in vivo (13)C magnetic resonance spectroscopy study. 2003 , 16, 29-42		88
968	Prevalence of vascular lesions in dementia with Lewy bodies. A postmortem study. 2003 , 110, 771-8		28
967	Lexical processing in Spanish patients with probable Alzheimer's disease. 2003 , 17, 549-61		23
966	Computer-assisted imaging to assess brain structure in healthy and diseased brains. 2003 , 2, 79-88		312
965	Immunotherapy for Alzheimer's disease. 2003 , 2, 215-20		89
964	Pain processing in dementia and its relation to neuropathology. 2003, 2, 677-86		169
963	Semantic decision making in early probable AD: a PET activation study. 2003, 18, 89-96		7
962	Degenerative patterns following denervation of temporal structures in a rat model of mnemonic dysfunction. 2003 , 967, 293-300		6

961	Direct determination of the proportion of intra- and extra-cellular neocortical neurofibrillary tangles in Alzheimer's disease. 2003 , 971, 135-7	8
960	D-Serine alleviates retrograde amnesia of a visual discrimination task in rats with a lesion of the perirhinal cortex. 2003 , 979, 240-4	13
959	Estrogen receptors and metabolic activity in the human tuberomamillary nucleus: changes in relation to sex, aging and Alzheimer's disease. 2003 , 988, 84-96	34
958	Effects of working memory deficits on the communicative functioning of Alzheimer's dementia patients. 2003 , 36, 209-19	56
957	Summer Neuropeptide Conference: Poster session A. Obesity, trophic and cognitive functions of neuropeptides. 2003 , 37, 159-199	0
956	Distribution of alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionate-type glutamate receptor subunits (GluR2/3) along the ventral visual pathway in the monkey. 2003 , 456, 396-407	17
955	Cholinergic neuropathology in a mouse model of Alzheimer's disease. 2003, 462, 371-81	83
954	Progressive degeneration of nonphosphorylated neurofilament protein-enriched pyramidal neurons predicts cognitive impairment in Alzheimer's disease: stereologic analysis of prefrontal cortex area 9. 2003 , 463, 281-302	129
953	Spatial patterns of mammalian brain aging: distribution of cathepsin D-immunoreactive cell bodies and dystrophic dendrites in aging dogs resembles that in Alzheimer's disease. 2003 , 464, 371-81	20
952	Glutamatergic systems in Alzheimer's disease. 2003 , 18, S15-21	158
952 951	Glutamatergic systems in Alzheimer's disease. 2003, 18, S15-21 Encoding of novel picture pairs activates the perirhinal cortex: an fMRI study. 2003, 13, 67-80	158 65
951	Encoding of novel picture pairs activates the perirhinal cortex: an fMRI study. 2003 , 13, 67-80 Changes in NOS protein expression and activity in the rat hippocampus, entorhinal and postrhinal	65
951 950	Encoding of novel picture pairs activates the perirhinal cortex: an fMRI study. 2003 , 13, 67-80 Changes in NOS protein expression and activity in the rat hippocampus, entorhinal and postrhinal cortices after unilateral electrolytic perirhinal cortex lesions. 2003 , 13, 561-71	65 9
951 950 949	Encoding of novel picture pairs activates the perirhinal cortex: an fMRI study. 2003, 13, 67-80 Changes in NOS protein expression and activity in the rat hippocampus, entorhinal and postrhinal cortices after unilateral electrolytic perirhinal cortex lesions. 2003, 13, 561-71 Prevalence of Alzheimer lesions in Parkinson's disease. 2003, 18, 1207-8	65 9 13
951 950 949 948	Encoding of novel picture pairs activates the perirhinal cortex: an fMRI study. 2003, 13, 67-80 Changes in NOS protein expression and activity in the rat hippocampus, entorhinal and postrhinal cortices after unilateral electrolytic perirhinal cortex lesions. 2003, 13, 561-71 Prevalence of Alzheimer lesions in Parkinson's disease. 2003, 18, 1207-8 Anatamopathological spectrum of tauopathies. 2003, 18 Suppl 6, S13-20	65 9 13
951 950 949 948 947	Encoding of novel picture pairs activates the perirhinal cortex: an fMRI study. 2003, 13, 67-80 Changes in NOS protein expression and activity in the rat hippocampus, entorhinal and postrhinal cortices after unilateral electrolytic perirhinal cortex lesions. 2003, 13, 561-71 Prevalence of Alzheimer lesions in Parkinson's disease. 2003, 18, 1207-8 Anatamopathological spectrum of tauopathies. 2003, 18 Suppl 6, S13-20 Use of functional imaging in Parkinsonism and dementia. 2003, 18 Suppl 6, S88-95 Association of HFE mutations with neurodegeneration and oxidative stress in Alzheimer's disease	65 9 13 18 26

943	Caspase activation in the limbic cortex of subjects with early Alzheimer's disease. 2003, 54, 393-8	84
942	26Al incorporation into the brain of suckling rats through maternal milk. 2003 , 97, 155-60	23
941	A critical discussion of the role of neuroimaging in mild cognitive impairment. 2003, 179, 52-76	153
940	Visual object recognition in early Alzheimer's disease: deficits in semantic processing. 2003 , 108, 82-9	30
939	Quantification of regional glial fibrillary acidic protein levels in Alzheimer's disease. 2003, 107, 318-23	21
938	Capillary and arterial cerebral amyloid angiopathy in Alzheimer's disease: defining the perivascular route for the elimination of amyloid beta from the human brain. 2003 , 29, 106-17	181
937	Tau load is associated with apolipoprotein E genotype and the amount of amyloid beta protein, Abeta40, in sporadic and familial Alzheimer's disease. 2003 , 29, 35-44	28
936	Involvement of precerebellar nuclei in multiple system atrophy. 2003 , 29, 60-76	70
935	Guidelines for the pathoanatomical examination of the lower brain stem in ingestive and swallowing disorders and its application to a dysphagic spinocerebellar ataxia type 3 patient. 2003 , 29, 1-13	30
934	Tau pathology in the olfactory bulb correlates with Braak stage, Lewy body pathology and apolipoprotein epsilon4. 2003 , 29, 503-10	90
933	Glial levels determine severity of white matter disease in Alzheimer's disease: a neuropathological study of glial changes. 2003 , 29, 159-69	61
932	Misrouted olfactory fibres and ectopic olfactory glomeruli in normal humans and in Parkinson and Alzheimer patients. 2003 , 29, 303-11	36
931	Accumulation of flotillin-1 in tangle-bearing neurones of Alzheimer's disease. 2003, 29, 451-61	38
930	Anatomically based guidelines for systematic investigation of the central somatosensory system and their application to a spinocerebellar ataxia type 2 (SCA2) patient. 2003 , 29, 418-33	44
929	Apolipoprotein E genotype in senile dementia with tangles differs from Alzheimer's disease. 2003 , 29, 80-4	5
928	An atypical form of sporadic panencephalopathic Creutzfeldt-Jakob disease in Japan. 2003 , 29, 77-80	1
927	JKK1, an upstream activator of JNK/SAPK, is activated in Alzheimer's disease. 2003 , 85, 87-93	56
926	Truncated beta-amyloid peptide species in pre-clinical Alzheimer's disease as new targets for the vaccination approach. 2003 , 85, 1581-91	176

925	Immunohistochemical study of the expression of cytokines and nitric oxide synthases in brains of patients with dementia with Lewy bodies. 2003 , 23, 9-15	49
924	Two distinct subgroups of senile dementia of Alzheimer type: quantitative study of neurofibrillary tangles. 2003 , 23, 282-9	20
923	Brain tissue microarrays in dementia research: white matter microvascular pathology in Alzheimer's disease. 2003 , 23, 290-5	20
922	Senile dementia of the neurofibrillary tangle type (tangle-only dementia): neuropathological criteria and clinical guidelines for diagnosis. 2003 , 23, 311-7	67
921	Hippocampal dopamine D2 receptors correlate with memory functions in Alzheimer's disease. 2003 , 18, 149-54	117
920	Improved reversal learning and altered fear conditioning in transgenic mice with regionally restricted p25 expression. 2003 , 18, 423-31	77
919	Retrosplenial cortex (BA 29/30) hypometabolism in mild cognitive impairment (prodromal Alzheimer's disease). 2003 , 18, 2663-7	169
918	Early-onset Alzheimer's disease with presenilin-1 M139V mutation: clinical, neuropsychological and neuropathological study. 2003 , 10, 319-23	24
917	Antemortem memory impairment screen performance is correlated with postmortem Alzheimer pathology. 2003 , 51, 1043-5	8
916	The amyloid-beta (Abeta) peptide pattern in cerebrospinal fluid in Alzheimer's disease: evidence of a novel carboxyterminally elongated Abeta peptide. 2003 , 17, 1291-1296	92
915	Imaging of Alzheimer's Disease. 2003 , 13, 199-214	38
914	Genetic association of acyl-coenzyme A: cholesterol acyltransferase with cerebrospinal fluid cholesterol levels, brain amyloid load, and risk for Alzheimer's disease. 2003 , 8, 635-8	55
913	Islet-brain1/C-Jun N-terminal kinase interacting protein-1 (IB1/JIP-1) promoter variant is associated with Alzheimer's disease. 2003 , 8, 413-22, 363	34
912	Neuronal expression of GFAP in patients with Alzheimer pathology and identification of novel GFAP splice forms. 2003 , 8, 786-96	114
911	Mild cognitive impairment clinical trials. 2003 , 2, 646-53	119
910	Imaging Alzheimer's disease: clinical applications. 2003 , 13, 769-80	45
909	Negative association between amyloid plaques and cerebral amyloid angiopathy in Alzheimer's disease. 2003 ,	
908	Enfermedad de alzheimer. Concepto y manifestaciones clāicas. 2003 , 8, 5432-5440	

907	Association of phosphorylation site of tau protein with neuronal apoptosis in Alzheimer's disease. 2003 , 208, 17-24	46
906	Cognitive conditions of pathologically confirmed dementia with Lewy bodies and Parkinson's disease with dementia. 2003 , 216, 105-8	32
905	Pathological heterogeneity of clinically diagnosed corticobasal degeneration. 2003, 216, 127-34	70
904	A comprehensive study of gray matter loss in patients with Alzheimer's disease using optimized voxel-based morphometry. 2003 , 18, 895-907	347
903	Voxel- and VOI-based analysis of SPECT CBF in relation to clinical and psychological heterogeneity of mild cognitive impairment. 2003 , 19, 1137-44	74
902	High b value diffusion-weighted imaging is more sensitive to white matter degeneration in Alzheimer's disease. 2003 , 20, 413-9	58
901	Synthesis and evaluation of 11C-labeled 6-substituted 2-arylbenzothiazoles as amyloid imaging agents. 2003 , 46, 2740-54	829
900	Accumulation of caspase cleaved amyloid precursor protein represents an early neurodegenerative event in aging and in Alzheimer's disease. 2003 , 14, 391-403	80
899	Neuropeptide alterations in the hippocampal formation and cortex of transgenic mice overexpressing beta-amyloid precursor protein (APP) with the Swedish double mutation (APP23). 2003 , 14, 579-94	56
898	Gender differences in the amount and deposition of amyloidbeta in APPswe and PS1 double transgenic mice. 2003 , 14, 318-27	222
897	Negative association between amyloid plaques and cerebral amyloid angiopathy in Alzheimer's disease. 2003 , 352, 137-40	39
896	GSK-3 dependent phosphoepitopes recognized by PHF-1 and AT-8 antibodies are present in different tau isoforms. 2003 , 24, 1087-94	36
895	Clogging of axons by tau, inhibition of axonal traffic and starvation of synapses. 2003 , 24, 1079-85	319
894	Synaptic pathology in Alzheimer's disease: a review of ultrastructural studies. 2003 , 24, 1029-46	330
893	Synaptic plasticity and cell cycle activation in neurons are alternative effector pathways: the 'Dr. Jekyll and Mr. Hyde concept' of Alzheimer's disease or the yin and yang of neuroplasticity. 2003 , 71, 83-248	158
892	Okadaic-acid-induced inhibition of protein phosphatase 2A produces activation of mitogen-activated protein kinases ERK1/2, MEK1/2, and p70 S6, similar to that in Alzheimer's disease. 2003 , 163, 845-58	122
891	Nitration of tau protein is linked to neurodegeneration in tauopathies. 2003 , 163, 1021-31	167
890	Subicular dendritic arborization in Alzheimer's disease correlates with neurofibrillary tangle density. 2003 , 163, 1615-21	65

889	Up-regulation of phosphorylated/activated p70 S6 kinase and its relationship to neurofibrillary pathology in Alzheimer's disease. 2003 , 163, 591-607	251
888	Reduced hippocampal insulin-degrading enzyme in late-onset Alzheimer's disease is associated with the apolipoprotein E-epsilon4 allele. 2003 , 162, 313-9	275
887	Age-related changes of Alzheimer's disease-associated proteins in cynomolgus monkey brains. 2003 , 310, 303-11	71
886	Alterations on phosphodiesterase type 7 and 8 isozyme mRNA expression in Alzheimer's disease brains examined by in situ hybridization. 2003 , 182, 322-34	86
885	Biomarkers of Alzheimer's disease and mild cognitive impairment: are we there yet?. 2003, 183, 7-10	17
884	Postnatal development of inflammation in a murine model of Niemann-Pick type C disease: immunohistochemical observations of microglia and astroglia. 2003 , 184, 887-903	133
883	Stress-induced hyperphosphorylation of tau in the mouse brain. 2003 , 535, 183-9	74
882	Degeneration of tyrosine hydroxylase-immunoreactive neurons in the cerebral cortex and hippocampus of patients with dementia with Lewy bodies. 2003 , 340, 185-8	10
881	The temporal localization of frame-shift ubiquitin-B and amyloid precursor protein, and complement proteins in the brain of non-demented control patients with increasing Alzheimer's disease pathology. 2003 , 348, 46-50	17
880	Neuron loss in key cholinergic and aminergic nuclei in Alzheimer disease: a meta-analysis. 2003 , 24, 1-23	197
879	Staging of brain pathology related to sporadic Parkinson's disease. 2003 , 24, 197-211	6699
878	The vascular lesions in vascular and mixed dementia: the weight of functional neuroanatomy. 2003 , 24, 213-9	84
877	A voxel-based morphometry study of temporal lobe gray matter reductions in Alzheimer's disease. 2003 , 24, 221-31	166
876	Immune reactive cells in senile plaques and cognitive decline in Alzheimer's disease. 2003, 24, 321-31	179
875	A grading system of Alzheimer disease lesions in neocortical areas. 2003 , 24, 563-72	46
874	Alterations in beta-amyloid production and deposition in brain regions of two transgenic models. 2003 , 24, 645-53	47
873	MR spectroscopy in Alzheimer's disease: gender differences in probabilistic learning capacity. 2003 , 24, 545-52	24
872	Identifying severely atrophic cortical subregions in Alzheimer's disease. 2003 , 24, 797-806	57

871	Comparative distribution of tau phosphorylated at Ser262 in pre-tangles and tangles. 2003, 24, 767-76	55
870	Changes in metabolic activity and estrogen receptors in the human medial mamillary nucleus: relation to sex, aging and Alzheimer's disease. 2003 , 24, 817-28	21
869	cAMP-specific phosphodiesterases expression in Alzheimer's disease brains. 2003 , 1251, 127-138	9
868	Connective tissue growth factor in Alzheimer's disease. 2003 , 116, 1-6	32
867	Association of ATP synthase alpha-chain with neurofibrillary degeneration in Alzheimer's disease. 2003 , 117, 293-303	88
866	Stereologic analysis of neurofibrillary tangle formation in prefrontal cortex area 9 in aging and Alzheimer's disease. 2003 , 117, 577-92	95
865	Biochemical analysis of GABA(A) receptor subunits alpha 1, alpha 5, beta 1, beta 2 in the hippocampus of patients with Alzheimer's disease neuropathology. 2003 , 120, 695-704	45
864	Regional variations and age-related changes in nitric oxide synthase and arginase in the sub-regions of the hippocampus. 2003 , 119, 679-87	65
863	Diffuse amyloid deposition, but not plaque number, is reduced in amyloid precursor protein/presenilin 1 double-transgenic mice by pathway lesions. 2003 , 119, 1185-97	32
862	Hippocampal apolipoprotein D level depends on Braak stage and APOE genotype. 2003 , 122, 103-10	26
861	Single intracerebroventricular administration of amyloid-beta (25-35) peptide induces impairment in short-term rather than long-term memory in rats. 2003 , 61, 197-205	90
860	The cognitive neuroscience of category learning. 2003 , 43, 85-109	93
859	Organization of cortico-hippocampal networks in rats related to learning and memory. 2003 , 1250, 131-145	5
858	The nucleus raphe interpositus in spinocerebellar ataxia type 3 (Machado-Joseph disease). 2003 , 25, 115-27	39
857	Differential nicotinic acetylcholine receptor subunit expression in the human hippocampus. 2003 , 25, 97-113	66
856	Muscarinic receptors in basal ganglia in dementia with Lewy bodies, Parkinson's disease and Alzheimer's disease. 2003 , 25, 161-73	56
855	Human cholinergic basal forebrain: chemoanatomy and neurologic dysfunction. 2003, 26, 233-42	238
854	Oxidative stress induces axonal beading in cultured human brain tissue. 2003 , 13, 222-9	55

853	Neuroimaging in Alzheimer disease: an evidence-based review. 2003 , 13, 197-209	155
852	Structural insights and biological effects of glycogen synthase kinase 3-specific inhibitor AR-A014418. 2003 , 278, 45937-45	393
851	Imaging the pathology of Alzheimer's disease: amyloid-imaging with positron emission tomography. 2003 , 13, 781-9, ix	60
850	Anionic micelles and vesicles induce tau fibrillization in vitro. 2003 , 278, 25644-50	181
849	Alzheimer's disease: differences in technetium-99m HMPAO SPECT scan findings between early onset and late onset dementia. 2003 , 74, 715-9	89
848	Familial dementia with Lewy bodies with an atypical clinical presentation. 2003, 16, 59-64	24
847	Non-pharmacological interventions in cognitively impaired and demented patientsa comparison with cholinesterase inhibitors. 2003 , 14, 343-68	17
846	Effects of low-frequency cranial electrostimulation on the rest-activity rhythm and salivary cortisol in Alzheimer's disease. 2003 , 17, 101-8	17
845	Sensitivity and specificity of neuropsychological tests for mild cognitive impairment, vascular cognitive impairment and Alzheimer's disease. 2003 , 33, 1039-50	198
844	fMRI studies of associative encoding in young and elderly controls and mild Alzheimer's disease. 2003 , 74, 44-50	335
843	Lewy body cortical involvement may not always predict dementia in Parkinson's disease. 2003, 74, 852-6	144
842	Statistical parametric mapping of brain SPECT perfusion abnormalities in patients with Alzheimer's disease. 2003 , 49, 142-5	17
841	APOE E4 is a determinant for Alzheimer type pathology in progressive supranuclear palsy. 2003 , 60, 240-5	37
840	Functional deactivations: change with age and dementia of the Alzheimer type. 2003 , 100, 14504-9	602
839	Changes in premorbid brain volume predict Alzheimer's disease pathology. 2003, 61, 487-92	213
838	Cytokines and Mental Health. 2003 ,	1
837	Cytokine Regulation in Alzheimer⊠ Disease. 2003 , 385-402	
836	The myth of testing construct validity using factor analysis or correlations with normal or mixed clinical populations: lessons from memory assessment. 2003 , 9, 936-46	131

835	Frameshifted beta-amyloid precursor protein (APP+1) is a secretory protein, and the level of APP+1 in cerebrospinal fluid is linked to Alzheimer pathology. 2003 , 278, 39637-43	9
834	Attentional dynamics and visual perception: mechanisms of spatial disorientation in Alzheimer's disease. 2003 , 126, 1173-81	74
833	Atrophy rates of entorhinal cortex in AD and normal aging. 2003, 60, 481-6	147
832	Circle of willis atherosclerosis is a risk factor for sporadic Alzheimer's disease. 2003 , 23, 2055-62	220
831	A visuospatial variant of mild cognitive impairment: getting lost between aging and AD. 2003, 60, 802-8	146
830	Influence of Alzheimer pathology on clinical diagnostic accuracy in dementia with Lewy bodies. 2003 , 60, 1586-90	252
829	Vascular pathology in Alzheimer disease: correlation of cerebral amyloid angiopathy and arteriosclerosis/lipohyalinosis with cognitive decline. 2003 , 62, 1287-301	247
828	Alpha-synuclein accumulates in Purkinje cells in Lewy body disease but not in multiple system atrophy. 2003 , 62, 812-9	58
827	Mouse models of Alzheimer's disease: the long and filamentous road. 2003 , 25, 590-600	46
826	A critical review of memory stimulation programs in Alzheimer's disease. 2003 , 15, 130-44	82
825	Accumulation of phosphorylated alpha-synuclein in aging human brain. 2003, 62, 644-54	273
824	Homogeneity and heterogeneity in mild cognitive impairment and Alzheimer's disease: a cross-sectional and longitudinal study of 55 cases. 2003 , 126, 2350-62	152
823	Neuregulin-1 and erbB4 immunoreactivity is associated with neuritic plaques in Alzheimer disease brain and in a transgenic model of Alzheimer disease. 2003 , 62, 42-54	86
822	Stereologic evidence for persistence of viable neurons in layer II of the entorhinal cortex and the CA1 field in Alzheimer disease. 2003 , 62, 55-67	59
821	Beta-amyloid racemized at the Ser26 residue in the brains of patients with Alzheimer disease: implications in the pathogenesis of Alzheimer disease. 2003 , 62, 248-59	52
820	Neuropathology of cognitively normal elderly. 2003 , 62, 1087-95	433
819	Loss of calbindin-D28K from aging human cholinergic basal forebrain: relation to plaques and tangles. 2003 , 62, 605-16	23
818	Morphogenesis of Lewy bodies: dissimilar incorporation of alpha-synuclein, ubiquitin, and p62. 2003 , 62, 1241-53	181

817	Regional brain atrophy rate predicts future cognitive decline: 6-year longitudinal MR imaging study of normal aging. 2003 , 229, 691-6	211
816	Brain biopsy prior to treatment of Alzheimer's disease. 2003 , 46, 161-4	12
815	Molecular changes underlying reduced pineal melatonin levels in Alzheimer disease: alterations in preclinical and clinical stages. 2003 , 88, 5898-906	205
814	Neuroimaging and early diagnosis of Alzheimer disease: a look to the future. 2003 , 226, 315-36	311
813	Psychiatric symptoms vary with the severity of dementia in probable Alzheimer's disease. 2003 , 15, 346-53	160
812	Pain assessment in patients with possible vascular dementia. 2003 , 66, 133-45	43
811	The cellular and molecular pathology of the motor system in hereditary spastic paraparesis due to mutation of the spastin gene. 2003 , 62, 1166-77	77
810	Parallel compensatory and pathological events associated with tau pathology in middle aged individuals with Down syndrome. 2003 , 62, 917-26	24
809	Structural magnetic resonance imaging in established and prodromal Alzheimer disease: a review. 2003 , 17, 177-95	77
808	G-protein alpha-subunit levels in hippocampus and entorhinal cortex of brains staged for Alzheimer's disease neurofibrillary and amyloid pathologies. 2003 , 14, 1523-7	6
807	Early intervention is key to successful management of Alzheimer disease. 2003, 17 Suppl 4, S99-104	47
806	Nerve growth factor attenuates hippocampal cholinergic deficits and operant learning impairment in rats with entorhinal cortex lesions. 2003 , 14, 179-90	5
805	Corpus callosum atrophy, white matter lesions, and frontal executive dysfunction in normal aging and Alzheimer's disease. A community-based study: the Tajiri Project. 2003 , 15, 9-25	31
804	Stress protein expression in the Alzheimer-diseased choroid plexus. 2003 , 5, 171-7	46
803	Analysis of recordings of single-unit firing and population activity in the dorsal subiculum of unrestrained, freely moving rats. 2003 , 90, 655-65	36
802	Conformational changes and truncation of tau protein during tangle evolution in Alzheimer's disease. 2003 , 5, 65-77	129
801	Staging disease severity in pathologically confirmed cases of frontotemporal dementia. 2003, 60, 1005-11	224
800	Funktionell-neuroanatomische un neuropathologische Grundlagen psychischer Erkrankungen. 2003 , 106-122	1

799 Demenz. **2003**, 882-940

798	Reversible paired helical filament-like phosphorylation of tau is an adaptive process associated with neuronal plasticity in hibernating animals. 2003 , 23, 6972-81	281
797	Clinical Diagnosis of Dementia: A Review. 2003 , 69-141	1
796	Advances in early diagnosis and differentiation of the dementias. 2003, 262-288	
795	Diagnosis and Treatment of Dementia. 2003 , 311-325	
794	Single-cell microarray analysis in hippocampus CA1: demonstration and validation of cellular heterogeneity. 2003 , 23, 3607-15	266
793	Dynamics of gray matter loss in Alzheimer's disease. 2003 , 23, 994-1005	862
792	Neuronal cell death is preceded by cell cycle events at all stages of Alzheimer's disease. 2003 , 23, 2557-63	378
791	Preservation of brain nerve growth factor in mild cognitive impairment and Alzheimer disease. 2003 , 60, 1143-8	56
790	Gamma oscillations induced by kainate receptor activation in the entorhinal cortex in vitro. 2003 , 23, 9761-9	136
789	Analysis of neurons created from wild-type and Alzheimer's mutation knock-in embryonic stem cells by a highly efficient differentiation protocol. 2003 , 23, 8513-25	18
788	Visuospatial dysfunction in the neurodegenerative diseases. 2003 , 8, e428-36	32
787	Is Alzheimer's disease a vascular disorder?. 2003 , 5, 247-50; discussion 251-62	9
786	. 2003,	12
785	Vascular Cognitive Impairment and Dementia. 2004 , 648-660	1
7 ⁸ 4	Reduced expression of the cystic fibrosis transmembrane conductance regulator gene in the hypothalamus of patients with Alzheimer's disease. 2003 , 5, 455-62	10
783	Axonal transport hypothesis moves on to implicate presenilin: Alzheimer research forum live discussion. 2004 , 6, 537-45	1
782	Effects of the ApoE epsilon4 allele on olfactory function in Down syndrome. 2004 , 6, 397-402; discussion 443-9	11

(2004-2004)

781	Alcohol intake in relation to brain magnetic resonance imaging findings in older persons without dementia. 2004 , 80, 992-7	75
780	Proteolytic dysfunction in neurodegenerative disorders. 2004 , 62, 95-119	18
779	Atrophy rate in medial temporal lobe during progression of Alzheimer disease. 2004 , 63, 2354-9	62
778	Biomarker identification in neurologic diseases: improving diagnostics and therapeutics. 2004 , 4, 361-75	5
777	Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 27-2004. A 79-year-old woman with disturbances in gait, cognition, and autonomic function. 2004 , 351, 912-22	11
776	Immunotherapy for Alzheimer's disease. 2004 , 101 Suppl 2, 14657-62	142
775	Donepezil: a clinical review of current and emerging indications. 2004 , 5, 161-80	32
774	Default-mode network activity distinguishes Alzheimer's disease from healthy aging: evidence from functional MRI. 2004 , 101, 4637-42	2769
773	The Development of New Tests of Source Memory and a New Approach to the Testing of Equivalence of Parallel Versions. 2004 , 11, 416-427	5
772	Temporally graded semantic memory loss in Alzheimer's disease: cross-sectional and longitudinal studies. 2004 , 21, 353-78	30
771	The importance of neuritic plaques and tangles to the development and evolution of AD. 2004 , 62, 1984-9	344
770	Functional brain abnormalities in young adults at genetic risk for late-onset Alzheimer's dementia. 2004 , 101, 284-9	773
769	Hyperphosphorylation and aggregation of tau in experimental autoimmune encephalomyelitis. 2004 , 279, 55833-9	47
768	Alzheimer disease without neocortical neurofibrillary tangles: "a second look". 2004 , 62, 1141-7	44
767	Reduced KIAA0471 mRNA expression in Alzheimer's patients: a new candidate gene product linked to the disease?. 2004 , 13, 2607-12	2
766	Combining correlated diagnostic tests: application to neuropathologic diagnosis of Alzheimer's disease. 2004 , 24, 659-69	21
765	Comparative vibrational spectroscopy of intracellular tau and extracellular collagen I reveals parallels of gelation and fibrillar structure. 2004 , 279, 7395-404	25
764	A nontransgenic mouse model shows inducible amyloid-beta (Abeta) peptide deposition and elucidates the role of apolipoprotein E in the amyloid cascade. 2004 , 101, 13909-14	93

763	Damage to the reticulotegmental nucleus of the pons in spinocerebellar ataxia type 1, 2, and 3. 2004 , 63, 1258-63	51
762	Regional cerebral blood flow in Alzheimer's disease: classification and analysis of heterogeneity. 2004 , 17, 207-14	18
761	Clinicopathological staging of frontotemporal dementia severity: correlation with regional atrophy. 2004 , 17, 311-5	69
760	Hippocampal sclerosis and ubiquitin-positive inclusions in dementia lacking distinctive histopathology. 2004 , 17, 342-5	33
759	Association of estrogen receptor alpha gene polymorphisms with neurofibrillary tangles. 2004 , 18, 145-50	16
758	Longitudinal cerebral perfusion decrease in mild alzheimer's disease revealed by SPECT with statistical parametric mapping method. 2004 , 52, 42-9	2
757	Subtle memory decline over 12 months in mild cognitive impairment. 2004 , 18, 342-8	59
756	Mouse models of Alzheimer's disease: insight into treatment. 2004 , 15, 353-69	87
755	Induction of brain-derived neurotrophic factor in plaque-associated glial cells of aged APP23 transgenic mice. 2004 , 24, 2421-30	105
754	Neuronal structure is altered by amyloid plaques. 2004 , 15, 267-78	85
753	ApoE epsilon4 genotype is accompanied by lower metabolic activity in nucleus basalis of Meynert neurons in Alzheimer patients and controls as indicated by the size of the Golgi apparatus. 2004 , 63, 159-69	29
752	Staging of argyrophilic grains: an age-associated tauopathy. 2004 , 63, 911-8	233
751	Microglial activation parallels system degeneration in multiple system atrophy. 2004, 63, 43-52	124
75°	Metabolic alterations in the hypothalamus and basal forebrain in vascular dementia. 2004, 63, 1243-54	10
749	Neuropathologic criteria for diagnosing Alzheimer disease in persons with pure dementia of Alzheimer type. 2004 , 63, 1028-37	39
748	Neuropathological and clinical phenotype of an Italian Alzheimer family with M239V mutation of presenilin 2 gene. 2004 , 63, 199-209	30
747	The effects of very early Alzheimer's disease on the characteristics of writing by a renowned author. 2005 , 128, 250-60	130
746	CXCR3-dependent microglial recruitment is essential for dendrite loss after brain lesion. 2004 , 24, 8500-9	196

745	Shrinkage of the entorhinal cortex over five years predicts memory performance in healthy adults. 2004 , 24, 956-63	196
744	Insulin-degrading enzyme in brain microvessels: proteolysis of amyloid {beta} vasculotropic variants and reduced activity in cerebral amyloid angiopathy. 2004 , 279, 56004-13	53
743	Axonal transport of British and Danish amyloid peptides via secretory vesicles. 2004 , 18, 373-5	41
742	Female preclinical presenilin-1 mutation carriers unaware of their genetic status have higher levels of depression than their non-mutation carrying kin. 2004 , 75, 500-2	25
741	Differential vulnerability of anterior white matter in nondemented aging with minimal acceleration in dementia of the Alzheimer type: evidence from diffusion tensor imaging. 2004 , 14, 410-23	461
740	Clinical and neuropsychological features in autopsy-defined vascular dementia. 2004, 18, 63-74	23
739	Forgetting in dementia with and without subcortical lacunes. 2004 , 18, 32-40	18
738	PERFORMANCE OF SYNUCLEIN RT-QUIC IN RELATION TO NEUROPATHOLOGICAL STAGING OF LEWY BODY DISEASE.	
737	Epigenetic aging of the prefrontal cortex and cerebellum in humans and chimpanzees.	О
736	Frontotemporal neurofibrillary tangles and cerebrovascular lesions are associated with autism spectrum behaviors in late-life dementia.	
735	Cerebral Oxidative Stress in Early Alzheimer Disease Evaluated by 64Cu-ATSM PET/MRI: A Preliminary Study. 2022 , 11, 1022	1
734	CSF Phosphorylated Tau as an Indicator of Subsequent Tau Accumulation. 2022,	O
733	3D convolutional neural networks with hybrid attention mechanism for early diagnosis of Alzheimer disease. 2022 , 77, 103828	1
732	3D Convolutional Neural Networks with Hybrid Attention Mechanism for Early Diagnosis of Alzheimer's Disease.	
731	Intracranial Self-Stimulation of the Medial Forebrain Bundle Ameliorates Memory Disturbances and Pathological Hallmarks in an Alzheimer's Disease Model by Intracerebral Administration of Amyloid-In Rats.	
730	Decreased Signal in the Locus Coeruleus Based on Neuromelanin-Sensitive MRI Technique as an Imaging Biomarker for Alzheimer's Disease.	
729	Genotype-Phenotype Correlation of T Cell Subtypes Reveals Senescent and Cytotoxic Genes in Alzheimer Disease.	
728	Neuroimaging Modalities in Alzheimer Disease: Diagnosis and Clinical Features. 2022 , 23, 6079	Ο

727	Patterns of Focal Amyloid Deposition Using 18F-Florbetaben PET in Patients with Cognitive Impairment. 2022 , 12, 1357	
726	HIV and FIV glycoproteins increase cellular tau pathology via cGMP-dependent kinase II activation.	O
725	Altered Brain Arginine Metabolism and Polyamine System in a P301S Tauopathy Mouse Model: A Time-Course Study. 2022 , 23, 6039	1
724	Conformational strains of pathogenic amyloid proteins in neurodegenerative diseases.	3
723	The association of age-related and off-target retention with longitudinal quantification of [18F]MK6240 tau-PET in target regions.	0
722	The proto-oncogene DEK regulates neuronal excitability and tau accumulation in Alzheimer disease vulnerable neurons.	
721	Neuropsychological Performance Is Correlated With Tau Protein Deposition and Glucose Metabolism in Patients With Alzheimer Disease. 14,	О
720	A History of Senile Plaques: From Alzheimer to Amyloid Imaging. 2022 , 81, 387-413	O
719	The Role of Mitochondrial genome abundance in Alzheimer Disease.	
718	Tau Aggregation Inhibiting Peptides as Potential Therapeutics for Alzheimer Disease.	1
717	Functional and Phenotypic Diversity of Microglia: Implication for Microglia-Based Therapies for Alzheimer Disease. 14,	0
716	The <code>losslbf</code> Perineuronal Nets in Alzheimer's Disease: Missing or Hiding in Plain Sight?. 2022 , 16,	1
715	Altered excitatory and inhibitory neuronal subpopulation parameters are distinctly associated with tau and amyloid in Alzheimer's disease. 11,	O
714	Amyloid-Beeding effects are dependent on the presence of knock-in genes in the AppNL-G-F mice.	
713	Differential Abnormality in Functional Connectivity Density in Preclinical and Early-Stage Alzheimer's Disease. 14,	0
712	Structures of tau and Bynuclein filaments from brains of patients with neurodegenerative diseases. 2022 , 105362	O
711	Imaging tau pathology in Alzheimer disease with positron emission tomography: lessons learned from imaging-neuropathology validation studies. 2022 , 17,	0
710	Microglia in Alzheimer Disease: A Favorable Cellular Target to Ameliorate Alzheimer Pathogenesis. 2022 , 2022, 1-17	

709	The relationship between retinal layers and brain areas in asymptomatic first-degree relatives of sporadic forms of Alzheimer disease: an exploratory analysis. 2022 , 14,	2
708	Exploring the ATN classification system using Brain Morphology.	
707	Preserved cognition in elderly with intact rhinal cortex.	
706	An immuno-enrichment free, validated quantification of tau protein in human CSF by LC-MS/MS. 2022 , 17, e0269157	O
705	N-terminally truncated A型-x proteoforms and their relevance for Alzheimer目 pathophysiology. 2022 , 11,	O
704	Volumetric Assessment of Hippocampus and Subcortical Gray Matter Regions in Alzheimer Disease and Amnestic Mild Cognitive Impairment. 2022 , 35, 95-103	
703	Genome-wide association study of brain biochemical phenotypes reveals distinct genetic architecture of Alzheimer Disease related proteins.	
702	Novelty-Related fMRI Responses of Precuneus and Medial Temporal Regions in Individuals at Risk for Alzheimer Disease. 10.1212/WNL.000000000000000667	Ο
701	Different Profiles of Spatial Navigation Deficits In Alzheimer Disease Biomarker-Positive Versus Biomarker-Negative Older Adults With Amnestic Mild Cognitive Impairment. 14,	2
700	The association of reproductive stage with lobular cerebellar network connectivity across female adulthood. 2022 ,	O
699	Immunogenomics Parameters for Patient Stratification in Alzheimer Disease. 2022, 1-11	1
698	Mapping the Spatial Distribution of Fibrillar Polymorphs in Human Brain Tissue. 2022 , 16,	Ο
697	Pathogfie et physiopathologie de la maladie dAlzheimer. 2022 , 17-28	
696	Recent Updates on PET Imaging in Neurodegenerative Diseases. 2022 , 83, 453	
695	Impairment of LTP, LTD and Metaplasticity During the Early Stages of Alzheimer's Disease: A Computational Study.	
694	Histoire naturelle et diagnostic de la maladie dAlzheimer. 2022 , 143-161	
693	Entorhinal-hippocampal circuit integrity is related to mnemonic discrimination and amyloid- pathology in older adults.	O
692	Prionoids in amyotrophic lateral sclerosis. 2022 , 4,	O

691	Cis- and trans-resveratrol have opposite effects on histone serine-ADP-ribosylation and tyrosine induced neurodegeneration. 2022 , 13,	2
690	Deficits in spontaneous and stimulus-dependent retrieval as an early sign of abnormal aging. 2022 , 12,	
689	Progressive medial temporal degeneration with TDP-43 pathology is associated with upper limb and bulbar onset types of amyotrophic lateral sclerosis.	
688	Integrated Proteomics Identifies Neuritin (NRN1) as a Mediator of Cognitive Resilience to Alzheimer∄ Disease.	O
687	Multimodal deep learning for Alzheimer disease dementia assessment. 2022, 13,	2
686	Modeling the Competition between Misfolded AlConformers That Produce Distinct Types of Amyloid Pathology in Alzheimer Disease. 2022 , 12, 886	
685	Early and lifelong effects of APOE4 on neuronal gene expression networks relevant to Alzheimer disease.	1
684	Vulnerable Brain Networks Associated with Risk for Alzheimer Disease.	
683	Brain Structural and Functional Changes in Cognitive Impairment Due to Alzheimer Disease. 13,	3
682	Mass spectrometry methods for analysis of extracellular matrix components in neurological diseases.	0
681	Amygdalar and ERC Rostral Atrophy and Tau Pathology Reconstruction in Preclinical Alzheimer Disease.	
680	Neuronal Rubicon Represses Extracellular APP/Amyloid [Deposition in Alzheimer] Disease. 2022 , 11, 1860	1
679	Alzheimer Disease-Related Genes Identified by Linking Spatial Patterns of Pathology and Gene Expression. 16,	
678	Classification of early-MCI patients from healthy controls using evolutionary optimization of graph measures of resting-state fMRI, for the Alzheimer disease neuroimaging initiative. 2022 , 17, e0267608	1
677	Clinical Features and Potential Mechanisms Relating Neuropathological Biomarkers and Blood-Brain Barrier in Patients With Alzheimer Disease and Hearing Loss. 14,	
676	Imaging Alzheimer pathology stage by stage. 2022 , 2, 465-467	
675	Functional Redundancy of the Posterior Hippocampi, but not Anterior Hippocampi or Left Frontal Cortex, is Disrupted in Pathological Brain Aging.	
674	Neuropathology of Dementia Disorders. 2022 , 28, 834-851	O

673	Old age amyotrophic lateral sclerosis and limbic TDP-43 pathology.	Ο
672	Insulin Deficiency Increases Sirt2 Level in Streptozotocin-Treated Alzheimer Disease-Like Mouse Model: Increased Sirt2 Induces Tau Phosphorylation Through ERK Activation.	
671	In Vivo Dynamic Movement of Polymerized Amyloid (in the Perivascular Space of the Cerebral Cortex in Mice. 2022 , 23, 6422	
670	Coenzyme A-Dependent Tricarboxylic Acid Cycle Enzymes Are Decreased in Alzheimer Disease Consistent With Cerebral Pantothenate Deficiency. 14,	O
669	Frequency of LATE neuropathologic change across the spectrum of Alzheimer disease neuropathology: combined data from 13 community-based or population-based autopsy cohorts. Acta Neuropathologica, 2022, 144, 27-44	4.3 4
668	Posterior cingulate cortex reveals an expression profile of resilience in cognitively intact elders.	O
667	Mouse Models of Alzheimer∄ Disease. 15,	1
666	Automated brain volumetric program measuring regional brain atrophy in diagnosis of mild cognitive impairment and Alzheimer disease dementia.	
665	Staging of Alzheimer disease: past, present, and future perspectives. 2022,	1
664	Real-time imaging of mitochondrial redox reveals increased mitochondrial oxidative stress associated with amyloid laggregates in vivo in a mouse model of Alzheimer disease.	O
663	Spatial Distribution and Hierarchical Clustering of EAmyloid and Glucose Metabolism in Alzheimer Disease. 14,	
662	Diagnosis of coexistent neurodegenerative dementias in multiple sclerosis.	
661	Amyloid- and Tau Imaging in Chronic Traumatic Brain Injury: A Cross-sectional Study. 10.1212/WNL.00000	00000200857
660	Rodent Modeling of Alzheimer's Disease in Down Syndrome: In vivo and ex vivo Approaches. 16,	O
659	Impact of spill-in counts from off-target regions on [18F]Flortaucipir PET quantification 2022, 119396	
658	Performance of Synuclein RT-QuIC in relation to neuropathological staging of Lewy body disease. 2022 , 10,	2
657	Tau and \blacksquare ynuclein shape microtubule organization and microtubule-dependent transport in neuronal dendrites.	
656	Abnormal Functional Connectivity of Thalamic Subdivisions in Alzheimer Disease: A Functional Magnetic Resonance Imaging Study. 2022 , 496, 73-82	О

655	Microglia: Friend and foe in tauopathy. 2022 , 216, 102306	O
654	Autopsy Human Brain Dissection Protocol for Common Age-Related Neurodegenerative Disorders. 2022 , 255-279	
653	Microglia and border-associated macrophages in the central nervous system. 2022 , 181-212	
652	Hippocampus, Model Excitatory Cells. 2022 , 1590-1602	
651	The 18 kDa translocator protein is associated with microglia in the hippocampus of non-demented elderly subjects. 2022 , 2, 100045	
650	The nervous system during COVID -19: Caught in the crossfire *.	1
649	Imipramine and olanzapine block apoE4-catalyzed polymerization of Aland show evidence of improving Alzheimer disease cognition. 2022 , 14,	1
648	Synapse pathology in Alzheimer∃ disease. 2022 ,	2
647	Association of perturbation of oral bacterial with incident of Alzheimer's disease: A pilot study. 2022 , 36,	1
646	Mechanistic Models of Protein Aggregation Across Length-Scales and Time-Scales: From the Test Tube to Neurodegenerative Disease. 16,	1
645	Reassessment of Neuronal Tau Distribution in Adult Human Brain and Implications for Tau Pathobiology. 2022 , 10,	1
644	Quantum-dot-labeled synuclein seed assay identifies drugs modulating the experimental prion-like transmission. 2022 , 5,	O
643	Vascular Dysfunction Is Central to Alzheimer Disease Pathogenesis in APOE e4 Carriers. 2022 , 23, 7106	O
642	Sex differences in plasma p-tau181 associations with Alzheimer∄ disease biomarkers, cognitive decline, and clinical progression.	O
641	Identification and validation of Alzheimer disease-related metabolic brain pattern in biomarker confirmed Alzheimer dementia patients. 2022 , 12,	0
640	Manipulation of neuronal activity in the entorhinal-hippocampal circuit affects intraneuronal amyloid-Ilevels.	O
639	The Fate of Tau Aggregates Between Clearance and Transmission. 14,	
638	S-EBM: Generalising event-based modelling of disease progression for simultaneous events.	

637	Upregulated Blood miR-150-5p in Alzheimer Disease Dementia Is Associated with Cognition, Cerebrospinal Fluid Amyloid-□and Cerebral Atrophy. 2022 , 1-18		
636	Hippocampal dentate gyrus integrity revealed with ultrahigh resolution diffusion imaging predicts memory performance in older adults.		
635	Age-related increase of monoamine oxidase B in amyloid-negative cognitively unimpaired elderly subjects.		
634	A multiplex pedigree with pathologically confirmed multiple system atrophy and Parkinson disease with dementia.		O
633	Subcortical and hippocampal brain segmentation in 5-year-old children: Validation of FSL-FIRST and FreeSurfer against manual segmentation.		2
632	RNASE6 is a novel modifier of APOE-A effects on cognition. 2022,		O
631	Mitochondrial genomic variation in dementia with Lewy bodies: association with disease risk and neuropathological measures. 2022 , 10,		
630	Modelling the contributions to hyperexcitability in a mouse model of Alzheimer∃ disease.		
629	Brain Amyloid Index as a Probable Marker Bridging Between Subjective Memory Complaint and Objective Cognitive Performance. 16,		
628	Frontal Atrophy and Executive Dysfunction Relate to Complex Numbers Impairment in Progressive Supranuclear Palsy. 2022 , 1-14		O
627	Spectroscopic investigation of tau protein conformational changes by static magnetic field exposure. 2022 , 6, 075004		
626	White matter microstructural abnormality precedes cortical volumetric decline in Alzheimer disease: evidence from data-driven disease progression modelling.		O
625	Olfactory Bulb Integrity in Frontotemporal Dementia and Alzheimer Disease. 2022, 1-16		
624	Blood-based AB2 increases in the earliest pre-pathological stage before decreasing with progressive amyloid pathology in preclinical models and human subjects: opening new avenues for prevention. <i>Acta Neuropathologica</i> ,	14.3	1
623	Distinct tau neuropathology and cellular profiles of an APOE3 Christchurch homozygote protected against autosomal dominant Alzheimer dementia. <i>Acta Neuropathologica</i> ,	14.3	1
622	Differential disruptions in population coding along the dorsal-ventral axis of CA1 in the APP/PS1 mouse model of Alþathology.		
621	Spatial decrease of synaptic density in amnestic mild cognitive impairment follows the tau build-up pattern.		1
620	Sleep Spindles, Tau, and Neurodegeneration.		O

619	Self- and Partner-Reported Subjective Memory Complaints: Association with Objective Cognitive Impairment and Risk of Decline. 1-20	0
618	WNT/Etatenin Pathway: a Possible Link Between Hypertension and Alzheimer® Disease.	О
617	Application of weighted co-expression network analysis and machine learning to identify the pathological mechanism of Alzheimer's disease. 14,	O
616	Findings of 18 F-PI -2620 tau PET imaging in patients with Alzheimer disease and healthy controls in relation to the plasma P-tau181 levels in a Japanese sample.	1
615	APOEIA carriership associates with microglial activation independently of Alplaques and tau tangles.	
614	TREM2 -induced activation of microglia contributes to synaptic integrity in cognitively intact aged individuals with Alzheimer's neuropathology.	1
613	Pharmacotherapy for Alzheimer disease: what disease new on the horizon?. 1-19	
612	Early Electrophysiological Aberrations in the Hippocampus of the TgF344-AD Rat Model as a Potential Biomarker for Alzheimer Disease Prognosis.	
611	Mechanisms contributing to differential genetic risks for TREM2 R47H and R62H variants in Alzheimer Disease.	
610	Medial Temporal Lobe Anatomy. 2022 , 32, 475-489	O
609	Exploring the management approaches of cytokines including viral infection and neuroinflammation for neurological disorders. 2022 , 157, 155962	3
608	Cognitive and neuroimaging correlates of financial exploitation vulnerability in older adults without dementia: Implications for early detection of Alzheimer disease. 2022 , 140, 104773	O
607	Crossing borders in Alzheimer disease: A T cell perspective. 2022 , 188, 114398	1
606	Copolymer-1 as a potential therapy for mild cognitive impairment. 2022 , 162, 105892	
605	Deep reinforcement learning guided graph neural networks for brain network analysis. 2022, 154, 56-67	О
604	Prion diseases. 2023 , 361-378	
603	A Comprehensive Report on Machine Learning-based Early Detection of Alzheimer's Disease using Multi-modal Neuroimaging Data. 2023 , 55, 1-44	2
602	Frontotemporal lobar degeneration. 2023 , 337-360	

601 Down syndrome: a model for chromosome abnormalities. **2023**, 45-68

600	The hearing hippocampus. 2022 , 102326		3
599	Immunohistochemical Demonstration of the pGlu79 ⊞synuclein Fragment in Alzheimer Disease and Its Tg2576 Mouse Model. 2022 , 12, 1006		0
598	Temporal Cortex Microarray Analysis Revealed Impaired Ribosomal Biogenesis and Hyperactivity of the Glutamatergic System: An Early Signature of Asymptomatic Alzheimer's Disease. 16,		1
597	PSEN1 c.1292C <a 14,<="" a="" alzheimer∄="" and="" disease:="" early-onset="" review.="" scoping="" td="" variant=""><td></td><td></td>		
596	Tauopathy and alcohol consumption interact to alter locus coeruleus excitatory transmission and excitability in male and female mice.		
595	Grey matter changes on brain MRI in subjective cognitive decline: a systematic review. 2022, 14,		
594	The unique effect of TDP-43 on hippocampal subfield morphometry and cognition. 2022 , 103125		
593	Long-Term Depression-Inducing Low Frequency Stimulation Enhances p-Tau181 and p-Tau217 in an Age-Dependent Manner in Live Rats. 2022 , 1-16		0
592	Benfotiamine protects against hypothalamic dysfunction in a STZ-induced model of neurodegeneration in rats. 2022 , 120841		1
591	The large neuron involvement in the neostriatum in Lewy body diseases.		
590	Multi-method investigation of factors influencing amyloid onset and impairment in three cohorts.		4
589	Prospective Biomarkers of Alzheimer Disease: A Systematic Review and Meta-analysis. 2022 , 101699		0
588	Regional distribution and maturation of tau pathology among phenotypic variants of Alzheimer disease. <i>Acta Neuropathologica</i> ,	14.3	Ο
587	Cysteine string protein-alpha accumulates with early pre-synaptic dysfunction in Alzheimer disease.		0
586	[11C]Martinostat PET analysis reveals reduced HDAC I availability in Alzheimer disease. 2022 , 13,		Ο
585	Hallmarks of Neurodegenerative Disease: A Systems Pharmacology Perspective.		0
584	Unbiased Classification of the Human Brain Proteome Resolves Distinct Clinical and Pathophysiological Subtypes of Cognitive Impairment.		

583	Molecular signatures underlying neurofibrillary tangle susceptibility in Alzheimer disease. 2022,	1
582	Neuropathology and cholinesterase expression in the brains of octogenarians and older. 2022 , 110065	O
581	Preclinical Alzheimer disease biomarkers accurately predict cognitive and neuropathological outcomes.	O
580	Association of Elevated Amyloid and Tau Positron Emission Tomography Signal With Near-Term Development of Alzheimer Disease Symptoms in Older Adults Without Cognitive Impairment.	O
579	The Mechanistic Pathways of Periodontal Pathogens Entering the Brain: The Potential Role of Treponema denticola in Tracing Alzheimer Disease Pathology. 2022 , 19, 9386	1
578	Prevalence of chronic traumatic encephalopathy in the Sydney Brain Bank. 2022 , 4,	O
577	The fractional amplitude of low-frequency fluctuations signals related to amyloid uptake in high-risk populations pilot fMRI study. 14,	
576	Sex Differences in Hypothalamic Changes and the Metabolic Response of TgAPP Mice to a High Fat Diet. 16,	O
575	Identifying the regional substrates predictive of Alzheimer's disease progression through a convolutional neural network model and occlusion.	1
574	X-ray multiscale 3D neuroimaging to quantify cellular aging and neurodegeneration postmortem in a model of Alzheimer disease.	O
573	Long-term test-retest of cerebral [18F]MK-6240 binding and longitudinal evaluation of extracerebral tracer uptake in healthy controls and amnestic MCI patients.	
572	Sex differences in default mode network connectivity in healthy aging adults.	
571	Execretase inhibition prevents structural spine plasticity deficits in AppNL-G-F mice. 14,	1
570	Dual-Language Testing of Emotional Verbal Fluency: A Closer Look at 🛭 oy, 🖪 adness, 🖪 ear, 🗓 🖪 nger, 🗈 nd Disgust 🛘	
569	A Combined Chronic Low-Dose Soluble Epoxide Hydrolase and Acetylcholinesterase Pharmacological Inhibition Promotes Memory Reinstatement in Alzheimer Disease Mice Models. 2022 , 15, 908	1
568	Evaluation of tau deposition using 18F-PI-2620 PET in MCI and early AD subjects MissionAD tau sub-study. 2022 , 14,	O
567	Selective Detection of Misfolded Tau From Postmortem Alzheimer⊞ Disease Brains. 14,	1
566	Mutations in SORL1 and MTHFDL1 possibly contribute to the development of Alzheimer disease in a multigenerational Colombian Family. 2022 , 17, e0269955	

565	Hesperidin Improves Memory Function by Enhancing Neurogenesis in a Mouse Model of Alzheimer Disease. 2022 , 14, 3125	0
564	Increased plasma and brain immunoglobulin A in Alzheimer disease is lost in apolipoprotein E A carriers. 2022 , 14,	1
563	Unsupervised, frequent and remote: a novel platform for personalised digital phenotyping of spatial working memory and image recognition in humans.	
562	The Potential of Small Molecules to Modulate the Mitochondria Endoplasmic Reticulum Interplay in Alzheimer Disease. 10,	O
561	Brain ethanolamine phospholipids, neuropathology and cognition: A comparative post-mortem analysis of structurally specific plasmalogen and phosphatidyl species. 10,	
560	Analysis of ROQUIN, Tristetraprolin (TTP), and BDNF/miR-16/TTP regulatory axis in late onset Alzheimer disease. 14,	O
559	Hunting for the cause: Evidence for prion-like mechanisms in Huntington∃ disease. 16,	О
558	Correlations between APOE4 allele and regional amyloid and tau burdens in cognitively normal older individuals. 2022 , 12,	O
557	Association of Serum GFAP with Functional and Neurocognitive Outcome in Sporadic Small Vessel Disease. 2022 , 10, 1869	0
556	Rainwater Charitable Foundation criteria for the neuropathologic diagnosis of progressive supranuclear palsy.	2
555	Antimicrobial, Polarizing Light, and Paired Helical Filament Properties of Fragmented Tau Peptides of Selected Putative Gingipains. 2022 , 1-13	О
554	The role of oxidative stress in the development of Alzheimer's disease. 2022 , 14, 68-74	
553	A systems biology-based identification and in vivo functional screening of Alzheimer disease risk genes reveals modulators of memory function.	
552	Protein Aggregation in Neurodegenerative Diseases. 2022 , 26-58	
551	Nicotinic receptor components of amyloid beta 42 proteome regulation in human neural cells. 2022 , 17, e0270479	0
550	Specific associations between plasma biomarkers and post-mortem amyloid plaque and neurofibrillary tau tangle loads.	O
549	Cortical waste clearance in normal and restricted sleep with potential runaway tau buildup in Alzheimer disease. 2022 , 12,	2
548	Phosphorylated tau sites that are elevated in Alzheimer's disease fluid biomarkers are visualized in early neurofibrillary tangle maturity levels in the post mortem brain.	1

547	Distribution Patterns of Astrocyte Populations in the Human Cortex.	0
546	Intraneuronal sortilin aggregation relative to granulovacuolar degeneration, tau pathogenesis and sorfra plaque formation in human hippocampal formation. 14,	O
545	ALZHEIMER HASTALIIIILE PERIODONTAL HASTALIKLAR ARASINDA BIR ILIKII OLABILIR MII.	
544	P301S-hTau acetylates KEAP1 to trigger synaptic toxicity via inhibiting NRF2/ARE pathway: A novel mechanism underlying hTau-induced synaptic toxicities. 2022 , 12,	0
543	Astrocyte-secreted glypican-4 drives APOE4-dependent tau hyperphosphorylation. 2022, 119,	0
542	Microglia activation linking amyloid-⊡drive tau spatial propagation in Alzheimer's disease. 16,	1
541	Corpora amylacea are associated with tau burden and cognitive status in Alzheimer disease. 2022 , 10,	0
540	Outer membrane vesicles of Porphyromonas gingivalis trigger NLRP3 inflammasome and induce neuroinflammation, tau phosphorylation, and memory dysfunction in mice. 12,	1
539	EAAT2 as a therapeutic research target in Alzheimer's disease: A systematic review. 16,	1
538	Neuropathological and Clinical Correlates of Lewy Body Disease Survival by Race and Ethnicity in the National Alzheimer Coordinating Center. 2022 , 1-11	O
537	Pathological changes induced by Alzheimer brain inoculation in amyloid-beta plaque-bearing mice. 2022 , 10,	1
536	APOE II and Alzheimer's disease diagnosis associated differences in L-carnitine, GBB, TMAO and acylcarnitines in blood and brain 2022 , 103362	0
535	Association between depression, gender and Alzheimer neuropathology in older adults without dementia	0
534	In vivo imaging of tau deposition in Alzheimer日 disease using both [18F]-THK5317 and [18F]-S16: A pilot human study. 14,	1
533	Characterizing Lewy Pathology in 231 Essential Tremor Brains From the Essential Tremor Centralized Brain Repository. 2022 , Publish Ahead of Print,	0
532	Thalamic nuclei atrophy at high and heterogenous rates during cognitively unimpaired human aging. 2022 , 119584	
531	Spatial Extent of Amyloid-Levels and Associations With Tau-PET and Cognition.	0
530	Brain aging, Alzheimer's disease, and the role of stem cells in primate comparative studies.	

 $529\,$ $\,$ Optimum differentiation of FTLD from AD achieved with cross-sectional tau PET.

528	Combined targeting of pathways regulating synaptic formation and autophagy attenuates Alzheimer disease pathology in mice. 13,	
527	Multimodal magnetic resonance imaging reveals distinct sensitivity of hippocampal subfields in asymptomatic stage of Alzheimer disease. 14,	
526	Accelerated aging-related transcriptome alterations in neurovascular unit cells in the brain of Alzheimer disease. 14,	1
525	Semi-quantitative Assessment of Alzheimer's-like Pathology in Two Aged Polar Bears (Ursus maritimus). 2022 , 72, 267-272	
524	Hyperphosphorylated tau mediates neuronal death by inducing necroptosis and inflammation in Alzheimer disease. 2022 , 19,	2
523	AlPathology and Neuronlalia Interactions: A Synaptocentric View.	3
522	Semantic processing and neurobiology in Alzheimer's disease and Mild Cognitive Impairment. 2022 , 174, 108337	O
521	Identification and characterization of a MAPT-targeting locked nucleic acid antisense oligonucleotide therapeutic for tauopathies. 2022 , 29, 625-642	2
520	Astrocyte energy and neurotransmitter metabolism in Alzheimer disease: Integration of the glutamate/GABA-glutamine cycle. 2022 , 217, 102331	2
519	Association of glial tau pathology and LATE-NC in the ageing brain. 2022, 119, 77-88	O
518	Neuronal network-based biomimetic chip for long-term detection of olfactory dysfunction model in early-stage Alzheimer's disease. 2022 , 216, 114619	
517	Theta Band-Power Shapes Amyloid-Driven Longitudinal EEG Changes in Elderly Subjective Memory Complainers At-Risk for Alzheimer Disease. 2022 , 1-16	O
516	Neural correlates of episodic memory in adults with Down syndrome and Alzheimer disease. 2022 , 14,	1
515	The Impairment of Blood-Brain Barrier in Alzheimer Disease: Challenges and Opportunities with Stem Cells. 2022 , 23, 10136	1
514	Global and local ancestry modulate APOE association with Alzheimer neuropathology and cognitive outcomes in an admixed sample.	1
513	The landscape of m6A regulators in multiple brain regions of Alzheimer's Disease.	0
512	Optimal Stimulation Sites and Networks for Deep Brain Stimulation of the Fornix in Alzheimer Disease.	0

511	How the immune system shapes neurodegenerative diseases. 2022 , 45, 733-748	О
510	Does covid-19 impair endogenous neurogenesis?. 2022 , 105, 79-85	O
509	Effective connectivity in individuals with Alzheimer's disease and mild cognitive impairment: A systematic review. 2022 , 2, 100104	1
508	Multimodal Multitask Learning for Predicting MCI to AD Conversion Using Stacked Polynomial Attention Network and Adaptive Exponential Decay.	O
507	The temporal lobe in typical and atypical Alzheimer disease. 2022 , 449-466	O
506	Olfactory Function Reflects Episodic Memory Performance and Atrophy in the Medial Temporal Lobe in Individuals at Risk for Alzheimer's Disease.	O
505	Neuropathology of the temporal lobe. 2022 , 407-427	O
504	Brain Regions Show Different Metabolic and Protein Arginine Methylation Phenotypes in Frontotemporal Dementias and Alzheimer's Disease.	O
503	Tau propagation and autophagy. 2022 , 173-194	0
502	The temporal lobes and memory. 2022 , 319-337	1
501	Agreement and Reliability between Clinically Available Software Programs in Measuring Volumes and Normative Percentiles of Segmented Brain Regions. 2022 , 23, 959	0
500	Molecular linkages among Alltau, impaired mitophagy, and mitochondrial dysfunction in Alzheimer disease. 2022 , 91-109	O
499	Mapping the association between tau-PET and AEmyloid-PET using deep learning. 2022 , 12,	O
498	Connectome-based biophysics models of Alzheimer disease diagnosis and prognosis. 2022,	O
497	Neuropathologic validation of the Alzheimer Questionnaire.	0
496	Alcohol Intake Differentiates AD and LATE: A Telltale Lifestyle from Two Large-Scale Datasets.	O
495	Spatiotemporal characterization of cellular tau pathology in the human locus coeruleuspericoerulear complex by three-dimensional imaging. 2022 , 144, 651-676	0
494	Differential microRNA expression analyses across two brain regions in Alzheimer∃ disease. 2022 , 12,	O

493	Protein Homeostasis Dysregulation in Pathogenesis of Neurodegenerative Diseases.	O
492	A Machine Learning B ased Approach to Discrimination of Tauopathies Using [18 F] PM-PBB3 PET Images.	1
491	Membrane interaction to intercellular spread of pathology in Alzheimer∃ disease. 16,	O
490	Metabotropic Glutamate Receptors Modulate Exocytotic Tau Release and Propagation. 2022 , 383, 117-128	O
489	Understanding the Relationship Between Age-Related Hearing Loss and Alzheimer Disease: A Narrative Review. 2022 , 6, 539-556	1
488	A comparison of techniques for deriving clustering and switching scores from verbal fluency word lists. 13,	O
487	Predicting conversion to Alzheimer disease in individuals with Mild Cognitive Impairment using clinically transferable features. 2022 , 12,	O
486	Pin1 and Alzheimer's Disease. 2022 ,	O
485	Higher levels of myelin are associated with higher resistance against tau pathology in Alzheimer disease. 2022 , 14,	O
484	LATE-NC aggravates GVD-mediated necroptosis in Alzheimer disease. 2022, 10,	1
483	Somatic Mutations and Alzheimer Disease. 2022 , 1-18	O
482	An Alzheimer Disease Mechanism Based on Early Pathology, Anatomy, Vascular-Induced Flow, and Migration of Maximum Flow Stress Energy Location with Increasing Vascular Disease. 2022 , 1-27	O
481	Posterior white matter hyperintensities are associated with reduced medial temporal lobe subregional integrity and long-term memory in older adults.	O
480	Loss of Cholinergic Receptor Muscarinic 1 (CHRM1) Protein in the Hippocampus and Temporal Cortex of a Subset of Individuals with Alzheimer Disease, Parkinson Disease, or Frontotemporal Dementia: Implications for Patient Survival. 2022 , 1-21	O
479	Unsupervised high-frequency smartphone-based cognitive assessments are reliable, valid, and feasible in older adults at risk for Alzheimer disease. 1-13	О
478	Regional precuneus cortical hyperexcitability in Alzheimer's disease patients.	1
477	Trem2 deletion enhances tau dispersion and pathology through microglia exosomes. 2022, 17,	О
476	Resistance of Basal Forebrain Cholinergic Neurons to TDP-43 Proteinopathy in Primary Progressive Aphasia. 2022 , Publish Ahead of Print,	O

475	Relationships Between the Deposition of Amyloid-land Tau Protein and Glymphatic System Activity in Alzheimer Disease: Diffusion Tensor Image Study. 2022 , 1-9	0
474	Dynamic network model reveals distinct tau spreading patterns in early- and late-onset Alzheimer disease. 2022 , 14,	O
473	TREM2 limits progression of deficits and spreading of tau pathology in mice.	О
472	Impaired Facial Emotion Recognition and Gaze Direction Detection in Mild Alzheimer Disease: Results from the PACO Study. 2022 , 1-11	О
471	Static and dynamic functional connectivity variability of the anterior-posterior hippocampus with subjective cognitive decline. 2022 , 14,	0
470	Random forest modelling demonstrates microglial and protein misfolding features to be key phenotypic markers in C9orf72 -ALS .	o
469	Stage-dependent differential influence of metabolic and structural networks on memory across Alzheimer disease continuum. 11,	О
468	The Role of Glymphatic System in Alzheimer and Parkinson Disease Pathogenesis. 2022, 10, 2261	2
467	Phospho-tau with subthreshold tau-PET predicts increased tau accumulation rates in amyloid-positive individuals.	1
466	Discrepancy between distribution of alpha-synuclein oligomers and Lewy-related pathology in Parkinson disease. 2022 , 10,	1
465	The neurology of space flight; How does space flight effect the human nervous system?. 2022,	0
464	Tau antibody 77G7 targeting microtubule binding domain suppresses proteopathic tau to seed tau aggregation.	О
463	Irisin stimulates protective signaling pathways in rat hippocampal neurons. 16,	0
462	Accurate Bayesian segmentation of thalamic nuclei using diffusion MRI and an improved histological atlas.	О
461	Disrupted role of the connectivity between the locus coeruleus and the hippocampus in cognition of healthy, middle-aged individuals at risk of dementia: the PREVENT-Dementia study.	0
460	Quercetin reduces APP expression, oxidative stress and mitochondrial dysfunction in the N2a/APPswe cells via ERK1/2 and AKT pathways.	O
459	Combination therapy for the treatment of alzheimer disease: recent progress and future prospects. 2022 , 22,	1
458	Synthesizing Images of Tau Pathology from Cross-modal Neuroimaging using Deep Learning.	O

457	Neuropathological correlates of neuropsychiatric symptoms in dementia.	2
456	Single-nucleus RNA sequencing reveals the shared mechanisms inducing cognitive impairment between COVID-19 and Alzheimer disease. 13,	O
455	Effect of long-term cannabidiol on learning and anxiety in a female Alzheimer disease mouse model. 13,	О
454	Integrity of neuronal size in the entorhinal cortex is a biologic substrate of exceptional cognitive aging. JN-RM-0679-22	O
453	The three-dimensional landscape of cortical chromatin accessibility in Alzheimer disease. 2022 , 25, 1366-1378	0
452	Path integration deficits with phosphorylated tau accumulation in the entorhinal cortex in mice and humans.	O
451	Effect of acetylcholine deficiency on neural oscillation in a brainstem-thalamus-cortex neurocomputational model related with Alzheimer disease. 2022 , 12,	О
450	Pharmacological mTOR-inhibition facilitates clearance of AD-related tau aggregates in the mouse brain. 2022 , 175301	O
449	Tau seeding activity in various regions of down syndrome brain assessed by two novel assays. 2022 , 10,	О
448	Interaction between Alzheimer Disease and Cerebral Small Vessel Disease: A Review Focused on Neuroimaging Markers. 2022 , 23, 10490	O
447	Impact of Amyloid and Tau PET on Changes in Diagnosis and Patient Management. 10.1212/WNL.0000000000	02@1389
446	Chronic Gq activation of ventral hippocampal neurons and astrocytes differentially affects memory and behavior.	O
445	Intuitive assessment of spatial navigation beyond episodic memory: Feasibility and proof of concept in middle-aged and elderly individuals. 2022 , 17, e0270563	О
444	The multiple functions of PrPC in physiological, cancer, and neurodegenerative contexts. 2022 , 100, 1405-142	250
443	The effect of Aßeeding is dependent on the presence of knock-in genes in the AppNLGE mice.	О
442	TREM2 risk variants are associated with atypical Alzheimer∃ disease.	O
441	Paired evaluation defines performance landscapes for machine learning models.	О
440	Tauopathy and alcohol consumption interact to alter locus coeruleus excitatory transmission and excitability in male and female mice. 2022 ,	O

439	HSPA1A, HSPA2, and HSPA8 Are Potential Molecular Biomarkers for Prognosis among HSP70 Family in Alzheimer Disease. 2022 , 2022, 1-16	1
438	TauLUM, an in vivo Drosophila sensor of tau multimerization, identifies neuroprotective interventions in tauopathy. 2022 , 2, 100292	Ο
437	Exploration of cortical EAmyloid load in Alzheimer disease using quantitative susceptibility mapping at 9.4T.	0
436	Amyloid-beta biomarkers in Braak stages and their predictive relationships with cognitive impairment: Support vector machine and deep learning approaches.	O
435	Chemical traits of cerebral amyloid angiopathy in familial British-, Danish-, and non-Alzheimer & dementias.	0
434	Neuronal loss of the nucleus basalis of Meynert in primary progressive aphasia is associated with Alzheimer's disease neuropathological changes.	Ο
433	Towards a Mechanistic Model of Tau-Mediated Pathology in Tauopathies: What Can We Learn from Cell-Based In Vitro Assays?. 2022 , 23, 11527	0
432	Predicting the evolution trajectory of population-driven connectional brain templates using recurrent multigraph neural networks. 2022 , 102649	Ο
431	Stacked binding of a small molecule PET tracer to Alzheimer tau paired helical filaments.	0
430	Aging-associated REGIproteasome decline predisposes to tauopathy. 2022 , 102571	Ο
429	CK2 and protein kinases of the CK1 superfamily as targets for neurodegenerative disorders. 9,	O
428	Targeting the cannabinoid system to counteract the deleterious effects of stress in Alzheimer disease. 14,	O
427	Excitation-inhibition imbalance in Alzheimer disease using multiscale neural model inversion of resting-state fMRI.	1
426	Prediction of misfolded proteins spreading in Alzheimer's disease using machine learning.	O
425	Association of CSF GAP-43 With the Rate of Cognitive Decline and Progression to Dementia in Amyloid-Positive Individuals. 10.1212/WNL.000000000201417	0
424	Towards an understanding of the pathological basis of senile depression and incident dementia: implications for treatment.	1
423	Correlative Chemical Imaging Identifies Amyloid Peptide Signatures of Neuritic Plaques and Dystrophy in Human Sporadic Alzheimer's Disease.	1
422	Decreased locus coeruleus signal associated with Alzheimer disease based on neuromelanin-sensitive magnetic resonance imaging technique. 16,	O

421	Unconventional secretion of tau by VAMP8 impacts its intra- and extracellular cleavage. 10,	О
420	Cancer and Vascular Comorbidity Effects on Dementia Risk and Neuropathology in the Oldest-Old. 2022 , 1-13	0
419	Brain copper may protect from cognitive decline and Alzheimer disease pathology: a community-based study.	0
418	Novel molecular mechanisms in Alzheimer disease: The potential role of DEK in disease pathogenesis. 14,	O
417	Alzheimer PHF-tau aggregates do not spread tau pathology to the brain via the Retino-tectal projection after intraocular injection in male mouse models. 2022 , 174, 105875	0
416	Olfactory identification ability in patients with mild cognitive impairment and Alzheimer disease. 2022 , 34, 710-714	0
415	Medial temporal lobe and obstructive sleep apnea: Effect of sex, age, cognitive status and free-water. 2022 , 36, 103235	0
414	Free water derived by multi-shell diffusion MRI reflects tau/neuroinflammatory pathology in Alzheimer's disease. 2022 , 8,	O
413	Seeding, maturation and propagation of amyloid Epeptide aggregates in Alzheimer disease. 2022 , 145, 3558-3570	0
412	Implications of Microorganisms in Alzheimer∄ Disease. 2022 , 44, 4584-4615	2
411	Telomere-induced senescence increases aberrant intraneuronal amyloid-laccumulation by impairing autophagy in a mouse model of Alzheimer disease.	О
410	The VTA dopaminergic system as diagnostic and therapeutical target for Alzheimer's disease. 13,	O
409	Microvascular Changes in the Retina Correlate with MRI Markers in Patients with Early-Onset Dementia. 2022 , 12, 1391	1
408	Antemortem Domain-Specific Cognitive Functions Predict Postmortem Neuropathological Traits in the Framingham Heart Study.	O
407	Clinical, radiologic, and pathologic features of the globular glial tauopathy subtype of frontotemporal lobar degeneration in right temporal variant frontotemporal dementia with salient features of Geschwind syndrome. 1-7	О
406	Mixed Models Quantify Annual Volume Change; Linear Regression Determines Thalamic Volume as the Best Subcortical Structure Volume Predictor in Alzheimer Disease and Aging.	0
405	Is microglial dystrophy a form of cellular senescence? An analysis of senescence markers in the aged human brain.	0
404	Naturally occurring Alzheimer⊠ disease in rhesus monkeys.	0

403	Characterization of a Bioactive Peptide T14 in the Human and Rodent Substantia Nigra: Implications for Neurodegenerative Disease. 2022 , 23, 13119	Ο
402	The role of mitochondrial genome abundance in Alzheimer's disease.	1
401	Hypothesis review: Alzheimer's overture guidelines.	1
400	Transversal functional connectivity and scene-specific processing in the human entorhinal-hippocampal circuitry. 11,	1
399	Perivascular spaces as a potential biomarker of Alzheimer disease. 16,	O
398	Human cerebral organoids 🗈 new tool for clinical neurology research. 2022, 18, 661-680	2
397	Mixed Pathologies in a Subject with a Novel PSEN1 G206R Mutation. 2022, 1-14	0
396	Predictive Network Analysis IdentifiesJMJD6and Other Novel Key Drivers in Alzheimer∄ Disease.	O
395	Cerebrovascular insulin receptors are defective in Alzheimer∃ disease.	1
394	Alzheimer Disease: Challenges and a Therapeutic Opportunity to Treat It with a Neurotrophic Compound. 2022 , 12, 1409	O
393	A head-to-head comparison between plasma pTau181 and tau-PET along the Alzheimer∄ disease continuum. jnumed.122.264279	О
392	Differential Diagnosis of Alzheimer Disease vs. Mild Cognitive Impairment Based on Left Temporal Lateral Lobe Hypomethabolism on 18F-FDG PET/CT and Automated Classifiers. 2022 , 12, 2425	1
391	Clinicopathological features of progressive supranuclear palsy with asymmetrical atrophy of the superior cerebellar peduncle.	О
390	Multi-Omic analyses characterize the ceramide/sphingomyelin pathway as a therapeutic target in Alzheimer disease. 2022 , 5,	1
389	Early impairments of visually-driven neuronal ensemble dynamics in the rTg4510 tauopathy mouse model.	О
388	Diencephalic or hippocampal amnesia different etiologies, common mechanisms.	O
387	Does Oxidative DNA Damage Trigger Histotoxic Hypoxia via PARP1/AMP-Driven Mitochondrial ADP Depletion-Induced ATP Synthase Inhibition in Alzheimer Disease?. 2022 ,	1
386	Distinct spatiotemporal subtypes of amyloid deposition are associated with diverging disease profiles in cognitively normal and mild cognitive impairment individuals.	O

385	Common signatures of differential microRNA expression in Parkinson and Alzheimer disease brains.	O
384	Amide proton transfer imaging of Alzheimer's disease and Parkinson's disease. 2022,	O
383	Altered basal forebrain function during whole-brain network activity at pre- and early-plaque stages of Alzheimer disease in TgF344-AD rats. 2022 , 14,	0
382	Relationships of APOEGenotypes With Small RNA and Protein Cargo of Brain Tissue Extracellular Vesicles From Patients With Late-Stage AD. 2022 , 8, e200026	O
381	Neuropathology of the Common Forms of Dementia. 2022,	0
380	Reduction of kinesin I heavy chain decreases tau hyperphosphorylation, aggregation, and memory impairment in Alzheimer disease and tauopathy models. 9,	1
379	Microfluidic Chamber Technology to Study Missorting and Spreading of Tau Protein in Alzheimer Disease. 2023 , 111-123	0
378	Functional Applications of Stable Tau Oligomers in Cell Biology and Electrophysiology Studies. 2023 , 147-161	O
377	Structural Determinant of EAmyloid Formation: From Transmembrane Protein Dimerization to EAmyloid Aggregates. 2022 , 10, 2753	1
376	The significance of glycolysis index and its correlations with immune infiltrates in Alzheimer disease. 13,	O
375	Aging, Health and the Development of Neuropathology and Dementia: It's Complicated. 10.1212/WNL.00	00000@0002015
374	Single-cell and single-nuclei RNA sequencing as powerful tools to decipher cellular heterogeneity and dysregulation in neurodegenerative diseases. 10,	O
373	The interplay between the gut-brain axis and the microbiome: A perspective on psychiatric and neurodegenerative disorders. 16,	0
372	Dual-probe fluorescence spectroscopy for sensitive quantitation of Alzheimer amyloid pathology. 2022 , 10,	O
371	Long-term follow-up of intracerebroventricular injection of streptozotocin-inducing pain sensitization. Publish Ahead of Print,	O
370	Pathogenic role of RAGE in tau transmission and memory deficits. 2022,	O
369	Can hippocampal subfield measures supply information that could be used to improve the diagnosis of Alzheimer disease?. 2022 , 17, e0275233	0
368	Unravelling the relationship between amyloid accumulation and brain network function in normal aging and very mild cognitive decline: a longitudinal analysis.	O

367	Mouse and Human Tau Expression in Different Brain Areas. 2022, 6, 677-684	O
366	The central role of tau in Alzheimer disease: From neurofibrillary tangle maturation to the induction of cell death. 2022 , 190, 204-217	2
365	Whole-brain modeling of the differential influences of Amyloid-Beta and Tau in Alzheimer Disease.	0
364	Identifying vulnerable brain networks associated with Alzheimer∄ disease risk.	О
363	Severe cerebrovascular pathology of the first supercentenarian to be autopsied in the world.	0
362	Nanotechnology for the diagnosis and treatment of Alzheimer's disease: A bibliometric analysis. 2022 , 47, 101654	О
361	Reaching a Diagnosis of a Dementia Subtype. 2003 , 106-193	1
360	Alzheimer's Disease. 2003 , 228-259	О
359	Fluid biomarkers in Alzheimer's disease. 2022 ,	O
358	Liquid II quid phase separation in neurodegenerative diseases. 2023, 619-650	0
358 357	Liquid II quid phase separation in neurodegenerative diseases. 2023, 619-650 Una revisi II de t II nicas b II icas de neuro imagen para el diagn II tico de enfermedades neurodegenerativas 2018, 17, 59-90	0
	Una revisifi de tfinicas blicas de neuroimagen para el diagnlitico de enfermedades	
357	Una revisiB de tBnicas bBicas de neuroimagen para el diagnBtico de enfermedades neurodegenerativas 2018 , 17, 59-90 Linking the Amyloid, Tau, and Mitochondrial Hypotheses of Alzheimer Disease and Identifying	1
357 356	Una revisifi de tinicas bisicas de neuroimagen para el diagnitico de enfermedades neurodegenerativas 2018, 17, 59-90 Linking the Amyloid, Tau, and Mitochondrial Hypotheses of Alzheimer Disease and Identifying Promising Drug Targets. 2022, 12, 1676 Salivary inflammatory biomarkers are predictive of mild cognitive impairment and Alzheimer Disease.	3
357 356 355	Una revisifi de tinicas bisicas de neuroimagen para el diagnitico de enfermedades neurodegenerativas 2018, 17, 59-90 Linking the Amyloid, Tau, and Mitochondrial Hypotheses of Alzheimer Disease and Identifying Promising Drug Targets. 2022, 12, 1676 Salivary inflammatory biomarkers are predictive of mild cognitive impairment and Alzheimer disease in a feasibility study. 14, Circuit-specific selective vulnerability in the DMN persists in the face of widespread amyloid	1 3 0
357 356 355 354	Una revisiB de tEnicas bBicas de neuroimagen para el diagnBtico de enfermedades neurodegenerativas 2018, 17, 59-90 Linking the Amyloid, Tau, and Mitochondrial Hypotheses of Alzheimer Disease and Identifying Promising Drug Targets. 2022, 12, 1676 Salivary inflammatory biomarkers are predictive of mild cognitive impairment and Alzheimer disease in a feasibility study. 14, Circuit-specific selective vulnerability in the DMN persists in the face of widespread amyloid burden.	1 3 0
357 356 355 354 353	Una revisi\(\textit{B}\) de t\(\textit{E}\)nicas b\(\textit{B}\)icas de neuroimagen para el diagn\(\textit{B}\)tico de enfermedades neurodegenerativas 2018, 17, 59-90 Linking the Amyloid, Tau, and Mitochondrial Hypotheses of Alzheimer\(\textit{B}\) Disease and Identifying Promising Drug Targets. 2022, 12, 1676 Salivary inflammatory biomarkers are predictive of mild cognitive impairment and Alzheimer\(\textit{B}\) disease in a feasibility study. 14, Circuit-specific selective vulnerability in the DMN persists in the face of widespread amyloid burden. Alzheimer\(\textit{B}\) Disease: Treatment Strategies and Their Limitations. 2022, 23, 13954	1 3 0 0 0 0

349	Reduced structural connectivity of the medial temporal lobe including the perforant path is associated with aging and verbal memory impairment. 2022 ,	О
348	Emerging roles of innate and adaptive immunity in Alzheimer® disease. 2022,	1
347	Correlative cryo-soft X-ray tomography reveals defective lysosomes in amyloid-lbligomer treated hippocampal neurons.	О
346	Altered Functional Connectivity Pattern of Hippocampal Subfields in Individuals with Objectively-defined Subtle Cognitive Decline and its Association with Cognition and Cerebrospinal Fluid Biomarkers.	O
345	The hippocampal sparing subtype of Alzheimer disease assessed in neuropathology and in vivo tau positron emission tomography: a systematic review. 2022 , 10,	0
344	Tau polarizes an aging transcriptional signature to excitatory neurons and glia.	O
343	Lipidomic alterations in the cerebral cortex and white matter in sporadic Alzheimer disease.	1
342	Decision-Making in Alzheimer Disease: The Role of Working Memory and Executive Functions in the Iowa Gambling Task and in Tasks Inspired by Everyday Situations. 2022 , 1-23	О
341	Revisiting the involvement of tau in complex neural network remodeling: analysis of the extracellular neuronal activity in organotypic brain slice co-cultures.	0
340	A review on Alzheimer Disease Classification from Normal Controls and Mild Cognitive Impairment using structural MR Images. 2022 , 109745	1
339	Site-Specific Phospho-Tau Aggregation-Based Biomarker Discovery for AD Diagnosis and Differentiation.	O
338	Older people with severe loneliness have an atrophied thalamus, hippocampus, and entorhinal cortex. 2022 , 37,	O
337	Combining tau-PET and fMRI meta-analyses for patient-centered prediction of cognitive decline in Alzheimer disease. 2022 , 14,	0
336	Association of Longitudinal Cognitive Decline with Diffusion MRI in Gray Matter, Amyloid, and Tau Deposition. 2022 ,	1
335	Anatomical biology guides a search for nutrients for the aging brain. 2022, 101154	0
334	Deep autoencoder for interpretable tissue-adaptive deconvolution and cell-type-specific gene analysis. 2022 , 13,	О
333	Medial temporal lobe structure, mnemonic and perceptual discrimination in healthy older adults and those at risk for mild cognitive impairment. 2022 ,	1
332	Estimation of blood-based biomarkers of glial activation related to neuroinflammation. 2022 , 26, 100549	O

331	Direct and Indirect Effects of Filamin A on Tau Pathology in Neuronal Cells.	0
330	Unified epigenomic, transcriptomic, proteomic, and metabolomic taxonomy of Alzheimer disease progression and heterogeneity. 2022 , 8,	O
329	Herpes simplex virus alters Alzheimer's disease biomarkers - A hypothesis paper.	0
328	Endocannabinoid System Biomarkers in Alzheimer's Disease.	O
327	The association of age-related and off-target retention with longitudinal quantification of [18F]MK6240 tau-PET in target regions jnumed.122.264434	О
326	Involvement of inflammation in the medial temporal region in the development of agitation in Alzheimer's disease: an in vivo positron emission tomography study.	O
325	Sporadic Alzheimer disease animal model using streptozotocin and APP/PS1 mice. 2023, 17-30	0
324	Cytology, architecture, development, and connections of the primate striatum: Hints for human pathology. 2023 , 176, 105945	O
323	Increasing empathic concern relates to salience network hyperconnectivity in cognitively healthy older adults with elevated amyloid-lburden. 2023 , 37, 103282	О
322	Optimal transport features for morphometric population analysis. 2023 , 84, 102696	O
321	Functional MRI and ApoE4 genotype for predicting cognitive decline in amyloid-positive individuals. 2022 , 15, 175628642211381	0
320	A Systematic Mapping Study of Tumor Cell Released by Enzymes and Toxins. 2022 , 11, 29-35	O
319	Toward the optimized assessment of clinical outcomes in studies of novel treatments for Alzheimer disease. 2022 , 22, 863-873	O
318	Proteo-transcriptomic analysis reveals brain-region-specific gene and biomarker expression in post-mortem neural tissue of Alzheimer patients.	O
317	Necroptosis and Alzheimer Disease: Pathogenic Mechanisms and Therapeutic Opportunities. 2022 , 1-20	O
316	Efficacy of Glucose Metabolism-Related Indexes on the Risk and Severity of Alzheimer Disease: A Meta-Analysis. 2022 , 1-16	O
315	Multisite testEetest reliability and compatibility of brain metrics derived from FreeSurfer versions 7.1, 6.0, and 5.3.	O
314	A postmortem study suggests a revision of the dual-hit hypothesis of Parkinson disease. 2022 , 8,	2

313	A Review of the Recent Advances in Alzheimer Disease Research and the Utilization of Network Biology Approaches for Prioritizing Diagnostics and Therapeutics. 2022 , 12, 2975	1
312	Increase in Tau Pathology in P290SMaptKnock-In Mice Crossed withAppNL-G-FMice. 2022 , 9, ENEURO.0247-7	22.@022
311	Somatic copy number variant load in neurons of healthy controls and Alzheimer disease patients. 2022 , 10,	О
310	Heparan Sulfate Proteoglycans in Tauopathy. 2022 , 12, 1792	1
309	Interpretable Classification of Tauopathies with a Convolutional Neural Network Pipeline Using Transfer Learning and Validation against Post-Mortem Clinical Cases of Alzheimer Disease and Progressive Supranuclear Palsy. 2022 , 44, 5963-5985	0
308	ApoE isoforms differentially regulate neuronal membrane proteasomes to shift the threshold for pathological aggregation of endogenous Tau.	O
307	The Spectrum of Alzheimer-Type Pathology in Cognitively Normal Individuals. 2022, 1-13	1
306	Role of Alginate Composition on Copper Ion Uptake in the Presence of Histidine or Beta-Amyloid. 2022 , 27, 8334	O
305	Functional network segregation is associated with attenuated tau spreading in Alzheimer's disease.	О
304	Evidence of Filamin A loss of solubility at the prodromal stage of neuropathologically-defined Alzheimer disease. 14,	O
303	Gray matter hypoperfusion is a late pathological event in the course of Alzheimer⊠ disease. 0271678X22114	110
302	Interpretable brain disease classification and relevance-guided deep learning. 2022, 12,	O
301	Metformin Attenuates Tau Pathology in Tau-Seeded PS19 Mice.	O
300	Dosimetry and efficacy of a tau PET tracer [18F]MK-6240 in Japanese healthy elderly and patients with Alzheimer∄ disease.	O
299	Grid cell disruption in a mouse model of early Alzheimer disease reflects reduced integration of self-motion cues and increased influence of environmental geometry.	0
298	Cognitive resistance to and resilience against multiple comorbid neurodegenerative pathologies and the impact of APOE status.	1
297	Plasma GFAP associates with secondary Alzheimer pathology in Lewy body disease.	0
296	Gut Microbiota and Immunotherapy for Alzheimer Disease. 2022 , 23, 15230	O

295	Modifiable Lifestyle Activities Affect Cognition in Cognitively Healthy Middle-Aged Individuals at Risk for Late-Life Alzheimer Disease. 2022 , 1-14	О
294	The effects of microglia on tauopathy progression can be quantified using Nexopathy in silico (Nexis) models. 2022 , 12,	O
293	Investigating neurological symptoms of infectious diseases like COVID-19 leading to a deeper understanding of neurodegenerative disorders such as Parkinson's disease. 13,	О
292	Neurodegeneration Risk Factor,EIF2AK3(PERK), Influences Tau Protein Aggregation.	O
291	Brain-derived tau: a novel blood-based biomarker for Alzheimer⊠ disease-type neurodegeneration.	1
290	Hippocampal subfield volumetry in corticobasal syndrome of diverse underlying pathologies.	O
289	The role of adenosine A2A receptors in Alzheimer's disease and tauopathies. 2022, 109379	О
288	Alzheimer disease-like neuropathology in three species of oceanic dolphin.	2
287	Leptin-based hexamers facilitate memory and prevent amyloid-driven AMPA receptor internalisation and neuronal degeneration.	О
286	Brain 18 F-FDG-PET and an optimized cingulate island ratio to differentiate Lewy body dementia and Alzheimer's disease.	1
285	Effects of APOE 2 allele on basal forebrain functional connectivity in mild cognitive impairment.	0
284	Activity disruption causes degeneration of entorhinal neurons in a mouse model of Alzheimer's circuit dysfunction. 11,	1
283	Hexameric Aggregation Nucleation Core Sequences and Diversity of Pathogenic Tau Strains. 2022 , 11, 1559	0
282	Phosphorylated tau in the retina correlates with tau pathology in the brain in Alzheimer disease and primary tauopathies.	0
281	Microdissection and culturing of adult lateral entorhinal cortex layer II neurons from APP/PS1 Alzheimer model mice.	О
280	Astrocyte transcriptomic changes along the spatiotemporal progression of Alzheimer disease.	O
279	Virus-Like Cytosolic and Cell-Free Oxidatively Damaged Nucleic Acids Likely Drive Inflammation, Synapse Degeneration, and Neuron Death in Alzheimer Disease. 1-19	О
278	Amyloid futures in the expanding pathology of brain aging and dementia.	O

277	Neurodegeneration Risk Factor, EIF2AK3 (PERK), Influences Tau Protein Aggregation. 2022, 102821	О
276	Molecular Basis of Role of Insulin Resistance in Pathophysiology of Alzheimer∃ Disease. 200-219	O
275	Brain regions show different metabolic and protein arginine methylation phenotypes in frontotemporal dementias and Alzheimer disease. 2022 , 102400	O
274	The Mystery of EVP4593: Perspectives of the Quinazoline-Derived Compound in the Treatment of Huntington Disease and Other Human Pathologies. 2022 , 23, 15724	O
273	Genome-wide association study of multiple neuropathology endophenotypes identifies novel risk loci and provides insights into known Alzheimer risk loci.	O
272	Tau PET Visual Reads: Research and Clinical Applications and Future Directions. jnumed.122.265017	O
271	PICALM and Alzheimer Disease: An Update and Perspectives. 2022 , 11, 3994	1
270	Polygenic effect on tau pathology progression in Alzheimer's disease.	O
269	The APOE4 effect: structural brain differences in Alzheimer's disease according to the age at symptom onset.	O
268	Brain autopsies of critically ill COVID-19 patients demonstrate heterogeneous profile of acute vascular injury, inflammation and age-linked chronic brain diseases. 2022 , 10,	O
267	Sex differences in default mode network connectivity in healthy aging adults.	О
266	The PSEN1 E280G mutation leads to increased amyloid-43 production in induced pluripotent stem cell neurons and deposition in brain tissue.	O
265	The 3-O sulfation of heparan sulfate proteoglycans contributes to the cellular internalization of tau aggregates. 2022 , 23,	О
264	TDP-43 pathology effect on volume and flortaucipir uptake in Alzheimer's disease.	1
263	Identification of Sex-Specific Genetic Variants Associated With Tau PET. 2022, 8, e200043	O
262	Pyroptosis in Alzheimer disease: cell type-specific activation in microglia, astrocytes and neurons.	O
261	APOE alleles are associated with sex-specific structural differences in brain regions affected in Alzheimer disease and related dementia. 2022 , 20, e3001863	О
260	Projective diffeomorphic mapping of molecular digital pathology with tissue MRI. 2022, 1,	O

259	Tunneling nanotubes between neuronal and microglial cells allow bi-directional transfer of Bynuclein and mitochondria.	O
258	High resolution 16S rRNA gene Next Generation Sequencing study of brain areas associated with Alzheimer and Parkinson disease. 14,	O
257	Entorhinal cortex dysfunction in Alzheimer's disease. 2022 ,	О
256	Design and application of a customizable relational DataBase to assess clinicopathological correlations and concomitant pathology in neurodegenerative diseases.	O
255	APOEGenotype-specific Methylation Patterns are Linked to Alzheimer Disease Pathology and Estrogen Response.	О
254	Lack of difference between amyloid-beta burden at gyral crests and sulcal depths in diverse neurodegenerative diseases.	O
253	Optimal deep brain stimulation sites and networks for stimulation of the fornix in Alzheimer disease. 2022 , 13,	0
252	Cognitively impaired aged Octodon degus recapitulate major neuropathological features of sporadic Alzheimer disease. 2022 , 10,	O
251	Spatially resolved transcriptomics reveals genes associated with the vulnerability of middle temporal gyrus in Alzheimer disease. 2022 , 10,	1
250	Does Alzheimer's disease with mesial temporal lobe epilepsy represent a distinct disease subtype?.	O
249	Tau PET imaging in progressive supranuclear palsy: a systematic review and meta-analysis.	O
248	Hyperphosphorylated Tau in Mesial Temporal Lobe Epilepsy: a Neuropathological and Cognitive Study.	O
247	Intracranial self-stimulation of the medial forebrain bundle ameliorates memory disturbances and pathological hallmarks in an Alzheimer disease model by intracerebral administration of amyloid-In rats. 2023 ,	0
246	The Spectrum of Tau Pathology in Human Prion Disease. 2023 , 447-466	O
245	Application of machine learning techniques for dementia severity prediction from psychometric tests in the elderly population. 1-9	O
244	Identifying the midline thalamus in humans in vivo.	O
243	Multimodality imaging of neurodegenerative disorders with a focus on multiparametric magnetic resonance and molecular imaging. 2023 , 14,	О
242	Alzheimer's Disease and Synapse Loss: What Can We Learn from Induced Pluripotent Stem Cells?. 2023 ,	0

241	Posterior white matter hyperintensities are associated with reduced medial temporal lobe subregional integrity and long-term memory in older adults. 2023 , 37, 103308	0
240	Role of the Caspase-8/RIPK3 axis in Alzheimer's disease pathogenesis and AlInduced NLRP3 inflammasome activation.	Ο
239	Deep brain stimulation of the entorhinal cortex modulates CA1 theta-gamma oscillations in mouse models of preclinical Alzheimer's disease. 2023 ,	Ο
238	Rapid-eye-movement sleep, neurodegeneration and amyloid deposition in ageing.	0
237	Alefflux impairment and inflammation linked to cerebrovascular accumulation of amyloid-forming amylin secreted from pancreas. 2023 , 6,	2
236	Why Some Mice Are Smarter than Others: The Impact of Bone Morphogenetic Protein Signaling on Cognition. 2023 , 10, ENEURO.0213-22.2022	0
235	Meaningless imitation in neurodegenerative diseases: Effects of body part, bimanual imitation, asymmetry, and body midline crossing. 1-22	Ο
234	Integrated DNA Methylation/RNA Profiling in Middle Temporal Gyrus of Alzheimer Disease.	Ο
233	Serum IL-6, sAXL, and YKL-40 as systemic correlates of reduced brain structure and function in Alzheimer disease: results from the DELCODE study. 2023 , 15,	О
232	Insoluble Cellular Prion Protein and Other Neurodegeneration-Related Protein Aggregates in the Brain of Asymptomatic Individuals. 2023 , 63-86	Ο
231	Sex differences in the associations between risk for late-life AD, protective lifestyle factors and cognition in mid-life.	Ο
230	Pathogenic taulhduced transposable elementderived dsRNA drives neuroinflammation. 2023, 9,	O
229	Genome-wide association study of brain biochemical phenotypes reveals distinct genetic architecture of Alzheimer disease related proteins. 2023 , 18,	0
228	Personalized virtual brains of Alzheimer Disease link dynamical biomarkers of fMRI with increased local excitability.	O
227	Casein Kinase 1IPhosphorylates TDP-43 and Suppresses Its Function in Tau mRNA Processing. 2023 , 1-13	0
226	Locus Coeruleus Dysfunction and Trigeminal Mesencephalic Nucleus Degeneration: A Cue for Periodontal Infection Mediated Damage in Alzheimer Disease?. 2023 , 20, 1007	1
225	Detection of EN-methylamino-l-alanine in postmortem olfactory bulbs of Alzheimer disease patients using UHPLC-MS/MS: An autopsy case-series study. 2023 , 10, 87-96	1
224	Microstructural mapping of dentate gyrus pathology in Alzheimer∃ disease: A 16.4 Tesla MRI study. 2023 , 37, 103318	Ο

223	The major TMEM106B dementia risk allele affects TMEM106B protein levels and myelin lipid homeostasis in the ageing human hippocampus.	O
222	Spatial memory deficits in Alzheimer disease and their connection to cognitive maps formation by place cells and grid cells. 16,	O
221	Initial non-amnestic symptoms relate to faster rate of functional and cognitive decline compared to amnestic symptoms in neuropathologically confirmed dementias.	O
220	A Review on Phyto-Therapeutic Approaches in Alzheimer Disease. 2023, 14, 50	O
219	Hyperphosphorylated tau (p-tau) and drug discovery in the context of Alzheimer's disease and related tauopathies. 2023 , 103487	O
218	Jacob-induced transcriptional inactivation of CREB promotes Allinduced synapse loss in Alzheimer's disease.	O
217	A gating mutation in ryanodine receptor type 2 rescues phenotypes of Alzheimer disease mouse models by upregulating neuronal autophagy. JN-RM-1820-22	O
216	Morphological differences between the two major subtypes of multiple system atrophy with cognitive impairment. 2023 , 107, 105273	O
215	MAPT genotype-dependent mitochondrial aberration and ROS production trigger dysfunction and death in cortical neurons of patients with hereditary FTLD. 2023 , 59, 102597	O
214	Inter-hemispherical comparison of tau-pathology in the human temporal lobe. 2023 , 246, 152042	O
213	Exosomes: A missing link between chronic systemic inflammation and Alzheimer disease?. 2023 , 159, 114161	O
212	Neuropsychological Assessment of Late-Life Cognitive Disorders. 2022,	O
211	Global neuropathologic severity of Alzheimer disease and locus coeruleus vulnerability influences plasma phosphorylated tau levels. 2022 , 17,	O
21 0	Resilience and resistance to the accumulation of amyloid plaques and neurofibrillary tangles in centenarians: An age-continuous perspective.	O
209	AB2 oligomer-specific antibody ALZ-201 reduces the neurotoxicity of Alzheimer disease brain extracts. 2022 , 14,	O
208	Dysregulation of ErbB4 Signaling Pathway in the Dorsal Hippocampus after Neonatal Hypoxia-Ischemia and Late Deficits in PV+ Interneurons, Synaptic Plasticity and Working Memory. 2023 , 24, 508	O
207	Characterization of the contactin 5 protein and its risk-associated polymorphic variant throughout the Alzheimer's disease spectrum.	0
206	Deep Learning for Brain MRI Confirms Patterned Pathological Progression in Alzheimer's Disease. 2204717	O

205	Emerging Roles of Extracellular Vesicles in Alzheimer Disease: Focus on Synaptic Dysfunction and Vesicle Dieuron Interaction. 2023 , 12, 63	Ο
204	Invertebrate and Vertebrate Models of Tauopathies. 2011, 69-85	O
203	Update on Alzheimer⊞ Disease. 82-90	Ο
202	Chronic Gq activation of ventral hippocampal neurons and astrocytes differentially affects memory and behavior. 2023 ,	Ο
201	APOED potentiates Aleffects on longitudinal tangle accumulation via tau phosphorylation.	0
200	Evolutionary and genomic perspectives of brain aging and neurodegenerative diseases. 2023,	O
199	Selective In Vitro and Ex Vivo Staining of Brain Neurofibrillary Tangles and Amyloid Plaques by Novel Ethylene Ethynylene-Based Optical Sensors. 2023 , 13, 151	0
198	Differential effect of dementia etiology on cortical stiffness as assessed by MR elastography. 2023 , 37, 103328	1
197	Alteration of neural network and hippocampal slice activation through exosomes derived from 5XFAD nasal lavage fluid.	0
196	Orienteering experts report more proficient spatial processing and memory across adulthood. 2023 , 18, e0280435	O
195	Robustness of CSF A½2/40 and A½2/P-tau181 measured using fully automated immunoassays to detect AD-related outcomes.	0
194	Cognitive resilience and severe Alzheimer disease neuropathology. 2023, 3, 100065	O
193	Deciphering the clinico-radiological heterogeneity of dysexecutive Alzheimer disease.	0
192	Aging and Alzheimer Disease Have Dissociable Effects on Medial Temporal Lobe Connectivity.	O
191	Higher Angiotensin I Converting Enzyme 2 (ACE2) levels in the brain of individuals with Alzheimer disease.	0
190	Accumulation of pTau231 at the Postsynaptic Density in Early Alzheimer Disease. 2023, 1-20	Ο
189	Potential Protective Function of AB2 Monomer on Tauopathies.	0
188	Hippocampal subfield viscoelasticity in amnestic mild cognitive impairment evaluated with MR elastography. 2023 , 37, 103327	O

187	CNTNAP2 Protein Is Degraded by the Ubiquitin P roteasome System and the Macroautophagy-Lysosome Pathway.	O
186	Modelling the contributions to hyperexcitability in a mouse model of Alzheimer's disease.	О
185	Molecular Imaging of Neuroinflammation in Alzheimer Disease and Mild Cognitive Impairment. 2023 , 301-326	О
184	The association between white matter hyperintensities and amyloid and tau deposition. 2023 , 38, 103383	O
183	The theoretical problems of prodrome@and phenoconversion@n neurodegeneration. 2023, 155-167	O
182	Alzheimer Disease Neuropathologic Change and Vitamin Supplement Use Decades Earlier. 2023 , 37, 1-6	O
181	Aggregation of Disordered Proteins Associated with Neurodegeneration. 2023, 24, 3380	1
180	Network Proximity-based computational pipeline identifies drug candidates for different pathological stages of Alzheimer's disease. 2023 , 21, 1907-1920	Ο
179	Adult neurogenesis in Alzheimer's disease. 2023 , 33, 307-321	1
178	Interneuronal In Vivo Transfer of Synaptic Proteins. 2023 , 12, 569	О
177	Predicting amyloid PET and tau PET stages with plasma biomarkers.	О
176	Proteomic analysis across patient iPSC-based models and human post-mortem hippocampal tissue reveals early cellular dysfunction, progression, and prion-like spread of Alzheimer⊠ disease pathogenesis.	O
175	Individualized network analysis: A novel approach to investigate tau PET using graph theory in the Alzheimer disease continuum. 17,	O
174	Genetically identical twin-pair difference models support the amyloid cascade hypothesis.	O
173	Two simple assays for assessing the seeding activity of proteopathic tau. 15,	O
172	Characterization of altered molecular mechanisms in Parkinson disease through cell type lesolved multiomics analyses. 2023 , 9,	O
171	TDP -43 and tau concurrence in the entorhinal subfields in primary age-related tauopathy and preclinical Alzheimer's disease.	О
170	Mid-Adulthood Cognitive Training Improves Performance in a Spatial Task but Does Not Ameliorate Hippocampal Pathology in a Mouse Model of Alzheimer Disease. 2023 , 1-22	O

169	The cognitive dysfunction of claustrum on Alzheimer disease: A mini-review. 15,	O
168	Docosahexaenoic acid inhibits ischemic stroke to reduce vascular dementia and Alzheimer disease. 2023 , 106733	O
167	Development of an AAV-based model of tauopathy targeting retinal ganglion cells and the mouse visual pathway to study the role of microglia in Tau pathology. 2023 , 106116	0
166	Cognitive reserve moderates the association between cerebral blood flow and language performance in older adults with mild cognitive impairment. 2023 , 125, 83-89	O
165	HGM-cNet: Integrating hippocampal gray matter probability map into a cascaded deep learning framework improves hippocampus segmentation. 2023 , 162, 110771	О
164	Virtual reality technology in the detection of mild cognitive impairment: A systematic review and meta-analysis. 2023 , 87, 101889	O
163	Diagnosis of Alzheimer Disease and Tauopathies on Whole-Slide Histopathology Images Using a Weakly Supervised Deep Learning Algorithm. 2023 , 103, 100127	0
162	Botulinum neurotoxin A modulates the axonal release of pathological tau in hippocampal neurons. 2023 , 228, 107110	O
161	The unique neuropathological vulnerability of the human brain to aging. 2023, 87, 101916	0
160	Inhibition mechanism of human insulin fibrillation by Bodipy carbon polymer dots and photothermal defibrillation effect of Bodipy carbon polymer dots modified by ThT. 2023 , 297, 107009	O
159	The endoplasmic reticulum stress and unfolded protein response in Alzheimer disease: A calcium dyshomeostasis perspective. 2023 , 87, 101914	0
158	Apathy in Alzheimer disease: A neurocircuitry based perspective. 2023 , 87, 101891	O
157	Respective influence of beta-amyloid and APOE 4 genotype on medial temporal lobe subregions in cognitively unimpaired older adults. 2023 , 181, 106127	0
156	Multimodal comparisons of QSM and PET in neurodegeneration and aging. 2023 , 273, 120068	O
155	Treadmill workout activates PPARIn the hippocampus to upregulate ADAM10, decrease plaques and improve cognitive functions in 5XFAD mouse model of Alzheimer disease. 2023 , 109, 204-218	0
154	Early impairments of visually-driven neuronal ensemble dynamics in the rTg4510 tauopathy mouse model. 2023 , 178, 106012	O
153	Tau in cerebrospinal fluid induces neuronal hyperexcitability and alters hippocampal theta oscillations.	0
152	SUFI: an automated approach to spectral unmixing of fluorescent multiplex images captured in mouse and post-mortem human brain tissues. 2023 , 24,	O

151	Moschus exerted protective activity against H2O2-induced cell injury in PC12 cells through regulating Nrf-2/ARE signaling pathways. 2023 , 159, 114290	0
150	COOP-DHGNN: a Framework for Joint Classification and Prediction of Brain Functional Connectivity Using Sparse Trajectory Dataset with Application to Early Dementia. 2022 ,	О
149	Hypoperfusion Precedes Tau Deposition in the Entorhinal Cortex: A Retrospective Evaluation of ADNI-2 Data. 2023 , 19, 131	0
148	Astrocyte reactivity influences the association of amyloid-land tau biomarkers in preclinical Alzheimer disease.	O
147	Impaired cognitive performance in older adults is associated with deficits in item memory and memory for object features. 2023 , 166, 105957	1
146	Distinct spatiotemporal subtypes of amyloid deposition are associated with diverging disease profiles in cognitively normal and mild cognitive impairment individuals. 2023 , 13,	O
145	Cation-Chloride Cotransporters KCC2 and NKCC1 as Therapeutic Targets in Neurological and Neuropsychiatric Disorders. 2023 , 28, 1344	1
144	Integrative in situ mapping of single-cell transcriptional states and tissue histopathology in a mouse model of Alzheimer disease.	О
143	Neuroanatomical and neurocognitive changes associated with subjective cognitive decline. 10,	0
142	A review of the application of three-dimensional convolutional neural networks for the diagnosis of Alzheimer disease using neuroimaging. 2023 ,	О
141	An insight into the TAM system in Alzheimer disease. 2023, 116, 109791	0
140	Microstructure of Brain Nuclei in Early Parkinson Disease: Longitudinal Diffusion Kurtosis Imaging. 2023 , 13, 233-242	O
139	5-HT4 receptor agonists treatment reduces tau pathology and behavioral deficit in the PS19 mouse model of tauopathy.	0
138	The relationship between hippocampal amyloid beta burden and spatial distribution of neurofibrillary degeneration.	1
137	The Sensitivity of Tau Tracers for the Discrimination of Alzheimer Disease Patients and Healthy Controls by PET. 2023 , 13, 290	1
136	Initial levels of Emyloid and tau deposition have distinct effects on longitudinal tau accumulation in Alzheimer disease. 2023, 15,	O
135	Imaging Methods Applicable in the Diagnostics of Alzheimer Disease, Considering the Involvement of Insulin Resistance. 2023 , 24, 3325	О
134	Moesin is an effector of tau-induced actin overstabilization, cell cycle activation, and neurotoxicity in Alzheimer disease. 2023 , 26, 106152	О

133	Pentad: A reproducible cytoarchitectonic protocol and its application to parcellation of the human hippocampus. 17,	O
132	Amyloid oligomers as on-pathway precursors or off-pathway competitors of fibrils. 10,	Ο
131	Forecasting individual progression trajectories in Alzheimer disease. 2023, 14,	0
130	Multifactorial glial responses and their contributions to Alzheimer's disease continuum.	O
129	Comprehensive analysis of genetic risk loci uncovers novel candidate genes and pathways in the comorbidity between depression and Alzheimer disease.	O
128	Al reveals insights into link between CD33 and cognitive impairment in Alzheimer∃ Disease. 2023 , 19, e1009894	O
127	The dual role of heme oxygenase in regulating apoptosis in the nervous system of Drosophila melanogaster. 14,	O
126	Development, initial validation, and application of a visual read method for [18 F]MK-6240 tau PET. 2023 , 9,	1
125	Comparison Between 18F-Florapronol and 18F-Florbetaben Imaging in Patients With Cognitive Impairment. 19,	O
124	Plasma IAPP-Autoantibody Levels in Alzheimer Disease Patients Are Affected by APOE4 Status. 2023 , 24, 3776	O
123	Pathology vs pathogenesis: Rationale and pitfalls in the clinicopathology model of neurodegeneration. 2023 , 35-55	0
122	Butyrate ameliorates quinolinic acidinduced cognitive decline in obesity models. 2023, 133,	O
121	Further refining the boundaries of the hippocampus CA2 with gene expression and connectivity: Potential subregions and heterogeneous cell types. 2023 , 33, 150-160	2
120	Botulinum neurotoxin A modulates the axonal release of pathological tau in hippocampal neurons.	O
119	Challenges and opportunities of diagnostic markers of Alzheimer's disease based on structural magnetic resonance imaging. 2023 , 13,	O
118	The Fault in Our Astrocytes - cause or casualties of proteinopathies of ALS/FTD and other neurodegenerative diseases?. 3,	O
117	Hallmarks of neurodegenerative diseases. 2023 , 186, 693-714	1
116	Endothelial Cells are Heterogeneous in Different Brain Regions and are Dramatically Altered in Alzheimer Disease.	O

115	Animal models and human tissue compared to better understand and treat the epilepsies.	0
114	Role of Gut Microbiota in Neurological Disorders and Its Therapeutic Significance. 2023 , 12, 1650	O
113	Oxidative Stress and Antioxidants in Neurodegenerative Disorders. 2023, 12, 517	2
112	Cognitive and Neuropsychological Profiles in Alzheimer Disease and Primary Age-Related Tauopathy and the Influence of Comorbid Neuropathologies. 2023 , 92, 1037-1049	O
111	State switching and high-order spatiotemporal organization of dynamic Functional Connectivity are disrupted by Alzheimer Disease.	O
110	Front Propagation and Arrival Times in Networks with Application to Neurodegenerative Diseases. 2023 , 83, 194-224	O
109	Extracellular protein homeostasis in neurodegenerative diseases.	O
108	Neuropathologic Features in Chronic Methamphetamine Use. Publish Ahead of Print,	O
107	The synthetic TRPML1 agonist ML-SA1 rescues Alzheimer-related alterations of the endosomal-autophagic-lysosomal system. 2023 , 136,	0
106	Mitochondrial function-associated genes underlie cortical atrophy in prodromal synucleinopathies.	O
105	Pathogenesis of Alzheimer's disease: Involvement of the choroid plexus.	0
104	Differential immunophenotypes of neuronal cytoplasmic inclusions in the dentate gyrus of multiple system atrophy and their association with clinicopathological features. 2023 , 82, 302-311	O
103	Hsa-let-7g-5p, a circulating microRNA, as a biomarker for Alzheimer's disease. 2023 , 38, 101203	0
102	An autopsy case of progressive multifocal leukoencephalopathy with massive iron deposition in juxtacortical lesions.	O
101	Autopsy studies are key to identifying dementia cause. 2023 , 4, e94-e95	0
100	The influence of stimulus eccentricity on prosaccade outcomes in patients with Alzheimer Disease dementia at an early stage and amnestic mild cognitive impairment. 2022 , 44, 713-729	2
99	The prevalence, correlation, and co-occurrence of neuropathology in old age: harmonisation of 12 measures across six community-based autopsy studies of dementia. 2023 , 4, e115-e125	O
98	Phosphomimetics at Ser199/Ser202/Thr205 in Tau Impairs Axonal Transport in Rat Hippocampal Neurons. 2023 , 60, 3423-3438	Ο

97	Accounting for word production, comprehension, and repetition in semantic dementia, Alzheimer dementia, and mild cognitive impairment. 2023 , 238, 105243	0
96	24-Hydroxycholesterol Induces Tau Proteasome-Dependent Degradation via the SIRT1/PGC1掛Nrf2 Pathway: A Potential Mechanism to Counteract Alzheimer目 Disease. 2023 , 12, 631	Ο
95	Unexpected Classes of Aquaporin Channels Detected by Transcriptomic Analysis in Human Brain Are Associated with Both Patient Age and Alzheimer Disease Status. 2023 , 11, 770	Ο
94	Microglia as a cellular target of diclofenac therapy in Alzheimer disease. 2023 , 16, 175628642311566	O
93	Clinicopathological associations of hemispheric dominance in primary progressive apraxia of speech. 2023 , 30, 1209-1219	0
92	Imaging Amyloid-IMembrane Interactions: Ion-Channel Pores and Lipid-Bilayer Permeability in Alzheimer's Disease.	O
91	Imaging Amyloid-IMembrane Interactions: Ion-Channel Pores and Lipid-Bilayer Permeability in Alzheimer's Disease.	0
90	Entorhinal Cortex Functional Connectivity during Item Long-Term Memory and the Role of Sex. 2023 , 13, 446	O
89	Inferior Frontal Sulcal Hyperintensity on FLAIR is Associated with Small Vessel Disease but not Alzheimer Pathology. 2023 , 92, 1357-1365	0
88	Decreased functional connectivity is associated with increased levels of Cerebral Spinal Fluid soluble-PDGFR[]a marker of blood brain barrier breakdown, in older adults.	O
87	Alterations in oligodendrocyte transcriptional networks reveal region-specific vulnerabilities to neurological disease. 2023 , 26, 106358	0
86	Sex differences in hippocampal Emyloid accumulation in the triple-transgenic mouse model of Alzheimer disease and the potential role of local estrogens. 17,	O
85	Alzheimer disease as a synaptopathy: Evidence for dysfunction of synapses during disease progression. 15,	0
84	Beyond the amyloid cascade: An update of Alzheimer's disease pathophysiology. 2023,	O
83	The common marmoset as a model of neurodegeneration. 2023 , 46, 394-409	0
82	Assessment of Alzheimer-related pathologies of dementia using machine learning feature selection. 2023 , 15,	O
81	Modular Level Alterations Of Structural-Functional Connectivity Coupling in Mild Cognitive Impairment Patients and Interactions with Age Effect. 2023 , 92, 1439-1450	O
80	Cellular dynamics across aged human brains uncover a multicellular cascade leading to Alzheimer disease.	O

79	Different MAPT haplotypes influence expression of total MAPT in postmortem brain tissue. 2023 , 11,	O
78	Mass spectrometry imaging in Alzheimer disease.	O
77	Specific associations between plasma biomarkers and postmortem amyloid plaque and tau tangle loads.	0
76	The aging brain: risk factors and interventions for long term brain health in women. 2023 , 35, 169-175	O
75	Cerebrospinal Fluid and Brain Proteoforms of the Granin Neuropeptide Family in Alzheimer Disease. 2023 , 34, 649-667	0
74	New Pathways Identify Novel Drug Targets for the Prevention and Treatment of Alzheimer Disease. 2023 , 24, 5383	O
73	A Preliminary Comparison of the Methylome and Transcriptome from the Prefrontal Cortex Across Alzheimer Disease and Lewy Body Dementia. 2023 , 7, 279-297	0
72	Extracellular Matrix Changes in Subcellular Brain Fractions and Cerebrospinal Fluid of Alzheimer Disease Patients. 2023 , 24, 5532	O
71	Early amygdala and ERC atrophy linked to 3D reconstruction of rostral neurofibrillary tau tangle pathology in Alzheimer disease. 2023 , 38, 103374	O
70	Perspectives on pain in Down syndrome.	O
69	Plasma phospho-tau in Alzheimer disease: towards diagnostic and therapeutic trial applications. 2023 , 18,	0
68	Exercise suppresses neuroinflammation for alleviating Alzheimer disease. 2023, 20,	O
67	Synaptic oligomeric tau in Alzheimer disease h potential culprit in the spread of tau pathology through the brain.	0
66	Dissection and culturing of adult lateral entorhinal cortex layer II neurons from APP/PS1 Alzheimer model mice. 2023 , 390, 109840	O
65	Dityrosine cross-linking and its potential roles in Alzheimer∄ disease. 17,	0
64	Effects of Current Psychotropic Drugs on Inflammation and Immune System. 2023, 407-434	O
63	Alterations in theta-gamma coupling and sharp wave-ripple, signs of prodromal hippocampal network impairment in the TgF344-AD rat model. 15,	О
62	Differential Laminar Activation Dissociates Encoding and Retrieval in the Human Medial and Lateral Entorhinal Cortex. 2023 , 43, 2874-2884	O

61	Investigating New Applications of a Photoswitchable Fluorescent Norbornadiene as a Multifunctional Probe for Delineation of Amyloid Plaque Polymorphism.	O
60	Probiotic supplement as a promising strategy in early tau pathology prevention: Focusing on GSK-3🏿 17,	O
59	Dementias. 2013 , 609-658	O
58	Neurodegeneration: Cerebrum. 2013 , 947-947.e19	O
57	Sexually dimorphic age-related molecular differences in the entorhinal cortex of cognitively intact elderly: Relation to early Alzheimer's changes.	O
56	Thalamic nuclei changes in early and late onset Alzheimer's disease. 2023 , 4, 100084	O
55	Soluble form of the APP fragment, sAPP[]positively regulates tau secretion. 2023 ,	O
54	Anterograde and Retrograde Propagation of Inoculated Human Tau Fibrils and Tau Oligomers in a Non-Transgenic Rat Tauopathy Model. 2023 , 11, 1004	O
53	Towards standardization of tau PET imaging corresponding to various tau PET tracer: multi-center phantom study.	O
52	On high-dimensional Poisson models with measurement error: Hypothesis testing for nonlinear nonconvex optimization. 2023 , 51,	O
51	Plaidoyer pour labolition du mot «´dhence´» et autres terminologies apparentas. 2023,	O
50	TREM2 gene expression associations with Alzheimer∃ disease neuropathology are region-specific: implications for cortical versus subcortical microglia.	O
49	Two long-axis dimensions of hippocampal cortical integration support memory function across the adult lifespan.	О
48	Exploring the ATN classification system using brain morphology. 2023 , 15,	O
47	Clinical performance and head-to-head comparison of CSF p-tau235 with p-tau181, p-tau217 and p-tau231 in two memory clinic cohorts. 2023 , 15,	O
46	Clinical Management in Alzheimer Disease in the Era of Disease-Modifying Therapies. 2023 , 25, 121-133	O
45	Tripartite Motif Protein Family in Central Nervous System Diseases.	O
44	Oligomeric, phosphorylated, and truncated tau and spliceosome pathology within the entorhinalflippocampal connectome across stages of Alzheimer's disease.	O

43	Alzheimer Disease associations of ferritin and glutathione with oxidative damage and neuronal loss.	O
42	Altered large-scale dynamic connectivity patterns in Alzheimer's disease and mild cognitive impairment patients: A machine learning study.	О
41	Tau seeding and spreading in vivo is supported by both fibrillar and oligomeric tau.	О
40	Vitamin D and Its Analogues: From Differences in Molecular Mechanisms to Potential Benefits of Adapted Use in the Treatment of Alzheimer Disease. 2023 , 15, 1684	O
39	Tau accumulates differently in four subtypes of Alzheimer's disease.	0
38	Neuroprotective Effects of Lactoferrin in Alzheimer and Parkinson Diseases: A Narrative Review.	O
37	Plasma GFAP associates with secondary Alzheimer's pathology in Lewy body disease.	О
36	Tau positron emission tomography in tauopathies: A narrative review. 2023 , 7, 7-24	O
35	Elucidation of Plasmalogen Function in Alzheimer Disease: Aiming at Developing of Preventive Measure: Research Based on the Accurate Quantitative Analysis by LC-MS/MS. 2022 , 60, 176-181	О
34	A Novel Dual Time-Point Unified Amyloid MRI/PET Data Analysis Technique. 2023,	O
33	Insights from new in vivo models of TREM2 variants. 2023 , 18,	0
32	APOE \blacksquare associates with microglial activation independently of A \blacksquare plaques and tau tangles. 2023 , 9,	O
31	Integrated Proteomics to Understand the Role of Neuritin (NRN1) as a Mediator of Cognitive Resilience to Alzheimer Disease. 2023 , 100542	О
30	Differential involvement of hippocampal subfields in the relationship between Alzheimer's pathology and memory interference in older adults. 2023 , 15,	O
29	Lowering levels of reelin in entorhinal cortex layer II-neurons results in lowered levels of intracellular amyloid-[12023, 5,	О
28	Neuroprotective effects of resistance physical exercise on the APP/PS1 mouse model of Alzheimer disease. 17,	O
27	The emerging era of staging Alzheimer disease pathology using plasma biomarkers.	0
26	Olfactory function reflects episodic memory performance and atrophy in the medial temporal lobe in individuals at risk for Alzheimer disease. 2023 ,	O

25	Rapid, scalable assay of amylin-lamyloid co-aggregation in brain tissue and blood. 2023, 104682	O
24	White matter integrity is associated with cognition and amyloid burden in older adult Koreans along the Alzheimer∃ disease continuum.	O
23	Associations of Serum Antimicrobial Peptide LL-37 with Longitudinal Cognitive Decline and Neurodegeneration Among Older Adults with Memory Complaints. 2023 , 1-9	О
22	Low clinical sensitivity and unexpectedly high incidence for neuropathologically diagnosed progressive supranuclear palsy. 2023 , 82, 438-451	O
21	Cortical microstructural associations with CSF amyloid and pTau.	0
20	Cryo-EM structures of tau filaments from SH-SY5Y cells seeded with brain extracts from cases of Alzheimer disease and corticobasal degeneration.	O
19	Aggressive behavior and prognosis in patients with mild cognitive impairment. 17,	0
18	Loss of hypothalamic MCH decreases food intake in amyotrophic lateral sclerosis.	O
17	Earlier chronotype in midlife as a predictor of accelerated brain aging: A population-based longitudinal cohort study.	О
16	Compilation of all known protein changes in the human Alzheimer disease brain.	0
15	Cerebral white matter rarefaction has both neurodegenerative and vascular causes and may primarily be a distal axonopathy.	О
14	Programmed ageing: decline of stem cell renewal, immunosenescence, and Alzheimer's disease.	O
13	The spatial distribution of coupling between tau and neurodegeneration in amyloid-positive mild cognitive impairment.	0
12	APP mediates tau uptake and its overexpression leads to the exacerbated tau pathology. 2023 , 80,	О
11	How to Prevent and/or Revert Alzheimer Disease Continuum During Preclinical Phases. 1-8	О
10	Field parcellation of the human hippocampus along the longitudinal axis.	O
9	Brain Kynurenine Pathway Metabolite Levels May Reflect Extent of Neuroinflammation in ALS, FTD and Early Onset AD. 2023 , 16, 615	О
8	Higher performance for women than men in MRI-based Alzheimer⊠ disease detection. 2023 , 15,	O

7	Proteostasis failure exacerbates neuronal circuit dysfunction and sleep impairments in Alzheimer disease. 2023 , 18,	0
6	Accurate Bayesian segmentation of thalamic nuclei using diffusion MRI and an improved histological atlas. 2023 , 120129	O
5	Feasibility of 18F-florzolotau quantification in patients with Alzheimer disease based on an MRI-free tau PET template.	О
4	Unsupervised, frequent and remote: A novel platform for personalised digital phenotyping of long-term memory in humans. 2023 , 18, e0284220	O
3	Korsakoff Syndrome and Alzheimer Disease Commonalities and Specificities of Volumetric Brain Alterations within Papez Circuit. 2023 , 12, 3147	О
2	Entorhinal cortex epigenome-wide association study highlights four novel loci showing differential methylation in Alzheimer disease. 2023 , 15,	O
1	Plasma and CSF concentrations of N-terminal tau fragments associate with in vivo neurofibrillary tangle burden.	0