

CITATION REPORT

List of articles citing

Transport properties of silicon

DOI: 10.1007/bf00323873

Applied Physics A: Solids and Surfaces, 1991, 53, 136-140.

Source: <https://exaly.com/paper-pdf/22619597/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
244	A new device for transport measurements on point contacts. <i>Review of Scientific Instruments</i> , 1992 , 63, 211-217	1.7	5
243	Reduction of the thermopower in semiconducting point contacts. <i>Physical Review B</i> , 1992 , 46, 9511-9514	3.3	17
242	Electron-phonon quenching in germanium microcontacts. 1996 , 218, 248-251		8
241	Micromachined heaters with 1- μ s thermal time constants for AFM thermomechanical data storage.		3
240	Low-stiffness silicon cantilevers with integrated heaters and piezoresistive sensors for high-density AFM thermomechanical data storage. 1998 , 7, 69-78		129
239	Thermal boundary resistance of mechanical contacts between solids at sub-ambient temperatures. 1999 , 32, R19-R43		80
238	INTRINSIC-CARRIER THERMAL RUNAWAY IN SILICON MICROcantilevers. 1999 , 3, 217-228		52
237	Thermal Conductivity Model for Nearly Pure and Doped Thin Silicon Layers at High Temperatures. 2003 , 847		4
236	Modeling and Data for Thermal Conductivity of Ultrathin Single-Crystal SOI Layers at High Temperature. 2006 , 53, 1868-1876		135
235	Colossal Seebeck coefficient in strongly correlated semiconductor FeSb 2. 2007 , 80, 17008		195
234	Enhanced thermoelectric performance of rough silicon nanowires. 2008 , 451, 163-7		3293
233	Silicon nanowires as efficient thermoelectric materials. 2008 , 451, 168-71		2199
232	Thermoelectric behavior of segregated-network polymer nanocomposites. 2008 , 8, 4428-32		350
231	Nanoporous Si as an efficient thermoelectric material. 2008 , 8, 3750-4		231
230	Nanoscale charge transport measurements using a double-tip scanning tunneling microscope. <i>Journal of Applied Physics</i> , 2008 , 104, 094307	2.5	19
229	Measurement of the Peltier coefficient of semiconductors by lock-in thermography. <i>Applied Physics Letters</i> , 2009 , 95, 052107	3.4	39
228	Isolated molecular dopants in pentacene observed by scanning tunneling microscopy. <i>Physical Review B</i> , 2009 , 80,	3.3	33

227	Huge Thermoelectric Power Factor: FeSb ₂ versus FeAs ₂ and RuSb ₂ . 2009 , 2, 091102		59
226	Seebeck Coefficient of Ultrathin Silicon-on-Insulator Layers. 2009 , 2, 071203		31
225	Silicon nanowires as efficient thermoelectric materials. 2010 , 116-119		10
224	SiGe HBT CML Ring Oscillator With 2.3-ps Gate Delay at Cryogenic Temperatures. 2010 , 57, 1183-1187		4
223	Nanocrystalline silicon compacted by spark-plasma sintering: Microstructure and thermoelectric properties. 2010 , 1267, 1		6
222	Influence of heavy doping on Seebeck coefficient in silicon-on-insulator. <i>Applied Physics Letters</i> , 2010 , 96, 012106	3-4	30
221	Quantitative determination of contributions to the thermoelectric power factor in Si nanostructures. 2010 , 105, 256601		38
220	High Thermoelectric Performance of Ge/Si Core-Shell Nanowires: First-Principles Prediction. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 9096-9100	3-8	34
219	Narrow band gap and enhanced thermoelectricity in FeSb ₂ . 2010 , 39, 1012-9		72
218	Improved thermoelectric behavior of nanotube-filled polymer composites with poly(3,4-ethylenedioxythiophene) poly(styrenesulfonate). 2010 , 4, 513-23		480
217	Semiconductor nanowires for energy conversion. 2010 , 110, 527-46		1220
216	Holey silicon as an efficient thermoelectric material. 2010 , 10, 4279-83		559
215	Hydrogen-passivated graphene antidot structures for thermoelectric applications. 2011 ,		
214	Light-weight flexible carbon nanotube based organic composites with large thermoelectric power factors. 2011 , 5, 7885-92		361
213	Atomistic Design of High Thermoelectricity on Si/Ge Superlattice Nanowires. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 20696-20702	3-8	25
212	Effects of vacancy defects on thermal conductivity in crystalline silicon: A nonequilibrium molecular dynamics study. <i>Physical Review B</i> , 2011 , 83,	3-3	49
211	Geometrical effects on the thermoelectric properties of ballistic graphene antidot lattices. <i>Journal of Applied Physics</i> , 2011 , 110, 054506	2-5	61
210	Local temperature measurements on nanoscale materials using a movable nanothermocouple assembled in a transmission electron microscope. 2011 , 22, 485707		14

209	Thermodynamic, thermoelectric, and magnetic properties of FeSb ₂ : A combined first-principles and experimental study. <i>Physical Review B</i> , 2011 , 84,	3.3	30
208	A thermal diode using phonon rectification. 2011 , 13, 113027		47
207	Enhancement of the thermoelectric properties in nanoscale and nanostructured materials. 2011 , 21, 4037-4055		275
206	Thermal Conductivity and Thermoelectric Power of Semiconductors. 2011 , 326-358		11
205	Novel thermoelectric materials based on boron-doped silicon microchannel plates. 2011 , 65, 1618-1620		6
204	Seebeck Coefficient of Heavily P-Doped Si Calculated from an Alteration in Electronic Density of States. <i>Journal of Electronic Materials</i> , 2011 , 40, 903-906	1.9	6
203	Fabrication and Characterization of Silicon Microchannel Plates as Temperature-Sensing Materials. <i>Journal of Electronic Materials</i> , 2011 , 40, 2363-2367	1.9	1
202	Basic principles for rational design of high-performance nanostructured silicon-based thermoelectric materials. 2011 , 12, 3614-8		11
201	Low-temperature magnetotransport of the narrow-gap semiconductor FeSb ₂ . <i>Physical Review B</i> , 2011 , 84,	3.3	46
200	Electrothermally driven current vortices in inhomogeneous bipolar semiconductors. <i>Physical Review B</i> , 2011 , 84,	3.3	16
199	Local equilibrium and off-equilibrium thermoelectric effects in silicon semiconductors. <i>Journal of Applied Physics</i> , 2011 , 110, 093706	2.5	17
198	An Investigation of the Geometrical Effects on the Thermal Conductivity of Graphene Antidot Lattices. 2011 , 35, 185-192		
197	Graphene-Based Antidots for Thermoelectric Applications. 2011 , 158, K213		5
196	Peltier effect in doped silicon microchannel plates. 2011 , 32, 122003		
195	Enhanced Thermoelectric Properties of Strongly Degenerate Polycrystalline Silicon upon Second Phase Segregation. 2011 , 1314, 1		13
194	Influence of Impurity Band on Seebeck Coefficient in Heavily-Doped Si. 2011 , 222, 197-200		4
193	High figures of merit in degenerate semiconductors. Energy filtering by grain boundaries in heavily doped polycrystalline silicon. 2012 ,		8
192	Suppression of phonon heat conduction in cross-section-modulated nanowires. <i>Physical Review B</i> , 2012 , 85,	3.3	68

191	Transport, thermal, and magnetic properties of the narrow-gap semiconductor CrSb ₂ . <i>Physical Review B</i> , 2012 , 86,	3.3	32
190	Quantum Simulation of Nanocrystalline Composite Thermoelectric Properties. 2012 , 16, 288-298		1
189	Thermoelectric properties of highly doped n-type polysilicon inverse opals. <i>Journal of Applied Physics</i> , 2012 , 112, 073719	2.5	11
188	Thermal conductivity of silicon nanowire arrays with controlled roughness. <i>Journal of Applied Physics</i> , 2012 , 112, 114306	2.5	105
187	On the best bandstructure for thermoelectric performance: A Landauer perspective. <i>Journal of Applied Physics</i> , 2012 , 111, 113707	2.5	39
186	Reduced thermal conductivity of isotopically modulated silicon multilayer structures. <i>Applied Physics Letters</i> , 2012 , 101, 064103	3.4	14
185	Linear magnetoresistance in n-type silicon due to doping density fluctuations. <i>Scientific Reports</i> , 2012 , 2, 565	4.9	29
184	Evaluation of Seebeck coefficients in n- and p-type silicon nanowires fabricated by complementary metal-oxide-semiconductor technology. 2012 , 23, 405707		13
183	Thermal and Thermoelectric Transport in Nanostructures and Low-Dimensional Systems. 2012 , 16, 79-116		108
182	Spin injection from a half-metal at finite temperatures. <i>Physical Review B</i> , 2012 , 86,	3.3	11
181	Influence of Temperature-Dependent Thomson Coefficient on Thermal Transport in a Low-Dimensional Nanostructure. 2012 , 16, 260-273		
180	Seebeck Effect in Silicon Semiconductors. 2012 , 122, 225		9
179	Phonon transport in Si nanowires with elastically dissimilar barriers. <i>Applied Physics Letters</i> , 2012 , 100, 113110	3.4	4
178	A Method to Measure the Thermal Conductivity of Thermoelectric Nanowires. 2012 ,		
177	Mechanism of thermal conductivity suppression in doped silicon studied with nonequilibrium molecular dynamics. <i>Physical Review B</i> , 2012 , 86,	3.3	19
176	Impact of energy filtering and carrier localization on the thermoelectric properties of granular semiconductors. 2012 , 193, 19-25		131
175	Modeling and theoretical efficiency of a silicon nanowire based thermoelectric junction with area enhancement. <i>Journal of Applied Physics</i> , 2012 , 111, 124319	2.5	11
174	Kinked p-n junction nanowire probes for high spatial resolution sensing and intracellular recording. 2012 , 12, 1711-6		107

173	Adjustment of self-heating in long superconducting thin film NbN microbridges. 2012 , 25, 035012		12
172	Finite size suppression of the weak field magnetoresistance of lightly phosphorous-doped silicon. <i>Journal of Applied Physics</i> , 2012 , 111, 043719	2.5	4
171	Magnetic near fields as a probe of charge transport in spatially dispersive conductors. 2012 , 85, 1		5
170	Giant magnetoresistance in silicene nanoribbons. 2012 , 4, 3111-7		183
169	Highly Ordered Vertical Silicon Nanowire Array Composite Thin Films for Thermoelectric Devices. <i>Journal of Electronic Materials</i> , 2012 , 41, 887-894	1.9	70
168	Nanoelectronics-biology frontier: From nanoscopic probes for action potential recording in live cells to three-dimensional cyborg tissues. 2013 , 8, 351-373		101
167	Nanoelectronics meets biology: from new nanoscale devices for live-cell recording to 3D innervated tissues. 2013 , 8, 2304-14		18
166	Effect of substrate type and thickness on power output of silicon nanowire thermoelectric device. 2013 ,		2
165	Variation of Seebeck coefficient in ultrathin si layer by tuning its Fermi energy. 2013 ,		0
164	Transmission electron microscope as an ultimate tool for nanomaterial property studies. 2013 , 62, 157-75		7
163	Reduction in lattice thermal conductivity of porous materials due to inhomogeneous porosity. 2013 , 67, 107-112		34
162	Metal-semiconductor-metal heterojunction diodes consisting of a thin layer of crystal silicon. <i>Applied Physics Letters</i> , 2013 , 102, 093507	3.4	11
161	Silicon nanowires for advanced energy conversion and storage. 2013 , 8, 75-97		227
160	Thermoelectric Properties of High-Doped Silicon from Room Temperature to 900 K. <i>Journal of Electronic Materials</i> , 2013 , 42, 2381-2387	1.9	49
159	Seebeck coefficient in silicon nanowire arrays. <i>Applied Physics Letters</i> , 2013 , 102, 143102	3.4	26
158	Phonon transport in an initially twisted polyvinyl acetate nanofiber. <i>Applied Physics Letters</i> , 2013 , 102, 191907	3.4	6
157	Measurement of Thermoelectric Properties of Single Semiconductor Nanowires. <i>Journal of Electronic Materials</i> , 2013 , 42, 2409-2414	1.9	30
156	Performance Estimation of Silicon-Based Self-Cooling Device. <i>Japanese Journal of Applied Physics</i> , 2013 , 52, 054201	1.4	2

155	Strongly Correlated Intermetallics: (\mathbf{FeSb}_2). 2013 , 71-93		
154	Phonon drag effect in nanocomposite \mathbf{FeSb}_2 . 2013 , 3, 31-36		21
153	Optimization of the thermoelectric properties of nanostructured silicon. <i>Journal of Applied Physics</i> , 2013 , 114, 214507	2.5	16
152	Modulation of Seebeck coefficient for silicon-on-insulator layer induced by bias-injected carriers. <i>Applied Physics Letters</i> , 2013 , 103, 062107	3-4	3
151	Impact of Isotope Doping on Phonon Thermal Transport in Silicon Nanowires. <i>Japanese Journal of Applied Physics</i> , 2013 , 52, 04CN04	1.4	6
150	The Seebeck coefficient and phonon drag in silicon. <i>Journal of Applied Physics</i> , 2014 , 116, 245102	2.5	36
149	Waste Energy Harvesting. 2014 ,		35
148	Phonon drag effect on Seebeck coefficient of ultrathin P-doped Si-on-insulator layers. <i>Applied Physics Letters</i> , 2014 , 105, 102104	3-4	12
147	Bottom-up nanostructured bulk silicon: a practical high-efficiency thermoelectric material. 2014 , 6, 13921-7		52
146	Chapter 4:Nanowire Biosensors. 2014 , 167-199		
145	Reduction of thermal conductivity in porous SiO_2 materials. 2014 , 2, 076107		21
144	Seebeck coefficient of one electron. <i>Journal of Applied Physics</i> , 2014 , 115, 094508	2.5	4
143	Waste Thermal Energy Harvesting (I): Thermoelectric Effect. 2014 , 263-403		2
142	Use of Electrochemical Etching to Produce Doped Phenylacetylene Functionalized Particles and Their Thermal Stability. <i>Journal of Electronic Materials</i> , 2014 , 43, 2006-2010	1.9	6
141	Thermodynamics at the nanoscale: A new approach to the investigation of unique physicochemical properties of nanomaterials. 2014 , 79, 1-40		105
140	Significant enhancement in the thermoelectric performance of strained nanoporous Si. 2014 , 16, 2425-9		11
139	First-principles studies of the TE properties of [110]-Ge/Si core/shell nanowires with different surface structures. 2014 , 2, 2538		7
138	Grain boundary engineering for improved thin silicon photovoltaics. 2014 , 14, 4943-50		21

137	Phononic engineering of silicon using dots on the fly by E-beam lithography and plasma etching. 2014 , 121, 131-134		32
136	A hydrodynamic model for silicon semiconductors including crystal heating. 2015 , 26, 477-496		26
135	Enhanced cryogenic thermopower in SrTiO ₃ by ionic gating. <i>Physical Review B</i> , 2015 , 92,	3-3	20
134	Efficient thermoelectric performance in silicon nano-films by vacancy-engineering. 2015 , 16, 350-356		23
133	Study on Phonon Drag Effect and Phonon Transport in Thin Si-on-Insulator Layers. 2015 , 1117, 86-89		1
132	Reduced Thermal Conductivity in Silicon Thin-Films via Vacancies. 2015 , 242, 344-349		2
131	Modeling the reduction of thermal conductivity in core/shell and diameter-modulated silicon nanowires. <i>Physical Review B</i> , 2015 , 91,	3-3	27
130	Tunable thermoelectric transport in nanomeshes via elastic strain engineering. <i>Applied Physics Letters</i> , 2015 , 106, 113101	3-4	7
129	Amorphous oxygen-rich molybdenum oxysulfide Decorated p-type silicon microwire Arrays for efficient photoelectrochemical water reduction. 2015 , 16, 130-142		70
128	Effect of film properties for non-linear DPL model in a nanoscale MOSFET with high-k material: ZrO ₂ /HfO ₂ /La ₂ O ₃ . 2015 , 83, 699-718		7
127	Quenched phonon drag in silicon nanowires reveals significant effect in the bulk at room temperature. 2015 , 15, 3159-65		22
126	Thermal and Electric Cloaking Effect in Concentric Composite Made of Homogeneous Bulk and Porous Semiconductors. <i>Journal of Electronic Materials</i> , 2015 , 44, 4663-4668	1-9	2
125	Toward quantitative modeling of silicon phononic thermocrystals. <i>Applied Physics Letters</i> , 2015 , 106, 114104	3-4	13
124	Electrical and thermal properties of polycrystalline Si thin films with phononic crystal nanopatterning for thermoelectric applications. <i>Applied Physics Letters</i> , 2015 , 106, 223106	3-4	41
123	Ab initio optimization of phonon drag effect for lower-temperature thermoelectric energy conversion. 2015 , 112, 14777-82		48
122	Power Response of a Planar Thermoelectric Microgenerator Based on Silicon Nanowires at Different Convection Regimes. 2016 , 3, 335-342		5
121	Role of Nanoscale Precipitates for Enhancement of Thermoelectric Properties of Heavily P-Doped Si-Ge Alloys. 2016 , 57, 1070-1075		2
120	Ultrahigh-Power-Factor Carbon Nanotubes and an Ingenious Strategy for Thermoelectric Performance Evaluation. 2016 , 12, 3407-14		60

119	Thermal Conductivity and Thermoelectric Power of Semiconductors. 2016 ,		5
118	Vertical power MOS transistor as a thermoelectric quasi-nanowire device. <i>Journal of Applied Physics</i> , 2016 , 120, 244903	2.5	1
117	Charge Transport in Quasi-1d Nanostructures. 167-220		
116	Colossal Seebeck effect enhanced by quasi-ballistic phonons dragging massive electrons in FeSb ₂ . 2016 , 7, 12732		36
115	Dislocation loops as a mechanism for thermoelectric power factor enhancement in silicon nano-layers. <i>Applied Physics Letters</i> , 2016 , 109, 173905	3.4	17
114	Improving thermoelectric properties of bulk Si by dispersing VSi ₂ nanoparticles. <i>Japanese Journal of Applied Physics</i> , 2016 , 55, 061301	1.4	8
113	Independent control of electrical and heat conduction by nanostructure designing for Si-based thermoelectric materials. <i>Scientific Reports</i> , 2016 , 6, 22838	4.9	38
112	High Seebeck Coefficient of Porous Silicon: Study of the Porosity Dependence. 2016 , 11, 201		34
111	First-principles simulation on Seebeck coefficient in silicon and silicon carbide nanosheets. <i>Japanese Journal of Applied Physics</i> , 2016 , 55, 06GJ07	1.4	3
110	Thermoelectric properties of nanoscale three dimensional Si phononic crystals. 2016 , 99, 102-106		15
109	Fabrication of Carrier-Doped Si Nanoarchitecture for Thermoelectric Material by Ultrathin SiO ₂ Film Technique. <i>Journal of Electronic Materials</i> , 2016 , 45, 1914-1920	1.9	13
108	Observation of Geometry Induced Doping in Thin Si Nano-grating Layers. 2016 , 92, 896-903		7
107	Nanowire-Enabled Energy Conversion. 2016 , 227-254		
106	Generic Model of Bulk Silicon and Nanowires. 2016 , 268-285		
105	Colossal Seebeck Coefficient of Hopping Electrons in (TMTSF) ₂ PF ₆ . 2016 , 116, 087003		9
104	Quantum Effects in the Thermoelectric Power Factor of Low-Dimensional Semiconductors. 2016 , 117, 036602		77
103	Thermophysical Property of Poly-Si Phonomc Crystals for Thermoelectrics. 2016 , 135-146		
102	Thermal Conductivity of Segmented Nanowires. 2016 , 507-531		

101	Simultaneous Thermoelectric Property Measurement and Incoherent Phonon Transport in Holey Silicon. 2016 , 10, 124-32		81
100	Thermoelectric nanowires: A brief prospective. 2016 , 111, 54-57		40
99	Numerical Modelling of Wire-EDM for Predicting Erosion Rate of Silicon. 2017 , 98, 63-73		3
98	Nonlocal and memory effects in nanoscaled thermoelectric layers. <i>Journal of Applied Physics</i> , 2017 , 121, 014311	2.5	3
97	First-principles calculations of Seebeck coefficients in a magnetic semiconductor CuFeS ₂ . <i>Applied Physics Letters</i> , 2017 , 110, 072107	3.4	31
96	Impact of Short-Wavelength and Long-Wavelength Line-Edge Roughness on the Variability of Ultrascaled FinFETs. 2017 , 64, 1231-1238		6
95	High Thermoelectric Performance in n-Doped Silicon-Based Chalcogenide Si ₂ Te ₃ . 2017 , 29, 3723-3730		29
94	Thermoelectric properties of Si-NiSi ₂ bulk nanocomposites synthesized by a combined method of melt spinning and spark plasma sintering. <i>Journal of Applied Physics</i> , 2017 , 121, 225110	2.5	10
93	Thermoelectric properties of Fe and Al co-added Ge. <i>Japanese Journal of Applied Physics</i> , 2017 , 56, 0455024		
92	Graphene-Au nanoparticle based vertical heterostructures: A novel route towards high-ZT Thermoelectric devices. 2017 , 38, 385-391		19
91	Lattice Thermal Conductivity of Pristine Si Nanowires: Classical Nonequilibrium Molecular Dynamics Study. 2017 , 21, 278-286		2
90	Enhancement of Thermoelectric Properties of Bulk Si by Dispersing Size-Controlled VSi ₂ . <i>Journal of Electronic Materials</i> , 2017 , 46, 3249-3255	1.9	13
89	Thermoelectric performance in n-type bulk silicon: The influence of dopant concentration and dopant species. 2017 , 214, 1700307		9
88	First-Principles Calculation of Charge Transfer at the Silicon/Organic Interface. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 15529-15537	3.8	9
87	The Nature of Silicon Nanowire Roughness and Thermal Conductivity Suppression by Phonon Scattering Mechanisms. 2017 , 6, N3029-N3035		7
86	Thermal conductivity of phononic membranes with aligned and staggered lattices of holes at room and low temperatures. <i>Physical Review B</i> , 2017 , 95,	3.3	30
85	Size effect in thermoelectric power factor of nondegenerate and degenerate low-dimensional semiconductors. 2017 , 4, 12368-12373		7
84	(Invited) Nanostructure Design for Control of Phonon and Electron Transports. 2017 , 80, 93-100		

83	Phonon-Drag Contribution to Seebeck Coefficient in P-Type Si, Ge and Si _{1-x} Ge _x . <i>IEICE Transactions on Electronics</i> , 2017 , E100.C, 482-485	0.4	1
82	Optimization of a near-field thermophotovoltaic system operating at low temperature and large vacuum gap. 2018 , 210, 35-43		30
81	Phototunable Dielectric Huygens' Metasurfaces. 2018 , 30, e1800278		69
80	The Nanometer-Sized Eutectic Structure of Si/CrSi ₂ Thermoelectric Materials Fabricated by Rapid Solidification. <i>Journal of Electronic Materials</i> , 2018 , 47, 2330-2336	1.9	18
79	Hydrogenated Nano-/Micro-Crystalline Silicon Thin-Films for Thermoelectrics. <i>Journal of Electronic Materials</i> , 2018 , 47, 3077-3084	1.9	5
78	Recent Development of Thermoelectric Polymers and Composites. 2018 , 39, e1700727		169
77	Facile synthesis of earth-abundant and non-toxic p-type Si ₉₆ B ₄ /SiCp nanocomposites with enhanced thermoelectric performance. 2018 , 75, 234-238		4
76	Thermal conductivity anisotropy in holey silicon nanostructures and its impact on thermoelectric cooling. 2018 , 29, 045404		11
75	Thermal conductivity reduction in silicon fishbone nanowires. <i>Scientific Reports</i> , 2018 , 8, 4452	4.9	39
74	Integration of Nanostructured Thermoelectric Materials in Micro Power Generators. 2018 , 73-97		
73	Elevated thermoelectric figure of merit of n-type amorphous silicon by efficient electrical doping process. 2018 , 44, 89-94		12
72	Experimental up-scaling of thermal conductivity reductions in silicon by vacancy-engineering: From the nano- to the micro-scale. 2018 , 5, 10211-10217		
71	Resonant Thermal Transport in Nanophononic Metamaterials. 2018 , 1-21		
70	Monte Carlo phonon transport simulations in hierarchically disordered silicon nanostructures. <i>Physical Review B</i> , 2018 , 98,	3.3	16
69	Phonon Scattering in Silicon by Multiple Morphological Defects: A Multiscale Analysis. <i>Journal of Electronic Materials</i> , 2018 , 47, 5148-5157	1.9	8
68	Unusual electronic and vibrational properties in the colossal thermopower material FeSb. <i>Scientific Reports</i> , 2018 , 8, 11692	4.9	5
67	Nanowires for heat conversion. 2018 , 51, 353001		22
66	Two orders of magnitude reduction in silicon membrane thermal conductivity by resonance hybridizations. <i>Physical Review B</i> , 2018 , 97,	3.3	31

65	Heavily Boron-Doped Silicon Layer for the Fabrication of Nanoscale Thermoelectric Devices. <i>Nanomaterials</i> , 2018 , 8,	5.4	7
64	Miniaturized planar Si-nanowire micro-thermoelectric generator using exuded thermal field for power generation. 2018 , 19, 443-453		26
63	Low-Temperature Thermopower in CoSbS. 2019 , 123, 076602		7
62	Improved thermoelectric performance of bilayer Bi ₂ O ₂ Se by the band convergence approach. 2019 , 7, 11029-11039		25
61	Effect of Phonon Drag on Seebeck Coefficient Based on Linear Response Theory: Application to FeSb ₂ . 2019 , 88, 074601		15
60	Silicon integrated circuit thermoelectric generators with a high specific power generation capacity. 2019 , 2, 300-306		45
59	Solution-Processable Superatomic Thin-Films. 2019 , 141, 10967-10971		7
58	Enhancing the Seebeck effect in Ge/Si through the combination of interfacial design features. <i>Scientific Reports</i> , 2019 , 9, 16335	4.9	6
57	A Sequential Finite Volume Method / Finite Element Analysis of a Power Electronic Semiconductor Chip. 2019 ,		0
56	Modeling Thermoelectric Performance in Nanoporous Nanocrystalline Silicon. 2019 , 18, 896-903		5
55	Nanostructured bulk Si for thermoelectrics synthesized by surface diffusion/sintering doping.. 2019 , 9, 15496-15501		
54	Enhanced Phonon Boundary Scattering at High Temperatures in Hierarchically Disordered Nanostructures. <i>Journal of Electronic Materials</i> , 2019 , 48, 1909-1916	1.9	13
53	Low cross-plane thermal conductivity of sub-1 μ m polycrystalline silicon thin films for thermoelectric applications. 2019 , 179, 243-248		3
52	Si-Based Materials for Thermoelectric Applications. 2019 , 12,		7
51	Significant Phonon Drag Enables High Power Factor in the AlGa _N /Ga _N Two-Dimensional Electron Gas. 2019 , 19, 3770-3776		7
50	Optimizing Thermoelectric Power Factor in p-Type Hydrogenated Nano-crystalline Silicon Thin Films by Varying Carrier Concentration. <i>Journal of Electronic Materials</i> , 2019 , 48, 2085-2094	1.9	5
49	Dueling dynamical backaction in a cryogenic optomechanical cavity. 2019 , 99,		4
48	Engineering heat transport in nanoparticle-in-alloy composites: The role of Mie scattering. <i>Journal of Applied Physics</i> , 2019 , 125, 145103	2.5	3

47	Single silicon nanowires as inherent heaters and thermometers for thermal conductivity measurements. 2019 , 9, 015107		4
46	Hybrid Organic-Inorganic Thermoelectric Materials and Devices. 2019 , 58, 15206-15226		87
45	Hybride organisch-anorganische thermoelektrische Materialien und Baueinheiten. 2019 , 131, 15348-15370		7
44	Strong thermal conductivity dependence on arsenic-vacancy complex formation in arsenic-doped silicon. <i>Journal of Applied Physics</i> , 2019 , 126, 195104	2.5	0
43	Fabrication and thermoelectric property of nanostructured Si/Cr _{0.8} Mn _{0.2} Si ₂ eutectic alloy by melt-spinning. <i>Materials Research Express</i> , 2019 , 6, 025702	1.7	2
42	Suns-ILIT: Contact-less determination of local solar cell current-voltage characteristics. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 191, 71-77	6.4	2
41	Low-temperature thermal rectification by tailoring isotope distributions. <i>Physical Review B</i> , 2019 , 99,	3.3	0
40	Peak thermoelectric power factor of holey silicon films. <i>Journal of Applied Physics</i> , 2020 , 128, 115109	2.5	3
39	Synthesis and characterization of bulk Si ₃ N ₄ /Si nanocomposite and comparisons of approaches for enhanced thermoelectric properties in nanocomposites composed of Si and various metal silicides. <i>Journal of Applied Physics</i> , 2020 , 128, 095101	2.5	0
38	Peculiar Magnetic and Transport Properties of CuFeS ₂ : Defects Play a Key Role. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 20773-20783	3.8	3
37	Measurement of the Seebeck coefficient under high pressure by dual heating. <i>Review of Scientific Instruments</i> , 2020 , 91, 035115	1.7	1
36	Design of a planar-type uni-leg SiGe thermoelectric generator. <i>Japanese Journal of Applied Physics</i> , 2020 , 59, 074003	1.4	5
35	High thermoelectric power factor of p-type amorphous silicon thin films dispersed with ultrafine silicon nanocrystals. <i>Journal of Applied Physics</i> , 2020 , 127, 245304	2.5	3
34	Decreasing of the thermal conductivity of Si nanopillar/SiGe composite films investigated by using a piezoelectric photothermal spectroscopy. <i>Japanese Journal of Applied Physics</i> , 2020 , 59, SKKA08	1.4	3
33	Synthesis of Silicon and Higher Manganese Silicide Bulk Nano-composites and Their Thermoelectric Properties. <i>Journal of Electronic Materials</i> , 2020 , 49, 2920-2927	1.9	3
32	Possible enhancement of thermoelectric performance for Si ₃ BiO ₂ sintered composite by percolation effect. <i>Journal of Alloys and Compounds</i> , 2021 , 860, 157919	5.7	
31	Microscopic information provided by transport measurements. 2021 , 309-362		
30	Recent developments in 2D transition metal dichalcogenides: phase transition and applications of the (quasi-)metallic phases. <i>Chemical Society Reviews</i> , 2021 , 50, 10087-10115	58.5	25

29	Phonons and Thermal Transport in Si/SiO ₂ Multishell Nanotubes: Atomistic Study. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3419	2.6	1
28	Optimal carrier concentration for FeSb ₂ colossal thermopower. <i>Applied Physics Letters</i> , 2021 , 118, 233903	3.4	1
27	Microthermoelectric devices using Si nanowires. 2021 , 503-520		
26	Origin of anomalous temperature dependence of the Nernst effect in narrow-gap semiconductors. <i>Physical Review B</i> , 2021 , 103,	3.3	1
25	Three-Dimensional Micro/Nanomaterials Generated by Fiber-Drawing Nanomanufacturing. 2011 , 117-132		4
24	Resonant Thermal Transport in Nanophononic Metamaterials. 2020 , 953-973		1
23	Effect of Phonon-Drag Contributed Seebeck Coefficient on Si-Wire Thermopile Voltage Output. <i>IEICE Transactions on Electronics</i> , 2019 , E102.C, 475-478	0.4	1
22	Effects of random pores on the thermoelectric properties of Si ₁₀₀ P _{2.5} (GaP) _{1.5} bulk. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2012 , 61, 237201	0.6	
21	Nanoscale Field-Effect Transistors for Minimally Invasive, High Spatial Resolution, and Three-Dimensional Action Potential Recording. 2014 , 13-43		
20	Porous Silicon as a Material for Thermoelectric Devices. 2016 , 375-385		
19	Bottom-up nanostructured silicon for thermoelectrics. <i>Series in Materials Science and Engineering</i> , 2017 , 539-554		
18	Enhanced thermoelectric properties in Sb/Ge core/shell nanowires through vacancy modulation. <i>Scientific Reports</i> , 2021 , 11, 21921	4.9	
17	Novel method for convenient Seebeck coefficient measurements on individual Si nanowires. <i>Journal of Applied Physics</i> , 2020 , 128, 185108	2.5	
16	Effect of metal heat guide structure on the performance of planar Si thermoelectric generator embedded in SiO ₂ inter-layer dielectric. <i>Japanese Journal of Applied Physics</i> ,	1.4	
15	Simultaneous enhancements of thermopower and electrical conductivity in quasi-one-dimensional Bi ₂ Te ₃ single crystal. <i>Applied Physics Letters</i> , 2021 , 119, 223905	3.4	1
14	Introduction. <i>Lecture Notes in Electrical Engineering</i> , 2022 , 1-8	0.2	
13	Thermoelectric films and periodic structures and spin Seebeck effect systems: facets of performance optimization. <i>Materials Today Energy</i> , 2022 , 25, 100965	7	4
12	Electromotive Force of Piezoelectric/Thermoelectric-Combined Power Generator under Vibration and Temperature Gradient. <i>IEICE Transactions on Electronics</i> , 2022 ,	0.4	

11	Relaxation time approximations in PAOFLOW 2.0.. <i>Scientific Reports</i> , 2022 , 12, 4993	4.9	○
10	High thermoelectric performance in metastable phase of silicon: A first-principles study. <i>Applied Physics Letters</i> , 2022 , 120, 163901	3.4	○
9	New Fabrication Method of Silicon Sub-Micron Beams with Monolithic Contacts for Thermoelectric Transport Properties Analysis.. <i>Nanomaterials</i> , 2022 , 12,	5.4	
8	Thermoelectric Materials. 2022 , 509-665		
7	Influence of the Electron Beam and the Choice of Heating Membrane on the Evolution of Si Nanowires Morphology in In Situ TEM. 2022 , 15, 5244		
6	A Penta-Silicene Nanoribbon-based 3D Silicon Allotrope with High Carrier Mobility and Thermoelectric Performance.		○
5	Thermoelectric transport contribution from topological surface states vs 2D-electron gas in 10 nm Bi ₂ Se ₃ . 2022 , 132, 164301		○
4	Magnetic control of heat generation in a magnetic tunnel contact with spin accumulation. 2022 , 106,		○
3	Peltier coefficient measurement by stable method and transient method. 2023 , 0		○
2	Experimental study on the effect of impurity concentration on phonon and electronic transport properties of single-crystal silicon. 2023 , 47, 106356		○
1	On-the-fly machine learning potential accelerated accurate prediction of lattice thermal conductivity of metastable silicon crystals. 2023 , 7,		○