

CITATION REPORT

List of articles citing

Edinburgh Artery Study: prevalence of asymptomatic and symptomatic peripheral arterial disease in the general population

DOI: 10.1093/ije/20.2.384

International Journal of Epidemiology, 1991, 20, 384-92.

Source: <https://exaly.com/paper-pdf/22723285/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
984	Smoking, lipids, glucose intolerance, and blood pressure as risk factors for peripheral atherosclerosis compared with ischemic heart disease in the Edinburgh Artery Study. 1992 , 135, 331-40		386
983	Lower extremity arterial disease and the aging process: a review. 1992 , 45, 529-42		215
982	Validity of duplex scanning in the detection of peripheral arterial disease in the general population. 1992 , 6, 31-5		18
981	Voluntary dehydration and heat intolerance in cystic fibrosis. 1992 , 339, 696-9		76
980	Serum cholesterol, triglycerides, and aggression in the general population. 1992 , 340, 995-8		84
979	The Edinburgh Claudication Questionnaire: an improved version of the WHO/Rose Questionnaire for use in epidemiological surveys. 1992 , 45, 1101-9		399
978	Fibrinogen genotype and risk of peripheral atherosclerosis. 1992 , 339, 693-6		123
977	Coronary revascularisation in insulin-dependent diabetic patients with chronic renal failure. 1992 , 340, 998-1002		277
976	Smoking, haemostatic factors and lipid peroxides in a population case control study of peripheral arterial disease. 1993 , 102, 155-62		98
975	Reactive hyperemia test in a random sample of the general population. <i>Journal of Vascular Surgery</i> , 1993 , 17, 479-486	3.5	6
974	Segmental arterial disease in the lower extremities: correlates of disease and relationship to mortality. 1993 , 46, 1267-76		57
973	Low ankle-brachial pressure index in 68-year-old men: prevalence, risk factors and prognosis. Results from prospective population study "Men born in 1914", MalmöSweden. 1993 , 7, 500-6		35
972	Cerebral white matter lesions and atherosclerosis in the Rotterdam Study. 1993 , 341, 1232-7		309
971	Non-invasively detected carotid stenosis and ischaemic heart disease in men with leg arteriosclerosis. 1993 , 342, 1138-41		106
970	Morbidity and Mortality in Hypertensive Adults With a Low Ankle/Arm Blood Pressure Index. 1993 , 270, 487		191
969	Decreased Ankle/Arm Blood Pressure Index and Mortality in Elderly Women. 1993 , 270, 465		204
968	The relationship between blood viscosity and blood pressure in a random sample of the population aged 55 to 74 years. 1993 , 14, 597-601		67

967	Physical activity and risk of peripheral arterial disease in the general population: Edinburgh Artery Study. 1993 , 47, 475-80	50
966	Blood viscosity, fibrinogen, and activation of coagulation and leukocytes in peripheral arterial disease and the normal population in the Edinburgh Artery Study. 1993 , 87, 1915-20	310
965	Ankle-arm index as a marker of atherosclerosis in the Cardiovascular Health Study. Cardiovascular Heart Study (CHS) Collaborative Research Group. 1993 , 88, 837-45	873
964	Large vessel disease in CREST. 1993 , 52, 837-8	2
963	Lower-extremity arterial disease in older hypertensive adults. 1993 , 13, 555-62	49
962	Ankle/Arm Blood Pressure Index. 1993 , 270, 497	22
961	Prevalence and correlates of lower extremity arterial disease in elderly women. 1993 , 137, 559-68	98
960	The relationship between ankle-arm index and mortality in older men and women. 1993 , 41, 523-30	93
959	Medical angiologists. Britain needs them. 1993 , 307, 127-8	
958	Sex differences in susceptibility to etiologic factors for peripheral atherosclerosis. Importance of plasma fibrinogen and blood viscosity. 1994 , 14, 862-8	49
957	Plasma essential fatty acids, cigarette smoking, and dietary antioxidants in peripheral arterial disease. A population-based case-control study. 1994 , 14, 471-8	69
956	Assessment of peripheral vascular disease in diabetics. 1994 , 89, 1909-10	
955	Peripheral vascular disease: consequence for survival and association with risk factors in the Speedwell prospective heart disease study. 1994 , 72, 128-32	89
954	Intraclass correlation coefficient rather than correlation coefficient to examine agreements among different methods measuring valvular area. 1994 , 89, 1910-1	8
953	Guidelines for peripheral percutaneous transluminal angioplasty of the abdominal aorta and lower extremity vessels. A statement for health professionals from a special writing group of the Councils on Cardiovascular Radiology, Arteriosclerosis, Cardio-Thoracic and Vascular Surgery, Clinical Cardiology, and Epidemiology and Prevention, the American Heart Association. 1994 , 89, 511-31	245
952	The relation of coronary and peripheral arterial disease to the severity of femoral atherosclerosis in hypercholesterolaemia. 1994 , 236, 367-75	10
951	Relationship between plasma essential fatty acids and smoking, serum lipids, blood pressure and haemostatic and rheological factors. 1994 , 51, 101-8	31
950	Heart disease in the assessment and treatment of hypercholesterolemia: coronary artery disease and other atherosclerotic disease, family history, and left ventricular hypertrophy. 1994 , 96, 9S-18S	5

949	A marked decline in the prevalence and incidence of intermittent claudication in Icelandic men 1968-1986: a strong relationship to smoking and serum cholesterol—the Reykjavik Study. 1994 , 47, 1237-43	82
948	Management of thrombosis in peripheral arterial disease. 1994 , 50, 923-35	4
947	Epidemiology of intermittent claudication in middle-aged men. 1994 , 140, 418-30	98
946	The prevention of cardiovascular disease. Emphasis on secondary prevention. 1994 , 78, 69-98	23
945	Functional status and mobility among elderly women with lower extremity arterial disease: the Study of Osteoporotic Fractures. 1994 , 42, 923-9	75
944	Is Arterial Disease a Risk Factor for Chronic Leg Ulceration?. 1994 , 9, 87-90	12
943	Hostile personality and risks of peripheral arterial disease in the general population. 1994 , 56, 197-202	46
942	Medical therapy of peripheral arterial occlusive disease. 1995 , 75, 569-79	7
941	Intermittent claudication. The natural history. 1995 , 75, 581-91	17
940	Relationship between alcohol intake and tissue plasminogen activator antigen and other haemostatic factors in the general population. 1995 , 9, 49-54	12
939	Impact of intermittent claudication on quality of life. The Scottish Vascular Audit Group. 1995 , 9, 469-72	143
938	Peripheral arterial disease in relation to glycaemic level in an elderly Caucasian population: the Hoorn study. 1995 , 38, 86-96	214
937	Alcohol intake as a risk factor for peripheral arterial disease in the general population in the Edinburgh Artery Study. 1995 , 11, 9-14	41
936	Peripheral arterial-vascular disease in women: prevalence, prognosis, and treatment. 1995 , 86, 349-55	19
935	Heart rate-corrected ankle-to-arm index in the diagnosis of moderate lower extremity arterial disease. 1995 , 46, 673-7	10
934	Risk factor profile of nonsmokers with peripheral arterial disease. 1995 , 46, 657-62	10
933	Ankle/arm pressure index in asymptomatic middle-aged males: an independent predictor of ten-year coronary heart disease mortality. 1995 , 46, 211-9	85
932	Increased prevalence of symptomatic macrovascular disease in systemic sclerosis. 1995 , 54, 853-5	84

931	The impact of gender on the results of arterial bypass with in situ greater saphenous vein. 1995 , 170, 97-102		70
930	Tissue-plasminogen activator, plasminogen activator inhibitor and risk of peripheral arterial disease. 1995 , 115, 35-43		44
929	Building a partnership between vascular medicine and vascular surgery: a coalition for the future of vascular care. <i>Journal of Vascular Surgery</i> , 1996 , 23, 918-25	3.5	12
928	Incidence, natural history and cardiovascular events in symptomatic and asymptomatic peripheral arterial disease in the general population. <i>International Journal of Epidemiology</i> , 1996 , 25, 1172-81	7.8	522
927	Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan. 1996 , 120, 125-33		155
926	The diagnostic value of the measurement of the ankle-brachial systolic pressure index in primary health care. 1996 , 49, 1401-5		97
925	Femoral artery wall morphology, hemostatic factors and intermittent claudication: ultrasound study in men at high and low risk for atherosclerotic disease. 1996 , 26, 45-57		5
924	Haemostatic and rheological factors in intermittent claudication: the influence of smoking and extent of arterial disease. 1996 , 92, 226-30		33
923	Arterial disease: reversible and irreversible risk factors. 1996 , 5, 89-90		4
922	Claudication as an 'orphan disease': rationale and goals of drug therapy for peripheral arterial disease. <i>Vascular Medicine</i> , 1996 , 1, 37-42	3.3	11
921	Irish society for rheumatology. 1996 , 165, 34-45		
920	Outcome of symptomatic leg ischaemia: four year morbidity and mortality in Vadstena, Sweden. 1996 , 11, 315-23		9
919	Correlation between ankle-arm blood pressure index (AAI) and atherosclerotic vascular involvement in coronary arteries. 1996 , 22 Suppl 1, 85-94		3
918	The ankle-arm blood pressure index is strongly predictive for cardiovascular mortality in men. 1996 , 22 Suppl 1, 157-66		4
917	Age-related macular degeneration and smoking. The Rotterdam Study. 1996 , 114, 1193-6		219
916	The prevalence of asymptomatic and unrecognized peripheral arterial occlusive disease. <i>International Journal of Epidemiology</i> , 1996 , 25, 282-90	7.8	200
915	Comparison of lower limb arterial assessments using color-duplex ultrasound and ankle/brachial pressure index measurements. 1996 , 47, 225-32		33
914	Lipid profile and peripheral vascular disease in arseniasis-hyperendemic villages in Taiwan. 1997 , 48, 321-35		53

913	Vascular Medicine Yesterday, Today, and Tomorrow. <i>Journal of Endovascular Therapy</i> , 1997 , 4, 227-231	2.5	1
912	Impact of angioplasty and arterial reconstructive surgery on the quality of life of claudicants. The Scottish Vascular Audit Group. 1997 , 42, 47-8		15
911	Mortality over four years in SHEP participants with a low ankle-arm index. 1997 , 45, 1472-8		121
910	Dietary Nutrients and Plasma n-3, n-6, Saturated and Monounsaturated Fatty Acids. 1997 , 7, 91-100		3
909	Decreased ankle/brachial indices in relation to morbidity and mortality in patients with peripheral arterial disease. <i>Vascular Medicine</i> , 1997 , 2, 169-73	3.3	45
908	Smoking, atherosclerosis and risk of abdominal aortic aneurysm. 1997 , 18, 671-6		95
907	Associations of ankle-brachial index with clinical coronary heart disease, stroke and preclinical carotid and popliteal atherosclerosis: the Atherosclerosis Risk in Communities (ARIC) Study. 1997 , 131, 115-25		373
906	Epidemiology of peripheral vascular disease. 1997 , 131 Suppl, S29-31		28
905	Epidemiology of Vascular Disease. 1997 , 2, 9-17		2
904	Management of Lower Limb Intermittent Claudication. 1997 , 2, 18-29		
903	Should claudicants receive angioplasty or exercise training?. 1997 , 5, 463-70		6
902	Left, right, near or far wall common carotid intima-media thickness measurements: associations with cardiovascular disease and lower extremity arterial atherosclerosis. 1997 , 50, 801-7		80
901	Steroid sex hormones and peripheral arterial disease in the Edinburgh Artery Study. 1997 , 62, 789-94		46
900	Submissiveness: protection or risk?. 1997 , 350, 1478-9; author reply 1479		
899	Submissiveness and protection from coronary heart disease in the general population: Edinburgh Artery Study. 1997 , 350, 541-5		95
898	Atherosclerosis, apolipoprotein E, and prevalence of dementia and Alzheimer's disease in the Rotterdam Study. 1997 , 349, 151-4		1142
897	Submissiveness: protection or risk?. 1997 , 350, 1479		2
896	High prevalence of hyperhomocysteinemia and asymptomatic vascular disease in siblings of young patients with vascular disease and hyperhomocysteinemia. 1997 , 17, 2655-62		22

895	Effect of alpha-tocopherol (vitamin E) and beta-carotene supplementation on the incidence of intermittent claudication in male smokers. 1997 , 17, 3475-80	22
894	Vascular determinants of epilepsy: the Rotterdam Study. 1997 , 38, 1216-20	81
893	Hostility, cigarette smoking and alcohol consumption in the general population. 1997 , 44, 1089-96	84
892	Quality of life analysis in patients with lower limb ischaemia: suggestions for European standardisation. 1997 , 13, 597-604	118
891	Vascular stents and stent grafts: a vascular surgeon's view. 1997 , 20, 1-4	3
890	Blood viscosity and risk of cardiovascular events: the Edinburgh Artery Study. 1997 , 96, 168-73	382
889	Variation in management of intermittent claudication by vascular surgeons in Scotland. Scottish Vascular Audit Group [corrected]. 1998 , 15, 250-4	1
888	Low prevalence of long-term complications in non-insulin-dependent diabetes mellitus in France: a multicenter study. CODIAB-INSERM-ZENECA Pharma Study Group. 1998 , 12, 88-95	38
887	Effect of timing of blood pressure measurement in the assessment of arterial stiffness: the SMART Study. 1998 , 24, 1285-9	9
886	Part II. Evidence-based medicine: a passing fancy or the future of primary care?. 1998 , 44, 370-99	7
885	Risk factors and cardiovascular diseases associated with asymptomatic peripheral arterial occlusive disease. The Limburg PAOD Study. Peripheral Arterial Occlusive Disease. 1998 , 16, 177-82	81
884	Biochemical and inflammatory changes in the exercising claudicant. <i>Vascular Medicine</i> , 1998 , 3, 189-98	3.3 28
883	Blood viscosity and elevated carotid intima-media thickness in men and women: the Edinburgh Artery Study. 1998 , 97, 1467-73	185
882	Peripheral arterial disease in the elderly: The Rotterdam Study. 1998 , 18, 185-92	543
881	Fibrinogen, Factor VII and PAI-1 Genotypes and the Risk of Coronary and Peripheral Atherosclerosis: Edinburgh Artery Study. 1999 , 81, 553-560	63
880	Relationship between smoking and cardiovascular risk factors in the development of peripheral arterial disease and coronary artery disease: Edinburgh Artery Study. 1999 , 20, 344-53	249
879	Is age-related maculopathy associated with Alzheimer's Disease? The Rotterdam Study. 1999 , 150, 963-8	126
878	Prevalence of peripheral arterial disease and associated risk factors in American Indians: the Strong Heart Study. 1999 , 149, 330-8	93

877	Risk factors for popliteal and carotid wall thicknesses in the Atherosclerosis Risk in Communities (ARIC) Study. 1999 , 150, 1055-67		47
876	Common carotid intima-media thickness and arterial stiffness: indicators of cardiovascular risk in high-risk patients. The SMART Study (Second Manifestations of ARterial disease). 1999 , 100, 951-7		299
875	Commentary on "the effects of peripheral vascular disease on gait". 1999 , 54, B295-6		2
874	Selecting subjects for ultrasonographic screening for aneurysms of the abdominal aorta: four different strategies. <i>International Journal of Epidemiology</i> , 1999 , 28, 682-6	7.8	14
873	Essential fatty acids and cardiovascular disease: the Edinburgh Artery Study. <i>Vascular Medicine</i> , 1999 , 4, 219-26	3.3	29
872	Atherosclerotic lesions are more frequent in femoral arteries than in carotid arteries independent of increasing number of risk factors. 1999 , 50, 649-54		58
871	Different prevalence of asymptomatic atherosclerotic lesions in males and females. <i>Vascular Medicine</i> , 1999 , 4, 61-5	3.3	12
870	Cardiovascular disease in cirrhosis--a point-prevalence study in relation to glucose tolerance. 1999 , 94, 655-62		28
869	Pilot study of prevalence of asymptomatic peripheral arterial occlusive disease in patients with diabetes attending a hospital clinic. 1999 , 16, 163-166		40
868	The role of haematological factors in diabetic peripheral arterial disease: the Edinburgh artery study. 1999 , 105, 648-54		27
867	Assessment of intermittent claudication: a comparison of questionnaire, visual analogue scale and subjective estimate information with post-exercise ankle-brachial pressure index. 1999 , 19, 445-9		1
866	Second manifestations of ARterial disease (SMART) study: rationale and design. 1999 , 15, 773-81		286
865	Clinical review: irradiation for lower extremity arterial occlusive disease. 1999 , 1, 288-96		2
864	Carotid artery stenosis in patients with peripheral arterial disease: the SMART study. SMART study group. <i>Journal of Vascular Surgery</i> , 1999 , 30, 519-25	3.5	57
863	Cardiovascular disease in cirrhosis A point-prevalence study in relation to glucose tolerance. 1999 , 94, 655-662		52
862	Prognostic importance of lower extremity arterial disease in patients undergoing coronary revascularization in the Bypass Angioplasty Revascularization Investigation (BARI). 1999 , 34, 716-21		60
861	Common carotid intima-media thickness in patients with peripheral arterial disease or abdominal aortic aneurysm: the SMART study. Second Manifestations of ARterial disease. 1999 , 146, 243-8		28
860	The effect of alpha-tocopherol and beta-carotene supplementation on symptoms and progression of intermittent claudication in a controlled trial. 1999 , 147, 193-7		25

859	The Impact of Gender on Infrainguinal Arterial Occlusive Disease. 1999 , 10, 123-138	
858	Neuroticism and polymorphisms in the serotonin transporter gene. 1999 , 29, 735-9	76
857	Oxidation of LDL and extent of peripheral atherosclerosis. 1999 , 31, 129-39	5
856	The ankle brachial index in chronic spinal cord injury: a pilot study. 2000 , 23, 284-8	6
855	EPIDEMIOLOGIC DATA IN CLINICAL PRACTICE. 2000 , 48, 1157-1162	32
854	Personality and social predictors of atherosclerotic progression: Edinburgh Artery Study. 2000 , 62, 703-14	44
853	Epidemiology, natural history, risk factors. 2000 , 19, S4-S30	
852	Irradiation for intimal hyperplasia: implications for peripheral arterial bypass. 2000 , 190, 364-70	5
851	Ankle-brachial index as a predictor of the extent of coronary atherosclerosis and cardiovascular events in patients with coronary artery disease. 2000 , 86, 615-8	164
850	Segmental manifestation of peripheral atherosclerosis and its association to risk factors. <i>Vasa - European Journal of Vascular Medicine</i> , 2000 , 29, 199-203	1.9 6
849	Measures of success and health-related quality of life in lower-extremity vascular surgery. 2000 , 51, 101-13	12
848	Atrial fibrillation and the risk of cerebral white matter lesions. 2000 , 54, 1795-801	100
847	Contribution of genetic and environmental influences to ankle-brachial blood pressure index in the NHLBI Twin Study. National Heart, Lung, and Blood Institute. 2000 , 151, 452-8	57
846	Macrovascular disease and systemic sclerosis. 2000 , 59, 39-43	120
845	Determinants of peripheral arterial disease in the elderly: the Rotterdam study. 2000 , 160, 2934-8	177
844	The use of holistic assessment in the treatment of leg ulcers. 2000 , 9, 1040-2, 1046, 1048 passim	7
843	Lower extremity arterial disease in older women: the Rancho Bernardo Study. 2000 , 9, 373-80	9
842	Feasibility and reliability of ankle/arm blood pressure index in preventive medicine. 2000 , 51, 463-71	7

841	Abnormalities of coagulation in hypertensive patients with reduced creatinine clearance. 2000 , 109, 556-61		51
840	Relationship between endothelial cell markers and arterial stenosis in peripheral and carotid artery disease. 2000 , 97, 209-16		39
839	Prevalence and risk factors of peripheral vascular disease in a selected South Indian population: the Chennai Urban Population Study. 2000 , 23, 1295-300		118
838	Factors affecting the diagnosis of peripheral vascular disease before vascular surgery referral. <i>Journal of Vascular Surgery</i> , 2000 , 31, 870-9	3.5	33
837	Phosphorus 31 nuclear magnetic resonance spectroscopy suggests a mitochondrial defect in claudicating skeletal muscle. <i>Journal of Vascular Surgery</i> , 2000 , 31, 944-52	3.5	82
836	Epidemiology, natural history, risk factors. <i>Journal of Vascular Surgery</i> , 2000 , 31, S5-S34	3.5	18
835	Oral Beraprost sodium, a prostaglandin I(2) analogue, for intermittent claudication: a double-blind, randomized, multicenter controlled trial. Beraprost et Claudication Intermittente (BERCI) Research Group. 2000 , 102, 426-31		123
834	The Effect of Short-term Lipid Lowering with Atorvastatin on Carotid Artery Intima Media Thickness in Patients with Peripheral Vascular Disease: A Pilot Study. 2000 , 16, 198-204		32
833	Methylene tetrahydrofolate reductase (MTHFR) and nitric oxide synthase (ecNOS) genes and risks of peripheral arterial disease and coronary heart disease: Edinburgh Artery Study. 2000 , 150, 179-85		58
832	Coagulation, fibrinolysis and platelet P-selectin expression in peripheral vascular disease. 2001 , 21, 147-54		36
831	Lipoprotein (a) and development of intermittent claudication and major cardiovascular events in men and women: the Edinburgh Artery Study. 2001 , 157, 241-9		42
830	Femoral artery wall thickness and stiffness in evaluation of peripheral vascular disease in type 2 diabetes mellitus. 2001 , 158, 207-14		65
829	Medical treatment of peripheral arterial disease and claudication. 2001 , 344, 1608-21		856
828	Association between arterial stiffness and atherosclerosis: the Rotterdam Study. 2001 , 32, 454-60		880
827	The role of comorbidity in the assessment of intermittent claudication in older adults. 2001 , 54, 294-300		31
826	Epidemiological research on peripheral vascular disease. 2001 , 54, 863-8		23
825	Distal aortic diameter and peripheral arterial occlusive disease. <i>Journal of Vascular Surgery</i> , 2001 , 34, 1085-9	3.5	14
824	Computed tomography angiography: a case study of peripheral vessel investigation.		10

823	The Bambu health and aging study (BHAS). Prevalence of intermittent claudication in the aged population of the community of Bambu and its associated factors. 2001 , 77, 453-62	6
822	Relationship of lipoprotein(a) to variables of coagulation in hypertensive subjects. 2001 , 49, 12-20	4
821	Medical management of peripheral arterial disease. 2001 , 9, 238-45	44
820	Whole-body (201)Tl scintigraphy can detect exercise lower limb perfusion abnormalities in asymptomatic diabetic patients with normal Doppler pressure indices. 2001 , 22, 949-54	23
819	Thrombus formation on atherosclerotic plaques: pathogenesis and clinical consequences. 2001 , 134, 224-38	201
818	Is oscillometric ankle pressure reliable in leg vascular disease?. 2001 , 21, 155-63	16
817	Determinants of locomotor disability in people aged 55 years and over: the Rotterdam Study. 2001 , 17, 1033-41	76
816	Peripheral vascular disease and hypertension: a forgotten association?. 2001 , 15, 447-54	49
815	The five-factor model (NEO-FFI) and The Personality Deviance Scales-Revised (PDS-R): going around in interpersonal circles. 2001 , 31, 259-267	33
814	[Epidemiology of and risk factors for lower limb arteriopathy obliterans]. 2001 , 50, 119-27	1
813	[Effect of naftidrofuryl on physiological walking distance in patients with intermittent claudication]. 2001 , 50, 175-82	25
812	Quality of life in patients with intermittent claudication using the World Health Organisation (WHO) questionnaire. 2001 , 21, 118-22	51
811	Incidence of and risk factors for asymptomatic peripheral arterial occlusive disease: a longitudinal study. 2001 , 153, 666-72	147
810	Dietary antioxidants and peripheral arterial disease : the Rotterdam Study. 2001 , 154, 145-9	46
809	Peripheral arterial disease detection, awareness, and treatment in primary care. 2001 , 286, 1317-24	1805
808	Inpatient utilization of medical services associated with peripheral arterial disease-related inpatient procedures in the Department of Defense. <i>Vascular Medicine</i> , 2001 , 6, 71-76	3-3 2
807	Peripheral arterial disease in diabetic and nondiabetic patients: a comparison of severity and outcome. 2001 , 24, 1433-7	506
806	Peripheral arterial disease: epidemiology and drug therapy. 2002 , 11, 258-66	14

805	The effect of varying cuff position on recording ankle systolic blood pressure. 2002 , 11, 185-9	11
804	Sulodexide in the treatment of intermittent claudication. Results of a randomized, double-blind, multicentre, placebo-controlled study. 2002 , 23, 1057-65	39
803	Serotonin receptor blockade improves distal perfusion after lower limb ischemia in the fatty Zucker rat. 2002 , 56, 293-302	19
802	Managing peripheral arterial disease in primary care. 2002 , 40, 5-8	1
801	Alcohol consumption and risk of peripheral arterial disease: the Rotterdam study. 2002 , 155, 332-8	52
800	Peripheral vascular occlusive disease: evaluation with contrast-enhanced moving-bed MR angiography versus digital subtraction angiography in 106 patients. 2002 , 179, 1013-21	81
799	Coronary artery disease and intermittent claudication: how to manage the patient. 2002 , 4, B58-B62	1
798	Cerebral haemodynamics and depression in the elderly. 2002 , 73, 34-9	45
797	Clinical manifestation of atherosclerotic peripheral arterial disease and the role of cilostazol in treatment of intermittent claudication. 2002 , 42, 1291-8	13
796	Lower extremity nontraumatic amputation among veterans with peripheral arterial disease: is race an independent factor?. 2002 , 40, 1106-16	59
795	Clinical significance, detection, and medical treatment for peripheral arterial disease. 2002 , 22, 73-9	4
794	The ankle brachial index is associated with leg function and physical activity: the Walking and Leg Circulation Study. 2002 , 136, 873-83	368
793	Endovascular stents for intermittent claudication. 2003 , CD003228	5
792	The intermittent claudication questionnaire: A patient-assessed condition-specific health outcome measure. <i>Journal of Vascular Surgery</i> , 2002 , 36, 764-IN5	3.5 2
791	The cardiovascular risk burden of intermittent claudication. 2002 , 4, B46-B49	5
790	Intravascular brachytherapy for peripheral vascular disease. 2002 , CD003504	3
789	Peripheral arterial disease: medical care and prevention of complications. 2002 , 5, 119-30	19
788	Impaired carotid and femoral viscoelastic properties and elevated intima-media thickness in peripheral vascular disease. 2002 , 164, 113-20	35

787	Cilostazol treatment of claudication in diabetic patients. 2002 , 18, 479-87		14
786	PAD. Epidemiology and pathophysiology. 2002 , 106, V295-301		51
785	Sex-related differences in outcome after vascular interventions for lower limb ischemia. <i>Journal of Vascular Surgery</i> , 2002 , 35, 510-6	3.5	22
784	The intermittent claudication questionnaire: A patient-assessed condition-specific health outcome measure. <i>Journal of Vascular Surgery</i> , 2002 , 36, 764-771	3.5	70
783	Differential gene expression in human abdominal aorta: aneurysmal versus occlusive disease. <i>Journal of Vascular Surgery</i> , 2002 , 35, 346-55	3.5	72
782	A new treatment for intermittent claudication. 2002 , 13, 463-465		
781	Alterations of thrombogenesis, endothelial damage and oxidative stress with reperfusion during femoral artery bypass surgery for peripheral vascular disease. 2002 , 32, 158-64		5
780	Relationships between ability and personality: does intelligence contribute positively to personal and social adjustment?. 2002 , 32, 1391-1411		155
779	The prevalence of peripheral arterial disease and medial arterial calcification in patients with chronic renal failure: requirements for diagnostics. 2002 , 40, 472-9		210
778	What constitutes best medical therapy for peripheral arterial disease?. 2002 , 24, 6-12		24
777	Bone mineral density and the risk of peripheral arterial disease: the Rotterdam Study. 2002 , 70, 443-9		99
776	Preventing atherothrombotic events in peripheral arterial disease: the use of antiplatelet therapy. 2002 , 251, 193-206		28
775	Atherosclerotic risk factor reduction in peripheral arterial disease: results of a national physician survey. 2002 , 17, 895-904		102
774	The ankle brachial index and change in lower extremity functioning over time: the Women's Health and Aging Study. 2002 , 50, 238-46		46
773	Homocysteine and the stage of atherosclerotic disease: a study in patients suffering from clinically silent and clinically manifest atherosclerotic disease. 2002 , 32, 309-15		12
772	Metabolic, endocrine and haemodynamic risk factors in the patient with peripheral arterial disease. 2002 , 4 Suppl 2, S7-13		11
771	Evidence-based symptom relief of intermittent claudication: efficacy and safety of cilostazol. 2002 , 4 Suppl 2, S20-5		5
770	Prevalence of peripheral arterial disease: persistence of excess risk in former smokers. <i>Australian and New Zealand Journal of Public Health</i> , 2002 , 26, 219-24	2.3	50

769	Magnetic resonance angiography of the peripheral arteries: current status. 2003 , 13, 836-52		56
768	The prevalence of intermittent claudication. Sex-related differences have been eliminated. 2003 , 25, 209-12		16
767	Disease-specific quality of life assessment in intermittent claudication: review. 2003 , 25, 202-8		42
766	Ethnicity and peripheral arterial disease. 2003 , 25, 505-12		28
765	Prevalence and distribution of coronary disease in claudicants using 12-lead precordial stress electrocardiography. 2003 , 25, 519-26		5
764	Antiplatelet therapy in peripheral arterial disease. Consensus statement. 2003 , 26, 1-16		53
763	LDL cholesterol is associated with small abdominal aortic aneurysms. 2003 , 26, 618-22		47
762	Late-life depression is associated with arterial stiffness: a population-based study. 2003 , 51, 1105-10		69
761	A high-score Mediterranean dietary pattern is associated with a reduced risk of peripheral arterial disease in Italian patients with Type 2 diabetes. 2003 , 1, 1744-52		75
760	Foot complications in Type 2 diabetes: an Australian population-based study. 2003 , 20, 105-13		124
759	Peripheral vascular disease in Type 2 diabetic Chinese patients: associations with metabolic indices, concomitant vascular disease and genetic factors. 2003 , 20, 988-95		27
758	Changes in ankle brachial index in symptomatic and asymptomatic subjects in the general population. <i>Journal of Vascular Surgery</i> , 2003 , 38, 1323-30	3.5	48
757	The influence of peripheral vascular disease on the carotid and femoral wall mechanics in subjects with abdominal aortic aneurysm. <i>Journal of Vascular Surgery</i> , 2003 , 37, 403-9	3.5	7
756	Guidelines for peripheral percutaneous transluminal angioplasty of the abdominal aorta and lower extremity vessels. A statement for health professionals from a Special Writing Group of the Councils on Cardiovascular Radiology, Arteriosclerosis, Cardio-Thoracic and Vascular Surgery, Clinical Cardiology, and Epidemiology and Prevention, the American Heart Association. 2003 , 14, S495-515		62
755	Relationship of the platelet glycoprotein P1A and fibrinogen T/G+1689 polymorphisms with peripheral arterial disease and ischaemic heart disease. 2003 , 112, 209-16		12
754	Patients with critical ischemia of the lower limb are at risk of developing kidney dysfunction. 2003 , 185, 360-3		20
753	Comparison of beraprost and ticlopidine in Chinese patients with chronic peripheral arterial occlusion: a multicenter, single-blind, randomized, controlled study. 2003 , 64, 488-503		3
752	Multi-detector-row CT angiography of peripheral arteries. 2003 , 24, 268-79		15

751	Peripheral MR angiography. 2003 , 24, 280-315		3
750	Age-related changes in the characteristics of the photoplethysmographic pulse shape at various body sites. 2003 , 24, 297-307		104
749	Influence of peripheral arterial disease on capillary pressure in the foot. <i>Journal of Vascular Surgery</i> , 2003 , 38, 1067-74	3.5	15
748	Inflammatory status and endothelial function in asymptomatic and symptomatic peripheral arterial disease. <i>Vascular Medicine</i> , 2003 , 8, 225-32	3.3	60
747	Critical issues in peripheral arterial disease detection and management: a call to action. 2003 , 163, 884-92		398
746	Management of peripheral arterial disease in primary care. 2003 , 326, 584-8		111
745	Prevalence and risk factors of peripheral arterial obstructive disease in Taiwanese type 2 diabetic patients. 2003 , 54, 331-8		65
744	Development of new peripheral arterial occlusive disease in patients with type 2 diabetes during a mean follow-up of 11 years. 2003 , 26, 1241-5		86
743	Ethnic differences in peripheral arterial disease in the NHLBI Genetic Epidemiology Network of Arteriopathy (GENOA) study. <i>Vascular Medicine</i> , 2003 , 8, 237-42	3.3	115
742	Consensus on anti-platelet therapy in peripheral arterial disease: saving lives and limbs. 2003 , 14, 403-6		1
741	Assessment and management of patients with venous, arterial, and diabetic/neuropathic lower extremity wounds. 2003 , 14, 442-56; quiz 548-50		17
740	Process of care and outcomes in peripheral arterial disease. 2003 , 325, 125-34		14
739	Epidemiology of peripheral arterial disease in women. 2003 , 13, 1-14		62
738	Ankle-arm blood pressure index and cardiovascular risk factors in elderly Japanese men. 2003 , 26, 377-82		29
737	Stress. 2003 , 241-272		
736	The social psychology of traits. 2003 , 204-238		
735	Personality, performance and information-processing. 2003 , 325-356		1
734	Applications of personality assessment. 2003 , 357-390		

733	Personality across the life span. 2003 , 58-76		
732	[Anticoagulation and antiaggregation in patients with peripheral arterial occlusive diseases]. 2003 , 60, 36-42		
731	Different locations of atherosclerosis--different risk factors, different therapies?. 2003 , 33, 262-6		2
730	Epidemiology of peripheral arterial disease. <i>Vasa - European Journal of Vascular Medicine</i> , 2004 , 33, 183-9.		84
729	Relationship between atherosclerosis and late-life depression: the Rotterdam Study. 2004 , 61, 369-76		150
728	Prevalence of atherosclerotic vascular disease among subjects with the metabolic syndrome with or without diabetes mellitus: the METS-GREECE Multicentre Study. 2004 , 20, 1691-1701		72
727	Intermittent claudication in the patient with diabetes. 2004 , 4, 238-242		11
726	Pain description in patients with isolated proximal (without distal) exercise-related lower limb arterial ischemia. <i>Vascular Medicine</i> , 2004 , 9, 261-5	3.3	19
725	Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. 2004 , 38, 121-30		1
724	Prevalence of lower-extremity disease in the US adult population >=40 years of age with and without diabetes: 1999-2000 national health and nutrition examination survey. 2004 , 27, 1591-7		446
723	Improved prediction of fatal myocardial infarction using the ankle brachial index in addition to conventional risk factors: the Edinburgh Artery Study. 2004 , 110, 3075-80		143
722	Special communication: mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. 2004 , 55, 233-42		4
721	Randomized trial of AT-1015 for treatment of intermittent claudication. A novel 5-hydroxytryptamine antagonist with no evidence of efficacy. <i>Vascular Medicine</i> , 2004 , 9, 18-25	3.3	14
720	Comparison of MR angiography versus digital subtraction angiography as a basis for planning treatment of lower limb occlusive disease. <i>Journal of Endovascular Therapy</i> , 2004 , 11, 294-301	2.5	32
719	The mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. <i>Vascular Medicine</i> , 2004 , 9, 78-86	3.3	2
718	A focus on risk factor management. <i>Vascular Medicine</i> , 2004 , 9, 169-70	3.3	
717	Interaction between hypertension, apoE, and cerebral white matter lesions. 2004 , 35, 1057-60		139
716	Review: New antiplatelet guidelines for managing peripheral arterial disease [what are the implications for diabetes?]. 2004 , 4, 311-315		2

715	Measurement of ankle brachial index for assessment of atherosclerosis in patients with stroke. 2004 , 17, 212-7	40
714	Diabetes care in an Australian population: frequency of screening examinations for eye and foot complications of diabetes. 2004 , 27, 688-93	66
713	Renal insufficiency and the risk of lower extremity peripheral arterial disease: results from the Heart and Estrogen/Progestin Replacement Study (HERS). 2004 , 15, 1046-51	102
712	Impairments of muscles and nerves associated with peripheral arterial disease and their relationship with lower extremity functioning: the InCHIANTI Study. 2004 , 52, 405-10	94
711	Sildenafil citrate vs intracavernous alprostadil for patients with arteriogenic erectile dysfunction: a randomised placebo controlled study. 2004 , 16, 8-12	17
710	Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. 2004 , 22, 24-31	3
709	Symptoms of peripheral arterial disease: a critical review. 2004 , 22, 72-7	6
708	The role of endothelial cell reactive antibodies in peripheral vascular disease. 2004 , 3, 39-44	7
707	Peripheral arterial disease: public and patient awareness in The Netherlands. 2004 , 27, 622-8	18
706	Neointimal proliferation within carotid stents is more pronounced in diabetic patients with initial poor glycaemic state. 2004 , 47, 400-406	26
705	Genetic variability of von Willebrand factor and risk of coronary heart disease: the Rotterdam Study. 2004 , 124, 343-7	29
704	Impacto del índice tobillo-brazo sobre la estratificación de riesgo cardiovascular de pacientes hipertensos. 2004 , 21, 66-70	
703	The Mandate for Creation of a National Peripheral Arterial Disease Public Awareness Program: An Opportunity to Improve Cardiovascular Health. 2004 , 15, 671-679	1
702	Compresión de la arteria femoral profunda por safena interna aberrante e influencia en el desarrollo de claudicación intermitente. 2004 , 56, 587-594	
701	Peripheral MR angiography. 2004 , 12, 749-779	
700	Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. <i>Journal of Vascular Surgery</i> , 2004 , 39, 474-81	3-5 28
699	Surgery in Wounds. 2004 ,	4
698	Cilostazol: improving walking distance in patients with intermittent claudication. 2004 , 2, 503-9	4

697	Asymptomatic peripheral arterial occlusive disease predicted cardiovascular morbidity and mortality in a 7-year follow-up study. 2004 , 57, 294-300		146
696	A Spanish translation of the Walking Impairment Questionnaire was validated for patients with peripheral arterial disease. 2004 , 57, 1305-15		20
695	Mandate for creation of a national peripheral arterial disease public awareness program: An opportunity to improve cardiovascular health. 2004 , 23, 21-31		
694	[Systolic pressure, a powerful marker of the risk of obliterating artery disease of the lower limbs]. 2004 , 33, 1090-2		2
693	Ankle-brachial pressure index measured using an automated oscillometric method as a predictor of the severity of coronary atherosclerosis in patients with coronary artery disease. 2004 , 20, 268-72		7
692	Prevalence, risk factors and cardiovascular comorbidity of symptomatic peripheral arterial disease in Italy. 2004 , 175, 131-8		53
691	Prevalence of asymptomatic arteriosclerosis obliterans and its relationship with risk factors in inhabitants of rural communities in Japan: Tanno-Sobetsu study. 2004 , 177, 83-8		45
690	Editorial comment--not all hypertensive subjects have similar risks for white matter lesions: influence of genetic factors. 2004 , 35, 1061-2		5
689	Impact of symptomatic peripheral arterial disease on 1-year mortality in patients undergoing percutaneous coronary interventions. <i>Journal of Endovascular Therapy</i> , 2004 , 11, 60-70	2.5	34
688	Management options for patients with intermittent claudication. 2004 , 13, 448-51		
687	Supervised exercise therapy versus non-supervised exercise therapy for intermittent claudication. 2005 ,		2
686	New risk factors for atherosclerosis in hypertension: focus on the prothrombotic state and lipoprotein(a). 2005 , 23, 1617-31		35
685	Association between hematological parameters and high-density lipoprotein cholesterol. 2005 , 20, 318-23		16
684	Measurement of critical lower limb tissue hypoxia by coupling chemical and optical techniques. 2005 , 108, 159-65		12
683	Criteria for previously undiagnosed diabetes and risk of mortality: 15-year follow-up of the Edinburgh Artery Study cohort. 2005 , 22, 490-6		36
682	Multi centre study to assess the feasibility of a new covered stent and delivery system in combination with remote superficial femoral artery endarterectomy (RSFAE). 2005 , 29, 287-94		12
681	Serum lipids and anthropometric factors related to the prevalence of intermittent claudication. 2005 , 30, 582-7		5
680	Peripheral arterial disease in diabetic patients selected from a primary care setting: Implications for nursing practice. 2005 , 23, 139-48		10

679	The morbidity and mortality following a diagnosis of peripheral arterial disease: long-term follow-up of a large database. 2005 , 5, 14	123
678	Angioplasty for mild intermittent claudication. 1991 , 78, 643-5	19
677	Management of superficial femoral artery occlusive disease. 1993 , 80, 959-63	29
676	Prospective randomized study of a new method of providing postoperative pain relief following femoropopliteal bypass. 1996 , 83, 1735-8	18
675	Comparison of 15 different stents in superficial femoral arteries by high resolution MRI ex vivo and in vivo. 2005 , 22, 125-35	16
674	A new probe for ankle systolic pressure measurement using photoplethysmography (PPG). 2005 , 33, 232-9	22
673	Naftidrofuryl for intermittent claudication. 2005 ,	0
672	. 2005 ,	9
671	Claudication. 2005 , 1-21	
670	Exertional leg pain in patients with and without peripheral arterial disease. 2005 , 112, 3501-8	76
669	The Emergent Cardiovascular Risk Factors and Organ Damage in Arterial Hypertension. 2005 , 1, 189-200	
668	C-reactive protein, interleukin-6, and soluble adhesion molecules as predictors of progressive peripheral atherosclerosis in the general population: Edinburgh Artery Study. 2005 , 112, 976-83	328
667	Diabetes mellitus, smoking, and the risk for asymptomatic peripheral arterial disease: whom should we screen?. 2005 , 18, 355-61	28
666	The association between smoking and the prevalence of intermittent claudication. <i>Vascular Medicine</i> , 2005 , 10, 257-63	3-3 9
665	MR Angiography of Peripheral Arteries: Lower Extremities. 2005 , 269-284	2
664	Magnetic Resonance Angiography. 2005 ,	15
663	Sixteen-detector row CT angiography for lower-leg arterial occlusive disease: analysis of section width. 2005 , 237, 649-56	30
662	Photoplethysmography detection of lower limb peripheral arterial occlusive disease: a comparison of pulse timing, amplitude and shape characteristics. 2005 , 26, 811-21	75

661	Systemic antiatherosclerotic treatment for the peripheral arterial occlusive disease patient. 2005 , 6, 2181-92		2
660	Ethnicity and peripheral arterial disease: the San Diego Population Study. 2005 , 112, 2703-7		218
659	Endovascular therapies and Surgeons. 2005 , 21, 138-147		1
658	The US experience with cilostazol in treating intermittent claudication. 2005 , 6, 21-31		31
657	Management of peripheral arterial disease in chronic kidney disease. 2005 , 23, 225-36		34
656	MR angiography of the peripheral arteries. 2005 , 13, 91-111, vi		15
655	The unsung perils of peripheral arterial disease: a malady in search of a patient. 2005 , 8, 108-13; quiz 114-5		4
654	Prospective cohort study of hostility and the risk of cardiovascular disease mortality. 2005 , 100, 155-61		64
653	Patterns of inflammation associated with peripheral arterial disease: the InCHIANTI study. 2005 , 150, 276-81		87
652	Management of risk in peripheral artery disease: recent therapeutic advances. 2005 , 150, 35-40		21
651	Lower extremity arterial disease assessed by ankle-brachial index in a middle-aged population of African Americans and whites: the Atherosclerosis Risk in Communities (ARIC) Study. 2005 , 29, 42-9		65
650	Atherothrombosis and high-risk plaque: Part II: approaches by noninvasive computed tomographic/magnetic resonance imaging. 2005 , 46, 1209-18		138
649	Atherosclerotic risk factor control in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2005 , 41, 816-22	3.5	76
648	Cost effectiveness of cilostazol compared with naftidrofuryl and pentoxifylline in the treatment of intermittent claudication in the UK. 2005 , 21, 817-26		9
647	Prevalence of peripheral arterial disease and its association with smoking in a population-based study in Beijing, China. <i>Journal of Vascular Surgery</i> , 2006 , 44, 333-8	3.5	56
646	A modified calculation of ankle-brachial pressure index is far more sensitive in the detection of peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2006 , 44, 531-6	3.5	128
645	Optimal medical management of peripheral arterial disease. 2006 , 40, 312-27		52
644	Vascular grafts and the endothelium. 2006 , 13, 385-401		29

643	Emerging drugs in peripheral arterial disease. 2006 , 11, 75-90		7
642	Ankle-arm blood pressure index as a correlate of preclinical carotid atherosclerosis in elderly Japanese men. 2006 , 184, 420-4		11
641	Cigarette smoking, regular exercise, and peripheral blood flow. 2006 , 185, 201-5		23
640	Hemoglobin and atherosclerosis in patients with manifest arterial disease. The SMART-study. 2006 , 188, 444-9		12
639	apoB/apoA-I ratio is related to femoral artery plaques and is predictive for future cardiovascular events in healthy men. 2006 , 189, 178-85		21
638	Effect of a clinical pharmacy service on lipid control in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2006 , 43, 1205-10	3.5	19
637	The constitutive procoagulant and hypofibrinolytic state in patients with intermittent claudication due to infrainguinal disease significantly improves with percutaneous transluminal balloon angioplasty. <i>Journal of Vascular Surgery</i> , 2006 , 43, 40-6	3.5	36
636	Diagnostic accuracy of multislice CT angiography in peripheral arterial disease. 2006 , 17, 1915-21		49
635	Minimally invasive approaches to vascular procedures in the elderly. 2006 , 22, 575-84		2
634	ACC/AHA 2005 Guidelines for the Management of Patients With Peripheral Arterial Disease (Lower Extremity, Renal, Mesenteric, and Abdominal Aortic): A Collaborative Report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, Society of Interventional Radiology, and the ACC/AHA Task Force on Practice Guidelines Writing Committee to Develop Guidelines for the Management of Patients. 2006 , 47, 81-112		184
633	Photoplethysmography Assessments in Cardiovascular Disease. 2006 , 39, 80-83		15
632	Association between impaired glucose metabolism and quality of life: results from the Australian diabetes obesity and lifestyle study. 2006 , 74, 154-61		55
631	Ankle-arm index as a predictor of lesion morphology and risk classification for coronary artery disease undergoing angioplasty. 2006 , 113, 385-90		17
630	Quality of life and peripheral arterial disease. 2006 , 136, 294-301		44
629	Relation between platelet microaggregates and ankle brachial index in patients with peripheral arterial disease. 2006 , 117, 263-9		12
628	Endovascular Management of Infrainguinal Disease. <i>Journal of Endovascular Therapy</i> , 2006 , 13, II-1-II-2	2.5	2
627	Peripheral Vascular Disease and Reconstruction. 2006 , 250-264		1
626	Peripheral Arterial Disease. 2006 , 263-277		

625	Supervised exercise therapy versus non-supervised exercise therapy for intermittent claudication. 2006 , CD005263	100
624	Personality, Cardiovascular Disease and Public Health. 13-34	1
623	Prevalence of peripheral arterial disease in a cohort of diabetic patients. 2006 , 99, 564-9	9
622	Get the LEAD out: noninvasive assessment for lower extremity arterial disease using ankle brachial index and toe brachial index measurements. 2006 , 33, 30-41	24
621	Peripheral arterial disease and cardiovascular risk in Italy. Results of the Peripheral Arteriopathy and Cardiovascular Events (PACE) study. 2006 , 7, 608-13	24
620	Ankle brachial index as a predictor of cognitive impairment in the general population: ten-year follow-up of the Edinburgh Artery Study. 2006 , 54, 763-9	40
619	Frequency and risk factors for thrombosis in idiopathic myelofibrosis: analysis in a series of 155 patients from a single institution. 2006 , 20, 55-60	53
618	Prevalence of peripheral arterial disease - results of the Heinz Nixdorf recall study. 2006 , 21, 279-85	106
617	Measurement, calculation, and normal range of the ankle-arm index: a bibliometric analysis and recommendation for standardization. 2006 , 20, 282-92	41
616	The physiological response of ankle systolic blood pressure and ankle to brachial index after maximal exercise in athletes is dependent on age. 2006 , 96, 505-10	5
615	The role of endothelial cell reactive antibodies in peripheral arterial disease. 2006 , 31, 170-5	6
614	Assessing the validity and responsiveness of disease-specific quality of life instruments in intermittent claudication. 2006 , 31, 46-52	71
613	A randomised controlled trial of the use of a tourniquet to reduce blood loss during transtibial amputation for peripheral arterial disease. 2006 , 31, 646-50	27
612	The low incidence of surgery for non-cardiac vascular disease in UK Asians may be explained by a low prevalence of disease. 2006 , 32, 494-9	8
611	The reliability of the ankle-brachial index in the Atherosclerosis Risk in Communities (ARIC) study and the NHLBI Family Heart Study (FHS). 2006 , 6, 7	35
610	Study protocol--diabetes and related conditions in urban indigenous people in the Darwin, Australia region: aims, methods and participation in the DRUID Study. 2006 , 6, 8	35
609	Tissue engineering of vascular conduits. 2006 , 93, 652-61	54
608	Medical Management of Peripheral Arterial Disease: A Therapeutic Algorithm. <i>Journal of Endovascular Therapy</i> , 2006 , 13, 11-19-11-29	2.5 5

607	Peripheral arterial disease: clinical and cost comparisons between duplex US and contrast-enhanced MR angiography--a multicenter randomized trial. 2006 , 240, 401-10		30
606	Identifying unrecognized peripheral arterial disease among asymptomatic patients in the primary care setting. 2006 , 57, 171-80		11
605	Relationship of smoking and smoking cessation with ankle-to-arm blood pressure index in elderly Japanese men. 2006 , 13, 243-8		18
604	Medical Management of Peripheral Arterial Disease: A Therapeutic Algorithm. <i>Journal of Endovascular Therapy</i> , 2006 , 13, II-19-II-29	2.5	4
603	Hemostatic factors, inflammatory markers, and progressive peripheral atherosclerosis: the Edinburgh Artery Study. 2006 , 163, 334-41		64
602	In vivo attenuation of myointimal hyperplasia using transforming growth factor-beta3 in an interposition graft model. <i>Journal of Endovascular Therapy</i> , 2006 , 13, 389-99	2.5	4
601	Does the clinical examination predict lower extremity peripheral arterial disease?. 2006 , 295, 536-46		187
600	Functional status measured by walking impairment questionnaire and cardiovascular risk prediction in peripheral arterial disease: results of the Peripheral Arteriopathy and Cardiovascular Events (PACE) study. <i>Vascular Medicine</i> , 2006 , 11, 147-54	3.3	26
599	Medical treatment of peripheral arterial disease. 2006 , 295, 547-53		231
598	Distribution of a subclinical marker of cardiovascular risk, the ankle brachial index, in a rural African population: SASPI study. 2006 , 13, 964-9		22
597	ACC/AHA 2005 Practice Guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric, and abdominal aortic): a collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular		2378
596	Low ankle-brachial pressure index predicts increased risk of cardiovascular disease independent of the metabolic syndrome and conventional cardiovascular risk factors in the Edinburgh Artery Study. 2006 , 29, 637-42		84
595	The female advantage in cardiovascular disease: do vascular beds contribute equally?. 2007 , 166, 403-12		70
594	Effects of heart rate on brachial-ankle pulse wave velocity and ankle-brachial pressure index in patients without significant organic heart disease. 2007 , 58, 67-74		23
593	Inflammatory, haemostatic, and rheological markers for incident peripheral arterial disease: Edinburgh Artery Study. 2007 , 28, 354-62		102
592	Influence of different measurement time points on brachial-ankle pulse wave velocity and ankle-brachial index in hemodialysis patients. 2007 , 30, 965-70		23
591	Ethnicity and cardiovascular disease prevention in the United Kingdom: a practical approach to management. 2007 , 21, 183-211		94
590	Peripheral arterial disease: Epidemiology, natural history, diagnosis and treatment. 2007 , 16, 36-44		66

589	Relative value of inflammatory, hemostatic, and rheological factors for incident myocardial infarction and stroke: the Edinburgh Artery Study. 2007 , 115, 2119-27		186
588	Ankle-brachial index and hemostatic markers in the Atherosclerosis Risk in Communities (ARIC) study cohort. <i>Vascular Medicine</i> , 2007 , 12, 267-73	3-3	32
587	Prevalence and risk factors of peripheral arterial disease in a selected Thai population. 2007 , 58, 572-8		22
586	Angiogenic growth factors in the treatment of peripheral arterial disease. 2007 , 5, 195-209		18
585	Peripheral arterial disease is a cardiovascular time bomb. 2007 , 7, 236-239		10
584	Peripheral Arterial Disease. 2007 ,		
583	Effect of Statins and Calcium Channel Blockers on All-Cause Mortality and Cardiovascular and Cerebrovascular Disease Mortality in 958 Chinese Hospitalized Patients with Peripheral Arterial Disease after 13 Months of Follow-up. 2007 , 53, 226-233		3
582	Diagnosis and treatment of peripheral arterial disease: recommendations for the medical practice in Belgium. 2007 , 107, 595-604		2
581	Angioplasty versus stenting for superficial femoral artery lesions. 2007 ,		
580	Cardiovascular diseases and decline in cognitive function in an elderly community population: the Edinburgh Artery Study. 2007 , 69, 425-34		44
579	Prostanoids for critical limb ischemia. 2007 ,		3
578	Are ankle and toe brachial indices (ABI-TBI) obtained by a pocket Doppler interchangeable with those obtained by standard laboratory equipment?. 2007 , 34, 35-44		23
577	Ankle brachial index and intima media thickness predict cardiovascular events similarly and increased prediction when combined. 2007 , 60, 1067-75		54
576	Association of glucose metabolism, smoking and cardiovascular risk factors with incident peripheral arterial disease: the DESIR study. 2007 , 190, 84-9		45
575	Diabetic foot disease in the elderly. 2007 , 33 Suppl 1, S56-65		35
574	Pharmacologic risk factor treatment of peripheral arterial disease is lacking and requires vascular surgeon participation. 2007 , 21, 163-6		38
573	Randomized trial of the effects of cholesterol-lowering with simvastatin on peripheral vascular and other major vascular outcomes in 20,536 people with peripheral arterial disease and other high-risk conditions. <i>Journal of Vascular Surgery</i> , 2007 , 45, 645-654; discussion 653-4	3-5	270
572	Inter-Society Consensus for the Management of Peripheral Arterial Disease (TASC II). <i>Journal of Vascular Surgery</i> , 2007 , 45 Suppl S, S5-67	3-5	3993

571	A population-based study of peripheral arterial disease prevalence with special focus on critical limb ischemia and sex differences. <i>Journal of Vascular Surgery</i> , 2007 , 45, 1185-91	3.5	251
570	Pharmacological interventions for peripheral artery disease. 2007 , 8, 1465-77		9
569	Effect of MDCT angiographic findings on the management of intermittent claudication. 2007 , 189, 1215-22		27
568	Lipid-lowering for peripheral arterial disease of the lower limb. <i>The Cochrane Library</i> , 2007 , CD000123	5.2	73
567	The effect of supervised exercise and cilostazol on coagulation and fibrinolysis in intermittent claudication: a randomized controlled trial. <i>Journal of Vascular Surgery</i> , 2007 , 45, 65-70; discussion 70	3.5	38
566	Intrinsic contribution of gender and ethnicity to normal ankle-brachial index values: the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Journal of Vascular Surgery</i> , 2007 , 45, 319-27	3.5	112
565	Vascular assessment and reconstruction of the ischemic diabetic limb. 2007 , 24, 449-67, viii		2
564	Estudio de prevalencia de isquemia crítica de miembros inferiores y de aneurisma de aorta abdominal en mayores de 65 años. 2007 , 59, 225-235		2
563	[Arterial obliterative disease and physical activity]. <i>Orvosi Hetilap</i> , 2007 , 148, 1059-65	0.8	
562	Cryoplasty for peripheral vascular disease. 2007 , CD005507		11
561	High incidence of vascular reconstructions in socioeconomically deprived areas of an urban Swedish population. 2007 , 94, 183-8		5
560	Essential thrombocythemia in young individuals: frequency and risk factors for vascular events and evolution to myelofibrosis in 126 patients. 2007 , 21, 1218-23		97
559	Microalbuminuria is a negative correlate for cognitive function in older adults with peripheral arterial disease: results from the U.S. National Health and Nutrition Examination Survey 1999-2002. 2007 , 262, 562-70		26
558	Pharmacogenetic interactions of three candidate gene polymorphisms with ACE-inhibitors or beta-blockers and the risk of atherosclerosis. 2007 , 64, 57-66		10
557	Cognitive decline and markers of inflammation and hemostasis: the Edinburgh Artery Study. 2007 , 55, 700-7		121
556	Profound influence of different methods for determination of the ankle brachial index on the prevalence estimate of peripheral arterial disease. 2007 , 7, 147		38
555	Peripheral Arterial Disease study (PERART): prevalence and predictive values of asymptomatic peripheral arterial occlusive disease related to cardiovascular morbidity and mortality. 2007 , 7, 348		32
554	A non-randomised controlled trial of the clinical and cost effectiveness of a Supervised Exercise Programme for claudication. 2007 , 33, 202-7		32

553	The Oslo balloon angioplasty versus conservative treatment study (OBACT)--the 2-years results of a single centre, prospective, randomised study in patients with intermittent claudication. 2007 , 33, 3-12		64
552	Inter-Society Consensus for the Management of Peripheral Arterial Disease (TASC II). 2007 , 33 Suppl 1, S1-75		1928
551	Characteristics and treatments of patients with peripheral arterial disease referred to UK vascular clinics: results of a prospective registry. 2007 , 33, 442-50		54
550	Completing the audit cycle: comparison of cardiac risk factor management in patients with intermittent claudication in two time periods. 2007 , 33, 710-4		3
549	Medical therapy for intermittent claudication. 2007 , 34, 314-21		27
548	Surgical intervention for HIV related vascular disease. 2007 , 34, 390-6		31
547	Reproductive factors and lower extremity arterial occlusive disease in women. 2007 , 22, 505-11		4
546	The Emerging Risk Factors Collaboration: analysis of individual data on lipid, inflammatory and other markers in over 1.1 million participants in 104 prospective studies of cardiovascular diseases. 2007 , 22, 839-69		121
545	Self-reported peripheral arterial disease predicts future vascular events in a community-based cohort. 2008 , 23, 1423-8		8
544	Non-invasive cardiac assessment in high risk patients (The GROUND study): rationale, objectives and design of a multi-center randomized controlled clinical trial. 2008 , 9, 49		8
543	Cell therapy in peripheral arterial disease. 2008 , 59, 705-16		23
542	Evaluation of the one-minute exercise test to detect peripheral arterial disease. 2008 , 38, 290-5		16
541	Nordic poles immediately improve walking distance in patients with intermittent claudication. 2008 , 36, 689-94; discussion 695-6		52
540	Management of hypertension in peripheral arterial disease. 2008 , 50, 238-63		35
539	Nurse-led risk assessment/management clinics reduce predicted cardiac morbidity and mortality in claudicants. 2008 , 26, 118-22		5
538	Cardiopulmonary responses to treadmill and cycle ergometry exercise in patients with peripheral vascular disease. <i>Journal of Vascular Surgery</i> , 2008 , 47, 123-30	3.5	27
537	A prospective comparison of bilateral photoplethysmography versus the ankle-brachial pressure index for detecting and quantifying lower limb peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2008 , 47, 794-802	3.5	68
536	Successful lower extremity angioplasty improves brachial artery flow-mediated dilation in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2008 , 48, 1211-6	3.5	25

535	A high ankle-brachial index is associated with increased cardiovascular disease morbidity and lower quality of life. 2008 , 51, 1292-8	105
534	Australians at risk: management of cardiovascular risk factors in the REACH Registry. 2008 , 17, 114-8	34
533	Cilostazol and peripheral arterial disease. 2008 , 9, 2683-90	12
532	Complications of diabetes in urban Indigenous Australians: the DRUID study. 2008 , 80, 455-62	36
531	Associated risk factors for abnormal ankle-brachial index in hemodialysis patients in a hospital. 2008 , 24, 473-80	13
530	Does percutaneous transluminal angioplasty improve quality of life?. 2008 , 19, 169-76	17
529	Elucidating the genetic basis of peripheral arterial disease: identification of a quantitative trait locus that determines the phenotypic response to experimental hindlimb ischemia. 2008 , 117, 1127-9	2
528	Frequency of a low ankle brachial index in the general population by age, sex and deprivation: cross-sectional survey of 28,980 men and women. 2008 , 15, 370-5	27
527	The impact of comorbidity burden on the cardiovascular risk in the Peripheral Arteriopathy and Cardiovascular Events study. 2008 , 101, 575-82	5
526	Foot ulceration in a non-diabetic population: a cross-sectional audit of staff in one health district. 2008 , 17, 445-8	6
525	The relation of peripheral arterial disease to leg force, gait speed, and functional dependence among older adults. 2008 , 63, 384-90	25
524	Ginkgo biloba for intermittent claudication. 2008 ,	
523	Naftidrofuryl for intermittent claudication. 2008 , CD001368	8
522	The prevention of progression of arterial disease and diabetes (POPADAD) trial: factorial randomised placebo controlled trial of aspirin and antioxidants in patients with diabetes and asymptomatic peripheral arterial disease. 2008 , 337, a1840	629
521	Management of lower extremity peripheral arterial disease. 2008 , 28, 349-57	62
520	Associations of acculturation and socioeconomic status with subclinical cardiovascular disease in the multi-ethnic study of atherosclerosis. 2008 , 98, 1963-70	84
519	Peripheral arterial disease: an underappreciated clinical problem. 2008 , 44, 328	
518	Peripheral arterial disease: increasing awareness--a major step forward. 2009 , 102, 1095-7	1

517	Carotid artery disease and stroke in patients with peripheral arterial disease. The role of inflammation. 2009 , 72, 10-7			7
516	Natural History and Medical Management of Chronic Lower Extremity Ischemia. 2009 , 119-136			
515	Surgical reconstructions in peripheral arterial occlusive disease. <i>Vasa - European Journal of Vascular Medicine</i> , 2009 , 38, 317-33	1.9		5
514	Ankle brachial pressure index (ABPI): An update for practitioners. 2009 , 5, 833-41			131
513	Envolvimento macrovascular e esclerose sistêmica. 2009 , 8, 65-76			3
512	Angioplasty versus stenting for superficial femoral artery lesions. 2009 , CD006767			26
511	Prevalence and risk factors for peripheral artery disease in an Asian population with diabetes mellitus. 2009 , 6, 80-6			24
510	Value of MDCT angiography in developing treatment strategies for critical limb ischemia. 2009 , 192, 1416-24			24
509	Critical appraisal of CRP measurement for the prediction of coronary heart disease events: new data and systematic review of 31 prospective cohorts. <i>International Journal of Epidemiology</i> , 2009 , 38, 217-31	7.8		171
508	Circulating plasma cortisol concentrations are not associated with coronary artery disease or peripheral vascular disease. 2009 , 102, 469-75			15
507	Association of asymptomatic peripheral arterial disease with vascular events in patients with stroke or transient ischemic attack. 2009 , 40, 3472-7			52
506	Peripheral arterial disease. 2009 , 70, 560-5			9
505	Physical activity during daily life and brachial artery flow-mediated dilation in peripheral arterial disease. <i>Vascular Medicine</i> , 2009 , 14, 193-201	3.3		36
504	Women and peripheral arterial disease. 2009 , 5, 669-83			41
503	Ethnicity and peripheral artery disease. 2009 , 102, 3-16			34
502	Endovascular treatment of femoral-popliteal disease. 2009 , 26, 303-14			11
501	Significant correlation between ankle-brachial index and vascular access failure in hemodialysis patients. 2009 , 4, 128-34			32
500	Physiological predictors of maximum treadmill walking performance in patients with intermittent claudication. 2009 , 30, 467-72			4

499 European Perspectives. **2009**, 120,

498 Naftidrofuryl for intermittent claudication: meta-analysis based on individual patient data. **2009**, 338, b603 22

497 Endovascular treatment of peripheral vascular disease. **2009**, 34, 359-476 18

496 Prevalence of symptomatic and asymptomatic peripheral arterial disease and the value of the ankle-brachial index to stratify cardiovascular risk. **2009**, 38, 305-11 113

495 Prevalence of (a)symptomatic peripheral arterial disease; the additional value of ankle-brachial index on cardiovascular risk stratification. **2009**, 38, 312-3 1

494 Control de los factores de riesgo y tratamiento de la enfermedad arterial oclusiva. **2009**, 23, 28-36

493 Estudio CASPAR. **2009**, 23, 51-58

492 Randomized clinical trial of folate supplementation in patients with peripheral arterial disease. **2009**, 96, 990-8 18

491 The impact of chronic smoking on rectal mucosal blood flow. **2009**, 13, 269-72 9

490 Synthesis of prostaglandin E(1) phosphate derivatives and their encapsulation in biodegradable nanoparticles. **2009**, 26, 1792-800 10

489 Prevalence of peripheral arterial disease in high-risk patients using ankle-brachial index in general practice: a cross-sectional study. **2009**, 63, 63-70 45

488 La angioplastia transluminal percutánea de las arterias de la extremidad inferior como causa de una respuesta inflamatoria sistémica. **2009**, 23, 627-634

487 Morbilidad y mortalidad secundaria a complicaciones cardiológicas después de la revascularización de extremidad por isquemia crítica. **2009**, 23, 642-657

486 Treatment strategies for peripheral artery disease. **2009**, 10, 1571-86 8

485 Tissue plasminogen activator (tPA) activity is a novel and early marker of asymptomatic LEAD in type 2 diabetes. **2009**, 123, 701-6 10

484 Screening of unrecognized peripheral arterial disease (PAD) using ankle-brachial index in high cardiovascular risk patients free from symptomatic PAD. *Journal of Vascular Surgery*, **2009**, 50, 572-80 3-5 39

483 Morbidity and mortality caused by cardiac adverse events after revascularization for critical limb ischemia. **2009**, 23, 583-97 14

482 Ginkgo biloba for intermittent claudication. **2009**, CD006888 7

481	Baseline ICAM-1 and VCAM-1 are increased in initially healthy middle-aged men who develop cardiovascular disease during 6.6 years of follow-up. 2009 , 60, 108-14	28
480	[Implications of the REACH registry for vascular surgery]. 2009 , 132 Suppl 2, 25-9	1
479	Metabolic syndrome, haemostatic and inflammatory markers, cerebrovascular and peripheral arterial disease: The Edinburgh Artery Study. 2009 , 203, 604-9	41
478	Contribution of cardiovascular risk factors to coronary risk in patients with intermittent claudication in the PRIME Cohort Study of European men. 2009 , 206, 563-8	3
477	Determinants of peripheral arterial stiffness in patients with chronic kidney disease in southern Taiwan. 2009 , 25, 366-73	19
476	Peripheral arterial disease: lack of awareness in Canada. 2009 , 25, 39-45	66
475	L'angioplastie transluminale percutanèe des artères des membres inférieures entraîne une réponse inflammatoire systémique. 2009 , 23, 617-624	
474	Percutaneous transluminal angioplasty of lower limb arteries causes a systemic inflammatory response. 2009 , 23, 569-76	11
473	Morbidité et mortalité d'origine cardiaque après revascularisation pour ischémie critique. 2009 , 23, 632-646	
472	Should incidental asymptomatic angiographic stenoses and occlusions be treated in patients with peripheral arterial disease?. 2009 , 20, 1133-40	3
471	Update on peripheral arterial disease and claudication rehabilitation. 2009 , 20, 627-56	5
470	Five Factor Model personality traits and all-cause mortality in the Edinburgh Artery Study cohort. 2009 , 71, 631-41	54
469	Limb-specific and cross-transfer effects of arm-crank exercise training in patients with symptomatic peripheral arterial disease. 2009 , 117, 405-13	72
468	Current approach to the diagnosis and treatment of femoral-popliteal arterial disease. A systematic review. 2009 , 5, 296-311	54
467	Peripheral artery disease and glaucoma: the singapore malay eye study. 2009 , 127, 888-93	11
466	Ankle-brachial index as a predictor for mortality in patients with chronic kidney disease and hemodialysis. 2009 , no-no	
465	Endovascular stents for intermittent claudication. <i>The Cochrane Library</i> , 2010 , CD003228	5.2 12
464	Pentoxifylline for critical limb ischaemia. <i>The Cochrane Library</i> , 2010 ,	5.2

463	Incidence and risk factors of peripheral arterial occlusive disease in a prospective cohort of 700 adult elderly men followed for 5 years. 2010 , 34, 1975-9	22
462	[Evidence-based recommendations on primary diagnostics of peripheral arterial occlusive disease in geriatric patients]. 2010 , 43, 165-9	1
461	Increasing walking in patients with intermittent claudication: protocol for a randomised controlled trial. 2010 , 10, 49	6
460	The peripheral arterial disease study (PERART/ARTPER): prevalence and risk factors in the general population. 2010 , 10, 38	129
459	Asymptomatic low ankle-brachial index in vascular surgery patients: a predictor of perioperative myocardial damage. 2010 , 39, 62-9	17
458	Interobserver agreement of the TASC II classification for supra- and infrainguinal lesions. 2010 , 39, 586-90	6
457	An assessment of peripheral vascular disease in patients with diabetic foot ulcer. 2010 , 20, 114-7	23
456	Elevated osteoprotegerin is associated with abnormal ankle brachial indices in patients infected with HIV: a cross-sectional study. 2010 , 13, 12	8
455	Peripheral artery disease: appreciating the asymptomatic - yet lethal - epidemic. 2010 , 64, 832-5	1
454	Ankle brachial index as a predictor for mortality in patients with chronic kidney disease and undergoing haemodialysis. 2010 , 15, 294-9	45
453	Population-based observational study of claudication in older men: the Health in Men Study. 2010 , 192, 641-5	10
452	Mortality following operations for lower extremity peripheral arterial disease. 2010 , 6, 287-96	14
451	Antithrombotic therapy in peripheral artery disease--antiplatelet therapy, anticoagulants, both or none. 2010 , 104, 196-9	5
450	High Risk Diabetic Foot. 2010 ,	1
449	Inflammation in peripheral artery disease. 2010 , 122, 1862-75	185
448	Patients with coronary, cerebrovascular or peripheral arterial obstructive disease differ in risk for new vascular events and mortality: the SMART study. 2010 , 17, 424-30	34
447	Ankle--brachial index predicts level of, but not change in, cognitive function: the Edinburgh Artery Study at the 15-year follow-up. <i>Vascular Medicine</i> , 2010 , 15, 91-7	3-3 15
446	The contribution of cardiovascular risk factors to peripheral arterial disease in South Asians and Blacks: a sub-study to the Ethnic-Echocardiographic Heart of England Screening (E-ECHOES) study. 2010 , 103, 661-9	13

445	Associations between peripheral artery disease and ischemic stroke: implications for primary and secondary prevention. 2010 , 41, 2102-7			65
444	Does knee replacement surgery lead to chronic limb ischemia?. 2010 , 23, 223-8			1
443	Devenir clinique et couts des soins médicaux chez les patients de Medicare recevant un traitement pour artériopathie périphérique. 2010 , 24, 629-641			
442	Peripheral artery disease: current insight into the disease and its diagnosis and management. 2010 , 85, 678-92			190
441	Early outcomes from a randomized, controlled trial of supervised exercise, angioplasty, and combined therapy in intermittent claudication. 2010 , 24, 69-79			60
440	A systematic review of the limitations and approaches to improve detection and management of peripheral arterial disease in Hispanics. <i>Journal of Vascular Surgery</i> , 2010 , 51, 27S-35S	3.5		14
439	An analysis of relationship between quality of life indices and clinical improvement following intervention in patients with intermittent claudication due to femoropopliteal disease. <i>Journal of Vascular Surgery</i> , 2010 , 52, 77-84	3.5		36
438	The structure and processes of the Pacific Vascular Symposium 6. <i>Journal of Vascular Surgery</i> , 2010 , 52, 3S-7S.e4	3.5		5
437	[Obliterating arterial disease of the legs in women]. 2010 , 39, 263-70			2
436	Association of low glomerular filtration rate and albuminuria with peripheral arterial disease: the National Health and Nutrition Examination Survey, 1999-2004. 2010 , 209, 230-4			49
435	The accuracy of the physical examination for the detection of lower extremity peripheral arterial disease. 2010 , 26, e346-50			44
434	Clinical outcomes and medical care costs among medicare beneficiaries receiving therapy for peripheral arterial disease. 2010 , 24, 577-87			59
433	Résultats préliminaires d'une étude contrôlée randomisée comparant l'exercice supervisé, le traitement endovasculaire et la thérapie combinée dans la claudication intermittente. 2010 , 24, 77-88			
432	Peripheral artery disease. Part 2: medical and endovascular treatment. 2011 , 8, 429-41			31
431	Percutaneous management of chronic critical limb ischemia. 2011 , 29, 395-410			1
430	Significance of ankle brachial index and collaterals for prediction of critical limb ischemia in infrainguinal peripheral arterial occlusive disease. 2011 , 56, 249-54			2
429	Tissue Engineering of Blood Vessels: How to Make a Graft. 2011 , 263-278			4
428	Antiplatelet agents for intermittent claudication. <i>The Cochrane Library</i> , 2011 , CD001272	5.2		30

427	Upper- versus lower-limb aerobic exercise training on health-related quality of life in patients with symptomatic peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2011 , 53, 1265-73	3.5	36
426	Infrainguinal bypass is associated with lower perioperative mortality than major amputation in high-risk surgical candidates. <i>Journal of Vascular Surgery</i> , 2011 , 53, 1251-1259.e1	3.5	23
425	The application of infrared thermography in evaluation of patients at high risk for lower extremity peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2011 , 54, 1074-80	3.5	59
424	Risk factors and peripheral arterial disease; a plea for objective measurements. 2011 , 214, 37-8		4
423	Homocysteine is a determinant of ApoA-I and both are associated with ankle brachial index, in an ambulatory elderly population. 2011 , 214, 480-5		26
422	Meta analysis of candidate gene variants outside the LPA locus with Lp(a) plasma levels in 14,500 participants of six White European cohorts. 2011 , 217, 447-51		17
421	Polymorphism of 270 A > G in BRAP is Associated with Lower Ankle-Brachial Index in a Taiwanese Population. 2011 , 18, 413-20		7
420	The prevalence of peripheral arterial disease in korean patients with type 2 diabetes mellitus attending a university hospital. 2011 , 35, 543-50		18
419	Benefits of exercise therapy in peripheral arterial disease. 2011 , 53, 447-53		7
418	A plantar flexion device exercise programme for patients with peripheral arterial disease: a randomised prospective feasibility study. 2011 , 97, 244-9		17
417	Associations of symptomatic or asymptomatic peripheral arterial disease with all-cause mortality and cardiovascular mortality. 2011 , 63, 7-12		3
416	Relation of socioeconomic position with ankle-brachial index. 2011 , 108, 1651-7		3
415	In-hospital outcomes and cost comparison of femoropopliteal reopening strategies. 2011 , 12, 292-8		1
414	Treatment of Aortoiliac Occlusive Disease: Medical versus Endovascular versus Surgical Therapy. 2011 , 13, 114-28		8
413	Nurse-led rapid access vascular examination clinic triage reduces inappropriate referrals for peripheral arterial disease. 2011 , 180, 363-7		6
412	Popliteo-pedal bypass surgery for critical limb ischemia. 2011 , 180, 829-35		4
411	Prevalence of peripheral arterial disease in subjects with moderate cardiovascular risk: Italian results from the PANDORA study Data from PANDORA (Prevalence of peripheral Arterial disease in subjects with moderate CVD risk, with No overt vascular Diseases nor Diabetes mellitus). 2011 , 11, 59		13
410	To screen or not to screen for peripheral arterial disease in subjects aged 80 and over in primary health care: a cross-sectional analysis from the BELFRAIL study. 2011 , 12, 39		15

409	Randomized clinical trial of percutaneous transluminal angioplasty, supervised exercise and combined treatment for intermittent claudication due to femoropopliteal arterial disease. 2012 , 99, 39-48	88
408	Peripheral Vascular Disease. 2011 , 4, 399-407	1
407	Utilization of lower extremity arterial disease diagnostic and revascularization procedures in Medicare beneficiaries 2000-2007. 2011 , 197, W314-7	12
406	Incidence and survival outcome following femoral artery reconstruction during endovascular abdominal aortic aneurysm repair. 2011 , 45, 232-6	4
405	Quantification of plaque neovascularization using contrast ultrasound: a histologic validation. 2011 , 32, 646-53	35
404	High risk of peripheral arterial disease in the United Kingdom: 2-year results of a prospective registry. 2011 , 62, 111-8	11
403	Supervised exercise therapy for intermittent claudication: current status and future perspectives. 2012 , 20, 12-9	14
402	Association of interleg BP difference with overall and cardiovascular mortality in hemodialysis. 2012 , 7, 1646-53	28
401	Peripheral arterial disease: a literature review. 2012 , 104, 21-39	56
400	Comparative analysis of genome-wide association studies signals for lipids, diabetes, and coronary heart disease: Cardiovascular Biomarker Genetics Collaboration. 2012 , 33, 393-407	75
399	Ankle-brachial index and health-related quality of life. 2012 , 19, 901-7	16
398	Impact of peripheral arterial disease on functional limitation in congestive heart failure: results from the national health and nutrition examination survey (1999-2004). 2012 , 2012, 306852	8
397	Analysis of contrast-enhanced intravascular ultrasound images for the assessment of coronary plaque neoangiogenesis: another step closer to the identification of the vulnerable plaque. 2012 , 18, 2207-13	8
396	What the primary care provider needs to know for limb salvage. 2012 , 8, 57-9	1
395	Naftidrofuryl for intermittent claudication. <i>The Cochrane Library</i> , 2012 , 12, CD001368	5.2 16
394	Critical limb ischemia: epidemiology. 2012 , 8, 10-4	57
393	Diagnostic accuracy of dynamic computed tomographic angiographic of the lower leg in patients with critical limb ischemia. 2012 , 47, 325-31	23
392	Autologous bone marrow cell therapy for peripheral arterial disease. 2012 , 5, 5-14	9

391	Management of ankylosing spondylitis: what is known; what is not known?. 2012 , 343, 343-4		7
390	Disease management interventions for improving self-management in lower-limb peripheral arterial disease. <i>The Cochrane Library</i> , 2012 ,	5.2	1
389	Systematic review of the efficacy of cilostazol, naftidrofuryl oxalate and pentoxifylline for the treatment of intermittent claudication. 2012 , 99, 1630-8		73
388	Correlation between peripheral arterial disease and coronary artery disease using ankle brachial index-a study in Indian population. 2012 , 64, 2-6		19
387	Cardiovascular disease, depression and mortality: the Health In Men Study. 2012 , 20, 433-40		18
386	Ever done or moving on?. 2012 , 23, 1322-3		
385	Diagnosis and management of peripheral arterial disease. 2012 , 345, e5208		81
384	Primary prevention of ischaemic cardiovascular disorders with antiplatelet agents. 2012 , 565-605		7
383	Results of heparin-bonded ePTFE-covered stents for chronic occlusive superficial femoral artery disease. <i>Journal of Vascular Surgery</i> , 2012 , 56, 118-25	3.5	18
382	Patients with unrecognized peripheral arterial disease (PAD) assessed by ankle-brachial index (ABI) present a defined profile of proinflammatory markers compared to healthy subjects. 2012 , 59, 294-8		24
381	Multidetector CT angiography versus arterial duplex USG in diagnosis of mild lower extremity peripheral arterial disease: is multidetector CT a valuable screening tool?. 2012 , 81, 542-6		13
380	High-resolution intravascular magnetic resonance quantification of atherosclerotic plaque at 3T. 2012 , 14, 20		15
379	Bêficice cardiovasculaire des statines dans le haut risque vasculaire. 2012 , 4, 259-267		
378	Does squatting worsen lower limb ischemia in patients with peripheral arterial disease?. 2012 , 74, 298-300		2
377	Peripheral artery disease and CKD: a focus on peripheral artery disease as a critical component of CKD care. 2012 , 60, 641-54		64
376	Antiplatelet Agents. 2012 ,		4
375	Association of interarm systolic blood pressure difference with atherosclerosis and left ventricular hypertrophy. 2012 , 7, e41173		52
374	Abnormally low and high ankle-brachial indices are independently associated with increased left ventricular mass index in chronic kidney disease. 2012 , 7, e44732		9

373	Association of chronic kidney disease and peripheral artery disease with inappropriate left ventricular mass. 2012 , 7, e48422		3
372	Propionyl-L-carnitine for intermittent claudication. <i>The Cochrane Library</i> , 2012 ,	5.2	1
371	A prothrombotic state is associated with early arterial damage in hypertensive patients. 2012 , 19, 471-8		13
370	The Management of Peripheral Arterial Disease (PAD) in Primary Care. 2012 ,		
369	Individualized Cardiovascular Risk Assessment. 2012 ,		
368	Arterial disease and its management. 1-9		
367	The ClaudicatioNet concept: design of a national integrated care network providing active and healthy aging for patients with intermittent claudication. 2012 , 8, 495-503		18
366	Non-Pharmacological Treatment of Peripheral Vascular Disease. 2012 , 173-186		
365	Sex-specific time trends in first admission to hospital for peripheral artery disease in Scotland 1991-2007. 2012 , 99, 680-7		2
364	Long-term safety of intramuscular gene transfer of non-viral FGF1 for peripheral artery disease. 2012 , 19, 264-70		22
363	Use of fraction flow reserve to predict changes over time in management of superficial femoral artery. 2012 , 25, 71-7		17
362	Use of a three-curved rocker sole shoe modification to improve intermittent claudication calf pain--a pilot study. 2012 , 30, 11-20		5
361	Medical management of risk factors for vascular disease. 2012 , 30, 377-382		
360	Ankle-brachial pressure index and mini nutritional assessment in community-dwelling elderly people. 2013 , 17, 370-6		1
359	The Norwegian Stroke in the Young Study (NOR-SYS): rationale and design. 2013 , 13, 89		19
358	Acute and chronic lower limb ischaemia. 2013 , 31, 229-235		
357	Cilostazol for peripheral arterial disease could reduce stroke risk?. 2013 , 132, 149-50		2
356	Burden of peripheral arterial disease in Europe and the United States: a patient survey. 2013 , 11, 175		29

355	Cell therapy of peripheral arterial disease: from experimental findings to clinical trials. 2013 , 112, 1288-302	168
354	Peripheral arterial disease and chronic heart failure: a dangerous mix. 2013 , 18, 457-64	29
353	In vitro stent lumen visualisation of various common and newly developed femoral artery stents using MR angiography at 1.5 and 3 tesla. 2013 , 23, 588-95	4
352	Obstructive sleep apnea syndrome: blood viscosity, blood coagulation abnormalities, and early atherosclerosis. 2013 , 191, 1-7	33
351	Thigh circumference and low ankle brachial index in US adults: results from the National Health and Nutrition Examination Survey 1999-2004. 2013 , 163, 40-5	5
350	Contrast-enhanced magnetic resonance angiography in diabetic patients with infra-genicular peripheral arterial disease: systematic review. 2013 , 11, 228-32	8
349	Whole-Body Magnetic Resonance Angiography (WBMRA) as a tool for driving efficiency in the cost and treatment of Claudication Co-morbidities. 2013 , 2, 181-187	4
348	Noncompressible arteries correlate with increased cardiovascular mortality at 2 years. 2013 , 27, 918-23	7
347	Differential microRNA expression profiles in peripheral arterial disease. 2013 , 6, 490-7	69
346	Risk factors of accelerated progression of peripheral artery disease in hemodialysis. 2013 , 29, 82-7	5
345	Angina and intermittent claudication in 7403 participants of the 2003 Scottish Health Survey: impact on general and mental health, quality of life and five-year mortality. 2013 , 167, 2149-55	15
344	Estimating the risk of peripheral artery disease using different population strategies. 2013 , 57, 328-33	7
343	Lower limb peripheral arterial disease (clinical guideline 147): a guideline summary. 2013 , 2, 26-30	8
342	Noninvasive Vascular Diagnosis. 2013 ,	8
341	Association between advanced age and vascular disease in different arterial territories: a population database of over 3.6 million subjects. 2013 , 61, 1736-43	162
340	Overview of Peripheral Arterial Disease of the Lower Extremity. 2013 , 261-285	
339	A service pathway for patients at risk of peripheral arterial disease. 2013 , 18, 168-72	2
338	Peripheral arterial disease is prevalent but underdiagnosed and undertreated in the primary care setting in central Greece. 2013 , 64, 119-24	21

337	Improvement in symptoms of peripheral arterial disease with sildenafil therapy. 2013 , 58, e7-9		2
336	Clinical application of vascular regenerative therapy for peripheral artery disease. 2013 , 2013, 179730		13
335	Mediterranean diet- and exercise-induced improvement in age-dependent vascular activity. 2013 , 124, 579-87		55
334	Beyond the ankle-brachial pressure index for the diagnosis of peripheral arterial disease--time for a new look at photoplethysmography. 2013 , 64, 492-3		7
333	Methods of symptom evaluation and their impact on peripheral artery disease (PAD) symptom prevalence: a review. <i>Vascular Medicine</i> , 2013 , 18, 95-111	3-3	23
332	Apolipoprotein E genotype, cardiovascular biomarkers and risk of stroke: systematic review and meta-analysis of 14,015 stroke cases and pooled analysis of primary biomarker data from up to 60,883 individuals. <i>International Journal of Epidemiology</i> , 2013 , 42, 475-92	7.8	113
331	Ankle-brachial index remains the most powerful tool for peripheral arterial disease detection in epidemiological studies. 2013 , 64, 483-4		2
330	Low hemoglobin concentration is associated with poor outcome after peripheral arterial surgery. 2013 , 47, 449-53		14
329	Abdominal obesity is associated with a lower ankle-brachial index in women with polycystic ovary syndrome. 2013 , 64, 105-11		2
328	Outcomes for clinical studies assessing drug and revascularization therapies for claudication and critical limb ischemia in peripheral artery disease. 2013 , 127, 1241-50		23
327	Should we stop testing for asymptomatic carotid atherosclerosis?. 2013 , 5, 94-6		3
326	Peripheral arterial disease in the Middle East: Underestimated predictor of worse outcome. 2013 , 2013, 98-113		4
325	Performance of the Framingham risk score in patients receiving hemodialysis. 2013 , 18, 510-5		11
324	Cryoplasty for peripheral arterial disease. <i>The Cochrane Library</i> , 2013 , CD005507	5.2	5
323	Differential MicroRNA Expression Profiles in Peripheral Arterial Disease. 2013 , 6, 490-497		11
322	Ginkgo biloba for intermittent claudication. <i>The Cochrane Library</i> , 2013 , CD006888	5.2	14
321	Epidemiology, risk factors & prognosis. 2013 , 8-17		
320	The Epidemiology of Peripheral Artery Disease. 2013 , 211-222		1

319	Improvement in prediction of coronary heart disease risk over conventional risk factors using SNPs identified in genome-wide association studies. 2013 , 8, e57310		17
318	Anatomical iliofemoral bypass versus extra-anatomical crossover grafting for symptomatic unilateral iliac disease. <i>The Cochrane Library</i> , 2013 ,	5.2	
317	Facilitators and Barriers to Implementation of the Ankle Brachial Index in Outpatient Physical Therapy Practice: A Qualitative Study. <i>Cardiopulmonary Physical Therapy Journal</i> , 2013 , 24, 7-13	1	
316	Association of bilateral brachial-ankle pulse wave velocity difference with peripheral vascular disease and left ventricular mass index. 2014 , 9, e88331		11
315	Cell-Based Therapies for Peripheral Arterial Disease. 2014 , 04,		1
314	Association between the CHADS2 score and an ankle-brachial index of <0.9 in patients without atrial fibrillation. 2014 , 21, 322-8		11
313	Impedance plethysmography as an alternative method for the diagnosis of peripheral arterial disease. 2014 , 50, 334-9		5
312	Prevalence of peripheral vascular disease and its association with carotid intima-media thickness and arterial stiffness in type 2 diabetes: the Chennai urban rural epidemiology study (CURES 111). 2014 , 11, 190-200		20
311	From ischemic conditioning to 'hyperconditioning': clinical phenomenon and basic science opportunity. 2014 , 12, 650-63		35
310	C-Reactive Protein Predicts Progression of Peripheral Arterial Disease in Patients with Type 2 Diabetes: A 5-Year Follow-Up Study. 2014 , 33, 347-355		1
309	Contemporary treatment for critical ischemia: the evidence for interventional radiology or surgery. 2014 , 31, 300-6		1
308	The role of surgical off-loading to prevent recurrent ulcerations. 2014 , 13, 320-34		13
307	Drug-eluting balloon angioplasty versus non- stenting balloon angioplasty for peripheral arterial disease of the lower limbs. 2014 ,		
306	Association of brachial-ankle pulse wave velocity, ankle-brachial index and ratio of brachial pre-ejection period to ejection time with left ventricular hypertrophy. 2014 , 347, 289-94		12
305	A high normal ankle-brachial index is associated with proteinuria in a screened cohort of Japanese: the Okinawa Peripheral Arterial Disease Study. 2014 , 32, 1435-43; discussion 1443		10
304	Lower limb amputation in England: prevalence, regional variation and relationship with revascularisation, deprivation and risk factors. A retrospective review of hospital data. 2014 , 107, 483-9		55
303	Contemporary outcomes with percutaneous vascular interventions for peripheral critical limb ischemia in those with and without poly-vascular disease. <i>Vascular Medicine</i> , 2014 , 19, 491-9	3.3	24
302	Socioeconomic inequality and peripheral artery disease prevalence in US adults. 2014 , 7, 532-9		52

301	Asymptomatic peripheral artery disease and antiplatelet management. <i>Vasa - European Journal of Vascular Medicine</i> , 2014 , 43, 309-25	1.9	8
300	Intravascular brachytherapy for peripheral vascular disease. <i>The Cochrane Library</i> , 2014 , CD003504	5.2	7
299	Interdisciplinary Concepts in Cardiovascular Health. 2014 ,		1
298	Age- and sex-related effects on ankle-brachial index in a screened cohort of Japanese: the Okinawa Peripheral Arterial Disease Study (OPADS). 2014 , 21, 712-8		20
297	Validity, reliability and accuracy of oscillometric devices, compared with Doppler ultrasound, for determination of the Ankle Brachial Index: an integrative review. 2014 , 13, 27-33		
296	ICAM-1 and SRD5A1 gene polymorphisms in symptomatic peripheral artery disease. <i>Vascular Medicine</i> , 2014 , 19, 175-181	3.3	4
295	Adherence to guideline-recommended therapy is associated with decreased major adverse cardiovascular events and major adverse limb events among patients with peripheral arterial disease. 2014 , 3, e000697		137
294	Ethnic differences in lower limb revascularisation and amputation rates. Implications for the aetiopathology of atherosclerosis?. 2014 , 233, 503-507		16
293	Association of total white cell count with mortality and major adverse events in patients with peripheral arterial disease: a systematic review. 2014 , 47, 422-32		6
292	Joint British Societies' consensus recommendations for the prevention of cardiovascular disease (JBS3). 2014 , 100 Suppl 2, ii1-ii67		34 ^o
291	Peripheral arterial disease. 2014 , 43, 149-66		27
290	Non-coronary atherosclerosis. 2014 , 35, 1112-9		95
289	Cost-effectiveness of cilostazol, naftidrofuryl oxalate, and pentoxifylline for the treatment of intermittent claudication in people with peripheral arterial disease. 2014 , 65, 190-7		14
288	Evaluation of the patient who presents with critical limb ischemia: diagnosis, prognosis, and medical management. 2014 , 17, 140-6		4
287	In Vivo Application of Tissue-Engineered Veins Using Autologous Peripheral Whole Blood: A Proof of Concept Study. 2014 , 1, 72-9		19
286	Angioplasty versus bare metal stenting for superficial femoral artery lesions. <i>The Cochrane Library</i> , 2014 , CD006767	5.2	20
285	R2CHADS2 score is significantly associated with ankle-brachial index . 2014 , 236, 307-11		4
284	In vitro hemorheological effects of parenteral agents used in peripheral arterial disease. 2014 , 26, 243-247		

283	Epidemiology of peripheral arterial disease and critical limb ischemia in an insured national population. <i>Journal of Vascular Surgery</i> , 2014 , 60, 686-95.e2	3.5	225
282	Octogenarians develop infrapopliteal arterial occlusive disease in the absence of traditional risk factors. 2014 , 28, 1712-8		3
281	Principles of Diagnosis for, and Interventional Treatment of, Critical Leg Ischemia. 2014 , 313-320		
280	Peripheral arterial disease: diagnostic challenges and how photoplethysmography may help. <i>British Journal of General Practice</i> , 2015 , 65, 323-4	1.6	16
279	Best practice: treating chronic oedema and venous disease. 2015 , 17, 82-86		
278	Relationship between inter-arm blood pressure differences and future cardiovascular events in coronary artery disease. 2015 , 33, 1780-9; discussion 1790		14
277	Protein concentration and mitochondrial content in the gastrocnemius predicts mortality rates in patients with peripheral arterial disease. 2015 , 261, 605-10		27
276	Diagnosis of Peripheral Vascular Disease: Current Perspectives. 2015 , 06,		2
275	Abnormally Low or High Ankle-Brachial Index Is Associated with Proliferative Diabetic Retinopathy in Type 2 Diabetic Mellitus Patients. 2015 , 10, e0134718		11
274	Drug-coated balloon and stent therapies for endovascular treatment of atherosclerotic superficial femoral artery disease. 2015 , 17, 36		5
273	Identification of peripheral arterial disease in diabetic patients and its association with quality of life, physical activity and body composition. 2015 , 14, 46-54		6
272	Patient-reported outcome measures in vascular surgery. 2015 , 28, 122-33		7
271	Chronic lower limb peripheral arterial disease. 2015 , 8, 477-484		
270	Noncontrast MRA of pedal arteries in type II diabetes: effect of disease load on vessel visibility. 2015 , 22, 513-9		2
269	Diagnostic accuracy of three-dimensional contrast-enhanced automatic moving-table MR angiography in patients with peripheral arterial occlusive disease in comparison with digital subtraction angiography. 2015 , 46, 79-87		
268	Society for Vascular Surgery practice guidelines for atherosclerotic occlusive disease of the lower extremities: management of asymptomatic disease and claudication. <i>Journal of Vascular Surgery</i> , 2015 , 61, 2S-41S	3.5	420
267	The correlation of the "Walking Estimated-Limitation Calculated by History" (WELCH) questionnaire with treadmill maximal walking time is not impaired by age, in patients with claudication. 2015 , 24, 1857-64		6
266	Medical management of risk factors for vascular disease. 2015 , 33, 302-307		

265	Audible handheld Doppler ultrasound determines reliable and inexpensive exclusion of significant peripheral arterial disease. 2015 , 23, 622-9		22
264	Oxidative stress and inflammation associated with decreased fibrinolysis as an early marker for peripheral vascular disease stratification: A clinical study. 2015 , 8, 24-30		
263	Clinical significance of pulse pressure in patients with coronary artery disease. 2015 , 190, 299-301		10
262	Pooled analysis of the CONFIRM registries: impact of gender on procedure and angiographic outcomes in patients undergoing orbital atherectomy for peripheral artery disease. <i>Journal of Endovascular Therapy</i> , 2015 , 22, 57-62	2.5	12
261	Epidemiology of peripheral artery disease. 2015 , 116, 1509-26		790
260	Lower extremity manifestations of peripheral artery disease: the pathophysiologic and functional implications of leg ischemia. 2015 , 116, 1540-50		116
259	Supervised exercise, stent revascularization, or medical therapy for claudication due to aortoiliac peripheral artery disease: the CLEVER study. 2015 , 65, 999-1009		158
258	Histomorphological evaluation of atherosclerotic lesions in patients with peripheral artery occlusive disease. 2015 , 60, 236-9		9
257	Commentary: Does gender influence outcomes after femoropopliteal stenting?. <i>Journal of Endovascular Therapy</i> , 2015 , 22, 38-40	2.5	
256	Time and reliability issues associated with automatic vs. manual measurements of Ankle to Brachial pressure Index (ABI) following heavy load exercise. 2015 , 18, 737-41		4
255	Risk Stratification for Primary Prevention of Coronary Artery Disease: Roles of C-Reactive Protein and Coronary Artery Calcium. 2015 , 17, 110		15
254	Heart rate significantly influences the relationship between atrial fibrillation and ankle-brachial index. 2015 , 66, 143-7		3
253	Preventing and treating foot complications associated with diabetes mellitus. 2015 , 11, 606-16		83
252	Population-Based Study of Incidence, Risk Factors, Outcome, and Prognosis of Ischemic Peripheral Arterial Events: Implications for Prevention. 2015 , 132, 1805-15		91
251	Arterial Plaques in Peripheral Arteries Diagnosed by Ultrasound in a Cohort of Patients With Type 2 Diabetes Mellitus: A Single-Center Surveillance. 2015 , 66, 675-9		2
250	Sixty-five common genetic variants and prediction of type 2 diabetes. 2015 , 64, 1830-40		76
249	Essentials of Vascular Surgery for the General Surgeon. 2015 ,		2
248	Comprehensive Management of High Risk Cardiovascular Patients. 2016 ,		1

247	Artropathie des membres inférieurs asymptomatique. 2016 , 251-253		
246	Development of a Telemetric System for Postoperative Follow-up of Vascular Surgery Procedures: In Vitro Model. 2016 , 5,		6
245	Alterations in Serum Polyunsaturated Fatty Acids and Eicosanoids in Patients with Mild to Moderate Chronic Obstructive Pulmonary Disease (COPD). <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	23
244	Vascular disease and foot assessment in diabetes. 2016 , 27, 185-191		0
243	Patient-specific structural effects on hemodynamics in the ischemic lower limb artery. 2016 , 6, 39225		11
242	Best practice: Doppler assessment in lymphoedema. 2016 , 21, 612-613		1
241	Comparison of Use of Short Form-36 Domain Scores and Patient Responses for Derivation of Preference-Based SF6D Index to Calculate Quality-Adjusted Life Years in Patients with Intermittent Claudication. 2016 , 34, 164-70		3
240	Peripheral arterial disease (PAD) assessed by ankle-brachial index in patients with established cardiovascular disease or at least one risk factor for atherosclerosis. 2016 , 32, 120-125		1
239	Mortality rates at 10 years are higher in diabetic than in non-diabetic patients with chronic lower extremity peripheral arterial disease. <i>Vascular Medicine</i> , 2016 , 21, 445-452	3.3	21
238	Drug-eluting balloon angioplasty versus uncoated balloon angioplasty for peripheral arterial disease of the lower limbs. <i>The Cochrane Library</i> , 2016 , CD011319	5.2	30
237	Pain management in patients with vascular disease. 2016 , 117 Suppl 2, ii95-ii106		8
236	Change in Ankle-Brachial Index Over Time in a Screened Japanese Cohort - The Okinawa Peripheral Arterial Disease Study. 2016 , 80, 2004-9		6
235	Comparison of Particulate Embolization after Femoral Artery Treatment with IN.PACT Admiral versus Lutonix 035 Paclitaxel-Coated Balloons in Healthy Swine. 2016 , 27, 1676-1685.e2		47
234	A "preamputation care pathway" reduces mortality for lower limb amputation. 2016 , 34, 54-8		1
233	Long-term outcomes of a randomized clinical trial of supervised exercise, percutaneous transluminal angioplasty or combined treatment for patients with intermittent claudication due to femoropopliteal disease. 2017 , 104, 76-83		24
232	Periphere arterielle Verschlusskrankheit. 2016 , 16, 38-43		
231	Advances in our understanding of the influence of gender on patient outcomes with peripheral arterial disease co-occurring with diabetes. 2016 , 11, 271-279		2
230	A Systematic Review of Extracorporeal Shockwave Therapy as a Novel Treatment for Intermittent Claudication. 2016 , 35, 226-33		6

229	Incidence of peripheral arterial disease in the ARTPER population cohort after 5 years of follow-up. 2016 , 16, 8	13
228	Effect of diabetes on the cutaneous microcirculation of the feet in patients with intermittent claudication. 2015 , 61, 439-44	11
227	Induction of Angiogenesis by a Type III Phosphodiesterase Inhibitor, Cilostazol, Through Activation of Peroxisome Proliferator-Activated Receptor- α and cAMP Pathways in Vascular Cells. 2016 , 36, 545-52	26
226	Screening for Peripheral Arterial Disease Using the Ankle-Brachial Index in Diabetic and Other High-Risk Patients: Pros and Cons. 2016 , 67, 607-9	1
225	Nationwide Trends of Hospital Admission and Outcomes Among Critical Limb Ischemia Patients: From 2003-2011. 2016 , 67, 1901-13	160
224	Markers of fibrinolysis may predict development of lower extremity arterial disease in patients with diabetes: A longitudinal prospective cohort study with 10 years of follow-up. 2016 , 13, 183-91	2
223	Peripheral Arterial Disease Incidence and Associated Risk Factors in a Mediterranean Population-based Cohort. The REGICOR Study. 2016 , 51, 696-705	18
222	A novel platelet lysate hydrogel for endothelial cell and mesenchymal stem cell-directed neovascularization. 2016 , 36, 86-98	51
221	Association of body mass index and left ventricular mass index with abnormally low and high ankle-brachial indices in chronic kidney disease. 2016 , 39, 166-70	5
220	A Randomized Controlled Trial of Allopurinol in Patients With Peripheral Arterial Disease. 2016 , 32, 190-6	8
219	Técnicas quirúrgicas en la patología oclusiva aorto-ilíaca. 2016 , 23, 132-135	
218	Development of quality indicators for physiotherapy for patients with PAOD in the Netherlands: a Delphi study. 2016 , 102, 196-201	8
217	Infrared thermography as option for evaluating the treatment effect of percutaneous transluminal angioplasty by patients with peripheral arterial disease. 2017 , 25, 42-49	18
216	Desarrollo de un sistema de telemetría para el seguimiento postoperatorio de procedimientos en cirugía vascular: modelo in vitro. 2017 , 69, 137-146	
215	Understanding Patient Acceptance of Risk with Treatment Options for Intermittent Claudication. 2017 , 40, 223-230	6
214	Primary care screening for peripheral arterial disease: a cross-sectional observational study. <i>British Journal of General Practice</i> , 2017 , 67, e103-e110	1.6 12
213	Ideal cardiovascular health and peripheral artery disease in African Americans: Results from the Jackson Heart Study. 2017 , 7, 20-25	21
212	The influence of pain-related beliefs on physical activity and health attitudes in patients with claudication: A pilot study. <i>Vascular Medicine</i> , 2017 , 22, 378-384	3.3 14

211	Angioplasty and stenting for peripheral arterial disease of the lower limbs: an overview of Cochrane Reviews. <i>The Cochrane Library</i> , 2017 ,	5.2	4
210	Influence of sex on microvascular and macrovascular responses to prolonged sitting. 2017 , 312, H800-H805		55
209	Ethnic differences in the prevalence of peripheral arterial disease: a systematic review and meta-analysis. 2017 , 15, 327-338		26
208	Not All Patients with Critical Limb Ischaemia Require Revascularisation. 2017 , 53, 371-379		14
207	Socioeconomic Status and Incidence of Hospitalization With Lower-Extremity Peripheral Artery Disease: Atherosclerosis Risk in Communities Study. 2017 , 6,		38
206	Gender disparities among patients with peripheral arterial disease treated via endovascular approach: A propensity score matched analysis. 2017 , 30, 604-611		19
205	Epidemiology of Peripheral Artery Disease. 2017 , 1-35		
204	Prolonged sitting leg vasculopathy: contributing factors and clinical implications. 2017 , 313, H722-H728		48
203	Peripheral arterial disease amongst British ethnic minorities in a community based population: The Ethnic-Echocardiographic Heart of England Screening Study (E-ECHOES). 2017 , 71, e12977		1
202	Office Evaluation of Peripheral Artery Disease [History and Physical Examination Strategies]. 2017 , 37-56		1
201	Progression of Peripheral Artery Disease to Critical Limb Ischemia. 2017 , 121-129		
200	IN.PACTAdmiral [Drug-coated balloon: Durable, consistent and safe treatment for femoropopliteal peripheral artery disease. 2017 , 112, 69-77		12
199	An endovascular model of ischemic myopathy from peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2017 , 66, 891-901	3.5	15
198	Arterial pathophysiology and comparison of two devices for pulse wave velocity assessment in elderly men: the British regional heart study. 2017 , 4, e000645		6
197	Endoluminal stents for iliac and infrainguinal arterial disease. <i>The Cochrane Library</i> , 2017 ,	5.2	78
196	A Rare Case of Intermittent Claudication Associated with Impaired Arterial Vasodilation. 2017 , 2017, 4868123		
195	Exercise Transcutaneous Oximetry of the Buttocks - External Validation With Computed Tomography Angiography. 2017 , 81, 1123-1128		10
194	Atherosclerotic Plaque Progression and OCT/IVUS Assessment. 2017 , 33-51		

193 Die periphere arterielle Verschlusskrankheit. **2018**, 11, 11-25

192 Association between modified CHADS-VASc Score with Ankle-Brachial index . **2018**, 8, 1175

4

191 Prevalence of peripheral artery disease and risk factors in the elderly: A community based cross-sectional study from northern Kerala, India. **2018**, 70, 808-815

6

190 Low rate of revascularization procedures and poor prognosis particularly in male patients with peripheral artery disease - A propensity score matched analysis. **2018**, 255, 188-194

11

189 Abnormally Low or High Ankle-Brachial Index Is Associated With the Development of Diabetic Retinopathy in Type 2 Diabetes Mellitus. **2018**, 8, 441

4

188 Extracorporeal shockwave therapy for intermittent claudication: Medium-term outcomes from a double-blind randomised placebo-controlled pilot trial. **2018**, 26, 531-539

2

187 Medical management of risk factors for vascular disease. **2018**, 36, 265-271

1

186 Early Assessment of the Risk Factors for Diabetic Retinopathy Can Reduce the Risk of Peripheral Arterial and Cardiovascular Diseases in Type 2 Diabetes. **2018**, 59, 221-227

6

185 Super-resolution ultrasound imaging method for microvasculature in vivo with a high temporal accuracy. **2018**, 8, 13918

38

184 Combination of the ankle-brachial index and percentage of mean arterial pressure to improve diagnostic sensitivity for peripheral artery disease: An observational study. **2018**, 97, e12644

9

183 Association between albumin and C-reactive protein and ankle-brachial index in haemodialysis. **2018**, 23 Suppl 4, 5-10

2

182 High Reintervention and Amputation Rates After Outpatient Atherectomy for Claudication. **2018**, 52, 427-433

12

181 Outcomes of beating heart on pump utilizing a miniature bypass circuit versus off-pump cardiac bypass at a Veterans Affairs Medical Center. **2018**, 59, 268-273

1

180 Themes that Determine Quality of Life in Patients with Peripheral Arterial Disease: A Systematic Review. **2018**, 11, 489-502

16

179 Post-exercise ankle blood pressure and ankle to brachial index after heavy load bicycle exercise. **2018**, 28, 2144-2152

1

178 Long-Term Results of Endovascular Femoropopliteal Interventions. **2018**, 27, 151-157

2

177 Peripheral Vascular Disease. **2019**, 473-483

176 Using a Discrete-Choice Experiment to Estimate the Preferences of Clinical Practitioners for a Novel Non-invasive Device for Diagnosis of Peripheral Arterial Disease in Primary Care. **2019**, 3, 571-581

3

175	Simple photoplethysmography pulse encoding technique for communicating the detection of peripheral arterial disease-a proof of concept study. 2019 , 40, 08NT01		6
174	The progression rate of peripheral arterial disease in patients with intermittent claudication: a systematic review. 2019 , 12, 40		9
173	Oxidative Stress in Peripheral Arterial Disease (PAD) Mechanism and Biomarkers. 2019 , 8,		18
172	High prevalence of exercise-induced ischemia in the asymptomatic limb of patients with apparently strictly unilateral symptoms and unilateral peripheral artery disease. 2019 , 13, 1753944718819063		3
171	The association of estimated whole blood viscosity with hemodynamic parameters and prognosis in patients with heart failure. 2019 , 13, 69-82		5
170	Global vascular guidelines on the management of chronic limb-threatening ischemia. <i>Journal of Vascular Surgery</i> , 2019 , 69, 3S-125S.e40	3.5	294
169	Peripheral artery disease: the new frontiers of imaging techniques to evaluate the evolution of regenerative medicine. 2019 , 17, 511-532		5
168	Global Vascular Guidelines on the Management of Chronic Limb-Threatening Ischemia. 2019 , 58, S1-S109.e33		329
167	Inflammation and Peripheral Arterial Disease. 2019 , 2, 142-151		0
166	Effects of sildenafil on maximum walking time in patients with arterial claudication: The ARTERIOFIL study. 2019 , 118-119, 106563		3
165	Liver Function and Risk of Type 2 Diabetes: Bidirectional Mendelian Randomization Study. 2019 , 68, 1681-1691		36
164	Understanding Atherosclerosis Through an Osteoarthritis Data Set. 2019 , 39, 1018-1025		7
163	The effect of income and insurance on the likelihood of major leg amputation. <i>Journal of Vascular Surgery</i> , 2019 , 70, 580-587	3.5	13
162	A multicenter randomized controlled study to evaluate whether neuromuscular electrical stimulation improves the absolute walking distance in patients with intermittent claudication compared with best available treatment. <i>Journal of Vascular Surgery</i> , 2019 , 69, 1567-1573	3.5	3
161	Four-Limb Blood Pressure Measurement with an Oscillometric Device: a Tool for Diagnosing Peripheral Vascular Disease. 2019 , 21, 15		3
160	Association between high-normal ankle-brachial index and hypertension incidence: the Okinawa Peripheral Arterial Disease Study. 2019 , 37, 935-941		4
159	Biocompatibility and Immunogenicity of Decellularized Allogeneic Aorta in the Orthotopic Rat Model. 2019 , 25, 399-415		11
158	Objective Performance Goals for Surgical Treatment of Critical Limb Ischemia. 2019 , 55, 104-111		0

157	Remote Ischemic Pre-conditioning in the Management of Intermittent Claudication: A Pilot Randomized Controlled Trial. 2019 , 55, 122-130	2
156	Peripheral arterial disease in Scottish military veterans: a retrospective cohort study of 57 000 veterans and 173 000 matched non-veterans. 2019 , 41, e9-e15	4
155	Talectomy as Part of Chronic Foot and Ankle Deformity Correction Procedure: A Retrospective Study. 2020 , 59, 16-20	2
154	Effect of footplate neuromuscular electrical stimulation on functional and quality-of-life parameters in patients with peripheral artery disease: pilot, and subsequent randomized clinical trial. 2020 , 107, 355-363	4
153	Impacts of prolonged sitting with mild hypercapnia on vascular and autonomic function in healthy recreationally active adults. 2020 , 319, H468-H480	4
152	Accuracy of Peripheral Arterial Disease Registers in UK General Practice: Case-Control Study. 2020 , 11, 2150132720946148	2
151	Monocyte counts are negatively associated with ankle-brachial index values in non-dialysis-dependent chronic kidney disease patients. 2020 , 42, 740-747	
150	Infrared Thermography as a Diagnostic Tool for Peripheral Artery Disease. 2020 , 33, 482-488	4
149	Accurate Noninvasive Arterial Assessment of the Wounded Lower Limb: A Clinical Challenge for Wound Practitioners. 2020 , 19, 215-226	2
148	Validation of Ultrasound Super-Resolution Imaging of Vasa Vasorum in Rabbit Atherosclerotic Plaques. 2020 , 67, 1725-1729	5
147	Pathophysiology of chronic peripheral ischemia: new perspectives. 2020 , 11, 2040622319894466	6
146	Electronic personal assessment questionnaire for vascular conditions (ePAQ-VAS): development and validity. 2020 , 107, 1004-1012	1
145	Non-Contact Assessment of Peripheral Artery Haemodynamics Using Infrared Video Thermography. 2021 , 68, 276-288	5
144	Peripheral Arterial Disease in Patients with Atrial Fibrillation: The AFFIRM Study. 2021 , 134, 514-518	8
143	Overview of Peripheral Arterial Disease of the Lower Extremity. 2021 , 1-40	
142	Usefulness of Upstroke Time per Cardiac Cycle for Cardiovascular and All-Cause Mortality Prediction in Patients with Normal Ankle-Brachial Index. 2021 ,	0
141	Comparison of the Use of Arterial Doppler Waveform Classifications in Clinical Routine to Describe Lower Limb Flow. 2021 , 10,	3
140	Wound outcomes and factors associated with wound healing after first-time femoropopliteal artery intervention in patients with ischemic tissue loss. 2021 , 44, 649-655	1

139	Clinical and subclinical findings in heterozygous carriers: results from a Belgian cohort and clinical practice guidelines. 2021 ,	2
138	Medical management of risk factors for vascular disease. 2021 , 39, 248-256	
137	Antithrombotic regimens in females with symptomatic lower extremity peripheral arterial disease: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2021 , 11, e042980	3
136	Endovascular treatment of calcific lesions of the common femoral artery using atherectomy device associated with scoring balloon angioplasty in diabetic patients with high "major amputation" risk. 2021 , 17085381211019244	1
135	Diabetes and peripheral artery disease: A review. 2021 , 12, 827-838	6
134	Interventional revascularization prior to operative fixation of fractures below the knee. A retrospective case series. 2021 , 52, 1939-1943	
133	Prevalence of Peripheral Arterial Disease and Associated Vascular Risk Factors in 65-Years-Old People of Northern Barcelona. 2021 , 10,	0
132	Reliability of the Edinburgh Claudication Questionnaire for Identifying Symptomatic PAD in General Practice. 2021 , 72, 474-479	2
131	Using CHADS, RCHADS, CHADS-VASc score for mortality prediction in patients with abnormal low and high ankle-brachial index. 2021 , 18, 276-283	
130	Review of Simple Measuring Techniques. 1991 , 3-15	7
129	Social Factors. 1991 , 197-206	2
128	Diet and Alcohol. 1991 , 207-215	2
127	Blood Rheology. 1991 , 285-297	1
126	Questionnaires. 1991 , 29-40	2
125	Symptomatic and Asymptomatic Disease. 1991 , 97-108	12
124	Incidence of asymptomatic peripheral arterial occlusive disease in diabetic patients attending a hospital clinic. 1997 , 428, 45-8	6
123	Apolipoprotein E genotype, atherosclerosis, and cognitive decline: the Rotterdam Study. 1998 , 53, 17-29	38
122	Peripheral arterial disease in relation to glycaemic level in an elderly Caucasian population: the Hoorn Study. 1995 , 38, 86	15

121	The Epidemiology of Peripheral Arterial Disease. 2006 , 223-238		3
120	Variations in the Management of Claudication in a Tertiary Care Center. 2020 , 67, 395-402		1
119	Personality Traits. 2003 ,		275
118	ESVM Guideline on peripheral arterial disease. <i>Vasa - European Journal of Vascular Medicine</i> , 2019 , 48, 1-79	1.9	46
117	Cardiovascular disease and distribution of cognitive function in elderly people: the Rotterdam Study. 1994 , 308, 1604-8		354
116	Use of ankle brachial pressure index to predict cardiovascular events and death: a cohort study. 1996 , 313, 1440-4		347
115	Determinants of fibrin D-dimer in the Edinburgh Artery Study. 1995 , 15, 1094-7		47
114	Effect of diagnostic criteria on the prevalence of peripheral arterial disease. The San Luis Valley Diabetes Study. 1995 , 91, 1472-9		346
113	Diagnosis and treatment of chronic arterial insufficiency of the lower extremities: a critical review. 1996 , 94, 3026-49		617
112	Randomized, double-blind, placebo-controlled study evaluating the efficacy and safety of AS-013, a prostaglandin E1 prodrug, in patients with intermittent claudication. 1997 , 95, 2298-302		49
111	Atrial fibrillation and dementia in a population-based study. The Rotterdam Study. 1997 , 28, 316-21		445
110	Relationship between carotid intima-media thickness and symptomatic and asymptomatic peripheral arterial disease. The Edinburgh Artery Study. 1997 , 28, 348-53		224
109	Exclusion and inclusion of nonwhite ethnic minority groups in 72 North American and European cardiovascular cohort studies. 2006 , 3, e44		61
108	Population genomics of cardiometabolic traits: design of the University College London-London School of Hygiene and Tropical Medicine-Edinburgh-Bristol (UCLEB) Consortium. 2013 , 8, e71345		33
107	Clinical application of stem cells for therapeutic angiogenesis in patients with peripheral arterial disease. 2009 , 2, 11-7		5
106	The importance of community screening of asymptomatic elderly for peripheral arterial disease by Doppler ultrasound and ankle-brachial index. 2017 , 17, 235-240		1
105	Vascular medicine yesterday, today, and tomorrow. 1997 , 4, 227-31		2
104	Impact of Symptomatic Peripheral Arterial Disease on 1-Year Mortality in Patients Undergoing Percutaneous Coronary Interventions. <i>Journal of Endovascular Therapy</i> , 2004 , 11, 60-70	2.5	13

103	[PAD prevalence in Russian Federation]. 2016 , 58-61	6
102	Dyslipidaemia in rheumatological autoimmune diseases. 2011 , 5, 64-75	59
101	[Significance of the determination of Doppler sonography haemodynamic indices for the assessment of distal perfusion in patients with critical ischemia of lower limbs]. 2006 , 63, 653-62	0
100	Peripheral arterial disease, type 2 diabetes and postprandial lipidaemia: Is there a link?. 2014 , 5, 577-85	14
99	Perioperative clinical variables and long-term survival following vascular surgery. 2014 , 6, 1100-7	3
98	Antithrombotic Treatment for Symptomatic Peripheral Artery Disease. 2019 , 35, 557-562	2
97	Claudication, exercise and antioxidants. 2000 , 1069-1103	
96	Critical Limb Ischemia. 2000 , 508-531	
95	Arterial Disease of the Lower Extremity. 2001 , 1067-1081	
94	The trait concept and personality theory. 2003 , 3-38	
93	Alternatives to trait theory. 2003 , 112-132	
92	Abnormal personality traits?. 2003 , 294-324	
91	Traits and health. 2003 , 273-293	
90	The psychophysiology of traits. 2003 , 166-203	
89	Genes, environments and personality traits. 2003 , 135-165	
88	Preface to the second edition. 2003 , xxiii-xxiv	0
87	Stable traits and transient states. 2003 , 77-111	
86	Persons, situations and interactionism. 2003 , 39-57	

- 85 Preface to the first edition. **2003**, xix-xxii
- 84 Conclusions. **2003**, 391-410
- 83 References. **2003**, 411-481
- 82 MDCT Angiography of Peripheral Arteries. **2004**, 255-268
- 81 Interventional Radiology for Revascularisation. **2004**, 341-350
- 80 Angiologie. **2004**, 389-418
- 79 Cryoplasty for peripheral vascular disease.
- 78 Pathophysiology of acute vascular insufficiency. **2005**, 17-27 1
- 77 Potential for Blood Substitutes in Tissue Ischemia. **2006**, 188-194
- 76 Peripheral Arterial Disease: Clinical Evaluation. **2006**, 255-269
- 75 Medical Management of Peripheral Arterial Disease:A Therapeutic Algorithm. *Journal of Endovascular Therapy*, **2006**, 13, II-19-II-29 2.5 2
- 74 Endovascular management of infrainguinal disease. *Journal of Endovascular Therapy*, **2006**, 13 Suppl 2, II1-2 2.5
- 73 Peripheral Arterial Disease. *Fundamental and Clinical Cardiology*, **2006**, 585-610
- 72 Beckengefäß. **2007**, 405-427
- 71 [Cardiovascular prevention with peripheral artery disease]. *Orvosi Hetilap*, **2007**, 148, 1303-9 0.8
- 70 Whole-body MRA. **2008**, 131-138
- 69 Arterial Disease of the Lower Extremity. **2008**, 1413-1428
- 68 Epidemiology and pathophysiology of peripheral arterial disease (PAD). **2008**, 3-6

- 67 Quality of Life Measures in Lower Limb Ischaemia. **2010**, 4035-4052
- 66 Lower Extremity Arterial Disease. **2010**, 1576-1592 2
- 65 Athfosclfose. **2010**, 287-491
- 64 ??????????????PAD ??????. *The Journal of Japanese Society of Limb Salvage and Podiatric Medicine*, **2010**, 2, 65-69 0
- 63 Balloon Angioplasty in Aortoiliac Arterial Occlusive Disease. **2011**, 261-270
- 62 Lower Limb Peripheral Vascular Disease. **2011**, 1347-1369 1
- 61 Lower Extremity Interventions. **2012**, 481-495
- 60 Patient selection and preparation strategies for the use of contrast material in patients with chronic kidney disease. *World Journal of Radiology*, **2012**, 4, 253-7 2.9 4
- 59 Correlation between Recovery Times of Lower Limb Ischemia after Walking Exercise as Measured by Near-infrared Spectroscopy and Prognosis of Cardiovascular Events in Patients with Arteriosclerosis Obliterans. *The Journal of Japanese College of Angiology*, **2012**, 52, 123-127 0
- 58 Infrainguinal Arterial Disease. 749-760
- 57 Peripheral Arterial Disease. **2014**, 115-145
- 56 Cardiovascular Issues and Renal Disease. **2014**, 355-374
- 55 Gender Considerations in Peripheral Vascular Disease. **2014**, 379-397
- 54 Natural History of Femoral Atheromatous Lesions. **1991**, 301-313
- 53 Personality. **1991**, 217-226 1
- 52 Epidemiology and risk factors of diseases of lower limb arteries. *Developments in Cardiovascular Medicine*, **1996**, 271-288
- 51 PAD and Claudication. **2015**, 85-100
- 50 Critical Limb Ischemia. **2015**, 101-118

- 49 Artropathie oblitérante des membres inférieurs : Définition et épidémiologie. **2016**, 227-230
- 48 Pharmacokinetics Interaction between Cardiotonic Pills and Cilostazol in Rats. *Journal of Life Science*, **2016**, 26, 123-128 1
- 47 MULTIDETECTOR CT ANGIOGRAPHY V/S COLOUR DOPPLER ULTRASONOGRAPHY IN THE DIAGNOSIS OF PERIPHERAL ARTERIAL DISEASES OF LOWER EXTREMITIES. *Journal of Evolution of Medical and Dental Sciences*, **2016**, 5, 4457-4461 0.1 3
- 46 Peripheral Artery Disease. **2017**, 69-77
- 45 Overview of Peripheral Arterial Disease of the Lower Extremity. **2017**, 291-318
- 44 Peripheral arterial disease. *Journal of the Royal Naval Medical Service*, **2018**, 104, 29-34 0
- 43 Strategy for coronary artery disease complicated with peripheral artery disease. *Journal of the Japanese Coronary Association*, **2018**, 24, 112-118
- 42 Intermittent claudication. **2018**, 85-92
- 41 The role of ultrasound imaging at detecting aortic aneurysm in emergency department. *The European Research Journal*, 0
- 40 Risk factors for asymptomatic peripheral arterial disease in Korean population: lessons from a community-based screening. *Annals of Surgical Treatment and Research*, **2019**, 97, 210-216 2 1
- 39 Prescription rate of anti-atherosclerotic drugs in German nursing homes and its impact on outcome. *Vasa - European Journal of Vascular Medicine*, **2019**, 48, 158-166 1.9 0
- 38 Combined Effects of Standing and Passive Heating on Attenuating Sitting-Induced Vascular Dysfunction.
- 37 Prevalence and Risk Factors of Peripheral Arterial Disease in Patients with Lumbar Spinal Stenosis and Intermittent Claudication: CT Angiography Study. *Journal of Korean Medical Science*, **2020**, 35, e87 4.7 0
- 36 Arterial Disease of the Lower Extremity. **2003**, 459-468
- 35 Prevalence of peripheral arterial disease: persistence of excess risk in former smokers. *Australian and New Zealand Journal of Public Health*, **2002**, 26, 219-224 2.3
- 34 Arterielle Verschlusskrankheit (AVK). **2005**, 146-149
- 33 Imaging diagnostico nell'invecchiamento dei vasi periferici. **2006**, 95-106
- 32 Angiologie. **2008**, 421-450

31	Periphere arterielle Verschlusskrankheit (pAVK).		0
30	The prognosis of non-critical limb ischaemia: a systematic review of population-based evidence. <i>British Journal of General Practice</i> , 1999 , 49, 49-55	1.6	32
29	The health-related quality of life of people with peripheral arterial disease in the community: the Edinburgh Artery Study. <i>British Journal of General Practice</i> , 2004 , 54, 826-31	1.6	94
28	Targeted screening for peripheral arterial disease in general practice: a pilot study in a high risk group. <i>British Journal of General Practice</i> , 2007 , 57, 311-5	1.6	8
27	Medical management and cardiovascular risk reduction in peripheral arterial disease. <i>Experimental and Clinical Cardiology</i> , 2008 , 13, 113-9		7
26	Facilitators and barriers to implementation of the ankle brachial index in outpatient physical therapy practice: a qualitative study. <i>Cardiopulmonary Physical Therapy Journal</i> , 2013 , 24, 7-13	1	
25	Relation of ankle brachial index to left ventricular ejection fraction in non-diabetic individuals. <i>Journal of Cardiovascular and Thoracic Research</i> , 2011 , 3, 109-12	1.3	
24	Evaluation of asymptomatic peripheral arterial disease by ankle- brachial index in patients with concomitant coronary arterial disease. 2012 , 6, 128-30		2
23	Profile of atherosclerotic risk factors and management in patients of peripheral arterial disease at a tertiary care teaching hospital of north India. <i>Indian Journal of Pharmaceutical Sciences</i> , 2014 , 76, 504-9	1.5	2
22	High-sensitive factor I and C-reactive protein based biomarkers for coronary artery disease. <i>International Journal of Clinical and Experimental Medicine</i> , 2014 , 7, 5158-69		1
21	A Meta-Analysis of Randomized Controlled Trials on Therapeutic Efficacy and Safety of Autologous Cell Therapy for Atherosclerosis Obliterans. <i>Journal of Vascular Surgery</i> , 2021 ,	3.5	1
20	Overview of Peripheral Arterial Disease of the Lower Extremity. 2022 , 449-488		
19	Study of AnkleBrachial index among the patients of metabolic syndrome. <i>Medical Journal of Dr D Y Patil Vidyapeeth</i> , 2022 ,	0.1	
18	Comprehensive Targeted Metabolomic Study in the Lung, Plasma, and Urine of PPE/LPS-Induced COPD Mice Model.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	0
17	Sex-Specific Differences in Cardiovascular Risk, Risk Factors and Risk Management in the Peripheral Arterial Disease Population.. <i>Diagnostics</i> , 2022 , 12,	3.8	0
16	Propionyl-L-carnitine for intermittent claudication.. <i>The Cochrane Library</i> , 2021 , 12, CD010117	5.2	0
15	Artificial intelligence for the evaluation of peripheral artery disease using arterial Doppler waveforms to predict abnormal ankle-brachial index.. <i>Vascular Medicine</i> , 2022 , 1358863X221094082	3.3	0
14	Supervised physical activity in patients with symptomatic peripheral arterial disease: protocol for a randomized clinical trial (ARTPERfit Study).. <i>BMJ Open</i> , 2022 , 12, e054352	3	

- 13 Peripheral Arterial Disease and the AnkleBrachial Index. *Contemporary Cardiology*, **2022**, 307-323 0.1
- 12 Peripheral arterial disease (pathophysiology, presentation, prevention/management). **2022**, 361-375
- 11 A Case Series Analysis of Major Vascular Revascularization. **2022**,
- 10 Prospective Assessment of the Diagnostic Accuracy of Multi-site Photoplethysmography Pulse Measurements for Diagnosis of Peripheral Artery Disease in Primary Care. 000331972211216
- 9 Lipoprotein (a) and long-term outcome in patients with peripheral artery disease undergoing revascularization. **2022**, 0
- 8 Arterial claudication. **2022**, 5, 68 0
- 7 Incidence of Incisional Hernias in Patients Operated on for Aneurysm or Occlusive Disease. **2004**, 70, 550-552 5
- 6 Utility of ankle brachial pressure index for screening asymptomatic peripheral arterial diseases in high cardiovascular risk patients. **2022**, 35, 0
- 5 Demographics and Prevalence of Risk Factors in Patients With Peripheral Arterial Disease Presenting to a Tertiary Care Center in Northern India. **2022**, 0
- 4 Development of a dual-component infection-resistant arterial replacement for small-caliber reconstructions: A proof-of-concept study. 11, 0
- 3 Impact of Preoperative Anemia on Hospitalization, Death, and Overall Survival in Patients With Peripheral Artery Disease Undergoing Endovascular Therapy: A Retrospective Cohort Study in the United States and Canada. 152660282211499 0
- 2 Comparison of the oxidative profiles before and after revascularization in peripheral arterial disease: a pilot study. **2023**, 0
- 1 Narrative Review: Peripheral Arterial Disease in Patients with Hyperuricemia and Gout. 0