

# CITATION REPORT

List of articles citing

Atomic structure of FKBP-FK506, an immunophilin-immunosuppressant complex

DOI: 10.1126/science.1709302  
Science, 1991, 252, 839-42.

**Source:** <https://exaly.com/paper-pdf/22737623/citation-report.pdf>

**Version:** 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
599	Total Synthesis of the FK506/FKBP Complex. <b>1991</b> , 417-461		5
598	NMR studies of an FK-506 analogue, [U-13C]ascomycin, bound to FKBP: conformation and regions of ascomycin involved in binding. <b>1991</b> , 34, 2925-8		50
597	Exon organization of the human FKBP-12 gene: correlation with structural and functional protein domains. <b>1991</b> , 30, 8512-7		21
596	cDNA encoding murine FK506-binding protein (FKBP): nucleotide and deduced amino acid sequence. <b>1991</b> , 109, 255-8		25
595	Sequence analysis of the ryanodine receptor: possible association with a 12K, FK506-binding immunophilin/protein kinase C inhibitor. <b>1991</b> , 178, 1288-90		50
594	Stabilization of the FK506 binding protein by ligand binding. <b>1991</b> , 179, 741-8		10
593	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N backbone assignments of cyclophilin when bound to cyclosporin A (CsA) and preliminary structural characterization of the CsA binding site. <b>1991</b> , 294, 81-8		29
592	Calcineurin is a common target of cyclophilin-cyclosporin A and FKBP-FK506 complexes. <b>1991</b> , 66, 807-15		3538
591	When worlds collide: immunosuppressants meet protein phosphatases. <b>1991</b> , 66, 823-6		102
590	Receptor-induced conformation change of the immunosuppressant cyclosporin A. <i>Science</i> , <b>1991</b> , 254, 953-4	33.3	85
589	Exploring the catalytic activity of immunophilins. <b>1991</b> , 1, 234-6		14
588	Rusting of the lock and key model for protein-ligand binding. <i>Science</i> , <b>1991</b> , 254, 954-5	33.3	176
587	Immunosuppression. Binding by design. <b>1991</b> , 351, 185-6		13
586	Structure of human cyclophilin and its binding site for cyclosporin A determined by X-ray crystallography and NMR spectroscopy. <b>1991</b> , 353, 276-9		246
585	Auf dem Weg zum Verständnis der Immunsuppression. <b>1991</b> , 103, 968-969		4
584	Die Medizinische Chemie im Goldenen Zeitalter der Biologie: Lehren aus der Steroid- und Peptidforschung. <b>1991</b> , 103, 1305-1330		43
583	Molecular recognition: models for drug design. <b>1991</b> , 47, 1148-61		5

582	Molecular cloning of a membrane-associated human FK506- and rapamycin-binding protein, FKBP-13. <b>1991</b> , 88, 6677-81		153
581	Solution structure of FKBP, a rotamase enzyme and receptor for FK506 and rapamycin. <i>Science</i> , <b>1991</b> , 252, 836-9	33.3	275
580	Crystal structure of recombinant human T-cell cyclophilin A at 2.5 Å resolution. <b>1991</b> , 88, 9483-7		167
579	Three-dimensional structure of an angiotensin II-Fab complex at 3 Å: hormone recognition by an anti-idiotypic antibody. <i>Science</i> , <b>1992</b> , 257, 502-7	33.3	177
578	Yeast FKBP-13 is a membrane-associated FK506-binding protein encoded by the nonessential gene FKBP2. <b>1992</b> , 89, 7471-5		52
577	The immunosuppressive and toxic effects of FK-506 are mechanistically related: pharmacology of a novel antagonist of FK-506 and rapamycin. <b>1992</b> , 176, 751-60		235
576	Heat capacity changes and hydrophobic interactions in the binding of FK506 and rapamycin to the FK506 binding protein. <b>1992</b> , 89, 4781-5		68
575	Expression and characterization of human FKBP52, an immunophilin that associates with the 90-kDa heat shock protein and is a component of steroid receptor complexes. <b>1992</b> , 89, 10974-8		223
574	Biochemie und Molekularbiologie 1991. <b>1992</b> , 40, 182-204		1
573	A conformation of cyclosporin A in aqueous environment revealed by the X-ray structure of a cyclosporin-Fab complex. <i>Science</i> , <b>1992</b> , 256, 92-4	33.3	105
572	<i>Neisseria meningitidis</i> encodes an FK506-inhibitable rotamase. <b>1992</b> , 89, 1164-8		43
571	An immunophilin that binds M(r) 90,000 heat shock protein: main structural features of a mammalian p59 protein. <b>1992</b> , 89, 6270-4		162
570	Chapter 29. Macromolecular X-Ray Crystallography and NMR as Tools for Structure-based Drug Design. <b>1992</b> , 27, 271-289		19
569	Role of accessory proteins in protein folding. <b>1992</b> , 2, 26-34		41
568	Isolation of a human cDNA encoding a 25 kDa FK-506 and rapamycin binding protein. <b>1992</b> , 185, 298-303		25
567	Renal transplantation for the nephrologist: new immunosuppressive drugs. <b>1992</b> , 19, 3-9		12
566	Immunophilin-sensitive protein phosphatase action in cell signaling pathways. <b>1992</b> , 70, 365-8		309
565	Cyclosporin A, FK-506, and rapamycin: pharmacologic probes of lymphocyte signal transduction. <b>1992</b> , 10, 519-60		611

564	Cloning and sequence analysis of a rapamycin-binding protein-encoding gene (RBP1) from <i>Candida albicans</i> . <b>1992</b> , 113, 125-7	29
563	Rapamycins: Antifungal, antitumor, antiproliferative, and immunosuppressive macrolides. <b>1992</b> , 6, 39-87	215
562	Solvent Effects on the Energetics of Prolyl Peptide Bond Isomerization. <b>1992</b> , 114, 5437-5439	106
561	A rapamycin-selective 25-kDa immunophilin. <b>1992</b> , 31, 2427-34	126
560	Inhibition of T cell signaling by immunophilin-ligand complexes correlates with loss of calcineurin phosphatase activity. <b>1992</b> , 31, 3896-901	535
559	cDNA cloning of a human 25 kDa FK506 and rapamycin binding protein. <b>1992</b> , 184, 733-8	39
558	Solution structure of FK506 bound to FKBP-12. <b>1992</b> , 302, 89-96	34
557	Cyclosporin A-cyclophilin complex formation. A model based on X-ray and NMR data. <b>1992</b> , 300, 291-300	85
556	Stereospecific assignments and chi 1 rotamers for FKBP when bound to ascomycin from 3JH alpha,H beta and 3HN,H beta coupling constants. <b>1992</b> , 305, 137-43	25
555	Contact potential that recognizes the correct folding of globular proteins. <b>1992</b> , 227, 876-88	312
554	Struktur und Design von Cyclopeptiden zur Regulation des Immunsystems. <b>1992</b> , 334, 549-557	1
553	Active site mutants of human cyclophilin A separate peptidyl-prolyl isomerase activity from cyclosporin A binding and calcineurin inhibition. <b>1992</b> , 1, 1092-9	255
552	<i>Saccharomyces cerevisiae</i> contains a homolog of human FKBP-13, a membrane-associated FK506/rapamycin binding protein. <b>1992</b> , 8, 673-80	20
551	Molecular Recognition of Immunophilins and Immunophilin-Ligand Complexes. <b>1992</b> , 48, 2545-2558	42
550	Synthesis of derivatives of FK 506 and FR 900520: modifications at the binding domain. <b>1992</b> , 48, 5861-5874	20
549	High-level expression of recombinant human FK-binding protein from a fusion precursor. <b>1992</b> , 11, 213-23	19
548	Protein folding in the cell. <b>1992</b> , 355, 33-45	3834
547	Theoretical and practical aspects of antigenized antibodies. <b>1992</b> , 130, 125-50	15

546	Cis/trans isomerization at proline: Desolvation and its consequences for protein folding. <b>1992</b> , 20, 382-386	21
545	FK-506 and cyclosporin A: immunosuppressive mechanism of action and beyond. <b>1992</b> , 4, 548-52	69
544	NMR structures and methodology. <b>1992</b> , 3, 326-32	4
543	The mechanism of action of cyclosporin A and FK506. <b>1992</b> , 13, 136-42	1937
542	Mechanisms of action of cyclosporine and effects on connective tissues. <b>1992</b> , 21, 16-22	37
541	Identification of solvent-exposed regions of an FK-506 analog, ascomycin, bound to FKBP using a paramagnetic probe. <b>1992</b> , 2, 11-8	22
540	New immunosuppressive drugs: needs in and applications to pediatric transplantation. <b>1992</b> , 151 Suppl 1, S9-12	4
539	Conformation/activity studies of rationally designed potent anti-adhesive RGD peptides. <b>1992</b> , 210, 911-21	262
538	Structure and Reactivity of Five- and Six-Ring N, N-, N, O-, and O, O-acetals: A lesson in allylic 1, 3-strain (A1, 3 strain). <b>1992</b> , 75, 913-934	90
537	Protein targets for structure-based drug design. <b>1992</b> , 12, 317-72	36
536	Naturstoffe als Sonden zum Studium zellulärer Funktionen Untersuchungen von Immunophilinen. <b>1992</b> , 104, 413-430	33
535	<sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N assignments and secondary structure of the FK506 binding protein when bound to ascomycin. <b>1993</b> , 33, 535-50	29
534	Structure of Rapamycin: An NMR and Molecular-Dynamics Investigation. <b>1993</b> , 76, 117-130	30
533	CONCEPTS: New dynamic algorithm for de novo drug suggestion. <b>1993</b> , 14, 1184-1193	67
532	Tertiary structure of calcineurin B by homology modeling. <b>1993</b> , 11, 47-52, 45	8
531	FK506 and cyclosporin, molecular probes for studying intracellular signal transduction. <b>1993</b> , 14, 290-5	280
530	GenStar: a method for de novo drug design. <b>1993</b> , 7, 23-43	103
529	A multifunctional plasmid for protein expression by ECPCR: overproduction of the p50 subunit of NF- $\kappa$ B. <b>1993</b> , 3, 1089-1094	38

528	Structure-activity studies of nonmacrocylic rapamycin derivatives. <b>1993</b> , 3, 1977-1980	11
527	Analysis in <i>Neisseria meningitidis</i> and other <i>Neisseria</i> species of genes homologous to the FKBP immunophilin family. <b>1993</b> , 10, 13-23	40
526	Immunophilins: structure-function relationship and possible role in microbial pathogenicity. <b>1993</b> , 10, 445-56	90
525	<i>Chlamydia trachomatis</i> Mip-like protein has peptidyl-prolyl cis/trans isomerase activity that is inhibited by FK506 and rapamycin and is implicated in initiation of chlamydial infection. <b>1993</b> , 7, 777-83	88
524	Alpha plus beta folds revisited: some favoured motifs. <b>1993</b> , 1, 105-20	142
523	Kinetic analysis of molecular interconversion of immunosuppressant FK506 by high-performance liquid chromatography. <b>1993</b> , 10, 1785-9	15
522	On the localization of FKBP25 in T-lymphocytes. <b>1993</b> , 315, 247-51	39
521	Structure-activity profiles of macrolactam immunosuppressant FK-506 analogues. <b>1993</b> , 316, 107-13	40
520	Cyclosporin binding proteins. Identification, distribution, function and relation to FK binding proteins. <b>1993</b> , 46, 1-12	24
519	Peptidylproline cis-trans-isomerases: immunophilins. <b>1993</b> , 216, 689-707	294
518	Prolyl isomerase: enzymatic catalysis of slow protein-folding reactions. <b>1993</b> , 22, 123-42	267
517	Interaction of calcium channel antagonists with calcium: spectroscopic and modeling studies on diltiazem and its Ca <sup>2+</sup> complex. <b>1993</b> , 36, 1324-32	40
516	A mechanism for rotamase catalysis by the FK506 binding protein (FKBP). <b>1993</b> , 32, 13830-7	141
515	Three-dimensional structure of the FK506 binding protein/ascomycin complex in solution by heteronuclear three- and four-dimensional NMR. <b>1993</b> , 32, 754-65	77
514	Equilibrium denaturation of recombinant human FK binding protein in urea. <b>1993</b> , 32, 1920-7	59
513	Probing hydration contributions to the thermodynamics of ligand binding by proteins. Enthalpy and heat capacity changes of tacrolimus and rapamycin binding to FK506 binding protein in D <sub>2</sub> O and H <sub>2</sub> O. <b>1993</b> , 32, 5583-90	45
512	The tyrosine89 residue of yeast FKBP12 is required for rapamycin binding. <b>1993</b> , 129, 159-65	30
511	Structural organization of the genes encoding human and murine FK506-binding protein (FKBP) 13 and comparison to FKBP1. <b>1993</b> , 134, 271-5	16

510	FK506 and ciclosporin: molecular probes for studying intracellular signal transduction. <b>1993</b> , 14, 182-8	101
509	FK-506--a novel immunosuppressant. <b>1993</b> , 685, 22-36	42
508	Structural studies of complexed FK-506 binding protein. <b>1993</b> , 685, 37-45	7
507	Analysis of cyclic and acyclic nicotinic cholinergic agonists using radioligand binding, single channel recording, and nuclear magnetic resonance spectroscopy. <b>1993</b> , 64, 325-38	9
506	Crystal structure of cyclophilin A complexed with substrate Ala-Pro suggests a solvent-assisted mechanism of cis-trans isomerization. <b>1993</b> , 90, 3324-8	88
505	Controlling signal transduction with synthetic ligands. <i>Science</i> , <b>1993</b> , 262, 1019-24	33.3 693
504	Mechanism of enzymatic and nonenzymatic prolyl cis-trans isomerization. <b>1993</b> , 44, 1-24	117
503	Chapter 22. Immunophilins and Immunosuppressive Drug Action. <b>1993</b> , 207-215	7
502	Molecular basis for the inhibition of human alpha-thrombin by the macrocyclic peptide cyclotheonamide A. <b>1993</b> , 90, 8048-52	104
501	Overview: Macrolide Immunosuppressants. <b>1993</b> , 3, 931-949	10
500	Biologicals and Immunologicals Overview: Recent developments in macrolide immunosuppressants. <b>1994</b> , 4, 1445-1460	
499	Solution Structure of Taxol Determined Using a Novel Feedback-Scaling Procedure for Noe-Restrained Molecular Dynamics. <b>1994</b> , 8, 24-34	13
498	A novel FK506- and rapamycin-binding protein (FPR3 gene product) in the yeast <i>Saccharomyces cerevisiae</i> is a proline rotamase localized to the nucleolus. <b>1994</b> , 127, 623-39	74
497	Yeast NPI46 encodes a novel prolyl cis-trans isomerase that is located in the nucleolus. <b>1994</b> , 126, 853-62	59
496	Enthalpy of hydrogen bond formation in a protein-ligand binding reaction. <b>1994</b> , 91, 1964-8	136
495	Multinuclear and multidimensional NMR methodology for studying individual water molecules bound To peptides and proteins in solution: Principles and applications. <b>1994</b> , 26, 171-237	35
494	The immunophilins. <b>1994</b> , 2, 57-84	34
493	Structural studies on FK-506, cyclosporin A and their immunophilin complexes. <b>1994</b> , 2, 127-144	5

492	The medicinal chemistry of FK-506. <b>1994</b> , 2, 145-162	33
491	How is an NMR structure best defined? An analysis of molecular dynamics distance-based approaches. <b>1994</b> , 4, 1-16	49
490	Correlation between <sup>15</sup> N NMR chemical shifts in proteins and secondary structure. <b>1994</b> , 4, 341-8	83
489	Electrostatic complementarity between proteins and ligands. 1. Charge disposition, dielectric and interface effects. <b>1994</b> , 8, 513-25	25
488	Electrostatic complementarity between proteins and ligands. 2. Ligand moieties. <b>1994</b> , 8, 527-44	16
487	Pharmacophore refinement of gpIIb/IIIa antagonists based on comparative studies of antiadhesive cyclic and acyclic RGD peptides. <b>1994</b> , 8, 709-30	53
486	The development of a simple empirical scoring function to estimate the binding constant for a protein-ligand complex of known three-dimensional structure. <b>1994</b> , 8, 243-56	751
485	Investigation of the effects of synthetic, non-cytotoxic immunophilin inhibitors on MDR. <b>1994</b> , 4, 2097-2102	
484	Structure-activity studies of synthetic FKBP ligands as peptidyl-prolyl isomerase inhibitors. <b>1994</b> , 4, 315-320	37
483	Design, synthesis and evaluation of dual domain FKBP ligands. <b>1994</b> , 4, 325-328	14
482	Alkyl ether derivatives of the FK-506 related, immunosuppressive macrolide L-683,742 (C31-O-desmethyl ascomycin). <b>1994</b> , 4, 927-930	9
481	Synthetic FKBP12 ligands. Design and synthesis of pyranose replacements.. <b>1994</b> , 4, 2501-2506	6
480	Synthesis and evaluation of dual domain macrocyclic FKBP12 ligands.. <b>1994</b> , 4, 2507-2510	7
479	The contribution to binding of the pyranoside substituents in the excised binding domain of FK-506. <b>1994</b> , 4, 1457-1460	5
478	Ber Peptidyl-Prolyl-cis/trans-Isomerasen und ihre Effektoren. <b>1994</b> , 106, 1479-1501	41
477	pH titration of the histidine residues of cyclophilin and FK506 binding protein in the absence and presence of immunosuppressant ligands. <b>1994</b> , 1209, 24-32	27
476	Characterization of Mip proteins of Legionella pneumophila. <b>1994</b> , 118, 23-30	41
475	Synthesis and FKBP binding of small molecule mimics of the tricarbonyl region of FK506. <b>1994</b> , 4, 1161-1166	11



474	Structure of the pleckstrin homology domain from beta-spectrin. <b>1994</b> , 369, 675-7	239
473	The latch region of calcineurin B is involved in both immunosuppressant-immunophilin complex docking and phosphatase activation. <b>1994</b> , 79, 437-47	108
472	Beta-sheet topology. A new system of nomenclature. <b>1994</b> , 344, 247-50	7
471	Purification of FKBP-70, a novel immunophilin from <i>Saccharomyces cerevisiae</i> , and cloning of its structural gene, FPR3. <b>1994</b> , 352, 98-103	19
470	Signal transmission between the plasma membrane and nucleus of T lymphocytes. <b>1994</b> , 63, 1045-83	602
469	<sup>15</sup> N NMR relaxation studies of the FK506 binding protein: dynamic effects of ligand binding and implications for calcineurin recognition. <b>1994</b> , 33, 4093-100	83
468	Cyclophilin residues that affect noncompetitive inhibition of the protein serine phosphatase activity of calcineurin by the cyclophilin.cyclosporin A complex. <b>1994</b> , 33, 2380-8	71
467	Catalytic and ligand binding properties of the FK506 binding protein FKBP12: effects of the single amino acid substitution of Tyr82 to Leu. <b>1994</b> , 297 ( Pt 2), 365-72	20
466	The characterization of a cyclophilin-type peptidyl prolyl cis-trans-isomerase from the endoplasmic-reticulum lumen. <b>1994</b> , 300 ( Pt 3), 871-5	33
465	FKBP51, a novel T-cell-specific immunophilin capable of calcineurin inhibition. <b>1995</b> , 15, 4395-402	137
464	The chemistry of signal transduction. <b>1995</b> , 92, 56-61	78
463	Identification and characterization of an immunophilin expressed during the clonal expansion phase of adipocyte differentiation. <b>1995</b> , 92, 11081-5	52
462	Time-dependent inhibition of peptidylprolyl cis-trans-isomerases by FK506 is probably due to cis-trans isomerization of the inhibitor@imide bond. <b>1995</b> , 305 ( Pt 1), 159-64	16
461	Design, synthesis and structure of non-macrocyclic inhibitors of FKBP12, the major binding protein for the immunosuppressant FK506. <b>1995</b> , 51, 522-8	35
460	Comparative X-ray structures of the major binding protein for the immunosuppressant FK506 (tacrolimus) in unliganded form and in complex with FK506 and rapamycin. <b>1995</b> , 51, 511-21	80
459	Selenomethionine labelling of phosphomannose isomerase changes its kinetic properties. <b>1995</b> , 230, 111-8	17
458	<sup>1</sup> H and <sup>15</sup> N Assignment of NMR Spectrum, Secondary Structure and Global Folding of the Immunophilin-Like Domain of the 59-kDa FK506-Binding Protein. <b>1995</b> , 231, 761-772	4
457	Hydration in drug design. 1. Multiple hydrogen-bonding features of water molecules in mediating protein-ligand interactions. <b>1995</b> , 9, 500-12	135

456	Hydration in drug design. 2. Influence of local site surface shape on water binding. <b>1995</b> , 9, 513-20	59
455	An automated method for dynamic ligand design. <b>1995</b> , 23, 472-90	81
454	Structure comparison of native and mutant human recombinant FKBP12 complexes with the immunosuppressant drug FK506 (tacrolimus). <b>1995</b> , 4, 2261-8	17
453	Crystal structures of human calcineurin and the human FKBP12-FK506-calcineurin complex. <b>1995</b> , 378, 641-4	691
452	Solvent isotope effect and protein stability. <b>1995</b> , 2, 852-5	155
451	Phi X174 lysis requires slyD, a host gene which is related to the FKBP family of peptidyl-prolyl cis-trans isomerases. <b>1995</b> , 17, 213-8	11
450	Regulation of immune function by protein tyrosine phosphatases. <b>1995</b> , 7, 312-9	45
449	Protein engineering as a tool for crystallography. <b>1995</b> , 6, 425-30	24
448	Design, synthesis and X-ray crystallographic studies of novel FKBP-12 ligands. <b>1995</b> , 5, 1719-1724	39
447	Conformation of FK506 in X-ray structures of its complexes with human recombinant FKBP12 mutants. <b>1995</b> , 5, 1983-1988	26
446	High-affinity FKBP-12 ligands derived from (R)-( $\beta$ -carvone. Synthesis and evaluation of FK506 pyranose ring replacements. <b>1995</b> , 5, 2489-2494	9
445	The CH/ $\pi$ interaction: Significance in molecular recognition. <b>1995</b> , 51, 8665-8701	522
444	Meridamycin: A novel nonimmunosuppressive FKBP12 ligand from streptomyces hygrosopicus. <b>1995</b> , 36, 997-1000	32
443	Determination of the immunosuppressive drug tacrolimus in its dosage forms by high-performance liquid chromatography. <b>1995</b> , 40, 253-258	11
442	Peptidylproline cis/trans isomerases. <b>1995</b> , 63, 67-118	193
441	X174 lysis requires slyD, a host gene which is related to the FKBP family of peptidyl-prolyl cis-trans isomerases. <b>1995</b> , 17, 213-218	11
440	FK506 binding protein mutational analysis. Defining the surface residue contributions to stability of the calcineurin co-complex. <b>1995</b> , 270, 18935-40	50
439	Activation of Ca <sup>2+</sup> signaling in neutrophils by the mast cell-released immunophilin FKBP12. <b>1995</b> , 92, 3435-8	24

438	Solvent interactions with pi ring systems in proteins. <b>1995</b> , 8, 109-16	24
437	A novel FK506 binding protein can mediate the immunosuppressive effects of FK506 and is associated with the cardiac ryanodine receptor. <b>1995</b> , 270, 26511-22	151
436	Drug design: the present and the future. <b>1995</b> , 26, 45-142	
435	TOR mutations confer rapamycin resistance by preventing interaction with FKBP12-rapamycin. <b>1995</b> , 270, 27531-7	180
434	Molecular cloning, DNA sequence analysis, and biochemical characterization of a novel 65-kDa FK506-binding protein (FKBP65). <b>1995</b> , 270, 29336-41	51
433	Protein phosphatases. <b>1995</b> , 5, 728-34	76
432	Isolation of a cDNA encoding a novel human FK506-binding protein homolog containing leucine zipper and tetratricopeptide repeat motifs. <b>1995</b> , 160, 297-302	69
431	Determination of the differential effects of hydrogen bonding and water release on the binding of FK506 to native and Tyr82-->Phe82 FKBP-12 proteins using free energy simulations. <b>1995</b> , 248, 696-717	40
430	Small-angle X-ray solution scattering study on the dimerization of the FKBP25mem from Legionella pneumophila. <b>1995</b> , 372, 169-72	14
429	Trigger factor, one of the Escherichia coli chaperone proteins, is an original member of the FKBP family. <b>1995</b> , 374, 211-5	56
428	X-ray structure of calcineurin inhibited by the immunophilin-immunosuppressant FKBP12-FK506 complex. <b>1995</b> , 82, 507-22	780
427	Structure-based design of novel, urea-containing FKBP12 inhibitors. <b>1996</b> , 39, 1872-84	54
426	Tryptophan dynamics of the FK506 binding protein: time-resolved fluorescence and simulations. <b>1996</b> , 70, 1122-37	23
425	Cryoelectron microscopy resolves FK506-binding protein sites on the skeletal muscle ryanodine receptor. <b>1996</b> , 70, 1709-15	64
424	Alkaloids from the Tunicate Polycarpa aurata from Chuuk Atoll. <b>1996</b> , 61, 2709-2712	53
423	X-ray Crystal Structure of 28-O-Methylrapamycin complexed with FKBP12: Is the Cyclohexyl Moiety Part of the Effector Domain of Rapamycin?. <b>1996</b> , 118, 5857-5861	9
422	CONCERTS: dynamic connection of fragments as an approach to de novo ligand design. <b>1996</b> , 39, 1651-63	98
421	Autocatalyzed protein folding. <b>1996</b> , 35, 10601-7	27

420	The Use of Electrostatic Potential Fields in QSAR and QSPR. <b>1996</b> , 143-179		10
419	Cloning the gene encoding Schistosoma mansoni p50, an immunophilin. <b>1996</b> , 170, 137-40		4
418	Identification of the prolyl isomerase domain of Escherichia coli trigger factor. <b>1996</b> , 385, 67-71		60
417	The Escherichia coli trigger factor. <b>1996</b> , 389, 32-4		48
416	The substrate-binding site in Escherichia coli cyclophilin A preferably recognizes a cis-proline isomer or a highly distorted form of the trans isomer. <b>1996</b> , 256, 897-908		50
415	Calcineurin-immunosuppressor complexes. <b>1996</b> , 6, 770-5		20
414	Structure of the FKBP12-rapamycin complex interacting with the binding domain of human FRAP. <i>Science</i> , <b>1996</b> , 273, 239-42	33.3	711
413	Discovering high-affinity ligands for proteins: SAR by NMR. <i>Science</i> , <b>1996</b> , 274, 1531-4	33.3	1821
412	Immunopharmacology of rapamycin. <b>1996</b> , 14, 483-510		553
411	Multiple cis-trans conformers of the prolactin receptor proline-rich motif (PRM) peptide detected by reverse-phase HPLC, CD and NMR spectroscopy. <b>1996</b> , 315 ( Pt 3), 833-44		40
410	Unraveling principles of lead discovery: from unfrustrated energy landscapes to novel molecular anchors. <b>1996</b> , 93, 8945-50		82
409	Design principles for orally bioavailable drugs. <b>1996</b> , 1, 179-189		162
408	On the relationship of thermodynamic parameters with the buried surface area in protein-ligand complex formation. <b>1996</b> , 16, 1-10		9
407	Novel structure of a high molecular weight FK506 binding protein from Arabidopsis thaliana. <b>1996</b> , 252, 510-7		22
406	Protein conformational substates from X-ray crystallography. <b>1996</b> , 66, 167-96		34
405	Three-part inventions: intracellular signaling and induced proximity. <b>1996</b> , 21, 418-22		128
404	Molecular docking towards drug discovery. <b>1996</b> , 9, 175-86		172
403	Selective epimerization and skeletal resection in the ascomycin framework: A study of the biological consequences of lactam rotamer selection. <b>1996</b> , 52, 9643-9654		2

402	Synthesis of novel L-phenylalanine derivatives substituted with a keto ylide as stable precursor of a vicinal tricarbonyl moiety. <b>1996</b> , 37, 8475-8478	6
401	Quantitative determination of tautomeric FK506 by reversed-phase liquid chromatography. <b>1996</b> , 14, 339-46	37
400	Design, synthesis and X-ray crystallographic studies of [7.3.1] and [8.3.1] macrocyclic FKBP-12 ligands. <b>1996</b> , 6, 385-390	11
399	Crystallization and preliminary X-ray analysis of twinned crystals of a chimeric FK506 binding protein 12 and 13 complexed with FK506. <b>1996</b> , 52, 207-10	1
398	A novel plant peptidyl-prolyl-cis-trans-isomerase (PPlase): cDNA cloning, structural analysis, enzymatic activity and expression. <b>1996</b> , 32, 493-504	55
397	Practical applications of time-averaged restrained molecular dynamics to ligand-receptor systems: FK506 bound to the Q50R,A95H,K98I triple mutant of FKBP-13. <b>1996</b> , 8, 67-76	3
396	Synthesis, structure, and structure-activity relationships of divalent thrombin inhibitors containing an alpha-keto-amide transition-state mimetic. <b>1996</b> , 5, 422-33	27
395	Comparison of the structures of the cyclotheonamide A complexes of human alpha-thrombin and bovine beta-trypsin. <b>1996</b> , 5, 825-35	32
394	Proposed ligand binding site of the transmembrane receptor for neurotensin(8-13). <b>1996</b> , 271, 15060-8	66
393	Mammalian RAFT1 kinase domain provides rapamycin-sensitive TOR function in yeast. <b>1996</b> , 10, 279-88	34
392	FK506-binding protein mutational analysis: defining the active-site residue contributions to catalysis and the stability of ligand complexes. <b>1996</b> , 9, 173-80	66
391	Protein folding and association: in vitro studies for self-organization and targeting in the cell. <b>1996</b> , 34, 209-314	50
390	Protein NMR Techniques. <b>1997</b> ,	2
389	Functions of FKBP12 and mitochondrial cyclophilin active site residues in vitro and in vivo in <i>Saccharomyces cerevisiae</i> . <b>1997</b> , 8, 2267-80	34
388	The <i>Escherichia coli</i> SlyD is a metal ion-regulated peptidyl-prolyl cis/trans-isomerase. <b>1997</b> , 272, 15697-701	116
387	Protein phosphatase 5 is a major component of glucocorticoid receptor.hsp90 complexes with properties of an FK506-binding immunophilin. <b>1997</b> , 272, 16224-30	208
386	Higher-order structure and dynamics of FK506-binding protein probed by backbone amide hydrogen/deuterium exchange and electrospray ionization Fourier transform ion cyclotron resonance mass spectrometry. <b>1997</b> , 8, 703-713	12
385	Protein Molecular Mass to 1 Da by <sup>13</sup> C, <sup>15</sup> N Double-Depletion and FT-ICR Mass Spectrometry. <b>1997</b> , 119, 433-434	101

384	Immunosuppressor binding to the immunophilin FKBP59 affects the local structural dynamics of a surface beta-strand: time-resolved fluorescence study. <b>1997</b> , 36, 7339-52	52
383	Molecular Recognition of Proteinminus signLigand Complexes: Applications to Drug Design. <b>1997</b> , 97, 1359-1472	853
382	Studies of protein-ligand interactions by NMR. <b>1997</b> , 60, 195-232	24
381	Modular structure of the trigger factor required for high activity in protein folding. <b>1997</b> , 271, 827-37	79
380	An update on new immunosuppressive drugs undergoing preclinical and clinical trials: potential applications in organ transplantation. <b>1997</b> , 29, 303-17	26
379	The immunosuppressant FK506 and its nonimmunosuppressive analog L-685,818 are toxic to <i>Cryptococcus neoformans</i> by inhibition of a common target protein. <b>1997</b> , 41, 156-61	121
378	An internal FK506-binding domain is the catalytic core of the prolyl isomerase activity associated with the <i>Bacillus subtilis</i> trigger factor. <b>1997</b> , 244, 59-65	17
377	Protein phi and psi dihedral restraints determined from multidimensional hypersurface correlations of backbone chemical shifts and their use in the determination of protein tertiary structures. <b>1997</b> , 10, 129-42	53
376	Template-based docking of a prolactin receptor proline-rich motif octapeptide to FKBP12: implications for cytokine receptor signaling. <b>1997</b> , 6, 999-1008	5
375	Structure-based design of novel calcineurin (PP2B) inhibitors. <b>1997</b> , 7, 1007-1012	32
374	FKBP12-binding domain analogues of FK506 are potent, nonimmunosuppressive neurotrophic agents in vitro and promote recovery in a mouse model of parkinson@ disease. <b>1997</b> , 7, 1785-1790	46
373	C32-amino derivatives of the immunosuppressant ascomycin. <b>1997</b> , 7, 2199-2204	6
372	Modeling the interaction between FK506 and FKBP12: a mechanism for formation of the calcineurin inhibitory complex. <b>1997</b> , 5, 217-32	21
371	Mutational analysis of slyD, an <i>Escherichia coli</i> gene encoding a protein of the FKBP immunophilin family. <b>1997</b> , 25, 1031-46	52
370	Docking by Monte Carlo minimization with a solvation correction: Application to an FKBP@substrate complex. <b>1997</b> , 18, 723-743	48
369	Mean field analysis of FKBP12 complexes with FK506 and rapamycin: Implications for a role of crystallographic water molecules in molecular recognition and specificity. <b>1997</b> , 28, 313-324	20
368	Structural consensus in ligand-protein docking identifies recognition peptide motifs that bind streptavidin. <b>1997</b> , 28, 421-433	8
367	NMR study of silk I structure of <i>Bombyx mori</i> silk fibroin with 15N- and 13C-NMR chemical shift contour plots. <b>1997</b> , 41, 193-203	82

366	FKBP-like catalysis of peptidyl-prolyl bond isomerization by micelles and membranes. <b>1997</b> , 42, 49-60	23
365	Solution conformational preferences of a peptidic analogue of a natural macrolide. <b>1997</b> , 42, 349-361	
364	Prediction of binding constants of protein ligands: a fast method for the prioritization of hits obtained from de novo design or 3D database search programs. <b>1998</b> , 12, 309-23	356
363	The structure and mechanism of protein phosphatases: insights into catalysis and regulation. <b>1998</b> , 27, 133-64	548
362	Cardiac defects and altered ryanodine receptor function in mice lacking FKBP12. <b>1998</b> , 391, 489-92	365
361	Analogous conformations of both binding and effector regions in cyclosporin A, FK506 and rapamycin. <b>1998</b> , 22, 339-44	2
360	Synthetic studies on the immunosuppressive agent FK-506: Enantioselective synthesis of a C22?C34 fragment. <b>1998</b> , 39, 229-232	5
359	Small-molecule-based strategies for controlling gene expression. <b>1998</b> , 5, R129-45	80
358	Chemical inducers of dimerization: the atomic structure of FKBP12-FK1012A-FKBP12. <b>1998</b> , 8, 1-6	14
357	Molecular characterization of a plant FKBP12 that does not mediate action of FK506 and rapamycin. <b>1998</b> , 15, 511-9	68
356	Studies on the expression of the wheat prolyl isomerase FKBP73 during plant development. <b>1998</b> , 139, 149-158	12
355	Peptides related to FKBP 39-45 loop possess immunostimulative potency. <b>1998</b> , 19, 1479-87	2
354	Folding of the human protein FKBP. Lattice Monte-Carlo simulations. <b>1998</b> , 321, 835-43	4
353	Investigations of neurotrophic inhibitors of FK506 binding protein via Monte Carlo simulations. <b>1998</b> , 41, 3928-39	31
352	Context-dependent nature of destabilizing mutations on the stability of FKBP12. <b>1998</b> , 37, 6145-53	47
351	Immunophilins: beyond immunosuppression. <b>1998</b> , 41, 5119-43	145
350	Cyclopropane-derived peptidomimetics. Design, synthesis, evaluation, and structure of novel HIV-1 protease inhibitors. <b>1998</b> , 41, 1581-97	48
349	Analysis of FKBP51/FKBP52 chimeras and mutants for Hsp90 binding and association with progesterone receptor complexes. <b>1998</b> , 12, 342-54	161

348	Antibody catalysis of peptidyl-prolyl cis-trans isomerization in the folding of RNase T1. <b>1998</b> , 95, 7251-6	21
347	An Inositolphosphate-Binding Immunophilin, IPBP12. <b>1999</b> , 94, 2778-2789	8
346	Borrowing to make ends meet. <b>1999</b> , 96, 1826-7	7
345	The wheat peptidyl prolyl cis-trans-isomerase FKBP77 is heat induced and developmentally regulated. <b>1999</b> , 119, 693-704	67
344	Three amino acid residues determine selective binding of FK506-binding protein 12.6 to the cardiac ryanodine receptor. <b>1999</b> , 274, 15315-9	62
343	Affinity modulation of small-molecule ligands by borrowing endogenous protein surfaces. <b>1999</b> , 96, 1953-8	58
342	Carbonyl to methylene conversions at the tricarbonyl-portion of ascomycin derivatives. <b>1999</b> , 40, 7761-7764	13
341	Display cloning: functional identification of natural product receptors using cDNA-phage display. <b>1999</b> , 6, 707-16	119
340	Preparation and immunosuppressive activity of 32-(O)-acylated and 32-(O)-thioacylated analogues of ascomycin. <b>1999</b> , 9, 227-32	5
339	Estimation of the binding affinities of FKBP12 inhibitors using a linear response method. <b>1999</b> , 7, 851-60	73
338	A proposed molecular model for the interaction of calcineurin with the cyclosporin A-cyclophilin A complex. <b>1999</b> , 7, 1389-402	20
337	Structure of the nuclear transport complex karyopherin-beta2-Ran x GppNHp. <b>1999</b> , 399, 230-7	300
336	Peptidyl-prolyl cis-trans isomerases, a superfamily of ubiquitous folding catalysts. <b>1999</b> , 55, 423-36	497
335	Biochemical analysis of mouse FKBP60, a novel member of the FKPB family. <b>1999</b> , 1446, 295-307	26
334	Accurate measurement of H(N)-H(alpha) residual dipolar couplings in proteins. <b>1999</b> , 139, 451-3	35
333	Monte Carlo study of ligand-protein binding energy landscapes with the weighted histogram analysis method. <b>1999</b> , 73, 113-121	18
332	NMR techniques for characterization of ligand binding: utility for lead generation and optimization in drug discovery. <b>1999</b> , 51, 221-43	35
331	Towards understanding the mechanisms of molecular recognition by computer simulations of ligand-protein interactions. <b>1999</b> , 12, 371-89	32



330	Crystal structure of the cytoplasmic domain of the type I TGF beta receptor in complex with FKBP12. <b>1999</b> , 96, 425-36	375
329	Highly Chemoselective Trichloroacetimidate-Mediated Alkylation of Ascomycin: A Convergent, Practical Synthesis of the Immunosuppressant L-733,725. <b>1999</b> , 64, 1859-1867	6
328	Cyclophilin Inhibition by a (Z)-Alkene cis-Proline Mimic. <b>1999</b> , 64, 2998-2999	26
327	Theoretical Study of Peptides Formed by Aminoxy Acids. <b>1999</b> , 121, 11189-11196	55
326	Improved NMR Structures of Protein/Ligand Complexes Using Residual Dipolar Couplings. <b>1999</b> , 121, 9249-9250	29
325	32-Indolyl ether derivatives of ascomycin: three-dimensional structures of complexes with FK506-binding protein. <b>1999</b> , 42, 2798-804	16
324	Retention of immunosuppressant activity in an ascomycin analogue lacking a hydrogen-bonding interaction with FKBP12. <b>1999</b> , 42, 4456-61	5
323	Conformations of peptide fragments from the FK506 binding protein: comparison with the native and urea-unfolded states. <b>1999</b> , 285, 2161-75	20
322	Folding pathway of FKBP12 and characterisation of the transition state. <b>1999</b> , 291, 429-44	96
321	Mapping the interactions present in the transition state for unfolding/folding of FKBP12. <b>1999</b> , 291, 445-61	118
320	Rapamycin antifungal action is mediated via conserved complexes with FKBP12 and TOR kinase homologs in <i>Cryptococcus neoformans</i> . <b>1999</b> , 19, 4101-12	127
319	Preface. <b>2000</b> , 7, i-i	
318	Immunophilins: switched on protein binding domains?. <b>2000</b> , 20, 452-84	115
317	Carbon-14 labeling of a potential new immunoregulant agent. <b>2000</b> , 43, 1095-1105	2
316	Sequence diversification of the FK506-binding proteins in several different genomes. <b>2000</b> , 267, 4945-59	50
315	Solution structure of a neurotrophic ligand bound to FKBP12 and its effects on protein dynamics. <b>2000</b> , 267, 5342-55	32
314	Alpha-ketoamides and alpha-ketocarboxyls: conformational analysis and development of all-atom OPLS force field. <b>2000</b> , 8, 1881-91	9
313	Generation and evaluation of putative neuroregenerative drugs. Part 2: screening virtual libraries of novel polyketides which possess the binding domain of rapamycin. <b>2000</b> , 8, 625-35	11

312	Allosteric nucleic acid catalysts. <b>2000</b> , 10, 318-25	125
311	Sensitivity enhanced NMR spectroscopy by quenching scalar coupling mediated relaxation: application to the direct observation of hydrogen bonds in <sup>13</sup> C/ <sup>15</sup> N-labeled proteins. <b>2000</b> , 17, 55-61	11
310	NMR detection of side chain-side chain hydrogen bonding interactions in <sup>13</sup> C/ <sup>15</sup> N-labeled proteins. <b>2000</b> , 17, 305-10	17
309	Archaeal peptidyl prolyl cis-trans isomerases (PPIases). <b>2000</b> , 5, D821-36	21
308	FK506, an immunosuppressant targeting calcineurin function. <b>2000</b> , 7, 731-48	188
307	A CDC6 protein-binding peptide selected using a bacterial two-hybrid-like system is a cell cycle inhibitor. <b>2000</b> , 275, 32098-105	12
306	Immunophilins. <b>2000</b> , 1-84	2
305	Experimental evidence for the correlation of bond distances in peptide groups detected in ultrahigh-resolution protein structures. <b>2000</b> , 13, 825-8	15
304	Mammalian FKBP-25 and its associated proteins. <b>2000</b> , 380, 20-8	14
303	Molecular cloning and embryonic expression of dFKBP59, a novel Drosophila FK506-binding protein. <b>2000</b> , 246, 103-9	15
302	Chapter 29. Principles for multivalent ligand design. <b>2000</b> , 35, 321-330	50
301	A ligand-reversible dimerization system for controlling protein-protein interactions. <b>2000</b> , 97, 7096-101	144
300	A new concept for multidimensional selection of ligand conformations (MultiSelect) and multidimensional scoring (MultiScore) of protein-ligand binding affinities. <b>2001</b> , 44, 2333-43	102
299	Role of FK506-binding protein 12 in development of the chick embryonic heart. <b>2001</b> , 283, 613-20	6
298	The Chaperones of the archaeon Thermoplasma acidophilum. <b>2001</b> , 135, 126-38	24
297	Calcineurin inhibitors and the generalization of the presenting protein strategy. <b>2001</b> , 56, 253-91	11
296	Structure-activity studies of ground- and transition-state analogue inhibitors of cyclophilin. <b>2001</b> , 44, 2593-600	18
295	Generating new ligand-binding RNAs by affinity maturation and disintegration of allosteric ribozymes. <b>2001</b> , 7, 524-36	68

294	Rapamycin: clinical results and future opportunities. <b>2001</b> , 72, 1181-93	185
293	Chaperone function of FkpA, a heat shock prolyl isomerase, in the periplasm of Escherichia coli. <b>2001</b> , 39, 199-210	148
292	A comparison of experimental and computational methods for mapping the interactions present in the transition state for folding of FKBP12. <b>2001</b> , 27, 99-117	3
291	N-terminal extension changes the folding mechanism of the FK506-binding protein. <b>2001</b> , 10, 1905-10	19
290	Crystal structure of Mip, a prolyl isomerase from Legionella pneumophila. <b>2001</b> , 8, 779-83	95
289	Regulation of Drosophila TRPL channels by immunophilin FKBP59. <b>2001</b> , 276, 38762-73	54
288	High-throughput fluorescence polarization method for identification of FKBP12 ligands. <b>2002</b> , 7, 526-30	41
287	Discovering high-affinity ligands from the computationally predicted structures and affinities of small molecules bound to a target: A virtual screening approach. <b>2000</b> , 209-230	
286	Interference of hematocrit in the tacrolimus II microparticle enzyme immunoassay. <b>2002</b> , 24, 507-11	33
285	Nitric oxide regulates the heart by spatial confinement of nitric oxide synthase isoforms. <b>2002</b> , 416, 337-9	679
284	Genomic organization of mouse and human 65 kDa FK506-binding protein genes and evolution of the FKBP multigene family. <b>2002</b> , 79, 881-9	29
283	NMR solution structure and dynamics of the peptidyl-prolyl cis-trans isomerase domain of the trigger factor from Mycoplasma genitalium compared to FK506-binding protein. <b>2002</b> , 318, 1097-115	33
282	A convergent three-component total synthesis of the powerful immunosuppressant (-)-sanglifehrin a. <b>2002</b> , 124, 4257-70	70
281	Rapamycin insensitivity in Schistosoma mansoni is not due to FKBP12 functionality. <b>2002</b> , 125, 1-9	13
280	NMR study on 9-S and 9-R oxirane derivatives of ascomycin. <b>2002</b> , 40, 443-448	5
279	Parameterization of OPLS-AA force field for the conformational analysis of macrocyclic polyketides. <b>2002</b> , 23, 977-96	94
278	Drug receptor identification from multiple tissues using cellular-derived mRNA display libraries. <b>2002</b> , 9, 691-8	50
277	Protests fail to block mountain-lion surveys. <b>2002</b> , 416, 5	32

276	Oestrogen protects FKBP12.6 null mice from cardiac hypertrophy. <b>2002</b> , 416, 334-8	255
275	The involvement of mammalian and plant FK506-binding proteins (FKBPs) in development. <b>2002</b> , 11, 321-35	32
274	Trypanosoma cruzi macrophage infectivity potentiator has a rotamase core and a highly exposed alpha-helix. <b>2002</b> , 3, 88-94	36
273	Peptidyl-prolyl isomerases: a new twist to transcription. <b>2002</b> , 3, 521-6	128
272	On the reactivity of ascomycin at the binding domain. Part 1: Liberation of the tricarbonyl portion of ascomycin. <b>2003</b> , 59, 10075-10087	4
271	On the molecular basis of the recognition of angiotensin II (All). NMR structure of All in solution compared with the X-ray structure of All bound to the mAb Fab131. <b>2003</b> , 270, 849-60	27
270	Mammalian target of rapamycin: a new molecular target for breast cancer. <b>2003</b> , 4, 126-37	111
269	In vitro immunomodulatory activity of ruthenium complexes. <b>2003</b> , 52, 263-71	14
268	Osmolyte effects on kinetics of FKBP12 C22A folding coupled with prolyl isomerization. <b>2003</b> , 330, 851-66	62
267	Structures of calcineurin and its complexes with immunophilins-immunosuppressants. <b>2003</b> , 311, 1095-102	74
266	Cis-trans isomerization of organic molecules and biomolecules: implications and applications. <b>2003</b> , 103, 2475-532	791
265	The Molecular Target of Rapamycin (mTOR) as a Therapeutic Target Against Cancer. <b>2003</b> , 2, 168-176	64
264	Total Synthesis of Macrolides. <b>2003</b> , 181-284	1
263	The PPlase active site of Legionella pneumophila Mip protein is involved in the infection of eukaryotic host cells. <b>2003</b> , 384, 125-37	28
262	Structure of the large FK506-binding protein FKBP51, an Hsp90-binding protein and a component of steroid receptor complexes. <b>2003</b> , 100, 868-73	183
261	TWISTED DWARF1, a unique plasma membrane-anchored immunophilin-like protein, interacts with Arabidopsis multidrug resistance-like transporters AtPGP1 and AtPGP19. <b>2003</b> , 14, 4238-49	213
260	Trigger factor-mediated prolyl isomerization influences maturation of the Streptococcus pyogenes cysteine protease. <b>2003</b> , 185, 3661-7	56
259	PROTEIN CRYSTALLOGRAPHY AND DRUG DISCOVERY. <b>2003</b> , 417-443	

258	Archaeal peptidyl prolyl cis-trans isomerases (PPIases) update 2004. <b>2004</b> , 9, 1680-720	41
257	Insights into the catalytic mechanism of peptidyl prolyl cis/trans isomerases. <b>2004</b> , 9, 3453-78	192
256	Structure of the periplasmic component of a bacterial drug efflux pump. <b>2004</b> , 101, 9994-9	220
255	3D structure of human FK506-binding protein 52: implications for the assembly of the glucocorticoid receptor/Hsp90/immunophilin heterocomplex. <b>2004</b> , 101, 8348-53	136
254	Methods in Modern Biophysics. <b>2004</b> ,	4
253	Immunophilins and parvulins. Superfamily of peptidyl prolyl isomerases in Arabidopsis. <b>2004</b> , 134, 1248-67	169
252	The crystal structure of ribosomal chaperone trigger factor from Vibrio cholerae. <b>2004</b> , 101, 13436-41	51
251	A nuclear FK506-binding protein is a histone chaperone regulating rDNA silencing. <b>2004</b> , 11, 275-83	72
250	ThreeQ company: component structures bring a closer view of tripartite drug efflux pumps. <b>2004</b> , 14, 741-7	118
249	Inhibition of the functional expression of N-methyl-D-aspartate receptors in a stably transformed cell line by cyclosporin A. <b>2004</b> , 68, 563-71	4
248	On the reactivity of ascomycin at the binding domain. Part 2: Hydroxide mediated rearrangement reactions. <b>2004</b> , 60, 5965-5981	8
247	Rapid protein-ligand docking using soft modes from molecular dynamics simulations to account for protein deformability: binding of FK506 to FKBP. <b>2004</b> , 54, 759-67	73
246	Design and synthesis of novel hydrophilic spacers for the reduction of nonspecific binding proteins on affinity resins. <b>2004</b> , 12, 2831-41	48
245	Selective transformation of ascomycin into 11-epi-ascomycin. <b>2004</b> , 45, 549-551	4
244	Novel analogues of ascomycin with modifications in the amino acid unit through photochemistry: the synthesis of 5,6-dehydroascomycin, SDZ ASQ 871. <b>2004</b> , 45, 2523-2526	5
243	Selective photochemical cleavage of an $\beta$ -ketoamide in a highly functionalised macrolide ascomycin. <b>2004</b> , 45, 2527-2530	5
242	Synthesis of 6-vinyl and 5-vinylproline analogues of ascomycin. <b>2004</b> , 45, 5833-5836	8
241	Characterization of liposomal tacrolimus in lung surfactant-like phospholipids and evaluation of its immunosuppressive activity. <b>2004</b> , 43, 9926-38	30

240	Structural and functional studies of FkpA from Escherichia coli, a cis/trans peptidyl-prolyl isomerase with chaperone activity. <b>2004</b> , 335, 595-608	110
239	On the reactivity of ascomycin at the binding domain. Part 3: Reactivity of the binding domain towards diazomethane. <b>2005</b> , 61, 4819-4829	4
238	Equilibrium studies of a fluorescent tacrolimus binding to surfactant protein A. <b>2005</b> , 340, 57-65	6
237	Accounting for global protein deformability during protein-protein and protein-ligand docking. <b>2005</b> , 1754, 225-31	81
236	The MukF subunit of Escherichia coli condensin: architecture and functional relationship to kleisins. <b>2005</b> , 24, 1921-30	61
235	Proteomic studies of the thylakoid membrane of Synechocystis sp. PCC 6803. <b>2005</b> , 5, 4905-16	99
234	. <b>2005</b> ,	1
233	Elucidating the substrate specificity and condensation domain activity of Fkbp, the FK520 pipicolate-incorporating enzyme. <b>2005</b> , 44, 5993-6002	58
232	Effects of pH, salt, and macromolecular crowding on the stability of FK506-binding protein: an integrated experimental and theoretical study. <b>2005</b> , 351, 219-32	64
231	The flexible loop of Bcl-2 is required for molecular interaction with immunosuppressant FK-506 binding protein 38 (FKBP38). <b>2005</b> , 579, 1469-76	41
230	Bioinformatics and Drug Discovery. <b>2006</b> ,	1
229	Molecular Chaperones in Health and Disease. <b>2006</b> ,	2
228	Nuclear magnetic resonance-based screening methods for drug discovery. <b>2006</b> , 316, 227-89	4
227	Structure-based Drug Design and NMR-based Screening. <b>2006</b> ,	
226	Comparative analysis of calcineurin inhibition by complexes of immunosuppressive drugs with human FK506 binding proteins. <b>2006</b> , 45, 15776-84	55
225	SlyD proteins from different species exhibit high prolyl isomerase and chaperone activities. <b>2006</b> , 45, 20-33	91
224	Calculation of absolute protein-ligand binding affinity using path and endpoint approaches. <b>2006</b> , 90, 864-77	162
223	Absolute binding free energy calculations using molecular dynamics simulations with restraining potentials. <b>2006</b> , 91, 2798-814	284

222	Development of quantitative structure-binding affinity relationship models based on novel geometrical chemical descriptors of the protein-ligand interfaces. <b>2006</b> , 49, 2713-24	83
221	Theoretical and experimental investigation of the energetics of cis-trans proline isomerization in peptide models. <b>2006</b> , 110, 6522-30	11
220	Functional dynamics of human FKBP12 revealed by methyl <sup>13</sup> C rotating frame relaxation dispersion NMR spectroscopy. <b>2006</b> , 128, 5718-27	55
219	Macromolecular crystallography and medicine. <b>2006</b> , 10-25	
218	Design, synthesis, and biological activity of novel polycyclic aza-amide FKBP12 ligands. <b>2006</b> , 49, 1202-6	17
217	Crystal structure of a plant immunophilin domain involved in regulation of MDR-type ABC transporters. <b>2006</b> , 580, 251-5	20
216	FKBP133: a novel mouse FK506-binding protein homolog alters growth cone morphology. <b>2006</b> , 346, 140-9	24
215	The intracellular domain of amyloid precursor protein interacts with FKBP12. <b>2006</b> , 350, 472-7	26
214	Structural characterization of the RyR1-FKBP12 interaction. <b>2006</b> , 356, 917-27	82
213	Crystal structures of the AppA BLUF domain photoreceptor provide insights into blue light-mediated signal transduction. <b>2006</b> , 362, 717-32	138
212	The expression of the large rice FK506 binding proteins (FKBPs) demonstrate tissue specificity and heat stress responsiveness. <b>2006</b> , 170, 695-704	22
211	Calcineurin/NFAT Signaling in Development and Function of the Nervous System. <b>2006</b> , 353-378	2
210	A computational analysis of the binding affinities of FKBP12 inhibitors using the MM-PB/SA method. <b>2006</b> , 64, 1058-68	66
209	Chlamydia trachomatis Mip-like protein. <b>1992</b> , 6, 2539-48	40
208	Reduction of nonspecific binding proteins to self-assembled monolayer on gold surface. <b>2006</b> , 14, 537-43	16
207	Solution structure of the FK506-binding domain of human FKBP38. <b>2006</b> , 34, 197-202	32
206	Perspectives for the future. <b>2006</b> , 26-43	
205	Arabidopsis TARGET OF RAPAMYCIN interacts with RAPTOR, which regulates the activity of S6 kinase in response to osmotic stress signals. <b>2006</b> , 18, 477-90	267

204	Organization of the biosynthetic gene cluster in <i>Streptomyces</i> sp. DSM 4137 for the novel neuroprotectant polyketide meridamycin. <b>2006</b> , 152, 3507-3515	25
203	The streptococcal lipoprotein rotamase A (SlrA) is a functional peptidyl-prolyl isomerase involved in pneumococcal colonization. <b>2006</b> , 281, 968-76	92
202	Crystal structure and nonhomologous end-joining function of the ligase component of <i>Mycobacterium</i> DNA ligase D. <b>2006</b> , 281, 13412-13423	53
201	Noncatalytic role of the FKBP52 peptidyl-prolyl isomerase domain in the regulation of steroid hormone signaling. <b>2007</b> , 27, 8658-69	119
200	Comparative proteomic analysis on human L-02 liver cells treated with varying concentrations of trichloroethylene. <b>2007</b> , 23, 91-101	15
199	Current Issues in De Novo Molecular Design. <b>2007</b> , 67-125	13
198	Coenzyme B12-Based Chemical Precedent for Co-C Bond Homolysis and Other Key Elementary Steps. <b>2007</b> , 383-402	7
197	Cell Stress Proteins. <b>2007</b> ,	5
196	Peptidomimetic and Nonpeptide Drug Discovery: Receptor, Protease, and Signal Transduction Therapeutic Targets. <b>2007</b> , 603-647	1
195	Rescue of degradation-prone mutants of the FK506-rapamycin binding (FRB) protein with chemical ligands. <b>2007</b> , 8, 1162-9	29
194	Characterization of immunophilins in the silkworm <i>Bombyx mori</i> . <b>2007</b> , 65, 195-209	9
193	Evaluation of Neuroimmunophilin Ligands. 203-229	1
192	Fragment-based synthesis and SAR of modified FKBP ligands: influence of different linking on binding affinity. <b>2007</b> , 2, 1054-70	22
191	Molecular recognition mechanism of FK506 binding protein: an all-electron fragment molecular orbital study. <b>2007</b> , 68, 145-58	64
190	Prolyl cis-trans isomerization as a molecular timer. <b>2007</b> , 3, 619-29	476
189	A versatile component-coupling model to account for substituent effects: application to polypeptide phi and chi(1) torsion related (3)J data. <b>2007</b> , 186, 34-50	11
188	Human recombinant [C22A] FK506-binding protein amide hydrogen exchange rates from mass spectrometry match and extend those from NMR. <b>1997</b> , 6, 2203-17	75
187	Structure-based classification of 45 FK506-binding proteins. <b>2008</b> , 72, 197-208	40



186	FK506 binding protein 12 differentially accelerates fibril formation of wild type alpha-synuclein and its clinical mutants A30P or A53T. <b>2008</b> , 106, 121-33	23
185	Crystal structure of the FK506 binding domain of Plasmodium falciparum FKBP35 in complex with FK506. <b>2008</b> , 47, 5951-61	28
184	Crystal structure of Escherichia coli Rnk, a new RNA polymerase-interacting protein. <b>2008</b> , 383, 367-79	30
183	Functional drift of sequence attributes in the FK506-binding proteins (FKBPs). <b>2008</b> , 48, 1118-30	34
182	Local and nonlocal environments around Cis peptides. <b>2008</b> , 7, 145-53	13
181	Computational anti-AIDS drug design based on the analysis of the specific interactions between immunophilins and the HIV-1 gp120 V3 loop. Application to the FK506-binding protein. <b>2008</b> , 26, 49-56	12
180	Acceleration of amide bond rotation by encapsulation in the hydrophobic interior of a water-soluble supramolecular assembly. <b>2008</b> , 73, 7132-6	23
179	Affinity maturation of tacrolimus antibody for improved immunoassay performance. <b>2008</b> , 54, 1008-17	19
178	Pharmacokinetics of mycophenolate mofetil and sirolimus in children. <b>2008</b> , 30, 138-42	44
177	Two Rules on the Protein-Ligand Interaction. <b>2008</b> ,	6
176	FK506-binding protein (FKBP) partitions a modified HIV protease inhibitor into blood cells and prolongs its lifetime in vivo. <b>2009</b> , 106, 1336-41	23
175	Fluorescent probes to characterise FK506-binding proteins. <b>2009</b> , 10, 1402-10	57
174	New Derivatives of Ascomycin with Modifications in the Amino Acid Region [Synthesis and Biological Activities, and X-Ray Crystal Structure of 5,6-Dehydroascomycin. <b>2009</b> , 92, 839-889	1
173	A method to explore protein side chain conformational variability using experimental data. <b>2009</b> , 10, 3213-28	23
172	Ligand shape emerges in solvent dipole ordering region at ligand binding site of protein. <b>2010</b> , 31, 791-6	3
171	Structural identification and characterization of potential degradants of zotarolimus on zotarolimus-coated drug-eluting stents. <b>2009</b> , 50, 778-86	6
170	Rapid isolation of novel FK506 binding proteins from multiple organisms using gDNA and cDNA T7 phage display. <b>2009</b> , 17, 6841-50	11
169	Protein kinase inhibitors: contributions from structure to clinical compounds. <b>2009</b> , 42, 1-40	196

168	A library of fluorescent peptides for exploring the substrate specificities of prolyl isomerases. <b>2009</b> , 48, 10423-36	52
167	Cluster hydration model for binding energy calculations of protein-ligand complexes. <b>2009</b> , 113, 809-17	19
166	NMR solution structure of SlyD from Escherichia coli: spatial separation of prolyl isomerase and chaperone function. <b>2009</b> , 387, 295-305	67
165	Differential responses of the backbone and side-chain conformational dynamics in FKBP12 upon binding the transition-state analog FK506: implications for transition-state stabilization and target protein recognition. <b>2009</b> , 387, 233-44	32
164	Computational model of the HIV-1 subtype A V3 loop: study on the conformational mobility for structure-based anti-AIDS drug design. <b>2009</b> , 27, 179-93	39
163	Crystal structure of the three FK506 binding protein domains of wheat FKBP73: evidence for a unique wFK73_2 domain. <b>2010</b> , 11, 113-23	10
162	Untersuchung der Biologie von Naturstoffen: systematische Strukturvariation durch umgelenkte Totalsynthese. <b>2010</b> , 122, 9786-9823	60
161	Probing the biology of natural products: molecular editing by diverted total synthesis. <b>2010</b> , 49, 9592-628	145
160	Selective elution of target protein from affinity resins by a simple reductant with a thiol group. <b>2010</b> , 20, 7361-4	1
159	Protein denaturation and protein:drugs interactions from intrinsic protein fluorescence measurements at the nanolitre scale. <b>2010</b> , 19, 1544-54	20
158	Biosynthesis of rapamycin and its regulation: past achievements and recent progress. <b>2010</b> , 63, 434-41	49
157	NMR-Based Screening and Drug Discovery. <b>2010</b> , 367-446	2
156	Methods in Modern Biophysics. <b>2010</b> ,	1
155	Left ventricular noncompaction: a new form of heart failure. <b>2010</b> , 6, 453-69, viii	129
154	A screen to identify small molecule inhibitors of protein-protein interactions in mycobacteria. <b>2011</b> , 9, 299-310	11
153	Prolyl isomerases show low sequence specificity toward the residue following the proline. <b>2011</b> , 50, 4796-803	13
152	Enzyme molecular mechanism as a starting point to design new inhibitors: a theoretical study of O-GlcNAcase. <b>2011</b> , 115, 6764-75	21
151	Calculation of the Absolute Free Energy of Binding and Related Entropies with the HSMD-TI Method: The FKBP12-L8 Complex. <b>2011</b> , 7, 4196-4207	7

150	Molecular chaperones and regulation of tau quality control: strategies for drug discovery in tauopathies. <b>2011</b> , 3, 1523-37	48
149	From cell death to viral replication: the diverse functions of the membrane-associated FKBP38. <b>2011</b> , 11, 348-53	24
148	FKBP12 binds to acylated H-ras and promotes depalmitoylation. <b>2011</b> , 41, 173-85	93
147	Structural analysis of protein folding by the long-chain archaeal chaperone FKBP26. <b>2011</b> , 407, 450-64	8
146	Chemistry of the immunomodulatory macrolide ascomycin and related analogues. <b>2011</b> , 94, 59-126	7
145	Varying dependency of periplasmic peptidylprolyl cis-trans isomerases in promoting Yersinia pseudotuberculosis stress tolerance and pathogenicity. <b>2011</b> , 439, 321-32	29
144	Structural characterization of the PPIase domain of FKBP51, a cochaperone of human Hsp90. <b>2011</b> , 67, 549-59	47
143	Targeting FK506 binding proteins to fight malarial and bacterial infections: current advances and future perspectives. <b>2011</b> , 18, 1874-89	14
142	Regulatory mechanisms of calcineurin phosphatase activity. <b>2011</b> , 18, 301-15	28
141	Role of FK506 binding proteins in neurodegenerative disorders. <b>2011</b> , 18, 5380-97	17
140	RANK-ORDERING THE BINDING AFFINITY FOR FKBP12 AND H1N1 NEURAMINIDASE INHIBITORS IN THE COMBINATION OF A PROTEIN MODEL WITH DENSITY FUNCTIONAL THEORY. <b>2011</b> , 10, 541-565	9
139	Cyclosporin A impairs the secretion and activity of ADAMTS13 (a disintegrin and metalloprotease with thrombospondin type 1 repeat). <b>2012</b> , 287, 44361-71	11
138	Metallochaperone SlyD. <b>2012</b> ,	2
137	NMR in Infection Research. <b>2012</b> , 985-1007	
136	Transforming between discrete and continuous angle distribution models: application to protein $\chi$ torsions. <b>2012</b> , 54, 97-114	4
135	Evidence for the preservation of native inter- and intra-molecular hydrogen bonds in the desolvated FK-binding protein\FK506 complex produced by electrospray ionization. <b>2012</b> , 23, 1757-67	12
134	Theoretical studies of HIV-1 reverse transcriptase inhibition. <b>2012</b> , 14, 12614-24	24
133	Characterization of the binding sites for the interactions between FKBP12 and intracellular calcium release channels. <b>2012</b> , 517, 37-42	3

132	Combination of the human prolyl isomerase FKBP12 with unrelated chaperone domains leads to chimeric folding enzymes with high activity. <b>2012</b> , 420, 335-49	16
131	Advances in nuclear magnetic resonance for drug discovery. <b>2012</b> , 910, 195-266	9
130	Probing the Structure and Dynamics of Proteins by Combining Molecular Dynamics Simulations and Experimental NMR Data. <b>2012</b> , 8, 3430-44	11
129	Bioinformatics and Drug Discovery. <b>2012</b> ,	1
128	Macromolecular crystallography and medicine. <b>2012</b> , 13-38	
127	Genome-wide analysis of immunophilin FKBP genes and expression patterns in Zea mays. <b>2012</b> , 11, 1690-700	8
126	Fully ab initio protein-ligand interaction energies with dispersion corrected density functional theory. <b>2012</b> , 33, 1730-9	60
125	Preparation and optimization of media using Pluronic <sup>®</sup> micelles for solubilization of sirolimus and release from the drug eluting stents. <b>2012</b> , 93, 180-7	19
124	Multifaceted SlyD from Helicobacter pylori: implication in [NiFe] hydrogenase maturation. <b>2012</b> , 17, 331-43	38
123	Structural templates for modeling homodimers. <b>2013</b> , 22, 1655-63	15
122	Absolute Free Energy of Binding and Entropy of the FKBP12-FK506 Complex: Effects of the Force Field. <b>2013</b> , 9, 4609-19	7
121	Mutational biosynthesis of a FK506 analogue containing a non-natural starter unit. <b>2013</b> , 9, 944-7	6
120	Molecular function of the prolyl cis/trans isomerase and metallochaperone SlyD. <b>2013</b> , 394, 965-75	20
119	Crystal structures of the free and ligand-bound FK1-FK2 domain segment of FKBP52 reveal a flexible inter-domain hinge. <b>2013</b> , 425, 4134-44	31
118	Small-molecule binding sites on proteins established by paramagnetic NMR spectroscopy. <b>2013</b> , 135, 5859-68	83
117	A modified amino acid network model contains similar and dissimilar weight. <b>2013</b> , 2013, 197892	2
116	C-H $\cdots$ O hydrogen bonds in FK506-binding protein-ligand interactions. <b>2013</b> , 26, 550-5	3
115	Structure and activity of the peptidyl-prolyl isomerase domain from the histone chaperone Fpr4 toward histone H3 proline isomerization. <b>2013</b> , 288, 25826-25837	15

114	FK506 maturation involves a cytochrome p450 protein-catalyzed four-electron C-9 oxidation in parallel with a C-31 O-methylation. <b>2013</b> , 195, 1931-9	17
113	Small molecule Plasmodium FKBP35 inhibitor as a potential antimalaria agent. <b>2013</b> , 3, 2501	21
112	Functional role of the flexible N-terminal extension of FKBP38 in catalysis. <b>2013</b> , 3, 2985	5
111	Improvement of Solubility and Dissolution Rate of Sirolimus by Solid Dispersions in Combination with Surface Adsorbent. <b>2013</b> , 3, 28-37	2
110	A structural biology approach enables the development of antimicrobials targeting bacterial immunophilins. <b>2014</b> , 58, 1458-67	13
109	Crystal structures of resorcin[4]arene and pyrogallol[4]arene complexes with DL-pipecolinic acid. Model compounds for the recognition of the pipecolinyl ring, a key fragment of FK506, through C $\pi$ -H $\cdots$ O interaction. <b>2014</b> , 1056-1057, 292-298	10
108	Microbial peptidyl-prolyl cis/trans isomerases (PPIases): virulence factors and potential alternative drug targets. <b>2014</b> , 78, 544-71	98
107	Modulators of protein-protein interactions. <b>2014</b> , 114, 4695-748	341
106	Differential Large-Amplitude Breathing Motions in the Interface of FKBP12-Drug Complexes. <b>2015</b> , 54, 6983-95	17
105	Immunophilins: Structures, Mechanisms and Ligands. <b>2015</b> , 9, 37-47	25
104	Bcl-2 and FKBP12 bind to IP3 and ryanodine receptors at overlapping sites: the complexity of protein-protein interactions for channel regulation. <b>2015</b> , 43, 396-404	15
103	FKBPs in bacterial infections. <b>2015</b> , 1850, 2096-102	11
102	Prolyl isomerization and its catalysis in protein folding and protein function. <b>2015</b> , 427, 1609-31	46
101	The full electron structure of the FKBP12/FK506 complex. <b>2015</b> , 33, 388-94	3
100	Structure-Affinity Relationship Analysis of Selective FKBP51 Ligands. <b>2015</b> , 58, 7796-806	22
99	Selective Targeting of Cells via Bispecific Molecules That Exploit Coexpression of Two Intracellular Proteins. <b>2015</b> , 10, 2441-7	4
98	Tomato FK506 Binding Protein 12KD (FKBP12) Mediates the Interaction between Rapamycin and Target of Rapamycin (TOR). <b>2016</b> , 7, 1746	22
97	Structures of Pathogenic Fungal FKBP12s Reveal Possible Self-Catalysis Function. <b>2016</b> , 7, e00492-16	23

96	Molecular insights into substrate recognition and catalytic mechanism of the chaperone and FKBP peptidyl-prolyl isomerase SlyD. <b>2016</b> , 14, 82	17
95	Four new meridamycin congeners from <i>Streptomyces</i> sp. SR107. <b>2016</b> , 6, 49792-49796	3
94	Incorporation of side chain flexibility into protein binding pockets using MT. <b>2016</b> , 24, 4978-4987	4
93	FK506 binding protein 51 integrates pathways of adaptation: FKBP51 shapes the reactivity to environmental change. <b>2016</b> , 38, 894-902	41
92	Development, synthesis and structure-activity-relationships of inhibitors of the macrophage infectivity potentiator (Mip) proteins of <i>Legionella pneumophila</i> and <i>Burkholderia pseudomallei</i> . <b>2016</b> , 24, 5134-5147	8
91	A Turn Motif in the Steroid Hormone Receptor Ligand-Binding Domains Interacts with the Peptidyl-prolyl Isomerase (PPIase) Catalytic Site of the Immunophilin FKBP52. <b>2016</b> , 55, 5366-76	9
90	Peptidyl-Proline Isomerases (PPIases): Targets for Natural Products and Natural Product-Inspired Compounds. <b>2016</b> , 59, 9622-9644	57
89	Computational full electron structure study of biological activity in Cyclophilin A. <b>2016</b> , 34, 870-6	
88	The biosynthetic pathway of FK506 and its engineering: from past achievements to future prospects. <b>2016</b> , 43, 389-400	27
87	The anterior chamber of the eye as a site for pancreatic islet transplantation. <b>2017</b> , 50, 29-35	1
86	Dynamics of Aromatic Side Chains in the Active Site of FKBP12. <b>2017</b> , 56, 334-343	10
85	FKBP12-Dependent Inhibition of Calcineurin Mediates Immunosuppressive Antifungal Drug Action in. <b>2017</b> , 8,	10
84	Diverse structures, functions and uses of FK506 binding proteins. <b>2017</b> , 38, 97-105	37
83	Targeting Oncoproteins for Molecular Cancer Therapy. <b>2017</b> , 727-756	
82	Evaluation of protein-ligand affinity prediction using steered molecular dynamics simulations. <b>2017</b> , 35, 3221-3231	11
81	An overview of rapamycin: from discovery to future perspectives. <b>2017</b> , 44, 537-553	46
80	The FKBP51 Glucocorticoid Receptor Co-Chaperone: Regulation, Function, and Implications in Health and Disease. <b>2017</b> , 18,	58
79	Schincalactones A and B, Two 5/5/6/11/3 Fused Schinortriterpenoids with a 13-Membered Carbon Ring System from <i>Schisandra incarnata</i> . <b>2018</b> , 20, 2499-2502	9

78	Conformational Entropy of FK506 Binding to FKBP12 Determined by Nuclear Magnetic Resonance Relaxation and Molecular Dynamics Simulations. <b>2018</b> , 57, 1451-1461	9
77	Molecular dynamics simulation, binding free energy calculation and unbinding pathway analysis on selectivity difference between FKBP51 and FKBP52: Insight into the molecular mechanism of isoform selectivity. <b>2018</b> , 86, 43-56	31
76	FKBP Ligands-Where We Are and Where to Go?. <b>2018</b> , 9, 1425	46
75	Enzyme targets for drug design of new anti-virulence therapeutics. <b>2018</b> , 53, 140-150	8
74	Evaluation of Ca Binding Sites in Tacrolimus by Infrared Multiple Photon Dissociation Spectroscopy. <b>2018</b> , 122, 9860-9868	4
73	and Assessment of FK506 Analogs as Novel Antifungal Drug Candidates. <b>2018</b> , 62,	28
72	Modeling Analysis of Potential Target of Dolastatin 16 by Computational Virtual Screening. <b>2018</b> , 66, 602-607	5
71	Unraveling Nutritional Regulation of Tacrolimus Biosynthesis in through Approaches. <b>2018</b> , 7,	9
70	Genome-wide identification of FK506-binding domain protein gene family, its characterization, and expression analysis in tomato ( <i>Solanum lycopersicum</i> L.). <b>2018</b> , 678, 143-154	7
69	Electronic circular dichroism and nuclear magnetic resonance studies of peptides derived from the FKBP52-interacting Turn of the hER ligand-binding domain. <b>2019</b> , 111, e24113	3
68	Development of a conditional localization approach to control apicoplast protein trafficking in malaria parasites. <b>2019</b> , 20, 571-582	8
67	Cereblon modulators: Low molecular weight inducers of protein degradation. <b>2019</b> , 31, 29-34	35
66	Pipelicolic esters as minimized templates for proteasome inhibition. <b>2019</b> , 17, 2734-2746	7
65	Optimizing Low Energy Pathways in Receptor-Ligand Binding with Motion Planning. <b>2019</b> ,	0
64	Halcyon days of TOR: Reflections on the multiple independent discovery of the yeast and mammalian TOR proteins. <b>2019</b> , 692, 145-155	7
63	Binding modes and conformational changes of FK506-binding protein 51 induced by inhibitor bindings: insight into molecular mechanisms based on multiple simulation technologies. <b>2020</b> , 38, 2141-2155	11
62	Drug Syntheses Beyond the Rule of 5. <b>2020</b> , 26, 49-88	26
61	Synthesis of Enantiopure $\beta$ -Oxapipelicolic Acid. <b>2020</b> , 85, 1680-1686	5

60	Peptidylprolylisomerases, Protein Folders, or Scaffolders? The Example of FKBP51 and FKBP52. <b>2020</b> , 42, e1900250	6
59	Targeted Covalent Inhibition of FK506 Binding Protein 35. <b>2020</b> , 11, 2131-2138	4
58	Special Issue in Honor of Professor Jon Clardy. <b>2020</b> , 83, 565-568	1
57	Design and Applications of Bifunctional Small Molecules in Biology. <b>2021</b> , 1869, 140534	2
56	Tuning the electronic effects in designing ligands for the inhibition of rotamase activity of FK506 binding protein. <b>2021</b> , 140, 1	0
55	An overview of the cytochrome P450 enzymes that catalyze the same-site multistep oxidation reactions in biotechnologically relevant selected actinomycete strains. <b>2021</b> , 105, 2647-2661	4
54	NMR-Based Screening and Drug Discovery. 1-83	
53	Modulating FKBP5/FKBP51 and autophagy lowers HTT (huntingtin) levels. <b>2021</b> , 1-22	1
52	Inducible Protein Degradation to Understand Genome Architecture. <b>2021</b> , 60, 2387-2396	2
51	Phenotypic screen identifies calcineurin-sparing FK506 analogs as BMP potentiators for treatment of acute kidney injury. <b>2021</b> , 28, 1271-1282.e12	2
50	Pharmacological targeting of catalyzed protein folding: the example of peptide bond cis/trans isomerases. <b>2006</b> , 359-404	30
49	FKBP Co-Chaperones in Steroid Receptor Complexes. <b>2007</b> , 281-312	1
48	Contact Potential for Global Identification of Correct Protein Folding. <b>1994</b> , 231-277	2
47	Chemistry of FK - 506. <b>1993</b> , 141-212	2
46	In Situ Proteolytic Digestions Performed on Proteins Bound to the Hewlett-Packard Hydrophobic Sequencing Column. <b>1993</b> , 399-406	10
45	Inhibition of calcineurin by a novel FK-506-binding protein.. <b>1994</b> , 269, 21094-21102	64
44	Mapping of the immunophilin-immunosuppressant site of interaction on calcineurin.. <b>1994</b> , 269, 14199-14204	35
43	An Escherichia coli protein consisting of a domain homologous to FK506-binding proteins (FKBP) and a new metal binding motif.. <b>1994</b> , 269, 2895-2901	108



42	Two FKBP-related proteins are associated with progesterone receptor complexes.. <b>1993</b> , 268, 18365-18371	74
41	Charged surface residues of FKBP12 participate in formation of the FKBP12-FK506-calcineurin complex.. <b>1992</b> , 267, 16029-16032	102
40	Cyclosporin A, the cyclophilin class of peptidylprolyl isomerases, and blockade of T cell signal transduction.. <b>1992</b> , 267, 13115-13118	199
39	Isolation and characterization of a 40-kDa cyclophilin-related protein.. <b>1992</b> , 267, 5503-5507	87
38	FKBP46, a novel Sf9 insect cell nuclear immunophilin that forms a protein-kinase complex.. <b>1994</b> , 269, 30828-30834	35
37	Improved calcineurin inhibition by yeast FKBP12-drug complexes. Crystallographic and functional analysis.. <b>1993</b> , 268, 7607-7609	46
36	Characterization of high molecular weight FK-506 binding activities reveals a novel FK-506-binding protein as well as a protein complex.. <b>1992</b> , 267, 21753-21760	84
35	Molecular cloning of a 25-kDa high affinity rapamycin binding protein, FKBP25.. <b>1992</b> , 267, 10942-10945	61
34	PPIase catalysis by human FK506-binding protein proceeds through a conformational twist mechanism.. <b>1992</b> , 267, 3316-3324	76
33	FKBP54, a novel FK506-binding protein in avian progesterone receptor complexes and HeLa extracts.. <b>1993</b> , 268, 24270-24273	48
32	IMMUNOSUPPRESSANTS. <b>1992</b> , 21, 679-693	10
31	Role of calcium in T-lymphocyte activation. <b>1995</b> , 30, 281-98	22
30	Macrocyclic inhibitors of serine proteases. <b>1997</b> , 41-76	8
29	CHAPTER 6:Fragment-Based Lead Discovery Applied to Protein-Protein Interactions. <b>2015</b> , 126-152	3
28	Measurement of tacrolimus (FK506) and its metabolites: a review of assay development and application in therapeutic drug monitoring and pharmacokinetic studies. <b>1997</b> , 19, 338-51	46
27	Study of FK-binding protein: FK506-metabolite complexes by electrospray mass spectrometry: correlation to immunosuppressive activity. <b>1999</b> , 21, 274-80	2
26	Selective inhibition of IL-2 gene expression by IL-2 antisense oligonucleotides blocks heart allograft rejection. <b>2001</b> , 72, 915-23	6
25	Leveraging Fungal Calcineurin-Inhibitor Structures, Biophysics and Dynamics to Design Selective and Non-Immunosuppressive FK506 Analogs.	1

24	Influence of site specifically altered Mip proteins on intracellular survival of Legionella pneumophila in eukaryotic cells. <b>1995</b> , 63, 4576-83	97
23	Detailed Electronic Structure Studies Revealing the Nature of Protein-Ligand Binding. <b>2009</b> , 171-192	3
22	Inhibitor-induced conformational stabilization and structural alteration of a mip-like peptidyl prolyl cis-trans isomerase and its C-terminal domain. <b>2014</b> , 9, e102891	7
21	NMR and Drug Discovery. <b>2003</b> , 507-582	
20	Organ Transplant Drugs. <b>2003</b> , 485-536	
19	X-Ray Crystallography in Drug Discovery. <b>2003</b> , 611-632	
18	References. <b>2009</b> , 231-261	
17	Multidimensional NMR Studies of Immunosuppressant/Immunophilin Complexes. <b>1993</b> , 92-133	
16	Multidimensional NMR studies of immunosuppressants and their binding proteins. <b>1993</b> , 215-219	
15	Peptidylproline cis-trans-isomerases: immunophilins. <b>1994</b> , 153-171	
14	Immunosuppression and Treatment of Rejection. <b>1998</b> , 1107-1137	
13	Identification and Evaluation of Novel Drug Targets against the Human Fungal Pathogen Aspergillus fumigatus with Elaboration on the Possible Role of RNA-Binding Protein. <b>2017</b> , 21, 84-93	1
12	Promises of targeted therapy for low grade gliomas in children. <b>2019</b> , 6, 28-41	1
11	A Mobile Game for Crowdsourced Molecular Docking Pathways. <b>2019</b> ,	0
10	The identification of dominant epitopes of h-FKBP-12 recognized by monoclonal antibodies, 3F4 and 2C1, against h-FK-506 binding protein 12(h-FKBP-12). <b>1999</b> , 803-804	
9	Leveraging Fungal and Human Calcineurin-Inhibitor Structures, Biophysical Data, and Dynamics To Design Selective and Nonimmunosuppressive FK506 Analogs. <b>2021</b> , e0300021	2
8	Binding free energy of protein/ligand complexes calculated using dissociation Parallel Cascade Selection Molecular Dynamics and Markov state model.. <b>2021</b> , 18, 305-316	1
7	Structure-guided synthesis of FK506 and FK520 analogs with increased selectivity exhibit in vivo therapeutic efficacy against C. neoformans.	

- 6 Structure-Guided Synthesis of FK506 and FK520 Analogs with Increased Selectivity Exhibit In Vivo Therapeutic Efficacy against *Cryptococcus*.
- 5 Dynamic Docking of Macrocycles in Bound and Unbound Protein Structures with DynaDock.
- 4 System truncation accelerates binding affinity calculations with the fragment molecular orbital method: A benchmark study.
- 3 FKBP35 secures ribosome homeostasis in *Plasmodium falciparum*.
- 2 Molecular and therapeutic insights of rapamycin: a multi-faceted drug from *Streptomyces hygroscopicus*. **2023**, 50, 3815-3833
- 1 Small molecules targeting Pin1 as potent anticancer drugs. 14,