

CITATION REPORT

List of articles citing

THE MORPHOLOGICAL EXPRESSION OF IMPOSEX IN
NUCELLA LAPILLUS (LINNAEUS) (GASTROPODA: MURICIDA)

DOI: 10.1093/mollus/57.3.375

Journal of Molluscan Studies, 1991, 57, 375-390.

Source: <https://exaly.com/paper-pdf/22738286/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
106	Hinia reticulata and Nucella lapillus. Comparison of two gastropod tributyltin bioindicators. 1992 , 114, 289-296		83
105	The morphological expression of imposex in Hinia reticulata (Gastropoda: Buccinidae): a potential indicator of tributyltin pollution. 1992 , 113, 625-636		170
104	The rough tingle <i>Ocenebra erinacea</i> (Neogastropoda: muricidae): An exhibitor of imposex in comparison to <i>Nucella lapillus</i> . 1992 , 46, 311-328		33
103	Imposex in <i>Lepsiella vinosa</i> from Southern Australia. 1993 , 26, 380-384		72
102	An evaluation of the potential of gastropod imposex as a bioindicator of tributyltin pollution in Port Phillip Bay, Victoria. 1993 , 26, 546-552		50
101	Ultrastructural investigations of the penis epithelia cells of three neogastropods, collected from TBT (tributyltin)-polluted areas. 1993 , 27, 113-132		5
100	Imposex in Australian <i>Conus</i> . 1993 , 73, 241-244		15
99	A Male genital defect in the dog-whelk, <i>Nucella lapillus</i> (Neogastropoda), favouring survival in a TBT-polluted area. 1993 , 73, 667-678		44
98	Organotin compounds and aquatic bacteria: A review. 1995 , 49, 663-677		27
97	Plasmids in tributyltin-resistant bacteria from fresh and estuarine waters. 1995 , 14, 337-342		12
96	TBT effects on the female genital system of <i>Littorina littorea</i> : a possible indicator of tributyltin pollution. 1995 , 309, 15-27		74
95	Validation of a planimetric procedure to quantify stress in <i>Littorina littorea</i> (Gastropoda: Mollusca): is it independent of the reproductive cycle?. 1995 , 309, 37-44		1
94	<i>Marisa cornuarietis</i> (Gastropoda, prosobranchia): a potential TBT bioindicator for freshwater environments. 1995 , 4, 372-84		56
93	Tributyltin pollution: A diminishing problem following legislation limiting the use of TBT-based anti-fouling paints. 1995 , 30, 14-21		182
92	Marine TBT antifouling contamination in Ireland, following legislation in 1987. 1995 , 30, 633-639		60
91	Organic pollutants in mussels and sediments of the coastal waters off Perth, Western Australia. 1995 , 30, 723-732		51
90	Tributyltin (TBT) effects on <i>Ocenebrina aciculata</i> (Gastropoda: Muricidae): imposex development, sterilization, sex change and population decline. 1996 , 188, 205-223		137

89	Tributyltin (TBT) pollution in the coastal waters of west Brittany as indicated by imposex in <i>Nucella lapillus</i> . <i>Marine Environmental Research</i> , 1996 , 41, 157-167	3-3	34
88	Biological indicators used to map organotin contamination in Cork Harbour, Ireland. 1996 , 32, 188-195		56
87	TBT-induced imposex in marine neogastropods is mediated by an increasing androgen level. 1996 , 50, 299-317		223
86	Cellular effects of tributyltin (TBT) on the penis epithelium cells of prosobranchs (<i>Hinia reticulata</i> and <i>Ocenebrina aciculata</i>). 1996 , 50, 319-325		1
85	Biological indicators used to map organotin contamination from a fishing port, Killybegs, Ireland. 1997 , 34, 235-243		39
84	Imposex in three species of <i>Thais</i> from Singapore, with additional observations on <i>T. clavigera</i> (K�tler) from Japan. 1997 , 34, 577-581		35
83	The use of <i>Littorina littorea</i> for tributyltin (TBT) effect monitoring - Results from the German TBT survey 1994/1995 and laboratory experiments. 1997 , 96, 299-309		58
82	Partial recovery of the dogwhelk (<i>Nucella lapillus</i>) in Sullom Voe, Shetland from tributyltin contamination. <i>Marine Environmental Research</i> , 1997 , 44, 285-304	3-3	27
81	Anthropogenic impacts on the stocks of the common whelk <i>Buccinum undatum</i> (L.). <i>Marine Environmental Research</i> , 1997 , 44, 305-314	3-3	27
80	A congenital malformation of the systemic heart complex in <i>Sepia officinalis</i> L. (Cephalopoda). 1998 , 52, 29-40		1
79	Imposex development in response to TBT pollution in <i>Hinia incrassata</i> (Str�h, 1768) (Prosobranchia, Stenoglossa). 1998 , 43, 239-260		29
78	The value of imposex in the dogwhelk <i>Nucella lapillus</i> and the common whelk <i>Buccinum undatum</i> as indicators of TBT contamination. 1998 , 34, 289-300		15
77	Imposex in <i>Nucella lapillus</i> and intersex in <i>Littorina littorea</i> : interspecific comparison of two TBT-induced effects and their geographical uniformity. 1998 , 199-213		2
76	Imposex in <i>Thais gradata</i> and <i>Chicoreus capucinus</i> (Mollusca, Neogastropoda, Muricidae) from the Straits of Johor: A Case Study using Penis Length, Area and Weight as Measures of Imposex Severity. 1999 , 39, 295-303		37
75	Survey of imposex in dogwhelks (<i>Nucella lapillus</i>) from North Sea coasts. 1999 , 13, 521-538		7
74	Organotin compounds and their interactions with microorganisms. 1999 , 45, 541-554		81
73	The recovery of populations of dogwhelks suffering from imposex in the Firth of Forth 1987-1997/98. 1999 , 106, 183-92		23
72	Imposex in the Dogwhelk (<i>Nucella lapillus</i>) due to TBT Contamination: Improvement at High Latitudes. 2000 , 40, 893-897		32

71	Relationship Between Imposex and Morphological Variation of the Shell in <i>Nucella lapillus</i> (Gastropoda: Thaididae). 2000 , 50, 599-606		15
70	Kinetics of the development of imposex in transplanted adult dogwhelks, <i>Nucella lapillus</i> . 2000 , 107, 445-9		5
69	Increasing imposex in populations of <i>Bolinus brandaris</i> (Gastropoda: Muricidae) in the northwestern Mediterranean. <i>Marine Environmental Research</i> , 2001 , 52, 463-75	3.3	44
68	Induction of apoptosis in the blue mussel <i>Mytilus galloprovincialis</i> by tri-n-butyltin chloride. 2001 , 55, 61-73		64
67	Östrogenartige wirkungen von bisphenol a auf vorderkiemensschnecken (Mollusca: Gastropoda: Prosobranchia). 2001 , 13, 319		36
66	ONTOGENY OF THE PSEUDOHERMAPHRODITIC REPRODUCTIVE SYSTEM IN <i>NASSARIUS VIBEX</i> (GASTROPODA: BUCCINIDAE: NASSARIINAE). <i>Journal of Molluscan Studies</i> , 2001 , 67, 51-58	1.1	6
65	Incidence of Phenotypic Female Chinook Salmon Positive for the Male Y-Chromosome-Specific Marker OtY1 in the Central Valley, California. 2002 , 14, 176-183		25
64	SPATHOGYNA, A NEW GENUS FOR VALVATA (? TROPIDINA) FEZI ALTIMIRA, 1960 FROM EASTERN SPAIN: ANOTHER CASE OF PSEUDOHERMAPHRODITISM IN THE HYDROBIIDAE (GASTROPODA). <i>Journal of Molluscan Studies</i> , 2002 , 68, 319-327	1.1	9
63	Imposex in <i>Nucella lapillus</i> , a bioindicator for TBT contamination: re-survey along the Portuguese coast to monitor the effectiveness of EU regulation. 2002 , 48, 217-223		66
62	A survey of imposex in muricids from 1996 to 2000 and identification of optimal indicators of tributyltin contamination along the east coast of Phuket Island, Thailand. 2002 , 44, 887-96		39
61	Molecular response to TBT stress in marine sponge <i>Suberites domuncula</i> : proteolytical cleavage and phosphorylation of KRS_SD protein kinase. 2003 , 297, 239-252		8
60	Imposex and organotin concentrations in <i>Buccinum undatum</i> and <i>Neptunea antiqua</i> from the North Sea: relationship to shipping density and hydrographical conditions. <i>Marine Environmental Research</i> , 2003 , 55, 203-33	3.3	65
59	Imposex as a biomonitoring tool for marine pollution by tributyltin: some further observations. 2003 , 28, 743-9		54
58	Chapter 17 Molluscs as bioindicators. 2003 , 6, 577-635		45
57	Responses of mud snails from low and high imposex sites to sex pheromones. 2004 , 48, 1048-54		16
56	Effects of tributyltin (TBT) on the seagrass <i>Ruppia maritima</i> . 2004 , 49, 564-73		23
55	Morphological changes in the reproductive system of females <i>Acanthina monodon</i> (Pallas, 1774) (Gastropoda: Muricidae) affected by imposex from the coast of central Chile. 2004 , 46, 111-117		7
54	Molluscs as multidisciplinary models in environment toxicology. 2005 , 50, 369-73		100

53	Imposex levels in the dogwhelk <i>Nucella lapillus</i> (L.)--continuing improvement at high latitudes. 2005 , 51, 744-9		17
52	An updated scheme of imposex for <i>Cantharus cecillei</i> (Gastropoda: Buccinidae) and a new mechanism leading to the sterilization of imposex-affected females. 2005 , 146, 717-723		11
51	Seasonal variation in imposex intensity of <i>Thais clavigera</i> . 2005 , 23, 163-168		7
50	<i>Gyrineum natator</i> : a potential indicator of imposex along the Indian coast. 2006 , 62, 1718-25		9
49	Exploring the use of caged <i>Nucella lapillus</i> to monitor changes to TBT hotspot areas: a trial in the River Tyne estuary (UK). <i>Marine Environmental Research</i> , 2006 , 62, 149-63	3-3	25
48	Is there a causal association between genotoxicity and the imposex effect?. 2006 , 114 Suppl 1, 20-6		40
47	Survey of imposex in prosobranch mollusks along the northern Mediterranean coast of Morocco. 2007 , 7, 209-214		26
46	Tin. 2007 , 839-859		3
45	Prosobranch snails as test organisms for the assessment of endocrine active chemicals--an overview and a guideline proposal for a reproduction test with the freshwater mudsnail <i>Potamopyrgus antipodarum</i> . 2007 , 16, 169-82		114
44	Seasonal changes in imposex and tissue burden of butyltin compounds in <i>Thais clavigera</i> populations along the coastal area of Mirs Bay, China. 2008 , 57, 645-51		26
43	Imposex level and penis malformation in <i>Hexaplex trunculus</i> from the Tunisian coast. 2008 , 24, 79-89		23
42	Imposex of <i>Mauritia arabica</i> on the south-eastern coast of China. 2008 , 88, 1451-1457		4
41	Pseudo-imposex; male features in female volutes not TBT-induced (Gastropoda: Volutidae). 2008 , 77, 17-24		3
40	The legal design of the international and European Union ban on tributyltin antifouling paint: direct and indirect effects. 2009 , 90 Suppl 1, S86-95		87
39	Apoptosis and its functional significance in molluscs. 2010 , 15, 313-21		116
38	Reproductive functions of wild fish as bioindicators of reproductive toxicants in the aquatic environment. 2010 , 17, 505-18		19
37	Imposex in <i>Thais gradata</i> as a Biomarker for TBT Contamination on the Southern Coast of Peninsular Malaysia. 2010 , 211, 443-457		15
36	Environmental-endocrine control of reproductive maturation in gastropods: implications for the mechanism of tributyltin-induced imposex in prosobranchs. 2010 , 19, 4-23		83

35	Factors affecting RPSI in imposex monitoring studies using <i>Nucella lapillus</i> (L.) as bioindicator. 2010 , 12, 1055-63	14
34	An innovative statistical approach for analysing non-continuous variables in environmental monitoring: assessing temporal trends of TBT pollution. 2011 , 13, 673-80	2
33	Seasonal variations of imposex indices and butyltin concentrations in the rock shell <i>Thais clavigera</i> collected from Hong Kong waters. 2011 , 63, 482-8	21
32	The effects of organotin on female gastropods. 2011 , 13, 2360-88	83
31	Description and evaluation of imposex in <i>Strombus canarium</i> Linnaeus, 1758 (Gastropoda, Strombidae): a potential bio-indicator of tributyltin pollution. 2011 , 178, 393-400	2
30	Size matters: importance of penis length variation on reproduction studies and imposex monitoring in <i>Bolinus brandaris</i> (Gastropoda: Muricidae). 2011 , 661, 363-375	22
29	<i>Conus jaspideus</i> (Mollusca: Neogastropoda: Conoidea) on the Brazilian coast. 2011 , 91, 531-538	
28	Imposex development in <i>Nucella lapillus</i> --evidence for the involvement of retinoid X receptor and androgen signalling pathways in vivo. 2012 , 106-107, 20-4	23
27	Infertility in male aquatic invertebrates: a review. 2012 , 120-121, 79-89	65
26	<i>Pugilina morio</i> L., a new imposex exhibitor from South American estuarine environments: approach for a non-lethal method to evaluate imposex. 2012 , 89, 786-92	11
25	Is aphaallic vas deferens development in females related to the distance from organotin sources? A study with <i>Stramonita haemastoma</i> . 2013 , 91, 162-70	17
24	Organotins: a review of their reproductive toxicity, biochemistry, and environmental fate. 2013 , 36, 40-52	104
23	Antifouling activity of the methanolic extract of <i>Syringodium isoetifolium</i> , and its toxicity relative to tributyltin on the ovarian development of brown mussel <i>Perna indica</i> . 2013 , 89, 231-8	19
22	Adverse effect of antifouling compounds on the reproductive mechanisms of the ascidian <i>Ciona intestinalis</i> . 2013 , 11, 3554-68	22
21	RP-HPLC optimization of econea by using artificial neural networks and its antifouling performance on the Turkish coastline. 2014 , 77, 627-635	11
20	Bioindicator <i>Thais carinifera</i> (mollusca, gastropoda): imposex response and consequences along the Pakistan coast during the period from 1993 to 2012. 2015 , 63, 115-124	8
19	Imposex in the dogwhelk (<i>Nucella lapillus</i>): 22-year monitoring around England and Wales. 2015 , 187, 736	27
18	Recovery from TBT pollution in English Channel environments: A problem solved?. 2015 , 95, 551-64	55

17	Evaluating the credibility of histopathology data in environmental endocrine toxicity studies. 2017 , 36, 601-611	23
16	Beyond imposex: other sexual alterations in a nassariid snail from Patagonia. 2017 , 13, 429-438	2
15	Recovery of marine Conus (Mollusca: Caenogastropoda) from imposex at Rottneest Island, Western Australia, over a quarter of a century. 2017 , 123, 182-187	6
14	A temporal and spatial monitoring of organotin pollution in a harborside region of Brazil by imposex and ecological quality ratio using <i>Leucozonia nassa</i> . 2017 , 189, 650	8
13	First Record of Imposex in <i>Euthria cornea</i> (Neogastropoda: Buccinidae) Collected from the Complex Lagoon-Channel of Bizerta. 2019 , 35, 87-93	3
12	Aging and retinoid X receptor agonists on masculinization of female <i>Pomacea canaliculata</i> , with a critical appraisal of imposex evaluation in the Ampullariidae. 2019 , 169, 573-582	6
11	A quarter century of recovery of the whelk <i>Thais orbita</i> from tributyltin pollution off Perth, Western Australia. 2020 , 158, 111408	2
10	Imposex and ecological quality status in <i>Stramonita brasiliensis</i> (Claremount & Reid, 2011): A temporal (2007 to 2018) and spatial evaluation on the southeastern coast of Brazil. 2021 , 174, 102080	1
9	TBT effects on the female genital system of <i>Littorina littorea</i> : a possible indicator of tributyltin pollution. 1995 , 15-27	4
8	Toxico-kinetic and -dynamic aspects of TBT-induced imposex in <i>Hydrobia ulvae</i> compared with intersex in <i>Littorina littorea</i> (Gastropoda, Prosobranchia). 1998 , 215-225	1
7	References. 2003 , 235-280	
6	Reproductive and Developmental Toxicity of Organotin Compounds. 2005 , 23-64	
5	Validation of a planimetric procedure to quantify stress in <i>Littorina littorea</i> (Gastropoda: Mollusca): is it independent of the reproductive cycle?. 1995 , 37-44	
4	Ultrastructure of prostate gland tissue in males and females with intersex phenomena of <i>Littorina littorea</i> L.. 1998 , 227-233	
3	Research and Prospect of Black and Odorous Water Treatment Strategy in Shunyi District Beijing. <i>Advances in Environmental Protection</i> , 2020 , 10, 291-295	0.1
2	Review of Study on Tributyltin-Induced Imposex in Gastropods. <i>Advances in Environmental Protection</i> , 2020 , 10, 269-281	0.1
1	The ecotoxicology of marine tributyltin (TBT) hotspots: A review. <i>Marine Environmental Research</i> , 2022 , 105689	3.3 0