Cocaine induces striatal c-fos-immunoreactive proteins

Proceedings of the National Academy of Sciences of the Unite 88, 1291-1295

DOI: 10.1073/pnas.88.4.1291

Citation Report

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Basal ganglia —input, neural activity, and relation to the cortex. Current Opinion in Neurobiology, 1991, 1, 644-651. | 4.2 | 68 |
| 2 | Dynamic gene regulation in striatal neurons: perspectives in memorial to Dr. Kyoji Maekawa. Neuroscience Research, 1991, 12, 41-44. | 1.9 | 0 |
| 3 | Stress Selectively Increases Fos Protein in Dopamine Neurons Innervating the Prefrontal Cortex. Cerebral Cortex, 1991, 1, 273-292. | 2.9 | 136 |
| 4 | Sexual behavior increases c-fos expression in the forebrain of the male rat. Brain Research, 1991, 564, 352-357. | 2.2 | 162 |
| 5 | The molecular biology of addictive drugs. Molecular Neurobiology, 1991, 5, 45-58. | 4.0 | 31 |
| 6 | D1-dopamine receptors activate c-fos expression in the fetal suprachiasmatic nuclei Proceedings of the United States of America, 1992, 89, 9201-9204. | 7.1 | 93 |
| 7 | Differential expression of c-fos and zif268 in rat striatum after haloperidol, clozapine, and amphetamine Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 4270-4274. | 7.1 | 314 |
| 8 | Transduction of psychosocial stress into the neurobiology of recurrent affective disorder. American Journal of Psychiatry, 1992, 149, 999-1010. | 7.2 | 1,598 |
| 9 | Regulation of immediate early gene expression and AP-1 binding in the rat nucleus accumbens by chronic cocaine Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 5764-5768. | 7.1 | 421 |
| 10 | Preproenkephalin promoter "cassette" confers brain expression and synaptic regulation in transgenic mice Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 2345-2349. | 7.1 | 27 |
| 11 | Activation of the zinc finger encoding gene krox-20 in adult rat brain: comparison with zif268. Molecular Brain Research, 1992, 13, 263-266. | 2.3 | 49 |
| 12 | In situ DNA-protein binding: A novel method for detecting DNA-binding activity of transcription factor in brain. Neuroscience Letters, 1992, 146, 25-28. | 2.1 | 17 |
| 13 | Fos-lacZ transgenic mice: Mapping sites of gene induction in the central nervous system. Neuron, 1992, 8, 13-23. | 8.1 | 239 |
| 14 | Late onset and long-lasting suppressive effects of ceruletide, an analogue of cholecystokinin, on c-fos mRNA expression in the rat striatum. Neuroscience Letters, 1992, 138, 233-236. | 2.1 | 4 |
| 15 | Conditioned Sensitization to the Psychomotor Stimulant Cocaine. Annals of the New York Academy of Sciences, 1992, 654, 386-399. | 3.8 | 92 |
| 16 | A 35 kDa Fos-related antigen is co-localized with substance P and dynorphin in striatal neurons. Brain Research, 1992, 577, 312-317. | 2.2 | 28 |
| 17 | Expression of c-fos mRNA in acute and kindled cocaine seizures in rats. Brain Research, 1992, 582, 101-106. | 2.2 | 33 |
| 18 | Differential effects of intermittent or continuous exposure to cocaine on the hypothalamic-pituitary-adrenal axis and c-fos expression. Brain Research, 1992, 571, 204-211. | 2.2 | 61 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | C-fos immunoreactivity in the brain following unilateral electrical stimulation of the dorsal periaqueductal gray in freely moving rats. Brain Research, 1992, 573, 276-283. | 2.2 | 47 |
| 20 | Synergistic Interactions of D1- and D2-Selective Dopamine Agonists in Animal Models for Parkinson's Disease: Sites of Action and Implications for the Pathogenesis of Dyskinesias. Canadian Journal of Neurological Sciences, 1992, 19, 147-152. | 0.5 | 21 |
| 21 | Both phasic sensory stimulation and tonic pharmacological activation increase Fos-like immunoreactivity in the rat locus coeruleus. Synapse, 1992, 12, 112-118. | 1.2 | 14 |
| 22 | Characterization of Gene Organization and Promoter Region of the Rat Dopamine D1 Receptor Gene. Journal of Neurochemistry, 1992, 59, 1875-1883. | 3.9 | 69 |
| 23 | D1Dopamine Receptor Activation of Multiple Transcription Factor Genes in Rat Striatum. Journal of Neurochemistry, 1992, 58, 1420-1426. | 3.9 | 193 |
| 24 | Colocalization of Fos- and Glucocorticoid Receptor-Like Immunoreactivities in the Rat Amygdaloid Complex After Immobilization Stress. Journal of Neuroendocrinology, 1992, 4, 547-555. | 2.6 | 23 |
| 25 | Opposite effects of rough and gentle handling with repeated saline administration on c-fos mRNA expression in the rat brain. Journal of Neural Transmission, 1992, 90, 163-169. | 2.8 | 31 |
| 26 | Muscarinic cholinergic receptor-mediated modulation on striatal c-fos mRNA expression induced by levodopa in rat brain. Journal of Neural Transmission, 1992, 90, 171-181. | 2.8 | 19 |
| 27 | Developmental regulation of Fos and Fos-related antigens in cerebral cortex, striatum, hippocampus, and cerebellum of the rat. Journal of Comparative Neurology, 1993, 334, 75-85. | 1.6 | 52 |
| 28 | Selective induction of Fos and FRA immunoreactivity within the mesolimbic and mesostriatal dopamine terminal fields. Synapse, 1993, 13, 251-263. | 1.2 | 69 |
| 29 | Distribution of dopamine- and cAMP-dependent phosphoprotein (DARPP-32) in the developing and mature kidney. Kidney International, 1993, 44, 495-502. | 5.2 | 13 |
| 30 | Transection of Corticostriatal Afferents Reduces Amphetamine- and Apomorphine-induced Striatal Fos Expression and Turning Behaviour in Unilaterally 6-Hydroxydopamine-lesioned Rats. European Journal of Neuroscience, 1993, 5, 1062-1070. | 2.6 | 85 |
| 31 | Fos Immunoreactivity after Stimulation or Inhibition of Muscarinic Receptors Indicates Anatomical Specificity for Cholinergic Control of Striatal Efferent Neurons and Cortical Neurons in the Rat. European Journal of Neuroscience, 1993, 5, 1218-1225. | 2.6 | 73 |
| 32 | Kainate-Induced Changes in Opioid Peptide Genes and AP-1 Protein Expression in the Rat Hippocampus. Journal of Neurochemistry, 1993, 60, 204-211. | 3.9 | 63 |
| 33 | Co-localization of peptide-like immunoreactivities with glucocorticoid receptor- and Fos-like immunoreactivities in the rat parabrachial nucleus. Brain Research, 1993, 615, 245-251. | 2.2 | 23 |
| 34 | Colocalization of Fos- and glucocorticoid receptor-immunoreactivities is present only in a very restricted population of dorsal horn neurons of the rat spinal cord after nociceptive stimulation. Brain Research, 1993, 632, 334-338. | 2.2 | 34 |
| 35 | c-fos and NGFI-A mRNA of rat retina: evidence for light-induced augmentation and a role for cholinergic and glutamate receptors. Brain Research, 1993, 631, 77-82. | 2.2 | 23 |
| 36 | Sensitization of c-fos expression in rat striatum following multiple challenges withd-amphetamine. Brain Research, 1993, 603, 125-128. | 2.2 | 30 |

| щ | | 15 | CITATIONS |
|----|---|-----|-----------|
| Ŧ | ARTICLE | IF | CHATIONS |
| 37 | striatopallidal neurons. Molecular Brain Research, 1993, 19, 156-160. | 2.3 | 40 |
| 38 | Elevated basal AP-1 DNA binding activity in developing rat brain. Molecular Brain Research, 1993, 19, 349-352. | 2.3 | 25 |
| 39 | Acute nicotine injections induce c-fos mostly in non-dopaminergic neurons of the midbrain of the rat. Molecular Brain Research, 1993, 20, 162-170. | 2.3 | 53 |
| 40 | Brain transcription factor expression: effects of acute and chronic amphetamine and injection stress. Molecular Brain Research, 1993, 20, 91-100. | 2.3 | 102 |
| 41 | Induction of immediate early genes by cyclic AMP in primary cultures of neurons from rat cerebral cortex. Molecular Brain Research, 1993, 19, 76-82. | 2.3 | 44 |
| 42 | Chapter 13 Neurochemically specialized projection neurons of the striatum respond differentially to psychomotor stimulants. Progress in Brain Research, 1993, 99, 201-205. | 1.4 | 23 |
| 43 | Chapter 9 Dopamine receptors. New Comprehensive Biochemistry, 1993, 24, 251-265. | 0.1 | 2 |
| 44 | Striatal Fos expression is indicative of dopamine D1/D2 synergism and receptor supersensitivity Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 7451-7455. | 7.1 | 158 |
| 45 | Coordinate expression of c-fos and jun B is induced in the rat striatum by cocaine. Journal of Neuroscience, 1993, 13, 423-433. | 3.6 | 145 |
| 46 | Influence of Male Rats on the Luteinizing Hormone-Releasing Hormone Neuronal System in Female Rats: Role of the Vomeronasal Organ. Neuroendocrinology, 1993, 57, 898-906. | 2.5 | 34 |
| 47 | Chronic electroconvulsive seizure (ECS) treatment results in expression of a long-lasting AP-1 complex in brain with altered composition and characteristics. Journal of Neuroscience, 1994, 14, 4318-4328. | 3.6 | 159 |
| 48 | Amphetamine regulates gene expression in rat striatum via transcription factor CREB. Journal of Neuroscience, 1994, 14, 5623-5634. | 3.6 | 346 |
| 49 | Pharmacological regulation of APâ€1 transcription factor DNA binding activity 1. FASEB Journal, 1994, 8, 475-478. | 0.5 | 63 |
| 50 | Molecular Neurobiology of Drug Addiction. Neuropsychopharmacology, 1994, 11, 77-87. | 5.4 | 99 |
| 51 | Pitfalls in Assessment of c-fos mRNA Expression in the Brain: Effects of Animal Handling. Reviews in the Neurosciences, 1994, 5, 171-8. | 2.9 | 26 |
| 52 | Cocaine behavioral sensitization and the excitatory amino acids. Psychopharmacology, 1994, 115, 305-310. | 3.1 | 136 |
| 53 | Acute and chronic cocaine administration differentially alters striatal opioid and nuclear transcription factor mRNAs. Synapse, 1994, 18, 35-45. | 1.2 | 119 |
| 54 | Acute administration of alcohol blocks cocaine-induced striatalc-fos immunoreactivity protein in the rat. Synapse, 1994, 18, 161-167. | 1.2 | 20 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Amphetamine- and cocaine-induced fos in the rat striatum depends on D2 dopamine receptor activation. Synapse, 1994, 18, 233-240. | 1.2 | 78 |
| 56 | Tactile sensory input regulates basal and apomorphine-induced immediate-early gene expression in rat barrel cortex. Journal of Comparative Neurology, 1994, 344, 297-304. | 1.6 | 55 |
| 57 | NMDA receptor-mediated expression of Fos protein in the rat striatum following methamphetamine administration: relation to behavioral sensitization. Brain Research, 1994, 665, 135-140. | 2.2 | 43 |
| 58 | Dopamine D1 receptor mutant mice are deficient in striatal expression of dynorphin and in dopamine-mediated behavioral responses. Cell, 1994, 79, 729-742. | 28.9 | 474 |
| 59 | Persistent reduction of immediate early gene mRNA in rat forebrain following single or multiple doses of cocaine. Molecular Brain Research, 1994, 26, 106-112. | 2.3 | 65 |
| 60 | Coexpression of c-fos and hsp70 mRNAs in gerbil brain after ischemia: Induction threshold, distribution and time course evaluated by in situ hybridization. Molecular Brain Research, 1994, 26, 249-258. | 2.3 | 66 |
| 61 | Induction of multiple immediate early genes in rat hypothalamic paraventricular nucleus after stress. Molecular Brain Research, 1994, 25, 234-241. | 2.3 | 72 |
| 62 | Differential induction of Fos protein and a Fos-related antigen following acute and repeated cocaine administration. Molecular Brain Research, 1994, 25, 168-172. | 2.3 | 66 |
| 63 | Comparison between normal developing striatum and developing striatal grafts using drug-induced fos expression and neuron-specific enolase immunohistochemistry. Neuroscience, 1994, 60, 399-415. | 2.3 | 18 |
| 64 | Cortical stimulation induces fos expression in intrastriatal striatal grafts. Brain Research, 1994, 652, 87-97. | 2.2 | 25 |
| 65 | Induction of c-fos in rat brain by acute cocaine and fenfluramine exposure: a comparison study. Brain Research, 1994, 647, 1-9. | 2.2 | 46 |
| 66 | Induction of c-fos and CRF mRNA by MK-801 in the parvocellular paraventricular nucleus of the rat hypothalamus. Molecular Brain Research, 1994, 24, 192-198. | 2.3 | 32 |
| 67 | Interactive effects of stimulation of D1 and D2 dopamine receptors on fos-like immunoreactivity in the normosensitive rat striatum. Brain Research Bulletin, 1994, 35, 85-91. | 3.0 | 58 |
| 68 | Morphine induces c-fos and junB in striatum and nucleus accumbens via D1 and N-methyl-D-aspartate receptors Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 8537-8541. | 7.1 | 175 |
| 69 | Sphingosylphosphocholine, a signaling molecule which accumulates in Niemann-Pick disease type A, stimulates DNA-binding activity of the transcription activator protein AP-1 Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 5885-5889. | 7.1 | 45 |
| 70 | Screening the dopamine D ₁ receptor gene in 131 schizophrenics and eight alcoholics: Identification of polymorphisms but lack of functionally significant sequence changes. American Journal of Medical Genetics Part A, 1995, 60, 165-171. | 2.4 | 45 |
| 71 | Comparison of c-jun,junB, andjunD mRNA expression and protein in the rat dorsal root ganglia following sciatic nerve transection. Journal of Neuroscience Research, 1995, 42, 391-401. | 2.9 | 31 |
| 72 | Fos: An immediateâ€early transcription factor in neurons. Journal of Neurobiology, 1995, 26, 403-412. | 3.6 | 329 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Postnatal age defines specificity of immediate early gene induction by cocaine in developing rat brain. Journal of Comparative Neurology, 1995, 351, 27-40. | 1.6 | 45 |
| 74 | Substance P phenotype defines specificity of c-fos induction by cocaine in developing rat striatum. Journal of Comparative Neurology, 1995, 351, 41-50. | 1.6 | 45 |
| 75 | Dynorphin opioid inhibition of cocaineâ€induced, D1 dopamine receptorâ€mediated immediatemâ€early gene expression in the striatum. Journal of Comparative Neurology, 1995, 353, 200-212. | 1.6 | 96 |
| 76 | Cocaine and d-amphetamine increase c-fos expression in the rat cerebellum. Synapse, 1995, 19, 29-36. | 1.2 | 25 |
| 77 | Brain transcription factor gene expression, neurotransmitter levels, and novelty response behaviors: Alterations during rat amphetamine withdrawal and following chronic injection stress. Synapse, 1995, 19, 212-227. | 1.2 | 56 |
| 78 | Time-dependent changes in dopamine agonist-induced striatal fos immunoreactivity are related to sensory neglect and its recovery after unilateral prefkontal cortex injury. Synapse, 1995, 20, 305-315. | 1.2 | 38 |
| 79 | Cholecystokinin octapeptide and the D2 antagonist raclopride induce Fos-like immunoreactivity in the shell part of the rat nucleus accumbens via different mechanisms. Brain Research, 1995, 684, 225-229. | 2.2 | 7 |
| 80 | Alterations in immediate-early gene proteins in the rat forebrain induced by acute morphine injection. Brain Research, 1995, 692, 23-40. | 2.2 | 82 |
| 81 | Amphetamine induction of c-fos in the nucleus accumbens is not inhibited by glutamate antagonists. Brain Research, 1995, 694, 299-307. | 2.2 | 24 |
| 82 | Neuronal regulation of c-fos, c-jun, and junB immediate-early genes in rat adrenal medulla. Journal of Neuroscience, 1995, 15, 1854-1868. | 3.6 | 29 |
| 83 | D1 and D2 dopamine receptor function in the striatum: coactivation of D1- and D2-dopamine receptors on separate populations of neurons results in potentiated immediate early gene response in D1-containing neurons. Journal of Neuroscience, 1995, 15, 8167-8176. | 3.6 | 252 |
| 84 | PCR differential display identifies a rat brain mRNA that is transcriptionally regulated by cocaine and amphetamine. Journal of Neuroscience, 1995, 15, 2471-2481. | 3.6 | 620 |
| 85 | Circadian Expression of Transcription Factor Fra-2 in the Rat Pineal Gland. Journal of Biological Chemistry, 1995, 270, 27319-27325. | 3.4 | 90 |
| 86 | Dopamine Regulation of Transcription Factor-Target Interactions in Rat Striatum. Chemical Senses, 1995, 20, 257-260. | 2.0 | 26 |
| 87 | Review : Molecular Basis of Addictive States. Neuroscientist, 1995, 1, 212-220. | 3.5 | 16 |
| 88 | Neuronal adaptation to amphetamine and dopamine: Molecular mechanisms of prodynorphin gene regulation in rat striatum. Neuron, 1995, 14, 813-823. | 8.1 | 342 |
| 89 | D1-class dopamine receptor involvement in the behavioral recovery from prefrontal cortical injury. Behavioural Brain Research, 1995, 72, 39-48. | 2.2 | 20 |
| 90 | Dopaminergic control of gene transcription during striatal ontogeny: c-fos induction by D1 receptor activation in the developing striosomes. Molecular Brain Research, 1995, 30, 223-232. | 2.3 | 23 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | The human D1A dopamine receptor gene promoter directs expression of a reporter gene to the central nervous system in transgenic mice. Molecular Brain Research, 1995, 30, 336-346. | 2.3 | 12 |
| 92 | Basal expression of 35 kDa fos-related antigen in olfactory bulb. Molecular Brain Research, 1995, 34, 161-165. | 2.3 | 4 |
| 93 | Differential expression of inducible transcription factors in basal ganglia neurons. Molecular Brain Research, 1995, 34, 294-302. | 2.3 | 26 |
| 94 | Pretreatment with a dopamine D1-receptor antagonist prevents metabolic activation by cocaine. Neuroscience Letters, 1995, 196, 161-164. | 2.1 | 5 |
| 95 | Novel Dopamine Receptor Subtypes as Targets for Antipsychotic Drugs. Annals of the New York Academy of Sciences, 1995, 757, 278-292. | 3.8 | 16 |
| 96 | Stress, Conditioning, and the Temporal Aspects of Affective Disorders. Annals of the New York Academy of Sciences, 1995, 771, 677-696. | 3.8 | 35 |
| 97 | The role of dopamine in drug abuse viewed from the perspective of its role in motivation. Drug and Alcohol Dependence, 1995, 38, 95-137. | 3.2 | 605 |
| 98 | Molecular Mechanisms of Drug Reinforcement and Addiction. Annual Review of Neuroscience, 1995, 18, 463-495. | 10.7 | 551 |
| 99 | Roles of dopamine D1 receptors in striatal fos protein induction associated with methamphetamine behavioral sensitization in rats. Brain Research Bulletin, 1995, 38, 393-397. | 3.0 | 21 |
| 100 | NMDA and D1 receptors mediate induction of c-fos and junB genes in striatum following morphine administration: implications for studies of memory. Behavioural Brain Research, 1995, 66, 225-230. | 2.2 | 61 |
| 101 | C-fos expression in the rat brain after pharmacological stimulation of the rat "mediodorsal― thalamus by means of microdialysis. Neuroscience, 1995, 66, 115-131. | 2.3 | 21 |
| 102 | Synthesis and Biological Evaluation of Certain Alkenyldiarylmethanes as Anti-HIV-1 Agents Which Act as Non-Nucleoside Reverse Transcriptase Inhibitors. Journal of Medicinal Chemistry, 1996, 39, 3217-3227. | 6.4 | 48 |
| 103 | Novel Transcription Factors Are Induced by Chronic Cocaine Treatment. Annals of the New York Academy of Sciences, 1996, 801, 1-12. | 3.8 | 9 |
| 104 | Antisense oligodeoxynucleotide attenuates in vivo expression of c-fos in the paraventricular hypothalamic nucleus of the rat brain. Neuroscience Letters, 1996, 209, 89-92. | 2.1 | 8 |
| 105 | A nitric oxide synthesis inhibitor (L-NAME) reduces licking behavior and Fos-labeling in the spinal cord of rats during formalin-induced inflammation. Pain, 1996, 66, 331-341. | 4.2 | 85 |
| 106 | Changes in striatal immediate early gene expression following neonatal dopaminergic lesion and effects of intrastriatal dopaminergic transplants. Neuroscience, 1996, 73, 145-159. | 2.3 | 11 |
| 107 | D1 dopamine receptor-deficient mouse: cocaine-induced regulation of immediate-early gene and substance P expression in the striatum. Neuroscience, 1996, 74, 813-823. | 2.3 | 143 |
| 108 | The effects of D1 or D2 dopamine receptor blockade on zif/268 and preprodynorphin gene expression in rat forebrain following a short-term cocaine binge. Molecular Brain Research, 1996, 35, 237-248. | 2.3 | 49 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Fenfluramine-induced activation of the immediate-early gene c-fos in the striatum: possible interaction between serotonin and dopamine. Molecular Brain Research, 1996, 37, 105-115. | 2.3 | 40 |
| 110 | Transcription factors in primary glial cultures: changes with neuronal interactions. Molecular Brain Research, 1996, 37, 224-230. | 2.3 | 21 |
| 111 | Individual and combined effects of ethanol and cocaine on intracellular signals and gene expression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1996, 20, 561-596. | 4.8 | 31 |
| 112 | Cardiovascular hypertrophy and increased vascular contractile responsiveness following repeated cocaine administration in rabbits. Life Sciences, 1996, 58, 675-682. | 4.3 | 13 |
| 113 | Activation of in the brain. Progress in Neurobiology, 1996, 50, 83-107. | 5.7 | 610 |
| 114 | Cocaethylene stimulates the secretion of ACTH and corticosterone and the transcriptional activation of hypothalamic NGFI-B. Molecular Brain Research, 1996, 43, 225-232. | 2.3 | 12 |
| 115 | Network-Level Changes in Expression of Inducible Fos–Jun Proteins in the Striatum during Chronic Cocaine Treatment and Withdrawal. Neuron, 1996, 17, 147-156. | 8.1 | 256 |
| 116 | Methamphetamine-Induced Changes in AP-1 Binding and Dynorphin in the Striatum: Correlated, Not Causally Related Events?. NeuroSignals, 1996, 5, 317-333. | 0.9 | 6 |
| 117 | Influence of Cocaine on the JAK–STAT Pathway in the Mesolimbic Dopamine System. Journal of Neuroscience, 1996, 16, 8019-8026. | 3.6 | 50 |
| 118 | D1-class dopamine receptors influence cocaine-induced persistent expression of Fos-related proteins in striatum. NeuroReport, 1996, 8, 1-5. | 1.2 | 55 |
| 119 | Potential brain neuronal targets for amphetamine-, methylphenidate-, and modafinil-induced wakefulness, evidenced by c-fos immunocytochemistry in the cat. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 14128-14133. | 7.1 | 294 |
| 120 | Cellular responses to psychomotor stimulant and neuroleptic drugs are abnormal in mice lacking the D1 dopamine receptor. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 14928-14933. | 7.1 | 178 |
| 121 | Amphetamine and Dopamine-Induced Immediate Early Gene Expression in Striatal Neurons Depends on Postsynaptic NMDA Receptors and Calcium. Journal of Neuroscience, 1996, 16, 4231-4239. | 3.6 | 280 |
| 122 | Developmental expression of Fos-lacZ in the brains of postnatal transgenic rats. Developmental Brain Research, 1996, 93, 191-197. | 1.7 | 14 |
| 123 | Nicotine injections into the ventral tegmental area increase locomotion and Fos-like immunoreactivity in the nucleus accumbens of the rat. Brain Research, 1996, 730, 133-142. | 2.2 | 96 |
| 124 | Locating Reward Cue at Response Manipulandum (CAM) Induces Symptoms of Drug Abuse. Neuroscience and Biobehavioral Reviews, 1996, 20, 505-535. | 6.1 | 129 |
| 125 | Combined effects of ethanol and cocaine on FOS-like protein and cocaethylene biosynthesis in the rat. Psychopharmacology, 1996, 128, 105-114. | 3.1 | 7 |
| 126 | Psychomotor stimulant- and opiate-induced c-fos mRNA expression patterns in the rat forebrain: Comparisons between acute drug treatment and a drug challenge in sensitized animals. Neurochemical Research, 1996, 21, 1425-1435. | 3.3 | 105 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Development of striatal dopaminergic function. II: Dopaminergic regulation of transcription of the immediate early gene zif268 and of D1 (D1a) and D2 (D2a) receptors during pre- and postnatal development. Developmental Brain Research, 1996, 94, 121-132. | 1.7 | 20 |
| 128 | Increased expression of neuronal nitric oxide synthase in bladder afferent pathways following chronic bladder irritation. Journal of Comparative Neurology, 1996, 370, 191-202. | 1.6 | 111 |
| 129 | Atypical and typical neuroleptic treatments induce distinct programs of transcription factor expression in the striatum. , 1996, 374, 70-83. | | 95 |
| 130 | Dynorphin regulates D1 dopamine receptor-mediated responses in the striatum: Relative contributions of pre- and postsynaptic mechanisms in dorsal and ventral striatum demonstrated by altered immediate-early gene induction. , 1996, 376, 530-541. | | 72 |
| 131 | Dopamine receptors mediate differential morphological effects on cerebral cortical neurons in vitro. Journal of Neuroscience Research, 1996, 43, 439-453. | 2.9 | 107 |
| 132 | Involvement of adenosine and glutamate receptors in the induction ofc-fos in the striatum by haloperidol. , 1996, 22, 70-77. | | 82 |
| 133 | Frontal cortex ablation reversibly decreases striatalzif/268 andjunB expression: Temporal correspondence with sensory neglect and its spontaneous recovery. , 1996, 22, 291-303. | | 22 |
| 134 | Chronic Alterations in Dopaminergic Neurotransmission Produce a Persistent Elevation of ΔFosB-like Protein(s) in both the Rodent and Primate Striatum. European Journal of Neuroscience, 1996, 8, 365-381. | 2.6 | 178 |
| 135 | Phenotype of Striatal Cells Expressing c-Fos Following Amphetamine Treatment of Rats with Intrastriatal Dopaminergic Grafts. European Journal of Neuroscience, 1996, 8, 2521-2529. | 2.6 | 4 |
| 136 | Chapter II The basal ganglia. Handbook of Chemical Neuroanatomy, 1996, , 371-468. | 0.3 | 202 |
| 137 | Initiation and adaptation: a paradigm for understanding psychotropic drug action. American Journal of Psychiatry, 1996, 153, 151-162. | 7.2 | 442 |
| 138 | Two Proximal Activating Protein-1-Binding Sites Are Sufficient to Stimulate Transcription of the Ovine Follicle-Stimulating Hormone-1² Gene*. Endocrinology, 1997, 138, 2621-2631. | 2.8 | 55 |
| 139 | A single dose of kainic acid elevates the levels of enkephalins and activator protein-1 transcription factors in the hippocampus for up to 1 year. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 9422-9427. | 7.1 | 62 |
| 140 | Cycloheximide phase-shifts, but does not prevent, de novo Krox-24 protein expression. NeuroReport, 1997, 8, 3263-3266. | 1.2 | 38 |
| 141 | 5-Hydroxytryptamine _{1B} Receptors Modulate the Effect of Cocaine on c- <i>fos</i> Expression: Converging Evidence Using 5-Hydroxytryptamine _{1B} Knockout Mice and the 5-Hydroxytryptamine _{1B/1D} Antagonist GR127935. Molecular Pharmacology, 1997, 51, 755-763. | 2.3 | 90 |
| 142 | FosB mutant mice: Loss of chronic cocaine induction of Fos-related proteins and heightened sensitivity to cocaine's psychomotor and rewarding effects. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 10397-10402. | 7.1 | 274 |
| 143 | Common Neural Substrates for the Addictive Properties of Nicotine and Cocaine. Science, 1997, 275, 83-86. | 12.6 | 376 |
| 144 | Expression of Fos, Jun, and Krox Family Proteins in Alzheimer's Disease. Experimental Neurology, 1997, 147, 316-332 | 4.1 | 84 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | A circuitry model of the expression of behavioral sensitization to amphetamine-like psychostimulants. Brain Research Reviews, 1997, 25, 192-216. | 9.0 | 1,122 |
| 146 | Neural mechanisms of tolerance to the effects of cocaine. Behavioural Brain Research, 1997, 84, 225-239. | 2.2 | 41 |
| 147 | Changes in expression of ΔFosB and the Fos family proteins following NMDA receptor activation in the rat striatum. Molecular Brain Research, 1997, 47, 31-43. | 2.3 | 9 |
| 148 | Enhanced serum response element binding activity correlates with down-regulation of c-fos mRNA expression in the rat brain following repeated cortical lesions. Molecular Brain Research, 1997, 52, 62-70. | 2.3 | 5 |
| 149 | Dopaminergic function in the neostriatum and nucleus accumbens of young and aged fischer 344 rats. Neurobiology of Aging, 1997, 18, 57-66. | 3.1 | 29 |
| 150 | Modulation of c-fos expression in the rat striatum by diazepam. Neuroscience Letters, 1997, 236, 5-8. | 2.1 | 15 |
| 151 | Ventral pallidum self-stimulation induces stimulus dependent increase in c-fos expression in reward-related brain regions. Neuroscience, 1997, 77, 175-186. | 2.3 | 60 |
| 152 | Temporal pattern of AP-1 DNA-binding activity in the rat hippocampus following a kindled seizure. Neuroscience, 1997, 80, 753-761. | 2.3 | 10 |
| 153 | Dopaminergic and Glutamatergic Mechanisms Mediate the Induction of FOS-Like Protein by Cocaethylene. Brain Research Bulletin, 1997, 42, 393-398. | 3.0 | 12 |
| 154 | Effect of Pertussis Toxin Injected Into the Ventral Tegmental Area on Amphetamine-Induced c-Fos in the Nucleus Accumbens. Brain Research Bulletin, 1997, 43, 435-439. | 3.0 | 1 |
| 155 | Systemic Morphine-Induced Fos Protein in the Rat Striatum and Nucleus Accumbens Is Regulated by μ Opioid Receptors in the Substantia Nigra and Ventral Tegmental Area. Journal of Neuroscience, 1997, 17, 8596-8612. | 3.6 | 111 |
| 156 | NAC-1, a Rat Brain mRNA, Is Increased in the Nucleus Accumbens Three Weeks after Chronic Cocaine Self-Administration. Journal of Neuroscience, 1997, 17, 6864-6871. | 3.6 | 82 |
| 157 | Dopamine–Adenosine Interactions in the Striatum and the Globus Pallidus: Inhibition of Striatopallidal Neurons through Either D ₂ or A _{2A} Receptors Enhances D ₁ Receptor-Mediated Effects on <i>c-fos</i> Expression. Journal of Neuroscience, 1997, 17, 8038-8048. | 3.6 | 123 |
| 158 | Glutamate, But Not Dopamine, Stimulates Stress-Activated Protein Kinase and AP-1-Mediated Transcription in Striatal Neurons. Journal of Neuroscience, 1997, 17, 3455-3466. | 3.6 | 156 |
| 159 | Absence of a Persistently Elevated 37 kDa Fos-Related Antigen and AP-1-Like DNA-Binding Activity in the Brains of Kainic Acid-Treated <i>fos</i> B Null Mice. Journal of Neuroscience, 1997, 17, 5407-5415. | 3.6 | 56 |
| 160 | Increased Expression of NGFI-A mRNA in the Rat Striatum Following Burst Stimulation of the Medial Forebrain Bundle. European Journal of Neuroscience, 1997, 9, 2370-2382. | 2.6 | 44 |
| 161 | Genetics, Ethanol and the Fos Response: A Comparison of the C57BL/6J and DBA/2J Inbred Mouse Strains. Alcoholism: Clinical and Experimental Research, 1997, 21, 1497-1507. | 2.4 | 58 |
| 162 | Chronic Nicotine Enhances Basal and Nicotine-Induced Fos Immunoreactivity Preferentially in the Medial Prefrontal Cortex of the Rat. Neuropsychopharmacology, 1997, 17, 151-161. | 5.4 | 48 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Modulatory role of catecholamines in the transsynaptic expression of c-fos in the rat medial prefrontal cortex induced by disinhibition of the mediodorsal thalamus: a study employing microdialysis and immunohistochemistry. Brain Research, 1997, 749, 214-225. | 2.2 | 18 |
| 164 | Desensitization of Fos protein induction in rat striatum and nucleus accembens following repeated administration of Δ9-tetrahydrocannabinol. Brain Research, 1997, 763, 137-140. | 2.2 | 6 |
| 165 | Characterization of the long-lasting activator protein-1 complex induced by kainic acid treatment. Brain Research, 1997, 770, 53-59. | 2.2 | 18 |
| 166 | Protein kinases A and C are involved in the mechanisms underlying consolidation of cocaine place conditioning. Brain Research, 1997, 775, 30-36. | 2.2 | 84 |
| 167 | SCH 23390-induced behavioral supersensitivity is not related to striatal c-fos levels. Brain Research, 1997, 774, 51-54. | 2.2 | 0 |
| 168 | Widespread expression of functional D1-dopamine receptors in fetal rat brain. Developmental Brain Research, 1997, 102, 105-115. | 1.7 | 34 |
| 169 | Treadmill running induces striatal Fos expression via NMDA glutamate and dopamine receptors. Experimental Brain Research, 1997, 115, 458-469. | 1.5 | 61 |
| 170 | NMDA and D1 receptors regulate the phosphorylation of CREB and the induction ofc-fos in striatal neurons in primary culture. , 1997, 25, 227-233. | | 91 |
| 171 | Regulation of c-Fos and NGF1-A by antidepressant treatments. Synapse, 1997, 25, 313-320. | 1.2 | 63 |
| 172 | Increased vulnerability to cocaine in mice lacking the serotonin-1B receptor. Nature, 1998, 393, 175-178. | 27.8 | 309 |
| 173 | Frizzled signalling controls orientation of asymmetric sense organ precursor cell divisions in Drosophila. Nature, 1998, 393, 178-181. | 27.8 | 207 |
| 174 | Altered synaptic physiology and reduced susceptibility to kainate-induced seizures in GluR6-deficient mice. Nature, 1998, 392, 601-605. | 27.8 | 450 |
| 175 | Repeated Alcohol Administration Differentially Affects c-Fos and FosB Protein Immunoreactivity in DBA/2J Mice. Alcoholism: Clinical and Experimental Research, 1998, 22, 1646-1654. | 2.4 | 48 |
| 176 | Cocaine and the AP-1 Transcription Factor Complex. Annals of the New York Academy of Sciences, 1998, 844, 1-6. | 3.8 | 42 |
| 177 | Cocaine-Induced Activation of c-fos Gene Expression Is Attenuated in Prenatal Cocaine-Exposed Rabbitsa. Annals of the New York Academy of Sciences, 1998, 846, 368-370. | 3.8 | 1 |
| 178 | Stimulant-mediated c-fos induction in striatum as a function of age, sex, and prenatal cocaine exposure. Brain Research, 1998, 794, 88-95. | 2.2 | 24 |
| 179 | Behavioral sensitization to cocaine after a brief social stress is accompanied by changes in Fos expression in the murine brainstem. Brain Research, 1998, 810, 200-210. | 2.2 | 57 |
| 180 | Neural substrate of nicotine addiction as defined by functional brain maps of gene expression. Journal of Physiology (Paris), 1998, 92, 225-228. | 2.1 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Effect of cocaine self-administration on striatal dopamine D1 receptors in rhesus monkeys. Synapse, 1998, 28, 1-9. | 1.2 | 58 |
| 182 | D1 dopamine receptors mediate neuroleptic-induced Fos expression in the islands of Calleja. , 1998, 28, 154-159. | | 10 |
| 183 | Neurotransmitter regulation of MAP kinase signaling in striatal neurons in primary culture. Synapse, 1998, 29, 29-36. | 1.2 | 66 |
| 184 | 5-HT3 receptor activation is required for induction of striatal c-Fos and phosphorylation of ATF-1 by amphetamine. , 1998, 30, 71-78. | | 24 |
| 185 | Effect of cocaine self-administration on dopamine D2 receptors in rhesus monkeys. , 1998, 30, 88-96. | | 113 |
| 186 | Drugs of abuse and immediate-early genes in the forebrain. Molecular Neurobiology, 1998, 16, 221-267. | 4.0 | 189 |
| 187 | Role of dynorphin and enkephalin in the regulation of striatal output pathways and behavior. Experimental Brain Research, 1998, 123, 60-76. | 1.5 | 361 |
| 188 | Δ9-Tetrahydrocannabinol increases sequence-specific AP-1 DNA-binding activity and Fos-related antigens in the rat brain. European Journal of Neuroscience, 1998, 10, 1743-1751. | 2.6 | 35 |
| 189 | MPTP-Parkinsonism is accompanied by persistent expression of a Δ-FosB-like protein in dopaminergic pathways. Molecular Brain Research, 1998, 53, 41-52. | 2.3 | 41 |
| 190 | Subtracted differential display: Genes with amphetamine-altered expression patterns include calcineurin. Molecular Brain Research, 1998, 53, 344-347. | 2.3 | 13 |
| 191 | Differential effects of mood stabilizers on Fos/Jun proteins and AP-1 DNA binding activity in human neuroblastoma SH-SY5Y cells. Molecular Brain Research, 1998, 58, 95-102. | 2.3 | 75 |
| 192 | Conditional coupling of striatal dopamine D1 receptor to transcription factors: ontogenic and regional differences in CREB activation. Molecular Brain Research, 1998, 60, 127-132. | 2.3 | 12 |
| 193 | C-fos Mediates Cocaine Inhibition of NGF-Induced PC12 Cell Differentiation. Molecular Genetics and Metabolism, 1998, 64, 62-69. | 1.1 | 7 |
| 194 | Ap-1 Transcription Factors: Short- and Long-Term Modulators of Gene Expression in The Brain. International Review of Neurobiology, 1998, 42, 169-197. | 2.0 | 30 |
| 195 | Dopamine Receptors and Dopamine Transporter in Brain Function and Addictive Behaviors: Insights from Targeted Mouse Mutants. Developmental Neuroscience, 1998, 20, 188-203. | 2.0 | 88 |
| 196 | MK-801 reverses Fos expression induced by the full dopamine D1 receptor agonist SKF-82958 in the rat striatum. European Journal of Pharmacology, 1998, 342, 209-212. | 3.5 | 15 |
| 197 | Transcriptional Activation of the Ovine Follicle-Stimulating Hormone Î ² -Subunit Gene by Gonadotropin-Releasing Hormone: Involvement of Two Activating Protein-1-Binding Sites and Protein Kinase C**This work was supported by the North Carolina State University Agricultural Research Service NICHD Grant 34863 and the Mellon Foundation, Endocrinology, 1998, 139, 4455-4465 | 2.8 | 63 |
| 198 | Light deprivation accelerates recovery from frontal cortical neglect: Relation to locomotion and striatal fos expression Behavioral Neuroscience, 1998, 112, 387-398. | 1.2 | 18 |

| # | ARTICLE | IF | Citations |
|-----|---|-----|-----------|
| 199 | Essential Role of the <i>fos</i> B Gene in Molecular, Cellular, and Behavioral Actions of Chronic Electroconvulsive Seizures. Journal of Neuroscience, 1998, 18, 6952-6962. | 3.6 | 115 |
| 200 | Internalization of D1 Dopamine Receptor in Striatal Neurons <i>In Vivo</i> as Evidence of Activation by Dopamine Agonists. Journal of Neuroscience, 1998, 18, 1650-1661. | 3.6 | 187 |
| 201 | A Complex Program of Striatal Gene Expression Induced by Dopaminergic Stimulation. Journal of Neuroscience, 1998, 18, 5301-5310. | 3.6 | 320 |
| 202 | An Antisense Oligonucleotide Reverses the Footshock-Induced Expression of Fos in the Rat Medial Prefrontal Cortex and the Subsequent Expression of Conditioned Fear-Induced Immobility. Journal of Neuroscience, 1999, 19, 5666-5673. | 3.6 | 100 |
| 203 | Decreased c-fos Responses to Dopamine D1 Receptor Agonist Stimulation in Mice Deficient for D3 Receptors. Journal of Biological Chemistry, 1999, 274, 29406-29412. | 3.4 | 35 |
| 204 | Blockade of neurotensin receptors suppresses the dopamine D1/D2 synergism on immediate early gene expression in the rat brain. European Journal of Neuroscience, 1999, 11, 967-974. | 2.6 | 23 |
| 205 | Functional heterogeneity in dopamine release and in the expression of Fos-like proteins within the rat striatal complex. European Journal of Neuroscience, 1999, 11, 1155-1166. | 2.6 | 72 |
| 206 | Neuronal and behavioural abnormalities in striatal function in DARPP-32-mutant mice. European Journal of Neuroscience, 1999, 11, 1114-1118. | 2.6 | 73 |
| 207 | Caffeine-mediated induction of c-fos, zif-268 and arc expression through A1receptors in the striatum: different interactions with the dopaminergic system. European Journal of Neuroscience, 1999, 11, 3101-3114. | 2.6 | 38 |
| 208 | Selective Effects of Alcohol Drinking on Restraint-Induced Expression of Immediate Early Genes in Mouse Brain. Alcoholism: Clinical and Experimental Research, 1999, 23, 1272-1280. | 2.4 | 35 |
| 209 | Behavioral sensitization to cocaine after a brief social defeat stress: c-fos expression in the PAG. Psychopharmacology, 1999, 141, 225-234. | 3.1 | 82 |
| 210 | Dextromethorphan modulates the AP-1 DNA-binding activity induced by kainic acid. Brain Research, 1999, 824, 125-132. | 2.2 | 37 |
| 211 | Compartmental changes in expression of c-Fos and FosB proteins in intact and dopamine-depleted striatum after chronic apomorphine treatment. Brain Research, 1999, 825, 104-114. | 2.2 | 31 |
| 212 | Effects of a D1 antagonist and of sexual experience on copulation-induced Fos-like immunoreactivity in the medial preoptic nucleus. Brain Research, 1999, 829, 55-68. | 2.2 | 70 |
| 213 | c-fos Gene expression parallels auditory adaptation in the adult rat. Brain Research, 1999, 839, 292-297. | 2.2 | 16 |
| 214 | Alcohol drinking produces brain region-selective changes in expression of inducible transcription factors. Brain Research, 1999, 847, 157-165. | 2.2 | 129 |
| 215 | Region-specific induction of ?FosB by repeated administration of typical versus atypical antipsychotic drugs. Synapse, 1999, 33, 118-128. | 1.2 | 89 |
| 216 | MK-801-induced expression of Fos protein family members in the rat retrosplenial granular cortex. Journal of Neuroscience Research, 1999, 57, 719-729. | 2.9 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Actions of intrathecal diphtheria toxin-substance P fusion protein on models of persistent pain. Pain, 1999, 79, 243-253. | 4.2 | 48 |
| 218 | Enkephalin regulates acute D2 dopamine receptor antagonist-induced immediate-early gene expression in striatal neurons. Neuroscience, 1999, 88, 795-810. | 2.3 | 69 |
| 219 | Characterization of CArG-binding protein A initially identified by differential display. Neuroscience, 1999, 94, 637-649. | 2.3 | 16 |
| 220 | Distribution, biochemistry and function of striatal adenosine A2A receptors. Progress in Neurobiology, 1999, 59, 355-396. | 5.7 | 468 |
| 221 | Acute ibogaine injection induces expression of the immediate early genes, egr-1 and c-fos, in mouse brain. Molecular Brain Research, 1999, 74, 237-241. | 2.3 | 13 |
| 222 | Pseudoephedrine, a sympathomimetic agent, induces Fos-like immunoreactivity in rat nucleus accumbens and striatum. Neuropharmacology, 1999, 38, 1381-1387. | 4.1 | 15 |
| 223 | Effects of Amphetamine and Cocaine Treatment on c-Fos, Jun-B, and Krox-24 Expression in Rats with Intrastriatal Dopaminergic Grafts. Experimental Neurology, 1999, 159, 139-152. | 4.1 | 8 |
| 224 | Drugs of Abuse and Brain Gene Expression. Psychosomatic Medicine, 1999, 61, 630-650. | 2.0 | 52 |
| 225 | 3,4-Methylenedioxymetamphetamine (ecstasy) induces c-fos-like protein and mRNA in rat organotypic dorsal striatal slices. Synapse, 2000, 36, 75-83. | 1.2 | 15 |
| 226 | Suppression of c-fos induction in the nucleus accumbens prevents acquisition but not expression of morphine-conditioned place preference. European Journal of Neuroscience, 2000, 12, 3399-3406. | 2.6 | 40 |
| 227 | The dopaminergic hyper-responsiveness of the shell of the nucleus accumbens is hormone-dependent. European Journal of Neuroscience, 2000, 12, 973-979. | 2.6 | 190 |
| 228 | Structure and function of dopamine receptors. Neuroscience and Biobehavioral Reviews, 2000, 24, 125-132. | 6.1 | 607 |
| 229 | Chronic tooth pulp inflammation causes transient and persistent expression of Fos in dynorphin-rich regions of rat brainstem. Brain Research, 2000, 861, 191-207. | 2.2 | 29 |
| 230 | Cocaine- and alcohol-mediated expression of inducible transcription factors is blocked by pentobarbital anesthesia. Brain Research, 2000, 877, 251-261. | 2.2 | 32 |
| 231 | Leftward shift in the acquisition of cocaine self-administration in isolation-reared rats: relationship to extracellular levels of dopamine, serotonin and glutamate in the nucleus accumbens and amygdala-striatal FOS expression. Psychopharmacology, 2000, 151, 55-63. | 3.1 | 144 |
| 232 | Margatoxin and iberiotoxin, two selective potassium channel inhibitors, induce c-fos like protein and mRNA in rat organotypic dorsal striatal slices. Amino Acids, 2000, 19, 23-31. | 2.7 | 4 |
| 233 | Fos Protein Expression and Cocaine-Seeking Behavior in Rats after Exposure to a Cocaine Self-Administration Environment. Journal of Neuroscience, 2000, 20, 798-805. | 3.6 | 417 |
| 234 | Involvement of the Extracellular Signal-Regulated Kinase Cascade for Cocaine-Rewarding Properties. Journal of Neuroscience, 2000, 20, 8701-8709. | 3.6 | 500 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | G _{OLFα} Mediates Dopamine D ₁ Receptor Signaling. Journal of Neuroscience, 2000, 20, RC91-RC91. | 3.6 | 177 |
| 236 | Fos-Related Antigen 2: Potential Mediator of the Transcriptional Activation in Rat Adrenal Medulla Evoked by Repeated Immobilization Stress. Journal of Neuroscience, 2000, 20, 5647-5653. | 3.6 | 57 |
| 237 | Regulation of the phosphorylation of the dopamine- and cAMP-regulated phosphoprotein of 32 kDa in vivo by dopamine D1, dopamine D2, and adenosine A2A receptors. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 1856-1860. | 7.1 | 190 |
| 238 | Changes in CArG-binding protein A expression levels following injection(s) of the D1-dopamine agonist SKF-82958 in the intact and 6-hydroxydopamine-lesioned rat. Neuroscience, 2000, 98, 69-78. | 2.3 | 8 |
| 239 | Co-stimulation of D1/D5 and D2 dopamine receptors leads to an increase in c-fos messenger RNA in cholinergic interneurons and a redistribution of c-fos messenger RNA in striatal projection neurons. Neuroscience, 2000, 98, 749-757. | 2.3 | 37 |
| 240 | NGFI-B and Nor1 mRNAs are upregulated in brain reward pathways by drugs of abuse: different effects in Fischer and Lewis rats. Molecular Brain Research, 2000, 76, 18-24. | 2.3 | 47 |
| 241 | Dual effects of dextromethorphan on cocaine-induced conditioned place preference in mice. Neuroscience Letters, 2000, 288, 76-80. | 2.1 | 36 |
| 242 | Addiction, Dopamine, and the Molecular Mechanisms of Memory. Neuron, 2000, 25, 515-532. | 8.1 | 1,054 |
| 243 | Molecular effects of dopamine on striatal-projection pathways. Trends in Neurosciences, 2000, 23, S64-S70. | 8.6 | 271 |
| 244 | Cocaine Activation Discriminates Dopaminergic Projections by Temporal Response: An fMRI Study in Rat. NeuroImage, 2000, 11, 13-23. | 4.2 | 162 |
| 245 | Spatiotemporal Analysis of Fos Expression Associated with Cocaine- and PTZ-Induced Seizures in Prenatally Cocaine-Treated Rats. Experimental Neurology, 2001, 170, 109-120. | 4.1 | 9 |
| 246 | Parafascicular thalamic nucleus deafferentation reduces c- fos expression induced by dopamine D-1 receptor stimulation in rat striatum. Neuroscience, 2001, 103, 653-661. | 2.3 | 15 |
| 247 | Expression of c-Fos, Fos B, Jun B, and Zif268 transcription factor proteins in rat barrel cortex following apomorphine-evoked whisking behavior. Neuroscience, 2001, 106, 679-688. | 2.3 | 23 |
| 248 | Time course of Fos and Fras expression in the hypothalamic supraoptic neurons during chronic osmotic stimulation. Molecular Brain Research, 2001, 90, 39-47. | 2.3 | 48 |
| 249 | Carbetapentane attenuates kainate-induced seizures via Ï f -1 receptor modulation. Life Sciences, 2001, 69, 915-922. | 4.3 | 16 |
| 250 | Influence of glucocorticoids on dopaminergic transmission in the rat dorsolateral striatum. European Journal of Neuroscience, 2001, 13, 812-818. | 2.6 | 49 |
| 251 | Analysis of Early Gene Responses. , 2001, Chapter 2, Unit2.5. | | 0 |
| 252 | Amphetamine and cocaine induce different patterns of c-fosmRNA expression in the striatum and subthalamic nucleus depending on environmental context. European Journal of Neuroscience, 2001, 13, 1977-1983. | 2.6 | 105 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 253 | Attenuation of cocaine-induced genomic and functional responses in prenatal cocaine-exposed rabbits. Pharmacology Biochemistry and Behavior, 2001, 69, 225-232. | 2.9 | 9 |
| 254 | The distribution of cannabinoid-induced Fos expression in rat brain: differences between the Lewis and Wistar strain. Brain Research, 2001, 921, 240-255. | 2.2 | 75 |
| 255 | ΔFosB: A sustained molecular switch for addiction. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 11042-11046. | 7.1 | 533 |
| 256 | Male Sexual Behavior. , 2002, , 3-137. | | 90 |
| 257 | Chapter I Methods used in inducible transcription factor studies: focus on mRNA. Handbook of Chemical Neuroanatomy, 2002, 19, 1-38. | 0.3 | 6 |
| 258 | Cloning and characterization of guanine deaminase from mouse and rat brain. Neuroscience, 2002, 109, 15-26. | 2.3 | 37 |
| 259 | Withdrawal duration differentially affects c-fos expression in the medial prefrontal cortex and discrete subregions of the nucleus accumbens in cocaine-sensitized rats. Neuroscience, 2002, 114, 1061-1069. | 2.3 | 49 |
| 260 | Effects of cocaine on c-fos and preprodynorphin mRNA levels in intact and ovariectomized Fischer rats. Brain Research Bulletin, 2002, 58, 295-299. | 3.0 | 16 |
| 261 | Contrasting effects of dopamine antagonists and frequency reduction on Fos expression induced by lateral hypothalamic stimulation. Behavioural Brain Research, 2002, 132, 187-201. | 2.2 | 20 |
| 262 | Locomotor sensitization to cocaine is associated with increased Fos expression in the accumbens, but not in the caudate. Behavioural Brain Research, 2002, 136, 455-462. | 2.2 | 70 |
| 263 | Age-related distribution of c-fos expression in the striatum of CD-1 mice after acute methylphenidate administration. Developmental Brain Research, 2002, 135, 71-77. | 1.7 | 37 |
| 264 | Heroin sensitization as mapped by c-Fos immunoreactivity in the rat striatum. Brain Research, 2002, 933, 144-149. | 2.2 | 26 |
| 265 | Anatomical Markers of Activity in Neuroendocrine Systems: Are we all â€~Fosâ€ed out'?. Journal of Neuroendocrinology, 2002, 14, 259-268. | 2.6 | 200 |
| 266 | The dopamine D1 receptor is a critical mediator for cocaineâ€induced gene expression. Journal of Neurochemistry, 2002, 82, 1453-1464. | 3.9 | 113 |
| 267 | Activation of <i>arc</i> , a Putative "Effector―Immediate Early Gene, by Cocaine in Rat Brain. Journal of Neurochemistry, 1995, 64, 2377-2380. | 3.9 | 122 |
| 268 | Acute methamphetamine administration upregulates NGFI-B mRNA expression in the striatum: Co-localization with C-FOS immunoreactivity. Synapse, 2002, 44, 158-165. | 1.2 | 14 |
| 269 | Dopamine transporter-dependent induction of C-Fos in HEK cells. Synapse, 2002, 45, 52-65. | 1.2 | 28 |
| 270 | Repeated ventral tegmental area amphetamine administration alters dopamine D1 receptor signaling in the nucleus accumbens. Synapse, 2002, 45, 159-170. | 1.2 | 40 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Effects ofCoptis japonica on morphine-induced conditioned place preference in mice. Archives of Pharmacal Research, 2003, 26, 540-544. | 6.3 | 15 |
| 272 | Inducible, brain region-specific expression of a dominant negative mutant of c-Jun in transgenic mice decreases sensitivity to cocaine. Brain Research, 2003, 970, 73-86. | 2.2 | 87 |
| 273 | Firing regulation in dopaminergic cells: effect of the partial degeneration of nigrostriatal system in surviving neurons. European Journal of Neuroscience, 2003, 18, 53-60. | 2.6 | 22 |
| 274 | Repeated methylphenidate treatment in adolescent rats alters gene regulation in the striatum. European Journal of Neuroscience, 2003, 18, 1584-1592. | 2.6 | 95 |
| 275 | Metabolism to dextrorphan is not essential for dextromethorphan's anticonvulsant activity against kainate in mice. Life Sciences, 2003, 72, 769-783. | 4.3 | 33 |
| 276 | Molecular and Behavioral Interactions Between Central Melanocortins and Cocaine. Journal of Pharmacology and Experimental Therapeutics, 2003, 304, 391-399. | 2.5 | 50 |
| 277 | Effects of Cocaine on c-Fos and NGFI-B mRNA Expression in Transgenic Mice Underexpressing Glucocorticoid Receptors. Neuropsychopharmacology, 2003, 28, 478-489. | 5.4 | 24 |
| 278 | The Rate of Cocaine Administration Alters Gene Regulation and Behavioral Plasticity: Implications for Addiction. Journal of Neuroscience, 2004, 24, 6362-6370. | 3.6 | 107 |
| 279 | Inorganic Lead Exposure in the Rat Activates Striatal cFOS Expression at Lower Blood Levels and Inhibits Amphetamine-Induced cFOS Expression at Higher Blood Levels. Journal of Pharmacology and Experimental Therapeutics, 2004, 310, 815-820. | 2.5 | 6 |
| 280 | The Type IV phosphodiesterase inhibitor rolipram interferes with drug-induced conditioned place preference but not immediate early gene induction in mice. European Journal of Neuroscience, 2004, 19, 2561-2568. | 2.6 | 38 |
| 281 | The transition from controlled to compulsive drug use is associated with a loss of sensitization. Brain Research, 2004, 995, 46-54. | 2.2 | 98 |
| 282 | Caffeine as a psychomotor stimulant: mechanism of action. Cellular and Molecular Life Sciences, 2004, 61, 857-872. | 5.4 | 425 |
| 283 | Fos immunocytochemical studies on the neuroanatomical sites of action of acute tyrosine depletion in the rat brain. Psychopharmacology, 2004, 171, 435-440. | 3.1 | 15 |
| 284 | Amphetamine-evoked c-fos mRNA expression in the caudate-putamen: the effects of DA and NMDA receptor antagonists vary as a function of neuronal phenotype and environmental context. Journal of Neurochemistry, 2004, 86, 33-44. | 3.9 | 38 |
| 285 | Molecular Neurobiology of Drug Addiction. Annual Review of Medicine, 2004, 55, 113-132. | 12.2 | 296 |
| 286 | Basal Ganglia. , 2004, , 455-508. | | 83 |
| 287 | Dimemorfan prevents seizures induced by the L-type calcium channel activator BAY k-8644 in mice. Behavioural Brain Research, 2004, 151, 267-276. | 2.2 | 20 |
| 288 | Historical review: Molecular and cellular mechanisms of opiate and cocaine addiction. Trends in Pharmacological Sciences, 2004, 25, 210-218. | 8.7 | 376 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | DARPP-32 and modulation of cAMP signaling: involvement in motor control and levodopa-induced dyskinesia. Parkinsonism and Related Disorders, 2004, 10, 281-286. | 2.2 | 48 |
| 290 | Molecular mechanisms of drug addiction. Neuropharmacology, 2004, 47, 24-32. | 4.1 | 538 |
| 291 | Long-term behavioral and neuronal cross-sensitization to amphetamine induced by repeated brief social defeat stress: Fos in the ventral tegmental area and amygdala. Neuroscience, 2004, 123, 857-865. | 2.3 | 146 |
| 292 | Cocaine-induced Fos expression in rat striatum is blocked by chloral hydrate or urethane. Neuroscience, 2004, 127, 233-242. | 2.3 | 40 |
| 293 | Selegiline potentiates the effects of EGb 761 in response to ischemic brain injury. Neurochemistry International, 2004, 45, 157-170. | 3.8 | 28 |
| 294 | PAP 9704, a Korean Herbal Medicine Attenuates Methamphetamine-Induced Hyperlocomotion via Adenosine A2A Receptor Stimulation in Mice. Biological and Pharmaceutical Bulletin, 2004, 27, 906-909. | 1.4 | 14 |
| 295 | Neural Substrates of Coping Behavior in the Rat: Possible Importance of Mesocorticolimbic Dopamine System Behavioral Neuroscience, 2005, 119, 429-445. | 1.2 | 18 |
| 296 | Relationship of cocaine-induced c-Fos expression to behaviors and the role of serotonin 5-HT2A receptors in cocaine-induced c-Fos expression Behavioral Neuroscience, 2005, 119, 1173-1183. | 1.2 | 21 |
| 297 | ΔFosB accumulates in a GABAergic cell population in the posterior tail of the ventral tegmental area after psychostimulant treatment. European Journal of Neuroscience, 2005, 21, 2817-2824. | 2.6 | 153 |
| 298 | Acute Alcohol Withdrawal is Associated with c-Fos Expression in the Basal Ganglia and Associated Circuitry: C57BL/6J and DBA/2J Inbred Mouse Strain Analyses. Alcoholism: Clinical and Experimental Research, 2005, 29, 1939-1948. | 2.4 | 39 |
| 299 | A48G polymorphism in the D1 receptor genes associated with bipolar I disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2005, 134B, 37-38. | 1.7 | 42 |
| 300 | Dopamine and norepinephrine transporter-dependent c-Fos production in vitro: relevance to neuroadaptation. Journal of Neuroscience Methods, 2005, 143, 69-78. | 2.5 | 5 |
| 301 | Increased activity of cyclin-dependent kinase 5 leads to attenuation of cocaine-mediated dopamine signaling. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 1737-1742. | 7.1 | 81 |
| 302 | Cocaine Up-Regulates Fra-2 and I_{f-1} Receptor Gene and Protein Expression in Brain Regions Involved in Addiction and Reward. Journal of Pharmacology and Experimental Therapeutics, 2005, 314, 770-779. | 2.5 | 48 |
| 303 | Chapter III The use of dopamine receptor knockout mice in understanding brain dopamine neurotransmission and sprouting in the nigrostriatal pathway. Handbook of Chemical Neuroanatomy, 2005, 21, 153-197. | 0.3 | 1 |
| 304 | Gene expression induced by drugs of abuse. Current Opinion in Pharmacology, 2005, 5, 26-33. | 3.5 | 48 |
| 305 | Why does the rapid delivery of drugs to the brain promote addiction?. Trends in Pharmacological Sciences, 2005, 26, 82-87. | 8.7 | 184 |
| 306 | Chromatin Remodeling Is a Key Mechanism Underlying Cocaine-Induced Plasticity in Striatum. Neuron, 2005, 48, 303-314. | 8.1 | 692 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Preference for cocaine- versus pup-associated cues differentially activates neurons expressing either Fos or cocaine- and amphetamine-regulated transcript in lactating, maternal rodents. Neuroscience, 2005, 135, 315-328. | 2.3 | 93 |
| 308 | Inhibition of methylphenidate-induced gene expression in the striatum by local blockade of D1 dopamine receptors: Interhemispheric effects. Neuroscience, 2006, 140, 699-709. | 2.3 | 42 |
| 309 | Cocaineâ€induced locomotor activity and Fos expression in nucleus accumbens are sensitized for 6â€∫months after repeated cocaine administration outside the home cage. European Journal of Neuroscience, 2006, 24, 867-875. | 2.6 | 60 |
| 310 | Neurochemical Changes and Neurotoxic Effects of an Acute Treatment with Sydnocarb, A Novel Psychostimulant. Annals of the New York Academy of Sciences, 2002, 965, 180-192. | 3.8 | 11 |
| 311 | Major affective disorders and schizophrenia: a common molecular signature?. Human Mutation, 2006, 27, 833-853. | 2.5 | 40 |
| 312 | Motor-Skill Learning-Associated Gene Regulation in the Striatum: Effects of Cocaine. Neuropsychopharmacology, 2006, 31, 2669-2682. | 5.4 | 33 |
| 313 | Plasticity-Associated Gene Krox24/Zif268 Is Required for Long-Lasting Behavioral Effects of Cocaine. Journal of Neuroscience, 2006, 26, 4956-4960. | 3.6 | 111 |
| 314 | Psychostimulants. , 2006, , 69-120. | | 3 |
| 315 | GABAB Receptor-Positive Modulation Decreases Selective Molecular and Behavioral Effects of Cocaine. Neuropsychopharmacology, 2007, 32, 388-398. | 5.4 | 59 |
| 316 | Exposure to Extremely Low Frequency Magnetic Fields Enhances Locomotor Activity via Activation of Dopamine D1-Like Receptors in Mice. Journal of Pharmacological Sciences, 2007, 105, 367-371. | 2.5 | 25 |
| 317 | Cocaine increases Ras-guanine nucleotide-releasing factor 1 protein expression in the rat striatum in vivo. Neuroscience Letters, 2007, 427, 117-121. | 2.1 | 14 |
| 319 | c-fos gene expression is increased in the paraventricular hypothalamic nucleus of Sprague-Dawley rats With visceral pain induced by acetic acid without detectable changes of corticotrophin-releasing factor mRNA: A quantitative approach with an image analysis system. Anatomical Record, 2007, 290, 406-413. | 1.4 | 9 |
| 320 | Haplotype association study betweenDRD1 gene and bipolar type I affective disorder in two samples from Canada and Sardinia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2007, 144B, 237-241. | 1.7 | 13 |
| 321 | Contextâ€specific sensitization of cocaineâ€induced locomotor activity and associated neuronal ensembles in rat nucleus accumbens. European Journal of Neuroscience, 2008, 27, 202-212. | 2.6 | 59 |
| 322 | Changes in levels of D1, D2, or NMDA receptors during withdrawal from brief or extended daily access to IV cocaine. Brain Research, 2007, 1131, 220-228. | 2.2 | 59 |
| 323 | Morphine-induced place preference: Involvement of the central amygdala NMDA receptors. Brain Research, 2007, 1133, 34-41. | 2.2 | 47 |
| 324 | Regulation of fosB and ΔfosB mRNA expression: In vivo and in vitro studies. Brain Research, 2007, 1143, 22-33. | 2.2 | 67 |
| 325 | Differential gene expression in the striatum of mice with very low expression of the vesicular monoamine transporter type 2 gene. Brain Research, 2007, 1152, 10-16. | 2.2 | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 326 | Effects of bilateral adrenalectomy on systemic kainate-induced activation of the nucleus of the solitary tract. Regulation of blood pressure and local neurotransmitters. Journal of Molecular Histology, 2008, 39, 253-263. | 2.2 | 3 |
| 327 | Relapse to cocaine seeking increases activity-regulated gene expression differentially in the prefrontal cortex of abstinent rats. Psychopharmacology, 2008, 198, 77-91. | 3.1 | 68 |
| 328 | Relapse to cocaine-seeking increases activity-regulated gene expression differentially in the striatum and cerebral cortex of rats following short or long periods of abstinence. Brain Structure and Function, 2008, 213, 215-227. | 2.3 | 49 |
| 329 | Behavioral and biochemical responses to <i>dâ€</i> amphetamine in MCH ₁ receptor knockout mice. Synapse, 2008, 62, 128-136. | 1.2 | 27 |
| 330 | Distinct patterns of ΔFosB induction in brain by drugs of abuse. Synapse, 2008, 62, 358-369. | 1.2 | 183 |
| 331 | Amphetamine and pseudoephedrine cross-tolerance measured by c-Fos protein expression in brains of chronically treated rats. BMC Neuroscience, 2008, 9, 99. | 1.9 | 8 |
| 332 | The rate of intravenous cocaine administration alters c-fos mRNA expression and the temporal dynamics of dopamine, but not glutamate, overflow in the striatum. Brain Research, 2008, 1209, 151-156. | 2.2 | 32 |
| 333 | Environmental modulation of ethanol-induced locomotor activity: Correlation with neuronal activity in distinct brain regions of adolescent and adult Swiss mice. Brain Research, 2008, 1239, 127-140. | 2.2 | 60 |
| 334 | Effects of dopamine and NMDA receptors on cocaine-induced Fos expression in the striatum of Fischer rats. Brain Research, 2008, 1243, 1-9. | 2.2 | 25 |
| 335 | Motor-skill learning in a novel running-wheel task is dependent on D1 dopamine receptors in the striatum. Neuroscience, 2008, 153, 249-258. | 2.3 | 78 |
| 336 | Inhibiting activator protein-1 activity alters cocaine-induced gene expression and potentiates sensitization. Neuroscience, 2008, 152, 1040-1053. | 2.3 | 12 |
| 337 | Transcriptional mechanisms of addiction: role of ΔFosB. Philosophical Transactions of the Royal Society B: Biological Sciences, 2008, 363, 3245-3255. | 4.0 | 329 |
| 338 | Amphetamine alters Ras-guanine nucleotide-releasing factor expression in the rat striatum in vivo. European Journal of Pharmacology, 2009, 619, 50-56. | 3.5 | 11 |
| 339 | The impact of early environmental rearing condition on the discriminative stimulus effects and Fos expression induced by cocaine in adult male and female rats. Psychopharmacology, 2009, 203, 383-397. | 3.1 | 15 |
| 340 | Cocaine activates Homer1 immediate early gene transcription in the mesocorticolimbic circuit: Differential regulation by dopamine and glutamate signaling. Synapse, 2009, 63, 42-53. | 1.2 | 37 |
| 341 | câ€Fos expression associated with reinstatement of cocaineâ€seeking behavior by responseâ€contingent conditioned cues. Synapse, 2009, 63, 823-835. | 1.2 | 87 |
| 342 | Controlled cortical impact injury influences methylphenidateâ€induced changes in striatal dopamine neurotransmission. Journal of Neurochemistry, 2009, 110, 801-810. | 3.9 | 29 |
| 343 | Cocaine-induced Fos expression is detectable in the frontal cortex and striatum of rats under isoflurane but not α-chloralose anesthesia: Implications for FMRI. Journal of Neuroscience Methods, 2009, 181, 241-248. | 2.5 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 344 | Differential activation of limbic circuitry associated with chronic ethanol withdrawal in DBA/2J and C57BL/6J mice. Alcohol, 2009, 43, 411-420. | 1.7 | 32 |
| 345 | Maturation of coordinated immediate early gene expression by cocaine during adolescence. Neuroscience, 2009, 160, 13-31. | 2.3 | 21 |
| 346 | PKA-mediated responses in females' estrous cycle affect cocaine-induced responses in dopamine-mediated intracellular cascades. Neuroscience, 2009, 161, 865-876. | 2.3 | 10 |
| 347 | Cocaine addiction and personality: A mathematical model. British Journal of Mathematical and Statistical Psychology, 2010, 63, 449-480. | 1.4 | 22 |
| 348 | The effects of adolescent methylphenidate self-administration on responding for a conditioned reward, amphetamine-induced locomotor activity, and neuronal activation. Psychopharmacology, 2010, 208, 455-468. | 3.1 | 19 |
| 349 | Interaction of the rostral basolateral amygdala and prelimbic prefrontal cortex in regulating reinstatement of cocaine-seeking behavior. Pharmacology Biochemistry and Behavior, 2010, 96, 347-353. | 2.9 | 47 |
| 350 | Differential effects of methamphetamine and SCH23390 on the expression of members of IEG families of transcription factors in the rat striatum. Brain Research, 2010, 1318, 1-10. | 2.2 | 36 |
| 351 | Regionâ€ S pecific Induction of FosB/ΔFosB by Voluntary Alcohol Intake: Effects of Naltrexone. Alcoholism: Clinical and Experimental Research, 2010, 34, 1742-1750. | 2.4 | 52 |
| 352 | Striatal regulation of ΔFosB, FosB, and cFos during cocaine selfâ€administration and withdrawal. Journal of Neurochemistry, 2010, 115, 112-122. | 3.9 | 68 |
| 353 | Identification of Brain Nuclei Implicated in Cocaine-Primed Reinstatement of Conditioned Place Preference: A Behaviour Dissociable from Sensitization. PLoS ONE, 2010, 5, e15889. | 2.5 | 58 |
| 354 | Psychostimulant-Induced Gene Regulation in Corticostriatal Circuits. Handbook of Behavioral Neuroscience, 2010, , 501-525. | 0.7 | 5 |
| 355 | Fos After Single and Repeated Self-Administration of Cocaine and Saline in the Rat: Emphasis on the Basal Forebrain and Recalibration of Expression. Neuropsychopharmacology, 2010, 35, 445-463. | 5.4 | 70 |
| 356 | Ablation of Rat TRPV1-Expressing Adelta/C-Fibers with Resiniferatoxin: Analysis of Withdrawal Behaviors, Recovery of Function and Molecular Correlates. Molecular Pain, 2010, 6, 1744-8069-6-94. | 2.1 | 67 |
| 357 | Exposure to Extremely Low Frequency Magnetic Fields Induces Fos-Related Antigen-Immunoreactivity Via Activation of Dopaminergic D1 Receptor. Experimental Neurobiology, 2011, 20, 130-136. | 1.6 | 11 |
| 358 | The Striatal Balancing Act in Drug Addiction: Distinct Roles of Direct and Indirect Pathway Medium Spiny Neurons. Frontiers in Neuroanatomy, 2011, 5, 41. | 1.7 | 301 |
| 359 | Chronic methamphetamine exposure suppresses the striatal expression of members of multiple families of immediate early genes (IEGs) in the rat: normalization by an acute methamphetamine injection. Psychopharmacology, 2011, 215, 353-365. | 3.1 | 47 |
| 360 | Liquiritigenin Decreases Selective Molecular and Behavioral Effects of Cocaine in Rodents. Current Neuropharmacology, 2011, 9, 30-34. | 2.9 | 8 |
| 361 | Role of Dorsal Medial Prefrontal Cortex Dopamine D1-Family Receptors in Relapse to High-Fat Food Seeking Induced by the Anxiogenic Drug Yohimbine. Neuropsychopharmacology, 2011, 36, 497-510. | 5.4 | 80 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 362 | Dextromethorphan-induced psychotoxic behaviors cause sexual dysfunction in male mice via stimulation of I_f -1 receptors. Neurochemistry International, 2012, 61, 913-922. | 3.8 | 17 |
| 363 | Upregulation of Npas4 protein expression by chronic administration of amphetamine in rat nucleus accumbens in vivo. Neuroscience Letters, 2012, 528, 210-214. | 2.1 | 10 |
| 364 | Nucleus accumbens D2- and D1-receptor expressing medium spiny neurons are selectively activated by morphine withdrawal and acute morphine, respectively. Neuropharmacology, 2012, 62, 2463-2471. | 4.1 | 50 |
| 365 | 5â€HT _{2A} receptor blockade and 5â€HT _{2C} receptor activation interact to reduce cocaine hyperlocomotion and fos protein expression in the caudateâ€putamen. Synapse, 2012, 66, 989-1001. | 1.2 | 24 |
| 366 | Forced Abstinence from Cocaine Self-Administration is Associated with DNA Methylation Changes in Myelin Genes in the Corpus Callosum: a Preliminary Study. Frontiers in Psychiatry, 2012, 3, 60. | 2.6 | 29 |
| 367 | Neuroplasticity in addiction: cellular and transcriptional perspectives. Frontiers in Molecular Neuroscience, 2012, 5, 99. | 2.9 | 31 |
| 368 | Dopamine D ₁ Receptorâ€Mediated Intracellular Responses in the Hypothalamus after Coâ€Administration of Caffeine with MDMA. Basic and Clinical Pharmacology and Toxicology, 2012, 110, 283-289. | 2.5 | 6 |
| 369 | Optogenetic insights into striatal function and behavior. Behavioural Brain Research, 2013, 255, 44-54. | 2.2 | 87 |
| 370 | Addiction-related gene regulation: Risks of exposure to cognitive enhancers vs. other psychostimulants. Progress in Neurobiology, 2013, 100, 60-80. | 5.7 | 51 |
| 371 | The medial preoptic area modulates cocaine-induced activity in female rats Behavioral Neuroscience, 2013, 127, 293-302. | 1.2 | 40 |
| 372 | Electroacupuncture Reduces Cocaine-Induced Seizures and Mortality in Mice. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-13. | 1.2 | 10 |
| 373 | Sex differences in the neurobiology of drug addiction. Experimental Neurology, 2014, 259, 64-74. | 4.1 | 198 |
| 374 | Histidine Decarboxylase Deficiency Causes Tourette Syndrome: Parallel Findings in Humans and Mice. Neuron, 2014, 81, 77-90. | 8.1 | 212 |
| 375 | Molecular neurobiology of addiction: what's all the (Δ)FosB about?. American Journal of Drug and Alcohol Abuse, 2014, 40, 428-437. | 2.1 | 68 |
| 376 | Neuromodulatory Effect of Gî± _s - or Gî± _q -Coupled G-Protein-Coupled Receptor on NMDA Receptor Selectively Activates the NMDA Receptor/Ca ²⁺ /Calcineurin/cAMP Response Element-Binding Protein-Regulated Transcriptional Coactivator 1 Pathway to Effectively Induce Brain-Derived Neurotrophic Factor Expression in Neurons. Journal of Neuroscience, 2015, 35, | 3.6 | 53 |
| 377 | 5606-5624. Methyl Supplementation Attenuates Cocaine-Seeking Behaviors and Cocaine-Induced c-Fos Activation in a DNA Methylation-Dependent Manner. Journal of Neuroscience, 2015, 35, 8948-8958. | 3.6 | 101 |
| 378 | Leptin in the hindbrain facilitates phosphorylation of STAT3 in the hypothalamus. American Journal of Physiology - Endocrinology and Metabolism, 2015, 308, E351-E361. | 3.5 | 13 |
| 379 | A Genetic Mouse Model of Parkinson's Disease Shows Involuntary Movements and Increased Postsynaptic Sensitivity to Apomorphine. Molecular Neurobiology, 2015, 52, 1152-1164. | 4.0 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 380 | A previous history of repeated amphetamine exposure modifies brain angiotensin II AT1 receptor functionality. Neuroscience, 2015, 307, 1-13. | 2.3 | 11 |
| 381 | Region-specific effects of isoflurane anesthesia on Fos immunoreactivity in response to intravenous cocaine challenge in rats with a history of repeated cocaine administration. Brain Research, 2015, 1594, 256-266. | 2.2 | 6 |
| 382 | Using c-fos to study neuronal ensembles in corticostriatal circuitry of addiction. Brain Research, 2015, 1628, 157-173. | 2.2 | 128 |
| 383 | Serotonin _{2C} receptors modulate dopamine transmission in the nucleus accumbens independently of dopamine release: behavioral, neurochemical and molecular studies with cocaine. Addiction Biology, 2015, 20, 445-457. | 2.6 | 30 |
| 384 | Serotonin2C receptor stimulation inhibits cocaine-induced Fos expression and DARPP-32 phosphorylation in the rat striatum independently of dopamine outflow. Neuropharmacology, 2015, 89, 375-381. | 4.1 | 14 |
| 386 | Psychostimulant-Induced Gene Regulation in Striatal Circuits. Handbook of Behavioral Neuroscience, 2016, , 639-672. | 0.7 | 2 |
| 387 | Colocalization of Mating-Induced Fos and D2-Like Dopamine Receptors in the Medial Preoptic Area: Influence of Sexual Experience. Frontiers in Behavioral Neuroscience, 2016, 10, 75. | 2.0 | 20 |
| 388 | Dopamine D2 receptors in striatal output neurons enable the psychomotor effects of cocaine. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 11609-11614. | 7.1 | 30 |
| 389 | Prelimbic to Accumbens Core Pathway Is Recruited in a Dopamine-Dependent Manner to Drive Cued Reinstatement of Cocaine Seeking. Journal of Neuroscience, 2016, 36, 8700-8711. | 3.6 | 110 |
| 390 | Molecular Mechanisms of Cannabis Signaling in the Brain. Progress in Molecular Biology and Translational Science, 2016, 137, 123-147. | 1.7 | 12 |
| 391 | Differential regulation of the phosphorylation of Trimethyl-lysine27 histone H3 at serine 28 in distinct populations of striatal projection neurons. Neuropharmacology, 2016, 107, 89-99. | 4.1 | 10 |
| 392 | Exposure of adolescent mice to 3,4â€methylenedioxypyrovalerone increases the psychostimulant, rewarding and reinforcing effects of cocaine in adulthood. British Journal of Pharmacology, 2017, 174, 1161-1173. | 5.4 | 24 |
| 393 | Cocaine Abuse, Traumatic Brain Injury, and Preexisting Brain Lesions as Risk Factors for Bupropion-Associated Psychosis. Journal of Clinical Psychopharmacology, 2017, 37, 459-463. | 1.4 | 5 |
| 394 | Post-sensitization treatment with rimonabant blocks the expression of cocaine-induced behavioral sensitization and c-Fos protein in mice. Pharmacology Biochemistry and Behavior, 2017, 156, 16-23. | 2.9 | 6 |
| 395 | Effects of alkaloid-rich extract from Mitragyna speciosa (Korth.) Havil. on naloxone-precipitated morphine withdrawal symptoms and local field potential in the nucleus accumbens of mice. Journal of Ethnopharmacology, 2017, 208, 129-137. | 4.1 | 22 |
| 396 | Molecular Mechanisms of Drug-Induced Plasticity. , 2017, , . | | 0 |
| 397 | Alcohol's Effects on Pair-Bond Maintenance in Male Prairie Voles. Frontiers in Psychiatry, 2017, 8, 226. | 2.6 | 16 |
| 398 | Beyond Neuronal Activity Markers: Select Immediate Early Genes in Striatal Neuron Subtypes Functionally Mediate Psychostimulant Addiction. Frontiers in Behavioral Neuroscience, 2017, 11, 112. | 2.0 | 42 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 399 | Common Hepatic Branch of Vagus Nerve-Dependent Expression of Immediate Early Genes in the Mouse Brain by Intraportal L-Arginine: Comparison with Cholecystokinin-8. Frontiers in Neuroscience, 2017, 11, 366. | 2.8 | 3 |
| 400 | The Hyperactive Rat: An Animal Model for Bipolar Disorder. Current Psychiatry Reviews, 2017, 13, . | 0.9 | 2 |
| 401 | Estrogen Receptor \hat{I}^2 in the Nucleus Accumbens Regulates the Rewarding Properties of Cocaine in Female Mice. International Journal of Neuropsychopharmacology, 2018, 21, 382-392. | 2.1 | 33 |
| 402 | Dorsal Hippocampus Drives Context-Induced Cocaine Seeking via Inputs to Lateral Septum. Neuropsychopharmacology, 2018, 43, 987-1000. | 5.4 | 80 |
| 403 | Leveraging calcium imaging to illuminate circuit dysfunction in addiction. Alcohol, 2019, 74, 47-63. | 1.7 | 43 |
| 404 | Decoding the transcriptional programs activated by psychotropic drugs in the brain. Genes, Brain and Behavior, 2019, 18, e12511. | 2.2 | 11 |
| 405 | Glutathione peroxidaseâ€1 gene rescues cocaineâ€induced conditioned place preference in mice by inhibiting Ïf â€1 receptor expression. Clinical and Experimental Pharmacology and Physiology, 2019, 46, 791-797. | 1.9 | 6 |
| 406 | Effects of Muscarinic Acetylcholine m1 and m4 Receptor Blockade on Dyskinesia in the Hemi-Parkinsonian Rat. Neuroscience, 2019, 409, 180-194. | 2.3 | 38 |
| 407 | Fos-Expressing Neuronal Ensembles in Addiction Research. , 2019, , 75-88. | | 1 |
| 408 | Adolescent cocaine exposure enhanced negative affect following drug re-exposure in adult rats: Attenuation of c-Fos activation. Journal of Psychopharmacology, 2019, 33, 154-162. | 4.0 | 19 |
| 409 | Selective Regulation of 5-HT1B Serotonin Receptor Expression in the Striatum by Dopamine Depletion and Repeated L-DOPA Treatment: Relationship to L-DOPA-Induced Dyskinesias. Molecular Neurobiology, 2020, 57, 736-751. | 4.0 | 15 |
| 410 | Glutathione peroxidase-1 knockout potentiates behavioral sensitization induced by cocaine in mice via Îf-1 receptor-mediated ERK signaling: A comparison with the case of glutathione peroxidase-1 overexpressing transgenic mice. Brain Research Bulletin, 2020, 164, 107-120. | 3.0 | 5 |
| 411 | Neuroadaptations in the dorsal hippocampus underlie cocaine seeking during prolonged abstinence. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 26460-26469. | 7.1 | 24 |
| 412 | Taking Rapid and Intermittent Cocaine Infusions Enhances Both Incentive Motivation for the Drug and Cocaine-induced Gene Regulation in Corticostriatal Regions. Neuroscience, 2020, 442, 314-328. | 2.3 | 9 |
| 413 | Psychostimulants. , 2020, , 1-245. | | 1 |
| 414 | Vulnerability to helpless behavior is regulated by the circadian clock component CRYPTOCHROME in the mouse nucleus accumbens. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 13771-13782. | 7.1 | 29 |
| 415 | Dopaminergic Control of Striatal Cholinergic Interneurons Underlies Cocaine-Induced Psychostimulation. Cell Reports, 2020, 31, 107527. | 6.4 | 23 |
| 416 | Role of prefrontal cortex projections to the nucleus accumbens core in mediating the effects of ceftriaxone on cueâ€induced cocaine seeking. Addiction Biology, 2021, 26, e12928. | 2.6 | 14 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 417 | Cocaine induces paradigm-specific changes to the transcriptome within the ventral tegmental area. Neuropsychopharmacology, 2021, 46, 1768-1779. | 5.4 | 14 |
| 418 | Cocaine-induced Fos expression in the rat brain: Modulation by prior Δ9-tetrahydrocannabinol exposure during adolescence and sex-specific effects. Brain Research, 2021, 1764, 147480. | 2.2 | 2 |
| 419 | Drug-activated cells: From immediate early genes to neuronal ensembles in addiction. Advances in Pharmacology, 2021, 90, 173-216. | 2.0 | 25 |
| 420 | D1/D2 Dopamine Receptor Interactions in Basal Ganglia Functions. , 1997, , 193-219. | | 13 |
| 422 | Dependence, Tolerance, and Alteration in Gene Expression. , 1999, , 207-211. | | 1 |
| 423 | Understanding the Function of the Dopamine D2 Receptor: A Knockout Animal Approach. Handbook of Experimental Pharmacology, 2002, , 159-183. | 1.8 | 1 |
| 424 | Sites and Mechanisms of Action of Antipsychotic Drugs as Revealed by Immediate-Early Gene Expression. Handbook of Experimental Pharmacology, 1996, , 117-161. | 1.8 | 14 |
| 425 | Sphingosine 1-phosphate, a novel signaling molecule, stimulates DNA binding activity of AP-1 in quiescent Swiss 3T3 fibroblasts Journal of Biological Chemistry, 1994, 269, 16512-16517. | 3.4 | 82 |
| 426 | Constitutive expression of AP-1 transcription factors in the rat adrenal. Effects of nicotine Journal of Biological Chemistry, 1992, 267, 20148-20152. | 3.4 | 34 |
| 427 | Light deprivation accelerates recovery from frontal cortical neglect: Relation to locomotion and striatal fos expression Behavioral Neuroscience, 1998, 112, 387-398. | 1.2 | 5 |
| 429 | Caveats in the use of the Kindling Model of Affective Disorders. Toxicology and Industrial Health, 1994, 10, 421-447. | 1.4 | 30 |
| 430 | D1 and D2Dopamine Receptors in Perinatal and Adult Basal Ganglia. Pediatric Research, 1997, 41, 822-831. | 2.3 | 24 |
| 431 | A _{2A} receptor and striatal cellular functions. Neurology, 2003, 61, S24-9. | 1.1 | 26 |
| 432 | Repeated Methamphetamine Administration Differentially Alters Fos Expression in Caudate-Putamen Patch and Matrix Compartments and Nucleus Accumbens. PLoS ONE, 2012, 7, e34227. | 2.5 | 29 |
| 433 | Prolonged and Extrasynaptic Excitatory Action of Dopamine Mediated by D1 Receptors in the Rat Striatum <i>In Vivo</i> . Journal of Neuroscience, 1997, 17, 5972-5978. | 3.6 | 273 |
| 434 | Involvement of pCREB Expression in Inhibitory Effects of Coptis japonica on Morphine-induced Psychological Dependence. Biomolecules and Therapeutics, 2008, 16, 113-117. | 2.4 | 4 |
| 435 | ΔFosB: a Molecular Switch for Reward. Journal of Drug and Alcohol Research, 2013, 2, 1-11. | 0.9 | 7 |
| 436 | Dopamine and Gene Expression. Handbook of Experimental Pharmacology, 2002, , 321-337. | 1.8 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 437 | Basal Ganglia – Cortex Interactions: Regulation of Cortical Function by D1 Dopamine Receptors in the Striatum. , 2007, , 261-282. | | 1 |
| 438 | The Neurobiology of Cocaineâ€Induced Reinforcement. Novartis Foundation Symposium, 1992, 166, 96-124. | 1.1 | 23 |
| 439 | Nicotine, Cocaine and Amphetamine Share Several Common Mechanisms of c-fos Induction in the Striatum: Implications for the Functions of the Striatum. Advances in Behavioral Biology, 1994, , 465-473. | 0.2 | 0 |
| 440 | Dopamine Receptor Modulation of Gene Expression in the Brain. , 1997, , 305-342. | | 1 |
| 441 | Cocaine and a Mechanism for Long-Term Changes in Gene Expression. , 1999, , 213-222. | | 0 |
| 443 | Role of monoamine systems in activation of zif268 by cocaine. Journal of Psychiatry and Neuroscience, 1992, 17, 94-102. | 2.4 | 24 |
| 444 | Dopamine receptor genes: new tools for molecular psychiatry. Journal of Psychiatry and Neuroscience, 1992, 17, 158-80. | 2.4 | 38 |
| 445 | Acute treatment with antidepressant drugs selectively increases the expression of c-fos in the rat brain. Journal of Psychiatry and Neuroscience, 1995, 20, 25-32. | 2.4 | 47 |
| 448 | Convergent dopamine and <scp>ALK4</scp> signaling to <scp>PCBP1</scp> controls <scp>FosB</scp> alternative splicing and cocaine behavioral sensitization. EMBO Journal, 2022, 41, . | 7.8 | 5 |
| 450 | Alcohol consumption modulates prelimbic cortex response to cocaine following sequential cocaine and alcohol polysubstance use in the rat. Frontiers in Pharmacology, 0, 14, . | 3.5 | 1 |
| 451 | COT-TT vaccine attenuates cocaine-seeking and cocaine-conditioned place preference in rats. Human Vaccines and Immunotherapeutics, 2024, 20, . | 3.3 | 0 |