

CITATION REPORT

List of articles citing

Trends in deliberate self poisoning and self injury in Oxford, 1976-90

DOI: 10.1136/bmj.304.6839.1409

BMJ: British Medical Journal, 1992, 304, 1409-11.

Source: <https://exaly.com/paper-pdf/22812325/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
138	Recent changes in the age- and gender-specific rates of attempted suicide in Gent. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1993 , 28, 66-70	4.5	3
137	Epidemiology of poisoning. 1993 , 59, 251-6		37
136	Factors associated with suicide after parasuicide in young people. <i>BMJ: British Medical Journal</i> , 1993 , 306, 1641-4		158
135	Attempted suicide in Oxford and Utrecht. <i>British Journal of Psychiatry</i> , 1994 , 165, 73-8	5.4	18
134	Management of Antidepressants in Overdose. 1994 , 2, 367-380		1
133	Medicine self-poisoning and the sources of the drugs in Lund, Sweden. 1994 , 89, 255-61		35
132	Seasonal and weather factors in parasuicide. <i>British Journal of Psychiatry</i> , 1994 , 165, 375-80	5.4	93
131	Outcome of deliberate self-poisoning. An examination of risk factors for repetition. <i>British Journal of Psychiatry</i> , 1994 , 165, 797-801	5.4	58
130	Media influence on parasuicide. A study of the effects of a television drama portrayal of paracetamol self-poisoning. <i>British Journal of Psychiatry</i> , 1995 , 167, 754-9	5.4	40
129	Deliberate self-harm: a comparison of first-time cases and cases with a prior history. 1995 , 12, 131-134		5
128	Attempted suicide in Oxford University students, 1976-1990. 1995 , 25, 179-88		20
127	Assessment and referral patterns of patients admitted after deliberate self-poisoning. 1995 , 40, 144-6		1
126	A review of the hepatotoxicity of paracetamol at therapeutic or near-therapeutic dose levels, with particular reference to alcohol abusers. 1995 , 14, 63-79		7
125	Assessment of deliberate self-harm in adults. 1995 , 1, 124-130		4
124	Repetition of attempted suicide: The performance of the Edinburgh predictive scales in patients in Oxford. 1995 , 1, 261-272		24
123	Medically treated suicide attempts: a four year monitoring study of the epidemiology in The Netherlands. 1995 , 49, 285-9		26
122	The human and economic cost of paracetamol (acetaminophen) overdose. 1995 , 8, 177-81		25

121	No easy way to reduce cost of paracetamol overdose. 1995 , 6, 14-16		
120	Violent methods associated with high suicide mortality among the young. 1996 , 35, 144-53		39
119	Methods of deliberate self-harm in Pakistan. <i>Psychiatric Bulletin</i> , 1996 , 20, 367-368		8
118	Hospitalisation for deliberate self-poisoning in Scotland from 1981 to 1993: trends in rates and types of drugs used. <i>British Journal of Psychiatry</i> , 1996 , 169, 81-5	5.4	48
117	Are suicide rates in Sweden associated with changes in the prescribing of medicines?. 1996 , 94, 94-100		23
116	Epidemiology and patterns of hospital use after parasuicide in the south west of England. 1996 , 50, 24-9		19
115	Managing patients with deliberate self harm admitted to an accident and emergency observation ward. 1996 , 13, 31-3		11
114	Presentation of poisoned patients to accident and emergency departments in the north of England. 1996 , 15, 466-70		61
113	Deliberate self-poisoning and self-injury in children and adolescents under 16 years of age in Oxford, 1976-1993. <i>British Journal of Psychiatry</i> , 1996 , 169, 202-8	5.4	109
112	Paracetamol self-poisoning. Characteristics, prevention and harm reduction. <i>British Journal of Psychiatry</i> , 1996 , 168, 43-8	5.4	107
111	An examination of the accident and emergency management of deliberate self harm. 1997 , 14, 311-5		29
110	Use of paracetamol for suicide and non-fatal poisoning in the UK and France: are restrictions on availability justified?. 1997 , 51, 175-9		97
109	Paracetamol poisoning in the north east of England: presentation, early management and outcome. 1997 , 16, 495-500		23
108	Trends in deliberate self-harm in Oxford, 1985-1995. Implications for clinical services and the prevention of suicide. <i>British Journal of Psychiatry</i> , 1997 , 171, 556-60	5.4	232
107	Trends in self-poisoning: admissions to a central London hospital, 1991-1994. 1997 , 90, 496-8		11
106	Deliberate self-harm in alcohol and drug misusers: patient characteristics and patterns of clinical care. 1997 , 16, 123-9		19
105	Inhibition of DNA synthesis by paracetamol in different tissues of the rat in vivo. 1997 , 116, 49-57		18
104	Nurses' attitudes towards suicidal behaviour--a comparative study of community mental health nurses and nurses working in an accidents and emergency department. 1997 , 25, 1283-91		65

103	Poisoning and epidemiology: ToxicologyQ1998, 25, 195-203	16
102	Parasuicide: a Singapore perspective. 1998, 3, 255-63	7
101	Mechanism of action and value of N-acetylcysteine in the treatment of early and late acetaminophen poisoning: a critical review. 1998, 36, 277-85	94
100	Child sexual abuse in women who take overdoses: I. A study of prevalence and severity. 1998, 4, 291-306	17
99	The Pill, Hormone Replacement Therapy, Vascular and Mood Over-reactivity, and Mineral Imbalance. 1998, 8, 105-116	11
98	Increased Risk of Mental Illness and Suicide in Oral Contraceptive and Hormone Replacement Therapy Studies. 1998, 8, 121-127	1
97	"Late presenters" after paracetamol self poisoning. 1998, 52, 762-3	3
96	Does initial management affect the rate of repetition of deliberate self harm? cohort study. <i>BMJ: British Medical Journal</i> , 1998, 317, 985	55
95	Deliberate self harm. 1999, 8, 137-43	7
94	General hospital services for deliberate self-poisoning: an expensive road to nowhere?. 1999, 75, 599-602	37
93	The assessment and management of self-harming patients in an accident and emergency department: an action research project. 1999, 8, 66-72	26
92	A review of the literature on the prevention of suicide through interventions in accident and emergency departments. 1999, 8, 3-12	20
91	Population-based incidence and outcome of acetaminophen poisoning by type of ingestion. 1999, 6, 1115-20	36
90	Adolescent parasuicide in the Foyle area. 1999, 16, 9-12	19
89	Deliberate self-harm: how feasible are the current guidelines?. 1999, 16, 61-63	7
88	Recent advances in the management of late paracetamol poisoning. 2000, 12, 14-21	13
87	Effectiveness of delayed activated charcoal administration in simulated paracetamol (acetaminophen) overdose. 2000, 49, 11-4	37
86	An evaluation of the implementation of a liaison service in an A&E department. 2000, 7, 391-7	13

85	Deliberate self-harm in children and adolescents. 2000 , 12, 31-36	27
84	Deliberate self-harm in adolescents in Oxford, 1985-1995. 2000 , 23, 47-55	99
83	Deliberate self-harm patients who leave the accident and emergency department without a psychiatric assessment: a neglected population at risk of suicide. 2001 , 50, 87-93	167
82	Assessment following deliberate self-harm: who are we seeing and are we following the guidelines?. 2001 , 18, 116-119	9
81	Deliberate self-poisoning in an Irish county hospital. 2001 , 170, 90-90	0
80	Measuring plasma paracetamol concentrations in all patients with drug overdose or altered consciousness: does it change outcome?. 2001 , 18, 178-82	27
79	Deliberate self-harm in children: the nurse's therapeutic style. 2001 , 10, 34-40	5
78	Paracetamol overdose: an evidence based flowchart to guide management. 2002 , 19, 202-5	67
77	Measuring plasma paracetamol concentrations in all patients with drug overdoses; development of a clinical decision rule and clinicians willingness to use it. 2002 , 19, 408-11	15
76	General practice based intervention to prevent repeat episodes of deliberate self harm: cluster randomised controlled trial. 2002 , 324, 1254-7	63
75	Mental health presentations to an inner-city accident and emergency department. <i>Psychiatric Bulletin</i> , 2002 , 26, 134-136	15
74	Trends in Attempted Suicide in Adolescents and Young Adults in Gent, 1986-1995. 2002 , 6, 135-141	4
73	Paracetamol recall: a natural experiment influencing analgesic poisoning. 2002 , 176, 162-5	18
72	But what about the really ill, poorly people? An ethnographic study into what it means to nurses on medical admissions units to have people who have harmed themselves as their patients). 2002 , 9, 147-54	39
71	Paracetamol pack size restriction: the impact on paracetamol poisoning and the over-the-counter supply of paracetamol, aspirin and ibuprofen. 2002 , 11, 329-31	46
70	A Study of the Frequency of Self-Mutilation in a Community Sample of Adolescents. 2002 , 31, 67-77	476
69	Summary Australian and New Zealand Clinical Practice Guideline for the Management of Adult Deliberate Self-Harm (2003). 2003 , 11, 150-155	32
68	The epidemiology of self-poisoning in the UK. 2003 , 56, 613-9	64

67	Factors that influence emergency department doctors' assessment of suicide risk in deliberate self-harm patients. 2003 , 10, 283-7		16
66	Deliberate Self-Harm at an Adolescent Unit: A Qualitative Investigation. 2004 , 9, 185-204		63
65	Change in profile of acute self drug-poisonings over a 10-year period. 2004 , 23, 507-11		24
64	Substance use and male gender as risk factors for deaths and suicide--a 5-year follow-up study after deliberate self-harm. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 720-4	4.5	55
63	Anaphylactoid reactions to intravenous N-acetylcysteine: a prospective case controlled study. 2004 , 12, 10-5		52
62	Repetition of deliberate self-harm and subsequent suicide risk: long-term follow-up study of 11,583 patients. <i>British Journal of Psychiatry</i> , 2004 , 185, 70-5	5.4	308
61	A 20-year review of trends in deliberate self-harm in a British town, 1981-2000. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 446-53	4.5	48
60	Analysis of acute adult poisoning in a 6-year period and factors affecting the hospital stay. 2005 , 22, 137-47		16
59	Assessment of a point-of-care test for paracetamol and salicylate in blood. 2005 , 98, 113-8		9
58	Trends and characteristics of deliberate self-harm hospital presentations in an English County. 2006 , 10, 59-63		4
57	Mental Health Help-Seeking and Young People: A Review. 2006 , 24, 4-13		53
56	A review of one year of British Armed Forces mental health hospital admissions. 2007 , 153, 26-31		5
55	An Audit Of The Training Needs For Therapists Providing Rehabilitation For Patients With Self-Inflicted Hand And Forearm Injuries. 2007 , 12, 89-94		
54	Effect of acute paracetamol overdose on changes in serum and urine electrolytes. 2007 , 64, 824-32		20
53	Assessing risk and managing patients who deliberately self harm. 2008 , 69, M156-7		
52	Nursing staff knowledge and attitudes towards deliberate self-harm in adults and adolescents in an inpatient setting. 2009 , 37, 293-309		28
51	Factors associated with choice of psychotropic drugs used for intentional drug overdose. 2009 , 259, 86-91		19
50	Renal injury at first presentation as a predictor for poor outcome in severe paracetamol poisoning referred to a liver transplant unit. 2009 , 65, 163-8		38

49	Trends in prescribing and self-poisoning in relation to UK regulatory authority warnings against use of SSRI antidepressants in under-18-year-olds. 2009 , 68, 618-29		29
48	Letters to the Editor: A retrospective series of acute intentional overdose presenting to a teaching hospital emergency department. 2009 , 10, 375-376		
47	The meaning of self-injury and overdosing amongst women fulfilling the diagnostic criteria for borderline personality disorder 2010 , 83, 113-28		12
46	The role of parental bonding and early maladaptive schemas in the risk of suicidal behavior repetition. 2010 , 14, 311-28		33
45	The association between neopterin and acetaminophen-induced nephrotoxicity. 2010 , 32, 740-6		14
44	Self-harm in Oxford, England: epidemiological and clinical trends, 1996-2010. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 695-704	4.5	26
43	Rate of suicide and suicide attempts and their relationship to unemployment in Thessaloniki Greece (2000-2012). 2015 , 174, 131-6		27
42	Is there a difference between hospital-verified and self-reported self-harm? Implications for repetition. 2016 , 43, 12-16		5
41	Pattern of acute poisoning at two urban referral hospitals in Lusaka, Zambia. 2016 , 16, 2		19
40	Climate change but not unemployment explains the changing suicidality in Thessaloniki Greece (2000-2012). 2016 , 193, 331-8		16
39	Paracetamol: overdose-induced oxidative stress toxicity, metabolism, and protective effects of various compounds in vivo and in vitro. 2017 , 49, 395-437		43
38	Survivors of deliberate self-harm attempt in the military milieu: An exploratory study of psychiatric morbidity and psychosocial correlates. <i>Medical Journal Armed Forces India</i> , 2019 , 75, 197-203	1.9	
37	Bibliography. 2021 , 343-360		
36	Deliberate self-harm: characteristics of patients presenting to a tertiary care hospital in Karachi, Pakistan. <i>Crisis</i> , 2008 , 29, 32-7	2.8	9
35	Changing trends in acute poisoning in Chandigarh zone: a 25-year autopsy experience from a tertiary care hospital in northern India. <i>American Journal of Forensic Medicine and Pathology</i> , 1999 , 20, 203-10	1	49
34	Effect of sesame oil against acetaminophen-induced acute oxidative hepatic damage in rats. <i>Shock</i> , 2008 , 30, 217-21	3.4	19
33	Why patients choose paracetamol for self poisoning and their knowledge of its dangers. <i>BMJ: British Medical Journal</i> , 1995 , 310, 164		76
32	Admissions due to overdoses of aromatic analgesics have increased in Scotland. <i>BMJ: British Medical Journal</i> , 1996 , 312, 1538		0

31	Naming of drugs. BMJ should use "paracetamol" instead of "acetaminophen" in its index. <i>BMJ: British Medical Journal</i> , 1996 , 313, 689		3
30	Reducing paracetamol overdoses. <i>BMJ: British Medical Journal</i> , 1996 , 313, 1417-8		53
29	One hundred cases of attempted suicide in the elderly. <i>British Journal of Psychiatry</i> , 1997 , 171, 42-6	5.4	73
28	General hospital services for those who carry out deliberate self-harm. <i>Psychiatric Bulletin</i> , 1998 , 22, 88-91		8
27	Training and supervision of deliberate self-harm assessments. <i>Psychiatric Bulletin</i> , 1998 , 22, 510-512		6
26	Comparison of the assessment by doctors and nurses of deliberate self-harm. <i>Psychiatric Bulletin</i> , 2003 , 27, 57-60		6
25	Trends of Fatal Poisoning in Northern India: A Ten-year Autopsy Analysis. <i>Journal of Pharmacology and Toxicology</i> , 2007 , 2, 350-358	0.4	6
24	Intentional self-harm seen in psychiatric referrals in a tertiary care hospital. <i>Indian Journal of Psychiatry</i> , 2008 , 50, 187-91	2.2	33
23	Sociodemographic profile, clinical factors, and mode of attempt in suicide attempters in consultation liaison psychiatry in a tertiary care center. <i>Industrial Psychiatry</i> , 2011 , 20, 11-6	0.9	22
22	Epidemiological and cost analysis of self-poisoning cases in ankara, Turkey. <i>Iranian Red Crescent Medical Journal</i> , 2014 , 16, e10856	1.3	6
21	Ethnicity and Deliberate Self-harm. <i>Eastern Journal of Psychiatry</i> , 2021 , 12, 16-20		
20	Comparison of the assessment by doctors and nurses of deliberate self-harm. <i>Psychiatric Bulletin</i> , 2003 , 27, 57-60		
19	Shifting Attitude with Deliberate Self-Harm Patients in Accident and Emergency (A&E). 215-235		
18	Deliberate self-harm: epidemiology and risk factors. 2012 , 957-963		
17	Deliberate self-harm: service development in Kettering. <i>Psychiatric Bulletin</i> , 1995 , 19, 475-477		2
16	Towards understanding suicide. 1996 , 171-180		
15	Characteristics of patients admitted to in-patient psychiatric care following parasuicide. <i>Psychiatric Bulletin</i> , 1997 , 21, 695-698		
14	Human Toxicity of Ibuprofen. 498-517		

13	Psychiatric Issues in the Critically Poisoned Patient. 2016 , 1-41		1
12	Deliberate Self-harm seen in a Government Licensed Private Psychiatric Hospital and Institute. <i>Indian Journal of Psychological Medicine</i> , 2016 , 38, 137-41	1.8	3
11	Psychiatric Issues in the Critically Poisoned Patient. 2017 , 117-157		
10	Deaths from low dose paracetamol poisoning. Executive action is needed to change national guidelines. <i>BMJ: British Medical Journal</i> , 1998 , 317, 1654		1
9	Limitation of over the counter sales of paracetamol. Packaging policy is unlikely to achieve its aim of reducing suicide. <i>BMJ: British Medical Journal</i> , 1998 , 317, 1657		
8	Management of deliberate self harm in general practice: a qualitative study. <i>British Journal of General Practice</i> , 1999 , 49, 721-4	1.6	2
7	Changes in the pattern of deliberate self-poisoning presenting at Craigavon Area Hospital: 1976, 1986 and 1991. <i>Ulster Medical Journal</i> , 1994 , 63, 155-61	0.4	4
6	A study of hopelessness, suicidal intent and depression in cases of attempted suicide. <i>Indian Journal of Psychiatry</i> , 1999 , 41, 122-30	2.2	17
5	Hospitalisation due to Acute Poisoning in Children - Tabuk Experience. <i>Journal of Family and Community Medicine</i> , 1995 , 2, 27-30	2	3
4	General hospital services for deliberate self-harm. Haphazard clinical provision, little research, no central strategy. <i>Journal of the Royal College of Physicians of London</i> , 1994 , 28, 370-1		27
3	Parasuicide in the county of Sør-Trøndelag, Norway. General epidemiology and psychological factors. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996 , 31, 272-83	4.5	12
2	A review of completed suicides in the Lothian and Borders Region of Scotland (1987-1991). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1994 , 29, 100-6	4.5	11
1	Intentional self-harm in individuals referred to consultation liaison psychiatry services in a tertiary care hospital. 2022 , 11, 276		