

# CITATION REPORT

List of articles citing

## The Fate of Legume Seeds Eaten by Sheep from a Mediterranean Grassland

DOI: 10.2307/2404487

Journal of Applied Ecology, 1992, 29, 772.

**Source:** <https://exaly.com/paper-pdf/22828106/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
83	Hard-seededness and seed bank dynamics of six pasture legumes. <i>Seed Science Research</i> , <b>1992</b> , 2, 231-241	1.3	17
82	Response of Mediterranean grassland to phosphate and stocking rates: livestock production. <i>Journal of Agricultural Science</i> , <b>1994</b> , 123, 319-326	1	9
81	Cattle dung and the fate of <i>Biserrula pelecinus</i> L. (Leguminosae) in a Mediterranean pasture: seed dispersal, germination and recruitment. <i>Botanical Journal of the Linnean Society</i> , <b>1995</b> , 118, 139-148	2.2	0
80	Herbivorous mammals as seed dispersers in a Mediterranean dehesa. <i>Oecologia</i> , <b>1995</b> , 104, 246-255	2.9	194
79	Establishment of pasture species on cattle dung: the role of endozoochorous seeds. <i>Journal of Vegetation Science</i> , <b>1995</b> , 6, 169-174	3.1	90
78	Seed bank build-up in small disturbances in a Mediterranean pasture: the contribution of endozoochorous dispersal by rabbits. <i>Ecography</i> , <b>1995</b> , 18, 73-82	6.5	45
77	Germination ecology of twelve indigenous and eight exotic multipurpose leguminous species from Ethiopia. <i>Forest Ecology and Management</i> , <b>1996</b> , 80, 209-223	3.9	86
76	Germination ecology of forest species from the highlands of Ethiopia. <i>Journal of Tropical Ecology</i> , <b>1997</b> , 13, 805-831	1.3	17
75	Secondary metabolites of fleshy vertebrate-dispersed fruits: adaptive hypotheses and implications for seed dispersal. <i>American Naturalist</i> , <b>1997</b> , 150, 346-72	3.7	292
74	Germination Ecology of Seeds with Physical Dormancy. <b>1998</b> , 101-132		5
73	The dispersal of a dry-fruited shrub by red deer in a Mediterranean ecosystem. <i>Ecography</i> , <b>1998</b> , 21, 204-211	2.1	37
72	Sources of plants colonizing experimentally disturbed patches in an acidic grassland, in eastern England. <i>Journal of Ecology</i> , <b>1998</b> , 86, 1032-1041	6	56
71	Fuel Fodder and Faeces: An Ethnographic and Botanical Study of Dung Fuel Use in Central Anatolia. <i>Environmental Archaeology</i> , <b>1998</b> , 1, 99-109	1.2	64
70	MECHANICAL DEFENSE IN SEEDS ADAPTED FOR ANT DISPERSAL. <i>Ecology</i> , <b>1998</b> , 79, 1669-1677	4.6	40
69	Consequence of Floral herbivory in <i>Vicia cracca</i> (Leguminosae). <i>Korean Journal of Biological Sciences</i> , <b>1998</b> , 2, 55-63		1
68	Annual Pasture Legumes: A Vital Component Stabilizing and Rehabilitating Low-Rainfall Mediterranean Ecosystems. <i>Arid Land Research and Management</i> , <b>1999</b> , 13, 327-342		12
67	Conditions de germination et rôle des herbivores dans la dispersion et le recrutement d'une espèce clonale : <i>Juncus gerardi</i> Lois.. <i>Canadian Journal of Botany</i> , <b>2000</b> , 78, 1430-1439		1

66	Clovers ( <i>Trifolium</i> L.). <i>Current Plant Science and Biotechnology in Agriculture</i> , <b>2001</b> , 79-98		3
65	Plant migration rates and seed dispersal mechanisms. <i>Journal of Biogeography</i> , <b>2001</b> , 28, 795-800	4.1	94
64	Dispersal mechanisms in <i>Lavandula stoechas</i> subsp. <i>pedunculata</i> : autochory and endozoochory by sheep. <i>Seed Science Research</i> , <b>2002</b> , 12, 101-111	1.3	31
63	<i>Coronilla juncea</i> is both a nutritive fodder shrub and useful in the rehabilitation of abandoned Mediterranean marginal farmland. <i>Journal of Arid Environments</i> , <b>2002</b> , 50, 381-392	2.5	9
62	Ecological correlates of endozoochory by herbivores. <i>Functional Ecology</i> , <b>2002</b> , 16, 296-304	5.6	172
61	Effect of American bison ( <i>Bison bison</i> L.) on the recovery and germinability of seeds of range forage species. <i>Grass and Forage Science</i> , <b>2002</b> , 57, 395-400	2.3	12
60	Assigning life-history traits to plant species to better qualify arid land degradation in Presaharian Tunisia. <i>Journal of Arid Environments</i> , <b>2003</b> , 55, 1-28	2.5	37
59	Grazing legumes in Europe: a review of their status, management, benefits, research needs and future prospects. <i>Grass and Forage Science</i> , <b>2004</b> , 59, 197-214	2.3	134
58	Composition, size and dynamics of the seed bank in a mediterranean shrubland of Chile. <i>Austral Ecology</i> , <b>2004</b> , 29, 574-584	1.5	33
57	Effects of gut treatment on recovery and germinability of bovine and ovine ingested seeds of four woody species from the Sudanian savanna in West Africa. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , <b>2004</b> , 199, 389-397	1.9	36
56	Germination success of temperate grassland species after passage through ungulate and rabbit guts. <i>Journal of Ecology</i> , <b>2005</b> , 93, 353-361	6	86
55	Horse dung germinable seed content in relation to plant species abundance, diet composition and seed characteristics. <i>Basic and Applied Ecology</i> , <b>2005</b> , 6, 11-24	3.2	54
54	Endozoochory by free-ranging, large herbivores: Ecological correlates and perspectives for restoration. <i>Basic and Applied Ecology</i> , <b>2005</b> , 6, 547-558	3.2	83
53	Sheep gut passage and survival of Mediterranean shrub seeds. <i>Seed Science Research</i> , <b>2005</b> , 15, 21-28	1.3	51
52	Ecological correlates of seed survival after ingestion by Fallow Deer. <i>Functional Ecology</i> , <b>2005</b> , 19, 284-296	3.0	59
51	Effect of three mound-building ant species on the formation of soil seed bank in mountain grassland. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , <b>2005</b> , 200, 148-158	1.9	25
50	Sheep rumen digestion and transmission of weedy <i>Malva parviflora</i> seeds. <i>Australian Journal of Experimental Agriculture</i> , <b>2006</b> , 46, 1251		19
49	Survival and germination of Mediterranean grassland species after simulated sheep ingestion: ecological correlates with seed traits. <i>Acta Oecologica</i> , <b>2006</b> , 30, 269-275	1.7	31

48	Effects of harvester ants on seed availability and dispersal of <i>Lavandula stoechas</i> subsp. <i>pedunculata</i> in a Mediterranean grassland-scrubland mosaic. <i>Plant Ecology</i> , <b>2006</b> , 185, 49-56	1.7	13
47	Efficiency of endozoochorous seed dispersal in six dry-fruited species (Cistaceae): from seed ingestion to early seedling establishment. <i>Plant Ecology</i> , <b>2006</b> , 185, 97-106	1.7	36
46	RECOVERY AND GERMINABILITY OF NATIVE SEED FED TO CATTLE. <i>Western North American Naturalist</i> , <b>2006</b> , 66, 121-128	0.4	15
45	Endozoochorous dispersal, seedling emergence and fruiting success in disturbed and undisturbed successional stages of sheep-grazed inland sand ecosystems. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , <b>2007</b> , 202, 3-26	1.9	34
44	Dispersal Strategies: Are They Responsible for Species Success in Arable Ecosystems?. <b>2008</b> , 257-278		3
43	Weed infestation of wheat fields by sheep grazing stubble in the Mediterranean semi-arid region. <i>Crop and Pasture Science</i> , <b>2009</b> , 60, 675	2.2	15
42	Potential and realised contribution of endozoochory to seedling establishment. <i>Basic and Applied Ecology</i> , <b>2009</b> , 10, 656-661	3.2	23
41	Testing seed-size predictions in Mediterranean annual grasslands. <i>Seed Science Research</i> , <b>2010</b> , 20, 179-188		8
40	Influence of stocking rate and phosphate fertiliser application on the composition of annual legume seedbanks within a Mediterranean grassland. <i>Crop and Pasture Science</i> , <b>2010</b> , 61, 988	2.2	4
39	Transmission of weed seed by livestock: a review. <i>Animal Production Science</i> , <b>2011</b> , 51, 391	1.4	33
38	Plant-Ungulate interaction: goat gut passage effect on survival and germination of Mediterranean shrub seeds. <i>Journal of Vegetation Science</i> , <b>2011</b> , 22, 1031-1037	3.1	27
37	Preliminary assessment of bladder clover ( <i>Trifolium spumosum</i> L.) as an annual legume for ley farming systems in southern Australia. <i>Crop and Pasture Science</i> , <b>2012</b> , 63, 582	2.2	10
36	Low viability and germinability of commercial pasture seeds ingested by goats. <i>Small Ruminant Research</i> , <b>2012</b> , 107, 12-15	1.7	7
35	Genetic analysis reveals human-mediated long-distance dispersal among war cemeteries in <i>Trifolium micranthum</i> . <i>Plant Ecology</i> , <b>2012</b> , 213, 1241-1250	1.7	6
34	Effects of rabbit gut passage on seed retrieval and germination of three shrub species. <i>Basic and Applied Ecology</i> , <b>2013</b> , 14, 585-592	3.2	8
33	What goes in does not always come out: The impact of the ruminant digestive system of sheep on plant material, and its importance for the interpretation of dung-derived archaeobotanical assemblages. <i>Environmental Archaeology</i> , <b>2013</b> , 18, 18-30	1.2	40
32	Recovery and Viability of Sulfur Cinquefoil Seeds From the Feces of Sheep and Goats. <i>Rangeland Ecology and Management</i> , <b>2013</b> , 66, 51-55	2.2	6
31	References. <b>2014</b> , 1075-1473		

30	Side-effects of domestication: cultivated legume seeds contain similar tocopherols and fatty acids but less carotenoids than their wild counterparts. <i>BMC Plant Biology</i> , <b>2014</b> , 14, 1599	5.3	39
29	Higher seed size and germination rate may favour autotetraploids of <i>Vicia cracca</i> L. (Fabaceae). <i>Biological Journal of the Linnean Society</i> , <b>2014</b> , 113, 57-73	1.9	20
28	Effects of burial and storage on germination and seed reserves of 18 tree species in a tropical deciduous forest in Mexico. <i>Oecologia</i> , <b>2014</b> , 174, 33-44	2.9	15
27	A vegetation management experiment: Goats grazing shrublands in Doña Natural Park. <i>Russian Journal of Ecology</i> , <b>2014</b> , 45, 384-390	0.7	6
26	Diet Quality Modifies Germination of <i>Dichrostachys cinerea</i> and <i>Acacia nilotica</i> Seeds Fed to Ruminants. <i>Rangeland Ecology and Management</i> , <b>2014</b> , 67, 423-428	2.2	5
25	Avian-shrub interactions: Ingestion, seed recovery and germination of three Mediterranean shrub species fed to quail ( <i>Coturnix coturnix</i> ). <i>Russian Journal of Ecology</i> , <b>2015</b> , 46, 388-392	0.7	
24	Seed dormancy in tree species of the Tropical Brazilian Atlantic Forest and its relationships with seed traits and environmental conditions. <i>Revista Brasileira De Botanica</i> , <b>2015</b> , 38, 243-264	1.2	11
23	Grazing and Soil Fertility Effect on Naturalized Annual Clover Species in New Zealand High Country. <i>Rangeland Ecology and Management</i> , <b>2016</b> , 69, 444-448	2.2	3
22	Can goats disperse seeds of herbaceous pasture plants in Mediterranean grasslands?. <i>Small Ruminant Research</i> , <b>2016</b> , 143, 67-74	1.7	4
21	On the evolutionary and ecological value of breaking physical dormancy by endozoochory. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , <b>2016</b> , 22, 11-22	3	29
20	Reduced germination success of temperate grassland seeds sown in dung: consequences for post-dispersal seed fate. <i>Plant Biology</i> , <b>2016</b> , 18, 1038-1047	3.7	12
19	Informal intercropping of legumes with cereals? A re-assessment of clover abundance in ancient Egyptian cereal processing by-product assemblages: archaeobotanical investigations at Khentkawes town, Giza (2300-100 bc). <i>Vegetation History and Archaeobotany</i> , <b>2016</b> , 25, 431-442	2.6	7
18	How does gut passage impact endozoochorous seed dispersal success? Evidence from a gut environment simulation experiment. <i>Basic and Applied Ecology</i> , <b>2016</b> , 17, 165-176	3.2	23
17	Recovery and germination of seeds after passage through the gut of Kazakh sheep on the north slope of the Tianshan Mountains. <i>Seed Science Research</i> , <b>2017</b> , 27, 43-49	1.3	12
16	Effects of grazing intensity on seed size, germination and fungal colonization of <i>Lespedeza davurica</i> in a semi-arid grassland of northwest China. <i>Journal of Arid Environments</i> , <b>2017</b> , 144, 91-97	2.5	9
15	Complementing endozoochorous seed dispersal patterns by donkeys and goats in a semi-natural island ecosystem. <i>BMC Ecology</i> , <b>2017</b> , 17, 42	2.7	6
14	A meta-analysis of the effects of frugivory (endozoochory) on seed germination: role of seed size and kind of dormancy. <i>Plant Ecology</i> , <b>2018</b> , 219, 1283-1294	1.7	19
13	Mechanisms underpinning the onset of seed coat impermeability and dormancy-break in <i>Astragalus adsurgens</i> . <i>Scientific Reports</i> , <b>2019</b> , 9, 9695	4.9	7

12	Purple prairie clover seed viability and germinability after passing through the digestive tracts of yearling steers. <i>Canadian Journal of Plant Science</i> , <b>2019</b> , 99, 734-739	1	0
11	Abandoned corrals: colonization and vegetation recovery of ephemeral habitats in silvo-pastoral systems. <i>Journal of Plant Ecology</i> , <b>2020</b> , 13, 722-731	1.7	2
10	Mowing machinery and migratory sheep herds are complementary dispersal vectors for grassland species. <i>Applied Vegetation Science</i> , <b>2021</b> , 24, e12579	3.3	1
9	Fabaceae (legume) pollen as an anthropogenic indicator in eastern North America. <i>Vegetation History and Archaeobotany</i> , <b>2021</b> , 30, 703-709	2.6	
8	Role of Livestock Grazing in Sustainable Use, Naturalness Promotion in Naturalization of Marginal Ecosystems of Southeastern Spain (Andalusia). <i>Advances in Agroforestry</i> , <b>2009</b> , 211-231		7
7	Plant Population Ecology. <b>1994</b> , 345-370		1
6	Seed and Seedling Ecology. <i>Books in Soils, Plants, and the Environment</i> , <b>2007</b> ,		5
5	Endozoochory seed dispersal by goats: recovery, germinability and emergence of five Mediterranean shrub species. <i>Spanish Journal of Agricultural Research</i> , <b>2013</b> , 11, 347	1.1	15
4	Germination success under different treatments and pod sowing depths in six legume species present in olive groves. <i>Spanish Journal of Agricultural Research</i> , <b>2017</b> , 15, e1007	1.1	4
3	The morphological characteristics and germination of grassland forb species after simulated digestion by sheep in the Tianshan Mountains, China. <i>Rangeland Journal</i> , <b>2019</b> , 41, 415	1.5	
2	ENDOZOOCHORY - THE SOURCE OF WEDDING OF AGRICULTURAL CROPS. 13, 42-51		
1	Seed traits matter-Endozoochoric dispersal through a pervasive mobile linker.. <i>Ecology and Evolution</i> , <b>2021</b> , 11, 18477-18491	2.8	1