

CITATION REPORT

List of articles citing

A rating scale for aggressive behaviour in the elderly--the RAGE

DOI: 10.1017/s0033291700032876
Psychological Medicine, 1992, 22, 211-21.

Source: <https://exaly.com/paper-pdf/22930171/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
136	The Present Behavioural Examination (PBE): the development of an interview to measure current behavioural abnormalities. <i>Psychological Medicine</i> , 1992 , 22, 223-30	6.9	96
135	Aggressive behaviour in elderly people with dementia: A review. 1993 , 8, 457-472		78
134	Using direct observation to record the behaviour of long-stay patients with dementia. 1993 , 8, 857-864		31
133	Aggressive Behaviour in Huntington's Disease: A Cross-Sectional Study in a Nursing Home Population. 1993 , 6, 43-47		12
132	Neurologic Concerns in Long-Term Care. 1993 , 6, 290-296		
131	Disturbed behaviour in dementia sufferers: A comparison of three nursing home settings. 1994 , 9, 393-398		10
130	A naturalistic study of trazodone in the treatment of behavioral complications of dementia. 1994 , 2, 78-85		21
129	The Pittsburgh Agitation Scale: A User-Friendly Instrument for Rating Agitation in Dementia Patients. 1994 , 2, 52-59		109
128	Measurement by observations of aggressive behaviour and activities in clinical situations. 1994 , 4, 290-302		14
127	The use of the Cohen-Mansfield Agitation Inventory in the assessment of behavioral disorders in nursing homes. 1995 , 43, 546-9		79
126	Review: measures to determine the outcome of community services for people with dementia. 1995 , 24, 73-83		21
125	Aggressive behaviour in dementia and its pharmacologic treatment: A review. 1995 , 49, 111-118		4
124	Clinical research in aggressive patients, pitfalls in study design and measurement of aggression. 1995 , 19, 993-1017		5
123	Factor structure and validity of the Dutch version of the Cohen-Mansfield Agitation Inventory (CMAI-D). 1996 , 44, 888-9		62
122	CARBAMAZEPINE USE IN AGGRESSIVE BEHAVIOUR ASSOCIATED WITH SENILE DEMENTIA. 1996 , 11, 901-905		19
121	CLINICAL COMMENTS. 1997 , 18, 81-88		4
120	The relationship between two scales measuring aggressive behavior among continuing-care psychogeriatric inpatients. 1997 , 9, 471-7		8

119	Behavioural problems in Sydney nursing homes. 1997 , 12, 273		
118	A STUDY OF AGGRESSION AMONG REFERRALS TO A COMMUNITY-BASED PSYCHIATRY OF OLD AGE SERVICE. 1997 , 12, 384-388		15
117	The relationship between two scales measuring aggressive behaviour among elderly nursing home residents. 1997 , 12, 628-31		9
116	Aggressive behaviour in the Chinese elderly--validation of the Chinese version of the rating scale for aggressive behaviour in the elderly (RAGE) in hospital and nursing home settings. 1997 , 12, 678-81		11
115	Reliability and validity of the Overt Agitation Severity Scale in adult psychiatric inpatients. 1998 , 69, 301-23		19
114	Managing the burden of Alzheimer's disease: a partnership between caregiver and physician. 1998 , 5, S1-S8		5
113	Difficulties with Psychiatric Research in Nursing Homes in Melbourne. 1998 , 17, 148-150		1
112	The effect of an educational intervention package about aggressive behaviour directed at the nursing staff on a continuing care psychogeriatric ward. 1998 , 13, 35-40		14
111	Clinical predictors of aggressive behaviour in Alzheimer's disease. 1998 , 13, 109-15		30
110	Evaluation of three aggression/agitation behaviour rating scales for use on an acute admission and assessment psychogeriatric ward. 1998 , 13, 415-20		26
109	'We have to put up with it--don't we?' The experience of being the registered nurse on duty, managing a violent incident involving an elderly patient: a phenomenological study. <i>Journal of Advanced Nursing</i> , 1998 , 27, 429-36	3.1	59
108	Self-reported impulsivity is correlated with laboratory-measured escape behavior. 1998 , 125, 165-74		6
107	Behavioral Management of Problem Behaviors Associated with Dementia. 1998 , 617-647		
106	Aggressive behaviour in the elderly. 1999 , 3, 85-103		13
105	The outcomes of an inpatient treatment program for geriatric patients with dementia and dysfunctional behaviors. 1999 , 39, 668-76		21
104	The Effectiveness of a Solution-Focused Approach for Problem Behaviors Among Nursing Home Residents. 1999 , 32, 49-64		16
103	Development and testing of the Resistiveness to Care Scale. 1999 , 22, 27-38		111
102	An overview of behaviour difficulties found in long-term elderly care settings. 1999 , 14, 426-430		6

101	Is improvement possible in the measurement of behaviour disturbance in dementia?. 1999 , 14, 512-519		5
100	Natural history of aggressive behaviour in dementia. 1999 , 14, 541-8		62
99	Longitudinal predictors of non-aggressive agitated behaviors in the elderly. 1999 , 14, 831-44		37
98	Some methodological issues in using aggression rating scales in intervention studies among institutionalized elderly. 1999 , 11, 439-44		6
97	Characteristics of aggressive subjects in Australian (Melbourne) nursing homes. 2000 , 12, 145-61		12
96	The elderly, dementia, aggression and risk assessment. 2000 , 15, 254-9		6
95	Nurse stress associated with aggression in people with dementia: its relationship to hardiness, cognitive appraisal and coping. <i>Journal of Advanced Nursing</i> , 2000 , 31, 172-80	3.1	89
94	Detecting nurse-perceived patient treatment difficulty of psychiatric patients in hospital: an evaluation of a patient assessment sheet. 2000 , 7, 213-20		4
93	Violence in psychiatry, view-points for standardized research. 2000 , 102, 79-80		13
92	Addition of a frequency-weighted score to the Behavioral Pathology in Alzheimer's Disease Rating Scale: the BEHAVE-AD-FW: methodology and reliability. 2001 , 16 Suppl 1, 5s-24s		39
91	Nonpharmacologic Interventions for Inappropriate Behaviors in Dementia: A Review, Summary, and Critique. 2001 , 9, 361-381		355
90	The Challenging Behaviour Scale (CBS): development of a scale for staff caring for older people in residential and nursing homes. 2001 , 40, 309-22		34
89	Pharmacotherapy of behavioral and psychological symptoms of dementia: time for a different paradigm?. 2001 , 21, 74-102		17
88	Behavioural management of aggression in dementia: a randomized controlled trial. 2001 , 30, 141-5		36
87	Measuring aggression in older adults: a latent variable modeling approach. 2002 , 6, 231-8		4
86	Interventions used by nursing staff members with psychogeriatric patients resisting care. 2002 , 39, 461-7		14
85	Prediction of aggression on a locked psychiatric admissions ward. 2002 , 105, 390-5		42
84	Wandering behaviour in people with dementia. <i>Journal of Advanced Nursing</i> , 2003 , 44, 173-82	3.1	116

83	[Overview of standardised diagnostic instruments of dementia]. 2003 , 71, 187-98	9
82	A multisensory programme: evaluating effects on agitation. 2003 , 5, 126-129	4
81	Nonpharmacologic Interventions for Inappropriate Behaviors in Dementia: A Review, Summary, and Critique. 2004 , 2, 288-308	20
80	PILOTING A WARD ANGER RATING SCALE FOR OLDER ADULTS WITH MENTAL HEALTH PROBLEMS. 2004 , 32, 467-479	12
79	A pilot study of behavioural and psychological signs and symptoms of dementia in patients of Indian sub-continent origin admitted to a dementia day hospital in the United Kingdom. 2004 , 19, 1195-204	18
78	The psychogeriatric and risk behavior assessment scale (PARBAS): a new measure for use with older adults living in the community. 2004 , 39, 187-200	6
77	Measures of aggressive behavior: overview of clinical and research instruments. <i>Aggression and Violent Behavior</i> , 2004 , 9, 165-227	3.9 65
76	Correlates of aggressive behavior in dementia. 2004 , 16, 141-158	46
75	A comparative study of behavioral and psychological signs and symptoms of dementia in patients with dementia referred to psychogeriatric services in Korea and the United Kingdom. 2004 , 16, 219-36	14
74	Transdermal estrogen patches for aggressive behavior in male patients with dementia: a randomized, controlled trial. 2005 , 17, 165-78	50
73	Is there a need to study behavioral and psychological signs and symptoms of dementia across cultures?. 2005 , 17, 513-8	1
72	Is the reducing effect of the Staff Observation Aggression Scale owing to a learning effect? An explorative study. 2005 , 12, 687-94	9
71	Self-injurious behaviour in nursing home residents with dementia. 2005 , 20, 651-7	17
70	Behavioural and psychological signs and symptoms of dementia across cultures: current status and the future. 2005 , 20, 1187-95	28
69	Prevalence of physical and verbal aggressive behaviours and associated factors among older adults in long-term care facilities. 2005 , 5, 13	60
68	Geriatric psychiatry 2050?. 2005 , 17, 518-520	0
67	Validation of the Chinese Challenging Behaviour Scale: clinical correlates of challenging behaviours in nursing home residents with dementia. 2006 , 21, 792-9	12
66	A Multi-centre Randomized Control Group Trial on the Use of Art Therapy for Older People with Dementia. 2006 , 39, 517-536	103

65	Effects of methylphenidate on cognition and behaviour: ruptured communicant aneurysm of the anterior artery. 2007 , 41, 554-6		
64	Aneurysms of pericallosal cerebral artery haemorrhage with consecutive psychosis. 2007 , 41, 554		2
63	Aripiprazole for treatment of behavioural psychological symptoms of dementia. 2007 , 41, 556		0
62	Agitation and resistiveness to care are two separate behavioral syndromes of dementia. <i>Journal of the American Medical Directors Association</i> , 2007 , 8, 527-32	5.9	71
61	The aggressive behavior scale: a new scale to measure aggression based on the minimum data set. 2008 , 56, 2298-303		147
60	The Authors' Reply to the Letter: Is Aggression Common in Dementia?. <i>Journal of the American Medical Directors Association</i> , 2008 , 9, 532-533	5.9	0
59	Does a wander garden influence inappropriate behaviors in dementia residents?. 2008 , 23, 31-45		74
58	Management of behavioural and psychological symptoms of dementia and acquired brain injury. 187-216		4
57	[Violence and aggression in care-related jobs--a literature overview]. 2009 , 71, 449-59		22
56	Aggressive behavior of nursing home residents toward caregivers: a systematic literature review. <i>Geriatric Nursing</i> , 2009 , 30, 174-87	2.1	74
55	Aggressive behavior by patients and its relationship to nursing staff attitudes and perceptions. 2009 , 21, 606-8		1
54	Five Alzheimer's disease cases with refractory behavioural psychological symptoms of dementia treated with blonanserin. 2010 , 10, 198-200		3
53	Challenging Behaviours in Dementia: a Project at Hornsby/Ku-Ring-Gai Hospital. 2010 , 17, 10-15		15
52	Assessment of Agitation in Older Adults. 2010 , 381-403		4
51	Factor analysis of the brief agitation rating scale in a large sample of norwegian nursing home patients. 2010 , 29, 55-60		7
50	Nursing home caregivers' explanations for and coping strategies with residents' aggression: a qualitative study. 2011 , 20, 2469-78		15
49	Managing pain to prevent aggression in people with dementia: a nonpharmacologic intervention. 2012 , 27, 41-7		19
48	Toma de decisiones en pacientes con demencia avanzada. 2012 , 23, 91-94		

47	Functional analysis-based interventions for challenging behaviour in dementia. 2012 , CD006929		38
46	What is the evidence to support the use of therapeutic gardens for the elderly?. 2012 , 9, 100-10		73
45	Kintense. 2013 ,		3
44	Resident-to-resident violence triggers in nursing homes. 2013 , 22, 461-74		24
43	French version of the Rating Scale for aggressive behaviour in the Elderly (F-RAGE): psychometric properties and diagnostic accuracy. 2013 , 7, 278-285		1
42	Assessing neuropsychiatric symptoms in people with dementia: a systematic review of measures. 2014 , 26, 1805-48		48
41	Kintense: A robust, accurate, real-time and evolving system for detecting aggressive actions from streaming 3D skeleton data. 2014 ,		11
40	Factors influencing clinicians' attitudes about aggression in Australian acute old age psychiatry inpatient units: a cross sectional survey design. 2014 , 35, 542-50		3
39	Does pain mediate or moderate the effect of cognitive impairment on aggression in nursing home residents with dementia?. 2014 , 8, 105-9		10
38	Aggression in Huntington's disease: a systematic review of rates of aggression and treatment methods. 2014 , 3, 319-32		36
37	Social climate of acute old age psychiatry inpatient units: staff perceptions within the context of patient aggression. 2015 , 22, 102-8		5
36	Using the Analytical Hierarchical Process to Determine the Optimal Scale to Assess People with Dementia Pre and Post Timeslips Sessions. <i>Applications of Management Science</i> , 2015 , 127-147	0.3	
35	Resident-to-Resident Abuse: A Scoping Review. <i>Canadian Journal on Aging</i> , 2015 , 34, 215-36	1.6	25
34	The effectiveness of psychological interventions for aggressive behavior following acquired brain injury: A meta-analysis and systematic review. <i>NeuroRehabilitation</i> , 2016 , 39, 205-21	2	8
33	A Comprehensive Review of the Quality and Feasibility of Dementia Assessment Measures: The Dementia Outcomes Measurement Suite. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 826-837	5.9	10
32	Aggressive Behaviour Risk Assessment Tool for newly admitted residents of long-term care homes. <i>Journal of Advanced Nursing</i> , 2017 , 73, 1747-1756	3.1	4
31	Factors associated with aggressive behavior between residents and staff in nursing homes. <i>Geriatric Nursing</i> , 2017 , 38, 398-405	2.1	19
30	Sleep Patterns and Neuropsychiatric Symptoms in Hospitalized Patients With Dementia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2017 , 29, 248-253	2.7	6

29	Utility of the Aggressive Behavior Risk Assessment Tool in long-term care homes. <i>Geriatric Nursing</i> , 2017 , 38, 417-422	2.1	3
28	DAVE: Detecting Agitated Vocal Events. 2017 ,		0
27	Aggression, Agitation, Hyperactivity, and Irritability. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017 , 199-236		5
26	DAVE: Detecting Agitated Vocal Events. 2017 , 2017, 157-166		1
25	Agitation and Aggression Are 2 Different Syndromes in Persons With Dementia. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 1035-1038	5.9	8
24	The Behavioral and Psychological Symptoms of Dementia in Down Syndrome (BPSD-DS) Scale: Comprehensive Assessment of Psychopathology in Down Syndrome. <i>Journal of Alzheimerts Disease</i> , 2018 , 63, 797-819	4.3	30
23	Aggressive behaviour risk assessment tool for long-term care (ABRAT-L): Validation study. <i>Geriatric Nursing</i> , 2019 , 40, 284-289	2.1	3
22	African-American caregivers' perspectives on aggressive behaviors in dementia. <i>Dementia</i> , 2019 , 18, 3036-3058	3	2
21	Caregiver Reactions to Aggressive Behaviors in Persons With Dementia in a Diverse, Community-Dwelling Sample. <i>Journal of Applied Gerontology</i> , 2020 , 39, 50-61	3.3	11
20	An empirical examination of elder abuse through the lens of mens rea. <i>Journal of Adult Protection, The</i> , 2020 , 22, 269-297	0.7	1
19	A review of measures of three common dementia-related behaviors: Rejection of care, aggression, and agitation. <i>Geriatric Nursing</i> , 2020 , 41, 692-708	2.1	2
18	Stroke Revisited: Vascular Cognitive Impairment. <i>Stroke Revisited</i> , 2020 ,	0.1	
17	Measurement of aggression in older adults. <i>Aggression and Violent Behavior</i> , 2021 , 57, 101484-101484	3.9	2
16	Instruments to Assess Social Functioning in Individuals with Dementia: A Systematic Review. <i>Journal of Alzheimerts Disease</i> , 2021 , 80, 619-637	4.3	2
15	Aggressive patient behaviours and unplanned nursing staff leave - is there an association?. <i>International Journal of Mental Health Nursing</i> , 2021 , 30, 1183-1192	3.8	1
14	The Elderly Offender. 2010 , 694-699		1
13	Anger and Psychopathology. 2010 , 465-497		34
12	Contribution of cognitive impairment, depression, and psychosis to the outcome of agitated geropsychiatric inpatients with dementia. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 299-303	1.8	7

11	Victim or initiator? Certified nursing assistants' perceptions of resident characteristics that contribute to resident-to-resident violence in nursing homes. <i>Research in Gerontological Nursing</i> , 2012 , 5, 55-63	1.6	17
10	Timeslips Comparing Agitation and Anxiety Rating Scales to Evaluate the Benefit of Non-Pharmacologic Creative Sessions in Nursing Home Patients with Dementia. <i>Open Journal of Nursing</i> , 2014 , 04, 451-464	0.3	1
9	Evaluating Older Adults. 2006 , 497-527		
8	Critères d'évaluation. 2010 , 48-82		
7	Nerve Growth Factor and Other Biological Treatments: An Overview. 1994 , 477-491		
6	Behavioral and Psychological Symptoms in Vascular Cognitive Impairment. <i>Stroke Revisited</i> , 2020 , 43-59	0.1	
5	14. Troubles du comportement et addictions. 2015 , 287-317		
4	14. Troubles du comportement et addictions. 2020 , 285-316		
3	Evidence-Informed Approach to De-Prescribing of Atypical Antipsychotics (AAP) in the Management of Behavioral Expressions (BE) in Advanced Neurocognitive Disorders (NCD): Results of a Retrospective Study.. <i>Geriatrics (Switzerland)</i> , 2022 , 7,	2.2	0
2	Gewalt (in) Organisationen der Pflege(-versorgung) aus der Perspektive multiprofessioneller Teams Lösungsansätze mittels transformatorischer Bildungsprozesse als Präventionsstrategien. 2022 , 269-298		
1	Cannabidiol as a Treatment for Neurobiological, Behavioral, and Psychological Symptoms in Early-Stage Dementia: A Double-Blind, Placebo-Controlled Clinical Trial Protocol.		1