

CITATION REPORT

List of articles citing

Nuclear morphometry for prediction of metastatic potential in early squamous cell carcinoma of the floor of the mouth

DOI: 10.1001/archotol.1992.01880050085020
JAMA Otolaryngology, 1992, 118, 531-3.

Source: <https://exaly.com/paper-pdf/22936403/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
17	An unstable nuclear matrix may contribute to genetic instability. <i>Medical Hypotheses</i> , 1994 , 42, 45-52	3.8	19
16	Quantitative pathology of the intraepithelial laryngeal neoplasia. <i>Otolaryngology - Head and Neck Surgery</i> , 1994 , 110, 185-94	5.5	7
15	Response predictors for high-grade gliomas given definitive irradiation. <i>Radiation Oncology Investigations</i> , 1995 , 3, 133-140		
14	Argyrophilic nucleolar organizer regions staining is useful in predicting recurrence-free interval in oral tongue and floor of mouth squamous cell carcinoma. <i>American Journal of Surgery</i> , 1996 , 172, 684-8	2.7	18
13	Nuclear morphometry in experimental oral mucosal carcinogenesis. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1996 , 32B, 169-75		3
12	Nodal metastases: predictive factors. <i>Otolaryngologic Clinics of North America</i> , 1998 , 31, 621-37	2	90
11	Fatores clínicos e histológicos preditivos de metástase cervical em carcinomas epidermóides de língua e soalho de boca no estadio clínico II. <i>Revista Do Colegio Brasileiro De Cirurgioes</i> , 1998 , 25, 19-23	0.5	
10	The use of nuclear morphometry for the prediction of survival in patients with advanced cancer of the larynx. <i>European Archives of Oto-Rhino-Laryngology</i> , 1999 , 256, 257-61	3.5	9
9	Nuclear morphometry for the prediction of regional lymph nodes metastases in patients with cancer of the larynx. <i>Otolaryngology - Head and Neck Surgery</i> , 2000 , 123, 770-4	5.5	2
8	Neck disease and distant metastases. <i>Oral Oncology</i> , 2003 , 39, 207-12	4.4	100
7	Predictive factors of occult metastasis and prognosis of clinical stages I and II squamous cell carcinoma of the tongue and floor of the mouth. <i>Oral Oncology</i> , 2004 , 40, 780-6	4.4	147
6	Posttympanostomy tube otorrhea. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2004 , 25, 110-7	2.8	35
5	Advanced Floor of Mouth Cancer. 2018 , 428-457		
4	Ordinal logistic regression model describing factors associated with extent of nodal involvement in oral cancer patients and its prospective validation. <i>BMC Medical Research Methodology</i> , 2020 , 20, 95	4.7	4
3	Applicability of preoperative nuclear morphometry to evaluating risk for cervical lymph node metastasis in oral squamous cell carcinoma. <i>PLoS ONE</i> , 2014 , 9, e116452	3.7	9
2	An Epidemiological Model to Find out Factors Associated with Nodal Involvement among Indian Oral Cancer Patients. <i>Open Journal of Epidemiology</i> , 2018 , 08, 117-129	0.2	1
1	Perspective of nuclear fractal dimension in diagnosis and prognosis of oral squamous cell carcinoma.. <i>Journal of Oral and Maxillofacial Pathology</i> , 2022 , 26, 127	1.2	

