

CITATION REPORT

List of articles citing

Tight control of gene expression in mammalian cells by tetracycline-responsive promoters

DOI: 10.1073/pnas.89.12.5547

Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 5547-51.

Source: <https://exaly.com/paper-pdf/22970387/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2317	Mammalian gene studies. 1992 , 3, 693-721		
2316	Inducible vectors for expression in mammalian cells. 1992 , 3, 506-11		87
2315	Enzymology in vivo using NMR and molecular genetics. 1993 , 6, 159-65		4
2314	Post-transcriptional regulation of nuclear-encoded genes in higher plants: the roles of mRNA stability and translation. 1993 , 23, 1091-104		80
2313	Control of gene activity in higher eukaryotic cells by prokaryotic regulatory elements. 1993 , 18, 471-5		215
2312	A selective transcriptional induction system for mammalian cells based on Gal4-estrogen receptor fusion proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 1657-61	11.5	152
2311	Overview: Virally Based Transient Expression Systems. 1993 , 3, 375-402		2
2310	Displacement of housekeeping proteasome subunits by MHC-encoded LMPs: a newly discovered mechanism for modulating the multicatalytic proteinase complex.. 1994 , 13, 3236-3244		161
2309	Induction of mutant dynamin specifically blocks endocytic coated vesicle formation. 1994 , 127, 915-34		1060
2308	Transcription inhibits the replication of autonomously replicating plasmids in human cells. 1994 , 14, 2516-24		54
2307	Selenocysteine insertion or termination: factors affecting UGA codon fate and complementary anticodon:codon mutations. 1994 , 22, 3753-9		99
2306	Deregulated expression of E2F-1 induces S-phase entry and leads to apoptosis. 1994 , 14, 8166-73		465
2305	Acceleration of the G1/S phase transition by expression of cyclins D1 and E with an inducible system. 1994 , 14, 1669-79		967
2304	Gene conversion in the chicken immunoglobulin locus: a paradigm of homologous recombination in higher eukaryotes. 1994 , 50, 270-6		33
2303	Inducible gene expression systems for higher eukaryotic cells. 1994 , 5, 516-20		156
2302	Release of an inhibitor of angiogenesis upon induction of wild type p53 expression in glioblastoma cells. 1994 , 8, 171-6		292
2301	Gene-targeting approaches in the study of cellular processes involved in growth or differentiation. Advances in the analysis of oncogenes, tumour-suppressor genes, cytokine/receptor systems and developmental control genes. 1994 , 226, 739-49		5

2300	Control of gene activity in higher eukaryotic cells by prokaryotic regulatory elements. 1994 , 12, 58-62		13
2299	Cytotoxicity mediated by conditional expression of a carboxyl-terminal derivative of the beta-amyloid precursor protein. 1994 , 26, 207-17		70
2298	Activation and inactivation of thyroid hormone by type I iodothyronine deiodinase. 1994 , 344, 143-6		36
2297	Functional divergence of the MAP kinase pathway. ERK1 and ERK2 activate specific transcription factors. 1994 , 346, 229-34		69
2296	A multifunctional vector family for gene expression in mammalian cells. 1994 , 149, 387-8		36
2295	A regulatory system for use in gene transfer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 8180-4	11.5	391
2294	Gene regulation by temperature-sensitive p53 mutants: identification of p53 response genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 10640-4	11.5	65
2293	Temporal control of gene expression in transgenic mice by a tetracycline-responsive promoter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994 , 91, 9302-6	11.5	687
2292	Cyclin A-associated kinase activity is rate limiting for entrance into S phase and is negatively regulated in G1 by p27Kip1. 1995 , 15, 4347-52		227
2291	A modified tetracycline-regulated system provides autoregulatory, inducible gene expression in cultured cells and transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 6522-6	11.5	362
2290	p53 controls both the G2/M and the G1 cell cycle checkpoints and mediates reversible growth arrest in human fibroblasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 8493-7	11.5	718
2289	Cell cycle regulation of the cyclin A gene promoter is mediated by a variant E2F site. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 11264-8	11.5	325
2288	Cytochrome P450 1A1 promoter as a genetic switch for the regulatable and physiological expression of a plasma protein in transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 11926-30	11.5	28
2287	Overexpressed Csk tyrosine kinase is localized in focal adhesions, causes reorganization of alpha v beta 5 integrin, and interferes with HeLa cell spreading. 1995 , 15, 711-22		109
2286	A potent transrepression domain in the retinoblastoma protein induces a cell cycle arrest when bound to E2F sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 11544-8	11.5	227
2285	The c-myc protein represses the lambda 5 and TdT initiators. 1995 , 23, 1-9		51
2284	Gene therapy for brain tumors. 1995 , 5, 345-81		87
2283	Self-association of the "death domains" of the p55 tumor necrosis factor (TNF) receptor and Fas/APO1 prompts signaling for TNF and Fas/APO1 effects. 1995 , 270, 387-91		321

2282	Transgenic animals as pharmacological tools. 1995 , 26, 143-177	6
2281	Different roles for cyclins D1 and E in regulation of the G1-to-S transition. 1995 , 15, 3463-9	440
2280	The transcription factor E2F-1 is a downstream target of RB action. 1995 , 15, 742-55	174
2279	A role for Rho in Ras transformation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 11781-5	11.5 493
2278	The bacterial actin nucleator protein ActA of <i>Listeria monocytogenes</i> contains multiple binding sites for host microfilament proteins. 1995 , 5, 517-25	126
2277	Serotonin receptors. Genetic insights into serotonin function. 1995 , 5, 997-9	35
2276	Use of transgenics, null mutants, and antisense approaches to study ethanol's actions. 1995 , 19, 811-20	20
2275	Genetic engineering of endothelial cells. 1995 , 2, 197-200	2
2274	LAR-PTPase cDNA transfection suppression of tumor growth of neu oncogene-transformed human breast carcinoma cells. 1995 , 14, 103-10	20
2273	Conditional gene expression in secretory tissues and skin of transgenic mice using the MMTV-LTR and the tetracycline responsive system. 1995 , 59, 463-72	101
2272	Cell-cycle-dependent gene expression studied by two-colour fluorescent detection of a mRNA and histone mRNA. 1995 , 104, 391-5	13
2271	Proliferation control of mammalian cells by the tumor suppressor IRF-1. 1995 , 18, 67-75	19
2270	Two nuclear dot-associated proteins, PML and Sp100, are often co-autoimmunogenic in patients with primary biliary cirrhosis. 1995 , 42, 257-68	108
2269	An essential role for Rac in Ras transformation. 1995 , 374, 457-9	840
2268	A viral inhibitor of peptide transporters for antigen presentation. 1995 , 375, 415-8	535
2267	Tetracycline-regulated gene expression following direct gene transfer into mouse skeletal muscle. 1995 , 21, 233-40	44
2266	Conditional transgenics. 1995 , 5, 211-7	6
2265	The RNA component of human telomerase. 1995 , 269, 1236-41	1916

2264	The tumour suppressor gene product APC blocks cell cycle progression from G0/G1 to S phase.. 1995 , 14, 5618-5625	121
2263	Targeting of <i>Listeria monocytogenes</i> ActA protein to the plasma membrane as a tool to dissect both actin-based cell morphogenesis and ActA function.. 1995 , 14, 2731-2744	57
2262	High mobility group protein 2 functionally interacts with the POU domains of octamer transcription factors.. 1995 , 14, 1198-1208	168
2261	Gene delivery to the nervous system using retroviral vectors. 1995 , 149-180	3
2260	The transcriptional effect of WT1 is modulated by choice of expression vector. 1995 , 270, 29976-82	39
2259	Studies on engineered autocrine systems: requirements for ligand release from cells producing an artificial growth factor. 1995 , 1, 81-94	12
2258	Inducible, high-level production of infectious murine leukemia retroviral vector particles pseudotyped with vesicular stomatitis virus G envelope protein. 1995 , 6, 1203-13	120
2257	Specificity of action of a herpes virus VP16/tetracycline-dependent trans-activator in mammalian cell cultures. 1995 , 14, 665-71	6
2256	Clathrin-independent pinocytosis is induced in cells overexpressing a temperature-sensitive mutant of dynamin. 1995 , 131, 69-80	337
2255	Conditional transformation of a pancreatic beta-cell line derived from transgenic mice expressing a tetracycline-regulated oncogene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 3576-80	11.5 238
2254	The responsiveness of a tetracycline-sensitive expression system differs in different cell lines. 1995 , 270, 14168-74	92
2253	Reversible intercellular coupling by regulated expression of a gap junction channel gene. 1995 , 3, 353-65	11
2252	Cytoskeletal rearrangements and the functional role of T-plastin during entry of <i>Shigella flexneri</i> into HeLa cells. 1995 , 129, 367-81	150
2251	Characterization of subtype-specific antibodies to the human D5 dopamine receptor: studies in primate brain and transfected mammalian cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 3468-72	11.5 47
2250	Kip/Cip and Ink4 Cdk inhibitors cooperate to induce cell cycle arrest in response to TGF-beta. 1995 , 9, 1831-45	742
2249	Novel inducible/repressible gene expression systems. 1995 , 50, 411-24	15
2248	The WT1 gene product stabilizes p53 and inhibits p53-mediated apoptosis. 1995 , 9, 2143-56	195
2247	Co-regulation of two gene activities by tetracycline via a bidirectional promoter. 1995 , 23, 3605-6	303

2246	Differential activation of peroxisome proliferator-activated receptors by eicosanoids. 1995 , 270, 23975-83	548
2245	Topological analysis of the integral membrane protein, type 1 iodothyronine deiodinase (D1). 1995 , 270, 12310-8	75
2244	Cloning and functional characterization of human selenophosphate synthetase, an essential component of selenoprotein synthesis. 1995 , 270, 21659-64	148
2243	Human ribosomal protein L7 inhibits cell-free translation in reticulocyte lysates and affects the expression of nuclear proteins upon stable transfection into Jurkat T-lymphoma cells. 1995 , 23, 195-202	41
2242	Tetracycline-reversible silencing of eukaryotic promoters. 1995 , 15, 1907-14	244
2241	Establishment of an autocatalytic conditional mammalian system for expression of stringently regulated genes. 1995 , 23, 307-9	3
2240	Dexamethasone inducible gene expression optimised by glucocorticoid antagonists. 1995 , 23, 2342-3	8
2239	A novel protein that interacts with the death domain of Fas/APO1 contains a sequence motif related to the death domain. 1995 , 270, 7795-8	789
2238	Conditional ectopic expression of C/EBP beta in NIH-3T3 cells induces PPAR gamma and stimulates adipogenesis. 1995 , 9, 2350-63	429
2237	Molecular dissection of radixin: distinct and interdependent functions of the amino- and carboxy-terminal domains. 1995 , 129, 1007-22	95
2236	In vivo assembly of the proteasomal complexes, implications for antigen processing. 1995 , 270, 27687-94	158
2235	Site and mechanism of antisense inhibition by C-5 propyne oligonucleotides. 1995 , 34, 5044-53	90
2234	Inducible gene expression in trypanosomes mediated by a prokaryotic repressor. 1995 , 268, 1179-83	208
2233	Evidence for a NIMA-like mitotic pathway in vertebrate cells. 1995 , 81, 413-24	165
2232	New players in the 5-HT receptor field: genes and knockouts. 1995 , 16, 246-52	102
2231	Transcriptional activation by tetracyclines in mammalian cells. 1995 , 268, 1766-9	2143
2230	Generation of estrogen receptor mutants with altered ligand specificity for use in establishing a regulatable gene expression system. 1996 , 58, 3-12	24
2229	Overview of the retrovirus transduction system. 2001 , Chapter 9, Unit9.9	13

2228	Tetracycline analogs affecting binding to Tn10-Encoded Tet repressor trigger the same mechanism of induction. 1996 , 35, 7439-46	80
2227	An autonomously replicating eukaryotic expression vector with a tetracycline-responsive promoter. 1996 , 168, 169-71	14
2226	Controlled overexpression of selected domains of the P85 subunit of phosphatidylinositol 3-kinase reverts v-Ha-Ras transformation. 1996 , 1312, 207-14	6
2225	Inducible gene expression from defective herpes simplex virus vectors using the tetracycline-responsive promoter system. 1996 , 41, 200-9	72
2224	Suppression of the neoplastic phenotype by replacement of the Tsc2 gene in Eker rat renal carcinoma cells. 1996 , 219, 70-5	49
2223	A tetracycline-responsive promoter system reveals the role of a secreted binding protein for FGFs during the early phase of tumor growth. 1996 , 229, 930-7	13
2222	Retinoblastoma protein positively regulates terminal adipocyte differentiation through direct interaction with C/EBPs. 1996 , 10, 2794-804	371
2221	Antisense oncogene and tumor suppressor gene therapy of cancer. 1996 , 74, 191-204	18
2220	RAG1 mediates signal sequence recognition and recruitment of RAG2 in V(D)J recombination. 1996 , 87, 253-62	178
2219	Inducible retroviral vectors regulated by lac repressor in mammalian cells. 1996 , 183, 137-42	19
2218	Development of a VSV-G protein pseudotyped retroviral vector system expressing dominant oncogenes from a lacO-modified inducible LTR promoter. 1996 , 182, 145-50	28
2217	Mice, gene targeting and behaviour: more than just genetic background. 1996 , 19, 183-6; discussion 188-9	130
2216	C/EBP activators are required for HIV-1 replication and proviral induction in monocytic cell lines. 1996 , 5, 91-101	90
2215	Time-sensitive reversal of hyperplasia in transgenic mice expressing SV40 T antigen. 1996 , 273, 1384-6	217
2214	Cathepsin D protease mediates programmed cell death induced by interferon-gamma, Fas/APO-1 and TNF-alpha.. 1996 , 15, 3861-3870	346
2213	Gene Therapy: Approaches for the Treatment of Malignant Gliomas. 1996 , 19, 16-22	1
2212	Transgenic Modeling of Cytokines in the Investigation of Pulmonary Disease. 1996 , 109, 69S-73S	3
2211	Creation of a reversible on/off system for site-specific in vivo control of exogenous gene activity in the renal glomerulus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 7387-91	11.5 42

2210	An induction gene trap screen in embryonic stem cells: Identification of genes that respond to retinoic acid in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 1677-82	11.5	119
2209	Activation domain-mediated enhancement of activator binding to chromatin in mammalian cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 10820-5	11.5	22
2208	A serum-resistant cytofectin for cellular delivery of antisense oligodeoxynucleotides and plasmid DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 3176-81	11.5	254
2207	Disruption of RB/E2F-1 interaction by single point mutations in E2F-1 enhances S-phase entry and apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 679-84	11.5	112
2206	Human cytomegalovirus inhibits antigen presentation by a sequential multistep process. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 10990-5	11.5	313
2205	Human trophoblast and choriocarcinoma expression of the growth factor pleiotrophin attributable to germ-line insertion of an endogenous retrovirus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 14759-64	11.5	161
2204	Suppression of interleukin-3-induced gene expression by a C-terminal truncated Stat5: role of Stat5 in proliferation.. 1996 , 15, 2425-2433		318
2203	Signaling by chimeric erythropoietin-TGF-beta receptors: homodimerization of the cytoplasmic domain of the type I TGF-beta receptor and heterodimerization with the type II receptor are both required for intracellular signal transduction.. 1996 , 15, 4485-4496		91
2202	Establishment of stable cell lines expressing potentially toxic proteins by tetracycline-regulated and epitope-tagging methods. 1996 , 21, 718-22, 724-5		19
2201	Krüppel-associated box-mediated repression of RNA polymerase II promoters is influenced by the arrangement of basal promoter elements. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 1015-20	11.5	63
2200	Gene Therapy of Bladder Cancer. 1996 , 3, 428-433		2
2199	Activation of cyclin E/CDK2 is coupled to site-specific autophosphorylation and ubiquitin-dependent degradation of cyclin E.. 1996 , 15, 4182-4193		254
2198	Deregulated expression of E2F family members induces S-phase entry and overcomes p16INK4A-mediated growth suppression. 1996 , 16, 1047-57		270
2197	A dominant inhibitory mutant of the type II transforming growth factor beta receptor in the malignant progression of a cutaneous T-cell lymphoma. 1996 , 16, 3480-9		129
2196	Effects of nonsense mutations on nuclear and cytoplasmic adenine phosphoribosyltransferase RNA. 1996 , 16, 4426-35		61
2195	Amber suppression in mammalian cells dependent upon expression of an Escherichia coli aminoacyl-tRNA synthetase gene. 1996 , 16, 907-13		55
2194	Anchorage-dependent transcription of the cyclin A gene. 1996 , 16, 4632-8		122
2193	Nuclear respiratory factors 1 and 2 utilize similar glutamine-containing clusters of hydrophobic residues to activate transcription. 1996 , 16, 5708-16		68

2192	Phosphorylation of IkappaBalpha in the C-terminal PEST domain by casein kinase II affects intrinsic protein stability. 1996 , 16, 1401-9		195
2191	Distinct tyrosine phosphorylation sites in ZAP-70 mediate activation and negative regulation of antigen receptor function. 1996 , 16, 5026-35		117
2190	Ecdysone-inducible gene expression in mammalian cells and transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 3346-51	11.5	754
2189	A stable human-derived packaging cell line for production of high titer retrovirus/vesicular stomatitis virus G pseudotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 11400-6	11.5	815
2188	The 3'-untranslated region of CaMKII alpha is a cis-acting signal for the localization and translation of mRNA in dendrites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 13250-5	11.5	280
2187	Doxycycline-mediated quantitative and tissue-specific control of gene expression in transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 10933-8	11.5	670
2186	Inhibition of apoptosis by overexpressing Bcl-2 enhances gene amplification by a mechanism independent of aphidicolin pretreatment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 3394-8	11.5	12
2185	Autonomous parvovirus and densovirus gene vectors. 1996 , 47, 303-51		22
2184	Generation of packaging cell lines for pseudotyped retroviral vectors of the G protein of vesicular stomatitis virus by using a modified tetracycline inducible system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 10057-62	11.5	70
2183	Diverse strategies for tetracycline-regulated inducible gene expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 5173-6	11.5	133
2182	Rapid retroviral delivery of tetracycline-inducible genes in a single autoregulatory cassette. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 5185-90	11.5	180
2181	Simultaneous fluorescence-activated cell sorter analysis of two distinct transcriptional elements within a single cell using engineered green fluorescent proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 8508-11	11.5	95
2180	Hsp90 is required for the activity of a hepatitis B virus reverse transcriptase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 1060-4	11.5	288
2179	Differentiation of the immortalized adult neuronal progenitor cell line HC2S2 into neurons by regulatable suppression of the v-myc oncogene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 1518-23	11.5	143
2178	Control of memory formation through regulated expression of a CaMKII transgene. 1996 , 274, 1678-83		1278
2177	The WT1 Wilms' tumor suppressor gene: how much do we really know?. 1996 , 1287, 1-28		50
2176	The biology of mammary transgenes: five rules. 1996 , 1, 61-73		39
2175	Molecular cloning and structural analysis of the functional mouse genomic XPG gene. 1996 , 7, 644-9		9

2174	Human lipoprotein lipase last exon is not translated, in contrast to lower vertebrates. 1996 , 43, 109-15	27
2173	Neurodegenerative mechanisms in Alzheimer disease. A role for oxidative damage in amyloid beta protein precursor-mediated cell death. 1996 , 29, 153-68	64
2172	Simple and efficient 'panning' of transfected cell populations expressing a cell surface marker. 1996 , 1, 9-10	
2171	Engineering dynamics of growth factors and other therapeutic ligands. 1996 , 52, 61-80	11
2170	Expression of insulin-like growth factor-II and insulin-like growth factor binding proteins during Caco-2 cell proliferation and differentiation. 1996 , 166, 396-406	24
2169	Restoration of responsiveness to phorbol ester by reconstitution of a functional Na/K/Cl cotransporter in cotransporter-deficient BALB/c 3T3 cells. 1996 , 17, 35-40	2
2168	Chemically inducible promoters in transgenic plants. 1996 , 7, 168-172	38
2167	Genomic organization and promoter analysis of the gene ifngr2 encoding the second chain of the mouse interferon-gamma receptor. 1996 , 44, 599-606	14
2166	Regulation of cell growth by IRF-1 in BHK-21 cells. 1996 , 22, 147-56	29
2165	Tetracycline-regulated reporter gene expression in the moss <i>Physcomitrella patens</i> . 1996 , 30, 199-205	28
2164	Control of mRNA stability in higher plants. 1996 , 32, 63-78	77
2163	Efficient control of gene expression by single step integration of the tetracycline system in transgenic mice. 1996 , 14, 499-503	91
2162	Potent and selective inhibition of gene expression by an antisense heptanucleotide. 1996 , 14, 840-4	110
2161	Cdc25 cell-cycle phosphatase as a target of c-myc. 1996 , 382, 511-7	646
2160	Growth and induction kinetics of inducible and autoinducible expression of heterologous protein in suspension cultures of recombinant mouse L cell lines. 1996 , 12, 226-33	6
2159	Effects of oligonucleotide length, mismatches and mRNA levels on C-5 propyne-modified antisense potency. 1996 , 24, 2936-41	40
2158	Reduced expression of transforming growth factor beta type I receptor contributes to the malignancy of human colon carcinoma cells. 1996 , 271, 17366-71	104
2157	Sp3 represses transcription when tethered to promoter DNA or targeted to promoter proximal RNA. 1996 , 271, 8533-6	72

2156	In vivo characterization of the proteasome regulator PA28. 1996 , 271, 18237-42	66
2155	Regulation of interleukin-2 transcription by inducible stable expression of dominant negative and dominant active mitogen-activated protein kinase kinase kinase in jurkat T cells. Evidence for the importance of Ras in a pathway that is controlled by dual receptor stimulation. 1996 , 271, 27366-73	59
2154	A strong ubiquitous promoter-enhancer for development and aging of <i>Drosophila melanogaster</i> . 1996 , 24, 2452-3	7
2153	Drug Metabolic Enzymes in Developmental Toxicology. 1996 , 34, 165-175	1
2152	Role of inhibitory CDC2 phosphorylation in radiation-induced G2 arrest in human cells. 1996 , 134, 963-70	231
2151	Blocking the transcription factor E2F/DP by dominant-negative mutants in a normal breast epithelial cell line efficiently inhibits apoptosis and induces tumor growth in SCID mice. 1996 , 183, 1205-13	28
2150	Bi-directional gene switching with the tetracycline repressor and a novel tetracycline antagonist. 1996 , 24, 2900-4	24
2149	p53 levels, functional domains, and DNA damage determine the extent of the apoptotic response of tumor cells. 1996 , 10, 2438-51	542
2148	Evaluation of HBV promoters for use in hepatic gene therapy. 1996 , 377, 187-93	10
2147	Temporal control of the Cre recombinase in transgenic mice by a tetracycline responsive promoter. 1996 , 24, 3875-7	108
2146	The role of the C-terminal domain of I kappa B alpha in protein degradation and stabilization. 1996 , 271, 10690-6	35
2145	Targeted disruption of an essential vertebrate gene: ASF/SF2 is required for cell viability. 1996 , 10, 2588-99	167
2144	The structure of the gene for the second chain of the human interferon-gamma receptor. 1996 , 271, 28947-52	14
2143	The two membrane proximal domains of CD4 interact with the T cell receptor. 1996 , 183, 2097-107	59
2142	Induction of peroxisome proliferator-activated receptor gamma during the conversion of 3T3 fibroblasts into adipocytes is mediated by C/EBPbeta, C/EBPdelta, and glucocorticoids. 1996 , 16, 4128-36	501
2141	Cyclin D1 triggers autonomous growth of breast cancer cells by governing cell cycle exit. 1996 , 16, 2554-60	115
2140	Regulated expression of the diphtheria toxin A gene in human glioma cells using prokaryotic transcriptional control elements. 1997 , 87, 89-95	19
2139	A novel neuroendocrine intracellular signaling pathway. 1997 , 11, 1846-57	14

2138	Role of the human heat shock protein hsp70 in protection against stress-induced apoptosis. 1997 , 17, 5317-27	802
2137	Identification of transcripts initiated from an internal promoter in the c-erbA alpha locus that encode inhibitors of retinoic acid receptor-alpha and triiodothyronine receptor activities. 1997 , 11, 1278-90	125
2136	The human chorionic somatomammotropin enhancers form a composite silencer in pituitary cells in vitro. 1997 , 11, 1233-44	8
2135	Point mutation in the ligand-binding domain of the progesterone receptor generates a transdominant negative phenotype. 1997 , 11, 1476-85	12
2134	Overview of vector design for mammalian gene expression. 1997 , 62, 287-300	9
2133	Welfare Aspects of Transgenic Animals. 1997 ,	7
2132	Cre-mediated somatic site-specific recombination in mice. 1997 , 25, 1766-73	229
2131	ICAP-1, a novel beta1 integrin cytoplasmic domain-associated protein, binds to a conserved and functionally important NPXY sequence motif of beta1 integrin. 1997 , 138, 1149-57	156
2130	Protein kinase C-mediated phosphorylation of HIV-I nef in human cell lines. 1997 , 272, 12289-94	41
2129	The rat myosin myr 5 is a GTPase-activating protein for Rho in vivo: essential role of arginine 1695. 1997 , 8, 2039-53	83
2128	Platelet-derived growth factor and fibronectin-stimulated migration are differentially regulated by the Rac and extracellular signal-regulated kinase pathways. 1997 , 272, 30688-92	150
2127	Use of Transgenic Mice in Aging Research. 1997 , 38, 124-136	5
2126	The role of inhibitory phosphorylation of CDC2 following DNA replication block and radiation-induced damage in human cells. 1997 , 8, 1013-23	80
2125	Nedd5, a mammalian septin, is a novel cytoskeletal component interacting with actin-based structures. 1997 , 11, 1535-47	280
2124	Recombinant Protein Protocols. 1997 ,	
2123	NH2-terminal deletion of beta-catenin results in stable colocalization of mutant beta-catenin with adenomatous polyposis coli protein and altered MDCK cell adhesion. 1997 , 136, 693-706	204
2122	Dynamics of beta-catenin interactions with APC protein regulate epithelial tubulogenesis. 1997 , 137, 1651-62	117
2121	A novel tetracycline-dependent expression vector with low basal expression and potent regulatory properties in various mammalian cell lines. 1997 , 25, 1078-9	39

2120	Critical role of calcium- dependent epidermal growth factor receptor transactivation in PC12 cell membrane depolarization and bradykinin signaling. 1997 , 272, 24767-70	163
2119	1.1 Heterologous Expression of Genes in Mammalian Cells.	2
2118	Sequence and overexpression of GPP130/GIMPC: evidence for saturable pH-sensitive targeting of a type II early Golgi membrane protein. 1997 , 8, 1073-87	104
2117	Growth-inhibitory activity and downregulation of the class II tumor-suppressor gene H-rev107 in tumor cell lines and experimental tumors. 1997 , 136, 935-44	93
2116	A novel method to isolate cells with conditional gene expression using fluorescence activated cell sorting. 1997 , 25, 4858-60	4
2115	Differential interaction of the cyclin-dependent kinase (Cdk) inhibitor p27Kip1 with cyclin A-Cdk2 and cyclin D2-Cdk4. 1997 , 272, 25863-72	214
2114	Protein kinase C-alpha activity modulates transepithelial permeability and cell junctions in the LLC-PK1 epithelial cell line. 1997 , 272, 14950-3	70
2113	Insulin-stimulated tyrosine phosphorylation of caveolin is specific for the differentiated adipocyte phenotype in 3T3-L1 cells. 1997 , 272, 20706-14	123
2112	Cytokine receptor-independent, constitutively active variants of STAT5. 1997 , 272, 30237-43	33
2111	The subcellular locations of p15(Ink4b) and p27(Kip1) coordinate their inhibitory interactions with cdk4 and cdk2. 1997 , 11, 492-503	258
2110	Reversible disruption of cell-matrix and cell-cell interactions by overexpression of sialomucin complex. 1997 , 272, 33245-54	139
2109	Integration of tetracycline regulation into a cell-specific transcriptional enhancer. 1997 , 272, 4735-9	13
2108	Deletions of the Aequorea victoria green fluorescent protein define the minimal domain required for fluorescence. 1997 , 272, 28545-9	101
2107	HER-2/neu is rate-limiting for ovarian cancer growth. Conditional depletion of HER-2/neu by ribozyme targeting. 1997 , 272, 29482-6	51
2106	Presenilins are processed by caspase-type proteases. 1997 , 272, 20655-9	124
2105	Progestins prevent apoptosis in a rat endometrial cell line and increase the ratio of bcl-XL to bcl-XS. 1997 , 272, 11791-8	50
2104	Assembly of CENP-A into centromeric chromatin requires a cooperative array of nucleosomal DNA contact sites. 1997 , 136, 501-13	267
2103	The central executioner of apoptosis: multiple connections between protease activation and mitochondria in Fas/APO-1/CD95- and ceramide-induced apoptosis. 1997 , 186, 25-37	584

2102	Tetracycline-controlled transcription in eukaryotes: novel transactivators with graded transactivation potential. 1997 , 25, 2723-9		265
2101	Progress in transcriptionally targeted and regulatable vectors for genetic therapy. 1997 , 8, 803-15		171
2100	Use of the cosmid adenoviral vector cloning system for the in vitro construction of recombinant adenoviral vectors. 1997 , 8, 1321-30		31
2099	An episomal vector for stable tetracycline-regulated gene expression. 1997 , 25, 3131-4		20
2098	Role of cyclins in neuronal differentiation of immortalized hippocampal cells. 1997 , 17, 6585-97		64
2097	Wild-type p53 triggers a rapid senescence program in human tumor cells lacking functional p53. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 9648-53	11.5	252
2096	DAP-5, a novel homolog of eukaryotic translation initiation factor 4G isolated as a putative modulator of gamma interferon-induced programmed cell death. 1997 , 17, 1615-25		117
2095	FIN13, a novel growth factor-inducible serine-threonine phosphatase which can inhibit cell cycle progression. 1997 , 17, 5485-98		57
2094	Nuclear receptor steroidogenic factor 1 directs embryonic stem cells toward the steroidogenic lineage. 1997 , 17, 3997-4006		106
2093	c-Rel arrests the proliferation of HeLa cells and affects critical regulators of the G1/S-phase transition. 1997 , 17, 6526-36		90
2092	Ectopic expression of cyclin D1 but not cyclin E induces anchorage-independent cell cycle progression. 1997 , 17, 5640-7		52
2091	E2F activity is regulated by cell cycle-dependent changes in subcellular localization. 1997 , 17, 7268-82		191
2090	Transgenic Mouse Models: New Tools for Psychiatric Research. 1997 , 3, 328-336		11
2089	Identification of csk tyrosine phosphorylation sites and a tyrosine residue important for kinase domain structure. 1997 , 322 (Pt 3), 927-35		12
2088	Production of Pseudotype-Retroviral Vectors. 1997 , 13, 12.7.1		
2087	Endoproteolytic cleavage and proteasomal degradation of presenilin 2 in transfected cells. 1997 , 272, 11006-10		176
2086	Inducible gene expression and protein translocation using nontoxic ligands identified by a mammalian three-hybrid screen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 7825-30	11.5	161
2085	Saturation of the endocytic pathway for the transferrin receptor does not affect the endocytosis of the epidermal growth factor receptor. 1997 , 272, 2116-21		93

2084	Cells that register logical relationships among proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 12473-8	11.5	52
2083	Regulation of E2F through ubiquitin-proteasome-dependent degradation: stabilization by the pRB tumor suppressor protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 2221-6	11.5	179
2082	Strategies for approaching retinoblastoma tumor suppressor gene therapy. 1997 , 40, 369-97		8
2081	Molecular Modification of Neural Networks: Altering Synaptic Function Through the use of Viral Mediated Gene Transfer. 1997 , 113-135		
2080	Chapter 23. Novel Gene Switches for the Regulation of Gene Expression. 1997 , 231-239		4
2079	Regulation of eukaryotic messenger RNA turnover. 1997 , 56, 257-86		47
2078	Sequence-Specific Targeting of Duplex DNA Using a Camptothecin-Triple Helix Forming Oligonucleotide Conjugate and Topoisomerase I. 1997 , 119, 6939-6940		46
2077	Modulation of erythropoietin delivery from engineered muscles in mice. 1997 , 8, 195-204		46
2076	Recombinant Gene Expression Protocols. 1997 ,		1
2075	Detection of cytosine deaminase in genetically modified tumor cells by specific antibodies. 1997 , 8, 1395-401		19
2074	CHEMICAL CONTROL OF GENE EXPRESSION. 1997 , 48, 89-108		93
2073	Optimization of plasmid vectors for high-level expression in lung epithelial cells. 1997 , 8, 575-84		104
2072	Inducible expression and phosphorylation of coactivator BOB.1/OBF.1 in T cells. 1997 , 277, 221-5		78
2071	Mitotic and G2 checkpoint control: regulation of 14-3-3 protein binding by phosphorylation of Cdc25C on serine-216. 1997 , 277, 1501-5		1190
2070	Adenovirus-mediated inducible gene expression through tetracycline-controllable transactivator with nuclear localization signal. 1997 , 230, 426-30		94
2069	VSV-G-pseudotyped retroviral packaging through adenovirus-mediated inducible gene expression. 1997 , 232, 379-82		35
2068	Controlled gene expression with a reverse tetracycline-regulated retroviral vector (RTRV) system. 1997 , 234, 769-73		56
2067	Adenovirus-mediated transduction with human glial cell line-derived neurotrophic factor gene prevents 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced dopamine depletion in striatum of mouse brain. 1997 , 238, 569-73		60

2066	The nucleoporin CAN/Nup214 binds to both the cytoplasmic and the nucleoplasmic sides of the nuclear pore complex in overexpressing cells. 1997 , 232, 182-5	20
2065	Application of ex vivo gene therapy in the treatment of Parkinson's disease. 1997 , 144, 82-91	34
2064	DNA transfection to study translational control in mammalian cells. 1997 , 11, 361-70	15
2063	Transfection of malaria parasites. 1997 , 13, 134-47	102
2062	The use of nonneuronal cells for gene delivery. 1997 , 4, 69-102	50
2061	The scope of gene therapy in humans: scientific, safety and ethical considerations. 1997 , 7, 273-6	10
2060	Impact of alloimmunity on chronic tissue remodelling: role of cytokines and protective genes in the vessel wall. 1997 , 5, 277-81	3
2059	The ER-luminal domain of the HCMV glycoprotein US6 inhibits peptide translocation by TAP. 1997 , 6, 613-21	392
2058	Analysis of the interactions between Nef and cellular proteins. 1997 , 148, 68-70	2
2057	Kinetochore localization of murine Bub1 is required for normal mitotic timing and checkpoint response to spindle damage. 1997 , 89, 727-35	488
2056	Cohesins: chromosomal proteins that prevent premature separation of sister chromatids. 1997 , 91, 35-45	1190
2055	Selection of transfected mammalian cells. 2001 , Chapter 4, Unit 4.6	3
2054	Identification of a contiguous 6-residue determinant in the MHV receptor that controls the level of virion binding to cells. 1997 , 229, 336-48	43
2053	Identification of cell type-specific promoter elements associated with the rat tyrosine hydroxylase gene using transgenic founder analysis. 1997 , 50, 33-42	47
2052	Activer les gènes ^volont: 1997 , 1997, 26-28	
2051	Construction and characterization of a one-plasmid system for the controlled expression of genes in mammalian cells by tetracycline. 1997 , 184, 115-20	18
2050	Targeting vectors for intracellular immunisation. 1997 , 187, 1-8	82
2049	Application of antisense ribonucleic acid complementary to O6-methylguanine-deoxyribonucleic acid methyltransferase messenger ribonucleic acid for therapy of malignant gliomas. 1997 , 41, 434-40; discussion 440-1	22

2048	Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo. 1997 , 3, 466-476	52
2047	Inducible expression of human hepatitis B virus (HBV) in stably transfected hepatoblastoma cells: a novel system for screening potential inhibitors of HBV replication. 1997 , 41, 1715-20	428
2046	Use of a dicistronic expression cassette encoding the green fluorescent protein for the screening and selection of cells expressing inducible gene products. 1997 , 22, 150-4, 156, 158-61	84
2045	Midbrain injection of recombinant adeno-associated virus encoding rat glial cell line-derived neurotrophic factor protects nigral neurons in a progressive 6-hydroxydopamine-induced degeneration model of Parkinson's disease in rats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 14083-8	11.5 303
2044	Efficient retrovirus-mediated cytokine-gene transduction of primary-cultured human glioma cells for tumor vaccination therapy. 1997 , 88, 296-305	22
2043	Ras-dependent apoptosis correlates with persistent activation of stress-activated protein kinases and induction of isoform(s) of Bcl-x. 1997 , 4, 745-55	10
2042	Differential cell cycle effects induced by E2F1 mutants. 1997 , 14, 53-62	11
2041	Functional roles of E2F in cell cycle regulation. 1997 , 14, 1191-200	44
2040	Differentiation induced by RB expression and apoptosis induced by p53 expression in an osteosarcoma cell line. 1997 , 14, 1389-96	34
2039	Role of p21Waf1/Cip1/Sdi1 in cell death and DNA repair as studied using a tetracycline-inducible system in p53-deficient cells. 1997 , 14, 1875-82	105
2038	c-myc activates RCC1 gene expression through E-box elements. 1997 , 14, 2301-11	35
2037	Regulated ectopic expression of cyclin D1 induces transcriptional activation of the cdk inhibitor p21 gene without altering cell cycle progression. 1997 , 14, 2533-42	87
2036	K-ras modulates the cell cycle via both positive and negative regulatory pathways. 1997 , 14, 2595-607	61
2035	Bcl-2 and Hsp27 act at different levels to suppress programmed cell death. 1997 , 15, 347-60	90
2034	Induction of senescence in human malignant glioma cells by p16INK4A. 1997 , 15, 505-14	127
2033	Transcriptional squelching by ectopic expression of E2F-1 and p53 is alleviated by proteasome inhibitors MG-132 and lactacystin. 1997 , 15, 759-69	27
2032	GML sensitizes cancer cells to Taxol by induction of apoptosis. 1997 , 15, 1369-74	20
2031	Activation of multiple growth regulatory genes following inducible expression of IRF-1 or IRF/RelA fusion proteins. 1997 , 15, 1425-35	64

2030	Retinoic acid and the cyclin dependent kinase inhibitors synergistically alter proliferation and morphology of U343 astrocytoma cells. 1997 , 15, 2037-48	57
2029	A variant form of ETS1 induces apoptosis in human colon cancer cells. 1997 , 15, 851-6	35
2028	Reexpression of the retinoblastoma protein in tumor cells induces senescence and telomerase inhibition. 1997 , 15, 2589-96	134
2027	Bipotent progenitor cell lines from the human CNS. 1997 , 15, 574-80	99
2026	Accommodation of vascularized xenografts: expression of "protective genes" by donor endothelial cells in a host Th2 cytokine environment. 1997 , 3, 196-204	393
2025	Long-term control of erythropoietin secretion by doxycycline in mice transplanted with engineered primary myoblasts. 1997 , 3, 299-305	168
2024	Nuclear localization and increased levels of transcription factor YB-1 in primary human breast cancers are associated with intrinsic MDR1 gene expression. 1997 , 3, 447-50	349
2023	Restoration of the growth suppression function of mutant p53 by a synthetic peptide derived from the p53 C-terminal domain. 1997 , 3, 632-8	310
2022	Control of telomere length by the human telomeric protein TRF1. 1997 , 385, 740-3	1014
2021	Switching on gene expression. 1997 , 15, 219, 221	12
2020	Memory and behavior: a second generation of genetically modified mice. 1997 , 7, R580-9	52
2019	Generation of mammalian cells with conditional expression of cre recombinase. 1997 , 2, 18-20	1
2018	A highly sensitive cytotoxicity assay based on the release of reporter enzymes, from stably transfected cell lines. 1997 , 204, 89-98	41
2017	Tetracycline-controlled gene expression in <i>Entamoeba histolytica</i> . 1997 , 84, 83-91	76
2016	Replication, expression and segregation of plasmid-borne DNA in genetically transformed malaria parasites. 1997 , 86, 155-62	38
2015	Use of the herpes amplicon system as a vehicle for somatic gene transfer. 1997 , 27, 29-39	4
2014	Regulation of apoptosis and cell cycle arrest by Zac1, a novel zinc finger protein expressed in the pituitary gland and the brain. 1997 , 16, 2814-25	177
2013	The Cln3 cyclin is down-regulated by translational repression and degradation during the G1 arrest caused by nitrogen deprivation in budding yeast. 1997 , 16, 7196-206	133

2012	The human homologue of yeast CRM1 is in a dynamic subcomplex with CAN/Nup214 and a novel nuclear pore component Nup88. 1997 , 16, 807-16	410
2011	DAP-kinase is a Ca ²⁺ /calmodulin-dependent, cytoskeletal-associated protein kinase, with cell death-inducing functions that depend on its catalytic activity. 1997 , 16, 998-1008	332
2010	Conditional control of gene expression in the mammary gland. 1997 , 2, 373-83	19
2009	Inducible knockout of the interleukin-2 receptor alpha chain: expression of the high-affinity IL-2 receptor is not required for the in vitro growth of HTLV-I-transformed cell lines. 1997 , 237, 209-16	16
2008	Regulated expression of plant tRNA genes by the prokaryotic tet and lac repressors. 1997 , 35, 417-24	14
2007	Efficient and inducible production of human interleukin 6 in Chinese hamster ovary cells using a novel expression system. 1997 , 25, 53-60	4
2006	Recent advances in transgenic technology. 1997 , 7, 253-65	5
2005	Strategic gene transfer into the kidney: Current status and prospects. 1997 , 1, 157-178	10
2004	Regulation by tetracycline of gene expression in <i>Saccharomyces cerevisiae</i> . 1997 , 255, 372-5	30
2003	Transgenic animal models: new avenues in cardiovascular physiology. 1997 , 75, 115-29	29
2002	Behavioral phenotypes of inbred mouse strains: implications and recommendations for molecular studies. 1997 , 132, 107-24	1149
2001	Inducible gene expression in mammalian cells and transgenic mice. 1997 , 8, 608-16	108
2000	Controlling mammalian gene expression with small molecules. 1997 , 1, 210-8	81
1999	Overexpression of growth-associated proteins in the neurons of adult transgenic mice. 1997 , 71, 3-9	283
1998	Somatic gene transfer approaches to manipulate neural networks. 1997 , 71, 133-42	15
1997	Prevalence, kinetics, and therapeutic modulation of autoantibodies against Sp100 and promyelocytic leukemia protein in a large cohort of patients with primary biliary cirrhosis. 1997 , 26, 1123-30	77
1996	Ras activation leads to cell proliferation or apoptotic cell death upon interleukin-2 stimulation or lymphokine deprivation, respectively. 1997 , 27, 1610-8	45
1995	Animal models and the molecular pathology of cancer. 1997 , 181, 130-5	7

1994	Evaluation of the tetracycline-repressible transactivator system for inducible gene expression in human prostate cancer cell lines. 1997 , 33, 166-76	12
1993	The AFT1 transcriptional factor is differentially required for expression of high-affinity iron uptake genes in <i>Saccharomyces cerevisiae</i> . 1997 , 13, 621-37	78
1992	A set of vectors with a tetracycline-regulatable promoter system for modulated gene expression in <i>Saccharomyces cerevisiae</i> . 1997 , 13, 837-48	494
1991	Carboxyl terminus of mitotin is sufficient to confer spindle pole localization. 1997 , 66, 441-449	25
1990	Inducible expression of a mutant form of MEK1 in Swiss 3T3 cells. 1997 , 67, 367-377	6
1989	Gene knockout and transgenic technologies in risk assessment: the next generation. 1997 , 20, 262-74	15
1988	Nucleolar localization of the microtubule-associated protein tau in neuroblastomas using sense and anti-sense transfection strategies. 1997 , 38, 100-10	33
1987	The paracrine role of tumour-derived mIL-4 on tumour-associated endothelium. 1997 , 72, 664-72	42
1986	A novel cytostatic process enhances the productivity of Chinese hamster ovary cells. 1997 , 55, 927-39	101
1985	Use of a membrane-localized green fluorescent protein allows simultaneous identification of transfected cells and cell cycle analysis by flow cytometry. 1997 , 29, 286-91	99
1984	An autocatalytic expression system for regulated production of recombinant protein in mammalian cells. 1997 , 252, 286-92	8
1983	Novel cationic liposomes for DNA-transfection with high efficiency and low toxicity. 1997 , 87, 23-9	31
1982	Gene transfer: A prelude to gene therapy. 1998 , 19, 231-242	1
1981	Transactivation by expression of the hepatitis B virus X protein with an inducible system. 1998 , 25, 231-6	1
1980	Transcriptional modulation of foreign gene expression in engineered somatic tissues. 1998 , 14, 83-94	7
1979	New adenovirus vectors for protein production and gene transfer. 1998 , 28, 53-64	48
1978	Regulated multicistronic expression technology for mammalian metabolic engineering. 1998 , 28, 111-26	12
1977	Conditional transgene expression in endothelial cells. 1998 , 7, 421-7	47

1976	Overexpression of a kinase-inactive ATR protein causes sensitivity to DNA-damaging agents and defects in cell cycle checkpoints. 1998 , 17, 159-69	433
1975	RNA stabilization by the AU-rich element binding protein, HuR, an ELAV protein. 1998 , 17, 3461-70	607
1974	The requirement for the p53 proline-rich functional domain for mediation of apoptosis is correlated with specific PIG3 gene transactivation and with transcriptional repression. 1998 , 17, 4668-79	223
1973	Rad51-deficient vertebrate cells accumulate chromosomal breaks prior to cell death. 1998 , 17, 598-608	635
1972	AIM-1: a mammalian midbody-associated protein required for cytokinesis. 1998 , 17, 667-76	327
1971	Epstein-Barr virus-mediated B-cell proliferation is dependent upon latent membrane protein 1, which simulates an activated CD40 receptor. 1998 , 17, 1700-9	363
1970	In vivo analysis of scaffold-associated regions in Drosophila: a synthetic high-affinity SAR binding protein suppresses position effect variegation. 1998 , 17, 2079-85	66
1969	The herpes simplex virus immediate-early protein ICP27 shuttles between nucleus and cytoplasm. 1998 , 242, 128-37	96
1968	Arginine residues in the C-terminus of HIV-1 Vpr are important for nuclear localization and cell cycle arrest. 1998 , 242, 414-24	59
1967	Regulated lentiviral packaging cell line devoid of most viral cis-acting sequences. 1998 , 249, 167-74	47
1966	Higher productivity of growth-arrested Chinese hamster ovary cells expressing the cyclin-dependent kinase inhibitor p27. 1998 , 14, 705-13	88
1965	Phenotypic alterations of small cell lung carcinoma induced by different levels of wild-type p53 expression. 1998 , 5, 148-55	15
1964	Rel blocks both anti-Fas- and TNF alpha-induced apoptosis and an intact Rel transactivation domain is essential for this effect. 1998 , 5, 963-72	38
1963	Drug inducible transgene expression in brain using a herpes simplex virus vector. 1998 , 5, 491-6	65
1962	Highly controlled gene expression using combinations of a tissue-specific promoter, recombinant adenovirus and a tetracycline-regulatable transcription factor. 1998 , 5, 1213-20	44
1961	Transcriptional regulation and induction of apoptosis: implications for the use of monomeric p53 variants in gene therapy. 1998 , 5, 1631-41	2
1960	Inducible long-term gene expression in brain with adeno-associated virus gene transfer. 1998 , 5, 1604-11	94
1959	Regulation of c-myc expression by Ras/Raf signalling. 1998 , 16, 211-6	112

1958	Induction of growth arrest and cell death by overexpression of the cyclin-Cdk inhibitor p21 in hamster BHK21 cells. 1998 , 16, 369-80	48
1957	p21 binding to PCNA causes G1 and G2 cell cycle arrest in p53-deficient cells. 1998 , 16, 311-20	282
1956	p21waf1 can block cells at two points in the cell cycle, but does not interfere with processive DNA-replication or stress-activated kinases. 1998 , 16, 431-41	145
1955	Evaluation of an autoregulatory tetracycline regulated system. 1998 , 16, 1879-84	41
1954	The thiol crosslinking agent diamide overcomes the apoptosis-inhibitory effect of Bcl-2 by enforcing mitochondrial permeability transition. 1998 , 16, 1055-63	141
1953	TGF-beta1 effects on proliferation of rat intestinal epithelial cells are due to inhibition of cyclin D1 expression. 1998 , 16, 3445-54	71
1952	Telomerase activity during spontaneous immortalization of Li-Fraumeni syndrome skin fibroblasts. 1998 , 17, 709-17	49
1951	Peptide containing the BCR oligomerization domain (AA 1-160) reverses the transformed phenotype of p210bcr-abl positive 32D myeloid leukemia cells. 1998 , 17, 825-33	23
1950	The E2F-family proteins induce distinct cell cycle regulatory factors in p16-arrested, U343 astrocytoma cells. 1998 , 17, 867-76	44
1949	Analysis of WT1 target gene expression in stably transfected cell lines. 1998 , 17, 1287-94	28
1948	Expression of Bcl-XS alters cytokinetics and decreases clonogenic survival in K12 rat colon carcinoma cells. 1998 , 17, 2981-91	10
1947	Quiescence versus apoptosis: Myc abundance determines pathway of exit from the cell cycle. 1998 , 17, 1491-501	22
1946	Identification of candidate target genes for EVI-1, a zinc finger oncoprotein, using a novel selection strategy. 1998 , 17, 1527-38	14
1945	Controlled proliferation by multigene metabolic engineering enhances the productivity of Chinese hamster ovary cells. 1998 , 16, 468-72	250
1944	The ins and outs of on and off. 1998 , 16, 516	2
1943	Switching transgene expression in the brain using an adenoviral tetracycline-regulatable system. 1998 , 16, 553-5	130
1942	Regulation of gene expression in vivo following transduction by two separate rAAV vectors. 1998 , 16, 757-61	102
1941	Neutral endopeptidase 24.11 loss in metastatic human prostate cancer contributes to androgen-independent progression. 1998 , 4, 50-7	230

1940	Tetracycline-regulatable factors with distinct dimerization domains allow reversible growth inhibition by p16. 1998 , 20, 389-93	107
1939	Studying development of disease through temporally controlled gene expression in the salivary gland. 1998 , 842, 181-7	7
1938	Inducible knockout strategies to probe the functions of 5-HT receptors. 1998 , 861, 57-66	13
1937	Targeted integration of a recombinant globin gene adeno-associated viral vector into human chromosome 19. 1998 , 850, 163-77	12
1936	Controlling your losses: conditional gene silencing in mammals. 1998 , 14, 73-9	49
1935	A novel RU486 inducible system for the activation and repression of genes. 1998 , 30, 23-31	24
1934	Development of engineered pancreatic beta-cell lines for cell therapy of diabetes. 1998 , 33, 45-52	8
1933	Viral Vectors for Gene Therapy. 1998 , 80, 35-47	379
1932	Repressible antisense inhibition in B lymphocytes. 1998 , 1397, 65-72	1
1931	Overexpression of the transmembrane tyrosine phosphatase LAR activates the caspase pathway and induces apoptosis. 1998 , 8, 247-56	49
1930	Ras-independent activation of Ral by a Ca(2+)-dependent pathway. 1998 , 8, 839-42	66
1929	The Role of Tumor Necrosis Factor- α Receptors in Atherosclerosis. 1998 , 8, 131-8	17
1928	A chromatographic assay for heme oxygenase activity in cultured human cells: application to artificial heme oxygenase overexpression. 1998 , 24, 959-71	22
1927	A single plasmid vector (pSTAR) mediating efficient tetracycline-induced gene expression. 1998 , 259, 187-94	20
1926	Highly controlled heterologous gene expression through combined utilization of the tetracycline-repressible transactivator and the lac repressor. 1998 , 261, 211-8	13
1925	Continuous human cell lines inducibly expressing hepatitis C virus structural and nonstructural proteins. 1998 , 28, 192-201	138
1924	Vascular endothelial growth factor tightly regulates in vivo development of murine hepatocellular carcinoma cells. 1998 , 28, 1489-96	87
1923	pTRIDENT, a novel vector family for tricistronic gene expression in mammalian cells. 1998 , 57, 1-10	65

1922	Escape of autocrine ligands into extracellular medium: Experimental test of theoretical model predictions. 1998 , 57, 571-582	28
1921	The intracellular domain of p55 tumor necrosis factor receptor induces apoptosis which requires different caspases in naive and neuronal PC12 cells. 1998 , 52, 380-9	23
1920	Quantitative control of MHC class II expression by the transactivator CIITA. 1998 , 28, 473-8	108
1919	Retinoblastoma protein tethered to promoter DNA represses TBP-mediated transcription. 1998 , 70, 281-7	15
1918	Doxycycline-induced transgene expression during Drosophila development and aging. 1998 , 258, 571-9	71
1917	Characterization of tTA and its functional domain in tetracycline repressor-mediated gene repression system. 1998 , 21, 320-5	2
1916	Construction of Xenopus (B3.2) and human (HeLa) cell lines expressing the tetracycline-controlled transactivator (tTA). 1998 , 34, 14-5	4
1915	Prospects for gene therapy of insulin-dependent diabetes mellitus. 1998 , 41, 1401-9	39
1914	Expression vectors and delivery systems. 1998 , 9, 447-50	48
1913	Recent advances in inducible gene expression systems. 1998 , 9, 451-6	96
1912	Epstein-Barr virus vectors for gene expression and transfer. 1998 , 9, 476-9	32
1911	Inducible control of gene expression: prospects for gene therapy. 1998 , 2, 512-8	61
1910	Strategies of gene transfer to the kidney. 1998 , 53, 264-72	37
1909	Prospects for the genetic transformation of arthropods. 1998 , 7, 201-13	59
1908	Tetracycline-regulatable expression vectors tightly regulate in vitro gene expression of secreted proteins. 1998 , 221, 279-85	6
1907	Effects of PAX2 expression in a human fetal kidney (HEK293) cell line. 1998 , 1401, 53-62	32
1906	Controlling gene expression in living cells through small molecule-RNA interactions. 1998 , 282, 296-8	326
1905	Recent advances in skeletal-muscle-based gene therapy. 1998 , 8, 360-5	34

1904	Random mutagenesis of human estrogen receptor ligand binding domain identifies mutations that decrease sensitivity to estradiol and increase sensitivity to a diphenol indene-ol compound: basis for a regulatable expression system. 1998 , 64, 129-35	15
1903	Regulation of PAK activation and the T cell cytoskeleton by the linker protein SLP-76. 1998 , 9, 607-16	242
1902	Levels of polyadenylation factor CstF-64 control IgM heavy chain mRNA accumulation and other events associated with B cell differentiation. 1998 , 2, 761-71	176
1901	Inducible and reversible gene expression with the rtTA system for the study of memory. 1998 , 21, 257-65	222
1900	Modulation of hormone-dependent glucocorticoid receptor function using a tetracycline-regulated expression system. 1998 , 64, 1-12	15
1899	Basic science aspects of chronic rejection: induction of protective genes to prevent development of transplant arteriosclerosis. 1998 , 30, 1585-9	6
1898	Restricted and regulated overexpression reveals calcineurin as a key component in the transition from short-term to long-term memory. 1998 , 92, 39-49	313
1897	TRF2 protects human telomeres from end-to-end fusions. 1998 , 92, 401-13	1372
1896	Tumor induction of VEGF promoter activity in stromal cells. 1998 , 94, 715-25	767
1895	Evidence against structural and functional identity of microtubule-associated protein 1B and proteoglycan claustrin. 1998 , 423, 254-8	10
1894	An alternatively spliced form of apobec-1 messenger RNA is overexpressed in human colon cancer. 1998 , 115, 1096-103	29
1893	Novel strategies to probe the functions of serotonin receptors. 1998 , 44, 163-8	24
1892	Induction of Apoptosis by Influenza Virus. 1998 , 8, 491-495	32
1891	Cyclin D expression is controlled post-transcriptionally via a phosphatidylinositol 3-kinase/Akt-dependent pathway. 1998 , 273, 29864-72	376
1890	Overcoming hyperacute xenograft rejection with transgenic animals. 1998 , 9, 219-34	3
1889	AP-1 activity affects the levels of induced erythroid and megakaryocytic differentiation of K562 cells. 1998 , 352, 298-305	14
1888	Generation of recombinant adenovirus vector with infectious adenoviral genome released from cosmid-based vector by simple procedure allowing complex manipulation. 1998 , 246, 868-72	13
1887	Tightly regulated expression of the entire hepatitis C virus structural region in continuous human cell lines. 1998 , 246, 920-4	30

1886	p202 prevents apoptosis in murine AKR-2B fibroblasts. 1998 , 247, 379-82	24
1885	Cre-loxP-mediated DNA flip-flop in mammalian cells leading to alternate expression of retrovirally transduced genes. 1998 , 248, 806-11	6
1884	Conditional expression of the dual-specificity phosphatase PYST1/MKP-3 inhibits phosphorylation of cytosolic phospholipase A2 in Chinese hamster ovary cells. 1998 , 253, 485-8	4
1883	Regulated expression of tissue transglutaminase in Swiss 3T3 fibroblasts: effects on the processing of fibronectin, cell attachment, and cell death. 1998 , 239, 119-38	137
1882	In vivo L-DOPA production by genetically modified primary rat fibroblast or 9L gliosarcoma cell grafts via coexpression of GTPcyclohydrolase I with tyrosine hydroxylase. 1998 , 151, 249-64	46
1881	Ectopic gene expression in Drosophila using GAL4 system. 1998 , 14, 367-79	193
1880	Inducible gene targeting in mice using the Cre/lox system. 1998 , 14, 381-92	549
1879	Controlling gene expression using synthetic ligands. 1998 , 14, 421-9	28
1878	Cloning and characterization of the mouse and rat type II arginase genes. 1998 , 63, 168-75	33
1877	Tetracycline repressor, tetR, rather than the tetR-mammalian cell transcription factor fusion derivatives, regulates inducible gene expression in mammalian cells. 1998 , 9, 1939-50	214
1876	Control of cytoskeletal architecture by the src-suppressed C kinase substrate, SSeCKS. 1998 , 41, 1-17	67
1875	4.3 Transgenic and Knockout Animals in the Study of Bacterial Pathogenesis. 1998 , 27, 83-102	
1874	Ultraviolet-induced cell death blocked by a selenoprotein from a human dermatotropic poxvirus. 1998 , 279, 102-5	143
1873	B-50/GAP-43-induced formation of filopodia depends on Rho-GTPase. 1998 , 9, 1279-92	32
1872	Structural and functional regulation of tight junctions by RhoA and Rac1 small GTPases. 1998 , 142, 101-15	305
1871	Retinoblastoma-related protein pRb2/p130 and suppression of tumor growth in vivo. 1998 , 90, 1451-60	57
1870	Examination of antisense RNA and oligodeoxynucleotides as potential inhibitors of avian leukosis virus replication in RP30 cells. 1998 , 77, 1400-10	1
1869	A reliable way of obtaining stable inducible clones. 1998 , 26, 3443-4	23

1868	SRPK2: a differentially expressed SR protein-specific kinase involved in mediating the interaction and localization of pre-mRNA splicing factors in mammalian cells. 1998 , 140, 737-50	246
1867	Mistargeting of the lectin ERGIC-53 to the endoplasmic reticulum of HeLa cells impairs the secretion of a lysosomal enzyme. 1998 , 142, 377-89	134
1866	Nuclear localization of cyclin B1 controls mitotic entry after DNA damage. 1998 , 141, 875-85	248
1865	Gene trapping identifies inhibitors of oncogenic transformation. The tissue inhibitor of metalloproteinases-3 (TIMP3) and collagen type I alpha2 (COL1A2) are epidermal growth factor-regulated growth repressors. 1998 , 273, 13848-54	36
1864	Selective perturbation of apical membrane traffic by expression of influenza M2, an acid-activated ion channel, in polarized madin-darby canine kidney cells. 1998 , 9, 2477-90	53
1863	Co-trafficking of HFE, a nonclassical major histocompatibility complex class I protein, with the transferrin receptor implies a role in intracellular iron regulation. 1998 , 273, 22068-74	180
1862	Autocrine transforming growth factor alpha provides a growth advantage to malignant cells by facilitating re-entry into the cell cycle from suboptimal growth states. 1998 , 273, 31471-9	32
1861	Selective uptake of low density lipoprotein-cholesteryl ester is enhanced by inducible apolipoprotein E expression in cultured mouse adrenocortical cells. 1998 , 273, 12140-7	34
1860	Novel features of the light chain of microtubule-associated protein MAP1B: microtubule stabilization, self interaction, actin filament binding, and regulation by the heavy chain. 1998 , 143, 695-707	131
1859	An activator/repressor dual system allows tight tetracycline-regulated gene expression in budding yeast. 1998 , 26, 942-7	227
1858	The FGF receptor-1 tyrosine kinase domain regulates myogenesis but is not sufficient to stimulate proliferation. 1998 , 142, 241-50	35
1857	Negative regulation of the heat shock transcriptional response by HSBP1. 1998 , 12, 1962-74	159
1856	Effects of regulated expression of mutant RhoA and Rac1 small GTPases on the development of epithelial (MDCK) cell polarity. 1998 , 142, 85-100	266
1855	Gene therapy with extracellular superoxide dismutase attenuates myocardial stunning in conscious rabbits. 1998 , 98, 1438-48	86
1854	Quantitative assessment of autocrine cell loops. 1999 , 18, 143-54	
1853	Transgene expression in malignant glioma using a replication-defective adenoviral vector containing the Egr-1 promoter: activation by ionizing radiation or uptake of radioactive iododeoxyuridine. 1998 , 9, 1409-17	68
1852	Toxicological comparison of E2a-deleted and first-generation adenoviral vectors expressing alpha1-antitrypsin after systemic delivery. 1998 , 9, 1587-98	108
1851	Inducible gene expression in the nervous system of transgenic mice. 1998 , 21, 377-405	69

1850	Recombinant adeno-associated virus for the generation of autologous, gene-modified tumor vaccines: evidence for a high transduction efficiency into primary epithelial cancer cells. 1998 , 9, 1049-59	29
1849	Properties of PC4 and an RNA polymerase II complex in directing activated and basal transcription in vitro. 1998 , 273, 12492-8	32
1848	Conditional activation of Janus kinase (JAK) confers factor independence upon interleukin-3-dependent cells. Essential role of Ras in JAK-triggered mitogenesis. 1998 , 273, 32297-303	26
1847	Cyclin D3 is rate-limiting for the G1/S phase transition in fibroblasts. 1998 , 273, 14958-61	40
1846	Multiple domains are involved in the targeting of the mouse DNA methyltransferase to the DNA replication foci. 1998 , 26, 1038-45	108
1845	Recruitment of human TBP selectively activates RNA polymerase II TATA-dependent promoters. 1998 , 273, 16509-16	38
1844	Generation of destabilized green fluorescent protein as a transcription reporter. 1998 , 273, 34970-5	600
1843	Graded transcriptional response to different concentrations of a single transactivator. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 13670-5	11.5 91
1842	Stability determinants are localized to the 3'-untranslated region and 3'-coding region of the neurofilament light subunit mRNA using a tetracycline-inducible promoter. 1998 , 273, 12650-4	34
1841	"Tet-on": a gene switch for the exogenous regulation of transgene expression. 1998 , 9, 983-5	10
1840	A novel calcium-independent phospholipase A2, cPLA2-gamma, that is prenylated and contains homology to cPLA2. 1998 , 273, 21926-32	180
1839	Distinct saturable pathways for the endocytosis of different tyrosine motifs. 1998 , 273, 17056-63	97
1838	Timing is everything in life: conditional transgene expression in the cardiovascular system. 1998 , 82, 837-44	37
1837	Self-renewal of pluripotent embryonic stem cells is mediated via activation of STAT3. 1998 , 12, 2048-60	1178
1836	Mobilization of chromatin-bound Mcm proteins by micrococcal nuclease. 1998 , 379, 1181-7	12
1835	Serine phosphorylation of SR proteins is required for their recruitment to sites of transcription in vivo. 1998 , 143, 297-307	217
1834	Redundant and distinct functions for dynamin-1 and dynamin-2 isoforms. 1998 , 143, 1871-81	187
1833	Conditional lineage ablation to model human diseases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 11371-6	11.5 97

1832	Real-time quantitative measurement of autocrine ligand binding indicates that autocrine loops are spatially localized. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 15368-73	11.5	52
1831	Mutational analysis of poliovirus 2Apro. Distinct inhibitory functions of 2Apro on translation and transcription. 1998 , 273, 27960-7		33
1830	A mammalian homolog of fission yeast Cdc5 regulates G2 progression and mitotic entry. 1998 , 273, 4666-71		55
1829	E4orf4, a novel adenovirus death factor that induces p53-independent apoptosis by a pathway that is not inhibited by zVAD-fmk. 1998 , 140, 637-45		193
1828	Mutant Rab7 causes the accumulation of cathepsin D and cation-independent mannose 6-phosphate receptor in an early endocytic compartment. 1998 , 140, 1075-89		231
1827	A cellular model that recapitulates major pathogenic steps of Huntington's disease. 1998 , 7, 1355-61		152
1826	Inducible expression based on regulated recombination: a single vector strategy for stable expression in cultured cells. 1998 , 26, 3263-9		19
1825	Expression of mutant dynamin inhibits toxicity and transport of endocytosed ricin to the Golgi apparatus. 1998 , 140, 553-63		111
1824	Transgenic animals with inducible, targeted gene expression in brain. 1998 , 54, 495-503		162
1823	Up-regulation of p53 by antisense expression of HPV18 E6 oncogene does not influence the level of MN/CA IX tumor-associated protein in HeLa cervical carcinoma cells. 1998 , 13, 1081-6		2
1822	Novel mechanisms of E2F induction by BK virus large-T antigen: requirement of both the pRb-binding and the J domains. 1998 , 18, 1746-56		82
1821	Doxycycline control of prion protein transgene expression modulates prion disease in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 12580-5	11.5	147
1820	Transrepression of c-jun gene expression by the glucocorticoid receptor requires both AP-1 sites in the c-jun promoter. 1998 , 12, 1322-33		48
1819	Recruitment of the TATA-binding protein to the HIV-1 promoter is a limiting step for Tat transactivation. 1998 , 12, 1957-64		19
1818	A broader role for AU-rich element-mediated mRNA turnover revealed by a new transcriptional pulse strategy. 1998 , 26, 558-65		138
1817	Gene therapy for inherited neurological disorders: towards therapeutic intervention in the Lesch-Nyhan syndrome. 1998 , 117, 485-501		7
1816	Enlightening mitosis: construction and expression of green fluorescent fusion proteins. 1999 , 61, 113-35		7
1815	New animal models in target discovery.. 1998 , 203-213		

1814	Posttranscriptional regulation of mRNAs important in T cell function. 1998 , 68, 1-49		20
1813	Coupling of cell growth control and apoptosis functions of Id proteins. 1998 , 18, 2371-81		159
1812	Dual cyclin-binding domains are required for p107 to function as a kinase inhibitor. 1998 , 18, 5380-91		64
1811	Fra-1 induces morphological transformation and increases in vitro invasiveness and motility of epithelioid adenocarcinoma cells. 1998 , 18, 7095-105		165
1810	Controlling signaling with a specifically designed Gi-coupled receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 352-7	11.5	225
1809	Control of retinoblastoma protein-independent hematopoietic cell cycle by the pRB-related p130. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 8574-9	11.5	36
1808	A human homolog of the <i>Saccharomyces cerevisiae</i> REV3 gene, which encodes the catalytic subunit of DNA polymerase zeta. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 6876-80	11.5	287
1807	Involvement of the tyrosine kinase fer in cell adhesion. 1998 , 18, 5762-70		101
1806	Overexpression of the nucleoporin CAN/NUP214 induces growth arrest, nucleocytoplasmic transport defects, and apoptosis. 1998 , 18, 1236-47		100
1805	Two members of the Tcf family implicated in Wnt/beta-catenin signaling during embryogenesis in the mouse. 1998 , 18, 1248-56		293
1804	mcl-1 is an immediate-early gene activated by the granulocyte-macrophage colony-stimulating factor (GM-CSF) signaling pathway and is one component of the GM-CSF viability response. 1998 , 18, 4883-98		172
1803	Tetracycline-regulated suppression of amber codons in mammalian cells. 1998 , 18, 4418-25		15
1802	Stress-induced Fas ligand expression in T cells is mediated through a MEK kinase 1-regulated response element in the Fas ligand promoter. 1998 , 18, 5414-24		179
1801	Virus-dependent phosphorylation of the IRF-3 transcription factor regulates nuclear translocation, transactivation potential, and proteasome-mediated degradation. 1998 , 18, 2986-96		745
1800	Deregulation of poly(A) polymerase interferes with cell growth. 1998 , 18, 5010-20		45
1799	Requirement of cyclin E-Cdk2 inhibition in p16(INK4a)-mediated growth suppression. 1998 , 18, 5284-90		111
1798	Identification of beta1C-2, a novel variant of the integrin beta1 subunit generated by utilization of an alternative splice acceptor site in exon C. 1998 , 330 (Pt 3), 1255-63		23
1797	Mammalian expression of transmembrane receptors for pharmaceutical applications. 1998 , 26, 699-704		8

1796	Screening for positive transfected clones with coexpressed green fluorescent protein. 1998 , 24, 52, 54-5	3
1795	A regulatory system for target gene expression. 1998 , 3, c1-7	34
1794	Inducible expression of protein kinase Calpha suppresses steroidogenesis in Y-1 adrenocortical cells. 1998 , 275, C780-9	33
1793	Secondary Mutation Maintains the Transformed State in BaF3 Cells With Inducible BCR/ABL Expression. 1998 , 91, 3927-3934	100
1792	Adenovirus endocytosis requires actin cytoskeleton reorganization mediated by Rho family GTPases. 1998 , 72, 8806-12	203
1791	Gene transfer into the adult kidney for unravelling disease processes. 1998 , 6, 429-37	3
1790	Transgenic models in renal tubular physiology. 1998 , 6, 438-46	9
1789	Transgene regulation by the tetracycline-controlled transactivation system. 1998 , 6, 576-80	4
1788	Using knockout and transgenic mice to study neurophysiology and behavior. 1998 , 78, 1131-63	155
1787	Lac/Tet dual-inducible system functions in mammalian cell lines. 1998 , 24, 624-8, 630-2	16
1786	Overexpression of protein kinase C-delta increases tight junction permeability in LLC-PK1 epithelia. 1998 , 275, C544-54	53
1785	Rapid recruitment of macrophages in interleukin-12-mediated tumour regression. 1998 , 95, 156-63	27
1784	Expression of an AQP2 Cre recombinase transgene in kidney and male reproductive system of transgenic mice. 1998 , 275, C216-26	119
1783	Inhibition of cyclic AMP-dependent kinase by expression of a protein kinase inhibitor/enhanced green fluorescent fusion protein attenuates angiotensin II-induced type 1 AT1 receptor mRNA down-regulation in vascular smooth muscle cells. 1998 , 54, 514-24	18
1782	Plasmid harboring lac repressor and tTA activator genes can regulate two inducible genes in mammalian cells. 1999 , 27, 466-9	3
1781	Use and pharmacological analysis of established and transfected cell lines expressing adrenergic receptors. 2000 , 126, 221-34	1
1780	Overexpression of p21(waf1) decreases G2-M arrest and apoptosis induced by paclitaxel in human sarcoma cells lacking both p53 and functional Rb protein. 1999 , 55, 1088-93	41
1779	N-linked glycosylation is required for plasma membrane localization of D5, but not D1, dopamine receptors in transfected mammalian cells. 1999 , 56, 1071-8	58

1778	The stability and fate of a spliced intron from vertebrate cells. 1999 , 5, 206-20	68
1777	Fibroblast growth factor-2 activates a latent neurogenic program in neural stem cells from diverse regions of the adult CNS. 1999 , 19, 8487-97	779
1776	Differential display combined with a regulated transient expression system. 1999 , 26, 1018-20	2
1775	Eukaryotic conditional expression system. 1999 , 27, 106-10	4
1774	Expression of rab11a N124I in gastric parietal cells inhibits stimulatory recruitment of the H ⁺ -K ⁺ -ATPase. 1999 , 277, C361-72	90
1773	Relationship between internalization and mRNA decay in down-regulation of recombinant type 1 angiotensin II receptor (AT1) expression in smooth muscle cells. 1999 , 55, 1028-36	22
1772	Functional analysis of newly discovered growth control genes: experimental approaches. 1999 , 32, 867-75	
1771	Transfer of genetically engineered cells to the glomerulus. 1999 , 7, 259-66	2
1770	Apoptosis induced by the histone deacetylase inhibitor sodium butyrate in human leukemic lymphoblasts. 1999 , 13, 1991-2001	107
1769	Expression of Green Fluorescent Protein in Oligodendrocytes in a Time- and Level-Controllable Fashion with a Tetracycline-Regulated System. 1999 , 5, 129-137	22
1768	Two distinct SECIS structures capable of directing selenocysteine incorporation in eukaryotes. 1999 , 5, 625-35	123
1767	A packaging cell line for lentivirus vectors. 1999 , 73, 576-84	235
1766	Mutation in neurofilament transgene implicates RNA processing in the pathogenesis of neurodegenerative disease. 1999 , 19, 1273-83	39
1765	Expression of hepatitis C virus proteins inhibits signal transduction through the Jak-STAT pathway. 1999 , 73, 8469-75	241
1764	Modulation of cisplatin cytotoxicity by p53: effect of p53-mediated apoptosis and DNA repair. 1999 , 56, 966-72	40
1763	CrkL Activates Integrin-Mediated Hematopoietic Cell Adhesion Through the Guanine Nucleotide Exchange Factor C3G. 1999 , 93, 3713-3722	83
1762	HFE Downregulates Iron Uptake From Transferrin and Induces Iron-Regulatory Protein Activity in Stably Transfected Cells. 1999 , 94, 3915-3921	79
1761	Use of an internal ribosome entry site for bicistronic expression of Cre recombinase or rtTA transactivator. 1999 , 27, 1552-4	12

1760	Induced focal adhesion kinase (FAK) expression in FAK-null cells enhances cell spreading and migration requiring both auto- and activation loop phosphorylation sites and inhibits adhesion-dependent tyrosine phosphorylation of Pyk2. 1999 , 19, 4806-18		339
1759	A general strategy to enhance the potency of chimeric transcriptional activators. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 13898-903	11.5	20
1758	Apoptotic proteolytic cleavage of the presenilins by caspases. 2000 , 32, 309-16		1
1757	High-throughput functional detection of NMDA receptor activity. 1999 , 128, 179-88		3
1756	High level expression of expanded full-length ataxin-3 in vitro causes cell death and formation of intranuclear inclusions in neuronal cells. 1999 , 8, 1169-76		57
1755	Cre recombinase mediated alterations of the mouse genome using embryonic stem cells. 1999 , 97, 101-22		10
1754	Cell cycle arrest and astrocytic differentiation resulting from PTEN expression in glioma cells. 1999 , 91, 822-30		35
1753	Post-transcriptional regulation of the arginine transporter Cat-1 by amino acid availability. 1999 , 274, 30424-32		67
1752	Inducible gene knockouts in the small intestinal and colonic epithelium. 1999 , 274, 38071-82		162
1751	Ras family GTPases control growth of astrocyte processes. 1999 , 10, 1665-83		59
1750	The function of HSP72 in suppression of c-Jun N-terminal kinase activation can be dissociated from its role in prevention of protein damage. 1999 , 274, 20223-8		62
1749	Tetracycline-inducible expression systems with reduced basal activity in mammalian cells. 1999 , 27, 708-10		108
1748	Generation of conditional mutants in higher eukaryotes by switching between the expression of two genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 1013-8	11.5	104
1747	Toll-like receptor-2 mediates mycobacteria-induced proinflammatory signaling in macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 14459-63	11.5	650
1746	Expression of BRC repeats in breast cancer cells disrupts the BRCA2-Rad51 complex and leads to radiation hypersensitivity and loss of G(2)/M checkpoint control. 1999 , 274, 32931-5		154
1745	Long-term doxycycline-controlled expression of human tyrosine hydroxylase after direct adenovirus-mediated gene transfer to a rat model of Parkinson's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 12120-5	11.5	79
1744	c-Jun triggers apoptosis in human vascular endothelial cells. 1999 , 85, 387-93		69
1743	Vaccine candidate MSP-1 from Plasmodium falciparum: a redesigned 4917 bp polynucleotide enables synthesis and isolation of full-length protein from Escherichia coli and mammalian cells. 1999 , 27, 1094-103		56

1742	Nrf2, a Cap'n'Collar transcription factor, regulates induction of the heme oxygenase-1 gene. 1999 , 274, 26071-8		1003
1741	Adenovirus-mediated overexpression of c-Jun and c-Fos induces intercellular adhesion molecule-1 and monocyte chemoattractant protein-1 in human endothelial cells. 1999 , 19, 2078-84		60
1740	SHP1 protein tyrosine phosphatase negatively modulates erythroid differentiation and suppression of apoptosis in J2E erythroleukemic cells. 1999 , 380, 1201-9		30
1739	Can exogenous stem cells be used in transplantation?. 1999 , 165, 237-45		19
1738	Comparative analysis of p73 and p53 regulation and effector functions. 1999 , 147, 823-30		67
1737	Transferrin receptor is negatively modulated by the hemochromatosis protein HFE: implications for cellular iron homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 5434-9	11.5	136
1736	Rapid characterization of green fluorescent protein fusion proteins on the molecular and cellular level by fluorescence correlation microscopy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 10123-8	11.5	117
1735	RB-mediated suppression of spontaneous multiple neuroendocrine neoplasia and lung metastases in Rb+/- mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 3916-21	11.5	106
1734	A beta-tubulin leucine cluster involved in microtubule assembly and paclitaxel resistance. 1999 , 274, 23875-82		112
1733	Effect of differential polyadenylation and cell growth phase on dihydrofolate reductase mRNA stability. 1999 , 274, 27807-14		15
1732	The lck SH3 domain is required for activation of the mitogen-activated protein kinase pathway but not the initiation of T-cell antigen receptor signaling. 1999 , 274, 5146-52		51
1731	Regulation of gamma-glutamylcysteine synthetase subunit gene expression by the transcription factor Nrf2. 1999 , 274, 33627-36		481
1730	Inhibition of luciferase expression by synthetic hammerhead ribozymes and their cellular uptake. 1999 , 27, 3159-67		29
1729	Effects of overexpression of PTP36, a putative protein tyrosine phosphatase, on cell adhesion, cell growth, and cytoskeletons in HeLa cells. 1999 , 274, 12905-9		33
1728	Distinct calcium-dependent pathways of epidermal growth factor receptor transactivation and PYK2 tyrosine phosphorylation in PC12 cells. 1999 , 274, 20989-96		90
1727	Regulated expression of HIV-1 Rev function in mammalian cell lines. 1999 , 45, 480-490		6
1726	Gene therapy for arthritis 1996 - 1999. 1999 , 9, 1491-1498		2
1725	Characterization of NFkappaB activation by detection of green fluorescent protein-tagged IkappaB degradation in living cells. 1999 , 274, 21244-50		28

1724	Dissociation of apoptosis from proliferation, protein kinase B activation, and BAD phosphorylation in interleukin-3-mediated phosphoinositide 3-kinase signaling. 1999 , 274, 10633-40		87
1723	Differential immediate early gene expression in conditional hepatitis B virus pX-transforming versus nontransforming hepatocyte cell lines. 1999 , 274, 2327-36		59
1722	Transgenic mice demonstrate AP-1 (activator protein-1) transactivation is required for tumor promotion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 9827-32	11.5	346
1721	Expression of glucosylceramide synthase, converting ceramide to glucosylceramide, confers adriamycin resistance in human breast cancer cells. 1999 , 274, 1140-6		213
1720	Cloning and expression of the chicken type 2 iodothyronine 5'-deiodinase. 1999 , 274, 13768-76		58
1719	Host-cell positive transcription elongation factor b kinase activity is essential and limiting for HIV type 1 replication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 7208-13	11.5	61
1718	T cell factor-activated transcription is not sufficient to induce anchorage-independent growth of epithelial cells expressing mutant beta-catenin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 4947-52	11.5	57
1717	Physical interaction and functional antagonism between the RNA polymerase II elongation factor ELL and p53. 1999 , 274, 17003-10		43
1716	Inducible expression of protein kinase CK2 in mammalian cells. Evidence for functional specialization of CK2 isoforms. 1999 , 274, 14406-14		80
1715	Tet B or not tet B: advances in tetracycline-inducible gene expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 797-9	11.5	104
1714	Smad4/DPC4 silencing and hyperactive Ras jointly disrupt transforming growth factor-beta antiproliferative responses in colon cancer cells. 1999 , 274, 33637-43		121
1713	DAP-kinase participates in TNF-alpha- and Fas-induced apoptosis and its function requires the death domain. 1999 , 146, 141-8		241
1712	Toward autologous ex vivo gene therapy for the central nervous system with human adult astrocytes. 1999 , 10, 271-80		42
1711	Use of the human EF-1alpha promoter for expression can significantly increase success in establishing stable cell lines with consistent expression: a study using the tetracycline-inducible system in human cancer cells. 1999 , 27, 4775-82		63
1710	Brain-derived neurotrophic factor induces phosphorylation of fibroblast growth factor receptor substrate 2. 1999 , 274, 11321-7		27
1709	STAT3 activation in stromal/osteoblastic cells is required for induction of the receptor activator of NF-kappaB ligand and stimulation of osteoclastogenesis by gp130-utilizing cytokines or interleukin-1 but not 1,25-dihydroxyvitamin D3 or parathyroid hormone. 1999 , 274, 19301-8		241
1708	p53 negatively regulates cdc2 transcription via the CCAAT-binding NF-Y transcription factor. 1999 , 274, 29677-82		130
1707	Identification and classification of p53-regulated genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 14517-22	11.5	386

1706	Overexpression of RelA causes G1 arrest and apoptosis in a pro-B cell line. 1999 , 274, 8708-16	38
1705	WD repeats of the p48 subunit of chicken chromatin assembly factor-1 required for in vitro interaction with chicken histone deacetylase-2. 1999 , 274, 16646-53	25
1704	Transgenic Animal Models for the Study of Inherited Retinal Dystrophies. 1999 , 40, 51-58	12
1703	Engineering temperature-sensitive SH3 domains. 1999 , 6, 679-87	9
1702	Antisense-induced reduction of presenilin 1 expression selectively increases the production of amyloid beta42 in transfected cells. 1999 , 73, 2383-8	44
1701	Technical advance: transcriptional activator TGV mediates dexamethasone-inducible and tetracycline-inactivatable gene expression. 1999 , 19, 87-95	78
1700	Triggering of neuronal cell death by accumulation of activated SEK1 on nuclear polyglutamine aggregations in PML bodies. 1999 , 4, 743-56	50
1699	Cytomegalovirus US2 destroys two components of the MHC class II pathway, preventing recognition by CD4+ T cells. 1999 , 5, 1039-43	217
1698	The Toll-like receptor 2 is recruited to macrophage phagosomes and discriminates between pathogens. 1999 , 402, 39-43	8
1697	The right time and place for molecular scissors. 1999 , 17, 1062-3	5
1696	Temporal, spatial, and cell type-specific control of Cre-mediated DNA recombination in transgenic mice. 1999 , 17, 1091-6	198
1695	Genetically engineered pancreatic beta-cell lines for cell therapy of diabetes. 1999 , 875, 286-93	23
1694	A paradigm for cancer treatment using the retinoblastoma gene in a mouse model. 1999 , 886, 12-22	5
1693	Studies on conditional gene expression in the brain. 1999 , 868, 27-37	18
1692	Walking through the forest of transgenic models of human disease. 1999 , 169, 5-10	15
1691	The Toll-like receptor 2 is recruited to macrophage phagosomes and discriminates between pathogens. 1999 , 401, 811-5	1185
1690	Deregulated cyclin E induces chromosome instability. 1999 , 401, 297-300	590
1689	Conditional expression and signaling of a specifically designed Gi-coupled receptor in transgenic mice. 1999 , 17, 165-9	165

1688	Engineered glycoforms of an antineuroblastoma IgG1 with optimized antibody-dependent cellular cytotoxic activity. 1999 , 17, 176-80	648
1687	Piecing together more efficient gene expression. 1999 , 17, 224-5	12
1686	A single adenovirus vector mediates doxycycline-controlled expression of tyrosine hydroxylase in brain grafts of human neural progenitors. 1999 , 17, 349-54	98
1685	The temporal requirement for endothelin receptor-B signalling during neural crest development. 1999 , 402, 496-501	296
1684	In vivo manipulation of interleukin-2 expression by a retroviral tetracycline (tet)-regulated system. 1999 , 6, 139-46	10
1683	Control of parvovirus DNA replication by a tetracycline-regulated repressor. 1999 , 6, 309-13	6
1682	Repetitive, non-invasive imaging of the dopamine D2 receptor as a reporter gene in living animals. 1999 , 6, 785-91	329
1681	Promoter-activated expression of nerve growth factor for treatment of neurodegenerative diseases. 1999 , 6, 1648-60	30
1680	Bcl-2 interferes with the execution phase, but not upstream events, in glucocorticoid-induced leukemia apoptosis. 1999 , 18, 713-9	48
1679	Association with E2F-1 governs intracellular trafficking and polyubiquitination of DP-1. 1999 , 18, 593-605	21
1678	A tumor specific single chain antibody dependent gene expression system. 1999 , 18, 559-64	7
1677	P53-dependent effects of RAS oncogene on chromosome stability and cell cycle checkpoints. 1999 , 18, 3135-42	37
1676	Alternate choice of initiation codon produces a biologically active product of the von Hippel Lindau gene with tumor suppressor activity. 1999 , 18, 1529-35	111
1675	The presence of the Rb c-box peptide in the cytoplasm inhibits p210bcr-abl transforming function. 1999 , 18, 1589-95	7
1674	Overexpression of D-type cyclins, E2F-1, SV40 large T antigen and HPV16 E7 rescue cell cycle arrest of tsBN462 cells caused by the CCG1/TAF(II)250 mutation. 1999 , 18, 1797-806	18
1673	p53 inhibits entry into mitosis when DNA synthesis is blocked. 1999 , 18, 283-95	66
1672	Effects of chromosomal integration site upon p53 interactions with DNA consensus sequence homologies. 1999 , 18, 2373-9	5
1671	p21Waf1/Cip1/Sdi1 induces permanent growth arrest with markers of replicative senescence in human tumor cells lacking functional p53. 1999 , 18, 2789-97	158

1670	The transmembrane protein tyrosine phosphatase RPTPsigma modulates signaling of the epidermal growth factor receptor in A431 cells. 1999 , 18, 4069-79	77
1669	c-Myc does not prevent glucocorticoid-induced apoptosis of human leukemic lymphoblasts. 1999 , 18, 4626-31	22
1668	Inhibition of pp60c-Src reduces Bcl-XL expression and reverses the transformed phenotype of cells overexpressing EGF and HER-2 receptors. 1999 , 18, 4654-62	191
1667	Anti-apoptotic activity of p53 maps to the COOH-terminal domain and is retained in a highly oncogenic natural mutant. 1999 , 18, 4699-709	19
1666	Overexpressed BCL6 (LAZ3) oncoprotein triggers apoptosis, delays S phase progression and associates with replication foci. 1999 , 18, 5063-75	57
1665	Conditional transformation of rat embryo fibroblast cells by a cyclin D1-cdk4 fusion gene. 1999 , 18, 6343-56	19
1664	The alpha isoform of protein kinase C mediates phorbol ester-induced growth inhibition and p21cip1 induction in HC11 mammary epithelial cells. 1999 , 18, 6658-66	32
1663	Extinction of E-cadherin expression in breast cancer via a dominant repression pathway acting on proximal promoter elements. 1999 , 18, 7274-9	94
1662	Pharmacological similarities between native brain and heterologously expressed alpha4beta2 nicotinic receptors. 1999 , 128, 1291-9	27
1661	Tumor necrosis factor-alpha and the progression of diabetes in non-obese diabetic mice. 1999 , 169, 11-22	63
1660	Regulatable expression of the interferon-induced double-stranded RNA dependent protein kinase PKR induces apoptosis and fas receptor expression. 1999 , 256, 322-9	70
1659	Tetracycline-mediated regulation of gene expression within the human cytomegalovirus genome. 1999 , 258, 295-303	11
1658	Assessing viral gene therapy in neuroendocrine models. 1999 , 20, 296-316	14
1657	Conditional cell transformation by doxycycline-controlled expression of the MC29 v-myc allele. 1999 , 253, 193-207	25
1656	Advanced transgenic and gene-targeting approaches. 1999 , 24, 1181-8	29
1655	Identification of the histamine H1 receptor gene as a differentially repressed target of the human TR2 orphan receptor. 1999 , 194, 199-207	13
1654	Codon optimization, genetic insulation, and an rtTA reporter improve performance of the tetracycline switch. 1999 , 8, 371-81	42
1653	In vivo newly translated polypeptides are sequestered in a protected folding environment. 1999 , 18, 85-95	249

1652	CENP-C is necessary but not sufficient to induce formation of a functional centromere. 1999 , 18, 4196-209	90
1651	Increased apoptosis induction by 121F mutant p53. 1999 , 18, 4424-37	94
1650	The p38 MAP kinase pathway signals for cytokine-induced mRNA stabilization via MAP kinase-activated protein kinase 2 and an AU-rich region-targeted mechanism. 1999 , 18, 4969-80	647
1649	Ref-1 regulates the transactivation and pro-apoptotic functions of p53 in vivo. 1999 , 18, 5609-21	184
1648	Constitutive silencing of IFN-beta promoter is mediated by NRF (NF-kappaB-repressing factor), a nuclear inhibitor of NF-kappaB. 1999 , 18, 6415-25	86
1647	Efficient and regulated erythropoietin production by naked DNA injection and muscle electroporation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 6417-22	11.5 294
1646	Functional evidence for a role of combined CDKN2A (p16-p14(ARF))/CDKN2B (p15) gene inactivation in malignant gliomas. 1999 , 98, 444-52	37
1645	Creation of ecdysone receptor chimeras in plants for controlled regulation of gene expression. 1999 , 261, 546-52	41
1644	Analysis of recombinant merozoite surface protein-1 of Plasmodium falciparum expressed in mammalian cells. 1999 , 104, 171-83	11
1643	Genetic optimization of recombinant glycoprotein production by mammalian cells. 1999 , 17, 35-42	96
1642	An inducible cell model for studies of V(D)J recombinational control. 1999 , 224, 25-9	7
1641	Genetic approaches to memory storage. 1999 , 15, 463-70	218
1640	Initiation of a process of differentiation by stable transfection of ob17 preadipocytes with the cDNA of human A1 adenosine receptor. 1999 , 58, 167-70	13
1639	DeltaFosB: a molecular mediator of long-term neural and behavioral plasticity. 1999 , 835, 10-7	186
1638	Inducible, heterologous expression of human alpha7-nicotinic acetylcholine receptors in a native nicotinic receptor-null human clonal line. 1999 , 825, 172-9	51
1637	Development of an inducible NMDA receptor stable cell line with an intracellular Ca ²⁺ reporter. 1999 , 366, 319-28	6
1636	A tetracycline-responsive β -galactosidase mammalian expression vector. 1999 , 4, 21-24	
1635	MDM2 and MDMX bind and stabilize the p53-related protein p73. 1999 , 9, 829-32	105

1634	Control of cell growth by c-Myc in the absence of cell division. 1999 , 9, 1255-8	238
1633	Dynamic redistribution of STAT1 protein in IFN signaling visualized by GFP fusion proteins. 1999 , 260, 137-44	55
1632	Down-regulation of endothelial cell growth inhibitors by enhanced MYCN oncogene expression in human neuroblastoma cells. 1999 , 263, 757-64	46
1631	A simple method to measure the absolute heat capacity of proteins. 1999 , 270, 336-8	27
1630	GFPcre fusion vectors with enhanced expression. 1999 , 270, 334-6	47
1629	Characterization of the effects of hepatitis C virus nonstructural 5A protein expression in human cell lines and on interferon-sensitive virus replication. 1999 , 29, 1262-71	132
1628	Conversion of C57Bl/6 mice from a tumor promotion resistant to a sensitive phenotype by enhanced ornithine decarboxylase expression. 1999 , 26, 32-36	25
1627	A computer-assisted two-dimensional gel electrophoresis approach for studying the variations in protein expression related to an induced functional repression of NFkappaB in lymphoblastoid cell lines. 1999 , 20, 1017-26	21
1626	Activities of the EM10 protein from Echinococcus multilocularis in cultured mammalian cells demonstrate functional relationships to ERM family members. 1999 , 42, 178-88	16
1625	Dose-dependent reduction of apoptosis in nutrient-limited cultures of NS/0 myeloma cells transfected with the E1B-19K adenoviral gene. 1999 , 63, 516-28	30
1624	Influence of low temperature on productivity, proteome and protein phosphorylation of CHO cells. 1999 , 63, 573-82	208
1623	Serum protects protein-free competent Chinese hamster ovary cells against apoptosis induced by nutrient deprivation in batch culture. 1999 , 64, 108-19	57
1622	A novel autoregulated proliferation-controlled production process using recombinant CHO cells. 1999 , 65, 144-150	43
1621	Tetracycline-Regulated overexpression of glycosyltransferases in Chinese hamster ovary cells. 1999 , 65, 542-549	27
1620	A tetracycline controlled activation/repression system with increased potential for gene transfer into mammalian cells. 1999 , 1, 4-12	233
1619	Animal Cell Biotechnology. 1999 ,	6
1618	Alzheimer's Disease. 1999 ,	
1617	Tetracycline-controlled expression of glycosylated porcine interferon-gamma in mammalian cells. 1999 , 10, 63-79	10

1616	Phenotypic differentiation without permanent cell-cycle arrest by skeletal myocytes with deregulated E2F-1. 1999 , 18, 305-14	7
1615	Simple and fast method to test the receptor for advanced glycosylated endproducts (RAGE) for its tumor suppressive potential using the Tet-On system. 1999 , 19, 717-28	3
1614	Nuclear localization of the p120(ctn) Armadillo-like catenin is counteracted by a nuclear export signal and by E-cadherin expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 7980-5	11.5 137
1613	Overexpression of sense or antisense human gastrin mRNA does not affect proliferation of normal rat kidney fibroblasts. 1999 , 31, 509-18	1
1612	Increased SPARC expression promotes U87 glioblastoma invasion in vitro. 1999 , 17, 463-72	78
1611	Inhibition of allergic inflammation in a murine model of asthma by expression of a dominant-negative mutant of GATA-3. 1999 , 11, 473-82	273
1610	Reversible tumorigenesis by MYC in hematopoietic lineages. 1999 , 4, 199-207	721
1609	Overexpression of a C-terminal fragment of presenilin 1 delays anti-Fas induced apoptosis in Jurkat cells. 1999 , 263, 65-8	15
1608	Avian B cell development: lessons from transgenic models. 1999 , 72, 31-7	9
1607	Use of a recombinant parvovirus to facilitate screening for human melanoma cell clones expressing tetracycline-responsive transactivators. 1999 , 229, 125-9	3
1606	Efficient control of tetracycline-responsive gene expression from an autoregulated bi-directional expression vector. 1999 , 229, 21-9	119
1605	Glomerulosclerosis, tubulointerstitial fibrosis, and obstructive uropathy in PEPCK-TGF-beta1 transgenic mice. 1999 , 34, 177-83	2
1604	Authors' reply:. 1999 , 34, 180-183	0
1603	Induction of human cytomegalovirus (HCMV)-glycoprotein B (gB)-specific neutralizing antibody and phosphoprotein 65 (pp65)-specific cytotoxic T lymphocyte responses by naked DNA immunization. 1999 , 17, 50-8	43
1602	cis-acting regulatory elements in the GAP-43 mRNA 3'-untranslated region can function in trans to suppress endogenous GAP-43 gene expression. 1999 , 65, 52-60	8
1601	Transgene Expression in the Moss <i>Ceratodon purpureus</i> . 1999 , 154, 641-650	25
1600	Functional determinants for the tetracycline-dependent transactivator tTA in transgenic mouse embryos. 1999 , 83, 141-53	17
1599	Integrational plasmids for the tetracycline-regulated expression of genes in <i>Streptococcus pneumoniae</i> . 1999 , 226, 243-51	49

1598	Genetically modified mice in neuropharmacology. 1999 , 39, 405-19	17
1597	Tetracycline-controlled expression but not toxicity of an attenuated diphtheria toxin mutant. 1999 , 64, 1719-24	17
1596	Transgenic animals relevant to Alzheimer's disease. 1999 , 38, 1-17	52
1595	Human CRF2 alpha and beta splice variants: pharmacological characterization using radioligand binding and a luciferase gene expression assay. 1999 , 38, 441-8	47
1594	p24 and p23, the major transmembrane proteins of COPI-coated transport vesicles, form hetero-oligomeric complexes and cycle between the organelles of the early secretory pathway. 1999 , 447, 179-85	67
1593	Apoptosis induced by growth factor withdrawal in fibroblasts overproducing fructose 2,6-bisphosphate. 1999 , 448, 239-43	21
1592	A 45 amino acid residue domain necessary and sufficient for proteolytic cleavage of the MAP1B polyprotein precursor. 1999 , 451, 15-8	14
1591	Identification of new tumor suppressor genes based on in vivo functional inactivation of a candidate gene. 1999 , 451, 289-94	11
1590	Inhibition of Bcl-2-dependent cell survival by a caspase inhibitor: a possible new pathway for Bcl-2 to regulate cell death. 1999 , 460, 203-6	13
1589	Induction of GADD45 and JNK/SAPK-dependent apoptosis following inducible expression of BRCA1. 1999 , 97, 575-86	493
1588	Fetal anemia and apoptosis of red cell progenitors in Stat5a ^{-/-} 5b ^{-/-} mice: a direct role for Stat5 in Bcl-X(L) induction. 1999 , 98, 181-91	628
1587	The human cytomegalovirus chemokine receptor US28 mediates vascular smooth muscle cell migration. 1999 , 99, 511-20	357
1586	Myocardial protection: is there a role for gene therapy?. 1999 , 68, 1924-8	13
1585	Genetic approaches to studying norepinephrine function: knockout of the mouse norepinephrine transporter gene. 1999 , 46, 1124-30	64
1584	HSV-1-based vectors for gene therapy of neurological diseases and brain tumors: part II. Vector systems and applications. 1999 , 1, 402-16	52
1583	Rapid production of retroviruses for efficient gene delivery to mammalian cells using 293T cell-based systems. 2001 , Chapter 10, Unit 10.17C	199
1582	Recent developments in gene therapy: applications for the treatment of pituitary tumours. 1999 , 13, 431-49	1
1581	Rel/NF-kappaB can trigger the Notch signaling pathway by inducing the expression of Jagged1, a ligand for Notch receptors. 1999 , 18, 2803-11	163

1580	The rab7 GTPase controls the maturation of Salmonella typhimurium-containing vacuoles in HeLa cells. 1999 , 18, 4394-403	189
1579	Mammalian TAF(II)30 is required for cell cycle progression and specific cellular differentiation programmes. 1999 , 18, 4823-34	81
1578	Inhibition of the receptor-binding function of clathrin adaptor protein AP-2 by dominant-negative mutant mu2 subunit and its effects on endocytosis. 1999 , 18, 2489-99	195
1577	Peptide-oligonucleotide phosphorothioate conjugates with membrane translocation and nuclear localization properties. 1999 , 10, 598-606	67
1576	Efficient discrimination between different densities of target antigen by tetracycline-regulatable T bodies. 1999 , 10, 559-63	20
1575	RAP1A GTP/GDP cycles determine the intracellular location of the late endocytic compartments and contribute to myogenic differentiation. 1999 , 246, 56-68	12
1574	Ornithine decarboxylase is a transcriptional target of tumor suppressor WT1. 1999 , 247, 257-66	26
1573	An inhibitor of nuclear export activates the p53 response and induces the localization of HDM2 and p53 to U1A-positive nuclear bodies associated with the PODs. 1999 , 248, 457-72	123
1572	Differential responses of proliferating versus quiescent cells to adriamycin. 1999 , 250, 131-41	69
1571	p21 promotes ceramide-induced apoptosis and antagonizes the antideath effect of Bcl-2 in human hepatocarcinoma cells. 1999 , 253, 403-12	79
1570	Progress in direct striatal delivery of L-dopa via gene therapy for treatment of Parkinson's disease using recombinant adeno-associated viral vectors. 1999 , 159, 47-64	33
1569	Transcriptional pulsing approaches for analysis of mRNA turnover in mammalian cells. 1999 , 17, 11-20	65
1568	Antisense transgenics in animals. 1999 , 18, 304-10	13
1567	Using inducible vectors to study intracellular trafficking of GFP-tagged steroid/nuclear receptors in living cells. 1999 , 19, 386-93	77
1566	Rapid selection of tetracycline-controlled inducible cell lines using a green fluorescent-transactivator fusion protein. 1999 , 257, 874-8	10
1565	PPARgamma ligand-dependent induction of STAT1, STAT5A, and STAT5B during adipogenesis. 1999 , 262, 216-22	62
1564	Involvement of the Sp1 site in ras-mediated downregulation of the RECK metastasis suppressor gene. 1999 , 264, 668-75	88
1563	Inhibition of kit expression in P815 mouse mastocytoma cells by a hammerhead ribozyme. 1999 , 93, 46-58	4

1562	Concerted overexpression of the genes encoding p21 and cyclin D1 is associated with growth inhibition and differentiation in various carcinomas. 1999 , 52, 78-83	28
1561	Chapter 3.1.3 Brain region-specific and temporally restricted gene knockout using the Cre recombinase system. 1999 , 13, 282-290	0
1560	Chapter 3.1.4 Regulated temporal and spatial expression of mutants of CaMKII and calcineurin with the tetracycline-controlled transactivator (tTA) and reverse tTA (rtTA) systems. 1999 , 13, 291-304	1
1559	Chapter 3.2.2 Adenovirus vectors for gene transfer into the central nervous system. 1999 , 396-414	
1558	Chapter 3.2.3 Regulatable adenoviral technology in behavioural neuroscience. 1999 , 13, 415-424	2
1557	An antiprogestin regulable gene switch for induction of gene expression in vivo. 2000 , 47, 343-55	10
1556	Human SWI-SNF component BRG1 represses transcription of the c-fos gene. 1999 , 19, 2724-33	122
1555	SOCS-3 is tyrosine phosphorylated in response to interleukin-2 and suppresses STAT5 phosphorylation and lymphocyte proliferation. 1999 , 19, 4980-8	215
1554	CREB binding protein interacts with nucleoporin-specific FG repeats that activate transcription and mediate NUP98-HOXA9 oncogenicity. 1999 , 19, 764-76	259
1553	Induction of interleukin-8 synthesis integrates effects on transcription and mRNA degradation from at least three different cytokine- or stress-activated signal transduction pathways. 1999 , 19, 6742-53	263
1552	Protein-damaging stresses activate c-Jun N-terminal kinase via inhibition of its dephosphorylation: a novel pathway controlled by HSP72. 1999 , 19, 2547-55	221
1551	Induction of p21(WAF1/CIP1) and inhibition of Cdk2 mediated by the tumor suppressor p16(INK4a). 1999 , 19, 3916-28	114
1550	Application of exogenously regulatable promoter systems to transgenic models for the study of aging. 1999 , 54, B30-40; discussion B41-2	13
1549	Human Nopp140, which interacts with RNA polymerase I: implications for rRNA gene transcription and nucleolar structural organization. 1999 , 19, 8536-46	75
1548	Mapping of a serine-rich domain essential for the transcriptional, antiapoptotic, and transforming activities of the v-Rel oncoprotein. 1999 , 19, 307-16	23
1547	Cytokine receptor common beta chain as a potential activator of cytokine withdrawal-induced apoptosis. 1999 , 19, 7399-409	8
1546	The Wilms' tumor suppressor gene (wt1) product regulates Dax-1 gene expression during gonadal differentiation. 1999 , 19, 2289-99	125
1545	Regulation of V(D)J recombination by transcriptional promoters. 1999 , 19, 2773-81	62

1544	Myc downregulation by transforming growth factor beta required for activation of the p15(Ink4b) G(1) arrest pathway. 1999 , 19, 5913-22	192
1543	Inhibition of mitogen-activated kinase signaling sensitizes HeLa cells to Fas receptor-mediated apoptosis. 1999 , 19, 5991-6002	93
1542	HERF1, a novel hematopoiesis-specific RING finger protein, is required for terminal differentiation of erythroid cells. 1999 , 19, 3808-15	46
1541	Structural requirements and dynamics of mitosis-kinetochore interaction in M phase. 1999 , 19, 1016-24	28
1540	In vivo chaperone activity of heat shock protein 70 and thermotolerance. 1999 , 19, 2069-79	177
1539	Ectopic expression of Cdc25A accelerates the G(1)/S transition and leads to premature activation of cyclin E- and cyclin A-dependent kinases. 1999 , 19, 6183-94	249
1538	Regulation of cyclin A-Cdk2 by SCF component Skp1 and F-box protein Skp2. 1999 , 19, 635-45	69
1537	Cleavage of eukaryotic translation initiation factor 4G by exogenously added hybrid proteins containing poliovirus 2Apro in HeLa cells: effects on gene expression. 1999 , 19, 2445-54	46
1536	Control of Proteolysis in Cell Culture. 1999 , 263-276	
1535	BF-1 interferes with transforming growth factor beta signaling by associating with Smad partners. 2000 , 20, 6201-11	86
1534	Use of bone morphogenetic protein-9 gene therapy to induce spinal arthrodesis in the rodent. 2000 , 92, 191-6	35
1533	Autonomous parvoviruses as gene transfer vehicles. 2000 , 4, 178-202	8
1532	Role of mRNA stability and translation in the expression of cytochrome c oxidase during mouse myoblast differentiation: instability of the mRNA for the liver isoform of subunit VIa. 2000 , 351, 133-42	3
1531	Effects of elevated expression of inositol 1,4,5-trisphosphate 3-kinase B on Ca ²⁺ homeostasis in HeLa cells. 2000 , 352, 709	2
1530	Role of mRNA stability and translation in the expression of cytochrome c oxidase during mouse myoblast differentiation: instability of the mRNA for the liver isoform of subunit VIa. 2000 , 351, 133-142	6
1529	The Rel/NF-kappaB family directly activates expression of the apoptosis inhibitor Bcl-x(L). 2000 , 20, 2687-95	665
1528	Targeting of tetracycline-regulatable transgene expression specifically to neuronal and glial cell populations using adenoviral vectors. 2000 , 11, 2051-5	42
1527	DNA-liposome versus adenoviral mediated gene transfer of transforming growth factor beta1 in vascularized cardiac allografts: differential sensitivity of CD4+ and CD8+ T cells to transforming growth factor beta1. 2000 , 70, 1292-301	24

1526	The tumour suppressor protein p53 can repress transcription of cyclin B. 2000 , 28, 4410-8	135
1525	A regulatory network for the efficient control of transgene expression. 2000 , 2, 107-16	38
1524	FGF-2 isoforms of 18 and 22.5 kDa differentially modulate t-PA and PAI-1 expressions on the pancreatic carcinoma cells AR4-2J: consequences on cell spreading and invasion. 2000 , 85, 555-62	15
1523	Engineering CHO cells to overexpress a secreted reporter protein upon induction from mouse mammary tumor virus promoter. 2000 , 67, 134-140	14
1522	Engineering of coordinated up- and down-regulation of two glycosyltransferases of the o-glycosylation pathway in Chinese hamster ovary (CHO) cells. 2000 , 68, 239-244	26
1521	Neurite outgrowth can be modulated in vitro using a tetracycline-repressible gene therapy vector expressing human nerve growth factor. 2000 , 59, 402-9	33
1520	Effects of inducible glial fibrillary acidic protein on glioma cell motility and proliferation. 2000 , 60, 245-56	38
1519	Conditionally-immortalized astrocytic cell line expresses GAD and secretes GABA under tetracycline regulation. 2000 , 60, 302-10	11
1518	Homogeneous tetracycline-regulatable gene expression in mammalian fibroblasts. 1999 , 76, 280-9	37
1517	Isolation and characterization of a novel TP53-inducible gene, TP53TG5, which suppresses growth and shows cell cycle-dependent transition of expression. 2000 , 27, 345-52	4
1516	Transcriptional regulation of human papillomavirus type 16 LCR by different C/EBP β isoforms. 2000 , 28, 42-50	18
1515	Ubiquitous postnatal LoxP recombination using a doxycycline auto-inducible Cre transgene (DAI-Cre). 2000 , 26, 157-159	20
1514	Potential of metastasis by cell surface sialomucin complex (rat MUC4), a multifunctional anti-adhesive glycoprotein. 2000 , 87, 480-6	85
1513	Cell cycle activation by c-myc in a burkitt lymphoma model cell line. 2000 , 87, 787-93	157
1512	Differential expression and subcellular localization of murine BRCA1 and BRCA1-delta 11 isoforms in murine and human cell lines. 2000 , 88, 519-24	11
1511	Efficient expression of tetracycline-responsive gene after transfection of dentate gyrus neurons in vitro. 2000 , 60, 754-60	9
1510	Expression levels of gp130 in bone marrow stromal cells determine the magnitude of osteoclastogenic signals generated by IL-6-type cytokines. 2000 , 79, 532-41	35
1509	Uses of lacZ to study gene function: evaluation of beta-galactosidase assays employed in the yeast two-hybrid system. 2000 , 285, 1-15	98

1508	Gene therapy and metabolic engineering. 2000 , 2, 126-39	9
1507	HSV-1 infected cell proteins influence tetracycline-regulated transgene expression. 2000 , 2, 379-89	19
1506	Hybrid vector designs to control the delivery, fate and expression of transgenes. 2000 , 2, 395-408	23
1505	Role of the forkhead transcription family member, FKHR, in thymocyte differentiation. 2000 , 30, 2980-90	55
1504	Induced expression of dominant-negative c-jun downregulates NFkappaB and AP-1 target genes and suppresses tumor phenotype in human keratinocytes. 2000 , 29, 159-69	68
1503	Conditional gene expression in the epidermis of transgenic mice using the tetracycline-regulated transactivators tTA and rTA linked to the keratin 5 promoter. 2000 , 115, 788-94	165
1502	Expression of p300-truncated fragments results in the modulation of apoptosis in rat mesangial cells. 2000 , 57, 1873-81	5
1501	Gene therapy in wound repair and regeneration. 2000 , 8, 443-51	51
1500	Functional role for the class IX myosin myr5 in epithelial cell infection by Shigella flexneri. 2000 , 2, 601-16	16
1499	Technical advance: stringent control of transgene expression in Arabidopsis thaliana using the Top10 promoter system. 2000 , 21, 579-88	20
1498	Activation and regulation of Hsp32 and Hsp70. 2000 , 267, 1161-7	45
1497	Controlling gene expression in mice with tetracycline: application in pigment cell research. 2000 , 13, 326-31	1
1496	Human cytomegalovirus immediate early glycoprotein US3 retains MHC class I molecules by transient association. 2000 , 1, 318-25	42
1495	Quantitative expression of Oct-3/4 defines differentiation, dedifferentiation or self-renewal of ES cells. 2000 , 24, 372-6	2931
1494	A temperature-regulated replicon-based DNA expression system. 2000 , 18, 429-32	81
1493	Streptogramin-based gene regulation systems for mammalian cells. 2000 , 18, 1203-8	303
1492	Resveratrol causes arrest in the S-phase prior to Fas-independent apoptosis in CEM-C7H2 acute leukemia cells. 2000 , 7, 834-42	142
1491	Pharmacologic suppression of target cell recognition by engineered T cells expressing chimeric T-cell receptors. 2000 , 7, 526-9	10

1490	Immuno- and genetic therapy in autoimmune diseases. 2000 , 1, 295-307	11
1489	The major histocompatibility complex-encoded class I-like HFE abrogates endocytosis of transferrin receptor by inducing receptor phosphorylation. 2000 , 1, 409-17	19
1488	Regulated gene expression systems. 2000 , 7, 120-5	110
1487	Development of a hypoxia-responsive vector for tumor-specific gene therapy. 2000 , 7, 493-8	239
1486	Insulation from viral transcriptional regulatory elements improves inducible transgene expression from adenovirus vectors in vitro and in vivo. 2000 , 7, 556-67	110
1485	Adenoviral vector which delivers FasL-GFP fusion protein regulated by the tet-inducible expression system. 2000 , 7, 875-85	56
1484	Modification of vascular tone using iNOS under the control of a radiation-inducible promoter. 2000 , 7, 1126-31	46
1483	A novel doxycycline inducible autoregulatory plasmid which displays "on"/"off" regulation suited to gene therapy applications. 2000 , 7, 2061-70	33
1482	The amino terminus targets the mixed lineage leukemia (MLL) protein to the nucleolus, nuclear matrix and mitotic chromosomal scaffolds. 2000 , 14, 1898-908	40
1481	Acidic substitution of the activation loop tyrosines in TrkA supports nerve growth factor-independent cell survival and neuronal differentiation. 2000 , 19, 417-30	13
1480	p16 INK4a can initiate an autonomous senescence program. 2000 , 19, 1613-22	121
1479	Induction of erythroid differentiation by inhibition of Ras/ERK pathway in a friend murine leukemia cell line. 2000 , 19, 1500-8	32
1478	Defective cleavage of membrane bound TGFalpha leads to enhanced activation of the EGF receptor in malignant cells. 2000 , 19, 1901-14	26
1477	The Rgr oncogene (homologous to RalGDS) induces transformation and gene expression by activating Ras, Ral and Rho mediated pathways. 2000 , 19, 2745-57	25
1476	An N-terminal p14ARF peptide blocks Mdm2-dependent ubiquitination in vitro and can activate p53 in vivo. 2000 , 19, 2312-23	223
1475	pRB and p107 have distinct effects when expressed in pRB-deficient tumor cells at physiologically relevant levels. 2000 , 19, 3878-87	16
1474	Caspase-dependent apoptosis by ectopic expression of E2F-4. 2000 , 19, 4713-20	14
1473	Huntington's disease. In reverse gear. 2000 , 404, 944-5	6

1472	Molecular switches in lipid rafts. 2000 , 404, 945, 947	62
1471	Gene therapy: trials and tribulations. 2000 , 1, 91-9	537
1470	The growth factor inhibitor suramin reduces apoptosis and cell aggregation in protein-free CHO cell batch cultures. 2000 , 16, 319-25	59
1469	An update of pTRIDENT multicistronic expression vectors: pTRIDENTs containing novel streptogramin-responsive promoters. 2000 , 16, 724-35	35
1468	Bax induction activates apoptotic cascade via mitochondrial cytochrome c release and Bax overexpression enhances apoptosis induced by chemotherapeutic agents in DLD-1 colon cancer cells. 2000 , 91, 1264-8	41
1467	Germ Line Transformation of Mammals by Pronuclear Microinjection. 2000 , 85, 589-601	16
1466	Mouse Genetics in Cell Biology. 2000 , 85, 661-679	3
1465	Embryonic Stem Cells and Gene Targeting. 2000 , 85, 603-613	31
1464	Gene transfer strategies for the physiologist. 2000 , 85, 735-45	4
1463	A lipid carrier with a membrane active component and a small complex size are required for efficient cellular delivery of anti-sense phosphorothioate oligonucleotides. 2000 , 10, 187-93	62
1462	Tetracycline-regulated gene expression in the brain. 2000 , 10, 593-6	105
1461	Neurobiology of disease. 2000 , 10, 655-60	26
1460	Perinuclear localization of the protein-tyrosine phosphatase SHP-1 and inhibition of epidermal growth factor-stimulated STAT1/3 activation in A431 cells. 2000 , 79, 261-71	64
1459	Transgenic methods for increasing Drosophila life span. 2000 , 118, 1-14	85
1458	Transcriptional control: an essential component of cancer gene therapy strategies?. 2000 , 44, 167-84	46
1457	Inhibition of Plasmodium falciparum clag9 gene function by antisense RNA. 2000 , 110, 33-41	48
1456	Development of a tetracycline controlled gene expression system in the parasitic protozoan Giardia lamblia. 2000 , 105, 51-60	41
1455	Zinc has no effect on IL-3-mediated apoptosis of BAF-3 cells but enhances CD95-mediated apoptosis of jurkat cells. 2000 , 234, 43-50	8

1454	Towards a neuroprotective gene therapy for Parkinson's disease: use of adenovirus, AAV and lentivirus vectors for gene transfer of GDNF to the nigrostriatal system in the rat Parkinson model. 2000 , 886, 82-98	280
1453	Use of matrix attachment regions (MARs) to minimize transgene silencing. 2000 , 43, 361-76	158
1452	Effect of 14-3-3 protein induction on cell proliferation of A549 human lung adenocarcinoma. 2000 , 33, 253-7	4
1451	Regulated overexpression of the survival factor bcl-2 in CHO cells increases viable cell density in batch culture and decreases DNA release in extended fixed-bed cultivation. 2000 , 32, 45-61	36
1450	A fast and efficient method for transiently transfecting ES cells: application to the development of systems for conditional gene expression. 2000 , 9, 229-32	7
1449	Dox-dependent SIVmac with tetracycline-inducible promoter in the U3 promoter region. 2000 , 269, 268-75	15
1448	Conditional cell transformation by doxycycline-controlled expression of the ASV17 v-jun allele. 2000 , 270, 98-110	10
1447	The bovine papillomavirus E2 transactivator is stimulated by the E1 initiator through the E2 activation domain. 2000 , 270, 430-43	9
1446	Optimization of regulated LTR-mediated expression. 2000 , 272, 7-15	22
1445	A functional NF-kappaB binding site in the human papillomavirus type 16 long control region. 2000 , 272, 40-9	40
1444	A new vector system with inducible E2a cell line for production of higher titer and safer adenoviral vectors. 2000 , 275, 348-57	32
1443	Poliovirus protease 3C(pro) kills cells by apoptosis. 2000 , 266, 352-60	105
1442	Structure and promoter activity of the mouse CDC25A gene. 2000 , 11, 1063-9	6
1441	Hevin is down-regulated in many cancers and is a negative regulator of cell growth and proliferation. 2000 , 82, 1123-30	62
1440	Decoding apparatus for eukaryotic selenocysteine insertion. 2000 , 1, 158-63	249
1439	Notch signalling via RBP-J promotes myeloid differentiation. 2000 , 19, 2558-68	108
1438	The N-terminal 34 kDa fragment of Helicobacter pylori vacuolating cytotoxin targets mitochondria and induces cytochrome c release. 2000 , 19, 6361-70	261
1437	SECIS-SBP2 interactions dictate selenocysteine incorporation efficiency and selenoprotein hierarchy. 2000 , 19, 6882-90	125

1436	A phosphotyrosine displacement mechanism for activation of Src by PTPalpha. 2000 , 19, 964-78	201
1435	Overview of vector design for mammalian gene expression. 2000 , 16, 151-60	49
1434	Conditional mutagenesis in mice with heat shock promoter-driven cre transgenes. 2000 , 11, 196-205	105
1433	Polyvalent DNA vaccines with bidirectional promoters. 2000 , 78, 495-506	25
1432	Establishment of Jurkat tet-on cell line. 2000 , 45, 532-536	
1431	Evaluation of tTA-mediated gene activation system on human cytomegalovirus and herpes simplex virus type-1 infections. 2000 , 23, 257-60	1
1430	A versatile chondrogenic rat calvaria cell line R-tTA-24 that permits tetracycline-regulated gene expression. 2000 , 113, 145-50	11
1429	Gene transfer into individual muscle fibers and conditional gene expression in living animals. 2000 , 301, 397-403	17
1428	In vivo glioma model enabling regulated gene expression. 2000 , 99, 603-8	9
1427	Inducible loss of NF-B activity is associated with apoptosis and Bcl-2 down-regulation in Epstein-Barr virus-transformed B lymphocytes. 2000 , 95, 2068-2075	87
1426	Analysis of the role of AML1-ETO in leukemogenesis, using an inducible transgenic mouse model. 2000 , 96, 2108-2115	205
1425	Deviant expression of Rab5 on phagosomes containing the intracellular pathogens Mycobacterium tuberculosis and Legionella pneumophila is associated with altered phagosomal fate. 2000 , 68, 2671-84	143
1424	The admid system: generation of recombinant adenoviruses by Tn7-mediated transposition in E. coli. 2000 , 29, 146-54	17
1423	Gene transfer into neural cells in vitro using adenoviral vectors. 2001 , Chapter 4, Unit 4.23	10
1422	Heme oxygenase-1 inhibits TNF-alpha-induced apoptosis in cultured fibroblasts. 2000 , 278, L312-9	217
1421	Dominant positive and negative selection using luciferase, green fluorescent protein and beta-galactosidase reporter gene fusions. 2000 , 28, 210-2, 214	18
1420	Evidence against the acidification hypothesis in cystic fibrosis. 2000 , 279, C1088-99	25
1419	Percutaneous in vivo gene transfer to the peripheral lungs using plasmid-liposome complexes. 2000 , 279, L651-7	4

1418	Induction of cyclin-dependent kinase 5 in the hippocampus by chronic electroconvulsive seizures: role of [Delta]FosB. 2000 , 20, 8965-71		94
1417	Reduced levels of connexin43 in cervical dysplasia: inducible expression in a cervical carcinoma cell line decreases neoplastic potential with implications for tumor progression. 2000 , 21, 1097-1109		2
1416	Mature mRNAs accumulated in the nucleus are neither the molecules in transit to the cytoplasm nor constitute a stockpile for gene expression. 2000 , 6, 962-75		27
1415	Gene transfer strategies for the physiologist. 2000 , 85, 735-745		
1414	A repressible female-specific lethal genetic system for making transgenic insect strains suitable for a sterile-release program. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 8229-32	11.5	183
1413	Conditional expression of fibroblast growth factor-7 in the developing and mature lung. 2000 , 275, 11858-64		261
1412	Tetracycline-controllable selection of CD4(+) T cells: half-life and survival signals in the absence of major histocompatibility complex class II molecules. 2000 , 191, 355-64		143
1411	Subcellular compartmentalization of E2F family members is required for maintenance of the postmitotic state in terminally differentiated muscle. 2000 , 148, 1187-201		35
1410	Cells degrade a novel inhibitor of differentiation with E1A-like properties upon exiting the cell cycle. 2000 , 20, 8889-902		92
1409	Reconstitution of angiotensin receptor mRNA down-regulation in vascular smooth muscle. Post-transcriptional control by protein kinase a but not mitogenic signaling directed by the 5'-untranslated region. 2000 , 275, 7604-11		24
1408	SSeCKS, a major protein kinase C substrate with tumor suppressor activity, regulates G(1)-->S progression by controlling the expression and cellular compartmentalization of cyclin D. 2000 , 20, 7259-72		103
1407	Regulation of cyclooxygenase 2 mRNA stability by the mitogen-activated protein kinase p38 signaling cascade. 2000 , 20, 4265-74		362
1406	The role of a mitochondrial pathway in the induction of apoptosis by chemicals extracted from diesel exhaust particles. 2000 , 165, 2703-11		177
1405	Induced expression of Rnd3 is associated with transformation of polarized epithelial cells by the Raf-MEK-extracellular signal-regulated kinase pathway. 2000 , 20, 9364-75		89
1404	A confederacy of bunches: fundamentals and applications of a self-associating protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 6921-3	11.5	
1403	Caveolin-1 inhibits epidermal growth factor-stimulated lamellipod extension and cell migration in metastatic mammary adenocarcinoma cells (MTLn3). Transformation suppressor effects of adenovirus-mediated gene delivery of caveolin-1. 2000 , 275, 20717-25		98
1402	The amino terminus of the mixed lineage leukemia protein (MLL) promotes cell cycle arrest and monocytic differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 2797-802	11.5	53
1401	Synaptotagmin regulation of coated pit assembly. 2000 , 275, 30916-24		74

1400	The IFN regulatory factor family participates in regulation of Fas ligand gene expression in T cells. 2000 , 164, 3512-8	78
1399	Human cytomegalovirus gene products US3 and US6 down-regulate trophoblast class I MHC molecules. 2000 , 164, 805-11	90
1398	Exploring the sequence space for tetracycline-dependent transcriptional activators: novel mutations yield expanded range and sensitivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 7963-8	11.5 767
1397	Definition of the p53 functional domains necessary for inducing apoptosis. 2000 , 275, 39927-34	84
1396	Inhibition of proliferation and apoptosis by the transcriptional repressor Mad1. Repression of Fas-induced caspase-8 activation. 2000 , 275, 10413-20	42
1395	Chemically regulated zinc finger transcription factors. 2000 , 275, 32617-27	101
1394	Inducible and irreversible control of gene expression using a single transgene. 2000 , 28, E99	18
1393	A dibasic motif in the tail of a class XIV apicomplexan myosin is an essential determinant of plasma membrane localization. 2000 , 11, 1385-400	95
1392	Cell-type-specific and regulatable transgenesis in the adult brain: adenovirus-encoded combined transcriptional targeting and inducible transgene expression. 2000 , 2, 579-87	72
1391	Intracellular Fas ligand expression causes Fas-mediated apoptosis in human prostate cancer cells resistant to monoclonal antibody-induced apoptosis. 2000 , 2, 348-58	75
1390	Lentiviral vectors: regulated gene expression. 2000 , 1, 516-21	211
1389	Reversible immortalization of human primary cells by lentivector-mediated transfer of specific genes. 2000 , 2, 404-14	138
1388	Recent developments in retroviral-mediated gene transduction. 2000 , 2, 423-34	24
1387	Mdx mice inducibly expressing dystrophin provide insights into the potential of gene therapy for duchenne muscular dystrophy. 2000 , 9, 2507-15	65
1386	Zinc finger proteins as designer transcription factors. 2000 , 275, 8742-8	48
1385	The tetracycline-responsive promoter contains functional interferon-inducible response elements. 2000 , 28, 1120-5	45
1384	One or more labile proteins regulate the stability of chimeric mRNAs containing the 3'-untranslated region of cholesterol-7alpha -hydroxylase mRNA. 2000 , 275, 19985-91	35
1383	Retroviral delivery of peptide modulators of cellular functions. 2000 , 1, 438-47	48

1382	Ligand-dependent regulation of vascular endothelial growth factor and erythropoietin expression by a plasmid-based autoinducible GeneSwitch system. 2000 , 2, 276-87	57
1381	Transient or long-term transgene expression and gene repair/inactivation. 2000 , 1, 1-8	
1380	Selective proteolysis of human type 2 deiodinase: a novel ubiquitin-proteasomal mediated mechanism for regulation of hormone activation. 2000 , 14, 1697-708	125
1379	Conditional apoptosis induced by oncogenic ras in thyroid cells. 2000 , 14, 1725-38	48
1378	A stable system for the high-titer production of multiply attenuated lentiviral vectors. 2000 , 2, 170-6	193
1377	Initiation of translation by non-AUG codons in human T-cell lymphotropic virus type I mRNA encoding both Rex and Tax regulatory proteins. 2000 , 28, 1625-34	15
1376	Ultrasound facilitates transduction of naked plasmid DNA into colon carcinoma cells in vitro and in vivo. 2000 , 11, 1521-8	85
1375	Positive and negative regulation of endogenous genes by designed transcription factors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 1495-500	11.5 300
1374	Overexpression of wild type and mutated human ferritin H-chain in HeLa cells: in vivo role of ferritin ferroxidase activity. 2000 , 275, 25122-9	192
1373	Control of the functional activity of an antisense RNA by a tetracycline-responsive derivative of the human U6 snRNA promoter. 2000 , 11, 577-85	78
1372	Control of human telomere length by TRF1 and TRF2. 2000 , 20, 1659-68	593
1371	A novel means of drug delivery: myoblast-mediated gene therapy and regulatable retroviral vectors. 2000 , 40, 295-317	34
1370	Regulated expression of an MHC class II gene from a promoter-inducible retrovirus. 2000 , 11, 1961-9	2
1369	Suppression of stress kinase JNK is involved in HSP72-mediated protection of myogenic cells from transient energy deprivation. HSP72 alleviates the stress-induced inhibition of JNK dephosphorylation. 2000 , 275, 38088-94	86
1368	Tetracycline-regulatable system to tightly control gene expression in the pathogenic fungus <i>Candida albicans</i> . 2000 , 68, 6712-9	130
1367	A stable HeLa cell line that inducibly expresses poliovirus 2A(pro): effects on cellular and viral gene expression. 2000 , 74, 2383-92	34
1366	Negative growth regulation of SK-N-MC cells by bFGF defines a growth factor-sensitive point in G2. 2000 , 275, 19375-81	17
1365	Uncovering functionally relevant signaling pathways using microarray-based expression profiling. 2000 , 5, 501-7	42

1364	Retroviral vector targeting to human immunodeficiency virus type 1-infected cells by receptor pseudotyping. 2000 , 74, 4420-4		25
1363	Robust mRNA transcription in chicken DT40 cells depleted of TAF(II)31 suggests both functional degeneracy and evolutionary divergence. 2000 , 20, 5064-76		38
1362	Elucidating the essential role of the A14 phosphoprotein in vaccinia virus morphogenesis: construction and characterization of a tetracycline-inducible recombinant. 2000 , 74, 3682-95		89
1361	Differential T-cell antigen receptor signaling mediated by the Src family kinases Lck and Fyn. 2000 , 20, 1426-35		90
1360	The function of the human homolog of <i>Saccharomyces cerevisiae</i> REV1 is required for mutagenesis induced by UV light. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 4186-91	11.5	164
1359	Regulated expression of P210 Bcr-Abl during embryonic stem cell differentiation stimulates multipotential progenitor expansion and myeloid cell fate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 1737-42	11.5	111
1358	E1A blocks hyperphosphorylation of p130 and p107 without affecting the phosphorylation status of the retinoblastoma protein. 2000 , 74, 3166-76		13
1357	Development and optimization of herpes simplex virus vectors for multiple long-term gene delivery to the peripheral nervous system. 2000 , 74, 5604-18		107
1356	Mycobacterium tuberculosis and Legionella pneumophila phagosomes exhibit arrested maturation despite acquisition of Rab7. 2000 , 68, 5154-66		103
1355	Stable expression of a dominant negative mutant of CCAAT binding factor/NF-Y in mouse fibroblast cells resulting in retardation of cell growth and inhibition of transcription of various cellular genes. 2000 , 275, 4435-44		59
1354	p53 mutants have selective dominant-negative effects on apoptosis but not growth arrest in human cancer cell lines. 2000 , 20, 770-8		64
1353	Manipulating the germline: its impact on the study of carcinogenesis. 2000 , 21, 435-41		18
1352	Productive replication of adeno-associated virus can occur in human papillomavirus type 16 (HPV-16) episome-containing keratinocytes and is augmented by the HPV-16 E2 protein. 2000 , 74, 3494-504		47
1351	Effects of conditional overexpression of spermidine/spermine N1-acetyltransferase on polyamine pool dynamics, cell growth, and sensitivity to polyamine analogs. 2000 , 275, 38319-28		99
1350	Structure-expression relationships of the 15-kDa selenoprotein gene. Possible role of the protein in cancer etiology. 2000 , 275, 35540-7		127
1349	In vivo analysis of Cajal body movement, separation, and joining in live human cells. 2000 , 151, 1561-74		223
1348	Systematic identification of mutations that constitutively activate the angiotensin II type 1A receptor by screening a randomly mutated cDNA library with an original pharmacological bioassay. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 7615-20	11.5	68
1347	Degradation of cyclin A does not require its phosphorylation by CDC2 and cyclin-dependent kinase 2. 2000 , 275, 3158-67		52

1346	Different sensitivity of the transforming growth factor-beta cell cycle arrest pathway to c-Myc and MDM-2. 2000 , 275, 32066-70	15
1345	An extrachromosomal tetracycline-regulatable system for mammalian cells. 2000 , 28, E80	6
1344	Characterization of Arabidopsis acid phosphatase promoter and regulation of acid phosphatase expression. 2000 , 124, 615-26	101
1343	N-terminal region, C-terminal region, nuclear export signal, and deacetylation activity of histone deacetylase-3 are essential for the viability of the DT40 chicken B cell line. 2000 , 275, 16191-201	84
1342	Reduced levels of connexin43 in cervical dysplasia: inducible expression in a cervical carcinoma cell line decreases neoplastic potential with implications for tumor progression. 2000 , 21, 1097-1109	84
1341	Plant Gene Silencing. 2000 ,	2
1340	Neuroprotective potential of a viral vector system induced by a neurological insult. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 9270-5	11.5 23
1339	Constitutive instability of muscle regulatory factor Myf5 is distinct from its mitosis-specific disappearance, which requires a D-box-like motif overlapping the basic domain. 2000 , 20, 8923-32	25
1338	Selenoprotein P expression, purification, and immunochemical characterization. 2000 , 275, 6288-94	48
1337	La protein has a positive effect on the translation of TOP mRNAs in vivo. 2000 , 28, 2927-34	77
1336	Influenza M2 proton channel activity selectively inhibits trans-Golgi network release of apical membrane and secreted proteins in polarized Madin-Darby canine kidney cells. 2000 , 148, 495-504	37
1335	Structure and expression of the human p68 RNA helicase gene. 2000 , 28, 932-9	28
1334	TOK-1, a novel p21Cip1-binding protein that cooperatively enhances p21-dependent inhibitory activity toward CDK2 kinase. 2000 , 275, 31145-54	64
1333	Novel transcriptional regulatory signals in the adeno-associated virus terminal repeat A/D junction element. 2000 , 74, 8732-9	92
1332	Rapid purification of protein complexes from mammalian cells. 2000 , 28, E61	9
1331	MCG10, a novel p53 target gene that encodes a KH domain RNA-binding protein, is capable of inducing apoptosis and cell cycle arrest in G(2)-M. 2000 , 20, 5602-18	95
1330	Overexpression of kinase-associated phosphatase (KAP) in breast and prostate cancer and inhibition of the transformed phenotype by antisense KAP expression. 2000 , 20, 1723-32	67
1329	Mammalian SWI-SNF complexes contribute to activation of the hsp70 gene. 2000 , 20, 2839-51	144

1328	Protein zero gene expression is regulated by the glial transcription factor Sox10. 2000 , 20, 3198-209	201
1327	Conditional expression of a Gi-coupled receptor causes ventricular conduction delay and a lethal cardiomyopathy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 4826-31	11.5 146
1326	Site-selective dephosphorylation of the platelet-derived growth factor beta-receptor by the receptor-like protein-tyrosine phosphatase DEP-1. 2000 , 275, 16219-26	111
1325	Immediate-early MEK-1-dependent stabilization of rat smooth muscle cell cyclooxygenase-2 mRNA by Galpha(q)-coupled receptor signaling. 2000 , 275, 23012-9	46
1324	Evidence that dynamin-2 functions as a signal-transducing GTPase. 2000 , 150, 145-54	98
1323	Dynamin:GTP controls the formation of constricted coated pits, the rate limiting step in clathrin-mediated endocytosis. 2000 , 150, 1137-48	193
1322	Potential role for luman, the cellular homologue of herpes simplex virus VP16 (alpha gene trans-inducing factor), in herpesvirus latency. 2000 , 74, 934-43	73
1321	Tetracycline-inducible CaM kinase II silences hypertrophy-sensitive gene expression in rat neonate cardiomyocytes. 2000 , 274, 803-10	13
1320	Tetracycline-regulated gene expression switch in <i>Xenopus laevis</i> . 2000 , 256, 392-9	10
1319	Molecular cloning and analysis of a group of genes differentially expressed in cells which overexpress the Hoxa-1 homeobox gene. 2000 , 259, 274-83	18
1318	F9 embryonal carcinoma cells engineered for tamoxifen-dependent Cre-mediated site-directed mutagenesis and doxycycline-inducible gene expression. 2000 , 260, 334-9	16
1317	The transient increase of tight junction permeability induced by bryostatin 1 correlates with rapid downregulation of protein kinase C-alpha. 2000 , 261, 239-49	22
1316	Rapid induction of nuclear transcripts and inhibition of intron decay in response to the polymerase II inhibitor DRB. 2000 , 299, 1179-91	25
1315	Functional characterization of the enhancer blocking element of the sea urchin early histone gene cluster reveals insulator properties and three essential cis-acting sequences. 2000 , 304, 753-63	26
1314	Electrical activity and postsynapse formation in adult muscle: gamma-AChRs are not required. 2000 , 16, 697-707	12
1313	Expression of p57(KIP2) potently blocks the growth of human astrocytomas and induces cell senescence. 2000 , 157, 919-32	65
1312	The p65 domain from NF-kappaB is an efficient human activator in the tetracycline-regulatable gene expression system. 2000 , 247, 103-10	44
1311	Site-specific integration of targeted DNA into animal cell genomes. 2000 , 249, 135-44	18

1310	Efficient control of gene expression by a tetracycline-dependent transactivator in single Dictyostelium discoideum cells. 2000 , 252, 71-82	59
1309	Positive tetracycline control of expression of p15INK4B from an Epstein-Barr autonomous plasmid in a human melanoma cell line. 2000 , 242, 249-56	2
1308	A novel kinase, AATYK induces and promotes neuronal differentiation in a human neuroblastoma (SH-SY5Y) cell line. 2000 , 77, 151-62	52
1307	Wnt-1 inhibits nerve growth factor-induced differentiation of PC12 cells by preventing the induction of some but not all late-response genes. 2000 , 77, 232-45	22
1306	Multistep expression and assembly of neuronal nicotinic receptors is both host-cell- and receptor-subtype-dependent. 2000 , 75, 293-302	39
1305	Inactivation of germline mutant APC alleles by attenuated somatic mutations: a molecular genetic mechanism for attenuated familial adenomatous polyposis. 2000 , 67, 582-90	53
1304	Analysis of molecular chaperone activities using in vitro and in vivo approaches. 2000 , 99, 393-419	20
1303	Regulation of protein secretion through controlled aggregation in the endoplasmic reticulum. 2000 , 287, 826-30	289
1302	Gene transfer to suppress bone marrow alkylation sensitivity. 2000 , 462, 107-20	10
1301	Transgenic anti-CD4 monoclonal antibody secretion by mouse segmental pancreas allografts promotes long term survival. 2000 , 8, 203-9	4
1300	Recruitment of the IKK signalosome to the p55 TNF receptor: RIP and A20 bind to NEMO (IKKgamma) upon receptor stimulation. 2000 , 12, 301-11	404
1299	The temporal importance of TNFalpha expression in the development of diabetes. 2000 , 12, 459-69	94
1298	Inducible expression of a p56Lck transgene reveals a central role for Lck in the differentiation of CD4 SP thymocytes. 2000 , 12, 537-46	122
1297	Transcriptional control: rheostat converted to on/off switch. 2000 , 6, 723-8	120
1296	Two distinct pathways remove mammalian cohesin from chromosome arms in prophase and from centromeres in anaphase. 2000 , 103, 399-410	577
1295	Dedifferentiation of mammalian myotubes induced by msx1. 2000 , 103, 1099-109	406
1294	Reversal of neuropathology and motor dysfunction in a conditional model of Huntington's disease. 2000 , 101, 57-66	899
1293	Identification of human Rap1: implications for telomere evolution. 2000 , 101, 471-83	451

1292	Steroid RU 486 inducible myogenesis by 10T1/2 fibroblastic mouse cells. 2000 , 467, 123-7	3
1291	The transcription factor snail is a repressor of E-cadherin gene expression in epithelial tumour cells. 2000 , 2, 84-9	2122
1290	Insect population control using a dominant, repressible, lethal genetic system. 2000 , 287, 2474-6	417
1289	NMDA receptor-dependent synaptic reinforcement as a crucial process for memory consolidation. 2000 , 290, 1170-4	456
1288	Stress Response. 2000 ,	3
1287	In Living Color. 2000 ,	10
1286	Self-inactivating lentiviral vectors with enhanced transgene expression as potential gene transfer system in Parkinson's disease. 2000 , 11, 179-90	244
1285	The polycystic kidney disease protein PKD2 interacts with Hax-1, a protein associated with the actin cytoskeleton. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 4017-22	11.5 160
1284	Expression of wild-type and noncleavable Fas ligand by tetracycline-regulated adenoviral vectors to limit intimal hyperplasia in vascular lesions. 2000 , 11, 1625-35	23
1283	Rac is essential in the transformation of endothelial cells by polyoma middle T. 2000 , 7, 409-22	15
1282	Bag1 functions in vivo as a negative regulator of Hsp70 chaperone activity. 2000 , 20, 1083-8	119
1281	Caveolin-1 expression is down-regulated in cells transformed by the human papilloma virus in a p53-dependent manner. Replacement of caveolin-1 expression suppresses HPV-mediated cell transformation. 2000 , 39, 13916-24	74
1280	Light-Activated Gene Expression. 2000 , 122, 8777-8778	73
1279	Viral vectors for gene delivery and gene therapy within the endocrine system. 2000 , 164, 103-18	70
1278	Osteopontin is required for full expression of the transformed phenotype by the ras oncogene. 2000 , 83, 156-63	76
1277	Regulated expression of the rat recombinant P2X(3) receptor in stably transfected CHO-K1 tTA cells. 2000 , 81, 75-81	9
1276	Expression of highly controllable genes in insect cells using a modified tetracycline-regulated gene expression system. 2000 , 80, 75-83	21
1275	Variability of transcriptional regulation after gene transfer with the retroviral tetracycline system. 2000 , 81, 159-65	10

1274	Design and selection of novel Cys2His2 zinc finger proteins. 2001 , 70, 313-40	604
1273	Gene therapy: promises and problems. 2001 , 2, 177-211	237
1272	Regulation of gene expression in yeast and plants by tetracycline-dependent regulatory systems. 2001 , 125-137	
1271	Tetracyclines in the control of gene expression in eukaryotes. 2001 , 139-157	19
1270	Expression of exogenous tissue factor pathway inhibitor in vivo suppresses thrombus formation in injured rabbit carotid arteries. 2001 , 38, 569-76	36
1269	Gene Knockout Protocols. 2001 ,	9
1268	Generation of a stable cell line producing high-titer self-inactivating lentiviral vectors. 2001 , 3, 97-104	147
1267	GDF-8 propeptide binds to GDF-8 and antagonizes biological activity by inhibiting GDF-8 receptor binding. 2001 , 18, 251-9	207
1266	Gene Therapy Protocols. 2001 ,	1
1265	Molecular Basis of Pancreas Development and Function. 2001 ,	1
1264	12-O-tetradecanoylphorbol-13-acetate induces apoptosis in renal epithelial cells through a growth signal conflict which is prevented by activated ras. 2001 , 385, 378-86	3
1263	Xenobiotic response in humanized double transgenic mice expressing tetracycline-controlled transactivator and human CYP1B1. 2001 , 395, 32-40	18
1262	Overexpression of bcl-2 results in reduction of cytochrome c content and inhibition of complex I activity. 2001 , 280, 1021-7	19
1261	A human hepatoma cell line expressing hepatitis c virus nonstructural proteins tightly regulated by tetracycline. 2001 , 281, 732-40	19
1260	Expression of the cell cycle phosphatase cdc25C is down-regulated by the tumor suppressor protein p53 but not by p73. 2001 , 284, 743-50	56
1259	Nervous and nonnervous cell transduction by recombinant adenoviruses that inducibly express the human PrP. 2001 , 285, 623-32	6
1258	Expression of hepatocyte growth factor activator and hepatocyte growth factor activator inhibitor type 1 in human hepatocellular carcinoma. 2001 , 289, 205-11	23
1257	Effects of HsRad51 overexpression on cell proliferation, cell cycle progression, and apoptosis. 2001 , 268, 61-9	47

1256	Functional knockout of the corepressor CtBP by the second exon of adenovirus E1a relieves repression of transcription. 2001 , 268, 284-93	20
1255	A model system for studying postnatal myogenesis with tetracycline-responsive, genetically engineered clonal myoblasts in vitro and in vivo. 2001 , 270, 138-50	5
1254	Regulated expression of human filaggrin in keratinocytes results in cytoskeletal disruption, loss of cell-cell adhesion, and cell cycle arrest. 2001 , 270, 199-213	53
1253	Interplay between termination and translation machinery in eukaryotic selenoprotein synthesis. 2001 , 310, 699-707	26
1252	Efficient expression of the vascular endothelial growth factor gene in vitro and in vivo, using an adeno-associated virus vector. 2001 , 33, 295-305	41
1251	The ons and offs of inducible transgenic technology: a review. 2001 , 8, 923-32	43
1250	Different levels of Hoxa2 are required for particular developmental processes. 2001 , 108, 135-47	30
1249	Ribozyme targeting of HER-2 inhibits pancreatic cancer cell growth in vivo. 2001 , 37, 1688-94	13
1248	The physiology of corticotropin-releasing hormone deficiency in mice. 2001 , 22, 725-31	41
1247	Characteristics of adenovirus-mediated tetracycline-controllable expression system. 2001 , 1568, 21-9	31
1246	Adaptable doxycycline-regulated gene expression systems for Drosophila. 2001 , 270, 103-11	34
1245	Human cell lines expressing hormone regulated T7 RNA polymerase localized at distinct intranuclear sites. 2001 , 275, 73-81	5
1244	A novel strategy for regulated expression of a cytotoxic gene. 2001 , 279, 175-9	9
1243	MUSEAP, a novel reporter gene for the study of long-term gene expression in immunocompetent mice. 2001 , 279, 99-108	38
1242	Engineering receptors activated solely by synthetic ligands (RASSLs). 2001 , 22, 414-20	49
1241	HCV core protein modulates Rb pathway through pRb down-regulation and E2F-1 up-regulation. 2001 , 1538, 59-66	48
1240	Impaired NMDA receptor function in mouse olfactory bulb neurons by tetracycline-sensitive NR1 (N598R) expression. 2001 , 94, 96-104	11
1239	Subcellular localization of presenilin 2 endoproteolytic C-terminal fragments. 2001 , 96, 14-20	10

1238	Pharmacological differences between immunisolated native brain and heterologously expressed rat alpha4beta2 nicotinic receptors. 2001 , 96, 68-76	8
1237	A tetracycline-repressible transactivator approach suggests a shorter half-life for tyrosine hydroxylase mRNA. 2001 , 7, 137-46	6
1236	Gene therapy for inherited skin diseases. 2001 , 13, 173-182	6
1235	Molecular therapy in a model neuroendocrine disease: developing clinical gene therapy for pituitary tumours. 2001 , 12, 58-64	11
1234	Targeted gene regulation and gene ablation. 2001 , 12, 348-53	23
1233	Negative selection at the pre-BCR checkpoint elicited by human mu heavy chains with unusual CDR3 regions. 2001 , 14, 631-41	44
1232	PUMA induces the rapid apoptosis of colorectal cancer cells. 2001 , 7, 673-82	1046
1231	The two-handed E box binding zinc finger protein SIP1 downregulates E-cadherin and induces invasion. 2001 , 7, 1267-78	1137
1230	Self-excising retroviral vectors encoding the Cre recombinase overcome Cre-mediated cellular toxicity. 2001 , 8, 233-43	243
1229	Human Mus81-associated endonuclease cleaves Holliday junctions in vitro. 2001 , 8, 1117-27	232
1228	MDM2 and MDMX can interact differently with ARF and members of the p53 family. 2001 , 490, 202-8	64
1227	Binding and regulation of the transcription factor NFAT by the peptidyl prolyl cis-trans isomerase Pin1. 2001 , 496, 105-8	38
1226	Alterations in expression of E2F-1 and E2F-responsive genes by RB, p53 and p21(Sdi1/WAF1/Cip1) expression. 2001 , 500, 25-30	11
1225	The future of human gene therapy. 2001 , 22, 113-42	108
1224	Hepatitis C virus core protein activates nuclear factor kappa B-dependent signaling through tumor necrosis factor receptor-associated factor. 2001 , 276, 16399-405	82
1223	Using salivary glands as a tissue target for gene therapeutics. 2001 , 9, 485-94	8
1222	Epstein-Barr Virus Protocols. 2001 ,	1
1221	The NF-kappa b repressing factor is involved in basal repression and interleukin (IL)-1-induced activation of IL-8 transcription by binding to a conserved NF-kappa b-flanking sequence element. 2001 , 276, 4501-8	100

1220	Generation, control, and processing of cellular calcium signals. 2001 , 36, 107-260	392
1219	Engineering orthogonal ligand-receptor pairs from "near drugs". 2001 , 123, 11367-71	35
1218	The NF2 tumor suppressor gene product, merlin, mediates contact inhibition of growth through interactions with CD44. 2001 , 15, 968-80	389
1217	Regulation of Salmonella-induced neutrophil transmigration by epithelial ADP-ribosylation factor 6. 2001 , 276, 48431-9	42
1216	In vitro ligation-based cloning of foreign DNAs into the E3 and E1 deletion regions for generation of recombinant adenovirus vectors. 2001 , 30, 1112-4, 1116	26
1215	Regulated expression of plasmid-based gene therapies. 2002 , 69, 109-22	5
1214	Suppression of cell division by pKi-67 antisense-RNA and recombinant protein. 2001 , 11, 331-8	15
1213	Design and In Vitro Characterization of a Single Regulatory Module for Efficient Control of Gene Expression in Both Plasmid DNA and a Self-Inactivating Lentiviral Vector. 2001 , 7, 569-579	14
1212	Method for screening ecdysone-inducible stable cell lines. 2001 , 31, 414-8	9
1211	Increased contractility and altered Ca(2+) transients of mouse heart myocytes conditionally expressing PKCbeta. 2001 , 280, C1114-20	55
1210	Tetracycline-inducible gene expression in cultured rat renal CD cells and in intact CD from transgenic mice. 2001 , 281, F1164-72	8
1209	Gene regulation and targeting in the kidney: relevance to renal physiology and pathophysiology. 2001 , 89, 255-63	1
1208	Schwann cell proliferative responses to cAMP and Nf1 are mediated by cyclin D1. 2001 , 21, 1110-6	101
1207	Conditional gene expression in human intracranial xenograft tumors. 2001 , 31, 196-202	6
1206	Cloning of a novel EGFR-related peptide: a putative negative regulator of EGFR. 2001 , 280, C1083-9	39
1205	Proteasomal-dependent aggregate reversal and absence of cell death in a conditional mouse model of Huntington's disease. 2001 , 21, 8772-81	136
1204	Gene therapy for endocrine tumors: strategies and progress. 2001 , 8, 35-40	1
1203	Genetic approaches for antigen-selective cell therapy. 2001 , 1, 385-97	29

1202	Ferritin and the response to oxidative stress. 2001 , 357, 241-247	338
1201	Ferritin and the response to oxidative stress. 2001 , 357, 241-7	217
1200	Uncovering BRCA1-regulated signalling pathways by microarray-based expression profiling. 2001 , 29, 678-683	14
1199	Dimeric erythropoietin fusion protein with enhanced erythropoietic activity in vitro and in vivo. 2001 , 97, 3776-82	53
1198	betaMinor-globin messenger RNA accumulation in reticulocytes governs improved erythropoiesis in beta thalassemic mice after erythropoietin complementary DNA electrotransfer in muscles. 2001 , 97, 2213-20	26
1197	The acute promyelocytic leukemia-associated protein, promyelocytic leukemia zinc finger, regulates 1,25-dihydroxyvitamin D(3)-induced monocytic differentiation of U937 cells through a physical interaction with vitamin D(3) receptor. 2001 , 98, 3290-300	49
1196	Proliferation of primitive myeloid progenitors can be reversibly induced by HOXA10. 2001 , 98, 3301-8	42
1195	Postnatal expression in hyaline cartilage of constitutively active human collagenase-3 (MMP-13) induces osteoarthritis in mice. 2001 , 107, 35-44	407
1194	Cytokine regulation of diabetes in experimental models. 2001 , 4, 193-217	
1193	T lymphocytes as targets of gene transfer with Moloney-type retroviral vectors. 2001 , 1, 325-37	6
1192	Vector delivery methods and targeting strategies for gene therapy of brain tumors. 2001 , 1, 367-83	43
1191	Preface. 2001 , 1, i-i	1
1190	Establishment of a tet-on gene expression system in glucose-responsive and -unresponsive MIN6 cells. 2001 , 50 Suppl 1, S133	8
1189	Investigating the function of Akt by tet-off inducible expression system. 2001 , 46, 222-225	
1188	Conditionally expressed G alpha 15 couples to endogenous receptors in GH3 cells. 2001 , 364, 140-8	8
1187	Suicide gene therapy for pediatric tumors. 2001 , 78, 598-612	13
1186	The Tet-On system in transgenic mice: inhibition of the mouse pdx-1 gene activity by antisense RNA expression in pancreatic beta-cells. 2001 , 79, 321-8	63
1185	Genetic engineering of neural function in transgenic rodents: towards a comprehensive strategy?. 2001 , 108, 111-30	35

1184	hFE65L influences amyloid precursor protein maturation and secretion. 1999 , 73, 985-93	65
1183	A 'select and swap' strategy for the isolation of clones with tightly regulated transgenes. 2001 , 268, 1605-12	2
1182	Selenocysteine codons decrease polysome association on endogenous selenoprotein mRNAs. 2001 , 6, 121-9	28
1181	Selective regulation of gene expression by an orthogonal estrogen receptor-ligand pair created by polar-group exchange. 2001 , 8, 501-10	22
1180	Intramers as promising new tools in functional proteomics. 2001 , 8, 931-9	84
1179	An adenoviral system for tetracycline-regulated TGF-beta expression mediates a reversible cell cycle arrest. 2001 , 109, 415-21	5
1178	Use of site-specific recombination as a probe of nucleoprotein complex formation in chromatin. 2001 , 268, 6256-62	4
1177	Oxygen tension and a pharmacological switch in the regulation of transgene expression for gene therapy. 2001 , 3, 498-504	36
1176	Dual-regulated expression technology: a new era in the adjustment of heterologous gene expression in mammalian cells. 2001 , 3, 529-49	42
1175	Cell-based delivery of cytokines allows for the differentiation of a doxycycline inducible oligodendrocyte precursor cell line in vitro. 2001 , 3, 585-98	3
1174	Comparative analysis of two controlled proliferation strategies regarding product quality, influence on tetracycline-regulated gene expression, and productivity. 2001 , 72, 592-602	60
1173	Overexpression of wild-type RhoA produces growth arrest by disrupting actin cytoskeleton and microtubules. 2000 , 80, 229-40	16
1172	Targeting of PCNA to sites of DNA replication in the mammalian cell nucleus. 2001 , 81, 56-67	51
1171	Generation of a mammalian cell line stably expressing a tetracycline-regulated epitope-tagged human androgen receptor: implications for steroid hormone receptor research. 2001 , 289, 217-30	10
1170	Antagonistic effects of c-myc and Epstein-Barr virus latent genes on the phenotype of human B cells. 2001 , 93, 810-6	50
1169	Truncated ErbB2 receptor enhances ErbB1 signaling and induces reversible, ERK-independent loss of epithelial morphology. 2001 , 94, 185-91	31
1168	Tpl-2 induces apoptosis by promoting the assembly of protein complexes that contain caspase-9, the adapter protein Tpl-1, and procaspase-3. 2001 , 187, 176-87	12
1167	Generation dependent reduction of tTA expression in double transgenic NZL-2/tTA(CMV) mice. 2001 , 31, 78-84	7

1166	Long-term, noninvasive imaging of regulated gene expression in living mice. 2001 , 29, 116-22	60
1165	Rumpshaker-like proteolipid protein (PLP) ratio in a mouse model with unperturbed structural and functional integrity of the myelin sheath and axons in the central nervous system. 2001 , 35, 63-71	5
1164	Novel pristinamycin-responsive expression systems for plant cells. 2001 , 74, 154-63	21
1163	Novel surface tagging technology for selection of complex proliferation-controlled mammalian cell phenotypes. 2001 , 75, 597-606	21
1162	Stabilization of transgenes delivered by recombinant adenovirus vectors through extrachromosomal replication. 2001 , 3, 51-8	5
1161	Trypanosoma cruzi: exogenously regulated gene expression. 2001 , 97, 196-204	17
1160	The genetics and pathology of mouse mammary cancer. 2001 , 11, 239-44	0
1159	Modeling chromosomal instability and epithelial carcinogenesis in the telomerase-deficient mouse. 2001 , 11, 227-39	56
1158	An inducible packaging cell system for safe, efficient lentiviral vector production in the absence of HIV-1 accessory proteins. 2001 , 282, 77-86	64
1157	The hepatitis C virus nonstructural protein 4B is an integral endoplasmic reticulum membrane protein. 2001 , 284, 70-81	182
1156	Role of c-myc regulation in Zta-mediated induction of the cyclin-dependent kinase inhibitors p21 and p27 and cell growth arrest. 2001 , 284, 159-69	43
1155	A novel inducible expression system to study transdominant mutants of HIV-1 Vpr. 2001 , 287, 133-42	17
1154	KSHV-K5 inhibits phosphorylation of the major histocompatibility complex class I cytoplasmic tail. 2001 , 288, 369-78	20
1153	Codon optimization markedly improves doxycycline regulated gene expression in the mouse heart. 2001 , 10, 269-75	68
1152	Tet-system for the regulation of gene expression during embryonic development. 2001 , 10, 247-58	17
1151	Regulated gene expression in glioma cells: a comparison of three inducible systems. 2001 , 26, 521-4	14
1150	A novel drug-regulated gene expression system based on the nuclear receptor constitutive androstane receptor (CAR). 2001 , 18, 146-50	41
1149	Effect of controlled expression of the melittin gene on infection caused by Mycoplasma hominis in cell culture. 2001 , 378, 186-7	2

1148	The amino acid region 248-382 of the Epstein-Barr virus nuclear protein 2 (EBNA2) is responsible for the EBNA2-induced EBV reactivation. 2001 , 23, 361-5	1
1147	Modeling Huntington's disease in cells, flies, and mice. 2001 , 23, 21-51	55
1146	Synaptotagmin IV: biochemistry, genetics, behavior, and possible links to human psychiatric disease. 2001 , 23, 173-85	28
1145	Expression of hepatitis C virus proteins does not interfere with major histocompatibility complex class I processing and presentation in vitro. 2001 , 33, 1282-7	28
1144	Manipulating the mouse genome: approaches and applications. 2001 , 8, 591-8	1
1143	Epidermal growth factor signaling via Ras controls the Smad transcriptional co-repressor TGIF. 2001 , 20, 128-36	128
1142	Decreased nuclear beta-catenin, tau hyperphosphorylation and neurodegeneration in GSK-3beta conditional transgenic mice. 2001 , 20, 27-39	670
1141	CENP-H, a constitutive centromere component, is required for centromere targeting of CENP-C in vertebrate cells. 2001 , 20, 4603-17	138
1140	CBP/p300 and muscle differentiation: no HAT, no muscle. 2001 , 20, 6816-25	95
1139	Onset of ataxia and Purkinje cell loss in PrP null mice inversely correlated with Dpl level in brain. 2001 , 20, 694-702	195
1138	Characterisation of novel target promoters for the dexamethasone-inducible/tetracycline-repressible regulator TGV using luciferase and isopentenyl transferase as sensitive reporter genes. 2001 , 264, 860-70	32
1137	AML1-ETO downregulates the granulocytic differentiation factor C/EBPalpha in t(8;21) myeloid leukemia. 2001 , 7, 444-51	388
1136	Suppression of mammary carcinoma growth in vitro and in vivo by inducible expression of the Cdk inhibitor p21. 2001 , 8, 23-35	50
1135	Creation of a new transgene cloning site near the right ITR of Ad5 results in reduced enhancer interference with tissue-specific and regulatable promoters. 2001 , 8, 247-53	30
1134	Efficient gene transfer of VSV-G pseudotyped retroviral vector to human brain tumor. 2001 , 8, 268-73	27
1133	Pharmacologically regulated gene expression in the retina following transduction with viral vectors. 2001 , 8, 442-6	30
1132	Envelope fusion protein binding studies in an inducible model of retrovirus receptor expression and in CD34(+) cells emphasize limited transduction at low receptor levels. 2001 , 8, 593-9	23
1131	Modulation of neuronal survival and axonal growth in vivo by tetracycline-regulated neurotrophin expression. 2001 , 8, 954-60	55

1130	Quantitative imaging of gene induction in living animals. 2001 , 8, 1572-9	93
1129	Insulators coupled to a minimal bidirectional tet cassette for tight regulation of rAAV-mediated gene transfer in the mammalian brain. 2001 , 8, 1675-81	57
1128	Regulated and prolonged expression of mIFN(alpha) in immunocompetent mice mediated by a helper-dependent adenovirus vector. 2001 , 8, 1817-25	32
1127	Rapid generation of a tetracycline-inducible BCR-ABL defective retrovirus using a single autoregulatory retroviral cassette. 2001 , 15, 1658-62	20
1126	Human cyclin C protein is stabilized by its associated kinase cdk8, independently of its catalytic activity. 2001 , 20, 551-62	32
1125	Phosphorylation of serines 15 and 37 is necessary for efficient accumulation of p53 following irradiation with UV. 2001 , 20, 1076-84	56
1124	Activation of p53 by roscovitine-mediated suppression of MDM2 expression. 2001 , 20, 3206-16	108
1123	p27 Kip1 inhibits HER2/neu-mediated cell growth and tumorigenesis. 2001 , 20, 3695-702	45
1122	Functional identification of LZTS1 as a candidate prostate tumor suppressor gene on human chromosome 8p22. 2001 , 20, 4169-79	49
1121	BAD/BCL-[X(L)] heterodimerization leads to bypass of G0/G1 arrest. 2001 , 20, 4507-18	52
1120	The metastasis-associated Mts1(S100A4) protein could act as an angiogenic factor. 2001 , 20, 4685-95	200
1119	p53 and its homologues, p63 and p73, induce a replicative senescence through inactivation of NF-Y transcription factor. 2001 , 20, 5818-25	83
1118	PKCeta enhances cell cycle progression, the expression of G1 cyclins and p21 in MCF-7 cells. 2001 , 20, 6794-804	51
1117	TGFbeta influences Myc, Miz-1 and Smad to control the CDK inhibitor p15INK4b. 2001 , 3, 400-8	404
1116	Conditional control of gene expression in the mouse. 2001 , 2, 743-55	655
1115	The impact of mammalian gene regulation concepts on functional genomic research, metabolic engineering, and advanced gene therapies. 2001 , 17, 1-51	140
1114	A human immunodeficiency virus Env inducible transcription system to examine consequences of gp120 expression. 2001 , 98, 145-51	3
1113	Severe hydrocephalus in L1-deficient mice. 2001 , 891, 247-52	60

1112	Genetic manipulation of key determinants of ion flow in glutamate receptor channels in the mouse. 2001 , 907, 233-43		55
1111	Influence of a transiently transfected gene on apoptosis, measurements guided by cotransfected GFP. 2001 , 252, 163-9		7
1110	Genes regulated in human breast cancer cells overexpressing manganese-containing superoxide dismutase. 2001 , 30, 260-7		45
1109	Tetracycline-regulatable adenovirus vectors: pharmacologic properties and clinical potential. 2001 , 13, 53-60		24
1108	Use of doxycycline-controlled gene expression to reversibly alter milk-protein composition in transgenic mice. 1999 , 260, 533-9		13
1107	P[Switch], a system for spatial and temporal control of gene expression in <i>Drosophila melanogaster</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 12602-7	11.5	306
1106	The MAPK kinase kinase TAK1 plays a central role in coupling the interleukin-1 receptor to both transcriptional and RNA-targeted mechanisms of gene regulation. 2001 , 276, 3508-16		76
1105	Modulation of cell growth by the hepatitis C virus nonstructural protein NS5A. 2001 , 276, 12675-84		89
1104	Use of the tetracycline-controlled transcriptional silencer (tTS) to eliminate transgene leak in inducible overexpression transgenic mice. 2001 , 276, 25222-9		108
1103	Rac1 protects epithelial cells against anoikis. 2001 , 276, 28113-20		65
1102	Lithium sensitizes tumor cells in an NF-kappa B-independent way to caspase activation and apoptosis induced by tumor necrosis factor (TNF). Evidence for a role of the TNF receptor-associated death domain protein. 2001 , 276, 25939-45		32
1101	Adenovirus E4orf4 protein induces PP2A-dependent growth arrest in <i>Saccharomyces cerevisiae</i> and interacts with the anaphase-promoting complex/cyclosome. 2001 , 154, 331-44		96
1100	Functional cloning of Src-like adapter protein-2 (SLAP-2), a novel inhibitor of antigen receptor signaling. 2001 , 194, 1263-76		48
1099	Unraveling human cancer in the mouse: recent refinements to modeling and analysis. 2001 , 10, 669-75		17
1098	The apolipoprotein E-dependent low density lipoprotein cholesteryl ester selective uptake pathway in murine adrenocortical cells involves chondroitin sulfate proteoglycans and an alpha 2-macroglobulin receptor. 2001 , 276, 21121-8		35
1097	beta-Migrating very low density lipoprotein (beta VLDL) activates smooth muscle cell mitogen-activated protein (MAP) kinase via G protein-coupled receptor-mediated transactivation of the epidermal growth factor (EGF) receptor: effect of MAP kinase activation on beta VLDL plus EGF-induced cell proliferation. 2001 , 276, 30579-88		24
1096	Modulation of myosin A expression by a newly established tetracycline repressor-based inducible system in <i>Toxoplasma gondii</i> . 2001 , 29, E115		104
1095	Possible cytotoxic effect of the expression of a connexin 43-LacZ fusion gene in cells of the vascular wall. 2001 , 38, 203-11		

1094	Changing colors in mice: an inducible system that delivers. 2001 , 15, 1461-7	29
1093	CENP-A is phosphorylated by Aurora B kinase and plays an unexpected role in completion of cytokinesis. 2001 , 155, 1147-57	276
1092	Streptogramin- and tetracycline-responsive dual regulated expression of p27(Kip1) sense and antisense enables positive and negative growth control of Chinese hamster ovary cells. 2001 , 29, E19	43
1091	Increased transcription levels induce higher mutation rates in a hypermutating cell line. 2001 , 166, 5051-7	161
1090	Rac regulates vascular endothelial growth factor stimulated motility. 2001 , 8, 1-13	63
1089	Interferon-inducible ES cell expression systems. 2001 , 158, 301-18	
1088	Conditional liver-specific expression of simian virus 40 T antigen leads to regulatable development of hepatic neoplasm in transgenic mice. 2001 , 276, 13989-94	33
1087	Targeting of Krüppel-associated box-containing zinc finger proteins to centromeric heterochromatin. Implication for the gene silencing mechanisms. 2001 , 276, 14222-9	49
1086	Hepatitis C virus nonstructural 5A protein induces interleukin-8, leading to partial inhibition of the interferon-induced antiviral response. 2001 , 75, 6095-106	258
1085	Analysis of Bcr-Abl function using an in vitro embryonic stem cell differentiation system. 2002 , 185, 83-95	11
1084	Transgenic models for study of lung morphogenesis and repair: Parker B. Francis lecture. 2001 , 120, 275-305	16
1083	Dual-regulated gene expression in mammalian cells, a novel approach to gene therapy. 2001 , 1, 233-264	10
1082	Embryonic Stem Cells. 2001 ,	1
1081	Regulated, adenovirus-mediated delivery of tyrosine hydroxylase suppresses growth of estrogen-induced pituitary prolactinomas. 2001 , 4, 593-602	36
1080	Immediate and long-term safety of recombinant adeno-associated virus injection into the nonhuman primate muscle. 2001 , 4, 559-66	101
1079	Retroviral vectors for the transduction of autoregulated, bidirectional expression cassettes. 2001 , 4, 484-9	30
1078	Exogenously regulated stem cell-mediated gene therapy for bone regeneration. 2001 , 3, 449-61	226
1077	A cell system with targeted disruption of the SMN gene: functional conservation of the SMN protein and dependence of Gemin2 on SMN. 2001 , 276, 9599-605	45

1076	Hyperactivity and impaired response habituation in hyperdopaminergic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 1982-7	11.5	426
1075	Dichotomy of AML1-ETO functions: growth arrest versus block of differentiation. 2001 , 21, 5577-90		122
1074	The cell cycle inhibitor p16(INK4A) sensitizes lymphoblastic leukemia cells to apoptosis by physiologic glucocorticoid levels. 2001 , 276, 10984-9		29
1073	Variations in disparate regions of the murine coronavirus spike protein impact the initiation of membrane fusion. 2001 , 75, 2792-802		78
1072	Conditional cell ablation by stringent tetracycline-dependent regulation of barnase in mammalian cells. 2001 , 29, E76		25
1071	Regulation of the transcriptional coactivator PGC-1 via MAPK-sensitive interaction with a repressor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 9713-8	11.5	217
1070	Hypoxia affects expression of circadian genes PER1 and CLOCK in mouse brain. 2001 , 15, 2613-22		104
1069	Ex vivo propagation of infectious sheep scrapie agent in heterologous epithelial cells expressing ovine prion protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 4055-9	11.5	187
1068	Constitutively dead, conditionally live HIV-1 genomes. Ex vivo implications for a live virus vaccine. 2001 , 276, 32184-90		28
1067	Disruption of neutrophil migration in a conditional transgenic model: evidence for CXCR2 desensitization in vivo. 2001 , 167, 7102-10		63
1066	Wnt signaling regulates hemopoiesis through stromal cells. 2001 , 167, 765-72		75
1065	Determinants for membrane association of the hepatitis C virus RNA-dependent RNA polymerase. 2001 , 276, 44052-63		161
1064	Tetracycline-regulated gene expression mediated by a novel chimeric repressor that recruits histone deacetylases in mammalian cells. 2001 , 276, 45168-74		21
1063	A GFP-equipped bidirectional expression module well suited for monitoring tetracycline-regulated gene expression in mouse. 2001 , 29, E39		91
1062	The lac operator-repressor system is functional in the mouse. 2001 , 15, 1506-17		114
1061	In vivo mechanisms by which tumors producing thrombospondin 1 bypass its inhibitory effects. 2001 , 15, 1373-82		76
1060	Genetically engineered macrophages expressing IFN-gamma restore alveolar immune function in scid mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 14589-94	11.5	49
1059	S and G2 phase roles for Cdk2 revealed by inducible expression of a dominant-negative mutant in human cells. 2001 , 21, 2755-66		122

1058	The mitotic checkpoint protein hBUB3 and the mRNA export factor hRAE1 interact with GLE2p-binding sequence (GLEBS)-containing proteins. 2001 , 276, 26559-67	92
1057	Induction of pre-B cell proliferation after de novo synthesis of the pre-B cell receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 1745-1750	11.5 85
1056	Gonadal tumors of mice double transgenic for inhibin-alpha promoter-driven simian virus 40 T-antigen and herpes simplex virus thymidine kinase are sensitive to ganciclovir treatment. 2001 , 170, 79-90	9
1055	Conditional transgenic technologies. 2001 , 171, 1-14	173
1054	Influenza virus ns1 protein induces apoptosis in cultured cells. 2001 , 75, 7875-81	134
1053	ICP0, ICP4, or VP16 expressed from adenovirus vectors induces reactivation of latent herpes simplex virus type 1 in primary cultures of latently infected trigeminal ganglion cells. 2001 , 75, 6143-53	99
1052	Inducible and reversible beta-cell autoimmunity and hyperplasia in transgenic mice expressing a conditional oncogene. 2001 , 50, 2260-7	14
1051	Experimental regulation of STAT gene expression reveals an involvement of STAT5 in interleukin-4-driven cell proliferation. 2001 , 382, 343-51	2
1050	Dynamin GTPase domain mutants block endocytic vesicle formation at morphologically distinct stages. 2001 , 12, 2578-89	146
1049	Interleukin-2 inhibits glucocorticoid receptor transcriptional activity through a mechanism involving STAT5 (signal transducer and activator of transcription 5) but not AP-1. 2001 , 15, 1062-76	54
1048	Cell encapsulation technology as a therapeutic strategy for CNS malignancies. 2001 , 3, 201-10	68
1047	Tetracyclines inhibit activated B cell function. 2001 , 13, 921-31	49
1046	Fluorescence Correlation Spectroscopy. 2001 ,	262
1045	A truncated form of the human CAF-1 p150 subunit impairs the maintenance of transcriptional gene silencing in mammalian cells. 2001 , 21, 1953-61	41
1044	Dissecting hypoxia-dependent and hypoxia-independent steps in the HIF-1alpha activation cascade: implications for HIF-1alpha gene therapy. 2001 , 15, 2715-7	63
1043	Strict control of human immunodeficiency virus type 1 replication by a genetic switch: Tet for Tat. 2001 , 75, 979-87	84
1042	The future of hypertension therapy: sense, antisense, or nonsense?. 2001 , 37, 357-64	35
1041	Activation of the endothelial nitric-oxide synthase by tumor necrosis factor-alpha. A novel feedback mechanism regulating cell death. 2001 , 276, 6529-36	68

1040	Protein tyrosine phosphatase CD148-mediated inhibition of T-cell receptor signal transduction is associated with reduced LAT and phospholipase Cgamma1 phosphorylation. 2001 , 21, 2393-403		73
1039	Conditional epidermal expression of TGFbeta 1 blocks neonatal lethality but causes a reversible hyperplasia and alopecia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 9139-44	11.5	78
1038	Induced myelination and demyelination in a conditional mouse model of Charcot-Marie-Tooth disease type 1A. 2001 , 10, 1007-18		76
1037	Hepatitis B virus X protein differentially activates RAS-RAF-MAPK and JNK pathways in X-transforming versus non-transforming AML12 hepatocytes. 2001 , 276, 34671-80		71
1036	Cell-type specificity of short-range transcriptional repressors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 12960-5	11.5	10
1035	Signal pathways which promote invasion and metastasis: critical and distinct contributions of extracellular signal-regulated kinase and Ral-specific guanine exchange factor pathways. 2001 , 21, 5958-69		138
1034	ETO, a target of t(8;21) in acute leukemia, makes distinct contacts with multiple histone deacetylases and binds mSin3A through its oligomerization domain. 2001 , 21, 6470-83		288
1033	Accumulation of mutant huntingtin fragments in aggresome-like inclusion bodies as a result of insufficient protein degradation. 2001 , 12, 1393-407		544
1032	Targeting of zyxin to sites of actin membrane interaction and to the nucleus. 2001 , 276, 34759-67		115
1031	Identification of c-myc as a down-stream target for pituitary tumor-transforming gene. 2001 , 276, 8484-91		108
1030	Differential control of transcription by DNA-bound cyclins. 2001 , 12, 2207-17		16
1029	Ribozyme targeting demonstrates that the nuclear receptor coactivator AIB1 is a rate-limiting factor for estrogen-dependent growth of human MCF-7 breast cancer cells. 2001 , 276, 23763-8		108
1028	The B lymphocyte-specific coactivator BOB.1/OBF.1 is required at multiple stages of B-cell development. 2001 , 21, 1531-9		58
1027	A novel tetracycline-dependent transactivator with E2F4 transcriptional activation domain. 2001 , 29, E23		34
1026	Gene targeting in ES cells. 2001 , 158, 19-45		12
1025	Switching on and off transgene expression within lactotrophic cells in the anterior pituitary gland in vivo. 2001 , 142, 2521-32		24
1024	In Vitro and In Vivo Tetracycline-Controlled Myogenic Conversion of NIH-3T3 Cells: Evidence of Programmed Cell Death after Muscle Cell Transplantation. 2001 , 10, 209-221		8
1023	Transgenic studies in the mouse. Improving the technology towards a conditional temporal and spatial approach. 2001 , 158, 319-34		2

1022	Considerations in generating transgenic mice. DNA, RNA, and protein extractions from tissues--rapid and effective blotting. 2001 , 174, 361-77	4
1021	A conditional tetracycline-regulated increase in Gamma amino butyric acid production near luteinizing hormone-releasing hormone nerve terminals disrupts estrous cyclicity in the rat. 2001 , 142, 2102-14	38
1020	Regulated expression of the human CFTR gene in epithelial cells. 2001 , 3, 723-33	20
1019	Correction of Hyperglycemia in Diabetic Mice Transplanted with Reversibly Immortalized Pancreatic β Cells Controlled by the tet-on Regulatory System. 2001 , 10, 645-650	74
1018	Recombinant AAV-mediated delivery of a tet-inducible reporter gene to the rat retina. 2001 , 3, 688-96	79
1017	Regulatable and cell-type specific transgene expression in glial cells: prospects for gene therapy for neurological disorders. 2001 , 132, 655-81	5
1016	Expression and Fermentation Strategies for Recombinant Protein Production in Escherichia Coli. 2001 , 195-258	8
1015	Tightly regulated long-term erythropoietin expression in vivo using tet-inducible recombinant adeno-associated viral vectors. 2002 , 13, 335-42	31
1014	Tetracycline-regulated gene expression in replication-incompetent herpes simplex virus vectors. 2002 , 13, 2113-24	23
1013	Identification of NF-kappaB-dependent gene networks in respiratory syncytial virus-infected cells. 2002 , 76, 6800-14	118
1012	Neural Stem Cells: Methods and Protocols. 2002 ,	3
1011	Role of Toxoplasma gondii myosin A in powering parasite gliding and host cell invasion. 2002 , 298, 837-40	373
1010	Lack of an immune response against the tetracycline-dependent transactivator correlates with long-term doxycycline-regulated transgene expression in nonhuman primates after intramuscular injection of recombinant adeno-associated virus. 2002 , 76, 11605-11	122
1009	Hoxa 11 is upstream of Integrin alpha8 expression in the developing kidney. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 8090-5	11.5 36
1008	Novel baculovirus DNA elements strongly stimulate activities of exogenous and endogenous promoters. 2002 , 277, 5256-64	35
1007	Efficient generation and amplification of high-capacity adeno-associated virus/adenovirus hybrid vectors. 2002 , 76, 10734-44	21
1006	Phenotypic complementation establishes requirements for specific POU domain and generic transactivation function of Oct-3/4 in embryonic stem cells. 2002 , 22, 1526-66	238
1005	Binding of human cytomegalovirus US2 to major histocompatibility complex class I and II proteins is not sufficient for their degradation. 2002 , 76, 8265-75	36

1004	Experimental control of pancreatic development and maintenance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 12236-41	11.5	189
1003	The proto-oncogene c-myc acts through the cyclin-dependent kinase (Cdk) inhibitor p27(Kip1) to facilitate the activation of Cdk4/6 and early G(1) phase progression. 2002 , 277, 31263-9		66
1002	Depletion of collagen II-reactive T cells and blocking of B cell activation prevents collagen II-induced arthritis in DBA/1j mice. 2002 , 168, 4164-72		33
1001	Structure and function in rhodopsin: a tetracycline-inducible system in stable mammalian cell lines for high-level expression of opsin mutants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 13413-8	11.5	174
1000	Endosomal localization and function of sorting nexin 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 6767-72	11.5	129
999	Identification of benzothiazoles as potential polyglutamine aggregation inhibitors of Huntington's disease by using an automated filter retardation assay. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99 Suppl 4, 16400-6	11.5	182
998	ADAMTS4 cleaves at the aggrecanase site (Glu373-Ala374) and secondarily at the matrix metalloproteinase site (Asn341-Phe342) in the aggrecan interglobular domain. 2002 , 277, 16059-66		66
997	Identification of a protein essential for a major pathway used by human cells to avoid UV- induced DNA damage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 4459-64	11.5	69
996	Conditional derepression of ferritin synthesis in cells expressing a constitutive IRP1 mutant. 2002 , 22, 4638-51		46
995	Reciprocal regulation of beta(1)-adrenergic receptor gene transcription by Sp1 and early growth response gene 1: induction of EGR-1 inhibits the expression of the beta(1)-adrenergic receptor gene. 2002 , 61, 379-90		32
994	Cardiomyocyte-specific gene expression following recombinant adeno-associated viral vector transduction. 2002 , 277, 18979-85		48
993	Expression and purification of epitope-tagged multisubunit protein complexes from mammalian cells. 2002 , Chapter 16, Unit 16.13		8
992	MRK, a mixed lineage kinase-related molecule that plays a role in gamma-radiation-induced cell cycle arrest. 2002 , 277, 13873-82		45
991	Adeno-associated viral vector-mediated hypoxia response element-regulated gene expression in mouse ischemic heart model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 9480-5	11.5	119
990	An amino-terminal amphipathic alpha-helix mediates membrane association of the hepatitis C virus nonstructural protein 5A. 2002 , 277, 8130-9		289
989	Stringent doxycycline dependent control of CRE recombinase in vivo. 2002 , 30, e134		177
988	Tetracycline transcriptional silencer tightly controls transgene expression after in vivo intramuscular electrotransfer: application to interleukin 10 therapy in experimental arthritis. 2002 , 13, 2161-72		61
987	Long-term doxycycline-regulated secretion of erythropoietin by encapsulated myoblasts. 2002 , 6, 155-61		35

986	Therapeutic potential of nervous system growth factors for neurodegenerative disease. 2002 , 2, 89-96	9
985	Glucocorticoid-regulated VEGF expression in ischemic skeletal muscle. 2002 , 5, 300-6	21
984	Tumor growth inhibition by interferon-alpha using PEGylated protein or adenovirus gene transfer with constitutive or regulated expression. 2002 , 6, 50-6	6
983	Mechanisms leading to sustained reversion of beta-thalassemia in mice by doxycycline-controlled Epo delivery from muscles. 2002 , 6, 793-803	21
982	Endocytosed transferrin receptors recycle via distinct dynamin and phosphatidylinositol 3-kinase-dependent pathways. 2002 , 277, 48876-83	112
981	Activation of delta-isoform of protein kinase C is required for oxidant-induced disruption of both the microtubule cytoskeleton and permeability barrier of intestinal epithelia. 2002 , 303, 17-28	44
980	Dynamin-dependent transferrin receptor recycling by endosome-derived clathrin-coated vesicles. 2002 , 13, 169-82	183
979	Regulation of the accumulation and function of p53 by phosphorylation of two residues within the domain that binds to Mdm2. 2002 , 277, 1864-71	25
978	The effects of the Fanconi anemia zinc finger (FAZF) on cell cycle, apoptosis, and proliferation are differentiation stage-specific. 2002 , 277, 26327-34	28
977	Mutational analysis of HIV-1 long terminal repeats to explore the relative contribution of reverse transcriptase and RNA polymerase II to viral mutagenesis. 2002 , 277, 38053-61	62
976	Pem homeobox gene regulatory sequences that direct androgen-dependent developmentally regulated gene expression in different subregions of the epididymis. 2002 , 277, 48771-8	24
975	Early transcriptional profiles in huntingtin-inducible striatal cells by microarray analyses. 2002 , 11, 1953-65	173
974	Gene delivery by a steroid-peptide nucleic acid conjugate. 2002 , 16, 1426-8	44
973	Gene therapy in soft tissue reconstruction. 2002 , 172, 118-25	21
972	3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors interfere with angiogenesis by inhibiting the geranylgeranylation of RhoA. 2002 , 91, 143-50	236
971	Regulated gene expression in the chicken embryo by using replication-competent retroviral vectors. 2002 , 76, 1980-5	23
970	Human mitochondrial ferritin expressed in HeLa cells incorporates iron and affects cellular iron metabolism. 2002 , 277, 22430-7	120
969	Analysis of tissue transglutaminase function in the migration of Swiss 3T3 fibroblasts: the active-state conformation of the enzyme does not affect cell motility but is important for its secretion. 2002 , 277, 16567-75	101

968	Fibroblast growth factor 18 influences proximal programming during lung morphogenesis. 2002 , 277, 22743-9	67
967	Modeling brain pathologies using neural stem cells. 2002 , 198, 245-62	1
966	Improving the transcriptional regulation of genes delivered by adenovirus vectors. 2003 , 76, 167-99	13
965	Tools for targeted manipulation of the mouse genome. 2002 , 11, 133-64	149
964	A novel LacZ reporter mouse reveals complex regulation of the progesterone receptor promoter during mammary gland development. 2002 , 16, 2475-89	123
963	Cell motility and invasion assays. 2002 , 189, 129-40	1
962	G protein-coupled receptor 30 is critical for a progestin-induced growth inhibition in MCF-7 breast cancer cells. 2002 , 143, 3376-84	76
961	Expression of the pem homeobox gene in Sertoli cells increases the frequency of adjacent germ cells with deoxyribonucleic acid strand breaks. 2002 , 143, 4875-85	21
960	The mRNA structure has potent regulatory effects on type 2 iodothyronine deiodinase expression. 2002 , 16, 1667-79	44
959	Hyperthermia-regulated immunogene therapy. 2002 , 18, 586-96	30
958	Prevention of pathology in mdx mice by expression of utrophin: analysis using an inducible transgenic expression system. 2002 , 11, 3333-44	122
957	Nogo-A expressed in Schwann cells impairs axonal regeneration after peripheral nerve injury. 2002 , 159, 29-35	74
956	The 2-kilobase intron of the herpes simplex virus type 1 latency-associated transcript has a half-life of approximately 24 hours in SY5Y and COS-1 cells. 2002 , 76, 532-40	30
955	The use of transgenic systems in pharmaceutical research. 2002 , 1, 119-30	10
954	Conditional targeting of the DNA repair enzyme hOGG1 into mitochondria. 2002 , 277, 44932-7	81
953	Cell cycle arrest and repression of cyclin D1 transcription by INI1/hSNF5. 2002 , 22, 5975-88	206
952	Dynamics of global histone acetylation and deacetylation in vivo: rapid restoration of normal histone acetylation status upon removal of activators and repressors. 2002 , 16, 743-52	161
951	Functional genomics: lessons from yeast. 2002 , 357, 17-23	74

950	Controlled elimination of clathrin heavy-chain expression in DT40 lymphocytes. 2002 , 297, 1521-5	59
949	Effects of double-strand break repair proteins on vertebrate telomere structure. 2002 , 30, 2862-70	39
948	Retrovirus vectors. 2000 , 465, 23-35	1
947	Inhibition of apoptosis by ATFx: a novel role for a member of the ATF/CREB family of mammalian bZIP transcription factors. 2002 , 16, 1806-14	84
946	Expression of hepatitis C virus proteins induces distinct membrane alterations including a candidate viral replication complex. 2002 , 76, 5974-84	678
945	Inducible gene expression using an autoregulatory, tetracycline-controlled system. 2002 , Chapter 16, Unit 16.14	1
944	Intracellular distribution of labile Zn(II) and zinc transporter expression in kidney and MDCK cells. 2002 , 283, F1365-75	23
943	Spontaneous and neurotrophin-induced axonal plasticity after spinal cord injury. 2002 , 137, 415-23	26
942	Perindopril: possible use in cancer therapy. 2002 , 13, 221-8	27
941	Role of the protein tyrosine phosphatase SHP-1 (Src homology phosphatase-1) in the regulation of interleukin-3-induced survival, proliferation and signalling. 2002 , 368, 885-94	39
940	Inhibitory effects of a dominant-interfering form of the Rho-GTPase Cdc42 in the chemoattractant-elicited signaling pathways leading to NADPH oxidase activation in differentiated HL-60 cells. 2002 , 100, 1835-44	17
939	Transgenic targeting with regulatory elements of the human CD34 gene. 2002 , 100, 4410-9	41
938	Retroviral vectors applied to gene regulation studies. 2002 , 345, 539-51	13
937	An ecdysone-inducible expression system for use with retroviruses. 2003 , 76, 331-42	
936	Of mice and models: improved animal models for biomedical research. 2002 , 11, 115-32	138
935	Neuroprotective gene therapy for Parkinson's disease. 2002 , 2, 451-83	20
934	Enhanced efficiency through nuclear localization signal fusion on phage PhiC31-integrase: activity comparison with Cre and FLPe recombinase in mammalian cells. 2002 , 30, 2299-306	95
933	S phase and G2 arrests induced by topoisomerase I poisons are dependent on ATR kinase function. 2002 , 277, 1599-606	156

932	FIP-2, an IkappaB-kinase-gamma-related protein, is associated with the Golgi apparatus and translocates to the marginal band during chicken erythroblast differentiation. 2002 , 278, 133-45	20
931	TGF-alpha-driven tumor growth is inhibited by an EGF receptor tyrosine kinase inhibitor. 2002 , 290, 349-58	14
930	Colony stimulating factor-1 is required to recruit macrophages into the mammary gland to facilitate mammary ductal outgrowth. 2002 , 247, 11-25	96
929	Artificial mammalian gene regulation networks-novel approaches for gene therapy and bioengineering. 2002 , 98, 161-87	52
928	Preclinical models: status of basic research in depression. 2002 , 52, 503-28	441
927	Overview of the HIV-1 Lentiviral Vector System. 2002 , Chapter 16, Unit 16.21	14
926	Effects of genetic blockade of the insulin-like growth factor receptor in human colon cancer cell lines. 2002 , 123, 1191-204	75
925	Regulation of elongation factor-2 kinase by pH. 2002 , 41, 13444-50	51
924	Viral Vectors for Gene Therapy. 2002 ,	1
923	Generating conditional mouse mutants via tetracycline-controlled gene expression. 2003 , 209, 69-104	44
922	Apoptosis Techniques and Protocols. 2002 ,	3
921	Potent gene-specific inhibitory properties of mixed-backbone antisense oligonucleotides comprised of 2'-deoxy-2'-fluoro-D-arabinose and 2'-deoxyribose nucleotides. 2002 , 41, 3457-67	51
920	Studying gene function in eukaryotes by conditional gene inactivation. 2002 , 36, 153-73	183
919	Using cDNA-representational difference analysis (cDNA-RDA) in combination with microarrays to identify Rac regulated genes. 2002 , 189, 25-43	
918	Dose-dependent neuroprotective effect of ciliary neurotrophic factor delivered via tetracycline-regulated lentiviral vectors in the quinolinic acid rat model of Huntington's disease. 2002 , 13, 1981-90	92
917	GTPase Protocols. 2002 ,	0
916	Stringent control of gene expression in vivo by using novel doxycycline-dependent trans-activators. 2002 , 13, 199-210	77
915	Spatial and temporal regulation of 3-phosphoinositides by PI 3-kinase and PTEN mediates chemotaxis. 2002 , 109, 611-23	644

914	Overexpression of VDUP1 mRNA sensitizes HeLa cells to paraquat. 2002 , 293, 293-7	20
913	Direct binding of plectin to Fer kinase and negative regulation of its catalytic activity. 2002 , 296, 904-10	37
912	A novel positive tetracycline-dependent transactivator (rtTA) variant with reduced background activity and enhanced activation potential. 2002 , 517, 115-20	11
911	Association of human transferrin receptor with GABARAP. 2002 , 518, 101-6	46
910	Differential regulation of transcription and induction of programmed cell death by human p53-family members p63 and p73. 2002 , 525, 93-9	49
909	A role for the octameric ring protein, Translin, in mitotic cell division. 2002 , 525, 105-10	33
908	Cyotomedical therapy for insulinopenic diabetes using microencapsulated pancreatic beta cell lines. 2002 , 71, 1717-29	15
907	Induced expression of melittin, an antimicrobial peptide, inhibits infection by Chlamydia trachomatis and Mycoplasma hominis in a HeLa cell line. 2002 , 19, 133-7	33
906	Prostate cancer gene therapy and the role of radiation. 2002 , 28, 49-64	7
905	Autonomous parvovirus vectors. 2002 , 28, 168-81	15
904	Application of adeno-associated viral vectors in behavioral research. 2002 , 28, 195-202	3
903	Regulation of gene expression in adeno-associated virus vectors in the brain. 2002 , 28, 219-26	28
902	Vigilant vectors: adeno-associated virus with a biosensor to switch on amplified therapeutic genes in specific tissues in life-threatening diseases. 2002 , 28, 259-66	32
901	Somatic gene targeting in the developing and adult mouse retina. 2002 , 28, 457-64	12
900	Tetracycline-controlled transcriptional regulation systems: advances and application in transgenic animal modeling. 2002 , 13, 121-8	150
899	Recent advances in inducible expression in transgenic mice. 2002 , 13, 129-41	50
898	Nuclear export of NF90 is required for interleukin-2 mRNA stabilization. 2002 , 10, 1331-44	163
897	Characterization of HIF-1 alpha overexpressing HeLa cells and implications for gene therapy. 2002 , 133, 475-81	10

896	The role of utrophin in the potential therapy of Duchenne muscular dystrophy. 2002 , 12 Suppl 1, S78-89	47
895	Re-engineering the sterile insect technique. 2002 , 32, 1243-7	136
894	Detection of mutation in transgenic CHO cells using green fluorescent protein as a reporter. 2002 , 518, 55-64	5
893	Efficient and tightly regulated expression systems for the human cytomegalovirus major transactivator protein IE2p86 in permissive cells. 2002 , 83, 89-102	15
892	Modified GFAP promoter auto-regulates tet-activator expression for increased transactivation and reduced tTA-associated toxicity. 2002 , 101, 71-81	23
891	Neurotrophic factors, gene therapy, and neural stem cells for spinal cord repair. 2002 , 57, 833-8	149
890	Effects of mouse strain, position of integration and tetracycline analogue on the tetracycline conditional system in transgenic mice. 2002 , 282, 65-74	43
889	Molecular cloning, expression and partial characterization of Xksy, Xenopus member of the Sky family of receptor tyrosine kinases. 2002 , 288, 29-40	1
888	Generation of a synthetic mammalian promoter library by modification of sequences spacing transcription factor binding sites. 2002 , 297, 21-32	64
887	A predictable ligand regulated expression strategy for stably integrated transgenes in mammalian cells in culture. 2002 , 298, 159-72	40
886	Gene transfer of a chimeric trans-activator is immunogenic and results in short-lived transgene expression. 2002 , 13, 1611-20	94
885	Met-HGF/SF signal transduction induces mimp, a novel mitochondrial carrier homologue, which leads to mitochondrial depolarization. 2002 , 4, 510-22	23
884	Alternative splicing unmasks dendritic and axonal targeting signals in metabotropic glutamate receptor 1. 2002 , 22, 2196-205	75
883	Tamalin, a PDZ domain-containing protein, links a protein complex formation of group 1 metabotropic glutamate receptors and the guanine nucleotide exchange factor cytohesins. 2002 , 22, 1280-9	150
882	Brain factor-1 controls the proliferation and differentiation of neocortical progenitor cells through independent mechanisms. 2002 , 22, 6526-36	149
881	Conditional rescue of protein kinase C epsilon regulates ethanol preference and hypnotic sensitivity in adult mice. 2002 , 22, 9905-11	83
880	Roles of Extracellular Matrix and Cytoskeleton in Intestinal Epithelial Restitution. 2002 , 25, 1-13	1
879	Expression and Characterization of Recombinant Murine Factor VIII. 2002 , 88, 450-458	55

878	Cutting-edge technology: IV. Genomic engineering for studies of the gastrointestinal tract in mice. 2002 , 283, G1232-7	4
877	Inducible and selective transgene expression in murine vascular endothelium. 2002 , 11, 99-107	23
876	Transgenic calmodulin-dependent protein kinase II activation: dose-dependent effects on synaptic plasticity, learning, and memory. 2002 , 22, 5719-26	83
875	Microtubule-associated protein 1A (MAP1A) and MAP1B: light chains determine distinct functional properties. 2002 , 22, 2106-14	82
874	Ligand-regulated secretion of recombinant annexin V from cultured thyroid epithelial cells. 2002 , 282, C1313-21	7
873	GATA-6 is required for maturation of the lung in late gestation. 2002 , 283, L468-75	59
872	Regulation of transferrin-induced endocytosis by wild-type and C282Y-mutant HFE in transfected HeLa cells. 2002 , 282, C973-9	13
871	Tetracycline-dependent gene regulation: combinations of transregulators yield a variety of expression windows. 2002 , 32, 796, 798, 800 passim	28
870	A novel recombinant hyperaffinity inositol 1,4,5-trisphosphate (IP(3)) absorbent traps IP(3), resulting in specific inhibition of IP(3)-mediated calcium signaling. 2002 , 277, 8106-13	75
869	Differential gene expression and aging. 2002 , 2, 618-31	12
868	Termination of immediate-early gene expression after stimulation by parathyroid hormone or isoproterenol. 2002 , 283, C1432-40	12
867	HSV Amplicon Vectors in Neuronal Apoptosis Studies. 2002 , 061-082	
866	Noninfectious Gene Transfer and Expression Systems for Cancer Gene Therapy. 2002 , 31-52	
865	Characterisation of the luminal domain of TGN38 and effects of elevated expression of TGN38 on glycoprotein secretion. 2002 , 81, 609-21	7
864	Dominant lethality and insect population control. 2002 , 121, 173-8	95
863	Targeting of a tetracycline-inducible expression system to the transcriptionally silent minichromosomes of <i>Trypanosoma brucei</i> . 2002 , 125, 211-6	215
862	hREV3 is essential for error-prone translesion synthesis past UV or benzo[a]pyrene diol epoxide-induced DNA lesions in human fibroblasts. 2002 , 510, 71-80	76
861	Che-1 affects cell growth by interfering with the recruitment of HDAC1 by Rb. 2002 , 2, 387-99	69

860	Reverse genetics of essential genes in tissue-culture cells: 'dead cells talking'. 2002 , 12, 281-7	37
859	Transgenic systems in drug discovery: from target identification to humanized mice. 2002 , 7, 461-70	37
858	Timing the doxycycline yields different patterns of genomic recombination in brain neurons with a new inducible Cre transgene. 2002 , 68, 248-53	37
857	The tet-off system is more effective than the tet-on system for regulating transgene expression in a single adenovirus vector. 2002 , 4, 240-7	31
856	Optimization and direct comparison of the dimerizer and reverse tet transcriptional control systems. 2002 , 4, 258-70	19
855	Human cell lines engineered for tetracycline-regulated expression of tumor suppressor candidate genes from a frequently affected chromosomal region, 3p21. 2002 , 4, 397-406	49
854	Novel promoter/transactivator configurations for macrolide- and streptogramin-responsive transgene expression in mammalian cells. 2002 , 4, 676-86	49
853	Controlled transgene expression by E1-E4-defective adenovirus vectors harbouring a "tet-on" switch system. 2002 , 4, 668-75	9
852	Bioprocess applications of a Sindbis virus-based temperature-inducible expression system. 2002 , 79, 602-9	16
851	p27Kip1-mediated controlled proliferation technology increases constitutive sICAM production in CHO-DUKX adapted for growth in suspension and serum-free media. 2002 , 79, 619-27	44
850	Metabolic engineering II. Eukaryotic systems. 2002 , 79, 509-31	16
849	Engineering of coordinated up- and down-regulation of two glycosyltransferases of the O-glycosylation pathway in Chinese hamster ovary (CHO) cells. 2002 , 79, 580-5	17
848	Versatile macrolide-responsive mammalian expression vectors for multiregulated multigene metabolic engineering. 2002 , 80, 691-705	38
847	A noninvasive cell-based assay for monitoring proteolytic activity within a specific subcellular compartment. 2002 , 306, 237-46	5
846	Involvement of nucleophosmin/B23 in the response of HeLa cells to UV irradiation. 2002 , 97, 297-305	44
845	Characterization of stably transfected fusion protein GFP-estrogen receptor-alpha in MCF-7 human breast cancer cells. 2002 , 86, 365-75	14
844	Proliferation marker pKi-67 affects the cell cycle in a self-regulated manner. 2002 , 87, 334-41	13
843	Inducible expression of the regulatory protein kinase CK2beta subunit: incorporation into complexes with catalytic CK2 subunits and re-examination of the effects of CK2beta on cell proliferation. 2001 , 84, 84-99	10

842	A Cre recombinase transgene with mosaic, widespread tamoxifen-inducible action. 2002 , 32, 8-18	108
841	High-throughput transgene copy number estimation by competitive PCR. 2002 , 20, 265-277	13
840	Bcr-Abl is a "molecular switch" for the decision for growth and differentiation in hematopoietic stem cells. 2002 , 76, 35-43	10
839	Novel tricyclic pyrone compounds prevent intracellular APP C99-induced cell death. 2002 , 19, 57-61	37
838	A Renilla luciferase-Aequorea GFP (ruc-gfp) fusion gene construct permits real-time detection of promoter activation by exogenously administered mifepristone in vivo. 2002 , 268, 169-78	13
837	Doxycycline-inducible retroviral expression of green fluorescent protein in immortalized human keratinocytes. 2002 , 11, 266-74	3
836	Novel approaches for identifying genes regulating lymphocyte development and function. 2002 , 14, 260-5	8
835	Roles of aurora-A kinase in mitotic entry and G2 checkpoint in mammalian cells. 2002 , 7, 1173-82	160
834	Retroviral vectors for establishing tetracycline-regulated gene expression in an otherwise recalcitrant cell line. 2002 , 3, 13	10
833	Osteopontin regulates adhesion of calcium oxalate crystals to renal epithelial cells. 2002 , 9, 100-8	39
832	Evidence for general stabilization of mRNAs in response to UV light. 2002 , 269, 5830-9	27
831	Evaluation of Tet-on system to avoid transgene down-regulation in ex vivo gene transfer to the CNS. 2002 , 9, 1291-301	54
830	Tight control of gene expression by a helper-dependent adenovirus vector carrying the rtTA2(s)-M2 tetracycline transactivator and repressor system. 2002 , 9, 1415-21	65
829	Sp1 as G1 cell cycle phase specific transcription factor in epithelial cells. 2002 , 21, 1485-92	92
828	Metastasis-associated protein (MTA)1 enhances migration, invasion, and anchorage-independent survival of immortalized human keratinocytes. 2002 , 21, 2161-70	81
827	Modelling haematopoietic malignancies in the mouse and therapeutical implications. 2002 , 21, 3445-58	39
826	Activation of the TGFalpha autocrine loop is downstream of IGF-I receptor activation during mitogenesis in growth factor dependent human colon carcinoma cells. 2002 , 21, 2785-96	32
825	Ras-inducible immortalized fibroblasts: focus formation without cell cycle deregulation. 2002 , 21, 3058-67	16

824	Anoxia induces macrophage inhibitory cytokine-1 (MIC-1) in glioblastoma cells independently of p53 and HIF-1. 2002 , 21, 4212-9	137
823	Novel gain of function activity of p53 mutants: activation of the dUTPase gene expression leading to resistance to 5-fluorouracil. 2002 , 21, 4595-600	84
822	Identification of a novel stress-responsive gene Hi95 involved in regulation of cell viability. 2002 , 21, 6017-31	280
821	Engineering polydactyl zinc-finger transcription factors. 2002 , 20, 135-41	402
820	Regulation of endogenous gene expression with a small-molecule dimerizer. 2002 , 20, 729-33	77
819	Macrolide-based transgene control in mammalian cells and mice. 2002 , 20, 901-7	187
818	Decreased proliferation of human melanoma cell lines caused by antisense RNA against translation factor eIF-4A1. 2002 , 86, 1957-62	38
817	The Neuroregenerative Capacity of Olfactory Stem Cells Is Not Limitless: Implications for Aging. 2018 , 38, 6806-6824	27
816	Hepatitis B virus upregulates host microRNAs that target apoptosis-regulatory genes in an in vitro cell model. 2018 , 371, 92-103	20
815	Intersection of phosphate transport, oxidative stress and TOR signalling in <i>Candida albicans</i> virulence. 2018 , 14, e1007076	23
814	A Drug-Tunable Gene Therapy for Broad-Spectrum Protection against Retinal Degeneration. 2018 , 26, 2407-2417	16
813	Modulated expression of the HIV-1 2LTR zinc finger efficiently interferes with the HIV integration process. 2018 , 38,	4
812	Steroids and Brain, a Rising Bio-Medical Domain: a Perspective. 2018 , 9, 316	3
811	Hepatitis B virus suppresses the secretion of insulin-like growth factor binding protein 1 to facilitate anti-apoptotic IGF-1 effects in HepG2 cells. 2018 , 370, 399-408	6
810	Understanding Tendons: Lessons from Transgenic Mouse Models. 2018 , 27, 1161-1174	15
809	Doxycycline Impairs Mitochondrial Function and Protects Human Glioma Cells from Hypoxia-Induced Cell Death: Implications of Using Tet-Inducible Systems. 2018 , 19,	17
808	A Split Transcriptional Repressor That Links Protein Solubility to an Orthogonal Genetic Circuit. 2018 , 7, 2126-2138	14
807	Fatty acid oxidation is associated with proliferation and prognosis in breast and other cancers. 2018 , 18, 805	40

806	Controlled Non-Viral Gene Delivery in Cartilage and Bone Repair: Current Strategies and Future Directions. 2018 , 1, 1800038	11
805	Behavioral Strategy Determines Frontal or Posterior Location of Short-Term Memory in Neocortex. 2018 , 99, 814-828.e7	56
804	Inducible promoters and functional genomic approaches for the genetic engineering of filamentous fungi. 2018 , 102, 6357-6372	32
803	Gene Therapy Methods and Their Applications in Neurological Disorders. 2018 , 3-39	2
802	Viral Transduction of Primary Schwann Cells Using a Cre-Lox System to Regulate Glial Cell Line-Derived Neurotrophic Factor Expression. 2018 , 327-344	
801	Mouse models of hepatocellular carcinoma: an overview and highlights for immunotherapy research. 2018 , 15, 536-554	102
800	Synthetic gene circuits for the detection, elimination and prevention of disease. 2018 , 2, 399-415	49
799	Caffeine-inducible gene switches controlling experimental diabetes. 2018 , 9, 2318	36
798	Leaky Expression of the TET-On System Hinders Control of Endogenous miRNA Abundance. 2019 , 14, e1800219	13
797	How to Choose the Right Inducible Gene Expression System for Mammalian Studies?. 2019 , 8,	36
796	Reversible Gene Regulation in Mammalian Cells Using Riboswitch-Engineered Vesicular Stomatitis Virus Vector. 2019 , 8, 1976-1982	12
795	Hysteretic Genetic Circuit for Detection of Proteasomal Degradation in Mammalian Cells. 2019 , 8, 2025-2035	3
794	The piggyBac-based double-inducible binary vector system: A novel universal platform for studying gene functions and interactions. 2019 , 105, 102420	3
793	Genetic manipulation of autonomic nerve fiber innervation and activity and its effect on breast cancer progression. 2019 , 22, 1289-1305	93
792	Introducing Genes into Cultured Mammalian Cells. 2019 , 2019,	1
791	VEGAS as a Platform for Facile Directed Evolution in Mammalian Cells. 2019 , 178, 748-761.e17	31
790	Noise-reducing optogenetic negative-feedback gene circuits in human cells. 2019 , 47, 7703-7714	15
789	Cre recombinase toxicity in podocytes: a novel genetic model for FSGS in adolescent mice. 2019 , 317, F1375-F1382	2

788	Resources: Transgenic, Inbred and Mutant Animals, Training Opportunities, and Web-Based Support. 2019 , 10, 387	22
787	Brain-wide distribution of reporter expression in five transgenic tetracycline-transactivator mouse lines. 2019 , 6, 190028	
786	Prunin suppresses viral IRES activity and is a potential candidate for treating enterovirus A71 infection. 2019 , 11,	14
785	Long non-coding RNA GAPLINC promotes angiogenesis by regulating miR-211 under hypoxia in human umbilical vein endothelial cells. 2019 , 23, 8090-8100	8
784	Generating mouse models for biomedical research: technological advances. 2019 , 12,	55
783	Monosynaptic tracing: a step-by-step protocol. 2019 , 102, 101661	8
782	Engineered action at a distance: Blood-meal-inducible paralysis in <i>Aedes aegypti</i> . 2019 , 13, e0007579	4
781	Non-antibiotic Small-Molecule Regulation of DHFR-Based Destabilizing Domains. 2019 , 15, 27-39	10
780	De novo design of programmable inducible promoters. 2019 , 47, 10452-10463	12
779	A tunable dual-input system for on-demand dynamic gene expression regulation. 2019 , 10, 4481	15
778	Astrocyte function from information processing to cognition and cognitive impairment. 2019 , 22, 154-166	225
777	Synthetic Switches and Regulatory Circuits in Plants. 2019 , 179, 862-884	23
776	Basic Concepts in Viral Vector-Mediated Gene Therapy. 2019 , 1937, 3-26	4
775	Single-Neuron Level One-Photon Voltage Imaging With Sparsely Targeted Genetically Encoded Voltage Indicators. 2019 , 13, 39	15
774	A Novel DT40 Antibody Library for the Generation of Monoclonal Antibodies. 2019 , 34, 641-647	1
773	Input-dependent post-translational control of the reporter output enhances dynamic resolution of mammalian signaling systems. 2019 , 622, 1-27	1
772	Human GBP1 is a microbe-specific gatekeeper of macrophage apoptosis and pyroptosis. 2019 , 38, e100926	90
771	Knocking in Multifunctional Gene Tags into SMC Complex Subunits Using Gene Editing. 2019 , 2004, 91-102	

770	Reversible Gene Expression Control in <i>Yersinia pestis</i> by Using an Optimized CRISPR Interference System. 2019 , 85,	7
769	Characterization of the Filovirus-Resistant Cell Line SH-SY5Y Reveals Redundant Role of Cell Surface Entry Factors. 2019 , 11,	6
768	Functional Access to Neuron Subclasses in Rodent and Primate Forebrain. 2019 , 26, 2818-2832.e8	31
767	F-Fluoroestradiol PET Imaging of Activating Estrogen Receptor-Mutations in Breast Cancer. 2019 , 60, 1247-1252	13
766	Advances in optogenetic regulation of gene expression in mammalian cells using cryptochrome 2 (CRY2). 2019 , 164-165, 81-90	7
765	A dual system to manipulate protein levels for DNA replication- and cell cycle-related studies. 2019 , 619, 121-143	1
764	Chimeric NANOG repressors inhibit glioblastoma growth in vivo in a context-dependent manner. 2019 , 9, 3891	7
763	A Synthetic Gene Circuit for Self-Regulating Delivery of Biologic Drugs in Engineered Tissues. 2019 , 25, 809-820	19
762	Magnetically triggered transgene expression in mammalian cells by localized cellular heating of magnetic nanoparticles. 2019 , 128, 355-364	2
761	Model-based analysis of influenza A virus replication in genetically engineered cell lines elucidates the impact of host cell factors on key kinetic parameters of virus growth. 2019 , 15, e1006944	7
760	Aseptic Rearing and Infection with Gut Bacteria Improve the Fitness of Transgenic Diamondback Moth,. 2019 , 10,	7
759	ACT Is Essential for Survival and Early Cerebellar Programming in a Critical Neonatal Window. 2019 , 102, 770-785.e7	14
758	Precision immunomodulation with synthetic nucleic acid technologies. 2019 , 4, 451-458	19
757	Selective Capture and Purification of MicroRNAs and Intracellular Proteins through Antisense-vectorized Magnetic Nanobeads. 2019 , 9, 2069	15
756	Oligodendrocytes. 2019 ,	1
755	Conditional Mutagenesis in Oligodendrocyte Lineage Cells. 2019 , 1936, 249-274	1
754	Precise tuning of gene expression levels in mammalian cells. 2019 , 10, 818	23
753	Effect of attenuation of fibroblast growth factor receptor 2b signaling on odontoblast differentiation and dentin formation. 2019 , 55, 211-219	1

752	Overexpression of neuronal K-Cl co-transporter enhances dendritic spine plasticity and motor learning. 2019 , 69, 453-463	8
751	Discovery of New Hepatitis B Virus Capsid Assembly Modulators by an Optimal High-Throughput Cell-Based Assay. 2019 , 5, 778-787	10
750	Removal of Antibiotic Tetracycline (TCs) from aqueous solutions by using Titanium dioxide (TiO ₂) nanoparticles as an alternative material. 2019 , 1294, 052059	2
749	Inhibitory Effect of Transcription Factor YB-1 in the Development of Signal from an Innate Immunity Receptor NOD2. 2019 , 45, 285-291	
748	Biosensors design in yeast and applications in metabolic engineering. 2019 , 19,	15
747	In Vivo Protein Complementation Demonstrates Presynaptic β Synuclein Oligomerization and Age-Dependent Accumulation of 8-16-mer Oligomer Species. 2019 , 29, 2862-2874.e9	15
746	Hippocampal clock regulates memory retrieval via Dopamine and PKA-induced GluA1 phosphorylation. 2019 , 10, 5766	17
745	The ribosome assembly factor Nop53 controls association of the RNA exosome with pre-60S particles in yeast. 2019 , 294, 19365-19380	5
744	Conditional gene inactivation by combining tetracycline-mediated transcriptional repression and auxin-inducible degron-mediated degradation. 2019 , 18, 238-248	7
743	Utilizing a regulated targeted integration cell line development approach to systematically investigate what makes an antibody difficult to express. 2019 , 35, e2772	5
742	Procaspase activating compound 1 controls tetracycline repressor-regulated gene expression system. 2019 , 39,	
741	Vulnerability of frontal brain neurons for the toxicity of expanded ataxin-3. 2019 , 28, 1463-1473	6
740	A novel hay-derived biochar for removal of tetracyclines in water. 2019 , 274, 162-172	77
739	Process development for an inducible rituximab-expressing Chinese hamster ovary cell line. 2019 , 35, e2742	2
738	Functional Analysis of Genetic Variation in the SECIS Element of Thyroid Hormone Activating Type 2 Deiodinase. 2019 , 104, 1369-1377	3
737	Physiological and pathophysiological characteristics of ataxin-3 isoforms. 2019 , 294, 644-661	19
736	Inducible IFN- β Expression for MHC-I Upregulation in Devil Facial Tumor Cells. 2018 , 9, 3117	9
735	A Tet/Q Hybrid System for Robust and Versatile Control of Transgene Expression in <i>C. elegans</i> . 2019 , 11, 224-237	7

734	A prospect of cell immortalization combined with matrix microenvironmental optimization strategy for tissue engineering and regeneration. 2019 , 9, 7	19
733	Monitoring Aggregate Clearance and Formation in Cell-Based Assays. 2019 , 1873, 157-169	2
732	Protein Misfolding Diseases. 2019 ,	1
731	Control Interventions Can Impact Alveolarization and the Transcriptome in Developing Mouse Lungs. 2019 , 302, 346-363	5
730	A New Tool for Inducible Gene Expression in. 2019 , 211, 419-430	9
729	A versatile remote control system for functional expression of bacterial virulence genes based on the tetA promoter. 2019 , 309, 54-65	11
728	Sustained and regulated gene expression by Tet-inducible "all-in-one" retroviral vectors containing the HNRPA2B1-CBX3 UCOE. 2019 , 192, 486-499	7
727	Illuminating the Activated Brain: Emerging Activity-Dependent Tools to Capture and Control Functional Neural Circuits. 2019 , 35, 369-377	10
726	Molecular Mechanisms of Neurodegeneration: Insights from the Studies of Genetic Model of Parkinson Disease. 2019 , 15-29	
725	Animal models of cholangiocarcinoma. 2019 , 1865, 982-992	27
724	Doxycycline-Dependent Self-Inactivation of CRISPR-Cas9 to Temporally Regulate On- and Off-Target Editing. 2020 , 28, 29-41	15
723	Genetic quality assurance and genetic monitoring of laboratory mice and rats: FELASA Working Group Report. 2020 , 54, 135-148	13
722	Improved transgenic sexing strains for genetic control of the Australian sheep blow fly <i>Lucilia cuprina</i> using embryo-specific gene promoters. 2020 , 295, 287-298	10
721	Engineering Molecular Machines for the Control of Cellular Functions for Diagnostics and Therapeutics. 2020 , 30, 1904345	2
720	Zebrafish In Vivo Models of Cancer and Metastasis. 2020 , 10,	10
719	An in vitro comparative study of layered-double hydroxide nanoconjugate in the delivery of small interference and short-hairpin ribonucleic acid. 2020 , 43, 1	1
718	Evolution-guided engineering of small-molecule biosensors. 2020 , 48, e3	45
717	Capturing activated neurons and synapses. 2020 , 152, 25-34	2

716	Time-delimited signaling of MET receptor tyrosine kinase regulates cortical circuit development and critical period plasticity. 2021 , 26, 3723-3736	7
715	The human ribosomal protein eL29 binds in vivo to the cognate mRNA by interacting with its coding sequence, as revealed from in-cell cross-linking data. 2020 , 177, 68-77	1
714	How to reprogram human fibroblasts to neurons. 2020 , 10, 116	7
713	Synthetic gene-regulatory networks in the opportunistic human pathogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 27608-27619	11.5 6
712	A regulatable adenovector system for GDNF and GFP delivery in the rat hippocampus. 2020 , 83, 102072	2
711	Characterization of a female germline and early zygote promoter from the transcription factor bZip1 in the dengue mosquito <i>Aedes aegypti</i> . 2020 , 13, 353	0
710	Engineering Next-Generation CAR-T Cells for Better Toxicity Management. 2020 , 21,	18
709	Characterization of changes in global gene expression in the hearts and kidneys of transgenic mice overexpressing human angiotensin-converting enzyme 2. 2020 , 36, 23	0
708	A versatile genetic control system in mammalian cells and mice responsive to clinically licensed sodium ferulate. 2020 , 6, eabb9484	2
707	Genetic Engineering of Zebrafish in Cancer Research. 2020 , 12,	19
706	Engineering transcription factor-based biosensors for repressive regulation through transcriptional deactivation design in <i>Saccharomyces cerevisiae</i> . 2020 , 19, 146	8
705	(Phospho)proteomic Profiling of Microsatellite Unstable CRC Cells Reveals Alterations in Nuclear Signaling and Cholesterol Metabolism Caused by Frameshift Mutation of NMD Regulator UPF3A. 2020 , 21,	4
704	Exploiting natural chemical photosensitivity of anhydrotetracycline and tetracycline for dynamic and setpoint chemo-optogenetic control. 2020 , 11, 3834	8
703	Genome-wide effect of tetracycline, doxycycline and 4-epidoxycycline on gene expression in <i>Saccharomyces cerevisiae</i> . 2020 , 37, 389-396	2
702	Single-case experimental designs for behavioral neuroscience. 2020 , 114, 447-467	2
701	A tunable, rapid, and precise drug control of protein expression by combining transcriptional and post-translational regulation systems. 2020 , 47, 705-712	
700	Stressor-induced ecdysis and thecate cyst formation in the armoured dinoflagellates <i>Prorocentrum cordatum</i> . 2020 , 10, 18322	0
699	Small-molecule inducible transcriptional control in mammalian cells. 2020 , 40, 1131-1150	4

698	Application of the human estrogen receptor within a synthetic transcription factor in. 2020 , 7, 12	2
697	Impairment of nuclear F-actin formation and its relevance to cellular phenotypes in Hutchinson-Gilford progeria syndrome. 2020 , 11, 250-263	8
696	Engineering a Synthesis-Friendly Constitutive Promoter for Mammalian Cell Expression. 2020 , 9, 2625-2631	3
695	A super-sensitive auxin-inducible degron system with an engineered auxin-TIR1 pair. 2020 , 48, e108	13
694	Externally-Controlled Systems for Immunotherapy: From Bench to Bedside. 2020 , 11, 2044	3
693	Improvement on the genetic engineering of an invasive agricultural pest insect, the cherry vinegar fly, <i>Drosophila suzukii</i> . 2020 , 21, 139	3
692	Toward Tightly Tuned Gene Expression Following Lentiviral Vector Transduction. 2020 , 12,	3
691	A guide to the design of synthetic gene networks in mammalian cells. 2021 , 288, 5265-5288	4
690	Synthetic rewiring and boosting type I interferon responses for visualization and counteracting viral infections. 2020 , 48, 11799-11811	
689	A collection of genetic mouse lines and related tools for inducible and reversible intersectional mis-expression. 2020 , 147,	3
688	A human cell polarity protein Lgl2 regulates influenza A virus nucleoprotein exportation from nucleus in MDCK cells. 2020 , 45, 1	1
687	Development of an epigenetic tetracycline sensor system based on DNA methylation. 2020 , 15, e0232701	4
686	Introducing Genes into Mammalian Cells: Viral Vectors. 2020 , 2020, 095513	10
685	Expression of eukaryotic membrane proteins in eukaryotic and prokaryotic hosts. 2020 , 180, 3-18	17
684	Getting back on track: exploiting canalization to uncover the mechanisms of developmental robustness. 2020 , 63, 53-60	2
683	Flux, toxicity, and expression costs generate complex genetic interactions in a metabolic pathway. 2020 , 6, eabb2236	6
682	Efficient Transcriptionally Controlled Plasmid Expression System for Investigation of the Stability of mRNA Transcripts in Primary Alveolar Epithelial Cells. 2020 ,	
681	Postnatal loss of the insulin receptor in osteoprogenitor cells does not impart a metabolic phenotype. 2020 , 10, 8842	1

680	Efficient Transgenesis in Using Flp Recombinase-Mediated Cassette Exchange. 2020 , 215, 903-921	10
679	Animal Models of Diabetes. 2020 ,	
678	A Novel Genetically Encoded Single Use Sensory Cellular Test System Measures Bicarbonate Concentration Changes in Living Cells. 2020 , 20,	2
677	A gene signal amplifier platform for monitoring the unfolded protein response. 2020 , 16, 520-528	3
676	Optical induction of autophagy via Transcription factor EB (TFEB) reduces pathological tau in neurons. 2020 , 15, e0230026	10
675	Synthetic immunity by remote control. 2020 , 10, 3652-3667	12
674	Genetic breakdown of a Tet-off conditional lethality system for insect population control. 2020 , 11, 3095	6
673	Inducible Genetic Code Expansion in Eukaryotes. 2020 , 21, 3216-3219	4
672	Dissecting the Role of Subtypes of Gastrointestinal Vagal Afferents. 2020 , 11, 643	20
671	The COMET toolkit for composing customizable genetic programs in mammalian cells. 2020 , 11, 779	32
670	Monosynaptic Tracing Success Depends Critically on Helper Virus Concentrations. 2020 , 12, 6	15
669	Directed evolution of VanR biosensor specificity in yeast. 2020 , 1, 9-15	4
668	Codon and amino acid content are associated with mRNA stability in mammalian cells. 2020 , 15, e0228730	19
667	CORP: Using transgenic mice to study skeletal muscle physiology. 2020 , 128, 1227-1239	2
666	Summary of Currently Available Mouse Models. 2020 , 1-32	
665	Synthetic Biology and Tissue Engineering: Toward Fabrication of Complex and Smart Cellular Constructs. 2020 , 30, 1909882	10
664	Progress in Animal Models of Pancreatic Ductal Adenocarcinoma. 2020 , 11, 1555-1567	22
663	Where does the cargo go?: Solutions to provide experimental support for the "extracellular vesicle cargo transfer hypothesis". 2020 , 14, 135-146	22

662	CRISPR-Based Synthetic Transcription Factors In Vivo: The Future of Therapeutic Cellular Programming. 2020 , 10, 1-14	27
661	Efficient tissue-type specific expression of target genes in a tetracycline-controlled manner from the ubiquitously active Eef1a1 locus. 2020 , 10, 207	1
660	RNA and protein-based nanodevices for mammalian post-transcriptional circuits. 2020 , 63, 99-110	7
659	Light-mediated control of Gene expression in mammalian cells. 2020 , 152, 66-77	11
658	Tunable self-cleaving ribozymes for modulating gene expression in eukaryotic systems. 2020 , 15, e0232046	2
657	Development of a paper-immobilized yeast biosensor for the detection of physiological concentrations of doxycycline in technology-limited settings. 2020 , 12, 2123-2132	9
656	Systematic microsatellite repeat expansion cloning and validation. 2020 , 139, 1233-1246	0
655	Gene delivery into cells and tissues. 2020 , 519-554	2
654	Spatiotemporal refinement of signal flow through association cortex during learning. 2020 , 11, 1744	17
653	Mouse Models of Oncoimmunology in Hepatocellular Carcinoma. 2020 , 26, 5276-5286	5
652	Tissue Distribution of Doxycycline in Animal Models of Tuberculosis. 2020 , 64,	13
651	Testing the CRISPR-Cas9 and glmS ribozyme systems in Leishmania tarentolae. 2021 , 241, 111336	4
650	Progress and Perspectives in the Development of Lentiviral Vector Producer Cells. 2021 , 16, e2000017	15
649	Osteoporosis and Osteoarthritis. 2021 ,	
648	Temporally Distinct Roles for the Zinc Finger Transcription Factor Sp8 in the Generation and Migration of Dorsal Lateral Ganglionic Eminence (dLGE)-Derived Neuronal Subtypes in the Mouse. 2021 , 31, 1744-1762	1
647	Animal Models of Allergic Disease. 2021 ,	0
646	Low-Dose Tamoxifen Induces Significant Bone Formation in Mice. 2021 , 5, e10450	2
645	Cartilage-Specific Cre Recombinase Transgenes/Alleles in the Mouse. 2021 , 2245, 23-38	

644	Rapid Way to Generate Mouse Models for Studies of the Endothelium. 2021 , 10, 24-41	1
643	Genome-based engineering of ligninolytic enzymes in fungi. 2021 , 20, 20	13
642	Liquid-liquid phase separation of light-inducible transcription factors increases transcription activation in mammalian cells and mice. 2021 , 7,	31
641	Construction of Caffeine-Inducible Gene Switches in Mammalian Cells. 2021 , 2312, 159-168	
640	The Conditional Knockout Analogous System: CRISPR-Mediated Knockout Together with Inducible Degron and Transcription-Controlled Expression. 2021 , 2329, 323-335	
639	Development of Host-Orthogonal Genetic Systems for Synthetic Biology. 2021 , 5, e2000252	3
638	Next-generation tools to control biting midge populations and reduce pathogen transmission. 2021 , 14, 31	0
637	MicroRNAs Regulating Autophagy in Neurodegeneration. 2021 , 1208, 191-264	0
636	Genomics Approaches for Insect Control and Insecticide Resistance Development in Date Palm. 2021 , 215-248	
635	Recent advances in bioanalytical methods to measure proteome stability in cells. 2021 , 146, 2097-2109	5
634	A platform for post-translational spatiotemporal control of cellular proteins. 2021 , 6, ysab002	1
633	Genetic engineering for in vivo optical interrogation of neuronal responses to cell type-specific silencing.	
632	Clinically-driven design of synthetic gene regulatory programs in human cells.	6
631	Development of a genetically modified hepatoma cell line with heat-inducible high liver function. 2021 , 73, 353-362	0
630	Neuroscience of Object Relations in Health and Disorder: A Proposal for an Integrative Model. 2021 , 12, 583743	0
629	Engineered expression of the invertebrate-specific scorpion toxin AaHIT reduces adult longevity and female fecundity in the diamondback moth <i>Plutella xylostella</i> . 2021 , 77, 3154-3164	1
628	SUFFICIENT ACTIVITY OF THE UBIQUITIN PROTEASOME SYSTEM IN AGED MICE AND DURING RETINAL DEGENERATION SUPPORTS DHFR-BASED CONDITIONAL CONTROL OF PROTEIN ABUNDANCE IN THE RETINA.	
627	An Improved Vector System for Homogeneous and Stable Gene Regulation. 2021 , 22,	

626	Mathematical modeling of genetic pest management through female-specific lethality: Is one locus better than two?. 2021 , 14, 1612-1622	3
625	Novel Hybrid Synthetic Promoters Based on Foreign Core Promoter Sequences. 2021 , 22,	5
624	Functional dissection of human mitotic genes using CRISPR-Cas9 tiling screens.	0
623	Perinatal exposure to tetracycline contributes to lasting developmental effects on offspring. 2021 , 3, 37	0
622	Interaction between perineuronal nets and ketamine in antidepressant action.	
621	Optimization of the Light-On system in a lentiviral platform to a light-controlled expression of genes in neurons. 2021 , 51, 50-57	
620	The effect of long-term doxycycline treatment in a mouse model of cigarette smoke-induced emphysema and pulmonary hypertension. 2021 , 320, L903-L915	1
619	Promoter Engineering before and during the Synthetic Biology Era. 2021 , 10,	3
618	A transgenic female killing system for the genetic control of <i>Drosophila suzukii</i> . 2021 , 11, 12938	1
617	Using structurally fungible biosensors to evolve improved alkaloid biosyntheses.	2
616	Effect of Inducible BMP-7 Expression on the Osteogenic Differentiation of Human Dental Pulp Stem Cells. 2021 , 22,	2
615	Tracking Colanic Acid Repeat Unit Formation from Stepwise Biosynthesis Inactivation in. 2021 , 60, 2221-2230	2
614	Multiplexing viral approaches to the study of the neuronal circuits. 2021 , 357, 109142	0
613	Convergence Circuit Mapping: Genetic Approaches From Structure to Function. 2021 , 15, 688673	3
612	Progress in mimicking brain microenvironments to understand and treat neurological disorders. 2021 , 5, 020902	2
611	Lentiviral Vectors for Delivery of Gene-Editing Systems Based on CRISPR/Cas: Current State and Perspectives. 2021 , 13,	1
610	Synthetic fluorescent MYC probe: Inhibitor binding site elucidation and development of a high-throughput screening assay. 2021 , 42, 116246	1
609	A conditional female lethal system for genetic suppression of the global fruit crop pest <i>Drosophila suzukii</i> . 2021 , 77, 4915-4922	3

608	A GRA2 minimal promoter improves the efficiency of TATi / Tet-Off conditional regulation of gene expression in <i>Toxoplasma gondii</i> . 2021 , 244, 111384	0
607	Translating complexity and heterogeneity of pancreatic tumor: 3D in vitro to in vivo models. 2021 , 174, 265-293	13
606	One-step multiplex toolkit for efficient generation of conditional gene silencing human cell lines. 2021 , 32, 1320-1330	1
605	A genetically encoded tool for reconstituting synthetic modulatory neurotransmission and reconnect neural circuits in vivo. 2021 , 12, 4795	4
604	Synthetic Gene Circuits for Antimicrobial Resistance and Cancer Research.	
603	Sites of Cre-recombinase activity in mouse lines targeting skeletal cells. 2021 , 36, 1661-1679	3
602	Advances in promoter engineering: Novel applications and predefined transcriptional control. 2021 , 16, e2100239	4
601	A modified Tet-ON system minimizing leaky expression for cell-type specific gene induction in medaka fish. 2021 , 63, 397-405	3
600	Quantitative control of noise in mammalian gene expression by dynamic histone regulation. 2021 , 10,	0
599	Genetic manipulations of AMPA glutamate receptors in hippocampal synaptic plasticity. 2021 , 194, 108630	2
598	Doxycycline inducible overexpression systems: how to induce your gene of interest without inducing misinterpretations. 2021 , 32, 1517-1522	
597	Disrupted Timing of MET Signaling Derails the Developmental Maturation of Cortical Circuits and Leads to Altered Behavior in Mice. 2021 ,	1
596	Contractile Activity of Myotubes Derived from Human Induced Pluripotent Stem Cells: A Model of Duchenne Muscular Dystrophy. 2021 , 10,	1
595	Strategies for Post-Translational Control of Protein Expression and Their Applications. 2021 , 11, 8300	1
594	SyNPL: Synthetic Notch pluripotent cell lines to monitor and manipulate cell interactions in vitro and in vivo.	
593	Knock down analysis reveals critical phases for specific oskar noncoding RNA functions during <i>Drosophila</i> oogenesis. 2021 , 11,	0
592	Genetic Toolkits to Design and Build Mammalian Synthetic Systems. 2021 , 39, 1004-1018	4
591	Carcinogenesis Models Using Small Fish. 2021 , 69, 962-969	

590	Functional visualization and manipulation in the marmoset brain using viral vectors. 2021 , 60, 11-16	2
589	Engineering the bilayer: Emerging genetic tool kits for mechanistic lipid biology. 2021 , 65, 66-73	0
588	Control of mammalian cell-based devices with genetic programming. 2021 , 28, 100372-100372	1
587	Induced pluripotency and intrinsic reprogramming factors. 2022 , 117-145	
586	Genetic Manipulation of. 2021 , 42, 307-332	4
585	Conditional gene expression in invertebrate animal models. 2021 , 48, 14-31	2
584	Generation of a Tetracycline Regulated Mouse Model of MYC-Induced T-Cell Acute Lymphoblastic Leukemia. 2021 , 2318, 297-312	0
583	Dual Systems for Enhancing Control of Protein Activity through Induced Dimerization Approaches. 2021 , 5, e2000234	3
582	Cochineal quinone carbon dot synthesis via a keto-enol tautomerism strategy and their intermolecular photo-induced cross-redox interactions with tetracycline. 2021 , 45, 15336-15343	1
581	Orthogonal control of mean and variability of endogenous genes in a human cell line. 2021 , 12, 292	3
580	Brain repair: Experimental treatment strategies, neuroprotective and repair strategies in the lesioned adult CNS. 2006 , 557, 148-63	3
579	Retroviral Vectors for Gene Therapy. 2007 , 53-67	1
578	Perspectives on the state of insect transgenics. 2008 , 627, 1-18	21
577	Insect population suppression using engineered insects. 2008 , 627, 93-103	64
576	Molecular approaches for studying astrocytes. 2009 , 383-405	2
575	Control of Mammalian Cell Proliferation as an Important Strategy in Cell Culture Technology, Cancer Therapy and Tissue Engineering. 1999 , 186-219	15
574	Development of an IRF-1 Based Proliferation Control System. 1999 , 220-238	4
573	Generating Beta-Cell-Specific Transgenic Mice Using the Cre-Lox System. 2020 , 2128, 181-205	2

572	Optogenetic Control of Gene Expression Using Cryptochrome 2 and a Light-Activated Degron. 2020 , 2173, 151-158	1
571	Optogenetic Downregulation of Protein Levels to Control Programmed Cell Death in Mammalian Cells with a Dual Blue-Light Switch. 2020 , 2173, 159-170	3
570	Mouse Models of Osteoarthritis: Surgical Model of Post-traumatic Osteoarthritis Induced by Destabilization of the Medial Meniscus. 2021 , 2221, 223-260	5
569	Preventing Genetic Pollution and the Establishment of Feral Populations: A Molecular Solution. 2007 , 103-114	6
568	Progressing Neural Stem Cell Lines to the Clinic. 2008 , 105-122	5
567	Quantification of Plasmid DNA Expression in Vivo. 1998 , 343-367	3
566	Development of targeted viral vectors for cardiovascular gene therapy. 2003 , 25, 15-49	2
565	Invasive drug delivery. 2002 , 513, 431-51	9
564	Cell Type Specific and Inducible Transgenesis in the Anterior Pituitary Gland. 2001 , 233-256	1
563	The NIMA kinase: a mitotic regulator in <i>Aspergillus nidulans</i> and vertebrate cells. 1995 , 1, 187-205	34
562	Recombinant expression of the TGEV membrane glycoprotein M. 1995 , 380, 305-10	2
561	Mouse hepatitis virus receptor levels influence virus-induced cytopathology. 1998 , 440, 549-55	4
560	Role of gene therapy in radiation oncology. 1998 , 93, 153-67	3
559	Engineering transgenes for use in the mammary gland. 1996 , 18, 57-81	7
558	Principles for the use of in vivo transgene techniques: overview and an introductory practical guide for the selection of tetracycline-controlled transgenic mice. 2014 , 1142, 33-40	2
557	Mouse models of osteoarthritis: surgical model of posttraumatic osteoarthritis induced by destabilization of the medial meniscus. 2015 , 1226, 143-73	35
556	Mouse models of breast cancer. 2015 , 1267, 47-71	14
555	Control of Gene Expression in Neurons by the Use of In Vivo Electroporation and the Tetracycline System. 2015 , 187-195	3

554	Modulation of Activity of a Carotenoid Pathway Through the Use of the TeT-on Regulatory System: Application in the Fungus <i>Fusarium fujikuroi</i> . 2020 , 2083, 343-360	4
553	HSV-1 Amplicon. 1998 , 63-82	7
552	Adenovector-Mediated Cancer Gene Therapy. 2007 , 3-22	1
551	Improved Models for Animal Research. 2008 , 17-24	2
550	The use of retroviral vectors for tet-regulated gene expression in cell populations. 2009 , 506, 221-42	2
549	Retroviral delivery of ECM genes. 2009 , 522, 3-14	0
548	Conditional gene expression and knockdown using lentivirus vectors encoding shRNA. 2008 , 434, 291-309	27
547	Inducible and conditional promoter systems to generate transgenic animals. 2010 , 597, 71-9	3
546	Cre recombinase mediated alterations of the mouse genome using embryonic stem cells. 2008 , 461, 111-32	15
545	Knock-in and knock-out: the use of reverse genetics in somatic cells to dissect mitotic pathways. 2009 , 545, 1-19	2
544	Models of metastasis in drug discovery. 2010 , 602, 215-33	10
543	Viral packaging and transduction of adult hippocampal neural progenitors. 2010 , 621, 103-16	14
542	Tetracycline-regulated gene expression in transgenic mouse epidermis. 2010 , 585, 287-302	1
541	Lineage Tracing of Tissue-Specific Stem Cells In Vivo. 2011 , 135-161	1
540	Design and construction of synthetic gene networks in mammalian cells. 2012 , 813, 359-76	4
539	Predicting synthetic gene networks. 2012 , 813, 57-81	14
538	Multiplex imaging of Rho family GTPase activities in living cells. 2012 , 827, 215-34	21
537	"Tet-On" system toward hepatic differentiation of human mesenchymal stem cells by hepatocyte nuclear factor. 2012 , 826, 125-32	1

536	Functional Circuitry Analysis in Rodents Using Neurotoxins/Immunotoxins. 2012 , 193-205	5
535	Tetracycline-inducible gene expression in <i>Candida albicans</i> . 2012 , 845, 201-10	4
534	Barrier modulation in drug delivery to the retina. 2013 , 935, 371-80	6
533	Generation of a tetracycline regulated mouse model of MYC-induced T-cell acute lymphoblastic leukemia. 2013 , 1012, 221-35	1
532	Lentiviral Vectors as Research Tools in Neurobiology: Design and Production. 2014 , 3-10	1
531	A Comparison of Inducible Gene Expression Platforms: Implications for Recombinant Adeno-Associated Virus (rAAV) Vector-Mediated Ocular Gene Therapy. 2019 , 1185, 79-83	2
530	Controlling Fungal Gene Expression Using the Doxycycline-Dependent Tet-ON System in <i>Aspergillus fumigatus</i> . 2015 , 131-138	4
529	Sensorimotor Integration in the Spinal Cord, from Behaviors to Circuits: New Tools to Close the Loop?. 2015 , 197-234	2
528	Structural Simplification of Chemical Reaction Networks Preserving Deterministic Semantics. 2015 , 133-144	2
527	Identifying critical signaling molecules for the treatment of cancer. 2007 , 172, 5-24	2
526	Analysis of mouse development with conditional mutagenesis. 2007 , 235-62	14
525	A novel conditional knockout strategy applied to serotonin receptors. 2007 , 347-63	11
524	Tetracycline-controlled genetic switches. 2007 , 49-72	57
523	Telomerase as a Potential Regulator of Tissue Progenitor Cells. 2008 , 203-210	2
522	Mechanisms of Transcriptional Activation in Eukaryotes. 2004 , 3-31	2
521	Novel Mouse Models in Biomedical Research: The Power of Dissecting Pathways by Quantitative Control of Gene Activities. 2004 , 3-30	1
520	Fluorescence Correlation Microscopy (FCM): Fluorescence Correlation Spectroscopy (FCS) in Cell Biology. 2001 , 132-161	5
519	Transgenic models in the study of AIDS dementia complex. 1996 , 206, 223-41	13

518	Plasmid-based gene transfer and antiprogestin-controllable transgene expression. 2003 , 225-44	1
517	Ex Vivo Gene Therapy in the Central Nervous System. 2002 , 301-333	1
516	Temporal Control of Gene Expression by Combining Electroporation and the Tetracycline Inducible Systems in Vertebrate Embryos. 2009 , 25-36	2
515	Optogenetics Research Using the Mouse as a Model System. 2015 , 227-237	1
514	GalCer Synthase (Ceramide Galactosyltransferase, CGT). 2002 , 51-57	1
513	Genetically Modified Insects as a Tool for Biorational Control. 2009 , 189-206	6
512	Control of mRNA stability in higher plants. 1996 , 63-77	1
511	Destabilization of Green Fluorescent Protein by Substitution of Its Amino-Terminal Residue. 2001 , 6-9	2
510	Use of matrix attachment regions (MARs) to minimize transgene silencing. 2000 , 241-256	2
509	Gene Delivery and Expression Systems in Induced Pluripotent Stem Cells. 2017 , 121-133	5
508	Selective toxicity of antibacterial agents-still a valid concept or do we miss chances and ignore risks?. 2021 , 49, 29-56	6
507	Gene Therapy of Ovarian Cancer State-of-the-Art and Future Perspectives. 2003 , 277-304	1
506	Determinants of Pluripotency in Mammals. 2002 , 109-152	1
505	Analysis of mRNA decay. 1996 , 449-456	8
504	Genetic Engineering for CNS Regeneration. 1999 , 251-291	5
503	Cell lines that allow regulated expression of HCV proteins. 2003 , 175-186	1
502	Transcription factor-induced, phased bending of the E-selectin promoter.. 1994 , 269, 31756-31762	27
501	Characterization of cis-regulating elements and trans-activating factors of the rat cardiac troponin T gene.. 1994 , 269, 30595-30603	34

500	Expression of transforming growth factor beta type II receptor leads to reduced malignancy in human breast cancer MCF-7 cells. 1994 , 269, 26449-26455	212
499	Inhibition of E-selectin gene transcription through a cAMP-dependent protein kinase pathway.. 1994 , 269, 29129-29137	66
498	Understanding adipose tissue development from transgenic animal models. 2002 , 43, 835-860	46
497	Chapter 12:Vector-Mediated and Viral Delivery of Short Hairpin RNAs. 2008 , 267-295	3
496	Engineered gene networks enable non-genetic drug resistance and enhanced cellular robustness. 2019 , 3, 72-79	3
495	Synthetic approaches to study transcriptional networks and noise in mammalian systems. 2013 , 7, 11-7	1
494	Induction of pre-B cell proliferation after de novo synthesis of the pre-B cell receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 1745-50	11.5 55
493	Glucocorticoid-mediated destabilization of cyclin D3 mRNA involves RNA-protein interactions in the 3'-untranslated region of the mRNA. 2000 , 275, 22001-8	30
492	Confounding factors from inducible systems for spatiotemporal gene expression regulation. 2020 , 219,	11
491	High-frequency generation of conditional mutations affecting <i>Drosophila melanogaster</i> development and life span. 2001 , 158, 1167-76	29
490	piggyBac-based insertional mutagenesis and enhancer detection as a tool for functional insect genomics. 2003 , 163, 647-61	127
489	Elucidation and refinement of synthetic receptor mechanisms. 2020 , 5, ysaa017	9
488	Regulated and endothelial cell-specific expression of Fas ligand: an in vitro model for a strategy aiming at inhibiting xenograft rejection. 1998 , 66, 1126-31	15
487	Mutations in the env gene of human immunodeficiency virus type 1 NDK isolates and the use of African green monkey CXCR4 as a co-receptor in COS-7 cells. 1999 , 80 (Pt 8), 1975-1982	5
486	Human papillomavirus type 16 E7-regulated genes: regulation of S100P and ADP/ATP carrier protein genes identified by differential-display technology. 2000 , 81, 1009-15	10
485	Efficient delivery and regulable expression of hepatitis C virus full-length and minigenome constructs in hepatocyte-derived cell lines using baculovirus vectors. 2002 , 83, 383-394	31
484	Regulating the UAS/GAL4 system in adult <i>Drosophila</i> with Tet-off GAL80 transgenes.	1
483	PERSIST: A programmable RNA regulation platform using CRISPR endoRNases.	6

482	Quantitative dialing of gene expression via precision targeting of KRAB repressor.	1
481	Genetically Engineered Proportional-Integral Feedback Controllers for Robust Perfect Adaptation in Mammalian Cells.	3
480	Olfactory and Vomeronasal Receptor Feedback Employ Divergent Mechanisms of PERK Activation.	4
479	Conditional Upregulation of KCC2 selectively enhances neuronal inhibition during seizures.	2
478	Flux, toxicity and protein expression costs shape genetic interaction in a metabolic pathway.	2
477	A tunable dual-input system for on-demand dynamic gene expression regulation.	1
476	Evolution-guided engineering of small-molecule biosensors.	3
475	Monosynaptic tracing success depends critically on helper virus concentrations.	5
474	The prosurvival Bcl-2 homolog Bfl-1/A1 is a direct transcriptional target of NF-kappaB that blocks TNFalpha-induced apoptosis. 1999 , 13, 382-7	579
473	Chromosome Manipulation by Cre-lox Recombination. 2002 , 38-58	7
472	Repression of endogenous p53 transactivation function in HeLa cervical carcinoma cells by human papillomavirus type 16 E6, human mdm-2, and mutant p53. 1993 , 67, 3111-7	102
471	Targeting of promoters for trans activation by a carboxy-terminal domain of the NS-1 protein of the parvovirus minute virus of mice. 1994 , 68, 7974-85	51
470	Human cytomegalovirus IE1 and IE2 proteins block apoptosis. 1995 , 69, 7960-70	353
469	Inducible expression of the P, V, and NP genes of the paramyxovirus simian virus 5 in cell lines and an examination of NP-P and NP-V interactions. 1995 , 69, 8001-10	56
468	Tetracycline repressor-regulated gene repression in recombinant human cytomegalovirus. 1995 , 69, 2565-73	40
467	Adenovirus type 5 precursor terminal protein-expressing 293 and HeLa cell lines. 1995 , 69, 4079-85	32
466	Identification of cellular target genes of the Epstein-Barr virus transactivator Zta: activation of transforming growth factor beta 1 (TGF-beta 1) and TGF-beta 2. 1995 , 69, 4206-12	81
465	Self-contained, tetracycline-regulated retroviral vector system for gene delivery to mammalian cells. 1996 , 70, 62-7	158

464	Recombinant adeno-associated virus-mediated high-efficiency, transient expression of the murine cationic amino acid transporter (ecotropic retroviral receptor) permits stable transduction of human HeLa cells by ecotropic retroviral vectors. 1996 , 70, 6759-66	37
463	Novel retroviral vector transferring a suicide gene and a selectable marker gene with enhanced gene expression by using a tetracycline-responsive expression system. 1996 , 70, 8138-41	43
462	Human immunodeficiency virus type 1 Rev function requires continued synthesis of its target mRNA. 1996 , 70, 8332-9	34
461	Molecular determinants of acute single-cell lysis by human immunodeficiency virus type 1. 1996 , 70, 1340-54	120
460	Regulated, stable expression and nuclear presence of reovirus double-stranded RNA-binding protein sigma3 in HeLa cells. 1996 , 70, 3497-501	25
459	Inducible human immunodeficiency virus type 1 packaging cell lines. 1996 , 70, 4530-7	57
458	Murine coronavirus membrane fusion is blocked by modification of thiols buried within the spike protein. 1996 , 70, 4683-90	49
457	Inducible gene expression by retrovirus-mediated transfer of a modified tetracycline-regulated system. 1996 , 70, 6054-9	54
456	Development of high-titer retroviral producer cell lines by using Cre-mediated recombination. 1997 , 71, 7820-6	12
455	A role for naturally occurring variation of the murine coronavirus spike protein in stabilizing association with the cellular receptor. 1997 , 71, 3129-37	59
454	Conditional repression of the E2 transcription unit in E1-E3-deleted adenovirus vectors is correlated with a strong reduction in viral DNA replication and late gene expression in vitro. 1997 , 71, 3307-11	21
453	A conditional self-inactivating retrovirus vector that uses a tetracycline-responsive expression system. 1997 , 71, 7128-31	16
452	Stimulation of cyclin-dependent kinase activity and G1- to S-phase transition in human lymphocytes by the human T-cell leukemia/lymphotropic virus type 1 Tax protein. 1998 , 72, 633-40	113
451	Two novel adenovirus vector systems permitting regulated protein expression in gene transfer experiments. 1998 , 72, 8358-61	51
450	Control of human immunodeficiency virus type 1 RNA metabolism: role of splice sites and intron sequences in unspliced viral RNA subcellular distribution. 1998 , 72, 9503-13	16
449	Competition for DNA binding sites between the short and long forms of E2 dimers underlies repression in bovine papillomavirus type 1 DNA replication control. 1998 , 72, 1931-40	27
448	Inducible overexpression of a toxic protein by an adenovirus vector with a tetracycline-regulatable expression cassette. 1998 , 72, 2289-96	98
447	Intracellular complexes of viral spike and cellular receptor accumulate during cytopathic murine coronavirus infections. 1998 , 72, 3278-88	21

446	Adenovirus internalization and infection require dynamin. 1998 , 72, 3455-8	147
445	Genetic dissection of cell growth arrest functions mediated by the Epstein-Barr virus lytic gene product, Zta. 1999 , 73, 9029-38	48
444	A replication-incompetent adenovirus vector with the preterminal protein gene deleted efficiently transduces mouse ears. 1999 , 73, 1046-53	26
443	Packaging cell lines for simian foamy virus type 1 vectors. 1999 , 73, 4498-501	19
442	Epstein-barr virus (EBV) nuclear protein 2-induced disruption of EBV latency in the Burkitt's lymphoma cell line Akata: analysis by tetracycline-regulated expression. 1999 , 73, 5214-9	8
441	Herpes simplex virus ICP27 induces cytoplasmic accumulation of unspliced polyadenylated alpha-globin pre-mRNA in infected HeLa cells. 2000 , 74, 2913-9	24
440	Deregulated expression of E2F-1 induces S-phase entry and leads to apoptosis. 1994 , 14, 8166-8173	194
439	Acceleration of the G1/S phase transition by expression of cyclins D1 and E with an inducible system. 1994 , 14, 1669-1679	365
438	Transcription inhibits the replication of autonomously replicating plasmids in human cells. 1994 , 14, 2516-2524	30
437	mRNA stability in mammalian cells. 1995 , 59, 423-50	1083
436	Conditional transgene expression in the heart. 1996 , 79, 691-7	109
435	Cardiomyocyte overexpression of iNOS in mice results in peroxynitrite generation, heart block, and sudden death. 2002 , 109, 735-743	206
434	The LIM-homeodomain transcription factor Lmx1b plays a crucial role in podocytes. 2002 , 109, 1073-1082	93
433	An ATF2-derived peptide sensitizes melanomas to apoptosis and inhibits their growth and metastasis. 2002 , 110, 643-650	53
432	Regulatable systems: applications in gene therapy and replicating viruses. 2000 , 105, 1177-83	61
431	Tetracycline-regulated cardiac gene expression in vivo. 1994 , 93, 1864-8	69
430	Regulated expression of foreign genes in vivo after germline transfer. 1994 , 94, 2421-5	67
429	Myoblast transfer of human erythropoietin gene in a mouse model of renal failure. 1995 , 95, 1808-13	72

428	Type 3 Iodothyronine deiodinase: cloning, in vitro expression, and functional analysis of the placental selenoenzyme. 1995 , 96, 2421-30	134
427	Recent advances in gene mutagenesis by site-directed recombination. 1996 , 97, 1999-2002	88
426	Overexpression of the death-promoting gene bax-alpha which is downregulated in breast cancer restores sensitivity to different apoptotic stimuli and reduces tumor growth in SCID mice. 1996 , 97, 2651-9	146
425	Inhibition of bovine endothelial cell activation in vitro by regulated expression of a transdominant inhibitor of NF-kappa B. 1997 , 99, 763-72	65
424	Creation of an In vivo cytosensor using engineered mesangial cells. Automatic sensing of glomerular inflammation controls transgene activity. 1997 , 100, 1394-9	32
423	Expression of protein kinase C beta in the heart causes hypertrophy in adult mice and sudden death in neonates. 1997 , 100, 2189-95	184
422	Regulated overexpression of interleukin 11 in the lung. Use to dissociate development-dependent and -independent phenotypes. 1997 , 100, 2501-11	123
421	Development of diabetes mellitus in aging transgenic mice following suppression of pancreatic homeoprotein IDX-1. 2001 , 108, 319-29	23
420	PPARGamma induces the insulin-dependent glucose transporter GLUT4 in the absence of C/EBPalpha during the conversion of 3T3 fibroblasts into adipocytes. 1998 , 101, 22-32	263
419	Germline RBBP8 variants associated with early-onset breast cancer compromise replication fork stability. 2020 , 130, 4069-4080	9
418	Cardiomyocyte overexpression of iNOS in mice results in peroxynitrite generation, heart block, and sudden death. 2002 , 109, 735-43	96
417	The LIM-homeodomain transcription factor Lmx1b plays a crucial role in podocytes. 2002 , 109, 1073-82	47
416	CII-DC-AdTRAIL cell gene therapy inhibits infiltration of CII-reactive T cells and CII-induced arthritis. 2003 , 112, 1332-41	32
415	Development of diabetes mellitus in aging transgenic mice following suppression of pancreatic homeoprotein IDX-1. 2001 , 108, 319-329	62
414	CII-DC-AdTRAIL cell gene therapy inhibits infiltration of CII-reactive T cells and CII-induced arthritis. 2003 , 112, 1332-1341	75
413	Halting angiogenesis by non-viral somatic gene therapy alleviates psoriasis and murine psoriasiform skin lesions. 2011 , 121, 410-21	23
412	Sphingosine-1-phosphate receptor 1 reporter mice reveal receptor activation sites in vivo. 2014 , 124, 2076-86	66
411	Secondary Mutation Maintains the Transformed State in BaF3 Cells With Inducible BCR/ABL Expression. 1998 , 91, 3927-3934	90

410	Control of Erythropoietin Delivery by Doxycycline in Mice After Intramuscular Injection of Adeno-Associated Vector. 1998 , 92, 1512-1517	104
409	Control of Erythropoietin Delivery by Doxycycline in Mice After Intramuscular Injection of Adeno-Associated Vector. 1998 , 92, 1512-1517	31
408	CrkL Activates Integrin-Mediated Hematopoietic Cell Adhesion Through the Guanine Nucleotide Exchange Factor C3G. 1999 , 93, 3713-3722	6
407	HFE Downregulates Iron Uptake From Transferrin and Induces Iron-Regulatory Protein Activity in Stably Transfected Cells. 1999 , 94, 3915-3921	2
406	Analysis of the role of AML1-ETO in leukemogenesis, using an inducible transgenic mouse model. 2000 , 96, 2108-2115	25
405	Building a transgenic sexing strain for genetic control of the Australian sheep blow fly <i>Lucilia cuprina</i> using two lethal effectors. 2020 , 21, 141	6
404	An early female lethal system of the New World screwworm, <i>Cochliomyia hominivorax</i> , for biotechnology-enhanced SIT. 2020 , 21, 143	8
403	An Inducible and Reversible Mouse Genetic Rescue System. 2011 , 253-275	1
402	Tetracyclines. 1997 , 659-682	16
401	Deliberate Regulation of Therapeutic Transgenes: Recent Advances in System Development and Uses. 2015 , 627-674	2
400	Hxt encodes a basic helix-loop-helix transcription factor that regulates trophoblast cell development. 1995 , 121, 2513-2523	242
399	Spatial and temporal targeting of gene expression in <i>Drosophila</i> by means of a tetracycline-dependent transactivator system. 1998 , 125, 2193-2202	94
398	Investigating the function of follicular subpopulations during <i>Drosophila</i> oogenesis through hormone-dependent enhancer-targeted cell ablation. 2000 , 127, 573-583	96
397	A novel role for VEGF in endocardial cushion formation and its potential contribution to congenital heart defects. 2001 , 128, 1531-1538	182
396	The rab7 GTPase resides on a vesicular compartment connected to lysosomes. 1995 , 108, 3349-3358	235
395	RNAs radiate from gene to cytoplasm as revealed by fluorescence in situ hybridization. 1995 , 108, 2565-2572	31
394	Regulation of the CYP1A1 promoter in transgenic mice: an exquisitely sensitive on-off system for cell specific gene regulation. 1996 , 109, 2619-2625	48
393	Cytokinesis arrest and redistribution of actin-cytoskeleton regulatory components in cells expressing the Rho GTPase CDC42Hs. 1996 , 109, 367-377	112

392	Targeting of the myosin-I myr 3 to intercellular adherens type junctions induced by dominant active Cdc42 in HeLa cells. 1998 , 111, 2779-2788	37
391	The steady state distribution of humTGN46 is not significantly altered in cells defective in clathrin-mediated endocytosis. 1998 , 111, 3451-3458	18
390	Expression of caveolin-1 and polarized formation of invaginated caveolae in Caco-2 and MDCK II cells. 1998 , 111, 825-832	133
389	Chlamydia infection of epithelial cells expressing dynamin and Eps15 mutants: clathrin-independent entry into cells and dynamin-dependent productive growth. 1999 , 112, 1487-1496	66
388	The Golgi-targeting sequence of the peripheral membrane protein p230. 1999 , 112, 1645-1654	63
387	Overexpression of class I, II or IVb beta-tubulin isotypes in CHO cells is insufficient to confer resistance to paclitaxel. 1999 , 112, 2213-2221	65
386	Vinblastine induces an interaction between FtsZ and tubulin in mammalian cells. 1999 , 112, 2301-2311	13
385	Syntaxin 2 splice variants exhibit differential expression patterns, biochemical properties and subcellular localizations. 1999 , 112, 4291-4304	48
384	Integrin subunits (beta)1C-1 and (beta)1C-2 expressed in GD25T cells are retained and degraded intracellularly rather than localised to the cell surface. 1999 , 112, 4751-4761	6
383	Underexpression of the 43 kDa inositol polyphosphate 5-phosphatase is associated with spontaneous calcium oscillations and enhanced calcium responses following endothelin-1 stimulation. 1999 , 112, 669-679	25
382	Inducible expression of claudin-1-myc but not occludin-VSV-G results in aberrant tight junction strand formation in MDCK cells. 2000 , 113, 3387-3398	146
381	Inhibition of chondrocyte differentiation in vitro by constitutive and inducible overexpression of the c-fos proto-oncogene. 2000 , 113, 439-450	52
380	Inhibiting cadherin function by dominant mutant E-cadherin expression increases the extent of tight junction assembly. 2000 , 113, 985-996	45
379	Two domains of p80 katanin regulate microtubule severing and spindle pole targeting by p60 katanin. 2000 , 113, 1623-1633	102
378	Evidence for separate ND10-binding and homo-oligomerization domains of Sp100. 2001 , 114, 59-68	37
377	Quantitative analysis of the EGF receptor autocrine system reveals cryptic regulation of cell response by ligand capture. 2001 , 114, 2301-2313	67
376	Specification of kinetochore-forming chromatin by the histone H3 variant CENP-A. 2001 , 114, 3529-3542	211
375	Mutant cadherin affects epithelial morphogenesis and invasion, but not transformation. 2001 , 114, 1237-1246	17

374	The GTPase Rac1 selectively regulates Salmonella invasion at the apical plasma membrane of polarized epithelial cells. 2001 , 114, 1331-1341	76
373	BiP is feed-back regulated by control of protein translation efficiency. 2002 , 115, 2443-2452	81
372	Involvement of ASIP/PAR-3 in the promotion of epithelial tight junction formation. 2002 , 115, 2485-2495	129
371	Chromosome associations in budding yeast caused by integrated tandemly repeated transgenes. 2002 , 115, 1213-1220	23
370	Imaging cyclic AMP changes in pancreatic islets of transgenic reporter mice. 2008 , 3, e2127	28
369	Impaired terminal differentiation of hippocampal granule neurons and defective contextual memory in PC3/Tis21 knockout mice. 2009 , 4, e8339	63
368	The p38 MAPK regulates IL-24 expression by stabilization of the 3' UTR of IL-24 mRNA. 2010 , 5, e8671	29
367	Separating lentiviral vector injection and induction of gene expression in time, does not prevent an immune response to rtTA in rats. 2010 , 5, e9974	13
366	Development of a chromosomally integrated metabolite-inducible Leu3p-alpha-IPM "off-on" gene switch. 2010 , 5, e12488	3
365	Comparison of life history characteristics of the genetically modified OX513A line and a wild type strain of <i>Aedes aegypti</i> . 2011 , 6, e20699	44
364	Cost of mating and insemination capacity of a genetically modified mosquito <i>Aedes aegypti</i> OX513A compared to its wild type counterpart. 2011 , 6, e26086	26
363	An inducible cell-cell fusion system with integrated ability to measure the efficiency and specificity of HIV-1 entry inhibitors. 2011 , 6, e26731	23
362	Tetracycline inducible gene manipulation in serotonergic neurons. 2012 , 7, e38193	6
361	Pak1 regulates the orientation of apical polarization and lumen formation by distinct pathways. 2012 , 7, e41039	5
360	Engineered repressible lethality for controlling the pink bollworm, a lepidopteran pest of cotton. 2012 , 7, e50922	19
359	Oral ingestion of transgenic RIDL <i>Ae. aegypti</i> larvae has no negative effect on two predator <i>Toxorhynchites</i> species. 2013 , 8, e58805	11
358	Construction of a single lentiviral vector containing tetracycline-inducible Alb-uPA for transduction of uPA expression in murine hepatocytes. 2013 , 8, e61412	7
357	Doxycycline alters metabolism and proliferation of human cell lines. 2013 , 8, e64561	97

356	A novel piggyBac transposon inducible expression system identifies a role for AKT signalling in primordial germ cell migration. 2013 , 8, e77222	18
355	Zscan4 is regulated by PI3-kinase and DNA-damaging agents and directly interacts with the transcriptional repressors LSD1 and CtBP2 in mouse embryonic stem cells. 2014 , 9, e89821	21
354	A novel TetR-regulating peptide turns off rtTA-mediated activation of gene expression. 2014 , 9, e96546	1
353	Heterologous expression of equine CYP3A94 and investigation of a tunable system to regulate co-expressed NADPH P450 oxidoreductase levels. 2014 , 9, e113540	1
352	A system for creating stable cell lines that express a gene of interest from a bidirectional and regulatable herpes simplex virus type 1 promoter. 2015 , 10, e0122253	3
351	The transcriptomes of cave and surface populations of Gammarus minus (Crustacea: Amphipoda) provide evidence for positive selection on cave downregulated transcripts. 2017 , 12, e0186173	18
350	Quantitative membrane proteomics reveals a role for tetraspanin enriched microdomains during entry of human cytomegalovirus. 2017 , 12, e0187899	11
349	Versatile approach for functional analysis of human proteins and efficient stable cell line generation using FLP-mediated recombination system. 2018 , 13, e0194887	19
348	In vitro and in vivo characterization of a recombinant rhesus cytomegalovirus containing a complete genome. 2020 , 16, e1008666	5
347	Human umbilical vein endothelial cells and human dermal microvascular endothelial cells offer new insights into the relationship between lipid metabolism and angiogenesis. 2006 , 2, 93	2
346	APP Overexpression Causes Aβ-Independent Neuronal Death through Intrinsic Apoptosis Pathway. 2016 , 3,	17
345	Genetically Engineering the Nervous System with CRISPR-Cas. 2020 , 7,	7
344	Inducible Gene Expression and Gene Modification in Transgenic Mice. 2000 , 11, S95-S100	56
343	Inflamed glomeruli-specific gene activation that uses recombinant adenovirus with the Cre/loxP system. 2001 , 12, 2330-2337	9
342	NFIB overexpression cooperates with Rb/p53 deletion to promote small cell lung cancer. 2016 , 7, 57514-57524	44
341	Versatile use of rtTA-expressing retroviruses in the study of neurodegeneration. 2017 , 8, 10771-10772	3
340	"Picolog," a synthetically-available bryostatin analog, inhibits growth of MYC-induced lymphoma in vivo. 2012 , 3, 58-66	33
339	GENE THERAPY IN ORTHOPAEDIC SURGERY. 2002 , 84, 1046-1061	24

338	Synthetic genomics and synthetic biology applications between hopes and concerns. 2013 , 14, 11-24	32
337	The Application of the RNA Interference Technologies for KRAS: Current Status, Future Perspective and Associated Challenges. 2019 , 19, 2143-2157	7
336	Activation of cyclin D1-Cdk4 and Cdk4-directed phosphorylation of RB protein in diabetic mesangial hypertrophy. 2002 , 51, 3290-9	34
335	Are there anxious genes?. 2002 , 4, 251-60	4
334	Synthetic Mutualism and the Intervention Dilemma. 2019 , 9,	3
333	Generation of the regulatory protein rtTA transgenic mice. 2005 , 11, 2885-91	6
332	Tetracycline-inducible protein expression in pancreatic cancer cells: effects of CapG overexpression. 2011 , 17, 1947-60	16
331	Over-expression of uPA increases risk of liver injury in pAAV-HBV transfected mice. 2012 , 18, 1892-902	4
330	Killing effect of TNF-related apoptosis inducing ligand regulated by tetracycline on gastric cancer cell line NCI-N87. 2001 , 7, 559-62	9
329	Establishment of an artificial beta-cell line expressing insulin under the control of doxycycline. 2002 , 8, 367-70	9
328	Gene therapy: principles and clinical applications in orthopedics. 2004 , 27, 294-303; quiz 304-5	8
327	Development of the Mammalian Expression Vector System that can be Induced by IPTG and/or Lactose. 2020 , 30, 1124-1131	1
326	A preliminary step of a novel strategy in suicide gene therapy with lentiviral vector. 2014 , 3, 7	2
325	Use of Proteomics Analysis for Molecular Precision Approaches in Cancer Therapy. 2008 , 3, DTI.S649	1
324	Retroviral vectors containing Tet-controlled bidirectional transcription units for simultaneous regulation of two gene activities. 2006 , 2, 107-18	13
323	Neuronal nicotinic receptors in sleep-related epilepsy: studies in integrative biology. 2012 , 2012, 262941	5
322	On-off controllable RNA hybrid expression vector for yeast three-hybrid system. 2010 , 43, 110-4	7
321	Mitochondrial superoxide anion (O ₂ ⁻) inducible "mev-1" animal models for aging research. 2011 , 44, 298-305	28

320	Efficient transgene expression system using a cumate-inducible promoter and Cre-loxP recombination in avian cells. 2017 , 30, 886-892	2
319	Rational design of aptazyme riboswitches for efficient control of gene expression in mammalian cells. 2016 , 5,	48
318	mRNA codon-tRNA match contributes to LARP4 activity for ribosomal protein mRNA poly(A) tail length protection. 2017 , 6,	24
317	Controlling gene activation by enhancers through a drug-inducible topological insulator. 2020 , 9,	4
316	chTOG is a conserved mitotic error correction factor. 2020 , 9,	10
315	Regulating the UAS/GAL4 system in adult with Tet-off GAL80 transgenes. 2017 , 5, e4167	10
314	Magnetically triggered transgene expression system using magnetic nanoparticles. 2021 , 36, 175-184	
313	An overview on current molecular tools for heterologous gene expression in Trichoderma. 2021 , 8, 11	3
312	The use of mice in diabetes research: The impact of physiological characteristics, choice of model and husbandry practices. 2021 , 38, e14711	0
311	Contributions of the Glial Injury Response to the Multifactorial Pathogenesis of Alzheimer's Disease. 2000 , 19-33	
310	Molecules for Neuroprotection and Regeneration in Animal Models of Parkinson's Disease. 2000 , 187-207	
309	Constitutive expression of a tumor suppressor leads to tumor regression in a xenograft model. 2000 , 67-76	1
308	Renal Transfer of Genetically Engineered Cells. 2000 , 11, S154-S158	3
307	Delivering Erythropoietin through Genetically Engineered Cells. 2000 , 11, S159-S162	7
306	Expression of Antibodies in Mammalian Cells. 2001 , 357-366	
305	T-bodies as antiviral agents. 2001 , 260, 271-300	5
304	Transient Transgenesis in The Endocrine System: Viral Vectors for Gene Delivery. 2001 , 195-232	
303	Germline Genetic Engineering Techniques in Endocrinology. 2001 , 1-18	

- 302 Development of Cell Lines for Transplantation in Type 1 Diabetes Mellitus. **2001**, 363-372
- 301 Epstein-Barr virus nuclear protein 2-induced activation of the EBV-replicative cycle in Akata cells: analysis by tetracycline-regulated expression. **2001**, 258, 35-50
- 300 Terapia gñica para o diabetes. **2001**, 45, 96-107
- 299 Vers la thfapie gñique non virale. **2001**, 185, 1683-1697
- 298 Regulatable Expression.
- 297 Targeted Adenoviral Vectors II. **2002**, 247-286
- 296 Post-Transcriptional Control of Type-1 Plasminogen Activator Inhibitor mRNA. **2002**, 135-156
- 295 Gene Therapy for Cancer. **2002**, 17-32
- 294 Genetic Engineering: Animal Cell Technology.
- 293 Adenovirus-mediated regulatable Expression of human Factor IX in vitro and in vivo. **2003**, 72-80
- 292 Establishment of Inducible Expression Systems to Study the Role of STAT-Transcription Factors in AML. **2003**, 84-89
- 291 Epilogue. **2003**, 441-444
- 290 Transcription, Translation, and the Control of Gene Expression.
- 289 Genterapie am Knorpel. **2003**, 68-74
- 288 Effect of Doxycycline-Regulated Chaperone Expression on Recombinant Protein Productivity in CHO Cells. **2003**, 151-155
- 287 Gene Therapy in the Central Nervous System. **2003**, 173-186
- 286 Expression Systems. **2003**,
- 285 Methods of Experimental Animal Modeling. **2003**, 187-188

284 Artificial Zinc Finger Peptides: A Promising Tool in Biotechnology and Medicine. **2004**, 491-507

283 Gene regulation by tetracyclines. **2004**, 26, 255-77

13

282 Tetracycline-Controlled Transactivators and Their Potential Use in Gene Therapy Applications. **2004**, 509-533

281 DNA Vaccines. **2004**, 225-248

280 Germline Modification Strategies.

3

279 Generation of Transgenic and Gene-Targeted Mouse Models of Movement Disorders. **2005**, 33-44

278 The Role of PKC Isozymes in Mediating Responses to Ethanol. **2005**, 1083-1097

277 Recombinant Adeno-Associated Viral Vectors in the Nervous System. **2005**, 050701034702015

276 Troubles With a Transgene: Experiences With SM22 β TA Mice. **2005**, 97,

1

275 Oncogenesis in Transgenic and Knockout Mice. **2005**, 179-197

274 Cloning of Replication-Incompetent Herpes Simplex Viruses as Bacterial Artificial Chromosomes to Facilitate Development of Vectors for Gene Delivery into Differentiated Neurons. **2005**, 051221060228001

273 Recombinant Adeno-Associated Viral Vectors for CNS Gene Therapy. **2006**, 17-31

272 Genetically Engineered Mice Harboring RAS Mutations as Models of Human Cancer: in Medias RAS. **2006**, 273-293

271 Targeted Gene Modification of the Nervous System. **2006**, 75-99

270 REGULATION OF ERYTHROPOIETIN EXPRESSION BY DOXYCYCLINE IN RAT PRIMARY SKELETAL MUSCLE CELLS FOLLOWING TRANSDUCTION BY TETRACYCLINE GENE EXPRESSION SYSTEM. **2006**, 3,

269 Gene Therapy and Tissue Engineering Based on Muscle-Derived Stem Cells. **2007**, 20-1-20-14

268 The use of syntaxin chimeras to study polarized protein trafficking in epithelial cells. **2008**, 440, 171-86

267 Adenovirus-mediated transduction of auto- and dual-regulated transgene expression in mammalian cells. **2008**, 434, 221-37

- 266 Reguable Vascular Endothelial Growth Factor165Overexpression byEx VivoExpanded Keratinocyte Cultures Promotes Matrix Formation, Angiogenesis, and Healing in Porcine Full-Thickness Wounds. **2008**, 14, 19-27 ○
- 265 Identification of changes in gene expression by quantitation of mRNA levels. **2008**, 419, 243-58
- 264 Protein Folding in the Endoplasmic Reticulum. 563
- 263 TRANSCRIPTOMIC EFFECTS OF TET-ON AND MIFEPRISTONE INDUCIBLE SYSTEMS IN MOUSE LIVER. **2008**, 081015093227032
- 262 An improved Tet-on system for expression in neurons delivered by a single lentiviral vector. **2008**, 081124062308039
- 261 Gene Transfer for Parkinson Disease. **2009**, 1719-1729
- 260 Viral Vectors for in Vivo Gene Transfer. **2009**, 1069-1096
- 259 Production of hTPO Transgenic Chickens using Tetracycline-Inducible Expression System. **2009**, 36, 177-186
- 258 Adeno-Associated Virus Mediated Gene Therapy in Ischemic Stroke. **2010**, 261-276
- 257 Mouse Models of Lymphoma and Lymphoid Leukemia. **2010**, 583-596 1
- 256 Development of Oviduct-Specific Gene Expression System for Transgenic Avian Bioreactor. **2010**, 203-208
- 255 Zelluläre Neurobiologie. **2010**, 67-98
- 254 Gene Therapy-Basic Principles and the Road from Bench to Bedside.
- 253 Transcription, Translation, and the Control of Gene Expression in Mammalian Cells. 1
- 252 Tet-Off Conditional Transgenic Approaches in Modeling Parkinson's Disease in Mice. **2010**, 2, 1-29
- 251 Transgenic and Gene Targeted Models of Dementia. **2011**, 77-90
- 250 Genetically Modified Mice: Useful Models to Study Cause and Effect of Cardiac Arrhythmias?. **2011**, 473-484
- 249 Gene Electrotransfer to Muscle Tissue: Moving into Clinical Use. **2011**, 177-188

- 248 Stabilization of Protein Expression in Mammalian Cells Employing a Toxin/Antitoxin Based Strategy. **2012**, 109-113
- 247 Human Endothelial Cell Lines with In Vivo Physiology. **2012**, 225-234
- 246 Generation of inducible shRNAi human embryonic stem cell lines. **2011**, Chapter 5, Unit5C.1
- 245 Further application: adult stem cells and tissue regenerations. **2012**, 137-169
- 244 Verminderung der Genexpression über Ribozym-Targeting. **2012**, 455-465
- 243 Untersuchung der Funktion von DNA-Sequenzen. **2013**, 211-268
- 242 Stem Cell Models for Functional Validation of Prostate Cancer Genes. **2013**, 149-173
- 241 Wound Coverage Technologies in Burn Care-Established and Novel Approaches. **2013**, 97-120
- 240 Genome-Wide Analysis of DNA Methylation in Human Amnion. **2013**, 89-112
- 239 Experimental strategies to manipulate the cellular levels of the multifunctional factor CTCF. **2014**, 1165, 53-69 3
- 238 Epigenetic Mechanisms in Obesity. **2014**, 143-148
- 237 Gentherapie maligner Tumoren. **1994**, 1054-1059
- 236 Gene-targeting approaches in the study of cellular processes involved in growth or differentiation. **1994**, 221-231
- 235 Concepts, potentials and methods for constructing transgenic cells and animals. **1995**, 17, 3-7
- 234 Proliferation control of mammalian cells by the tumor suppressor IRF-1. **1995**, 33-43
- 233 Inducible knockouts – An outlook. **1996**, 227-229
- 232 Drosophila as a Model System for Molecular Gerontology. **1996**, 151-176
- 231 Transgenic Animals and the Modelling of Asthma. **1996**, 241-274

- 230 From transient cotransfections to the transcription repressor assay (TRA). **1996**, 315-332
- 229 Recommended reading. **1996**, 379-380
- 228 Cooperative Recognition of MHC Class II:Peptide Complexes by the T Cell Receptor and CD4. **1996**, 207-228
- 227 Intracellular Immunization. **1997**, 105-124
- 226 High Level Expression of Foreign Gene in Chinese Hamster Ovary Cells Using Modified Tetracycline-Regulated System. **1997**, 519-523
- 225 Prospectives of Transgenic Animals for the Pharmaceutical Industry. **1997**, 48-57 1
- 224 Overview of neural gene expression. **2001**, Chapter 4, Unit 4.5 1
- 223 Trying to Glimpse the Future. **1998**, 195-217
- 222 The use of genetically engineered cells in drug discovery. **1998**, 20, 249-66
- 221 Presenilin 2 β APP Interactions. **1998**, 59-70 1
- 220 Regulated multicistronic expression technology for mammalian metabolic engineering. **1998**, 111-125 1
- 219 Phenotypic Knockout of the Human Interleukin-2 Receptor β Chain on Primary and HTLV-I Transformed T Cells. **1998**, 47-60
- 218 Somatic Gene Transfer and Cell Transplantation Strategies for Neurodegenerative Diseases. **1998**, 303-331
- 217 A Tetracycline Regulated Recombinant Protein Production System. **1998**, 325-329
- 216 Application of Tetracycline Regulatable Systems for Gene Therapy. **1998**, 53-59
- 215 New adenovirus vectors for protein production and gene transfer. **1998**, 53-64 2
- 214 Retrovirus Vectors and Regulatable Promoters. **1998**, 7-38 1
- 213 Molekulare Grundlagen des Gentransfers und Anwendung für die Gentherapie. **1998**, 110-145

- 212 The Use of Genetic Switches for the Generation of Conditional Mutants at the Level of Cells and Animals. **1998**, 45-52
- 211 Transgenic Manipulation of the Mouse Genome. **1998**, 387-415 1
- 210 In Vivo Neuronal Targeting of Genes. **1998**,
- 209 Reduction of Kidney Renin Expression by Ribozymes. **1999**, 269-283
- 208 Supply-side and trickle-down therapy. **1999**, 103, 439-40
- 207 Plasmid Vectors for Gene Cloning and Expression. 543-566
- 206 Using computational modeling and experimental synthetic perturbations to probe biological circuits. **2015**, 1244, 259-76 2
- 205 Targeted Gene Therapy for Ischemic Stroke. **2015**, 191-202
- 204 Conditional Inducible Triple-Transgenic Mouse Model for Rapid Real-Time Detection of HCV NS3/4A Protease Activity. **2016**, 11, e0150894 1
- 203 The regulatable MAL32 promoter in *S. cerevisiae*: characteristics and tools to facilitate its use. 0
- 202 Actual strategies in human induced pluripotent stem cells (hiPSCs) differentiation [perspectives and challenges. **2016**, 52, 123-136
- 201 Oncogenes and the Initiation and Maintenance of Tumorigenesis. **2017**, 143-157
- 200 Enhanced plasticity of mature granule cells reduces survival of newborn neurons in the adult mouse hippocampus.
- 199 Versatile approach for functional analysis of human proteins and efficient stable cell line generation using FLP-mediated recombination system.
- 198 Fluoreszenzmikroskopie. **2018**, 81-112
- 197 Evaluation of defense strategy against Influenza A in cell line models. **2018**, 7, 206
- 196 A drug-tunable gene therapy for broad-spectrum protection against retinal degeneration.
- 195 The marked diversity of unique cortical enhancers enables neuron-specific tools by Enhancer-Driven Gene Expression.

- 194 Uncoupling DNA- and RNA-directed DNA methylation at Rasgrf1.
- 193 Intersection of phosphate transport, oxidative stress and TOR signalling in *Candida albicans* virulence.
- 192 Parallel genome-wide CRISPR analysis identifies a role for heterotypic ubiquitin chains in ER-associated degradation. 1
- 191 The glucocorticoid receptor ligand-binding domain confers drug-gated protein regulation in *C. elegans*.
- 190 Construction of an All-in-one Double-conditional shRNA Expression Vector. **2019**, 31, 41-50
- 189 Mouse Models to Study Inherited Cardiomyopathy. **2019**, 289-312
- 188 Controlling gene activation by enhancers through a drug-inducible topological insulator.
- 187 Optogenetic regulation of endogenous gene transcription in mammals. **2019**, 23, 219-225
- 186 Noise-Reducing Negative-Feedback Optogenetic Circuits in Mammalian Cells.
- 185 Development of a KDM6b shRNA conditional knock down mouse model. 0
- 184 CNOT1 mediates phosphorylation via Protein kinase A on the circadian clock.
- 183 Spatiotemporal refinement of signal flow through association cortex during learning. 1
- 182 Tunable self-cleaving ribozymes for modulating gene expression in eukaryotic systems.
- 181 COMET: A toolkit for composing customizable genetic programs in mammalian cells. 1
- 180 A collection of genetic mouse lines and related tools for inducible and reversible intersectional misexpression.
- 179 Synthetic gene regulatory networks in the opportunistic human pathogen *Streptococcus pneumoniae*. 0
- 178 TuNR: Orthogonal Control of Mean and Variability of Endogenous Genes in a Human Cell Line.
- 177 In vitro and in vivo characterization of a recombinant rhesus cytomegalovirus containing a complete genome.

176 chTOG is a conserved mitotic error correction factor.

175 Status quo of tet regulation in bacteria. **2021**,

1

174 Quantitative Control of Noise in Mammalian Gene Expression by Dynamic Histone Regulations.

173 Keratinocyte-specific knockout mice models via CreIbxP recombination system. **2021**, 17, 15-27

172 Heterologous expression of methylxanthine synthesis enzymes in mammalian cells and their use as reporter proteins.

171 Treatment of Burns: Established and Novel Technologies. **2020**, 475-488

170 Filamentous Fungi as Hosts for Heterologous Production of Proteins and Secondary Metabolites in the Post-Genomic Era. **2020**, 227-265

169 Analysis of Cell and Nucleus Genome by Next-Generation Sequencing. **2020**, 35-65

168 Conditional Expression Systems for *Drosophila suzukii* Pest Control. **2020**, 195-215

0

167 Gene and Cell Therapy. **2020**, 1-22

166 Synthetic Biology-Empowered Hydrogels for Medical Diagnostics. **2021**, 178, 197-226

0

165 Mathematical modeling of genetic pest management through female-specific lethality: Is one locus better than two?.

1

164 Nitrosylation of Tissue Transglutaminase enhances fibroblast migration and regulates MMP activation. **2021**,

0

163 Discrete-to-analog signal conversion in human pluripotent stem cells.

162 Testing the CRISPR-Cas9 and glmS ribozyme systems in *Leishmania tarentolae*.

161 Retroviral Vector-Mediated Gene Transfer into the Chick Optic Vesicle by In Ovo Electroporation. **2009**, 105-116

160 Inducible Gene Expression for Antibiotic Drug Discovery and Diagnostics. **2005**, 345-350

159 Effect of Doxycycline-Regulated Calnexin and Calreticulin Expression on Specific Thrombopoietin Productivity of Recombinant CHO Cells. **2005**, 475-478

- 158 Die Expression von bcl-2 nach adenoviralem Transfer in Spenderlebern erhöht das Überleben nach prolongierter kalter Ischämie bei Lebertransplantation im Rattenmodell. **2005**, 303-306
- 157 Controlled Secretion of β -endorphin from Human Embryonic Kidney Cells Carrying a Tet-on-NL1- β -endorphin Fusion Gene: Gene Therapy of Pain. **2006**, 114-118
- 156 An ATF2-derived peptide sensitizes melanomas to apoptosis and inhibits their growth and metastasis. **2002**, 110, 643-50 38
- 155 Spinocerebellar Ataxia Type 1. **2006**, 87-99
- 154 Transgenic mouse models of HIV-1/AIDS and cardiac performance. **2008**, 385-393
- 153 Imaging Genes for Viral and Adoptive Therapies. **2007**, 205-239
- 152 Towards Genetically Designed Tissues for Regenerative Medicine. **2009**, 93-108
- 151 Engineered expression of the invertebrate-specific scorpion toxin AaHIT reduces adult longevity and female fecundity in the diamondback moth *Plutella xylostella*.
- 150 Generation and Characterization of Inducible Lung and Skin-Specific IL-22 Transgenic Mice. **2021**, 2223, 115-132
- 149 Advantages and Limitations of Cre Mouse Lines Used in Skeletal Research. **2021**, 2230, 39-59 2
- 148 WT1 suppresses synthesis of the epidermal growth factor receptor and induces apoptosis. **1995**, 14, 4662-75 92
- 147 The tumour suppressor gene product APC blocks cell cycle progression from G0/G1 to S phase. **1995**, 14, 5618-25 51
- 146 Displacement of housekeeping proteasome subunits by MHC-encoded LMPs: a newly discovered mechanism for modulating the multicatalytic proteinase complex. **1994**, 13, 3236-44 64
- 145 High mobility group protein 2 functionally interacts with the POU domains of octamer transcription factors. **1995**, 14, 1198-208 87
- 144 Targeting of *Listeria monocytogenes* ActA protein to the plasma membrane as a tool to dissect both actin-based cell morphogenesis and ActA function. **1995**, 14, 2731-44 24
- 143 Multiple regions of the Arabidopsis SAUR-AC1 gene control transcript abundance: the 3' untranslated region functions as an mRNA instability determinant. **1996**, 15, 1678-86 34
- 142 Suppression of interleukin-3-induced gene expression by a C-terminal truncated Stat5: role of Stat5 in proliferation. **1996**, 15, 2425-33 76
- 141 The Epstein-Barr virus bZIP transcription factor Zta causes G0/G1 cell cycle arrest through induction of cyclin-dependent kinase inhibitors. **1996**, 15, 2748-59 100

140	Cathepsin D protease mediates programmed cell death induced by interferon-gamma, Fas/APO-1 and TNF-alpha. 1996 , 15, 3861-70	107
139	Activation of cyclin E/CDK2 is coupled to site-specific autophosphorylation and ubiquitin-dependent degradation of cyclin E. 1996 , 15, 4182-93	98
138	Signaling by chimeric erythropoietin-TGF-beta receptors: homodimerization of the cytoplasmic domain of the type I TGF-beta receptor and heterodimerization with the type II receptor are both required for intracellular signal transduction. 1996 , 15, 4485-96	40
137	Anti-apoptotic activity of low levels of wild-type p53. 1996 , 15, 4566-73	27
136	Underexpression of the 43 kDa inositol polyphosphate 5-phosphatase is associated with cellular transformation. 1996 , 15, 4852-61	21
135	Effects of elevated expression of inositol 1,4,5-trisphosphate 3-kinase B on Ca ²⁺ homeostasis in HeLa cells. 2000 , 352 Pt 3, 709-15	5
134	Selenocysteine incorporation in eukaryotes: insights into mechanism and efficiency from sequence, structure, and spacing proximity studies of the type 1 deiodinase SECIS element. 1996 , 2, 171-82	64
133	Functionality of mutations at conserved nucleotides in eukaryotic SECIS elements is determined by the identity of a single nonconserved nucleotide. 1998 , 4, 65-73	44
132	Versatile retrovirus vector systems for regulated gene expression in vitro and in vivo. 1997 , 3, 466-76	14
131	Expression of green fluorescent protein in oligodendrocytes in a time- and level-controllable fashion with a tetracycline-regulated system. 1999 , 5, 129-37	4
130	Optimization of the Tet-On system for inducible expression of RAGE. 2006 , 17, 283-92	11
129	Cyclooxygenase-1 is up-regulated in cervical carcinomas: autocrine/paracrine regulation of cyclooxygenase-2, prostaglandin e receptors, and angiogenic factors by cyclooxygenase-1. 2002 , 62, 424-32	113
128	Inhibition of Erythroleukemia Cell Growth by Triplex-forming RNAs. 2007 , 7, 58-60	
127	Tetracycline regulated systems in functional oncogenomics. 2007 , 2, 17-33	5
126	IGFBP-3 mediates p53-induced apoptosis during serum starvation. 2002 , 21, 327-35	19
125	The role of sera from equine grass sickness on apoptosis induction in PC12 Tet-off p53 cell line. 2015 , 6, 9-15	
124	An ex vivo gene therapy approach in X-linked retinoschisis. 2016 , 22, 718-33	12
123	Stability of Doxycycline in Feed and Water and Minimal Effective Doses in Tetracycline-Inducible Systems. 2016 , 55, 467-74	23

122	Spatial and temporal dynamics of RhoA activities of single breast tumor cells in a 3D environment revealed by a machine learning-assisted FRET technique. 2021 , 112939	0
121	Orthogonal control of gene expression in plants using synthetic promoters and CRISPR-based transcription factors.	
120	T Cell Engaging Immunotherapies, Highlighting Chimeric Antigen Receptor (CAR) T Cell Therapy. 2021 , 13,	1
119	Synthetic Morphogenesis: Introducing IEEE Journal Readers to Programming Living Mammalian Cells to Make Structures. 2022 , 1-20	0
118	Episome-Based Gene Expression Modulation Platform in the Model Diatom .. 2022 ,	0
117	Genetic Improvements to the Sterile Insect Technique (SIT) for the Control of Mosquito Population. 2021 , 43-65	0
116	The evolution of synthetic receptor systems.. 2022 ,	6
115	ZC3HC1 is a structural element of the nuclear basket effecting interlinkage of TPR polypeptides.	1
114	A Platform Technology for Monitoring the Unfolded Protein Response.. 2022 , 2378, 45-67	
113	Design and characterization of synthetic promoters. 2022 , 11-21	
112	Degron Tagging Using mAID and SMASH Tags in RPE-1 Cells.. 2022 , 2415, 183-197	
111	Self-limiting fall armyworm: a new approach in development for sustainable crop protection and resistance management.. 2022 , 22, 5	2
110	Synthetic biology tools for engineering Goodwin oscillation in .. 2022 , 8, e08891	0
109	Orthogonal control of gene expression in plants using synthetic promoters and CRISPR-based transcription factors.. 2022 , 18, 42	1
108	Evaluation of Additional Male-Only Strains Generated Through Remobilization of an FL19 Transgene.. 2022 , 10, 829620	0
107	Engineering a synthesis-friendly serum responsive promoter for antibiotic selection of genomic integration in cell-based therapy.. 2022 , 1	
106	In vitro analysis of genome-engineered muscle-derived stem cells for autoregulated anti-inflammatory and antifibrotic activity.. 2022 ,	
105	Gene Therapy for Neurological Disease: State of the Art and Opportunities for Next-generation Approaches.. 2022 ,	2

104 An operator-based expression toolkit for enables fine-tuning of gene expression and biosynthetic pathway regulation.. *Proceedings of the National Academy of Sciences of the United States of America*, **2022**, 119, e2119980119 11.5 3

103 Mouse Models of Psoriasis: A Comprehensive Review.. **2021**, 1

102 Utility of the DHFR-based destabilizing domain across mouse models of retinal degeneration and aging.. **2022**, 25, 104206

101 Chimeric Antigen Receptors and Regulatory T Cells: The Potential for HLA-Specific Immunosuppression in Transplantation. **2021**, 0

100 How Lineage Tracing Studies Can Unveil Tumor Heterogeneity in Breast Cancer.. **2021**, 10, 0

99 Long-term labeling and imaging of synaptically-connected neuronal networks in vivo using nontoxic, double-deletion-mutant rabies viruses. 1

98 Mycobacterium tuberculosis requires SufT for Fe-S cluster maturation, metabolism, and survival in vivo.. **2022**, 18, e1010475 0

97 Cellular replacement in spinal cord injury. 435-456

96 Table_1.docx. **2018**,

95 Video_1.MP4. **2018**,

94 Video_2.MP4. **2018**,

93 Data_Sheet_1.docx. **2019**,

92 Data_Sheet_1.PDF. **2018**,

91 Table_1.XLSX. **2019**,

90 Data_Sheet_1.pdf. **2019**,

89 Image_1.tif. **2020**,

88 Table_1.XLSX. **2020**,

87 Table_2.XLSX. **2020**,

86	Antisense oncogene and tumor suppressor gene therapy of cancer. 1996 , 74, 191-204		
85	Strategies for Targeting Neural Circuits: How to Manipulate Neurons Using Virus Vehicles.. 2022 , 16, 882366		0
84	Designing AAV Vectors for Monitoring the Subtle Calcium Fluctuations of Inferior Olive Network .. 2022 , 16, 825056		
83	Functional dissection of human mitotic genes using CRISPR-Cas9 tiling screens.. 2022 ,		
82	PERSIST platform provides programmable RNA regulation using CRISPR endoRNases.. 2022 , 13, 2582		1
81	Cell Type-Specific Genetic Manipulation and Impaired Circadian Rhythms in Knock-In Mice.. 2022 , 13, 895633		0
80	Optogenetic manipulation and photoacoustic imaging using a near-infrared transgenic mouse model.. 2022 , 13, 2813		1
79	PARG suppresses tumorigenesis and downregulates genes controlling angiogenesis, inflammatory response, and immune cell recruitment.. 2022 , 22, 557		0
78	Characterization of an immune-evading doxycycline-inducible lentiviral vector for gene therapy in the spinal cord. 2022 , 355, 114120		0
77	Rapid and precise genome engineering in a naturally short-lived vertebrate.		1
76	SyNPL: Synthetic notch pluripotent cell lines to monitor and manipulate cell interactions in vitro and in vivo.		0
75	Screening of organoids derived from patients with breast cancer implicates the repressor NCOR2 in cytotoxic stress response and antitumor immunity.		1
74	Identification of STAU1 as a regulator of HBV replication by TurboID-based proximity labeling. 2022 , 25, 104416		0
73	Novel molecular approaches to combat vectors and vector-borne viruses: Special focus on RNA interference (RNAi) mechanisms. 2022 , 233, 106539		
72	A genetic mammalian proportional-integral feedback control circuit for robust and precise gene regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	2
71	Broadly Applicable, Virus-Free Dual Reporter Assay to Identify Compounds Interfering with Membrane Fusion: Performance for HSV-1 and SARS-CoV-2. 2022 , 14, 1354		
70	Pancreatic-Like Cells Derived From Mouse Embryonic Stem Cells Are Regulated by Pdx1 Involving the Notch Pathway. Publish Ahead of Print,		
69	Development of a new DHFR-based destabilizing domain with enhanced basal turnover and applicability in mammalian systems.		

68	The potential use of tetracyclines in neurodegenerative diseases and the role of nano-based drug delivery systems. 2022 , 175, 106237	0
67	Transcriptional Activation of Biosynthetic Gene Clusters in Filamentous Fungi. 10,	2
66	Using fungible biosensors to evolve improved alkaloid biosyntheses.	0
65	The Contribution of the Minimal Promoter Element to the Activity of Synthetic Promoters Mediating CAR Expression in the Tumor Microenvironment. 2022 , 23, 7431	
64	Intersectional mapping of multi-transmitter neurons and other cell types in the brain. 2022 , 40, 111036	0
63	Antisense Suppression of the Chloride Intracellular Channel Family Induces Apoptosis, Enhances Tumor Necrosis Factor β -Induced Apoptosis, and Inhibits Tumor Growth. 2005 , 65, 562-571	18
62	KPNB1 modulates the Machado-Joseph disease protein ataxin-3 through activation of the mitochondrial protease CLPP. 2022 , 79,	
61	Inducible expression of large gRNA arrays for multiplexed CRISPRai applications. 2022 , 13,	0
60	Modelling acute myeloid leukemia (AML): What's new? A transition from the classical to the modern.	1
59	MND1 and PSMC3IP control PARP inhibitor sensitivity in mitotic cells.	
58	Inteins in the Loop: A Framework for Engineering Advanced Biomolecular Controllers for Robust Perfect Adaptation.	0
57	Improved Adsorption of Tetracycline in Water by a Modified Caulis spatholobi Residue Biochar.	1
56	Genetic Manipulation Toolkits in Apicomplexan Parasites. 2022 , 2,	
55	Evaluating the Biological Role of Lassa Viral Z Protein-Mediated RIG-I Inhibition Using a Replication-Competent Trisegmented Pichinde Virus System in an Inducible RIG-IN Expression Cell Line. 2022 , 96,	
54	ZC3HC1 is a structural element of the nuclear basket effecting interlinkage of TPR polypeptides. 2022 , 33,	1
53	Design and engineering of genetically encoded protein biosensors for small molecules. 2022 , 78, 102787	1
52	Methods to study post-transcriptional regulation of gene expression. 2022 , 55-68	0
51	The Molecular and Biochemical Variations during Cancer Prognosis in Mouse Models. 2022 , 1-15	0

- 50 Genetics of Pancreatic Carcinogenesis: Current Molecular Insights from Animal Models. **2022**, 1-24 ○
- 49 Zebrafish Models of Paediatric Brain Tumours. **2022**, 23, 9920 ○
- 48 High-throughput screen to identify compounds that prevent or target telomere loss in human cancer cells. **2022**, 4, ○
- 47 Fluorescent transgenic mouse models for whole-brain imaging in health and disease. 15, ○
- 46 Noise-Reduction and Sensitivity-Enhancement of a Sleeping Beauty-Based Tet-On System. **2022**, 13, 1679 ○
- 45 Development of a New DHFR-Based Destabilizing Domain with Enhanced Basal Turnover and Applicability in Mammalian Systems. ○
- 44 MYC oncogene elicits tumorigenesis associated with embryonic, ribosomal biogenesis, and tissue-lineage dedifferentiation gene expression changes. ○
- 43 CasTuner: a degron and CRISPR/Cas-based toolkit for analog tuning of endogenous gene expression. ○
- 42 Thoracic trauma promotes alpha-Synuclein oligomerization in murine Parkinson's disease. **2022**, 174, 105877 ○
- 41 Cell Reprogramming for Regeneration and Repair of the Nervous System. **2022**, 10, 2598 ○
- 40 Tetracycline-controlled (TetON) gene expression system for the smut fungus *Ustilago maydis*. 3, ○
- 39 New self-sexing *Aedes aegypti* strain eliminates barriers to scalable and sustainable vector control for governments and communities in dengue-prone environments. 10, 1
- 38 Nuclear speckle-localized RNAs exhibit preferential positioning and orientation. ○
- 37 Mitochondrial Electron Transport Chain Complex II Dysfunction Causes Premature Aging of Hematopoietic Stem Cells. ○
- 36 History information emerges in the cortex during learning. ○
- 35 Synthetic gene circuits for cell state detection and protein tuning in human pluripotent stem cells. **2022**, 18, ○
- 34 Novel methods for the generation of genetically engineered animal models. **2022**, 116612 ○
- 33 Spinal interneurons and cellular engineering. **2023**, 423-444 ○

32	Multidimensional control of therapeutic human cell function with synthetic gene circuits. 2022 , 378, 1227-1234	4
31	Optimized riboswitch-regulated AAV vector for VEGF-B gene therapy. 9,	0
30	Natural promoters and promoter engineering strategies for metabolic regulation in <i>Saccharomyces cerevisiae</i> .	0
29	The c-Jun N-Terminal Kinase Cascade Plays a Role in Stress-Induced Apoptosis in Jurkat Cells by Up-Regulating Fas Ligand Expression. 1998 , 160, 134-144	48
28	Overexpression of BSAP/Pax-5 Inhibits Switching to IgA and Enhances Switching to IgE in the I.29□ B Cell Line. 1998 , 161, 2906-2918	14
27	Therapeutic Preparations of Normal Polyspecific IgG (IVIg) Induce Apoptosis in Human Lymphocytes and Monocytes: A Novel Mechanism of Action of IVIg Involving the Fas Apoptotic Pathway. 1998 , 161, 3781-3790	30
26	In Vivo Priming by DNA Injection Occurs Predominantly by Antigen Transfer. 1999 , 163, 4721-4727	22
25	Recording of cellular physiological histories along optically readable self-assembling protein chains.	0
24	Lentiviral in situ targeting of stem cells in unperturbed intestinal epithelium. 2023 , 21,	0
23	Expression systems for bovine rhodopsin: a review of the progress made in the Khorana laboratory.	0
22	Animal Models for Huntington's Disease. 2011 , 214-229	0
21	Genetics of Pancreatic Carcinogenesis: Current Molecular Insights from Animal Models. 2023 , 591-614	0
20	The Molecular and Biochemical Variations During Cancer Prognosis in Mouse Models. 2023 , 1003-1017	0
19	Yeast Cell Factory for Production of Biomolecules. 2023 , 211-251	0
18	Cell immortalization: In Vivo Molecular Bases and In Vitro Techniques for Obtention. 2023 , 12, 14	0
17	Transgenesis. 2021 , 155-190	0
16	Engineering membrane architecture for biotechnological applications. 2023 , 64, 108118	0
15	Lentiviral vectors for inducible, transactivator-free advanced therapy medicinal products: Application to CAR-T cells. 2023 , 32, 322-339	0

- 14 Identification of newly translated thermo-sensitive proteins using pulse SILAC mass spectrometry and the GAL promoter system. **2023**, 4, 102059 ○
- 13 A Ubiquitous Chromatin Opening Element and DNA Demethylation Facilitate Doxycycline-Controlled Expression during Differentiation and in Transgenic Mice. **2023**, 12, 482-491 ○
- 12 MYC2: A Master Switch for Plant Physiological Processes and Specialized Metabolite Synthesis. **2023**, 24, 3511 ○
- 11 Effects of antibiotics on the in vitro expression of tetracycline-off constructs and the performance of *Drosophila suzukii* female-killing strains. 11, ○
- 10 Development of transgenic corn planthopper *Peregrinus maidis* that express the tetracycline transactivator . ○
- 9 Combinatorial protein dimerization enables precise multi-input synthetic computations. ○
- 8 A cybergenetic framework for engineering intein-mediated integral feedback control systems. **2023**, 14, ○
- 7 Ultra-high throughput mapping of genetic design space. ○
- 6 In vivo models of pancreatic ductal adenocarcinoma. **2023**, ○
- 5 A robust dual gene ON/OFF toggle directed by two independent promoter-regon pairs. **2023**, 136, ○
- 4 Small-Molecule Aptamer for Regulating RNA Functions in Mammalian Cells and Animals. **2023**, 145, 7820-7828 ○
- 3 A Dual-Function CRE-Lox System for Genetic Deletion or Reversible, Titratable, and Near-Complete Downregulation of Cathepsin D. **2023**, 24, 6745 ○
- 2 Deep flanking sequence engineering for efficient promoter design. ○
- 1 Development of a perfusion process for continuous lentivirus production using stable suspension producer cell lines. ○