CITATION REPORT List of articles citing

The Present Behavioural Examination (PBE): the development of an interview to measure current behavioural abnormalities

DOI: 10.1017/s0033291700032888 Psychological Medicine, 1992, 22, 223-30.

Source: https://exaly.com/paper-pdf/23103736/citation-report.pdf

Version: 2024-04-04

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
99	The impact on carers of behavioural difficulties in dementia: A pilot study on management. International Journal of Geriatric Psychiatry, 1992, 7, 579-583	3.9	21
98	Aggressive behaviour in elderly people with dementia: A review. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 457-472	3.9	78
97	Using direct observation to record the behaviour of long-stay patients with dementia. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 857-864	3.9	31
96	The Ward Daily Behaviour Scale. <i>British Journal of Psychiatry</i> , 1994 , 165, 87-93	5.4	3
95	The structure of wandering in dementia. <i>International Journal of Geriatric Psychiatry</i> , 1994 , 9, 149-155	3.9	48
94	Behavioural complications of dementiadan they be treated?. <i>International Journal of Geriatric Psychiatry</i> , 1995 , 10, 839-847	3.9	76
93	Dementia known to mental health services: First findings of a case register for a defined elderly population. <i>International Journal of Geriatric Psychiatry</i> , 1995 , 10, 875-881	3.9	7
92	Prospective study of relations between cortical Lewy bodies, poor eyesight, and hallucinations in Alzheimer's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995 , 59, 185-8	5.5	48
91	The noncognitive features of dementia. <i>Reviews in Clinical Gerontology</i> , 1995 , 5, 57-75		34
91	The noncognitive features of dementia. <i>Reviews in Clinical Gerontology</i> , 1995 , 5, 57-75 Behavioural problems in dementia and biochemistry: clinical aspects. <i>Experimental Neurology</i> , 1996 , 5, 399-402		34
	Behavioural problems in dementia and biochemistry: clinical aspects. Experimental Neurology, 1996 ,		
90	Behavioural problems in dementia and biochemistry: clinical aspects. <i>Experimental Neurology</i> , 1996 , 5, 399-402 Hallucinations, cortical Lewy body pathology, cognitive function and neuroleptic use in dementia.	5 3.9	1
90	Behavioural problems in dementia and biochemistry: clinical aspects. <i>Experimental Neurology</i> , 1996 , 5, 399-402 Hallucinations, cortical Lewy body pathology, cognitive function and neuroleptic use in dementia. 1996 , 85-98	5 3.9	1
90 89 88	Behavioural problems in dementia and biochemistry: clinical aspects. <i>Experimental Neurology</i> , 1996 , 5, 399-402 Hallucinations, cortical Lewy body pathology, cognitive function and neuroleptic use in dementia. 1996 , 85-98 The Camberwell Dementia Case Register. <i>International Journal of Geriatric Psychiatry</i> , 1996 , 11, 369-375 THE MICROSTRUCTURE OF EATING IN PEOPLE WITH DEMENTIA WHO ARE HYPERPHAGIC.		1 4 20
90 89 88 87	Behavioural problems in dementia and biochemistry: clinical aspects. <i>Experimental Neurology</i> , 1996, 5, 399-402 Hallucinations, cortical Lewy body pathology, cognitive function and neuroleptic use in dementia. 1996, 85-98 The Camberwell Dementia Case Register. <i>International Journal of Geriatric Psychiatry</i> , 1996, 11, 369-375 THE MICROSTRUCTURE OF EATING IN PEOPLE WITH DEMENTIA WHO ARE HYPERPHAGIC. <i>International Journal of Geriatric Psychiatry</i> , 1996, 11, 1041-1049 The basis for behavioural disturbances in dementia. <i>Journal of Neurology, Neurosurgery and</i>	3.9	1 4 20 6
90 89 88 87 86	Behavioural problems in dementia and biochemistry: clinical aspects. <i>Experimental Neurology</i> , 1996, 5, 399-402 Hallucinations, cortical Lewy body pathology, cognitive function and neuroleptic use in dementia. 1996, 85-98 The Camberwell Dementia Case Register. <i>International Journal of Geriatric Psychiatry</i> , 1996, 11, 369-375 THE MICROSTRUCTURE OF EATING IN PEOPLE WITH DEMENTIA WHO ARE HYPERPHAGIC. <i>International Journal of Geriatric Psychiatry</i> , 1996, 11, 1041-1049 The basis for behavioural disturbances in dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1996, 61, 127-30 Apolipoprotein E: non-cognitive symptoms and cognitive decline in late onset Alzheimer's disease.	3·9 5·5	1 4 20 6 29

82	Allelic functional variation of serotonin transporter expression is a susceptibility factor for late onset Alzheimer's disease. <i>NeuroReport</i> , 1997 , 8, 683-6	1.7	98
81	The assessment and management of behavioural manifestations of dementia: a review and results of a controlled trial. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997 , 1, 157-68	2.4	6
8o	Hyperphagia in dementia: 1. The use of an objective and reliable method for measuring hyperphagia in people with dementia. <i>Appetite</i> , 1997 , 28, 151-65	4.5	16
79	Behaviour changes in dementia. 1: Point of entry data of a prospective study. <i>International Journal of Geriatric Psychiatry</i> , 1997 , 12, 1062-73	3.9	57
78	Behaviour changes in dementia. 2: Are there behavioural syndromes?. <i>International Journal of Geriatric Psychiatry</i> , 1997 , 12, 1074-8	3.9	84
77	Managing the burden of Alzheimer's disease: a partnership between caregiver and physician. <i>European Journal of Neurology</i> , 1998 , 5, S1-S8	6	5
76	Evaluation of three aggression/agitation behaviour rating scales for use on an acute admission and assessment psychogeriatric ward. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 415-20	3.9	26
75	Predictors of institutionalization for people with dementia living at home with a carer. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 682-90	3.9	188
74	Natural history of hyperphagia and other eating changes in dementia. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 700-6	3.9	18
73	Psychiatric symptoms in patients with dementia predict the later development of behavioural abnormalities. <i>Psychological Medicine</i> , 1998 , 28, 1119-27	6.9	31
72	Getting lost in dementia: a longitudinal study of a behavioral symptom. <i>International Psychogeriatrics</i> , 1998 , 10, 253-60	3.4	113
71	Wandering. 1998 , 371-412		1
70	Aggressive behaviour in the elderly. International Journal of Psychiatry in Clinical Practice, 1999, 3, 85-10	03.4	13
69	Development and testing of the Resistiveness to Care Scale. <i>Research in Nursing and Health</i> , 1999 , 22, 27-38	2	111
68	Neuropsychiatric aspects of Alzheimer's disease. Current Psychiatry Reports, 1999, 1, 49-60	9.1	12
67	Natural history of aggressive behaviour in dementia. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 541-8	3.9	62
66	The development of a valid and reliable scale for rating anxiety in dementia (RAID). <i>Aging and Mental Health</i> , 1999 , 3, 39-49	3.5	155
65	Natural history of behavioural changes and psychiatric symptoms in Alzheimer's disease. A longitudinal study. <i>British Journal of Psychiatry</i> , 1999 , 174, 39-44	5.4	146

64	Immunocytochemical study of the dorsal and median raphe nuclei in patients with Alzheimer's disease prospectively assessed for behavioural changes. <i>Neuropathology and Applied Neurobiology</i> , 2000 , 26, 347-55	5.2	75
63	Cholinergic deficits contribute to behavioral disturbance in patients with dementia. <i>Neurology</i> , 2000 , 55, 1460-7	6.5	143
62	Are changes in everyday memory over time in autopsy-confirmed Alzheimer's disease related to changes in reported behaviour?. <i>Neuropsychological Rehabilitation</i> , 2001 , 11, 201-217	3.1	2
61	Wandering in dementia: a longitudinal study. <i>International Psychogeriatrics</i> , 2001 , 13, 137-47	3.4	53
60	Synaptic pathology in prefrontal cortex is present only with severe dementia in Alzheimer disease. Journal of Neuropathology and Experimental Neurology, 2001 , 60, 929-36	3.1	53
59	Psychometric evaluation of a short observational tool for small-scale research projects in dementia. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 288-92	3.9	5
58	Death and dementia. International Journal of Geriatric Psychiatry, 2001, 16, 969-74	3.9	78
57	The Challenging Behaviour Scale (CBS): development of a scale for staff caring for older people in residential and nursing homes. <i>British Journal of Clinical Psychology</i> , 2001 , 40, 309-22	3.6	34
56	Pharmacotherapy of behavioral and psychological symptoms of dementia: time for a different paradigm?. <i>Pharmacotherapy</i> , 2001 , 21, 74-102	5.8	17
55	Psychosis of Alzheimer's disease is associated with elevated muscarinic M2 binding in the cortex. <i>Neurology</i> , 2001 , 57, 805-11	6.5	95
54	Rating scales in old age psychiatry. British Journal of Psychiatry, 2002, 180, 161-7	5.4	87
53	Noradrenergic changes, aggressive behavior, and cognition in patients with dementia. <i>Biological Psychiatry</i> , 2002 , 51, 407-16	7.9	142
52	Estimating the relationship between disease progression and cost of care in dementia. <i>British Journal of Psychiatry</i> , 2002 , 181, 36-42	5.4	71
51	Psychotic symptoms in major depressive disorder are associated with reduced regional cerebral blood flow in the subgenual anterior cingulate cortex: a voxel-based single photon emission computed tomography (SPECT) study. <i>Journal of Affective Disorders</i> , 2002 , 68, 295-305	6.6	55
50	Sunlight levels and behavioural disturbance in dementia. <i>International Journal of Geriatric Psychiatry</i> , 2002 , 17, 784-5	3.9	4
49	Presynaptic serotonergic markers in community-acquired cases of Alzheimer's disease: correlations with depression and neuroleptic medication. <i>Journal of Neurochemistry</i> , 1996 , 66, 1592-8	6	89
48	[3H]GR113808 binding to serotonin 5-HT(4) receptors in the postmortem neocortex of Alzheimer disease: a clinicopathological study. <i>Journal of Neural Transmission</i> , 2003 , 110, 779-88	4.3	25
47	Part I: consultation-liaison literature database: 2003 update and national lists. <i>General Hospital Psychiatry</i> , 2003 , 25, 377-478	5.6	3

(2007-2003)

46	Reduced serotonin 5-HT1A receptor binding in the temporal cortex correlates with aggressive behavior in Alzheimer disease. <i>Brain Research</i> , 2003 , 974, 82-7	3.7	129
45	Delusions and hallucinations in Alzheimer's disease: review of the brain decade. <i>Psychosomatics</i> , 2003 , 44, 388-401	2.6	103
44	Serotonin transporters are preserved in the neocortex of anxious Alzheimer disease patients. <i>NeuroReport</i> , 2003 , 14, 1297-1300	1.7	2
43	Serotonin transporters are preserved in the neocortex of anxious Alzheimer's disease patients. <i>NeuroReport</i> , 2003 , 14, 1297-300	1.7	17
42	Differential involvement of 5-HT(1B/1D) and 5-HT6 receptors in cognitive and non-cognitive symptoms in Alzheimer's disease. <i>Neuropsychopharmacology</i> , 2004 , 29, 410-6	8.7	108
41	Validation of the Algase Wandering Scale (Version 2) in a cross cultural sample. <i>Aging and Mental Health</i> , 2004 , 8, 133-42	3.5	40
40	Psychiatric issues in non-Alzheimer dementias. <i>Clinical Neuroscience Research</i> , 2004 , 3, 397-412		3
39	Psychiatric issues in non-Alzheimer dementias. <i>Clinical Neuroscience Research</i> , 2004 , 3, 397-397		O
38	Cholinergic-serotonergic imbalance contributes to cognitive and behavioral symptoms in Alzheimer's disease. <i>Neuropsychologia</i> , 2005 , 43, 442-9	3.2	165
37	Repetitive behaviour in Alzheimer's disease: description, correlates and functions. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 686-93	3.9	34
36	Loss of serotonin 5-HT2A receptors in the postmortem temporal cortex correlates with rate of cognitive decline in Alzheimer's disease. <i>Psychopharmacology</i> , 2005 , 179, 673-7	4.7	68
35	Role of Neuropsychiatric Assessment in Diagnosis and Research. 2005 , 163-183		
34	Atypical Parkinsonian Disorders. 2005 ,		10
33	Involvement of the GABAergic system in depressive symptoms of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006 , 27, 1110-7	5.6	48
32	Cyclin-dependent kinase 5, Munc18a and Munc18-interacting protein 1/X11alpha protein up-regulation in Alzheimer's disease. <i>Neuroscience</i> , 2006 , 138, 511-22	3.9	31
31	Down-regulation of vesicular glutamate transporters precedes cell loss and pathology in Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2006 , 98, 939-50	6	127
30	Feasibility study of the integrated circuit tag monitoring system for dementia residents in Japan. <i>American Journal of Alzheimerus Disease and Other Dementias</i> , 2007 , 22, 129-36	2.5	24
29	Aggressive behavior and neuroleptic medication are associated with increased number of alpha1-adrenoceptors in patients with Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2007 , 15, 435-7	6.5	29

28	Loss of [3H]4-DAMP binding to muscarinic receptors in the orbitofrontal cortex of Alzheimer's disease patients with psychosis. <i>Psychopharmacology</i> , 2008 , 198, 251-9	4.7	12
27	Anxiety in dementia: a critical review. Clinical Psychology Review, 2008, 28, 1071-82	10.8	199
26	Involvement of an altered 5-HT -{6} receptor function in behavioral symptoms of Alzheimer's disease. <i>Journal of Alzheimerus Disease</i> , 2008 , 14, 43-50	4.3	35
25	A framework for managing wandering and preventing elopement. <i>American Journal of Alzheimerus Disease and Other Dementias</i> , 2009 , 24, 208-19	2.5	33
24	Hippocampal neurofibrillary tangle changes and aggressive behaviour in dementia. <i>NeuroReport</i> , 2010 , 21, 1111-5	1.7	16
23	Old-age psychiatry. 2010 , 635-692		1
22	Pacing and lapping movements among institutionalized patients with dementia. <i>American Journal of Alzheimerus Disease and Other Dementias</i> , 2010 , 25, 167-72	2.5	9
21	HPA axis dysregulation associated to apolipoprotein E4 genotype in Alzheimer's disease. <i>Journal of Alzheimer</i> Disease, 2010 , 22, 829-38	4.3	66
20	Electronic Tracking for People with Dementia Who Get Lost outside the Home: A Study of the Experience of Familial Carers. <i>British Journal of Occupational Therapy</i> , 2010 , 73, 152-159	1	45
19	A serotoninergic basis for hyperphagic eating changes in Alzheimer's disease. <i>Journal of the Neurological Sciences</i> , 2010 , 288, 151-5	3.2	33
18	The Use of Tracking Technologies for the Analysis of Outdoor Mobility in the Face of Dementia: First Steps into a Project and Some Illustrative Findings From Germany. <i>Journal of Housing for the Elderly</i> , 2010 , 24, 55-73	1.6	20
17	Differential involvement of hippocampal serotonin1A receptors and re-uptake sites in non-cognitive behaviors of Alzheimer's disease. <i>Psychopharmacology</i> , 2011 , 213, 431-9	4.7	32
16	Reliability and validity of the Norwegian version of the Brief Agitation Rating Scale (BARS) in dementia. <i>Aging and Mental Health</i> , 2011 , 15, 252-8	3.5	11
15	Tau phosphorylation in human brain: relationship to behavioral disturbance in dementia. <i>Neurobiology of Aging</i> , 2012 , 33, 2798-806	5.6	32
14	CB2 receptor and amyloid pathology in frontal cortex of Alzheimer's disease patients. <i>Neurobiology of Aging</i> , 2013 , 34, 805-8	5.6	113
13	A Review of WanderingInstruments for People With Dementia Who Get Lost. <i>Research on Social Work Practice</i> , 2014 , 24, 400-413	1.4	11
12	Neuropsychiatric symptoms in Alzheimer's disease: What might be associated brain circuits?. <i>Molecular Aspects of Medicine</i> , 2015 , 43-44, 25-37	16.7	160
11	Longitudinal course of behavioural and psychological symptoms of dementia: systematic review. British Journal of Psychiatry, 2016 , 209, 366-377	5.4	141

CITATION REPORT

10	Supporting people with dementia to walkabout safely outdoors: development of a structured model of assessment. <i>Health and Social Care in the Community</i> , 2016 , 24, 473-84	2.6	8
9	Altered relaxin family receptors RXFP1 and RXFP3 in the neocortex of depressed Alzheimer's disease patients. <i>Psychopharmacology</i> , 2016 , 233, 591-8	4.7	6
8	Determinants of behavioral and psychological symptoms of dementia: A scoping review of the evidence. <i>Nursing Outlook</i> , 2017 , 65, 515-529	2.7	69
7	Agitation and Aggression Are 2 Different Syndromes in Persons With Dementia. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 1035-1038	5.9	8
6	Instruments to Assess Social Functioning in Individuals with Dementia: A Systematic Review. Journal of Alzheimerus Disease, 2021 , 80, 619-637	4.3	2
5	Current Neurotransmitter Strategies in AD Drug Development. <i>Advances in Behavioral Biology</i> , 1998 , 851-859		1
4	Behavioural changes in people with learning disability and dementia: a descriptive study. <i>Journal of Intellectual Disability Research</i> , 1996 , 40, 311-321	3.2	16
3	Dementia: Trial Design and Experience with Large Multicentre Trials. 2001 , 183-198		
2	Nerve Growth Factor and Other Biological Treatments: An Overview. 1994 , 477-491		

Neurobiological Differences Between Aggression and Agitation in Persons with DementiaAffiliation. **2018**, 2, 28-36