

# CITATION REPORT

List of articles citing

**Flood alluviation and entrenchment: Holocene valley-floor development and transformation in the British uplands**

**DOI: 10.1130/0016-7606(1992)1042.3.co;2**

**Bulletin of the Geological Society of America, 1992, 104, 631-6**

**Source:** <https://exaly.com/paper-pdf/23110638/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
130	A Holocene Alluvial Sequence in the lower Tyne Valley, Northern Britain: A Record of River Response to Environmental Change. <b>1992</b> , 2, 138-147		22
129	Variability of late Holocene braiding in Britain. <i>Geological Society Special Publication</i> , <b>1993</b> , 75, 205-229	1.7	12
128	Fluvial geomorphology. <i>Progress in Physical Geography</i> , <b>1994</b> , 18, 103-123	3.5	8
127	The age of alluvial fan deposition at a site in the southern uplands of Scotland. <i>Earth Surface Processes and Landforms</i> , <b>1994</b> , 19, 333-348	3.7	23
126	Channel and floodplain response to recent abrupt climate change: The Tyne basin, Northern England. <i>Earth Surface Processes and Landforms</i> , <b>1994</b> , 19, 499-515	3.7	89
125	Fluvial chronology and valley floor evolution of the upper Bowmont valley, Borders region, Scotland. <i>Earth Surface Processes and Landforms</i> , <b>1994</b> , 19, 641-657	3.7	27
124	Provenance of fine-grained alluvium and late Holocene land-use change in the Tyne basin, northern England. <i>Geomorphology</i> , <b>1994</b> , 9, 127-142	4.3	45
123	Holocene evolution of a lowland Scottish landscape: Kirkpatrick Fleming. Part III, fluvial history. <b>1995</b> , 5, 184-195		22
122	River behaviour and Holocene alluviation: The River Severn at Welshpool, mid-Wales, U.K.. <i>Earth Surface Processes and Landforms</i> , <b>1996</b> , 21, 77-91	3.7	24
121	River response to the last neoglacial (the Little Ice Age) in northern, western and central Europe. <i>Geological Society Special Publication</i> , <b>1996</b> , 115, 217-233	1.7	24
120	Non-synchronous response of adjacent floodplain systems to Holocene environmental change. <i>Geomorphology</i> , <b>1997</b> , 18, 251-264	4.3	19
119	An allostratigraphic approach to a non-marine basin: the north-western part of Cretaceous Kyongsang Basin, SE Korea. <b>1998</b> , 45, 449-472		29
118	Towards an environmental history of the Bowmont Valley and the northern Cheviot Hills. <b>1998</b> , 20, 41-50		11
117	Landscape modelling at Regional to Continental scales. <b>1999</b> , 187-203		1
116	A generic geomorphological approach to archaeological interpretation and prospection in British river valleys: a guide for archaeologists investigating Holocene landscapes. <b>1999</b> , 73, 527-541		52
115	Controls on sedimentation in distal margin palaeovalleys in the Early Tertiary Alpine foreland basin, south-eastern France. <b>1999</b> , 46, 357-384		18
114	Fluvial incision and channel downcutting as a response to Late-glacial and Early Holocene climate change: the lower reach of the River Meuse (Maas), The Netherlands. <b>1999</b> , 14, 59-75		58

113	Late Holocene floodplain incision and alluvial fan formation in the central Grampian Highlands, Scotland: chronology, environment and implications. <b>1999</b> , 14, 651-671		41
112	River channel planform change: software for historical analysis. <i>Geomorphology</i> , <b>1999</b> , 29, 107-120	4.3	53
111	Late Holocene channel and floodplain development in a wandering gravel-bed river: the River South Tyne at Lambley, northern England. <i>Earth Surface Processes and Landforms</i> , <b>2000</b> , 25, 1237-1256	3.7	34
110	Holocene river development and environmental change in Upper Wharfedale, Yorkshire Dales, England. <b>2000</b> , 15, 239-252		27
109	River sedimentation and fluvial response to Holocene environmental change in the Yorkshire Ouse Basin, northern England. <b>2000</b> , 10, 201-212		24
108	Holocene environmental change in the Yorkshire Ouse basin and its influence on river dynamics and sediment fluxes to the coastal zone. <i>Geological Society Special Publication</i> , <b>2000</b> , 166, 87-96	1.7	11
107	Stream incision and terrace development in Frijoles Canyon, Bandelier National Monument, New Mexico, and the influence of lithology and climate. <i>Geomorphology</i> , <b>2000</b> , 32, 171-193	4.3	46
106	How sensitive are river systems to climate and land-use changes? A model-based evaluation. <b>2001</b> , 16, 347-351		122
105	A study of Holocene floodplain particle size characteristics with special reference to palaeochannel infills from the upper Severn basin, Wales, UK. <b>2001</b> , 36, 143-157		2
104	A mid-Holocene alluvial deposit beneath blanket peat in the Upper Liffey Valley, county Wicklow, Ireland. <b>2002</b> , 35, 185-196		
103	Stability of an upland gravel-bed stream, Swinhope Burn, Northern England. <b>2002</b> , 49, 309-329		15
102	A cellular model of Holocene upland river basin and alluvial fan evolution. <i>Earth Surface Processes and Landforms</i> , <b>2002</b> , 27, 269-288	3.7	238
101	Flooding and geomorphic impacts in a mountain torrent: Raise Beck, central Lake District, England. <i>Earth Surface Processes and Landforms</i> , <b>2002</b> , 27, 945-969	3.7	30
100	The impact of recent climate change on flooding and sediment supply within a Mediterranean mountain catchment, southwestern Crete, Greece. <i>Earth Surface Processes and Landforms</i> , <b>2002</b> , 27, 1087-1105	3.7	62
99	Learning from the past: palaeohydrology and palaeoecology. <b>2002</b> , 47, 817-829		59
98	Mid-Holocene sub-blanket-peat alluvia and sediment sources in the upper Liffey valley, Co. Wicklow, Ireland. <i>Earth Surface Processes and Landforms</i> , <b>2003</b> , 28, 1013-1024	3.7	12
97	Preservation potential for Late Quaternary river alluvium. <b>2003</b> , 18, 107-120		136
96	River sediments, great floods and centennial-scale Holocene climate change. <b>2003</b> , 18, 101-105		196

95	Lichenometric application to historical and subrecent dynamics and sediment transport of a Corsican stream (Figarella River France). <b>2003</b> , 22, 2111-2124		34
94	Palaeoflood hydrology: an emerging science. <i>Progress in Physical Geography</i> , <b>2004</b> , 28, 531-543	3.5	23
93	Identifying changing fluvial conditions in low gradient alluvial archaeological landscapes: can coleoptera provide insights into changing discharge rates and floodplain evolution?. <b>2004</b> , 31, 109-120		27
92	Bedrock: alluvium. <b>2005</b> , 97-103		
91	Preface. <b>2005</b> , ix-x		
90	Introduction. <b>2005</b> , 3-8		
89	Types of rivers. <b>2005</b> , 9-17		
88	Non-regime channels. <b>2005</b> , 18-36		
87	Upstream controls. <b>2005</b> , 37-38		
86	History. <b>2005</b> , 39-49		
85	Tectonics and relief. <b>2005</b> , 50-58		
84	Lithology. <b>2005</b> , 59-63		
83	Climate: hydrology. <b>2005</b> , 64-78		
82	Humans. <b>2005</b> , 79-94		
81	Fixed local controls. <b>2005</b> , 95-96		
80	Tributaries. <b>2005</b> , 104-107		
79	Active tectonics. <b>2005</b> , 108-117		
78	Valley morphology. <b>2005</b> , 118-124		0

77 Variable local controls. **2005**, 125-126

76 Floods. **2005**, 127-132

75 Vegetation. **2005**, 133-137

74 Accidents. **2005**, 138-146

73 Downstream controls. **2005**, 147-148

72 Base-level. **2005**, 149-155

71 Length. **2005**, 156-160

70 Rivers and humans. **2005**, 161-162

69 Applications. **2005**, 163-172

68 Some unintended consequences. **2005**, 173-181

67 River impact on ancient civilizations: a hypothesis. **2005**, 182-197

66 References. **2005**, 198-218

65 Use of multi-proxy flood records to improve estimates of flood risk: Lower River Tay, Scotland. **2006**, 66, 107-119 33

64 Fluvial terrace formation along Wyoming's Laramie Range as a response to increased late Pleistocene flood magnitudes. *Geomorphology*, **2006**, 76, 12-25 4.3 22

63 Holocene land-use change and its impact on river basin dynamics in Great Britain and Ireland. *Progress in Physical Geography*, **2006**, 30, 589-604 3.5 45

62 12 Non-stationarity of basin scale sediment delivery in response to climate change. **2007**, 315-331 6

61 14 Two model scenarios illustrating the effects of land use and climate change on gravel riverbeds of suburban Maryland, U.S.A.. **2007**, 11, 359-381 4

60 17 The evolution of sediment waves influenced by varying transport capacity in heterogeneous rivers. **2007**, 11, 443-469 19

59	Interactions between sediment delivery, channel change, climate change and flood risk in a temperate upland environment. <i>Earth Surface Processes and Landforms</i> , <b>2007</b> , 32, 429-446	3-7	151
58	Growth rates of <i>Rhizocarpon geographicum</i> lichens: a review with new data from Iceland. <b>2007</b> , 22, 311-320		59
57	Changing climate and extreme floods in the British uplands. <b>2007</b> , 32, 168-186		51
56	The chronology and long term dynamics of a low energy river system: the Kelvin Valley, central Scotland. <i>Earth Surface Processes and Landforms</i> , <b>2008</b> , 33, 910-922	3-7	4
55	Historic and contemporary sediment transfer in an upland Pennine catchment, UK. <i>Earth Surface Processes and Landforms</i> , <b>2008</b> , 33, 2139-2155	3-7	8
54	Alluvial responses to the changing Earth system. <i>Earth Surface Processes and Landforms</i> , <b>2008</b> , 33, 1374-1395	3-7	83
53	The value of lichenometry and historical archives in assessing the incision of submediterranean rivers from the Little Ice Age in the Ardèche and upper Loire (France). <i>Geomorphology</i> , <b>2008</b> , 94, 170-183	4-3	21
52	Roman mining on Exmoor: a geomorphological approach at Anstey's Combe, Dulverton. <b>2009</b> , 14, 50-61		4
51	Lichenometric dating: a commentary, in the light of some recent statistical studies. <b>2009</b> , 91, 61-69		39
50	Fluvial development and the sediment regime of the lower Calder, Ribble catchment, northwest England. <b>2009</b> , 77, 81-95		12
49	Land-use changes and longer-term human-environment interactions in a mountain region (Sudetes Mountains, Poland). <i>Geomorphology</i> , <b>2009</b> , 108, 48-57	4-3	44
48	Réurrence des inondations et édification des plaines alluviales des bassins du centre-sud du Québec (Canada). <b>2009</b> , 22, 51-68		4
47	The role of glacio-isostasy in the formation of post-glacial river terraces in relation to the MIS 2 ice limit: evidence from northern England. <b>2010</b> , 121, 113-127		24
46	The influence of sediment size, relative grain size and channel slope on initiation of sediment motion in boulder bed rivers. A lichenometric study. <i>Earth Surface Processes and Landforms</i> , <b>2010</b> , 35, 1535-1547	3-7	21
45	Floodplain catastrophes in the UK Holocene: messages for managing climate change. <i>Hydrological Processes</i> , <b>2010</b> , 24, 2900-2911	3-3	42
44	Studies on the growth of <i>rhizocarpon geographicum</i> in nw scotland, and some implications for lichenometry. <b>2010</b> , 92, 41-52		16
43	Evaluating the significance of event and post-event sediment dynamics in a first order tributary using multiple sediment budgets. <b>2010</b> , 92, 189-209		9
42	Flood series data for the later Holocene: Available approaches, potential and limitations from UK alluvial sediments. <b>2010</b> , 20, 1123-1135		21

41	Quantitative assessment of landform equifinality and palaeoenvironmental reconstruction using geomorphic models. <i>Geomorphology</i> , <b>2010</b> , 121, 167-183	4.3	17
40	Geomorphological and sedimentological evidence for variations in Holocene flooding in Welsh river catchments. <b>2010</b> , 70, 92-107		15
39	River response to rapid Holocene environmental change: evidence and explanation in British catchments. <b>2010</b> , 29, 1555-1576		138
38	Detailed chronology of mid-altitude fluvial system response to changing climate and societies at the end of the Little Ice Age (Southwestern Alps and Cevennes, France). <i>Geomorphology</i> , <b>2011</b> , 133, 100-117		24
37	Tectonic and climatic controls on Holocene channel migration, incision and terrace formation by the Rio Grande in the Palomas half graben, southern Rio Grande rift, USA. <b>2011</b> , 58, 1065-1086		5
36	Geomorphic impact and system recovery following an extreme flood in an upland stream: Thinhope Burn, northern England, UK. <i>Geomorphology</i> , <b>2012</b> , 138, 319-328	4.3	55
35	A mid to late Holocene history of floodplain and terrace reworking along the middle Delaware River valley, USA. <i>Geomorphology</i> , <b>2012</b> , 169-170, 123-141	4.3	15
34	Sensitivity, persistence and resolution of the geomorphological record of valley-floor floods in an alpine glacier-fed catchment, Leirdalen, Jotunheimen, southern Norway. <b>2013</b> , 23, 974-989		11
33	River entrenchment and terrace formation in the UK Holocene. <b>2013</b> , 76, 194-206		22
32	Thresholds of stability in incised Anthropocene landscapes. <b>2013</b> , 2, 27-41		10
31	Agro-industrial alluvium in the Swale catchment, northern England, as an event marker for the Anthropocene. <b>2013</b> , 23, 587-602		23
30	Flood stratigraphies in lake sediments: A review. <i>Earth-Science Reviews</i> , <b>2014</b> , 135, 17-37	10.2	90
29	Geomorphological records of extreme floods and their relationship to decadal-scale climate change. <i>Geomorphology</i> , <b>2014</b> , 216, 193-207	4.3	35
28	The chronology and the hydrometeorology of catastrophic floods on Dartmoor, South West England. <i>Hydrological Processes</i> , <b>2014</b> , 28, 3067-3087	3.3	10
27	An integrated approach for investigating geomorphic response to extreme events: methodological framework and application to the October 2011 flood in the Magra River catchment, Italy. <i>Earth Surface Processes and Landforms</i> , <b>2016</b> , 41, 835-846	3.7	33
26	Vegetation as a tool in the interpretation of fluvial geomorphic processes and landforms. <b>2016</b> , 210-234		2
25	A hydrogeomorphic assessment of twenty-first century floods in the UK. <i>Earth Surface Processes and Landforms</i> , <b>2016</b> , 41, 256-270	3.7	16
24	Assessing long term flash flooding frequency using historical information. <b>2017</b> , 48, 1-16		12

23	Evidence of flash floods in Precambrian gravel dominated ephemeral river deposits. <i>Sedimentary Geology</i> , <b>2017</b> , 347, 53-66	2.8	9
22	Hydrogeomorphology: Recognition and Evolution of the Flood Phenomenon. <b>2017</b> , 167-191		4
21	Orbital-climate control of mass-flow sedimentation in a Miocene alluvial-fan succession (Teruel Basin, Spain). <i>Geological Society Special Publication</i> , <b>2018</b> , 440, 129-157	1.7	4
20	Impacts of a large flood along a mountain river basin: the importance of channel widening and estimating the large wood budget in the upper Emme River (Switzerland). <i>Earth Surface Dynamics</i> , <b>2018</b> , 6, 1115-1137	3.8	16
19	Recent advances in paleoflood hydrology: From new archives to data compilation and analysis. <i>Water Security</i> , <b>2018</b> , 3, 1-8	3.8	33
18	Downstream-Propagating Channel Responses to Decadal-Scale Climate Variability in a Glaciated River Basin. <i>Journal of Geophysical Research F: Earth Surface</i> , <b>2019</b> , 124, 902-919	3.8	11
17	Interpreting historical, botanical, and geological evidence to aid preparations for future floods. <i>Wiley Interdisciplinary Reviews: Water</i> , <b>2019</b> , 6, e1318	5.7	50
16	Incorporating sedimentological data in UK flood frequency estimation. <i>Journal of Flood Risk Management</i> , <b>2019</b> , 12, e12449	3.1	6
15	Terrestrial structure-from-motion: Spatial error analysis of roughness and morphology. <i>Geomorphology</i> , <b>2020</b> , 350, 106883	4.3	14
14	Quantitative Paleoflood Hydrology. <b>2020</b> ,		2
13	A catchment scale assessment of patterns and controls of historic 2D river planform adjustment. <i>Geomorphology</i> , <b>2020</b> , 354, 107046	4.3	4
12	Climate-change driven increased flood magnitudes and frequency in the British uplands: Geomorphologically informed scientific underpinning for upland flood-risk management. <i>Earth Surface Processes and Landforms</i> ,	3.7	1
11	Sediment Transfer in Steep Upland Catchments (Northern England, UK): Landform and Sediment Source Coupling. <i>Lecture Notes in Earth Sciences</i> , <b>2009</b> , 165-183		8
10	Mountain Rivers and Incised Channels. <b>2015</b> , 123-191		1
9	Fluvial Hazards in a Steepland Mountain Environment, Southern Bolivia. <i>Geospatial Technology and the Role of Location in Science</i> , <b>1998</b> , 229-243	0.5	2
8	River Variability and Complexity. <b>2005</b> ,		104
7	. <i>Water Resources Monograph</i> , <b>2010</b> ,		44
6	Holocene alluvial sedimentation and valley floor development: the River Swale, Catterick, North Yorkshire, UK. <i>Proceedings of the Yorkshire Geological Society</i> , <b>1997</b> , 51, 317-327	0.8	25



- 5 Modelling differential geomorphic effectiveness in neighbouring upland catchments: implications for sediment and flood risk management in a wetter world. *Progress in Physical Geography*, 030913332110455
- 4 A 300-year history of flooding in an Andean mountain river system. **2001**,
- 3 References. **2021**, 167-186
- 2 Heavy Metal Contamination and Ecological Risk Assessment in Soils of the Pawara Gold Mining Area, Eastern Cameroon. **2022**, 3, 907-924 ○
- 1 Évolutions des paysages de moyennes montagnes depuis le xix<sup>e</sup> siècle : Étude de la part climatique et anthropique par une approche multiarchives. **2013**, 265-275 ○