

CITATION REPORT

List of articles citing

American College of Chest Physicians/Society of Critical Care Medicine Consensus Conference

DOI: 10.1097/00003246-199206000-00025
Critical Care Medicine, 1992, 20, 864-874.

Source: <https://exaly.com/paper-pdf/23124821/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2311	impact of omega-3 fatty acids enriched total parenteral nutrition on blood chemistry and inflammatory markers in septic patients. 1969 , 30,		5
2310	Sepsis, severe sepsis or sepsis syndrome: need for clarification. 1992 , 18, 255-7		32
2309	Importance of pre-existing co-morbidities for prognosis of septicemia in critically ill patients. 1993 , 19, 265-72		153
2308	The systemic inflammatory response syndrome (SIRS): immunology and potential immunotherapy. 1993 , 21, 279-90		50
2307	ARDS and sepsis--definitions and new therapy. 1993 , 40, 585-90		6
2306	What's in a name? An acronym or a response?. 1993 , 165, 299-301		6
2305	Predicting infectious morbidity in elective operations. 1993 , 165, 52S-58S		8
2304	Nutritional support in the patient with the systemic inflammatory response syndrome. 1993 , 165, 68S-74S		12
2303	Endothelin-1 and atrial natriuretic peptide in septic shock. 1993 , 126, 466-8		31
2302	Single-dose pharmacokinetics and safety of HA-1A, a human IgM anti-lipid-A monoclonal antibody, in pediatric patients with sepsis syndrome. 1993 , 122, 974-81		9
2301	Pathogenetic mechanisms of septic shock. 1993 , 328, 1471-7		1403
2300	Amino acid loss and plasma concentration during continuous hemodiafiltration. 1993 , 17, 551-61		39
2299	The economic impact and cost-effectiveness of monoclonal antibody therapy for sepsis. 1993 , 17 Suppl 2, S520-4		5
2298	Intensive care. 1993 , 69, 340-58		
2297	Management of septic shock. 1993 , 306, 1661-4		16
2296	Toxic shock syndrome after minor surgery. 1993 , 306, 652		
2295	BCG vaccination and health care workers. 1993 , 306, 651-2		6

2294	Gastric intramucosal pH. A better predictor of multiorgan dysfunction syndrome and death than oxygen-derived variables in patients with sepsis. 1993 , 104, 225-9	292
2293	Why Isn't This Patient Awake?. 1993 , 8, 155-156	2
2292	Mixed venous oxygen saturation in critically ill septic shock patients. The role of defined events. 1993 , 103, 900-6	110
2291	Temporal hemodynamic and oxygen transport patterns in medical patients. Septic shock. 1993 , 104, 1529-36	48
2290	Toxic shock syndrome after minor surgery. 1993 , 306, 652	1
2289	Selective decontamination of the gut. 1993 , 306, 652	
2288	The baron and severe sepsis--a clinical model of self-induced endotoxaemia. 1993 , 21, 447-9	2
2287	Mediators of Coagulation and Inflammation: Relationship and Clinical Significance. 1993 , 5, 411-433	3
2286	Antiendotoxin Therapy in Sepsis. 1993 , 5, 345-354	1
2285	The Inflammatory/Immune Response in Critical Illness: Role of the Systemic Inflammatory Response Syndrome. 1994 , 6, 251-264	10
2284	Adult Respiratory Distress Syndrome: Mediators on the Run. 1994 , 6, 341-358	9
2283	Possible roles for anti- or pro-inflammatory therapies in the management of sepsis. 1994 , 74, 711-723	8
2282	Sepsis in the Elderly. 1994 , 6, 421-427	8
2281	A new hantavirus infection in North America. 1994 , 330, 1004-5	28
2280	A Scoring System for Multiple Organ Dysfunction Syndrome. 1994 , 38-49	14
2279	Systemic inflammatory response syndrome: septic shock. 1994 , 24, 1225-47	50
2278	Reconstituted high density lipoprotein inhibits physiologic and tumor necrosis factor alpha responses to lipopolysaccharide in rabbits. 1994 , 129, 193-7	36
2277	Pharmacologic management of shock-induced renal dysfunction. 1994 , 30, 129-98	1

2276	Correlation between measured energy expenditure and clinically obtained variables in trauma and sepsis patients. 1994 , 18, 398-403	86
2275	Multiple Organ Dysfunction Syndrome: Pathogenesis and Approach to Therapy. 1994 , 15, 325-334	5
2274	The problem of sepsis. 1994 , 20, 300-304	31
2273	Sepsis and inflammation: need for clarification. 1994 , 20, 307	1
2272	Malassezia furfur-related colonization and infection of central venous catheters. A prospective study in a pediatric intensive care unit. 1994 , 20, 496-9	24
2271	Diagnosis of bacterial infection in the ICU: general principles. 1994 , 20 Suppl 4, S12-6	11
2270	Bacteremia due to Acinetobacter species other than Acinetobacter baumannii. 1994 , 22, 379-85	38
2269	Nutrition entrale d'un malade septique ayant un tube digestif sain. 1994 , 8, 93-105	3
2268	Cytokine response to infection in patients with acute myelogenous leukaemia following intensive chemotherapy. 1994 , 88, 332-7	47
2267	Gram-positive Organisms and Sepsis. 1994 , 154, 26	195
2266	Salicylate intoxication causing a severe systemic inflammatory response and rhabdomyolysis. 1994 , 12, 531-2	11
2265	Changes in plasma concentrations of vasoactive neuropeptides in patients with sepsis and septic shock. 1994 , 56, 75-81	4
2264	Sepsis terminology in pediatrics. 1994 , 124, 657-8	54
2263	The Systemic Inflammatory Response Syndrome. 1994 , 1, 369-377	1
2262	Adult respiratory distress syndrome in children. 1994 , 41, 337-63	18
2261	Typhoid fever associated with adult respiratory distress syndrome. 1994 , 105, 1873-4	13
2260	Clinical sepsis trials. 1994 , 105, 53S-55S	4
2259	Recent advances in critical care. 1994 , 28, 245-7	

2258	Pulmonary extraction of dobutamine in critically ill surgical patients. 1995 , 81, 287-91	1
2257	Cytokine kinetics (TNF-alpha, IL-1 beta, IL-6) during continuous hemofiltration: a laboratory and clinical study. 1995 , 116, 62-75	44
2256	Pulmonary Extraction of Dobutamine in Critically Ill Surgical Patients. 1995 , 81, 287-291	5
2255	[Sepsis: a conception in change. Possibilities and limitations of diagnosis based on clinical criteria]. 1995 , 120, 498-502	10
2254	Disseminated toxoplasmosis in AIDS patients--report of 16 cases. 1995 , 27, 71-4	13
2253	Evolving concepts in the pathogenesis of postinjury multiple organ failure. 1995 , 75, 257-77	466
2252	Do plasma levels of circulating soluble adhesion molecules differ between surviving and nonsurviving critically ill patients?. 1995 , 107, 787-92	62
2251	New therapies for ARDS. 1995 , 108, 79S-91S	23
2250	Treatment of Severe Non-Neonatal ARDS in Children with Surfactant and Nitric Oxide in a BRE-ECMO Situation. 1995 , 18, 598-602	26
2249	Initial treatment of sepsis in non-neutropenic patients: ceftazidime alone versus 'best guess' combined antibiotic therapy. 1995 , 41, 306-15	9
2248	Muscle thickness, measured with ultrasound, may be an indicator of lean tissue wasting in multiple organ failure in the presence of edema. 1995 , 62, 533-9	110
2247	Acute respiratory distress syndrome. 1995 , 29, 1002-9; quiz 1059-60	3
2246	Streptococcus pyogenes bacteremia: a retrospective study in a Belgian university hospital. 1995 , 50, 81-6	2
2245	Systemic and hemodynamic effects of recombinant tumor necrosis factor alpha in isolation perfusion of the limbs. 1995 , 107, 1074-82	48
2244	Factors affecting the measurement of cytokines in biological fluids: implications for their clinical measurement. 1995 , 32 (Pt 4), 358-68	50
2243	New strategies for combatting sepsis: the magic bullets missed the mark ... but the search continues. 1995 , 13, 56-63	40
2242	Polymorphonuclear leucocyte dysregulation in patients with gram-negative septicaemia assessed by flow cytometry. 1995 , 25, 418-24	18
2241	Beta-carbolines in chronic alcoholics undergoing elective tumor resection. 1995 , 19, 969-76	27

2240	Supportive therapy in septic shock. 1995 , 39, 38-40	1
2239	Pentoxifylline and oxygen consumption in severe sepsis--a preliminary report. 1995 , 107, 219-22	5
2238	Optimal values for oxygen transport during hypothermia in sepsis and ARDS. 1995 , 107, 223-7	8
2237	Maternal death following epidural anaesthesia for caesarean section delivery in a patient with unsuspected sepsis. 1995 , 42, 330-4	19
2236	Monocyte production of nitric oxide (NO) in severe acute pancreatitis. 1995 , 2, 255-260	
2235	C-reactive protein as an indicator of resolution of sepsis in the intensive care unit. 1995 , 21, 602-5	83
2234	Glucose dynamics during continuous hemodiafiltration and total parenteral nutrition. 1995 , 21, 1016-22	29
2233	Role of systemic inflammatory response syndrome and infection in the occurrence of early multiple organ dysfunction syndrome following severe trauma. 1995 , 21, 813-6	66
2232	Systemic inflammatory response syndrome, sepsis, severe sepsis and septic shock: incidence, morbidities and outcomes in surgical ICU patients. 1995 , 21, 302-9	251
2231	The effects of prostacyclin on gastric intramucosal pH in patients with septic shock. 1995 , 21, 414-21	74
2230	Central venous catheter infections: concepts and controversies. 1995 , 21, 177-83	78
2229	The Italian SEPSIS study: preliminary results on the incidence and evolution of SIRS, sepsis, severe sepsis and septic shock. 1995 , 21 Suppl 2, S244-9	195
2228	Is sepsis a mediator-inhibitor mismatch?. 1995 , 21 Suppl 2, S250-7	24
2227	Sepsis and septic shock. II. Treatment. 1995 , 3, 111-9	3
2226	Hemofiltration in human sepsis: evidence for elimination of immunomodulatory substances. 1995 , 48, 1563-70	97
2225	Increased plasma levels of soluble thrombomodulin in patients with sepsis and organ failure. 1995 , 25, 585-90	53
2224	Prognostic role of antioxidant enzymes in sepsis: preliminary assessment. 1995 , 41, 867-871	23
2223	Cerebral lupus presenting a sepsis syndrome. 1995 , 23, 364-6	

2222	Plasma Exchange in Patients with Acute Renal Failure in the Course of Multiorgan Failure. 1995 , 18, 45-52	13
2221	Use of nitric oxide synthase inhibitors as a novel treatment for septic shock. 1995 , 29, 36-46	32
2220	The Abdomen as Source of Sepsis in Critically Ill Patients. 1995 , 11, 255-272	12
2219	Intestinal amino acid content in critically ill patients. 1995 , 19, 272-8	25
2218	Customized Probability Models for Early Severe Sepsis in Adult Intensive Care Patients. 1995 , 273, 644	16
2217	Nosocomial bacteremia due to <i>Acinetobacter baumannii</i> . Clinical features, epidemiology, and predictors of mortality. 1995 , 74, 340-9	168
2216	Increasing splanchnic blood flow in the critically ill. 1995 , 108, 1648-54	135
2215	Augmentation of Oxygen Delivery: Risks versus Benefits. 1995 , 16, 428-436	
2214	Applying lessons learned from anti-endotoxin therapy. 1995 , 2, 217-220	2
2213	Association of interleukin-4 plasma levels with traumatic injury and clinical course. 1995 , 130, 1159-62; discussion 1162-3	78
2212	Pulmonary and Critical Care Medicine. 1995 , 273, 1717	
2211	Multiple Organ Dysfunction Syndrome (MODS). 1995 , 122-138	19
2210	Neuromuscular complications of sepsis in children. 1995 , 10, 346-52	27
2209	Improved clinical status and length of care with low-fat nutrition support in burn patients. 1995 , 19, 482-91	106
2208	Activation of the protein C pathway in acute sepsis. 1995 , 79, 83-93	32
2207	Cytokines, soluble thrombomodulin and disseminated intravascular coagulation in patients with systemic inflammatory response syndrome. 1995 , 80, 519-26	45
2206	Adrenal insufficiency occurring during septic shock: incidence, outcome, and relationship to peripheral cytokine levels. 1995 , 98, 266-71	235
2205	Cardiorespiratory effects of continuous i.v. administration of the ACE inhibitor enalaprilat in the critically ill. 1995 , 40, 415-22	6

2204	The Natural History of the Systemic Inflammatory Response Syndrome (SIRS). 1995 , 273, 117	1106
2203	Bacteraemia in the very old. Features and treatment. 1995 , 6, 456-64	21
2202	Management of leucopenic sepsis. 1995 , 346, 382-3	3
2201	Treatment of sepsis and septic shock: a review. 1995 , 24, 380-92; quiz 392-3	20
2200	Hypermetabolism during bilateral single-lung transplantation requiring cardiopulmonary bypass. 1995 , 9, 565-70	
2199	Acinetobacter species as a cause of catheter-related infections. 1995 , 283, 161-8	4
2198	Operative mortality rates after elective infrarenal aortic reconstructions. 1995 , 22, 287-93; discussion 293-4	99
2197	Lung-liver interactions in sepsis and multiple organ failure syndrome. 1996 , 17, 83-98	38
2196	Early detection and markers of sepsis. 1996 , 17, 199-212	8
2195	The value of clinical judgment in the diagnosis of nosocomial pneumonia. 1996 , 171, 570-5	25
2194	Relationship between circulating levels of calcitonin gene-related peptide, nitric oxide metabolites and hemodynamic changes in human septic shock. 1996 , 65, 115-21	32
2193	Severe Legionnaire's disease requiring intensive care treatment. 1996 , 49, 196-201	7
2192	SIRS--the systemic inflammatory response syndrome after cardiac operations. 1996 , 61, 1607-8	103
2191	Treatment of septic shock with the tumor necrosis factor receptor:Fc fusion protein. The Soluble TNF Receptor Sepsis Study Group. 1996 , 334, 1697-702	1015
2190	Critical illness myopathy and neuropathy. 1996 , 347, 1579-82	377
2189	Progressive cellular dehydration and proteolysis in critically ill patients. 1996 , 347, 654-6	127
2188	Dfinition du choc septique. 1996 , 5, 451-455	
2187	Particularitš du choc septique chez l'enfant. 1996 , 5, 461-465	

2186	Inflammatory mediators in sepsis: rationale for extracorporeal therapies?. 1996 , 28, S35-S49	19
2185	Staged abdominal repair in critical illness. 1996 , 24, 368-74	13
2184	Increase of Plasminogen Activator Inhibitor Levels Predicts Outcome of Leukocytopenic Patients with Sepsis. 1996 , 75, 902-907	109
2183	Update in critical care medicine. 1996 , 125, 909-16	1
2182	Time Frame for Infectious Complications in the Surgical-Trauma Intensive-Care Unit. 1996 , 13, 417-420	
2181	The effects of neuromuscular paralysis on systemic and splanchnic oxygen utilization in mechanically ventilated patients. 1996 , 109, 1038-42	48
2180	Sepsis: Putting Parts of the Elephant Together. 1996 , 11, 346-348	
2179	[Sepsis score in surgical intensive care medicine]. 1996 , 31, 556-62	0
2178	The effects of albumin versus hydroxyethyl starch solution on cardiorespiratory and circulatory variables in critically ill patients. 1996 , 83, 254-61	35
2177	The Effects of Albumin Versus Hydroxyethyl Starch Solution on Cardiorespiratory and Circulatory Variables in Critically Ill Patients. 1996 , 83, 254-261	119
2176	Prognostic factors in acute renal failure due to sepsis. Results of a prospective multicentre study. The French Study Group on Acute Renal Failure. 1996 , 11, 293-9	270
2175	Critical care medicine: opportunities and strategies for improvement. 1996 , 22, 85-103	3
2174	Prognostic factors in acute renal failure due to sepsis. Results of a prospective multicentre study. 1996 ,	
2173	Beta-carbolines in chronic alcoholics following trauma. 1996 , 1, 93-103	21
2172	Chronological changes in the complement system in sepsis. 1996 , 26, 225-9	65
2171	Plasma hepatocyte growth factor levels are increased in systemic inflammatory response syndrome. 1996 , 26, 236-41	27
2170	The clinical use of 99m-Tc-labeled WBC scintigraphy in critically ill surgical and trauma patients with occult sepsis. 1996 , 22, 867-71	11
2169	Aerosolized prostacyclin and inhaled nitric oxide in septic shock--different effects on splanchnic oxygenation?. 1996 , 22, 880-7	58

2168	A comparison of the adrenocortical response during septic shock and after complete recovery. 1996, 22, 894-9	127
2167	NO in early and late septic shock in nonsurvivors. 1996, 22, S26-S26	0
2166	Influence of different volume therapies on platelet function in the critically ill. 1996, 22, 1075-81	50
2165	Relationship between pulmonary oxygen consumption, lung inflammation, and calculated venous admixture in patients with acute lung injury. 1996, 22, 277-85	26
2164	Intercurrent complications in chronic alcoholic men admitted to the intensive care unit following trauma. 1996, 22, 286-93	107
2163	The effects of pentoxifylline on circulating adhesion molecules in critically ill patients with acute renal failure treated by continuous veno-venous hemofiltration. 1996, 22, 305-11	14
2162	Systemic inflammatory response syndrome (SIRS) and sepsis in surgical patients. 1996, 22, 616-7	11
2161	Splanchnic blood flow is greater in septic shock treated with norepinephrine than in severe sepsis. 1996, 22, 1354-9	88
2160	Effect of hemofiltration on hemodynamics and systemic concentrations of anaphylatoxins and cytokines in human sepsis. 1996, 22, 1360-7	89
2159	Does long-term continuous administration of pentoxifylline affect platelet function in the critically ill patient?. 1996, 22, 644-50	5
2158	Effects of rapid permissive hypercapnia on hemodynamics, gas exchange, and oxygen transport and consumption during mechanical ventilation for the acute respiratory distress syndrome. 1996, 22, 182-91	103
2157	Procalcitonin in patients with and without immunosuppression and sepsis. 1996, 24, 434-6	94
2156	Circulating adhesion molecules in the critically ill: a comparison between trauma and sepsis patients. 1996, 22, 122-8	49
2155	Evaluation of specific treatment for severe acute pancreatitis based on the results of the cooperative national survey in Japan. 1996, 3, 227-233	
2154	Intensive care unit stay is prolonged in chronic alcoholic men following tumor resection of the upper digestive tract. 1996, 40, 649-56	144
2153	Monocyte response to bacterial toxins, expression of cell surface receptors, and release of anti-inflammatory cytokines during sepsis. 1996, 128, 594-600	113
2152	Effect of parenteral l-glutamine on muscle in the very severely ill. 1996, 12, 316-320	1
2151	Care for trauma patients in the intensive care unit. 1996, 7, 139-145	

2150	Organ-specific therapy in critical illness: interfacing molecular mechanisms with physiological interventions. 1996 , 11, 95-107	11
2149	POSTOPERATIVE CARE OF THE TRAUMA PATIENT. 1996 , 14, 239-256	1
2148	The influence of volume therapy and pentoxifylline infusion on circulating adhesion molecules in trauma patients. 1996 , 51, 529-35	45
2147	Current understanding of sepsis. 1996 , 22, 407-12	107
2146	The Spectrum of Septic Encephalopathy. 1996 , 275, 470	200
2145	Trials in Sepsis. 1996 , 30, 567-572	
2144	Measurement technique and variation in intramucosal pH. 1996 , 76, 563-4	3
2143	Mechanisms of the development of organ failure following surgical insult: the 'second attack' theory. 1996 , 7, 34-38	31
2142	Sequential changes in insulin-like growth factor 1, plasma proteins, and total body protein in severe sepsis and multiple injury. 1996 , 20, 363-70	52
2141	Relative contribution of endothelial cell and polymorphonuclear neutrophil activation in their interactions in systemic inflammatory response syndrome. 1996 , 131, 1148-53; discussion 1153-4	18
2140	Yearbook of Intensive Care and Emergency Medicine. 1996 ,	1
2139	Hemodynamic effects of i.v. milrinone lactate in pediatric patients with septic shock. A prospective, double-blinded, randomized, placebo-controlled, interventional study. 1996 , 109, 1302-12	154
2138	Effectiveness of nitric oxide inhalation in septic ARDS. 1996 , 109, 486-93	112
2137	Dopexamine hydrochloride in septic shock. 1996 , 109, 756-60	14
2136	Cardiopulmonary resuscitation on television. 1996 , 335, 1607; author reply 1607	1
2135	The role of inflammatory cells and their proteases in extravascular fibrinolysis. 1996 , 22, 497-501	30
2134	Prognostic factors of severe Legionella pneumonia requiring admission to ICU. 1997 , 156, 1467-72	87
2133	Cytokine profile and correlation to the APACHE III and MPM II scores in patients with sepsis. 1997 , 156, 825-32	93

2132	Strategies for the treatment of sepsis. 1997 , 336, 952-3	93
2131	Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 11-1997. A 51-year-old man with chronic obstructive pulmonary disease and generalized muscle weakness. 1997 , 336, 1079-88	27
2130	The systemic inflammatory response in the development of ventilator-associated pneumonia. 1997 , 156, 1105-13	85
2129	Treatment of sepsis by plasma endotoxin removal: hemoperfusion using a polymyxin-B immobilized column. 1997 , 4, 293-300	29
2128	Meta-analyses of the effectiveness of intravenous immune globulin for prevention and treatment of neonatal sepsis. 1997 , 99, E2	60
2127	Systemic candidiasis in cardiac surgery patients. 1997 , 11, 728-31	9
2126	Does reoperation for abdominal sepsis enhance the inflammatory host response?. 1997 , 132, 250-5	35
2125	Sepsis: a new hypothesis for pathogenesis of the disease process. 1997 , 112, 235-43	805
2124	Effects of small-peptide and whole-protein enteral feedings on serum proteins and diarrhea in critically ill patients: a randomized trial. 1997 , 21, 162-7	36
2123	Serum nitrate levels in patients with severe sepsis and renal failure. 1997 , 8, 52-57	1
2122	Epidemiology of Sepsis Syndrome in 8 Academic Medical Centers. 1997 , 278, 234	382
2121	Systemic inflammatory response syndrome (SIRS) induced by carbon tetrachloride in rats. 1997 , 6, 73-4	3
2120	Endotoxin-induced cytokine release from whole blood - similarities between monocyte dysfunction in septic disease and during postoperative acute phase response. 1997 , 4, 17-24	1
2119	New therapies in sepsis. 1997 , 112, 330S-338S	32
2118	Severe Sepsis Mortality in a Community Teaching. Hospital: 1983-1985 and 1989-1990. 1997 , 12, 116-122	4
2117	The effect of sepsis on breathing pattern and weaning outcomes in patients recovering from respiratory failure. 1997 , 112, 472-7	26
2116	Inhaled nitric oxide in acute respiratory distress syndrome with and without septic shock requiring norepinephrine administration: a dose-response study. 1997 , 1, 25-39	9
2115	Advances in the therapy for sepsis in children. 1997 , 44, 179-205	37

2114	Pharmacology of pediatric resuscitation. 1997 , 44, 207-33	22
2113	Effects of aminoguanidine on systemic inflammatory response syndrome induced by platelet activating factor and by lipopolysaccharide in rats. 1997 , 323, 107-10	13
2112	Impact of continuous hemofiltration on cytokines and cytokine inhibitors in oliguric patients suffering from systemic inflammatory response syndrome. 1997 , 19, 443-54	35
2111	In vivo endotoxin tolerance: impaired LPS-stimulated TNF release of monocytes from patients with sepsis, but not SIRS. 1997 , 69, 101-6	42
2110	Continuous arteriovenous hemofiltration attenuates polymorphonuclear leukocyte phagocytosis in porcine intra-abdominal sepsis. 1997 , 173, 174-80	19
2109	Regional contribution to hypermetabolism following trauma. 1997 , 11, 617-27	6
2108	[Malignant hyperthermia and appendicular sepsis. Can they be differentiated during surgical procedure?]. 1997 , 16, 234-8	8
2107	Incidence of bacteremia in infants and children with fever and petechiae. 1997 , 131, 398-404	69
2106	Endotoxemia and tumor necrosis factor activity in dogs with naturally occurring parvoviral enteritis. 1997 , 11, 65-70	71
2105	Dysregulated expression of neutrophil apoptosis in the systemic inflammatory response syndrome. 1997 , 132, 1263-9; discussion 1269-70	264
2104	Pharmacokinetics of aztreonam in critically ill surgical patients. 1997 , 54, 537-40	8
2103	Septic Syndrome and Septic Shock in the Wounded Treated at the Split Clinical Hospital Intensive Care Unit. 1997 , 162, 363-365	2
2102	Lack of correlation between soluble CD14 and IL-6 in meningococcal septic shock. 1997 , 8, 194-9	5
2101	Quality assurance in intensive care medicine: Implications for the high-risk patient. 1997 , 41, 9-16	
2100	What is new in sepsis therapy?. 1997 , 41, 174-180	2
2099	Bacterial translocation in multiple organ failure: Cause or epiphenomenon still unproven. 1997 , 84, 1340-1350	7
2098	Alcoholism and Carcinoma Change the Intracellular PH and Activate Platelet Na ⁺ /H ⁺ -Exchange in Men. 1997 , 21, 1653-1660	3
2097	Empirical antibacterial treatment for sepsis and the role of glycopeptides: recommendations from a European panel. 1997 , 3, 273-282	3

2096	The changing epidemiology of severe infections in the ICU. 1997 , 3, S36-S47	16
2095	Inflammatory cytokine production enhancement in the presence of lipopolysaccharide after hepatic resection in cirrhotic patients. 1997 , 1, 75-8	3
2094	Defining intravascular catheter-related infections: a plea for uniformity. 1997 , 13, 2S-4S	27
2093	Gastric intramucosal pH changes after volume replacement with hydroxyethyl starch or crystalloid in patients undergoing elective abdominal aortic aneurysm repair. 1997 , 12, 51-5	58
2092	Increased plasma concentrations of brain natriuretic peptide in patients with acute lung injury. 1997 , 12, 66-71	40
2091	Clinical trials in sepsis: where do we stand?. 1997 , 12, 3-6	12
2090	Allogeneic versus autologous blood during abdominal aortic aneurysm surgery. 1997 , 14, 482-6	41
2089	A clinical description of the IMPROVE Data Library. 1997 , 16, 21-4, 40	13
2088	Relative association of fever and injury with hypermetabolism in critically ill patients. 1997 , 28, 617-21	56
2087	Dislodgment of an inferior vena cava filter to the internal jugular vein. 1997 , 23, 1186-7	9
2086	Lymphocyte counts and the development of nosocomial sepsis. 1997 , 23, 1187	25
2085	Circulating endotoxin and cytokines after cardiopulmonary bypass: differential correlation with duration of bypass and systemic inflammatory response/multiple organ dysfunction syndromes. 1997 , 85, 97-103	66
2084	Association of mortality with age of blood transfused in septic ICU patients. 1997 , 44, 1256-61	315
2083	The role of the vasculature in regulating venous return and cardiac output: historical and graphical approach. 1997 , 44, 849-67	63
2082	[Microcirculation and hemostasis in inflammatory processes. Modulation by administration of physiologic protease inhibitors as a therapeutic approach]. 1997 , 92, 426-31	3
2081	[Neurogenic pulmonary edema. Pathogenesis, clinical picture and therapy]. 1997 , 46, 953-63	31
2080	Tumor necrosis factor measurement and use of different anticoagulants: possible interference in plasma samples and supernatants from endotoxin-stimulated monocytes. 1997 , 46, 342-7	19
2079	Epidemiology of acute renal failure and outcome of haemodiafiltration in intensive care. 1997 , 23, 1204-11	97

2078	Usefulness of gastric intramucosal pH for monitoring hemodynamic complications in critically ill children. 1997 , 23, 1268-74	18
2077	A dose-response study of phenylephrine in critically ill, septic surgical patients. 1997 , 51, 461-5	52
2076	Differential cytokine production in stimulated blood cultures from intensive care patients with bacterial infections. 1997 , 25, 206-12	22
2075	Granulocyte colony-stimulating factor (G-CSF) serum levels in surgical intensive care patients. 1997 , 25, 213-6	15
2074	Abdominal contamination, infection and sepsis: A continuum. 1997 , 84, 269-272	1
2073	High doses of hydroxyethyl starch and human albumin have similar effects on monocyte function and oncotic pressure. 1997 , 27, 943-7	5
2072	Usefulness of procalcitonin for differentiation between activity of systemic autoimmune disease (systemic lupus erythematosus/systemic antineutrophil cytoplasmic antibody-associated vasculitis) and invasive bacterial infection. 1997 , 40, 1250-1256	3
2071	Acute myopathy of intensive care. 1997 , 42, 131-2	4
2070	Reply. 1997 , 42, 132-132	
2069	Forum on critical care issues in sepsis, adult respiratory distress syndrome, and multiorgan system failure. 1997 , 3, 58-87	
2068	Procalcitonin (PCT) and its Role in the Diagnosis of Sepsis. 1998 , 2, 157-161	3
2067	ECarbolines in alcohol-dependent intensive care patients during prophylactics and therapy of alcohol withdrawal syndrome. 1998 , 3, 281-94	10
2066	Predictive value of interleukin 6 (IL-6), interleukin 8 (IL-8) and gastric intramucosal pH (pH-i) in major abdominal surgery. 1998 , 24, 329-35	27
2065	Antithrombin III (ATIII) replacement therapy in patients with sepsis and/or postsurgical complications: a controlled double-blind, randomized, multicenter study. 1998 , 24, 336-42	190
2064	Influence of mechanical ventilation on blood lactate in patients with acute respiratory failure. 1998 , 24, 924-30	4
2063	[Significance of systemic inflammatory response syndrome after surgical treatment for thoracic esophageal cancer]. 1998 , 46, 549-55	2
2062	Systemic inflammatory response syndrome--a concept for avoiding organ dysfunction induced by a "second attack". 1998 , 28, 679-81	18
2061	High intraplatelet cGMP levels in human sepsis. 1998 , 4, 163-165	1

2060	Elevated methemoglobin in patients with sepsis. 1998 , 42, 713-6	33
2059	Immunosuppression without prednisone after liver transplantation is safe and associated with normal early graft function: preliminary results of a randomized study. 1998 , 11, S267-S269	14
2058	Infection, sepsis and systemic inflammatory response syndrome in obstructive jaundice. 1998 , 13, 354-5	9
2057	Pitfalls in the care of the injured patient. 1998 , 35, 1019-1074	2
2056	Acute Respiratory Distress Syndrome. 1998 , 84, 439-450	3
2055	Complement activation in injured patients occurs immediately and is dependent on the severity of the trauma. 1998 , 29, 509-14	54
2054	The role of intravenous immunoglobulin for the prevention and treatment of neonatal sepsis. 1998 , 22, 50-63	45
2053	Influence of arginine, omega-3 fatty acids and nucleotide-supplemented enteral support on systemic inflammatory response syndrome and multiple organ failure in patients after severe trauma. 1998 , 14, 165-72	120
2052	Septic shock. 1998 , 31, 25-32	28
2051	The role of the endothelium in changes in procoagulant activity in sepsis. 1998 , 187, 321-9	51
2050	Anticytokeratins are a potential source of false-positive indirect immunofluorescence assays for C-ANCA. 1998 , 12, 54-9	5
2049	Rekombinanter, humaner Granulozyten Kolonie-stimulierender Faktor (rhG-CSF) zur Therapie von Patienten mit SIRS oder Sepsis mit transienter bzw. persistierender Immundysfunktion (MARS, CARS). 1998 , 35, 22-33	
2048	Herz-Kreislaufversagen bei septischem Schock [Experimentelle und klinische Überlegungen zur Kreislaufunterstützung. 1998 , 30, 60-61	1
2047	Expression of receptor Fc gamma RIII and phagocytic capacity of neutrophils in septic children. 1998 , 28, 242-5	
2046	Procalcitonin and C-reactive protein during the early posttraumatic systemic inflammatory response syndrome. 1998 , 24, 185-8	210
2045	Risk factors for acute renal failure in trauma patients. 1998 , 24, 808-14	116
2044	Nutrition du patient septique et/ou porteur d'une ou plusieurs d'faillances viscéales. 1998 , 12, 29-45	
2043	Phenotypical characterization of cells in the thoracic duct of patients with and without systemic inflammatory response syndrome and multiple organ failure. 1998 , 47, 69-75	23

2042	Different efficacy of soluble CD14 treatment in high- and low-dose LPS models. 1998 , 28, 205-13	22
2041	Assessment criteria in identifying the sick sepsis patient. 1998 , 37 Suppl 1, 24-9	50
2040	Septic shock. 1998 , 351, 1501-5	271
2039	Comparison between two fat emulsions: Intralipid 30 cent vs intralipid 10 cent in critically ill patients. 1998 , 17, 31-4	15
2038	Semantics, inflammation, cytokines and common sense. 1998 , 9, 191-6	40
2037	Effects of cardiopulmonary bypass on leukocyte and endothelial adhesion molecules. 1998 , 66, 2135-44	137
2036	Multiple organ dysfunction syndrome: Role of xanthine oxidase and nitric oxide. 1998 , 5, 49-66	10
2035	An evidence-based approach to round tables and consensus conferences. 1998 , 14, 539-47	6
2034	Urosepsis in the critical care unit. 1998 , 14, 165-80	40
2033	Prognosis in acute renal failure of septic origin: a multivariate analysis. 1998 , 20, 725-32	14
2032	Visceral ischemia and neutrophil activation in sepsis and organ dysfunction. 1998 , 75, 170-6	28
2031	Guidelines for the treatment of acidaemia with THAM. 1998 , 55, 191-224	114
2030	A comparison of noninvasive positive-pressure ventilation and conventional mechanical ventilation in patients with acute respiratory failure. 1998 , 339, 429-35	720
2029	Use of intravenous lipids in critically ill patients with sepsis without and with hepatic failure. 1998 , 22, 217-23	27
2028	Prediction of clinical severity and outcome of ventilator-associated pneumonia. Comparison of simplified acute physiology score with systemic inflammatory mediators. 1998 , 158, 1026-31	54
2027	Moderate hypothermia in the treatment of patients with severe middle cerebral artery infarction. 1998 , 29, 2461-6	586
2026	Diagnostic value of procalcitonin: the influence of cardiopulmonary bypass, aprotinin, SIRS, and sepsis. 1998 , 46, 348-51	21
2025	Post-operative organ failure: a new concept of aetiological classification. 1998 , 9, 206-208	

2024	Management of multiple organ failure: guidelines but no hard-and-fast rules. 1998 , 41 Suppl A, 103-12	28
2023	Bacterial arthritis due to beta-hemolytic streptococci of serogroups A, B, C, F, and G. Analysis of 23 cases and a review of the literature. 1998 , 77, 122-39	53
2022	Intravenous almitrine combined with inhaled nitric oxide for acute respiratory distress syndrome. The NO Almitrine Study Group. 1998 , 158, 1770-7	81
2021	Acute myopathy after liver transplantation. 1998 , 50, 46-53	155
2020	Procalcitonin, a new diagnostic and prognostic marker for severe infections. 1998 , 4, 237-241	11
2019	The Management of Sepsis: A Practical Review. 1998 , 13, 229-240	2
2018	The Management of Septic Shock. 1998 , 11, 486-501	
2017	The uncertain value of the definition for SIRS. Systemic inflammatory response syndrome. 1998 , 113, 1442-3	22
2016	Prediction of mortality in febrile medical patients: How useful are systemic inflammatory response syndrome and sepsis criteria?. 1998 , 113, 1533-41	63
2015	Expression of inducible nitric oxide synthase and inflammatory cytokines in alveolar macrophages of ARDS following sepsis. 1998 , 113, 1632-9	92
2014	Trace element supplementation modulates pulmonary infection rates after major burns: a double-blind, placebo-controlled trial. 1998 , 68, 365-71	183
2013	Transient hypoadrenalism during surgical critical illness. 1998 , 133, 199-204	13
2012	Methicillin-Resistant Staphylococcus aureus Sepsis Resulting from Infection in Paravertebral Muscle After Continuous Epidural Infusion for Pain Control in a Patient with Herpes Zoster. 1998 , 87, 116-118	2
2011	Methicillin-resistant Staphylococcus aureus sepsis resulting from infection in paravertebral muscle after continuous epidural infusion for pain control in a patient with herpes zoster. 1998 , 87, 116-8	3
2010	Does N-acetyl-L-cysteine influence cytokine response during early human septic shock?. 1998 , 113, 1616-24	140
2009	Serum cardiac troponin T as a prognostic marker in early sepsis. 1998 , 113, 1055-63	188
2008	Serum Procalcitonin, but not C-reactive Protein, Identifies Sepsis in Trauma Patients. 1998 , 44, 1778-1779	24
2007	Significant Correlations between Tissue Factor and Thrombin Markers in Trauma and Septic Patients with Disseminated Intravascular Coagulation. 1998 , 79, 1111-1115	126

2006	Pharmacokinetic profiles of high-dose intravenous ciprofloxacin in severe sepsis. The Baragwanath Ciprofloxacin Study Group. 1998 , 42, 2235-9	77
2005	Early Identification and Prognostic Implications in Disseminated Intravascular Coagulation through Transmittance Waveform Analysis. 1998 , 80, 65-69	53
2004	Curriculum in urology: septicemia and shock. 1999 , 35, 1-7	0
2003	Role of the Monocyte Differentiation Antigen CD14 and Lipopolysaccharide-Binding Protein (LBP) in the Recognition of Endotoxin and Gram-Negative Bacteria: In vitro Function, Animal Models and Therapeutic Implications. 1999 , 26, 193-201	2
2002	Gene Expression Pattern in Human Monocytes as a Surrogate Marker for Systemic Inflammatory Response Syndrome (SIRS). 1999 , 5, 192-202	3
2001	Granulocyte Colony-Stimulating Factor to Prevent the Progression of Systemic Nonresponsiveness in Systemic Inflammatory Response Syndrome and Sepsis. 1999 , 93, 425-439	62
2000	Determinants of hospital mortality after coronary artery bypass grafting. 1999 , 115, 1598-603	93
1999	Expression of heat shock protein 70 in leukocytes of patients with sepsis. 1999 , 3, 401-4	4
1998	Intra-abdominal hypertension is an independent cause of postoperative renal impairment. 1999 , 134, 1082-5	175
1997	Relationship of systemic inflammatory response syndrome to organ dysfunction, length of stay, and mortality in critical surgical illness: effect of intensive care unit resuscitation. 1999 , 134, 81-7	132
1996	Perioperative immunonutrition in patients undergoing cancer surgery: results of a randomized double-blind phase 3 trial. 1999 , 134, 428-33	261
1995	Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 17-1999. A 42-year-old asplenic man with gram-negative sepsis. 1999 , 340, 1819-26	8
1994	Treating patients with severe sepsis. 1999 , 341, 56; author reply 57	5
1993	New Frontiers in Cytokine Involvement during Experimental Sepsis. 1999 , 40, 142-150	7
1992	Procalcitonin: Erfahrungen mit einer neuen Maßnahme bei bakteriellen Infektionen und systemischer Inflammation. 1999 , 23, 263-272	1
1991	Mechanisms of the systemic inflammatory response. 1999 , 14, 269-77	85
1990	Isolation of highly enriched human monocytes from ten ml samples of heparinized whole blood. 1999 , 37, 369-72	3
1989	Relationship of plasma leptin to plasma cytokines and human survival in sepsis and septic shock. 1999 , 180, 908-11	148

1988	Recurrent gram-negative bacteremia: incidence and clinical patterns. 1999 , 28, 611-7	33
1987	Impact of infectious diseases specialists and microbiological data on the appropriateness of antimicrobial therapy for bacteremia. 1999 , 29, 60-6; discussion 67-8	191
1986	Increased plasma levels of adrenomedullin in patients with systemic inflammatory response syndrome. 1999 , 160, 132-6	670
1985	Effect of cardiopulmonary bypass on serum procalcitonin and C-reactive protein concentrations. 1999 , 83, 602-7	68
1984	Activated cytokine production in patients with accidental hypothermia. 1999 , 41, 263-8	37
1983	The urinary ratio of 5-hydroxytryptophol to 5-hydroxyindole-3-acetic acid in surgical patients with chronic alcohol misuse. 1999 , 17, 19-27	23
1982	Vorhersage des multiorganversagens beim chirurgischen intensivpatienten. 1999 , 25, 92-99	
1981	Plasma IL-8 and IL-6 levels can be used to define a group with low risk of septicaemia among cancer patients with fever and neutropenia. 1999 , 107, 375-80	68
1980	High serum laminin concentrations in patients with Candida sepsis. 1999 , 29, 992-6	5
1979	A case of anthrax sepsis: non-fatal course. 1999 , 38, 201-2	9
1978	Report of ESGNI001 and ESGNI002 studies. Bloodstream infections in Europe. 1999 , 5, 2S1-2S12	20
1977	New concepts of sepsis and their practical value. 1999 , 5, 2S13-2S16	1
1976	Measures of total free radical activity in critically ill patients. 1999 , 32, 263-8	52
1975	The effect of hyperthermic preconditioning on the immune system in rat peritonitis. 1999 , 25, 1155-9	15
1974	The Microbial Aspects of Sepsis: Does the Organism and Its Treatment Affect Outcome?. 1999 , 3, 51-55	4
1973	Cytokines and acute pancreatitis. 1999 , 13, 265-89	42
1972	The effective removal of proinflammatory cytokines by continuous hemofiltration with a polymethylmethacrylate membrane following severe burn injury: report of three cases. 1999 , 29, 762-5	10
1971	Tumor necrosis factor-alpha production after esophageal cancer surgery: differences in the response to lipopolysaccharide stimulation among whole blood, pleural effusion cells, and bronchoalveolar lavage fluid cells. 1999 , 29, 10-5	14

1970	Does preoperative chemotherapy cause adverse effects on the perioperative course of patients undergoing esophagectomy for carcinoma?. 1999 , 47, 199-203	11
1969	Role of blood culture systems in the evaluation of epidemiological features of coagulase-negative staphylococcal bloodstream infection in critically ill patients. 1999 , 18, 899-901	1
1968	Clinical trial of in-situ hybridization method for the rapid diagnosis of sepsis. 1999 , 5, 21-31	15
1967	Septic Shock and Toxic Shock: Do Adjunctive Therapies Improve Outcome?. 1999 , 1, 215-217	1
1966	Minimally invasive extracardiac conduit replacement via a left anterior small thoracotomy. 1999 , 118, 1124-5	3
1965	Honored Guest's Address. A practical affair. 1999 , 118, 394-403	3
1964	Surgical infections in 2050: I predict. 1999 , 56, 389-392	
1963	A risk factor for early-onset infection in premature newborns: invasion of chorioamniotic tissues by leukocytes. 1999 , 56, 1-15	12
1962	Interleukin 1 receptor antagonist and E-selectin concentrations: a comparison in patients with severe acute pancreatitis and severe sepsis. 1999 , 14, 63-8	28
1961	The molecular pathogenesis of endotoxic shock and organ failure. 1999 , 5, 123-32	270
1960	An evaluation of resting energy expenditure in hospitalized, severely underweight patients. 1999 , 15, 384-8	67
1959	Use of the prone position in the management of acute respiratory distress syndrome. 1999 , 15, 192-203	6
1958	Minimal leptin elimination into ultrafiltrate during continuous venovenous haemofiltration in patients with sepsis. 1999 , 16, 539-42	
1957	Effect of antioxidants on induction time of luminol luminescence elicited by 3-morpholinonydnimine (SIN-1). 1999 , 14, 83-9	14
1956	Nitric oxide scavengers in the treatment of shock associated with systemic inflammatory response syndrome. 1999 , 1, 19-29	30
1955	Incidence, prognosis, and etiology of end-stage liver disease in patients receiving home total parenteral nutrition. 1999 , 126, 28-34	204
1954	Use of the prone position in the management of acute respiratory distress syndrome. 1999 , 3, 36-46	7
1953	Superoxide production of neutrophils after severe injury: impact of subsequent surgery and sepsis. 1999 , 17, 15-8	12

1952	Sepsis. 1999 , 15, 209-21	8
1951	Epidemiology and mortality of adult burns in Catalonia. 1999 , 25, 325-9	69
1950	Nuclear matrix protein levels in burn patients with multiple organ dysfunction syndrome. 1999 , 25, 705-8	5
1949	Bacterial translocation in cardiopenic shock: the gastrointestinal tract as the motor of sepsis?. 1999 , 72, 11-2	3
1948	Protein-energy malnutrition in dialysis patients. 1999 , 33, 172-5	24
1947	Glycosylphosphatidylinositol-specific phospholipase D in blood serum: is the liver the only source of the enzyme?. 1999 , 281, 127-45	24
1946	Retrospective analysis of 30 patients who underwent liver transplantation without use of steroids. 1999 , 31, 2908-9	8
1945	Endothelial cell and hemostatic activation in relation to cytokines in patients with sepsis. 1999 , 94, 95-101	39
1944	Relationship between platelet activation and cytokines in systemic inflammatory response syndrome patients with hematological malignancies. 1999 , 95, 205-13	25
1943	Lung injury and acute respiratory distress syndrome after cardiopulmonary bypass. 1999 , 68, 1107-15	315
1942	The epidemiology of bacterial sepsis. 1999 , 13, 299-312, vii	76
1941	Current guidelines for the treatment and prevention of nosocomial infections. 1999 , 58, 51-67	18
1940	Rapid diagnostic methods in the detection of sepsis. 1999 , 13, 483-94, xi	42
1939	Elevated calcitonin precursor levels are related to mortality in an animal model of sepsis. 1999 , 3, 11-16	35
1938	Comparison of procalcitonin (PCT) and C-reactive protein (CRP) plasma concentrations at different SOFA scores during the course of sepsis and MODS. 1999 , 3, 45-50	207
1937	Thrombocytopenia in critically ill surgical patients: a case-control study evaluating attributable mortality and transfusion requirements. 1999 , 3, 151-158	44
1936	A prospective study of the incidence of iatrogenic ocular damage in critically ill patients. 1999 , 3, P001	78
1935	Intensive care unit procedures: cost savings and patient safety. 1999 , 3, P002	78

1934	Fiberoptic bronchoscopy of the intubated patient with life-threatening hemoptysis. 1999 , 3, P003	78
1933	The compliance characteristics of the Portex Soft-Seal cuff improves seal against leakage of fluid in a pig trachea model. 1999 , 3, P004	1
1932	Colibri colorimetric technology rapidly detects oesophageal intubations. 1999 , 3, P005	78
1931	Lung volume and oxygenation changes with a closed suction system (CSS) in patients undergoing volume controlled ventilation (VCV). 1999 , 3, P006	78
1930	Balloon laryngoscopy reduces head extension and blade leverage in patients with potential cervical spine injury. 1999 , 3, P007	1
1929	Laboratory study of new technique using a one-pass dilator for percutaneous dilatational tracheostomy. 1999 , 3, P008	78
1928	Percutaneous dilatational tracheostomy with a lightwand device. 1999 , 3, P009	78
1927	Percutaneous dilatational tracheostomy (PDT): a report on 103 consecutive cases of the translaryngeal tracheostomy (TLT) technique. 1999 , 3, P010	78
1926	Independent lung ventilation using a double-lumen endobronchial tube by nasotracheal intubation. 1999 , 3, P011	78
1925	The effect of dexamethasone on the incidence of post extubation stridor in pediatric patients. 1999 , 3, P012	78
1924	Evaluating the effect of steroids on the incidence of reintubation rates in children with laryngotracheobronchitis. 1999 , 3, P013	78
1923	Advantages of a new humidification technique. 1999 , 3, P014	78
1922	Heat and moisture exchanger PALLBB22-15F can prevent ventilator-associated pneumonia (VAP) in short term mechanically ventilated ICU patients. 1999 , 3, P015	1
1921	A clinical evaluation of a new humidifier in long-term mechanical ventilation. 1999 , 3, P016	1
1920	Comparison of conventional heated humidification to a new active heat and moisture exchanger in the ICU. 1999 , 3, P017	2
1919	A new device for 100% humidification of inspired air. 1999 , 3, P018	78
1918	Modelling the effect of ambient oxygen fraction on hypoxaemia during apnoea. 1999 , 3, P019	78
1917	Obstructive sleep apnea in acute respiratory failure. 1999 , 3, P020	2

1916	Nasal continuous positive airway pressure: do mask pressures reliably reflect intratracheal pressures?. 1999 , 3, P021	78
1915	Effects of mask-ventilator interface elements in a home noninvasive portable ventilator. Study in cold hypercapnic patients. 1999 , 3, P022	78
1914	Evaluation by volunteers of respirator characteristics in modes used in non-invasive ventilation. 1999 , 3, P023	78
1913	Noninvasive positive pressure ventilation (NPPV) in critically ill patients: preliminary experience. 1999 , 3, P024	78
1912	Noninvasive mechanical ventilation in asthma crisis: an alternative ventilatory therapy to endotracheal intubation. 1999 , 3, P025	78
1911	Noninvasive positive-pressure ventilation in acute respiratory distress syndrome: preliminary results. 1999 , 3, P026	78
1910	Noninvasive mechanical ventilation (NIMV) in weaning failure: could be an alternative approach?. 1999 , 3, P027	78
1909	Airway pressure release ventilation (APRV) enhances cardiac performance in patients with acute lung injury (ALI)/adult respiratory distress syndrome (ARDS). 1999 , 3, P028	78
1908	Pulmonary function in children who were on long-term mechanical ventilation due to neonatal respiratory disease. 1999 , 3, P029	78
1907	Does the size of the ventilator tidal volume affect the incidence of post operative pneumonia?. 1999 , 3, P030	78
1906	Bronchoscopy and BAL in mechanically ventilated patients in an ICU at a university teaching hospital. 1999 , 3, P031	78
1905	Clinical presentation and prognostic factors in fat embolism syndrome. 1999 , 3, P032	78
1904	Acute respiratory distress syndrome in a University Hospital ICU in Japan. 1999 , 3, P033	78
1903	High-frequency oscillatory ventilation (HFOV) in bronchiolitis patients. 1999 , 3, P034	78
1902	The importance of prone position ventilation in ARDS for the improvement of oxygenation index. 1999 , 3, P035	0
1901	The effect of the pulmonary time constant on the cough peak flow rate at two different inflation pressures: a bench test model. 1999 , 3, P036	78
1900	Computer simulation: a guideline in ventilator setting in severe lung disease. 1999 , 3, P037	1
1899	Relationship of body mass index (BMI), lactate and intra-abdominal pressure (IAP) to subsequent mortality in ICU patients. 1999 , 3, P039	1

1898	The search for optimal PEEP in acute lung injury (ALI): correlation between intra-abdominal pressure (IAP) and the lower inflection point (Pflex). Results of a pilot study. 1999 , 3, P040	78
1897	Determination of the best volume of perfluorocarbone to ensure partial liquid ventilation in the pig with ARDS. 1999 , 3, P041	78
1896	Cardiorespiratory effects of inhaled nitric oxide during acute hypercapnia with and without correction of blood pH in a acute respiratory failure in piglets. 1999 , 3, P042	78
1895	Cardiorespiratory effects of inhaled nitric oxide and moderate hypercapnia in an experimental model of single ventricle. 1999 , 3, P043	78
1894	Impact of inhaled nitric oxide on pulmonary capillary pressure in ARDS patients. 1999 , 3, P044	78
1893	Correlation of lung mechanics with saturated phosphatidylcholine ratios and surfactant protein A in bronchoalveolar lavage fluid from infants with RSV induced respiratory failure. 1999 , 3, P045	78
1892	Experimental study on prevention of simulated high altitude ALI by tetramethylpyrazine in dogs. 1999 , 3, P046	1
1891	Effects of C1-inhibitor and rSP-C surfactant on oxygenation and histology in rats with lavage-induced acute lung injury. 1999 , 3, P047	78
1890	Inhibition of pulmonary microvascular chemokine production by human Laktoferrin and Phosphatidylethanolamine. 1999 , 3, P048	78
1889	Lipid peroxidation, antioxidant status and selenium levels in patients requiring prolonged ventilatory support. 1999 , 3, P049	78
1888	Primary endogenous pneumonia in severe burn patients. 1999 , 3, P050	78
1887	Outbreak of nosocomial infection/colonisation caused by <i>Stenotrophomonas maltophilia</i> with mucoid phenotype. 1999 , 3, P051	78
1886	Selective decontamination of the digestive tract influences the acquisition of <i>Helicobacter pylori</i> among intensive care nurses. 1999 , 3, P052	78
1885	Factors predicting the etiologic pathogens in intensive care patients with early-onset pneumonia. 1999 , 3, P053	78
1884	Nosocomial infection: main cause in development of septic complications in surgical postoperative patients. 1999 , 3, P054	78
1883	Nosocomial pneumonia and bacteremia in intensive care: results from the Belgian national surveillance, 1996-1998. 1999 , 3, P055	78
1882	Protected specimen brush bronchoscopically directed versus unprotected tracheal aspirate in patients with ventilator associated pneumonia. 1999 , 3, P056	78
1881	Incidence and pathogenesis on severe burns patients infection. 1999 , 3, P057	78

1880	Evaluation of the infections due to central venous catheters in intensive care unit patients. 1999 , 3, P058	78
1879	A.V.A.: a novel approach to venous access. 1999 , 3, P059	78
1878	Biochemical and haematologic predictors of fungemia in previous colonised ICU patients. 1999 , 3, P060	78
1877	Fluconazole prophylaxis of systemic candida infection in non-neutropenic critically ill patients: a prospective randomized study. 1999 , 3, P061	2
1876	Nosocomial candidemia in an Italian tertiary care hospital. 1999 , 3, P062	78
1875	Herpes simplex and intensive care medicine: an underestimated problem?. 1999 , 3, P063	78
1874	Preliminary validation of new prognostic scoring system in patients with invasive meningococcal disease. 1999 , 3, P064	78
1873	A novel explanation for profound shock in meningococcal sepsis. 1999 , 3, P065	78
1872	Continuous infusion versus intermittent administration of meropenem in critically ill patients: a pilot study. 1999 , 3, P066	1
1871	Clearance of meropenem during continuous renal replacement therapy in critically ill patients. 1999 , 3, P067	78
1870	Meropenem clearance by continuous haemofiltration: a comparison of in vivo and in vitro data. 1999 , 3, P068	1
1869	Is a single daily dose the correct way to administer ceftriaxone in intensive care patients?. 1999 , 3, P069	1
1868	Pruritus: a clinical sign we can use to detect the vasodilating effect of vancomycin. 1999 , 3, P070	78
1867	Acute peritonitis leads to early remote microvascular dysfunction. 1999 , 3, P071	78
1866	Does transforming growth factor- β inhibit nitric oxide synthesis and prevent septic shock?. 1999 , 3, P072	78
1865	Albumin clearance in the endotoxemic rat after administration of N ^G -nitro-L-arginine methyl ester (L-name). 1999 , 3, P073	2
1864	Loss of erythrocyte deformability during systemic sepsis is prevented by nitric oxide synthase inhibition. 1999 , 3, P074	78
1863	Nitric oxide synthase activities in white blood cells of septic patients. 1999 , 3, P075	1

1862	PLA2 antagonists suppress inducible nitric oxide synthase and inducible cyclooxygenase in lipopolysaccharide-induced Raw264.7 cells. 1999 , 3, P076	5
1861	Fusidin down-regulates the production of IL-6 in septic patients: a pilot study. 1999 , 3, P077	78
1860	Human vascular endothelial cells produce TNF- β after stimulation with proinflammatory cytokines. 1999 , 3, P078	78
1859	Cytokine plasma levels during weaning in critically ill patients with sepsis. 1999 , 3, P079	78
1858	The perioperative course of C1-esterase-inhibitor: evidence for an early deficiency. 1999 , 3, P081	78
1857	Changes in serum cytokine levels during induced whole body hyperthermia. 1999 , 3, P082	1
1856	Influence of mild hypothermia on cytokine gene expression in the culture of human mononuclear cells. 1999 , 3, P083	78
1855	Influence of temperature during cardiac operations on myocardial apoptosis. 1999 , 3, P084	78
1854	Intestinal ischemia and reperfusion: beneficial effects of a platelet activating factor antagonist. 1999 , 3, P085	78
1853	Platelets and platelet-activating factor acetylhydrolase in septic patients. 1999 , 3, P086	78
1852	Hypertonicity induces shedding of L-selectin: a role for p38 activation. 1999 , 3, P087	1
1851	No correlation between serum levels of intercellular adhesion molecules (s-ICAM) and acute renal dysfunction following coronary-artery bypass grafting (CABG). 1999 , 3, P088	78
1850	Procalcitonin is released by human monocytes. 1999 , 3, P089	1
1849	Intracellular distribution pattern of procalcitonin in human monocytes and HepG2 cells. 1999 , 3, P090	78
1848	Downregulation of procalcitonin in mechanically ventilated patients. 1999 , 3, P091	78
1847	Procalcitonin is a good marker for the diagnosis of infection and the severity of illness in patients with SIRS. 1999 , 3, P092	78
1846	Serum procalcitonin levels in bacterial and viral meningitis. 1999 , 3, P094	78
1845	Procalcitonin for early diagnosis and differentiation of SIRS, sepsis, severe sepsis and septic shock. 1999 , 3, P095	3

1844	Influence of extracorporeal circulation on the kinetics of procalcitonin. 1999 , 3, P096	78
1843	Delayed neutrophil apoptosis in sepsis is associated with reduced Caspase-3 activity. 1999 , 3, P097	78
1842	Pan-peritonitis due to intestinal perforation, and efficacy of direct hemoperfusion with polymyxin B immobilized fiber (PMX-20R). 1999 , 3, P098	1
1841	Antithrombin III (AT III) prevents increased permeability and leukocyte adhesion in response to endotoxin (LPS) in the microcirculation of rat mesentery. 1999 , 3, P099	78
1840	Immunomodulation of AT III in septic disease. 1999 , 3, P100	78
1839	Effect of antithrombin III (AT) on lipopolysaccharide (LPS)-induced production of tissue factor and interleukin-6 (IL-6) by human umbilical vein endothelial cells (HUVECs), mononuclear cells (MNCs) and whole blood. 1999 , 3, P101	78
1838	tPA-PAL (tissue plasminogen activator/plasminogen activator inhibitor-1 complex) can be a predictive marker of multiple organ dysfunction syndrome in seriously ill acute patients with glucose intolerance. Analysis under strict blood glucose control by artificial pancreas. 1999 , 3, P102	78
1837	Inhibition of endotoxin-induced leukocyte/endothelial cell interaction by antithrombin III. 1999 , 3, P103	78
1836	Effects of hydrocortisone stress-dose therapy in septic shock (part I): influence on hemodynamic stability and plasma nitrite/nitrate levels. 1999 , 3, P104	3
1835	Effects of stress-dose hydrocortisone therapy in septic shock (part II): soluble E-selectin and interleukin-6. Preliminary results of a double blinded, randomized, placebo-controlled cross-over study. 1999 , 3, P105	78
1834	Effects of stress-dose hydrocortisone therapy in septic shock (part III): monocyte HLA-DR expression and blood interferon- γ concentration. Preliminary results of a double blinded, randomized, placebo-controlled cross-over study. 1999 , 3, P106	78
1833	Sex dimorphism and sepsis: a novel approach. 1999 , 3, P107	78
1832	The impact of eligibility criteria on enrollment in ICU sepsis clinical trials. 1999 , 3, P108	78
1831	Antiarrhythmic effect of interleukin-1 (IL-1) in conjunction with contractile depression. 1999 , 3, P109	78
1830	Decreased beating rate variability of cultured cardiomyocytes by endotoxin. 1999 , 3, P110	78
1829	Proinflammatory impact of norepinephrine in cardiomyocytes: increased interleukin-6 production, which is suppressed by carvedilol. 1999 , 3, P111	78
1828	Impact of cardiopulmonary-bypass assisted surgery on markers of monocyte function. 1999 , 3, P112	1
1827	Cardiac surgery induces increased production of interleukin-10 and lactoferrin. 1999 , 3, P113	78

1826	Cardiopulmonary bypass contributes to less than half of interleukin-6 release post cardiac surgery. 1999, 3, P114	78
1825	sCD14, IL-6 and TNF-receptors, but not IL-1, IL-8 or TNF- α are elevated in plasma of patients undergoing high risk coronary angioplasty with cardiopulmonary support. 1999, 3, P115	78
1824	tPA-lysis leads to reduced levels of SL-selectin in patients with acute myocardial infarction. 1999, 3, P116	78
1823	Catheterization of cardiac lymph trunk for evaluation of myocardial TNF- α production and myocardial cell damage during cardiac operations. 1999, 3, P117	78
1822	Predictors of outcome after primary PTCA for acute myocardial infarction complicated by cardiogenic shock. 1999, 3, P118	78
1821	The storage-lesion in murine red blood cells: comparison to stored human red blood cells and applications for an animal model of transfusion efficacy. 1999, 3, P119	78
1820	Systemic inflammation promotes erythrocyte sequestration. 1999, 3, P120	2
1819	Oxygen-ozone treatment improves p50 std value in patients with peripheral vascular disease. 1999, 3, P121	78
1818	Sudden cardiac failure following treatment of metabolic alkalosis with hydrochloric acid. 1999, 3, P122	1
1817	Effects of epidural and halothane anaesthesia on vasoconstrictive properties of cell-free haemoglobin. 1999, 3, P123	78
1816	'Wet' and 'dry' lungs: a useful sonographic distinction. 1999, 3, P124	3
1815	A comparison between impedance plethysmography and thermodilution for the measurement of cardiac output in pre-operative haemodynamic optimization. 1999, 3, P125	78
1814	Hemodynamic monitoring by double indicator dilution technique in patients after orthotopic heart transplantation. 1999, 3, P126	78
1813	The cardiac chemoreflex sensitivity (cCRS) and the influence of respiration. 1999, 3, P127	78
1812	Do we need a basis bolus concept for sedoanalgesia of mechanically ventilated patients in ICU?. 1999, 3, P128	78
1811	Multigated radionuclide blood pool scans (MUGA) for preoperative assessment of patients undergoing orthotopic liver transplantation (OLT). 1999, 3, P129	1
1810	Lithium dilution cardiac output (LiDCO) measurement using peripheral venous injection of lithium chloride. 1999, 3, P130	78
1809	PiCCO monitoring during anesthesia. 1999, 3, P131	78

1808	Measurement of aortal blood flow in supranormal cardiac output. 1999 , 3, P132	78
1807	Trends of volemic indicators in a group of critically ill patients. 1999 , 3, P133	78
1806	Usefulness of intrathoracic blood volume in the early phase of hemodynamic instability of patients with sepsis or septic shock. 1999 , 3, P134	78
1805	Assessment of intrathoracic blood volume and extravascular lung water by single transpulmonary thermodilution. 1999 , 3, P135	78
1804	Diagnostic determinants for capillary leakage syndrome (CLS) in septic shock patients. 1999 , 3, P136	78
1803	Evaluation of the use of bioelectrical impedance analysis in assessing the hydration and fluid balance of infants with bronchiolitis requiring intensive care. 1999 , 3, P137	78
1802	External cardiac pressures and the left ventricular pressure-volume relationship. 1999 , 3, P138	78
1801	Computer simulation of the left ventricular pressure-volume relationship (LVPVR). 1999 , 3, P139	78
1800	Prospective, randomized trial of the effect of supranormal oxygen delivery on morbidity and mortality in high risk surgical patients. 1999 , 3, P140	78
1799	Are supranormal values of DO ₂ defined well?. 1999 , 3, P141	78
1798	Correlation between three methods of calculating oxygen extraction ratio (OER). 1999 , 3, P142	78
1797	Relationship between oxygen extraction (OER) and age in septic patients. 1999 , 3, P143	78
1796	Cardiac index estimation using central venous oxygen saturation (Scv O ₂) in critical illness. 1999 , 3, P144	78
1795	Blood lactate: an excellent prognostic indicator in high-risk surgical patients. 1999 , 3, P146	78
1794	Outcome of early hyperlactataemia in critically ill children. 1999 , 3, P147	78
1793	Artificial colloids influence survival rate of human monocytes. 1999 , 3, P148	0
1792	Determination of the clearance factor for TSE agents during the manufacturing process of polygeline. 1999 , 3, P149	78
1791	Persistent pruritus after hydroxyethyl starch (HES) infusions in critically ill patients. 1999 , 3, P150	78

1790	Volume replacement after cardiac surgery: a comparative study between hydroxyethylstarch (6%, 70/0.5), gelatin (3.5%) and Ringer's solution. 1999 , 3, P151	78
1789	Extracellular fluid variations during a fluid challenge: a comparison of normal saline (NS) and hydroxyethyl starch (HES) in stressed patients. 1999 , 3, P152	1
1788	HES 130/0.4, a new HES specification: tissue storage after multiple infusions in rats. 1999 , 3, P153	4
1787	HES 130/0.4, a new HES specification: pharmacokinetics after multiple infusions of 10% solutions in healthy volunteers. 1999 , 3, P154	3
1786	Effect of hypertonic dextran on intestinal mucosal perfusion during porcine endotoxin shock. 1999 , 3, P155	1
1785	Splanchnic microcirculation after resuscitation with hypertonic saline in a porcine model of cardiac tamponade. 1999 , 3, P156	1
1784	A randomised controlled trial of low-dose dopamine in postoperatively ventilated patients in the ICU: renal effects and the influence on outcome. 1999 , 3, P157	78
1783	Effect of a dopexamine induced increase in cardiac output on splanchnic hemodynamics in septic shock. 1999 , 3, P158	78
1782	Effect of dopexamine on CO ₂ -gradients and splanchnic energy balance in septic shock. 1999 , 3, P159	78
1781	Dopexamine does not improve intestinal mucosal perfusion measured by scanning laser Doppler flowmetry. 1999 , 3, P160	78
1780	Dopexamine does not improve jejunal or gastric tube mucosal perfusion following oesophageal resection. 1999 , 3, P161	78
1779	Cytokines and endotoxin generation and the effects of dopexamine in patients undergoing abdominal aortic reconstruction (AAR). 1999 , 3, P162	78
1778	Dopexamine reduces the incidence of colonic ischaemia following aortic surgery: a randomized placebo controlled study. 1999 , 3, P163	1
1777	Endothelin-1 (ET-1) blockade improves mesenteric perfusion in a porcine low cardiac output model. 1999 , 3, P164	78
1776	Monitoring initial volume therapy after coronary bypass surgery by gastric tonometry. 1999 , 3, P165	78
1775	Evaluation of intestinal perfusion monitoring techniques. 1999 , 3, P166	78
1774	Jejunal mucosal NO production and substrate dependency during mesenteric hypoperfusion in pigs. 1999 , 3, P167	78
1773	In-vitro evaluation of the neonatal tonometer. 1999 , 3, P168	78

1772	Automated gas tonometric measurement of gastric tube carbon dioxide gap following oesophageal resection predicts post-operative complications. 1999 , 3, P169	78
1771	Enteral nutrition via a jejunostomy decreases both jejunal and gastric tube intra-mucosal pH following oesophagectomy. 1999 , 3, P170	78
1770	In vitro evaluation of a fast response, modified pH-Glass electrode designed for continuous measurement of the pCO ₂ in the gastric lumen. 1999 , 3, P171	78
1769	Investigation into the effects of enteral feeding on gastric tonometry monitoring using the saline technique and the Tonocap. 1999 , 3, P172	78
1768	Does enteral feeding potentially alter the PCO ₂ gap and pHi?. 1999 , 3, P173	78
1767	Enteral feed delays response times of a tissue PCO ₂ sensor. 1999 , 3, P174	78
1766	Splanchnic and haemodynamic data as prognostic indexes in MODS patients. 1999 , 3, P175	78
1765	Major abdominal surgery and complications: is air gastric tonometry predictive of outcome?. 1999 , 3, P176	78
1764	Hemodynamic changes and cytokine trends during abdominal stop-flow. 1999 , 3, P177	78
1763	Continuous assessment of colonic perfusion during abdominal aortic reconstruction using a modified Paratrend 7?. 1999 , 3, P178	78
1762	Effect of endotoxemia on hepatic portal and sinusoidal blood flow in rats. 1999 , 3, P179	78
1761	Multiple organ disfunction, surgical techniques and prognostic markers in acute pancreatitis. 1999 , 3, P180	78
1760	Outcome prediction for patients with chronic liver disease requiring medical intensive care. 1999 , 3, P181	78
1759	Outcome of chronic liver disease in a specialist liver intensive therapy unit. 1999 , 3, P182	78
1758	Association between interleukin-10 (IL-10) gene promoter polymorphisms and outcome in acetaminophen induced acute liver failure requiring admission to a liver intensive care unit. 1999 , 3, P183	78
1757	A reproducible rabbit model of acetaminophen induced acute hepatic failure (AHF) and multi-organ failure (MOF). 1999 , 3, P184	78
1756	Monitoring in liver transplantation. 1999 , 3, P185	78
1755	Rare fatal complications of acute fatty liver of pregnancy. 1999 , 3, P186	2

1754	Treatment of acute hepatic failure and encephalopathy with extracorporeal ex vivo pig-liver perfusion in the critical care unit. 1999 , 3, P187	78
1753	Increased prevalence of <i>Helicobacter pylori</i> infection in critically ill patients with stress ulceration. 1999 , 3, P188	78
1752	Effects of spinal sympathectomy on gastrointestinal motility in critically ill patients. 1999 , 3, P189	78
1751	Gastro-intestinal bleeding in 1211 ventilated trauma patients: a multivariate analysis of the risk factors. 1999 , 3, P190	78
1750	Emergency treatment of hemorrhagic gastric and duodenal ulcer. 1999 , 3, P191	78
1749	Probiotics in critical illness. 1999 , 3, P192	78
1748	A simple and safe bedside method of transpyloric feeding tube placement in critically ill patients. 1999 , 3, P193	78
1747	Peritoneal ventilation in volume controlled hemorrhagic shock: outcome model in rats. 1999 , 3, P194	78
1746	The Paracetamol Absorption Test (PAT): an obligatory addition to the enteral nutrition algorithm?. 1999 , 3, P195	1
1745	Enteral versus parenteral nutrition: no difference in the incidence of fungal infections in critically-ill patients on mechanical ventilation with selective digestive decontamination. 1999 , 3, P196	78
1744	Hyperglycemia predispose to catheter-related sepsis in diabetic patients receiving Total Parenteral Nutrition. 1999 , 3, P197	78
1743	Dysregulation of glucose metabolism in enterally fed patients with acute pancreatitis. 1999 , 3, P198	78
1742	Energy consumption rate of critically ill patients: a prognostic factor?. 1999 , 3, P199	78
1741	Alterations of metabolic and hemodynamic parameters during whole body hyperthermia on the ICU. 1999 , 3, P200	0
1740	GH and cortisol secretion in patients with burn on day 7 after thermal injury. 1999 , 3, P201	78
1739	Magnetic stimulation of the phrenic nerves to assess diaphragm strength on the Intensive Care Unit. 1999 , 3, P202	78
1738	Assessment of adductor pollicis muscle function in critically ill patients. 1999 , 3, P203	78
1737	Ultrasonographic quantification of muscular mass thickness in patients of intensive care unit. 1999 , 3, P205	78

1736	The influence of aldosterone and angiotensin II on the diuretic effects of atrial natriuretic peptide in the isolated perfused rat kidney. 1999 , 3, P206	78
1735	Urinary excretion of urodilatin is increased during pressure natriuresis in the isolated perfused rat kidney. 1999 , 3, P207	78
1734	Urine output in the first twelve hours after cardiopulmonary bypass does not predict the development of renal impairment. 1999 , 3, P208	78
1733	Homeostatic indications for the administration of diuretics. 1999 , 3, P209	78
1732	The effect of intraoperative Lasix on sodium excretion following cardiac surgery. 1999 , 3, P210	78
1731	Treatment and prognosis of patients with nontraumatic rhabdomyolysis. 1999 , 3, P211	78
1730	High-volume continuous veno-venous haemofiltration in hyper-acute liver failure: a pilot study. 1999 , 3, P212	2
1729	Continuous hemodiafiltration with bicarbonate- and lactate-buffered replacement fluids in septic shock. 1999 , 3, P213	78
1728	Changes in C-type natriuretic peptide (CNP) levels in the plasma and cerebrospinal fluid of the patients with subarachnoid hemorrhage. 1999 , 3, P214	78
1727	Prevention of infective complications of penetrating injuries to the head. 1999 , 3, P215	78
1726	Should endovascular therapy for cerebral vasospasm coincide with hypervolemic-hypertensive therapy (HT) in aneurysmal subarachnoid hemorrhage (SAH)?. 1999 , 3, P216	78
1725	Application of near infrared spectroscopy in the ICU for follow-up of patients with subdural haematomas. 1999 , 3, P217	1
1724	Correlation of transcranial doppler (TCD) parameters with intracranial pressure (ICP). 1999 , 3, P218	1
1723	Transcranial Doppler sonography and cerebrovascular CO ₂ -reactivity during whole body hyperthermia. 1999 , 3, P219	78
1722	Serum sodium is inversely proportional to intracranial pressure in acute liver failure. 1999 , 3, P220	3
1721	Gastric injuries: a rare surgical event due to blunt abdominal trauma. 1999 , 3, P221	78
1720	Protein S100 as a marker for cerebral outcome after cardiopulmonary resuscitation. 1999 , 3, P222	78
1719	Serum S100 as a marker of cerebral injury in acute liver failure (ALF) and during orthotopic liver transplantation (OLT). 1999 , 3, P223	1

1718	S100: a potential marker of cerebral trauma. 1999 , 3, P224	78
1717	The effect of tracheostomy and vasoconstrictor therapy on outcome in neurosurgical patients requiring intensive care. 1999 , 3, P225	1
1716	Effects of continuous flow insufflation of oxygen on arterial gazometry during cardiopulmonary resuscitation. 1999 , 3, P226	78
1715	Airway management during cardiopulmonary resuscitation (CPR) by training nurses. 1999 , 3, P227	78
1714	Does emergency transportation induce a stress-response in probationers. 1999 , 3, P228	78
1713	Road traffic accident related morbidity and mortality as seen in an emergency department. 1999 , 3, P229	78
1712	Sports activity after severe polytrauma: results of a prospective study. 1999 , 3, P230	78
1711	Discomfort, awareness and recall of patients in the intensive care: still a problem?. 1999 , 3, P231	78
1710	Sedation of patients in intensive care units by midazolam (MDZ): clinical and biological evaluation. 1999 , 3, P232	78
1709	Cardiovascular effects of dexmedetomidine for ITU sedation: UK results of a multi-centre study (St George's, University College, St Thomas's and Bristol Royal Infirmary Hospitals). 1999 , 3, P233	78
1708	Ovarian hyperstimulation syndrome (OHSS) at a maternity hospital. 1999 , 3, P234	78
1707	Anticoagulation: hitting the target after cardiac surgery. 1999 , 3, P235	78
1706	A prospective study of thrombocytopenia and prognosis in intensive care. 1999 , 3, P236	1
1705	Platelet function and inflammatory markers in septic patients. 1999 , 3, P237	78
1704	Retrospective study of patients with haematological malignancies admitted in an intensive care unit. 1999 , 3, P238	0
1703	Prognostic value of the bone marrow in severe sepsis/septic shock. 1999 , 3, P239	78
1702	Monitoring of plasma lipid peroxide level after abdominal aortic reconstruction in humans. 1999 , 3, P240	78
1701	Deep leg vein thrombosis in multiply injured patients: an underestimated problem? Results of a prospective clinical study with 50 patients. 1999 , 3, P241	78

1700	Obstructive shock in pulmonary embolism: thrombolytic therapy and survival. 1999 , 3, P242	0
1699	Aortic valve replacement with 'stentless' versus mechanical prosthesis: what difference in postoperative ICU course?. 1999 , 3, P243	78
1698	High risk patients in major thoracic surgery. 1999 , 3, P244	78
1697	Outcome of systemic rheumatic disease patients admitted in intensive care unit. 1999 , 3, P245	78
1696	Abdominal sepsis in the surgical intensive care unit: a follow up study on quality of life, morbidity and mortality. 1999 , 3, P246	78
1695	Time and type of admission to a surgical intensive care unit. 1999 , 3, P247	78
1694	Preliminary data: PIM and Prism in infants and children post cardiac surgery in a UK PICU. 1999 , 3, P248	2
1693	Does intensive care improve outcome?. 1999 , 3, P249	78
1692	Comparison of the APACHE II, MEES and GCS in patients with nontraumatic coma for prediction of mortality. 1999 , 3, P250	78
1691	Application of prognostic score to patients following cardiac arrest. 1999 , 3, P251	78
1690	Outcome of children with near drowning requiring treatment in PICU. 1999 , 3, P252	78
1689	Prognosis related to organ dysfunction in intensive care unit. 1999 , 3, P253	78
1688	Characteristics of patients with sepsis and multiple organ failure in the UK. 1999 , 3, P254	78
1687	Important factors for the modelling and design of clinical trials for severe sepsis and multiple organ failure. 1999 , 3, P255	78
1686	Does SOFA and TISS scores correlate in long term ICU patients?. 1999 , 3, P256	78
1685	Daily SOFA scoring for ICU patients?. 1999 , 3, P257	78
1684	Evaluation of the SOFA (Sepsis-related Organ Failure Assessment) Score in 303 consecutive patients of a medical intensive care unit. 1999 , 3, P258	78
1683	Statistical modeling of prognostic indices. 1999 , 3, P259	78

1682	The determination of the duration of the nursing activities in the intensive care unit and the therapeutic intervention scoring system (TISS). 1999 , 3, P260	78
1681	Fast-track intensive care procedure after cardiac surgery in the 9th decade. 1999 , 3, P261	78
1680	Prognosis and functional capacity a year after a myocardial infarction on elderly 80-year-old patients. 1999 , 3, P262	78
1679	Very old patients (older than 85 years) at a medical ICU: indications, interventions, outcome. 1999 , 3, P263	78
1678	Quality control with autopsy on a medical intensive care unit. 1999 , 3, P264	78
1677	Quality of life before and after medical intensive care. 1999 , 3, P265	78
1676	Withdrawal of intensive care in the patient's home. 1999 , 3, P266	78
1675	Results of an ethical questionnaire distributed to members of the Australian and New Zealand Intensive Care Society. 1999 , 3, P267	78
1674	Withholding and withdrawing life support: national French prospective study. 1999 , 3, P268	78
1673	Cytokines and sepsis. 1999 , 3, P080	78
1672	Skeletal muscle strength in critically ill patients. 1999 , 3, P204	78
1671	Effects of a protease inhibitor on reduction of surgical stress in esophagectomy. 1999 , 177, 78-82	44
1670	Interleukin 10 mitigates the development of the zymosan-induced multiple organ dysfunction syndrome in mice. 1999 , 11, 713-21	20
1669	The clinical host response to microbial infection in medical patients with fever. 1999 , 116, 380-90	30
1668	Inhaled NO and almitrine bismesylate in patients with acute respiratory distress syndrome: effect of noradrenalin. 1999 , 14, 1283-9	6
1667	Persistent gastric intramucosal ischemia in patients with sepsis following resuscitation from shock. 1999 , 115, 1390-6	22
1666	Bioelectrical impedance plethysmographic analysis of body composition in critically injured and healthy subjects. 1999 , 69, 426-31	27
1665	The natural history of the systemic inflammatory response syndrome and the evaluation of SIRS criteria as a predictor of severity in patients hospitalized through emergency services. 1999 , 48, 28-37	31

1664	SERIOUS GROUP A STREPTOCOCCAL INFECTION AROUND DELIVERY. 1999 , 94, 153-157		14
1663	Multiple organ failure. How valid is the "two hit" model?. 1999 , 16, 163-6; discussion 166-7		26
1662	Thrombocytopenia in a surgical ICU. 1999 , 115, 1363-70		201
1661	Rapid, sensitive and simple detection of candida deep mycosis by amplification of 18S ribosomal RNA gene; comparison with assay of serum beta-D-glucan level in clinical samples. 2000 , 190, 119-28		11
1660	Corticosteroid treatment for septic shock. 2000 ,		1
1659	Pulmonary complications following lung resection: a comprehensive analysis of incidence and possible risk factors. 2000 , 118, 1263-70		280
1658	Serum procalcitonin levels in bacterial and abacterial meningitis. <i>Critical Care Medicine</i> , 2000 , 28, 1828-32.4		132
1657	Clinical trials in sepsis: an update. 2000 , 13, 125-9		2
1656	N-acetylcysteine increases liver blood flow and improves liver function in septic shock patients: results of a prospective, randomized, double-blind study. <i>Critical Care Medicine</i> , 2000 , 28, 3799-807	1.4	139
1655	The good, the bad, and the ugly: should we completely banish human albumin from our intensive care units?. 2000 , 91, 887-95, table of contents		44
1654	Interleukin-10 release and monocyte human leukocyte antigen-DR expression during femoral nailing. 2000 , 233-40		54
1653	Linear and nonlinear analysis of hemodynamic signals during sepsis and septic shock. <i>Critical Care Medicine</i> , 2000 , 28, 2051-7	1.4	62
1652	Plasma granulocyte colony-stimulating factor and granulocyte-macrophage colony-stimulating factor levels in critical illness including sepsis and septic shock: relation to disease severity, multiple organ dysfunction, and mortality. <i>Critical Care Medicine</i> , 2000 , 28, 2344-54	1.4	40
1651	Metabolic correlates of oxygen debt predict posttrauma early acute respiratory distress syndrome and the related cytokine response. 2000 , 49, 392-403		55
1650	Effects of perfusion pressure on tissue perfusion in septic shock. <i>Critical Care Medicine</i> , 2000 , 28, 2729-32.4		444
1649	Systemic inflammatory response syndrome score at admission independently predicts mortality and length of stay in trauma patients. 2000 , 49, 647-52; discussion 652-3		114
1648	How to feed patients with sepsis. 2000 , 6, 247-252		9
1647	Comparison of the performance of two general and three specific scoring systems for meningococcal septic shock in children. <i>Critical Care Medicine</i> , 2000 , 28, 2967-73	1.4	26

1646	Age-related differences in the metabolic response to injury. 2000 , 48, 49-56; discussion 56-7		55
1645	Sex differences in posttraumatic cytokine release of endotoxin-stimulated whole blood: relationship to the development of severe sepsis. 2000 , 48, 832-9; discussion 839-40		75
1644	VISIT SCCM'S UPDATED WEB SITE. <i>Critical Care Medicine</i> , 2000 , 28, 2057	1.4	
1643	Prognostic value of protein C concentrations in neutropenic patients at high risk of severe septic complications. <i>Critical Care Medicine</i> , 2000 , 28, 2209-16	1.4	226
1642	Usefulness of procalcitonin for diagnosis of infection in cardiac surgical patients. <i>Critical Care Medicine</i> , 2000 , 28, 3171-6	1.4	109
1641	High adenosine plasma concentration as a prognostic index for outcome in patients with septic shock. <i>Critical Care Medicine</i> , 2000 , 28, 3198-202	1.4	143
1640	Biochemical changes after trauma and skeletal surgery of the lower extremity: quantification of the operative burden. <i>Critical Care Medicine</i> , 2000 , 28, 3441-8	1.4	169
1639	Endotoxin desensitization of human mononuclear cells after cardiopulmonary bypass: role of humoral factors. 2000 , 93, 359-69		31
1638	Cerebral histopathology following portal venous infusion of bacteria in a chronic porcine model. 2000 , 93, 793-804		18
1637	A lipid A analog, E5531, blocks the endotoxin response in human volunteers with experimental endotoxemia. <i>Critical Care Medicine</i> , 2000 , 28, 2713-20	1.4	74
1636	Nitric oxide indices in human septic shock. <i>Critical Care Medicine</i> , 2000 , 28, 2779-85	1.4	68
1635	Protein C levels as a prognostic indicator of outcome in sepsis and related diseases. <i>Critical Care Medicine</i> , 2000 , 28, S49-56	1.4	178
1634	Cysteinyl-leukotriene generation as a biomarker for survival in the critically ill. <i>Critical Care Medicine</i> , 2000 , 28, 3655-8	1.4	25
1633	Enteral feeding with a solution enriched with antioxidant vitamins A, C, and E enhances the resistance to oxidative stress. <i>Critical Care Medicine</i> , 2000 , 28, 3828-32	1.4	68
1632	Negative fluid balance predicts survival in patients with septic shock: a retrospective pilot study. 2000 , 117, 1749-54		264
1631	Air leaks from the respiratory tract in mechanically ventilated children with severe respiratory disease. 2000 , 29, 127-34		22
1630	Impact of dialyzer membrane selection on cellular responses in acute renal failure: a crossover study. 2000 , 57, 2107-16		20
1629	Changes in lymphocyte subpopulations and CD3+/DR+ expression in sepsis. 2000 , 6, 657-60		31

1628	Nitric oxide production and hepatic dysfunction in patients with postoperative sepsis. 2000 , 27, 197-201	18
1627	Protection from septic shock by neutralization of macrophage migration inhibitory factor. 2000 , 6, 164-70	650
1626	Complications after bone marrow transplantation are manifestations of systemic inflammatory response syndrome. 2000 , 26, 419-26	83
1625	Matrix metalloproteinase inhibition protects hepatic integrity in hemorrhagic shock. 2000 , 4, 536-41	6
1624	The role of cytokine-induced neutrophil chemoattractant-1 in neutrophil-mediated remote lung injury after intestinal ischaemia/reperfusion in rats. 2000 , 5, 325-331	38
1623	Pyridoxalated hemoglobin polyoxyethylene: a nitric oxide scavenger with antioxidant activity for the treatment of nitric oxide-induced shock. 2000 , 28, 1507-17	46
1622	Elimination of procalcitonin and plasma concentrations during continuous veno-venous haemodiafiltration in septic patients. 2000 , 17, 665-71	12
1621	Optimal end point of FR167653 administration and expression of interleukin-8 messenger RNA on extended liver resection with ischemia in dogs. 2000 , 191, 251-8	5
1620	Inflammation-induced systemic proteolysis of inter-alpha-inhibitor in plasma from patients with sepsis. 2000 , 135, 188-98	40
1619	Tissue-specific gene expression of heme oxygenase-1 (HO-1) and non-specific delta-aminolevulinic synthase (ALAS-N) in a rat model of septic multiple organ dysfunction syndrome. 2000 , 60, 275-83	39
1618	Elevation of IL-18 in human sepsis. 2000 , 20, 212-5	64
1617	Significant changes in the serum levels of IL-6, h-HGF, and type IV collagen 7S during the perioperative period of a hepatectomy: relevance to SIRS. 2000 , 30, 403-9	18
1616	The systemic inflammatory response syndrome in acute liver failure. 2000 , 32, 734-9	521
1615	Inactivation of catecholamines by superoxide gives new insights on the pathogenesis of septic shock. 2000 , 97, 9753-8	173
1614	Critical Illness Polyneuropathy. 2000 , 2, 489-498	19
1613	Circulating endothelin-1 and tumor necrosis factor-alpha: early predictors of mortality in patients with septic shock. 2000 , 26, 305-13	66
1612	Video-assisted thoracoscopic lobectomy reduces cytokine production more than conventional open lobectomy. 2000 , 48, 161-5	43
1611	Laparostomy for severe intra-abdominal infection complicating colorectal disease. 2000 , 43, 25-30	20

1610	Procalcitonin for early diagnosis and differentiation of SIRS, sepsis, severe sepsis, and septic shock. 2000 , 26 Suppl 2, S148-52		110
1609	Procalcitonin for discrimination between activity of systemic autoimmune disease and systemic bacterial infection. 2000 , 26 Suppl 2, S199-201		20
1608	Systemic consequences of oxidative stress following aortic surgery correlate with the degree of antioxidant defenses. 2000 , 14, 31-6		26
1607	Clinical impact of an infectious disease service on the management of bloodstream infection. 2000 , 19, 493-500		58
1606	Elevated cytosolic phospholipase A2 expression and activity in human neutrophils during sepsis. 2000 , 95, 660-665		22
1605	Cardiac Troponins I and T Are Biological Markers of Left Ventricular Dysfunction in Septic Shock. 2000 , 46, 650-657		225
1604	Changes of the hemostatic network in critically ill patients--is there a difference between sepsis, trauma, and neurosurgery patients?. <i>Critical Care Medicine</i> , 2000 , 28, 445-50	1.4	97
1603	Fluid extravasation from spleen reduces blood volume in endotoxemia. 2000 , 278, R60-5		27
1602	Microvascular response in patients with cardiogenic shock. <i>Critical Care Medicine</i> , 2000 , 28, 1290-4	1.4	64
1601	Protein carbonyl measurements show evidence of early oxidative stress in critically ill patients. <i>Critical Care Medicine</i> , 2000 , 28, 143-9	1.4	109
1600	Energy expenditure in critically ill children. <i>Critical Care Medicine</i> , 2000 , 28, 1166-72	1.4	134
1599	Can we achieve consensus on central venous catheter-related infections?. 2000 , 28, 475-90		31
1598	Applications of Indirect Calorimetry. 2000 , 12, 187-198		2
1597	Carboxyhemoglobin in pediatric sepsis and the systemic inflammatory response syndrome. 2000 , 11, 311-317		1
1596	Antipyretic therapy in patients with sepsis. 2000 , 31 Suppl 5, S234-41		25
1595	Multiple organ dysfunction in ulcerative colitis. 2000 , 95, 1258-62		37
1594	Evolution of antimicrobial prophylaxis in cardiovascular surgery. 2000 , 18, 440-6		34
1593	Association between resistance to vancomycin and death in cases of <i>Enterococcus faecium</i> bacteremia. 2000 , 30, 466-72		93

1592	Fluid balance in sepsis: are we ready for a negative balance?. 2000 , 117, 1535-6	4
1591	Infektionskontrolle in der Chirurgie - eine zeitlose Herausforderung - Antrittsvorlesung für das Fach Chirurgie (gehalten am 13. November 1998 in Düsseldorf) -. 2000 , 35, 141-145	
1590	[The basics of catecholamine therapy. 2. A guide to clinical use]. 2000 , 35, 131-6	9
1589	Role of the heart in the loss of aeration characterizing lower lobes in acute respiratory distress syndrome. CT Scan ARDS Study Group. 2000 , 161, 2005-12	117
1588	Upregulation of two death pathways of perforin/granzyme and FasL/Fas in septic acute respiratory distress syndrome. 2000 , 161, 237-43	138
1587	Influence of rheologic changes and platelet-neutrophil interactions on cell filtration in sepsis. 2000 , 161, 1602-7	80
1586	Clinically-oriented therapies in sepsis: a review. 2000 , 6, 463-469	4
1585	Increased serum soluble CD14, ICAM-1 and E-selectin correlate with disease activity and prognosis in systemic lupus erythematosus. 2000 , 9, 614-21	92
1584	Pro- versus anti-inflammatory cytokine profile in patients with severe sepsis: a marker for prognosis and future therapeutic options. 2000 , 181, 176-80	633
1583	Predictive value of nuclear factor kappaB activity and plasma cytokine levels in patients with sepsis. 2000 , 68, 1942-5	223
1582	Clinical experiences with a new semi-quantitative solid phase immunoassay for rapid measurement of procalcitonin. 2000 , 38, 989-95	50
1581	In vitro resistance to thrombin-induced platelet microbicidal protein in isolates of Staphylococcus aureus from endocarditis patients correlates with an intravascular device source. 2000 , 182, 1251-4	64
1580	Characterization of the secreted form of endothelial-cell-specific molecule 1 by specific monoclonal antibodies. 2000 , 37, 417-25	168
1579	Pharmacokinetics and burn eschar penetration of intravenous ciprofloxacin in patients with major thermal injuries. 2000 , 45, 337-42	8
1578	Endemic melioidosis in tropical northern Australia: a 10-year prospective study and review of the literature. 2000 , 31, 981-6	383
1577	Hepatic integrity dependent on matrix metalloproteinase inhibition, not tumor necrosis factor alpha or different bleeding rates. 2000 , 90, 156-60	4
1576	Surgical stress and the gastrointestinal tract. 2000 , 92, 291-300	36
1575	Autoantibodies against platelet glycoproteins in critically ill patients with thrombocytopenia. 2000 , 108, 554-60	29

1574	Bound and soluble adhesion molecule and cytokine levels in patients with severe burns. 2000 , 26, 139-44	24
1573	Tumor necrosis factor-alpha and tumor necrosis factor receptor I, II levels in patients with severe burns. 2000 , 26, 239-44	21
1572	[The last voyage of a globe-trotter]. 2000 , 21 Suppl 3, 340s-342s	1
1571	A one-year prospective study of nosocomial bacteraemia in ICU and non-ICU patients and its impact on patient outcome. 2000 , 44, 206-13	56
1570	Fever and sepsis during neutropenia are associated with expansion of extracellular and loss of intracellular water. 2000 , 19, 35-41	10
1569	Clinical benefits of steroid therapy on surgical stress in patients with esophageal cancer. 2000 , 128, 791-8	78
1568	Evaluation of antiseptic-impregnated central venous catheters for prevention of catheter-related infection in intensive care unit patients. 2000 , 38, 1-5	77
1567	Bedside measurement of D-dimer in the identification of bacteremia in the emergency department. 2000 , 19, 217-23	12
1566	Anesthesia, Pain, Intensive Care and Emergency Medicine [A.P.I.C.E.. 2000 ,	
1565	Decálogo de normas para la utilización de antibióticos en pacientes críticos. 2000 , 24, 69-77	8
1564	Respuesta inflamatoria sistémica: definiciones, marcadores inflamatorios y posibilidades terapéuticas. 2000 , 24, 361-370	5
1563	Relation between respiratory changes in arterial pulse pressure and fluid responsiveness in septic patients with acute circulatory failure. 2000 , 162, 134-8	1567
1562	Clinical evaluation of a new closed loop ventilation mode: adaptive supportive ventilation (ASV). 2000 , 3, 1	1
1561	Increased procalcitonin serum levels as predictive parameter of multiple organ failure and outcome in acute pancreatitis patients. 2000 , 3, 1	78
1560	Pathogenesis and management of multiple organ dysfunction or failure in severe sepsis and septic shock. 2000 , 16, 337-52, vii	124
1559	Au vu des études cliniques, quels sont les arguments pour l'efficacité des corticoïdes au cours du choc septique?. 2000 , 9, 682-686	
1558	Applicability of two surgical-site infection risk indices to risk of sepsis in surgical patients. 2000 , 21, 633-8	12
1557	Epidemiological differences between sepsis syndrome with bacteremia and culture-negative sepsis. 2000 , 21, 639-44	12

1556	Cardiopulmonary cerebral resuscitation using emergency cardiopulmonary bypass, coronary reperfusion therapy and mild hypothermia in patients with cardiac arrest outside the hospital. 2000 , 36, 776-83	239
1555	Multiple organ dysfunction syndrome: past, present and future. 2000 , 1, 155-61; discussion 161-3	16
1554	Severe sepsis in cats: 29 cases (1986-1998). 2000 , 217, 531-5	131
1553	Alterations in fuel metabolism in critical illness: hyperglycaemia. 2001 , 15, 533-51	248
1552	Myocardial hypertrophy in transgenic mice overexpressing human interleukin 1alpha. 2001 , 7, 355-64	33
1551	Late immunoneutralization of procalcitonin arrests the progression of lethal porcine sepsis. 2001 , 2, 193-202; discussion 202-3	52
1550	Hope or hype? cytokine therapy in ERCP-induced pancreatitis. 2001 , 96, 1930-1932	
1549	Serum response of hepatocyte growth factor, insulin-like growth factor-I, interleukin-6, and acute phase proteins in patients with colorectal liver metastases treated with partial hepatectomy or cryosurgery. 2001 , 34, 422-7	36
1548	Systemic inflammation and cardiac surgery: an update. 2001 , 16, 353-60	123
1547	Systemic inflammatory response syndrome. 2001 , 20, 21-8	13
1546	Dissociation of LPS-induced monocytic ex vivo production of granulocyte colony-stimulating factor (G-CSF) and TNF-alpha in patients with septic shock. 2001 , 13, 51-54	15
1545	Differences in the expression of CD64 and mCD14 on polymorphonuclear cells and on monocytes in patients with septic shock. 2001 , 14, 299-302	26
1544	Early enteral nutrition in critically ill patients with a high-protein diet enriched with arginine, fiber, and antioxidants compared with a standard high-protein diet. The effect on nosocomial infections and outcome. 2001 , 25, 299-308; discussion 308-9	77
1543	Therapeutic effect of dimethyl sulfoxide on ICAM-1 gene expression and activation of NF-kappaB and AP-1 in septic rats. 2001 , 95, 181-7	46
1542	Increased urinary excretion of bilirubin oxidative metabolites in septic patients: a new marker for oxidative stress in vivo. 2001 , 96, 44-9	28
1541	Intra-aortic balloon counterpulsation: outcome in cardiac surgical patients. 2001 , 15, 700-3	13
1540	Low rate of Candida parapsilosis-related colonization and infection in hospitalized preterm infants: a one-year prospective study. 2001 , 48, 193-7	13
1539	The incidence of septic complications in newborns on extracorporeal membrane oxygenation is not affected by feeding route. 2001 , 36, 1485-9	22

1538	Systemic inflammatory response syndrome. 2001 , 12, 5-16	8
1537	Soluble fiber reduces the incidence of diarrhea in septic patients receiving total enteral nutrition: a prospective, double-blind, randomized, and controlled trial. 2001 , 20, 301-5	108
1536	Sepsis: state of the art. 2001 , 47, 465-532	40
1535	Cytokine-modulated inhibition of neutrophil apoptosis at local site augments exudative neutrophil functions and reflects inflammatory response after surgery. 2001 , 129, 76-85	27
1534	Isolation and characterization of serum procalcitonin from patients with sepsis. 2001 , 22, 2099-103	67
1533	[Chronic experimental bacteremia in Yucatan micropigs]. 2001 , 49, 576-82	2
1532	Influence of early trace element and vitamin E supplements on antioxidant status after major trauma: a controlled trial. 2001 , 21, 41-54	27
1531	Early goal-directed therapy in the treatment of severe sepsis and septic shock. 2001 , 345, 1368-77	10748
1530	Immunotherapy of sepsis. 2001 , 1, 165-74	118
1529	Effects of hydroxyethylstarch and gelatin on renal function in severe sepsis: a multicentre randomised study. 2001 , 357, 911-6	662
1528	Sepsis grave y shock séptico: encrucijada de la inflamación y la coagulación. 2001 , 116, 782-788	2
1527	Alteraciones del equilibrio hidroelectrolítico y ácido-base en la peritonitis generalizada. 2001 , 69, 310-317	0
1526	Ventilación mecánica no invasiva en la lesión pulmonar aguda hipoxémica. 2001 , 25, 303-309	4
1525	Función suprarrenal en niños con sepsis y shock séptico. 2001 , 54, 439-443	3
1524	Factores de riesgo de sepsis nosocomial: un estudio de casos y controles. 2001 , 116, 765-769	2
1523	Proteína C reactiva como marcador de infección en pacientes con traumatismo cerrado grave. 2001 , 19, 61-65	4
1522	Management of patients with extended pancreatic necrosis. 2001 , 1, 63-8	24
1521	The enteral factor in pancreatic infection. 2001 , 1, 217-23	12

1520	[Plasmatic concentrations of fibronectin as marker of clinical course among septic patients]. 2001 , 19, 93-8			3
1519	Procalcitonin as an acute phase marker. 2001 , 38, 483-93			116
1518	Plasma complement C5 protects endothelial cells from polymorphonuclear neutrophil-derived, H2O2-mediated cytotoxicity. 2001 , 2, 303-10			
1517	Toward the early diagnosis of neonatal sepsis and sepsis-like illness using novel heart rate analysis. 2001 , 107, 97-104			209
1516	Red blood cell transfusion does not increase oxygen consumption in critically ill septic patients. 2001 , 5, 362-7			118
1515	Amino acid kinetics in patients with sepsis. 2001 , 73, 908-13			86
1514	Analysis of Volatile Disease Markers in Blood. 2001 , 47, 1053-1060			87
1513	Adrenocortical response and cortisone replacement in systemic inflammatory response syndrome. 2001 , 29, 155-62			7
1512	Effects of neutrophil elastase inhibitor (ONO-5046) on lung injury after intestinal ischemia-reperfusion. 2001 , 91, 1800-7			41
1511	Apoptosis in sepsis: a new target for therapeutic exploration. 2001 , 15, 879-892			44
1510	Expression of Fas (CD95) and Fas ligand on peripheral blood mononuclear cells in critical illness and association with multiorgan dysfunction severity and survival. <i>Critical Care Medicine</i> , 2001 , 29, 709-18	1.4		49
1509	Cardiac variability in critically ill adults: influence of sepsis. <i>Critical Care Medicine</i> , 2001 , 29, 1380-5	1.4		150
1508	N-acetylcysteine reduces respiratory burst but augments neutrophil phagocytosis in intensive care unit patients. <i>Critical Care Medicine</i> , 2001 , 29, 272-6	1.4		73
1507	The hypothalamic-pituitary-adrenal axis of patients with severe sepsis: altered response to corticotropin-releasing hormone. <i>Critical Care Medicine</i> , 2001 , 29, 310-6	1.4		116
1506	Systemic inflammatory response syndrome score at admission independently predicts infection in blunt trauma patients. 2001 , 50, 817-20			49
1505	Back to basics: validation of the admission systemic inflammatory response syndrome score in predicting outcome in trauma. 2001 , 51, 458-63			43
1504	Effectiveness and safety of a protocol for promotion of early intragastric feeding in critically ill children. 2001 , 2, 113-21			69
1503	Mechanical ventilation in acute respiratory distress syndrome. 2001 , 14, 165-71			2

1502	Procalcitonin, soluble interleukin-2 receptor, and soluble E-selectin in predicting the severity of acute pancreatitis. <i>Critical Care Medicine</i> , 2001 , 29, 63-9	1.4	84
1501	Influence of prophylactic use of pentoxifylline on postoperative organ function in elderly cardiac surgery patients. <i>Critical Care Medicine</i> , 2001 , 29, 952-8	1.4	64
1500	Infusion of methylene blue in human septic shock: a pilot, randomized, controlled study. <i>Critical Care Medicine</i> , 2001 , 29, 1860-7	1.4	176
1499	Spontaneous in contrast to CD95-induced neutrophil apoptosis is independent of caspase activity. 2001 , 50, 982-8		12
1498	The role of dead space ventilation in predicting outcome of successful weaning from mechanical ventilation. 2001 , 51, 843-8		28
1497	Recent developments in clinical management of surgical sepsis. 2001 , 7, 367-70		6
1496	Attenuation of sepsis-related immunoparalysis by continuous veno-venous hemofiltration in experimental porcine pancreatitis. <i>Critical Care Medicine</i> , 2001 , 29, 1423-30	1.4	111
1495	Role of interleukin-10 in monocyte hyporesponsiveness associated with septic shock. <i>Critical Care Medicine</i> , 2001 , 29, 129-33	1.4	86
1494	Tissue factor pathway inhibitor response does not correlate with tissue factor-induced disseminated intravascular coagulation and multiple organ dysfunction syndrome in trauma patients. <i>Critical Care Medicine</i> , 2001 , 29, 262-6	1.4	51
1493	Early-phase enhanced inflammatory reaction after spinal instrumentation surgery. 2001 , 26, 1698-704		66
1492	Transcription factor NF kappa B expression and postsurgical organ dysfunction. 2001 , 233, 70-8		29
1491	Energy metabolism of infants and children with systemic inflammatory response syndrome and sepsis. 2001 , 233, 581-7		43
1490	The importance of bacterial sepsis in intensive care unit patients with acquired immunodeficiency syndrome: implications for future care in the age of increasing antiretroviral resistance. <i>Critical Care Medicine</i> , 2001 , 29, 548-56	1.4	51
1489	Pediatric sepsis and multiple organ dysfunction syndrome. 2001 , 13, 247-53		63
1488	Gene variants of the bactericidal/permeability increasing protein and lipopolysaccharide binding protein in sepsis patients: gender-specific genetic predisposition to sepsis. <i>Critical Care Medicine</i> , 2001 , 29, 557-61	1.4	162
1487	Circulating levels of the long pentraxin PTX3 correlate with severity of infection in critically ill patients. <i>Critical Care Medicine</i> , 2001 , 29, 1404-7	1.4	262
1486	Apoptosis in cells of bronchoalveolar lavage: a cellular reaction in patients who die with sepsis and respiratory failure. <i>Critical Care Medicine</i> , 2001 , 29, 2310-7	1.4	15
1485	Granulocyte colony-stimulating factor (G-CSF) stiffens leukocytes but attenuates inflammatory response without lung injury in septic patients. 2001 , 51, 1110-6		15

1484	Adrenal insufficiency in high-risk surgical ICU patients. 2001 , 119, 889-96		201
1483	High concentrations of lipopolysaccharide-binding protein in serum of patients with severe sepsis or septic shock inhibit the lipopolysaccharide response in human monocytes. 2001 , 98, 3800-8		171
1482	Increased endothelial injury in septic patients with coronary artery disease. 2001 , 119, 874-83		13
1481	Septicaemic Shock. 2001 ,		
1480	Effects of isolated limb perfusion with tumor necrosis factor-alpha on circulating levels of proinflammatory cytokines. 2001 , 24, 354-62		5
1479	Cardiac functional and structural alterations induced by endotoxin in rats: importance of platelet-activating factor. <i>Critical Care Medicine</i> , 2001 , 29, 609-17	1.4	26
1478	Activated platelets enhance microparticle formation and platelet-leukocyte interaction in severe trauma and sepsis. 2001 , 50, 801-9		138
1477	A review of the adrenal cortex and severe inflammation: quest of the "eucorticoid" state. 2001 , 51, 800-14		58
1476	Critical Care Medicine: Major Changes in Dogma of the Past Decade. 2001 , 16, 177-192		8
1475	Acute systemic inflammatory response syndrome in subarachnoid hemorrhage. 2001 , 32, 1989-93		174
1474	Does the optimization of cardiac output by fluid loading increase splanchnic blood flow?. 2001 , 86, 657-62		15
1473	Endothelial-derived selectins in the development of organ dysfunction in acute pancreatitis. <i>Critical Care Medicine</i> , 2001 , 29, 567-72	1.4	24
1472	Somatotropic axis dysfunction in critically ill patients: altered response to growth hormone-releasing hormone. 2001 , 38, 187-192		
1471	Multiple organ dysfunction syndrome: a narrative review. 2001 , 48, 502-9		63
1470	Significance of elevated serum interleukin-8 in patients resuscitated after cardiopulmonary arrest. 2001 , 51, 47-53		27
1469	A European perspective on nosocomial urinary tract infections II. Report on incidence, clinical characteristics and outcome (ESGNI-004 study). European Study Group on Nosocomial Infection. 2001 , 7, 532-42		99
1468	Procalcitonin-reduced sensitivity and specificity in heavily leucopenic and immunosuppressed patients. 2001 , 115, 53-7		63
1467	The effect of circuit surface area on CD11b(mac-1) expression in a rat recirculation model. 2001 , 25, 475-9		16

1466	Effectiveness of combining plasma exchange and continuous hemodiafiltration (combined modality therapy in a parallel circuit) in the treatment of patients with acute hepatic failure. 2001 , 5, 471-5	32
1465	Changes of cytokines in direct endotoxin adsorption treatment on postoperative multiple organ failure. 2001 , 5, 36-9	18
1464	iNOS expression by activated neutrophils from patients with sepsis. 2001 , 71, 15-20	25
1463	Two patients with severe alcoholic hepatitis accompanied by hypercytokinemia and granulocytic hyperelastasia, successfully treated by intravenous infusion of urinastatine (Miraclid). 2001 , 16, 575-80	3
1462	Protective effect of pentoxifylline plus thalidomide against septic shock in mice. 1999 , 80, 11-6	11
1461	Risk factors associated with new onset tachyarrhythmias after cardiac surgery--a retrospective analysis. 2001 , 45, 543-9	26
1460	Hyperferritinemia as indicator for intravenous immunoglobulin treatment in reactive macrophage activation syndromes. 2001 , 68, 4-10	109
1459	Recombinant Bactericidal/Permeability-Increasing Protein (rBPI21) for Treatment of Parvovirus Enteritis: A Randomized, Double-Blinded, Placebo-Controlled Trial. 2001 , 15, 355-360	23
1458	The effects of vasopressin on hemodynamics and renal function in severe septic shock: a case series. 2001 , 27, 1416-21	331
1457	Usefulness of procalcitonin serum level for the diagnosis of bacteremia. 2001 , 20, 524-7	64
1456	Adrenal insufficiency in critically ill emergency department patients: a Taiwan preliminary study. 2001 , 8, 761-4	15
1455	Interleukin-6 and C-reactive protein serum levels in sepsis-related fatalities during the early postmortem period. 2001 , 119, 47-56	58
1454	Functional alpha4-integrin: a newly identified pathway of neutrophil recruitment in critically ill septic patients. 2001 , 7, 465-70	123
1453	Nosocomial coagulase negative staphylococcal (CoNS) catheter-related sepsis in preterm infants: definition, diagnosis, prophylaxis, and prevention. 2001 , 21, 186-92	50
1452	TREM-1 amplifies inflammation and is a crucial mediator of septic shock. 2001 , 410, 1103-7	858
1451	Is nitric oxide overproduction the target of choice for the management of septic shock?. 2001 , 91, 179-213	114
1450	Clinical significance and approach. 2001 , 58, 187-190	
1449	Editorial comment. 2001 , 58, 190-191	

1448	Early risk factors for sepsis in patients with severe blunt trauma. 2001 , 32, 5-12	18
1447	Pathogenesis and treatment of disseminated intravascular coagulation in the septic patient. 2001 , 16, 167-77	394
1446	Effect of aprotinin on endothelial cell activation. 2001 , 122, 123-8	47
1445	Critical Care Medicine: Major Changes in Dogma of the Past Decade. 2001 , 16, 177-192	8
1444	Cytokines and inflammatory pathways in the pathogenesis of multiple organ failure following abdominal aortic aneurysm repair. 2001 , 22, 485-95	106
1443	Soluble Fas and soluble Fas ligand levels in patients with acute hepatic failure. 2001 , 16, 59-63	17
1442	Jejunal feeding, even when instituted late, improves outcomes in patients with severe pancreatitis and peritonitis. 2001 , 17, 91-4	93
1441	Malnutrition, nutritional indices, and early enteral feeding in critically ill children. 2001 , 17, 548-57	147
1440	Recombinant human activated protein C, drotrecogin alfa (activated): a novel therapy for severe sepsis. 2001 , 21, 1389-402	15
1439	Polyclonal bacteremia due to gram-negative rods. 2001 , 33, 460-5	3
1438	Systemic inflammatory response syndrome in adult patients with nosocomial bloodstream infection due to <i>Staphylococcus aureus</i> . 2001 , 33, 733-6	22
1437	Issues in the management of intravascular catheter-related infections. 2001 , 33, 1948-9; author reply 1949-51	1
1436	Circulating inflammatory mediators in patients with fever: predicting bloodstream infection. 2001 , 8, 1189-95	33
1435	Should lock therapy always be avoided for central venous catheter-associated fungal bloodstream infections?. 2001 , 33, 1947-8; author reply 1949-51	31
1434	Apoptosis in sepsis: a new target for therapeutic exploration. 2001 , 15, 879-92	219
1433	Evaluation of new treatments for meningococcal disease. 2001 , 67, 549-86	2
1432	Beneficial effects of tempol, a membrane-permeable radical scavenger, on the multiple organ failure induced by zymosan in the rat. <i>Critical Care Medicine</i> , 2001 , 29, 102-11	1.4 68
1431	Predictors of mortality in patients treated with continuous hemodiafiltration for acute renal failure in an intensive care setting. 2001 , 47, 86-91	29

1430	Amrinone in pediatric refractory septic shock: An open-label pharmacodynamic study. 2001 , 2, 24-28	31
1429	The role of insulin-like growth factor I, growth hormone, and plasma proteins in surgical outcome of children with congenital heart disease. 2001 , 2, 29-35	29
1428	Procalcitonin for accurate detection of infection in haemodialysis. 2001 , 16, 975-9	55
1427	Infection control in the ICU. 2001 , 120, 2059-93	294
1426	Filgrastim in patients with pneumonia and severe sepsis or septic shock. 2001 , 119, 523-9	61
1425	Respiratory changes in aortic blood velocity as an indicator of fluid responsiveness in ventilated patients with septic shock. 2001 , 119, 867-73	473
1424	Sublingual capnography: a clinical validation study. 2001 , 120, 923-7	142
1423	Systemic inflammatory response syndrome, sepsis, and multiple organ dysfunction. 2001 , 31, 1147-62, v-vi	65
1422	Hope or hype--cytokine therapy in ERCP-induced pancreatitis. 2001 , 96, 1930-2	1
1421	Effects of aminoguanidine and meloxicam on nitric oxide and prostaglandin E production induced by lipopolysaccharide in the hypothalamus and anterior pituitary of the rat. 2001 , 9, 276-85	10
1420	Metabolic effects of arginine addition to the enteral feeding of critically ill patients. 2001 , 25, 182-7	22
1419	Immunonutrition in a multidisciplinary ICU population: a review of the literature. 2001 , 25, S30-4; discussion S34-5	8
1418	Randomized, double-blind, controlled study of cefoperazone-sulbactam plus cotrimoxazole versus ceftazidime plus cotrimoxazole for the treatment of severe melioidosis. 2001 , 33, 29-34	35
1417	Reactivation of human herpesvirus type 6 in multiple organ failure syndrome. 2001 , 32, 197-203	46
1416	A novel acute phase marker in cattle: lipopolysaccharide binding protein (LBP). 2001 , 7, 49-52	31
1415	Clinical evaluation of circulating blood volume in critically ill patients--contribution of a clinical scoring system. 2001 , 86, 754-62	42
1414	Risk stratification in emergency surgical patients: is the APACHE II score a reliable marker of physiological impairment?. 2001 , 136, 55-9	36
1413	Long-term effects of spontaneous breathing during ventilatory support in patients with acute lung injury. 2001 , 164, 43-9	455

1412	Raltitrexed treatment promotes systemic inflammatory reaction in patients with colorectal carcinoma. 2002 , 87, 591-9	10
1411	Tumor necrosis factor gene polymorphisms, leukocyte function, and sepsis susceptibility in blunt trauma patients. 2002 , 9, 1205-11	29
1410	The systemic inflammatory response syndrome following cardiac surgery: different expression of proinflammatory cytokines and procalcitonin in patients with and without multiorgan dysfunctions. 2002 , 17, 103-9	22
1409	Lipopolysaccharide-cell interaction and induced cellular activation in whole blood of septic patients. 2002 , 8, 371-379	
1408	Breath markers and soluble lipid peroxidation markers in critically ill patients. 2002 , 40, 587-94	50
1407	Organ Failure. 2002 , 29-46	
1406	Persistent systemic inflammatory response syndrome is predictive of nosocomial infection in trauma. 2002 , 53, 245-50; discussion 250-1	49
1405	Bioactive oxidized lipids in the plasma of cardiac surgical intensive care patients. 2002 , 18, 14-7	6
1404	Activation of mitogen-activated protein kinases during granulocyte apoptosis in patients with severe sepsis. 2002 , 18, 401-6	20
1403	Incidence of ARDS in an adult population of northeast Ohio. 2002 , 121, 1972-6	44
1402	Prognostic value of extravascular lung water in critically ill patients. 2002 , 122, 2080-6	677
1401	Sepsis, severe sepsis and septic shock in adults and anaesthesia. 2002 , 8, 30-42	
1400	Pathophysiology of Pneumonia and the Clinical Consequences. 2002 , 179-192	0
1399	[Importance of a clinical protocol in the treatment of severe acute pancreatitis]. 2002 , 127, 975-81	3
1398	Elastase release following myocardial ischemia during extracorporeal circulation (ECC) -- marker of ongoing systemic inflammation?. 2002 , 50, 136-40	8
1397	[Increased intra-abdominal pressure--an important risk factor of early organ dysfunction in severe acute pancreatitis]. 2002 , 127, 982-6	8
1396	Usefulness of systemic inflammatory response syndrome criteria as an index for prognosis judgement. 2002 , 150, 245-6	51
1395	History of cardiac surgery. 2002 , 87, 509	2

1394	Myocardial dysfunction in sepsis: no role for NO?. 2002 , 87, 507-9		20
1393	Epidemiology and prognostic determinants of bloodstream infections in surgical intensive care. 2002 , 137, 1353-9; discussion 1359		85
1392	Sevoflurane preconditions stunned myocardium in septic but not healthy isolated rat hearts. 2002 , 89, 896-903		10
1391	Tumor necrosis factor-alpha-converting enzyme: its role in community-acquired pneumonia. 2002 , 186, 1790-6		20
1390	Community-acquired <i>Acinetobacter baumannii</i> bacteremia in adult patients in Taiwan. 2002 , 40, 1526-9		34
1389	Steroids and Sepsis: Time for Another Reevaluation. 2002 , 17, 68-74		4
1388	Management of septic shock. 2002 , 34, 606-13		14
1387	Randomized, controlled clinical trials in sepsis: has methodological quality improved over time?. <i>Critical Care Medicine</i> , 2002 , 30, 461-72	1.4	100
1386	Optimal management of septic shock. Rapid recognition and institution of therapy are crucial. 2002 , 111, 53-6, 59-60, 63-4 passim		12
1385	Correlates of urea kinetic modeling during hemodialysis in patients with acute renal failure. 2002 , 20, 154-60		12
1384	Monocyte deactivation in severe human sepsis or following cardiopulmonary bypass. 2002 , 17, 354-60		26
1383	Effect of the interleukin-6 promoter polymorphism (-174 G/C) on the incidence and outcome of sepsis. <i>Critical Care Medicine</i> , 2002 , 30, 32-7	1.4	164
1382	Serum procalcitonin in cerebral ventriculitis. <i>Critical Care Medicine</i> , 2002 , 30, 1778-81	1.4	40
1381	Current Concepts of the Inflammatory Response. 2002 , 30, 169-184		1
1380	A phase II randomized, controlled trial of continuous hemofiltration in sepsis. <i>Critical Care Medicine</i> , 2002 , 30, 100-6	1.4	235
1379	Effect of alcohol on the lactate/pyruvate ratio of recently injured adults. <i>Critical Care Medicine</i> , 2002 , 30, 981-5	1.4	8
1378	Tissue factor production not balanced by tissue factor pathway inhibitor in sepsis promotes poor prognosis. <i>Critical Care Medicine</i> , 2002 , 30, 1729-34	1.4	84
1377	Effects of calpain inhibitor I on multiple organ failure induced by zymosan in the rat. <i>Critical Care Medicine</i> , 2002 , 30, 2284-94	1.4	18

1376	Multiple organ dysfunction syndrome (MODS) in the obstetric population. 2002 , 15, 37-55		7
1375	Impaired circadian rhythm of melatonin secretion in sedated critically ill patients with severe sepsis. <i>Critical Care Medicine</i> , 2002 , 30, 536-40	1.4	234
1374	Association between a genomic polymorphism within the CD14 locus and septic shock susceptibility and mortality rate. <i>Critical Care Medicine</i> , 2002 , 30, 969-73	1.4	155
1373	Development and use of a new staging system for severe acute pancreatitis based on a nationwide survey in Japan. 2002 , 25, 325-30		70
1372	A randomized, prospective, double-blinded evaluation of selective bowel decontamination in liver transplantation. 2002 , 73, 1904-9		83
1371	Plasma concentrations of defensins and lactoferrin in children with severe sepsis. 2002 , 21, 34-8		32
1370	Systemic inflammatory response syndrome associated with Sweet's syndrome. 2002 , 3, 190-193		19
1369	Diagnosis and follow-up of infections in intensive care patients: value of C-reactive protein compared with other clinical and biological variables. <i>Critical Care Medicine</i> , 2002 , 30, 529-35	1.4	82
1368	Markers of endothelial damage in organ dysfunction and sepsis. <i>Critical Care Medicine</i> , 2002 , 30, S302-12	1.4	232
1367	Genetic variation in proinflammatory and anti-inflammatory cytokine production in multiple organ dysfunction syndrome. <i>Critical Care Medicine</i> , 2002 , 30, 2216-21	1.4	69
1366	Early circulating lymphocyte apoptosis in human septic shock is associated with poor outcome. 2002 , 18, 487-94		239
1365	Pro-inflammatory and anti-inflammatory cytokine increases after spinal instrumentation surgery. 2002 , 15, 294-300		24
1364	Alteration of chemoattractant receptor expression regulates human neutrophil chemotaxis in vivo. 2002 , 235, 550-9		25
1363	Plasma procalcitonin and C-reactive protein in acute septic shock: clinical and biological correlates. <i>Critical Care Medicine</i> , 2002 , 30, 757-62	1.4	146
1362	Osmolar gap hyponatremia in critically ill patients: evidence for the sick cell syndrome?. <i>Critical Care Medicine</i> , 2002 , 30, 1051-5	1.4	35
1361	Early postoperative monocyte deactivation predicts systemic inflammation and prolonged stay in pediatric cardiac intensive care. <i>Critical Care Medicine</i> , 2002 , 30, 1140-5	1.4	112
1360	Does methylene blue administration to septic shock patients affect vascular permeability and blood volume?. <i>Critical Care Medicine</i> , 2002 , 30, 2271-7	1.4	75
1359	Activated polymorphonuclear leukocytes enhance production of leukocyte microparticles with increased adhesion molecules in patients with sepsis. 2002 , 52, 443-8		38

1358	Ultrasonographic splanchnic arterial flow measurement in severe acute pancreatitis. 2002 , 24, 357-64		5
1357	N-acetylcysteine and cardiac dysfunction in human septic shock. 2002 , 13, 27-32		3
1356	Decreased cytokine expression in peripheral blood leukocytes of patients with severe sepsis. 2002 , 137, 1037-43; discussion 1043		23
1355	Association of CD34 cell dose with hematopoietic recovery, infections, and other outcomes after HLA-identical sibling bone marrow transplantation. 2002 , 99, 2726-33		151
1354	Host defense and inflammatory gene polymorphisms are associated with outcomes after HLA-identical sibling bone marrow transplantation. 2002 , 100, 3908-18		172
1353	Prognostic value of the indocyanine green plasma disappearance rate in critically ill patients. 2002 , 122, 1715-20		134
1352	The design of randomized clinical trials in critically ill patients. 2002 , 121, 1290-300		76
1351	Intravascular lymphomatosis presenting as systemic inflammatory response syndrome. 2002 , 324, 339-41		7
1350	Accelerated recovery after endotoxic challenge in heat shock-pretreated mice. 2002 , 282, R1374-81		13
1349	New treatment of acute hypoxemic respiratory failure: noninvasive pressure support ventilation delivered by helmet--a pilot controlled trial. <i>Critical Care Medicine</i> , 2002 , 30, 602-8	1.4	251
1348	Tumor necrosis factor-alpha and interleukin-1beta mediate endothelial permeability induced by lipopolysaccharide-stimulated whole blood. <i>Critical Care Medicine</i> , 2002 , 30, 2063-8	1.4	43
1347	Posttraumatic immune modulation in chronic alcoholics is associated with multiple organ dysfunction syndrome. 2002 , 52, 95-103		26
1346	Hepatic dysfunction increases length of stay and risk of death after injury. 2002 , 53, 517-23		46
1345	Clinical significance of increased intraabdominal pressure in severe acute pancreatitis. 2002 , 102, 71-4		50
1344	What are the challenges of translating positive trial results in severe sepsis into clinical practice? A media roundtable debate, 18 March 2002, Brussels, Belgium. 2002 , 6, 271-4		2
1343	Usefulness of procalcitonin for diagnosis of sepsis in the intensive care unit. 2003 , 7, 85-90		157
1342	15th Annual Congress of the European Society of Intensive Care Medicine, 29 September-2 October 2002, Barcelona, Spain: clinical research to improve outcome. 2003 , 7, 91-4		1
1341	The systemic inflammatory response syndrome following cardiac surgery: different expression of proinflammatory cytokines and procalcitonin in patients with and without multiorgan dysfunctions. 2002 , 17, 103-109		61

1340	Peaks of endogenous G-CSF serum concentrations are followed by an increase in respiratory burst activity of granulocytes in patients with septic shock. 2002 , 17, 275-84	28
1339	Procalcitonin as a marker of sepsis. 2002 , 20, 1-9	100
1338	Sepsis: The Magnitude of the Problem. 2002 , 1-9	
1337	Pharmacokinetic and pharmacodynamic considerations when treating patients with sepsis and septic shock. 2002 , 41, 1135-51	113
1336	Alteraciones del sistema de la coagulación y la fibrinólisis en el shock séptico asociado a púrpura. 2002 , 56, 99-103	3
1335	Guidelines for the Use of Parenteral and Enteral Nutrition in Adult and Pediatric Patients. 2002 , 26, 1SA-138SA440	
1334	From SIRS and CARS to SLIRS and LISIS - New concepts for understanding the development of organ failure after clinical insults. 2002 , 13, 143-146	
1333	Pathobiochemistry and clinical use of procalcitonin. 2002 , 323, 17-29	203
1332	The predictive role of serum and bronchoalveolar lavage cytokines and adhesion molecules for acute respiratory distress syndrome development and outcome. 2002 , 3, 25	78
1331	Hyperprocalcitonemia is related to noninfectious postoperative severe systemic inflammatory response syndrome associated with cardiovascular dysfunction after coronary artery bypass graft surgery. 2002 , 16, 47-53	34
1330	Surveillance of infections acquired in intensive care: usefulness in clinical practice. 2002 , 52, 130-5	30
1329	Adenosine: a potential mediator of immunosuppression in multiple organ failure. 2002 , 2, 440-4	48
1328	Sepsis definitions. 2002 , 2, 135	17
1327	Diagnostic value of procalcitonin levels as an early indicator of sepsis. 2002 , 20, 202-6	182
1326	NEWER CONCEPTS AND MANAGEMENT OF NEONATAL SEPSIS. 2002 , 58, 138-42	
1325	[Systemic inflammatory response syndrome and disseminated intravascular coagulation: Sweet syndrome]. 2002 , 202, 125-6	5
1324	Acute renal failure in the critically ill patient. 2002 , 18, 203-22, v	38
1323	Minimally invasive hepatectomy: modulation of systemic reactions to operation or laparoscopic approach?. 2002 , 131, S312-7	15

1322	Template-directed dye-terminator incorporation with fluorescence polarization detection for analysis of single nucleotide polymorphisms implicated in sepsis. 2002 , 4, 209-15	12
1321	Quels scores pronostiques dans le sepsis?What severity scores in sepsis?.. 2002 , 11, 178-185	
1320	Sepsis y shock s�ptico. 2002 , 8, 3861-3866	
1319	Hospital-acquired, laboratory-confirmed bloodstream infection: increased hospital stay and direct costs. 2002 , 23, 190-7	126
1318	An�lisis de las t�cnicas continuas de sustituci�n renal en pacientes cr�ticos con insuficiencia renal aguda. 2002 , 26, 349-355	0
1317	Current strategies for managing the patient with sepsis. 2002 , 59 Suppl 1, S9-13	5
1316	The influence of methylene blue infusion on cytokine levels during severe sepsis. 2002 , 30, 755-62	35
1315	Procalcitonin and proinflammatory cytokine clearance during continuous venovenous haemofiltration in septic patients. 2002 , 30, 269-74	37
1314	Continuous venovenous hemofiltration: effects on monocyte and lymphocyte immunophenotype in critically ill patients. 2002 , 25, 1066-73	4
1313	Goal-directed therapy in the emergency department of patients with severe sepsis and septic shock. 2002 , 4, 283-5	1
1312	Reliability of procalcitonin as a severity marker in critically ill patients with inflammatory response. 2002 , 30, 747-54	34
1311	Risk markers for thrombocytopenia in critically ill patients: a prospective analysis. 2002 , 22, 803-13	43
1310	Stress-dose corticosteroid therapy for sepsis and acute lung injury or acute respiratory distress syndrome in critically ill adults. 2002 , 22, 1140-56	25
1309	ESPEN guidelines on nutrition in acute pancreatitis. European Society of Parenteral and Enteral Nutrition. 2002 , 21, 173-83	75
1308	Effects of nimesulide and pentoxifylline on decreased contractile responses in rat ileum with peritonitis. 2002 , 442, 147-53	7
1307	Antithrombin and near-fatal exertional heat stroke. 2002 , 29, 107-11	8
1306	Sepsis recognition--a greater role for nursing?. 2002 , 18, 135-7	0
1305	JACS CME-1 featured articles, volume 194, June 2002. 2002 , 194, 853-856	

1304	Oxidative stress in septic shock and disseminated intravascular coagulation. 2002 , 33, 1173-85	142
1303	Effect of a glutamine-enriched enteral diet on intestinal permeability and infectious morbidity at 28 days in critically ill patients with systemic inflammatory response syndrome: a randomized, single-blind, prospective, multicenter study. 2002 , 18, 716-21	104
1302	New compact-type latex photometric immunoassay system for hemoglobin and three acute inflammation markers: neutrophil count, C-reactive protein, and anti-streptolysin O. 2002 , 16, 95-102	6
1301	Thoracoscopic right upper mediastinal dissection for left lung cancer. 2002 , 50, 418-23	1
1300	Critical illness myopathy. 2002 , 4, 403-8	28
1299	Pneumonia in multiple injured patients: a prospective controlled trial on early prediction using clinical and immunological parameters. 2002 , 51, 265-72	21
1298	Amino acid imbalance early in septic encephalopathy. 2002 , 28, 293-8	72
1297	Changes in the response of neutrophils to endotoxin priming following major abdominal surgery. 2002 , 26, 521-6	6
1296	Bacterial translocation in patients with Crohn's disease undergoing surgery. 2002 , 45, 1665-71	40
1295	Adrenocortical function and multiple organ failure in severe sepsis. 2002 , 46, 145-51	36
1294	Procalcitonin and neopterin as indicators of infection in critically ill patients. 2002 , 46, 398-404	78
1293	Dynamic nature of early organ dysfunction determines outcome in acute pancreatitis. 2002 , 89, 298-302	392
1292	Influence of an aggressive early enteral nutrition protocol on nitrogen balance in critically ill children. 2002 , 13, 560	55
1291	Impact of different modalities of continuous venovenous hemofiltration on sepsis-induced alterations in experimental pancreatitis. 2002 , 62, 1806-18	45
1290	The effect of methanol washing of plasticized polyvinyl chloride on biomaterial-contact-mediated CD11b (mac-1) expression in a rat recirculation model. 2002 , 26, 5-9	11
1289	Continuous hemofiltration/hemodiafiltration in critical care. 2002 , 6, 193-8	50
1288	Cytokine removal by plasma exchange with continuous hemodiafiltration in critically ill patients. 2002 , 6, 419-24	45
1287	Analysis of risk factors for nosocomial sepsis in surgical patients. 2000 , 87, 1076-81	19

1286	Experimental models of gram-negative sepsis. 2001 , 88, 22-30	163
1285	Procalcitonin strip test in the early detection of severe acute pancreatitis. 2001 , 88, 222-7	80
1284	Early postoperative compensatory anti-inflammatory response syndrome is associated with septic complications after major surgical trauma in patients with cancer. 2002 , 89, 1450-6	106
1283	Association between increased levels of IL-2 and IL-15 and outcome in patients with early acute respiratory distress syndrome. 2002 , 32, 862-7	15
1282	An audit of the use of granulocyte colony-stimulating factor in septic shock. 2002 , 32, 143-8	39
1281	Early increase of procalcitonin after cardiovascular surgery in patients with postoperative complications. 2002 , 28, 1094-102	88
1280	Renal failure and abdominal hypertension after liver transplantation: determination of critical intra-abdominal pressure. 2002 , 8, 1175-81	28
1279	New laboratory tests in acute pancreatitis. 2002 , 7, 181-90	4
1278	Matrix metalloproteinase inhibitors attenuate endotoxemia induced cardiac dysfunction: A potential role for MMP-9. 2003 , 251, 61-66	37
1277	Acute renal failure in patients with cirrhosis: perspectives in the age of MELD. 2003 , 37, 233-43	175
1276	Systemic, renal, and hepatic hemodynamic derangement in cirrhotic patients with spontaneous bacterial peritonitis. 2003 , 38, 1210-8	329
1275	Transient leukocytosis, granulocyte colony-stimulating factor plasma concentrations, and apoptosis determined by binding of annexin V by peripheral leukocytes in patients with severe sepsis. 2003 , 1010, 742-7	12
1274	Progress in Practice: UKCPA Residential Symposium, Hilton Hotel, Blackpool, UK. Friday, 22-Sunday, 24 November 2002. 2003 , 25, 51-101	
1273	Microalbuminuria does not reflect increased systemic capillary permeability in septic shock. 2003 , 29, 391-5	441
1272	Effectiveness of non-invasive positive pressure ventilation differs between decompensated chronic restrictive and obstructive pulmonary disease patients. 2003 , 29, 603-10	24
1271	Somatosensory evoked potentials as predictor of systemic inflammatory response syndrome in pigs?. 2003 , 29, 801-7	15
1270	2001 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. 2003 , 29, 530-8	1632
1269	Procalcitonin and C-reactive protein plasma concentrations in nonseptic uremic patients undergoing hemodialysis. 2003 , 29, 579-83	68

1268	Effect of severe thrombocytopenia on patient outcome after liver transplantation. 2003 , 29, 756-62	48
1267	Drotrecogin alfa (activated) in the treatment of severe sepsis patients with multiple-organ dysfunction: data from the PROWESS trial. 2003 , 29, 894-903	139
1266	Effects of exogenous recombinant human granulocyte colony-stimulating factor (filgrastim, rhG-CSF) on neutrophils of critically ill patients with systemic inflammatory response syndrome depend on endogenous G-CSF plasma concentrations on admission. 2003 , 29, 904-914	14
1265	Renal involvement in children with influenza A virus infection. 2003 , 18, 541-4	38
1264	The serum cytokine profiles of lymphoma-associated hemophagocytic syndrome: a comparative analysis of B-cell and T-cell/natural killer cell lymphomas. 2003 , 77, 286-94	31
1263	Serum Procalcitonin and S100B Are Associated with Mortality after Traumatic Brain Injury. 2003 , 29, 316-323	3
1262	[A population-based survey of critical care]. 2003 , 52, 393-408	2
1261	[Prospective comparative observational study on the antibiotic treatment of secondary peritonitis in Germany -- efficacy and cost analysis]. 2003 , 74, 1134-42	1
1260	The systemic inflammatory response syndrome (SIRS) to identify infected patients in the emergency room. 2003 , 29, 1368-71	50
1259	Improved survival of critically ill cancer patients with septic shock. 2003 , 29, 1688-95	214
1258	Human leukocyte antigen-DR expression in peripheral blood mononuclear cells from healthy donors influenced by the sera of injured patients prone to severe sepsis. 2003 , 29, 2285-2290	4
1257	Lipopolysaccharide-binding protein: a possible diagnostic marker for Gram-negative bacteremia in neutropenic cancer patients. 2003 , 29, 2157-2161	37
1256	Alcohol withdrawal severity is decreased by symptom-orientated adjusted bolus therapy in the ICU. 2003 , 29, 2230-2238	100
1255	Postoperative enteral stimulation by gut feeding improves outcomes in severe acute pancreatitis. 2003 , 19, 487-91	13
1254	Urinary excretion of deoxyypyridinoline increases after gastrointestinal surgery. 2003 , 19, 747-53	1
1253	Severe sepsis--a major challenge for critical care. 2003 , 19, 63-7	3
1252	The utilisation of continuous veno-venous haemofiltration for the removal of septic mediators in patients with systemic inflammatory response syndrome. 2003 , 19, 207-14	9
1251	Heart rate variability as early marker of multiple organ dysfunction syndrome in septic patients. 2003 , 18, 156-63	168

1250	Infections in patients with aplastic anemia: experience at a tertiary care cancer center. 2003 , 98, 86-93	48
1249	Standardized immune monitoring for the prediction of infections after cardiopulmonary bypass surgery in risk patients. 2003 , 53, 54-62	47
1248	High plasma fibrinogen level is associated with poor clinical outcome in DIC patients. 2003 , 72, 1-7	56
1247	Comparison of diagnostic criteria for disseminated intravascular coagulation (DIC): diagnostic criteria of the International Society of Thrombosis and Hemostasis and of the Japanese Ministry of Health and Welfare for overt DIC. 2003 , 74, 17-22	143
1246	A proposed scoring system for predicting mortality in melioidosis. 2003 , 97, 577-81	15
1245	Clinical prognostic markers in patients with severe sepsis: a prospective analysis of 139 consecutive cases. 2003 , 47, 300-6	36
1244	Procalcitonin serum levels after out-of-hospital cardiac arrest. 2003 , 59, 105-9	61
1243	Doppler ultrasonographic evaluation of hepatic blood flow in clinical sepsis. 2003 , 29, 1241-4	29
1242	Immunohistochemical detection of sepsis-induced lung injury in human autopsy material. 2003 , 5, 73-86	26
1241	Anti-inflammatory cytokine response and the development of multiple organ failure in severe sepsis. 2003 , 47, 319-25	57
1240	Influence of endotoxin-induced acute lung injury on pulmonary innate and adaptive immunity. 2003 , 111, 571-80	10
1239	Meningococcal disease: treatable but still terrifying. 2003 , 33, 56-7; author reply 57	
1238	Lymphocyte subset numbers depend on the bacterial origin of sepsis. 2003 , 9, 202-11	47
1237	Reliability of the ica, aap and atfE genes in the discrimination between invasive, colonizing and contaminant <i>Staphylococcus epidermidis</i> isolates in the diagnosis of catheter-related infections. 2003 , 9, 114-9	79
1236	Prospective evaluation of blood cultures in a Turkish university hospital: epidemiology, microbiology and patient outcome. 2003 , 9, 1038-44	21
1235	Bacteremia due to <i>Stomatococcus mucilaginosus</i> in neutropenic patients in the setting of a cancer institute. 2003 , 9, 1068-72	24
1234	Reduced total antioxidant capacity predicts ischaemia-reperfusion injury after femorodistal bypass. 1998 , 85, 221-5	18
1233	Coagulation disorders in patients with cirrhosis and severe sepsis. 2003 , 23, 440-8	85

1232	Endothelial damage caused by cytomegalovirus and human herpesvirus-6. 2003 , 31, 475-9	56
1231	Procalcitonin and C-reactive protein do not discriminate between febrile reaction to anti-T-lymphocyte antibodies and Gram-negative sepsis. 2003 , 32, 941-5	22
1230	Abnormal heart rate characteristics preceding neonatal sepsis and sepsis-like illness. 2003 , 53, 920-6	174
1229	Clopidogrel-induced systemic inflammatory response syndrome. 2003 , 78, 618-20	27
1228	New approaches to the treatment of sepsis. 2003 , 24, 521-48, v	17
1227	The systemic inflammatory response syndrome, organ failure, and mortality after abdominal aortic aneurysm repair. 2003 , 37, 600-6	81
1226	The evaluation and management of shock. 2003 , 24, 775-89	532
1225	The cellular basis of septic shock. 2003 , 15, 13-25	17
1224	Immunomodulation et sepsis l'impact de l'agent pathogène. 2003 , 12, 182-191	
1223	Natural history of organ failure in acute pancreatitis. 2003 , 3, 111-4	57
1222	Shock séptico e insuficiencia suprarrenal relativa. 2003 , 27, 525-530	3
1221	Infection and the progression of hepatic encephalopathy in acute liver failure. 2003 , 125, 755-64	297
1220	Induction of left ventricular remodeling and dysfunction in the recipient heart after donor heart myocardial infarction: new insights into the pathologic role of tumor necrosis factor-alpha from a novel heterotopic transplant-coronary ligation rat model. 2003 , 42, 173-81	19
1219	Endocrine dysfunction in the immediate period following traumatic brain injury. 2003 , 7, P001	1
1218	Cortisol reserve in head trauma victims: evaluation with the low-dose (1 µg) corticotropin (ACTH) stimulation test. 2003 , 7, P002	78
1217	Steroid hormone synthesis is impaired in patients with severe sepsis. 2003 , 7, P003	78
1216	Determination of functional states during sepsis-induced activation of the hypothalamic-pituitary-adrenal (HPA) axis using measurement of ACTH, cortisol, dehydroepiandrosterone-sulfate (DHEAS) and dehydroepiandrosterone (DHEA). 2003 , 7, P004	78
1215	Does transient hyperglycaemia affect cerebral energy metabolism in patients with severe brain trauma?. 2003 , 7, P005	78

1214	Hyperglycemia at admission to ICU is independently associated with increased serum levels of IL-6 and reduced ex vivo TNF-alpha production. 2003, 7, P006	78
1213	Influence of insulin clearance to glucose tolerance in acutely ill severe patients: analysis with glucose clamp method by means of artificial pancreas. 2003, 7, P007	78
1212	Bone turnover in prolonged critical illness: effect of vitamin D. 2003, 7, P008	78
1211	Assessment of energy expenditure and CO2 production with different enteral feeds. 2003, 7, P009	78
1210	The metabolic effect of induced mild hypothermia in critically ill patients. 2003, 7, P010	78
1209	Changes in lymphocyte subpopulations during enrichment of early enteral nutrition with lactic acid bacterium after major abdominal surgery. 2003, 7, P011	78
1208	Enrichment of early enteral nutrition with lactic acid bacterium influences the innate immune system after major abdominal surgery. 2003, 7, P012	78
1207	High correlation between increased negative calorie balance and morbidity in critically ill patients. 2003, 7, P013	78
1206	Use of anabolic steroid therapy in critically ill ICU patients. 2003, 7, P014	78
1205	Hypercapnia attenuates the endotoxin-induced tissue metabolic acidosis in esophageal mucosa. 2003, 7, P015	78
1204	Blood gases: a dreadful combination of metabolic, respiratory and lactic acidosis. 2003, 7, P016	78
1203	Lactic versus nonlactic metabolic acidosis: outcomes in critically ill patients. 2003, 7, P017	5
1202	Relationship between platelet counts, C-reactive protein and plasma fibrinolytic capacity in critically ill patients. 2003, 7, P018	78
1201	Drotrecogin alfa (activated) inhibits degradation of cytokine-mRNA in an endothelial model of inflammation. 2003, 7, P019	78
1200	Gene array transcript profiling of human endothelial cells identifies pathways regulated by Drotrecogin alfa (activated). 2003, 7, P020	78
1199	Treatment of adults with sepsis-induced coagulopathy and purpura fulminans with a plasma-derived protein C concentrate (Ceprotin)□ . 2003, 7, P021	78
1198	Treating medical and surgical patients with activated protein C: a preliminary comparison. 2003, 7, P022	1
1197	Quality of life in ICU survivors with severe sepsis who received activated protein C. 2003, 7, P023	78

1196	Spanish project on benchmarks related to recombinant human activated protein C use: best clinical practices identification. 2003, 7, P024	78
1195	Thrombolysis in fulminant meningococemia (FM) with myocardial infarction (MI) and shock. 2003, 7, P025	78
1194	Asymmetrical dimethylarginine (ADMA) in critically ill patients: high plasma ADMA concentration is an independent risk factor of ICU mortality. 2003, 7, P026	1
1193	The epidemiology of sepsis in Scottish intensive care units. 2003, 7, P027	2
1192	Correlation between changes in mediators and number of dysfunctional organs in sepsis-associated multiple organ dysfunction syndrome (MODS). 2003, 7, P028	78
1191	Safe and effective mediastinal drainage along the carotid sheath for septic mediastinitis. 2003, 7, P029	1
1190	Critical role of pulmonary endothelial production of prostacyclin in the endotoxin-resistant mechanism in mice. 2003, 7, P030	78
1189	Circulating complement proteins for differentiation of SIRS and sepsis. 2003, 7, P031	78
1188	Initial plasma levels of lipopolysaccharide binding protein are associated with severe sepsis in patients with community-acquired pneumonia. 2003, 7, P032	1
1187	TIMP-1, TIMP-2 and MMP-9 as prognostic markers for clinical outcome in sepsis. 2003, 7, P033	78
1186	Peripheral blood lymphocytes of critically ill patients show signs of late stage apoptosis. 2003, 7, P034	0
1185	The effects of salbutamol on neutrophil function. 2003, 7, P035	78
1184	Lymphopenia, hypoprolactinemia and lymphocyte depletion in pediatric multiple organ failure. 2003, 7, P036	78
1183	Impaired blood PMN migration as an indicator of increased susceptibility for bacterial infections in critically ill patients. 2003, 7, P037	78
1182	Impaired PMN migratory capacity: a risk marker for impending infections in severe trauma patients. 2003, 7, P038	78
1181	Role of chemokine receptor 5 during respiratory syncytial virus infection. 2003, 7, P039	78
1180	Enterococcal aggregation substance as target for opsonic antibodies in vitro and in murine sepsis. 2003, 7, P041	78
1179	Identification of diagnostic criteria of septic complications in children with neutropenia. 2003, 7, P042	78

1178	The IL-10 -819T polymorphism is associated with increased susceptibility to severe sepsis. 2003, 7, P043	1
1177	Modulation of NF- κ B signaling in macrophages under long-term and second-hit stimulation. 2003, 7, P044	78
1176	Adenosine enhanced preconditioning prevents apoptosis in the small intestine and inhibits bacterial translocation. 2003, 7, P045	78
1175	Catecholamine pharmacokinetics and pharmacodynamics in critical illness. 2003, 7, P046	78
1174	The effect of vasopressin on gastric perfusion in catecholamine-dependent septic shock patients. 2003, 7, P047	78
1173	Hepato-splanchnic and pancreatic blood flow during administration of vasopressin in septic shock. 2003, 7, P048	0
1172	Renal arterial and microcirculatory blood flow during administration of Ornithin-8-Vasopressin in septic shock. 2003, 7, P049	78
1171	Effects of corlopam infusion on pHi and $\dot{V}O_2$: a randomized controlled clinical trial. Preliminary data. 2003, 7, P050	78
1170	Capillary ischemia and abnormal capillary O ₂ flux during sepsis is not prevented by nitric oxide inhibition. 2003, 7, P051	1
1169	Does generalized edema in sepsis increase muscular tissue pressure?. 2003, 7, P052	1
1168	Myocardial cell injury in septic shock. 2003, 7, P053	78
1167	Severe acute mitral regurgitation complicating acute myocardial infarction: case for aggressive therapy. 2003, 7, P054	1
1166	Hemodynamic effects of levosimendan after surgery in LPS pretreated rabbits. 2003, 7, P055	78
1165	Levosimendan benefits critically ill patients with decompensated heart failure assessed with plasma B-type natriuretic peptide (BNP) and LVEF. 2003, 7, P056	78
1164	Interaction between renal function and the effect of levosimendan on long-term mortality of patients with low-output heart failure. 2003, 7, P057	78
1163	Outcome of pharmacological treatment of patients with atrial fibrillation in the emergency room. 2003, 7, P058	78
1162	The Resuscitation Council UK Immediate Life Support Course. 2003, 7, P059	78
1161	Medicine college curriculum and problem based learning: a training program guided with Basic Life Support course. 2003, 7, P060	78

1160	Seasonal variation in the incidence of in-hospital cardiac arrest: analysis of three groups of cardiac arrest. 2003, 7, P061	78
1159	Serum cardiac markers response to biphasic compared with monophasic electrical cardioversion. 2003, 7, P062	78
1158	Difference in end-tidal carbon dioxide changes during cardiopulmonary resuscitation between cardiac arrest due to asphyxia and VF/VT cardiac arrest. 2003, 7, P063	78
1157	Improved hemodynamics with a novel chest compression device during treatment of in-hospital cardiac arrest. 2003, 7, P064	78
1156	Performance of an automated external cardioverter defibrillator for in-hospital ventricular malignant arrhythmia. 2003, 7, P065	78
1155	Comparison of exponential truncated biphasic versus damped sine wave monophasic shocks in transthoracic cardioversion of atrial fibrillation. 2003, 7, P066	78
1154	Ventricular fibrillatory frequency and its correlation with transthoracic defibrillation current requirement. 2003, 7, P067	78
1153	Post-resuscitation myocardial dysfunction: correlated clinical factors and prognostic implications. 2003, 7, P068	78
1152	The gamma isoform of enolase (NSE) is predictive of mortality after cardiopulmonary resuscitation (CPR): comparison with clinical neurologic examination and CT scan of the brain. 2003, 7, P069	78
1151	Clinical and electrophysiologic associations with outcome in initially comatose survivors of cardiac arrest. 2003, 7, P070	78
1150	Continuous EEG recording in the intensive care unit: epileptiform activity. 2003, 7, P071	78
1149	The role of EEG and brain stem auditory evoked potentials (BAEPS) as predictors of outcome in severe brain injury. 2003, 7, P072	78
1148	The relationship of electroencephalograph fluctuations to intracranial pressure B waves. 2003, 7, P073	78
1147	Hyperventilation-induced reductions in cerebral blood flow velocity outlive the reduction in intracranial pressure in head-injured patients. 2003, 7, P074	2
1146	Decompressive craniectomy in severe traumatic brain injury. 2003, 7, P075	78
1145	Sequential organ failure assessment in neurocritical care. 2003, 7, P076	78
1144	Osmolality changes during mannitol therapy in cerebral oedema. 2003, 7, P077	78
1143	Effects of citicoline treatment in patients with isolated head trauma: a randomized trial. 2003, 7, P078	2

1142	Delayed paraplegia after thoracoabdominal aortic aneurysm repair announced by changes in CSF. 2003, 7, P079	78
1141	Brain natriuretic peptide in acute brain diseases. 2003, 7, P080	78
1140	Transcranial cerebral oximetry (TCCO) monitoring in neurosurgical critically ill patients. 2003, 7, P081	78
1139	Transcranial Doppler ultrasonography at the admission of trauma head-injured patients and their neurological outcome at 3 months. 2003, 7, P082	78
1138	Complications of monitoring of jugular bulb venous saturation. 2003, 7, P083	78
1137	The incidence of sinusitis and the use of ultrasound in early diagnosis of sinusitis in patients with head injury. 2003, 7, P084	78
1136	Risk factors related to death in patients with ischemic stroke. 2003, 7, P085	1
1135	Early signs of critical illness polyneuropathy in porcine sepsis. 2003, 7, P086	78
1134	Serial S-100 levels before, during and after cerebral herniation: a case report. 2003, 7, P087	78
1133	Motor neuron disease caused prolonged mechanical ventilation after high-voltage electrical injury. 2003, 7, P088	78
1132	Diffusion weighted magnetic resonance imaging in early moderate and severe head injury. 2003, 7, P089	78
1131	BrainView: a software designed for quantifying brain volume, weight and density. 2003, 7, P090	78
1130	Brain temperature changes during selective brain cooling. 2003, 7, P091	78
1129	A comparison of effects of propofol or remifentanyl bolus on BIS variations during tracheal suction in mechanically ventilated critically ill patients. 2003, 7, P092	1
1128	The COX-2-specific inhibitor parecoxib sodium is opioid-sparing and improves pain relief as part of a multimodal treatment strategy. 2003, 7, P093	1
1127	Efficacy and safety of a single dose of IV parecoxib sodium followed by up to 7 days of oral valdecoxib for pain following laparoscopic cholecystectomy. 2003, 7, P094	78
1126	Use of Dexmedetomidine beyond 24 hours in the intensive care unit. 2003, 7, P095	78
1125	Effects of intravenous loxapine on systemic and brain hemodynamics. 2003, 7, P096	78

1124	Morphine and remifentanyl and their effects on dreams, nightmares and hallucinations in critically ill patients. 2003 , 7, P097	78
1123	Additive effects of propofol and midazolam on dopamine vasodilatation of isolated rabbit renal arteries. 2003 , 7, P098	1
1122	Effects of protracted administration of FNT on immune function of surgical cancer patients. 2003 , 7, P099	78
1121	Effect of high dose remifentanyl or sufentanyl on postoperative pulmonary function in patients undergoing coronary surgery. 2003 , 7, P100	78
1120	Combination of mild hypothermia and delayed fluid resuscitation improved the survival rate after uncontrolled hemorrhagic shock in rats. 2003 , 7, P101	78
1119	The effect of resuscitative mild hypothermia and oxygen concentration on the survival time during lethal uncontrolled hemorrhagic shock in mechanically ventilated rats. 2003 , 7, P102	78
1118	Usefulness of transarterial embolization in patients with blunt splenic injury showing transient response. 2003 , 7, P103	78
1117	Recombinant activated coagulation factor VII (rFVIIa) as an adjunctive hemostatic therapy in patients with multiple system organ failure and acute upper gastrointestinal bleeding. 2003 , 7, P104	78
1116	Efficacy of recombinant activated factor VII (rFVIIa; NovoSeven [®]) in obstetrical haemorrhagic shock. 2003 , 7, P105	78
1115	Life-threatening hemorrhage in neonates and children: treatment with activated recombinant factor VII. 2003 , 7, P106	78
1114	Hydroxyethyl starch HES 130/0.4 in paediatric surgery: results of an explorative, controlled, multicentre safety study. 2003 , 7, P107	6
1113	The effect of different chloride concentrations in intravenous fluids on patient outcomes. 2003 , 7, P108	78
1112	Blood substitutes consumption and coagulation changes: 200/0.5 vs 130/0.4 hydroxyethyl starch administration. 2003 , 7, P109	78
1111	The prevalence of deep venous thrombosis in Chinese medical ICU patients. 2003 , 7, P110	78
1110	Deep venous thrombosis in medical/surgical ICU patients: prevalence, incidence and risk factors. 2003 , 7, P111	1
1109	Relationship between peak anti-Xa levels and calculated creatinine clearance in ICU patients receiving low molecular weight heparin. 2003 , 7, P112	78
1108	Dalteparin reduces ischemia/reperfusion-induced liver injury in rats by increasing the hepatic tissue level of prostacyclin. 2003 , 7, P113	78
1107	Arterial to end-tidal CO ₂ (PaCO ₂ -EtCO ₂) gradient as a monitoring parameter of efficacy during thrombolytic therapy for massive pulmonary embolism (PE) in spontaneously breathing patients. 2003 , 7, P114	78

1106	Usefulness of double luminal drain with continuous high-pressure aspiration for draining mucinous discharge in abdominal sepsis: prevention of worsening of local inflammation until definitive surgery. 2003 , 7, P115	78
1105	Complications of arterial lines in an intensive care unit. 2003 , 7, P116	2
1104	Arterial catheter-related infections in the intensive care unit: prospective study during 1 year. 2003 , 7, P117	78
1103	Femoral central lines and clinical sepsis. 2003 , 7, P118	78
1102	The efficacy of an antiseptic-impregnated catheter on catheter-related bloodstream infection in the ICU. 2003 , 7, P119	78
1101	The relationship between catheter indwelling time and catheter-related infections. 2003 , 7, P120	78
1100	Intravascular catheter infection during 10,000 days of risk. 2003 , 7, P121	78
1099	Bacterial colonisation of midline and central venous catheters. 2003 , 7, P122	78
1098	Effects of an education: prevention strategy on decreasing catheter-related infections in intensive care. 2003 , 7, P123	1
1097	Risk factors and molecular typing associated with colonization or infection by a multidrug-resistant (MDR) <i>Pseudomonas aeruginosa</i> in intensive care unit (ICU) patients. 2003 , 7, P124	78
1096	Endotoxin-neutralising effect and anti-inflammatory properties of tobramycin and ceftazidime in porcine endotoxic shock. 2003 , 7, P125	78
1095	In vitro activity of imipenem + aminoglycosides against <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter calcoaceticus</i> / <i>baumannii</i> isolated from patients in ICUs in German hospitals (1999-2002). 2003 , 7, 1	78
1094	Activity of ceftriaxone and comparator agents against bacterial pathogens isolated from central nervous system (CNS) (meningeal) specimens: TSN Database USA 2000-2002. 2003 , 7, P127	1
1093	Continuous infusion versus intermittent bolus of ceftazidime for the treatment of nosocomial pneumonia. 2003 , 7, P128	78
1092	Use of 'Synercid' (Aventis) in 132 polytrauma patients with Gram-positive nosocomial infection. 2003 , 7, P129	78
1091	Fungal infections in patients with severe acute pancreatitis and the use of prophylactic therapy. 2003 , 7, P130	78
1090	Itraconazole IV solution in the treatment of candidemia in non-neutropenic patients. 2003 , 7, P131	8
1089	Treatment of invasive candidiasis with caspofungin in the intensive care unit. 2003 , 7, P132	78

1088	Nosocomial infection incidence in patients after hepatic transplantation. 2003 , 7, P133	78
1087	A decade with Falciparum Malaria in the ICU. 2003 , 7, P134	78
1086	No significant excess mortality in ICU patients with nosocomial Escherichia coli bacteremia. 2003 , 7, P135	78
1085	Nosocomial bloodstream infection from abdominal origin in a general ICU: microbiological factors influencing outcome. 2003 , 7, P136	78
1084	Transfer in ICU of febrile neutropenic patients: prospective validation of a prognostic score identifying 'high-risk' patients. 2003 , 7, P137	78
1083	Bacteremia mortality according to microorganism responsible and origin source of bacteremia in critically ill patients. 2003 , 7, P138	78
1082	Severe community acquired pneumonia and ARDS: prognostic factors in infants. 2003 , 7, P139	78
1081	Glucose in airway secretions and an association with the presence of Staphylococcus aureus in the respiratory tract. 2003 , 7, P140	1
1080	Pulmonary infection in brain-injured patients. 2003 , 7, P141	78
1079	Nosocomial pneumonia mortality according to antibiotic sensibility of the microorganism responsible. 2003 , 7, P142	78
1078	Empiric antibiotic therapy for ventilator-associated pneumonia: a systematic review of the evidence. 2003 , 7, P143	1
1077	Impact of ventilator-associated tracheobronchitis on outcome in patients with chronic obstructive pulmonary disease. 2003 , 7, P144	78
1076	Ventilator-associated pneumonia in intubated children: comparison of different diagnostic methods. 2003 , 7, P145	78
1075	The complications associated with mechanical ventilation. 2003 , 7, P146	1
1074	A comparison of the frequency of aspiration pneumonia in three groups, receiving sucralfate, receiving ranitidine and control group, in Khatam-Ol-Anbia hospital ICU. 2003 , 7, P147	78
1073	Periodic change of ventilator circuits: an unnecessary cost. 2003 , 7, P148	78
1072	Ventilator-associated pneumonia with a closed versus an open endotracheal suction system. 2003 , 7, P149	78
1071	Comperative clinical trial of translaryngeal tracheostomy and forceps dilatational tracheostomy. 2003 , 7, P150	78

1070	Dilatation tracheostomy under visual control. 2003 , 7, P151	78
1069	Complication rates of percutaneous tracheostomy in the intensive care unit. 2003 , 7, P152	0
1068	Complications during tracheal intubation and percutaneous dilatational tracheostomy in the ICU. 2003 , 7, P153	78
1067	Survey of airway management in intensive care units in the UK. 2003 , 7, P154	1
1066	Relationship between absolute humidity of inspired and expired gases with an active humidifier. 2003 , 7, P155	78
1065	Use of the ProSeal Laryngeal Mask to protect the airway from methylene blue dye. 2003 , 7, P156	1
1064	Heliox improves aerosol deposition and tidal volume in a model of acute airway obstruction. 2003 , 7, P157	1
1063	Inspiratory gas temperature in the endotracheal tube when ventilated with a heated humidifier. 2003 , 7, P158	78
1062	Carbon dioxide monitoring during high-frequency jet ventilation for rigid bronchoscopy. 2003 , 7, P159	1
1061	Inhaled nitric oxide in postpneumonectomy pulmonary edema. 2003 , 7, P160	78
1060	Nitric oxide therapy in persistent pulmonary hypertension of the newborns (PPHN): predictors of survival in a single center experience. 2003 , 7, P161	78
1059	Is the inhaled nitric oxide useful in pulmonary embolism? An experimental study. 2003 , 7, P162	78
1058	Respiratory drive at rest and during exercise in obstructive sleep apnea patients before and after CPAP treatment. 2003 , 7, P163	78
1057	Effects of a low tidal volume ventilation strategy on the pressure/volume curve in ALI/ARDS patients. 2003 , 7, P164	78
1056	Histopathological effects of lidocain and methylprednisolone in experimental acute lung injury. 2003 , 7, P165	78
1055	Effect of perfluorocarbon emulsion on the level of nitric oxide and hydrogen peroxide in patients with acute respiratory failure. 2003 , 7, P166	78
1054	Improvement of cardiac output with BiLevel ventilation in patients with high airway pressures. 2003 , 7, P167	78
1053	Effects of PEEP on intrathoracic blood volumes and cardiac function in ARDS patients assessed by a double indicator dilution technique. 2003 , 7, P168	78

1052	Relationship between intrapulmonary oxygen consumption and oxygenation index in patients with post-traumatic acute respiratory distress syndrome. 2003 , 7, P169	78
1051	Intermittent prone positioning improves oxygenation but has no influence on outcome in the treatment of post-traumatic lung injury: a prospective, randomized, controlled study. 2003 , 7, P170	78
1050	Kinetic therapy in Germany: results of a randomized cross-sectional survey. 2003 , 7, P171	0
1049	The prognostic value of the change of oxygenation index after starting prone position ventilation in ARF. 2003 , 7, P172	78
1048	A prospective randomised study on clinical and economical aspects of closed loop control and common weaning protocols after cardiac surgery. 2003 , 7, P173	78
1047	The effects of different weaning modes on stress response. 2003 , 7, P174	78
1046	Effect of the 'upper limb trainer' on lung volume during the weaning phase with ICU patients: an exploring study. 2003 , 7, P175	78
1045	Cardiorespiratory measurements during weaning from mechanical ventilation in critical care patients: comparison of pressure support ventilation and T-piece. 2003 , 7, P176	78
1044	Clinical features and outcome of patients with extubation failure. 2003 , 7, P177	78
1043	Haemodynamic monitoring during high-frequency oscillatory ventilation in adults. 2003 , 7, P178	78
1042	Effects of different body positions on intra-abdominal pressure and dynamic respiratory compliance. 2003 , 7, P179	10
1041	Pressures in the superior and inferior vena cava and intra-abdominal pressure. 2003 , 7, P180	78
1040	Continuous negative abdominal pressure decreases intra-abdominal and central venous pressure in ICU patients. 2003 , 7, P181	78
1039	Effects of continuous negative abdominal pressure on intrathoracic blood shift with and without increased intra-abdominal pressure: experimental study. 2003 , 7, P182	1
1038	Can abdominal perimeter be used as an accurate estimation of intra-abdominal pressure?. 2003 , 7, P183	11
1037	Estimating the optimal bladder volume for intra-abdominal pressure measurement by bladder pressure-volume curves. 2003 , 7, P184	7
1036	Bioelectrical impedance analysis as a predictor for survival in patients with systemic inflammatory response syndrome. 2003 , 7, P185	1
1035	Assessment of variables affecting the accuracy of extravascular lung water (EVLW) by single versus double indicator dilution techniques in ARDS patients. 2003 , 7, P186	78

1034	Is there a role of extravascular lung water (EVLW) in the development of atelectasis in ARDS?. 2003 , 7, P187	78
1033	Intrathoracic blood volume is not a sensitive indicator for hypervolaemia in healthy, mechanically ventilated pigs. 2003 , 7, P188	78
1032	Ultrasound diagnosis of an acute dyspnea. 2003 , 7, P189	11
1031	Beat-by-beat measurement of cardiac output during aortocoronary surgery. 2003 , 7, P190	78
1030	Early detection of cardiovascular instability by monitoring oxygen uptake and carbon dioxide production. 2003 , 7, P191	78
1029	Transpulmonary thermodilution technique for cardiac output measurements: single versus double indicator. 2003 , 7, P192	78
1028	Continuous monitoring of cardiac output during pneumoperitoneum by esophageal Doppler. 2003 , 7, P193	78
1027	The effect of a decrease in arterial blood pressure on renal urodilatin excretion in anesthetized rats. 2003 , 7, P194	78
1026	A new device for measuring dermal blood flow in critically ill patients. 2003 , 7, P195	78
1025	Postoperative on-line monitoring with intraperitoneal microdialysis (IPM) detects early visceral ischemia and correlates to the current intraperitoneal cytokine response. 2003 , 7, P196	2
1024	Hyperhomocysteinaemia as an indicator of infection and disease severity in ICU patients. 2003 , 7, P197	78
1023	Is PCT a marker of infection and/or mortality?. 2003 , 7, P198	78
1022	Regional variation in anti-endotoxin core antibody levels in healthy and preoperative surgical populations. 2003 , 7, P199	1
1021	How high risk are 'high-risk' surgical patients?. 2003 , 7, P200	78
1020	Perioperative myocardial infarction can be predicted by preoperative electrocardiography. 2003 , 7, P201	78
1019	Perioperative optimisation may be associated with different ICU outcomes in AAA and major thoracotomy. 2003 , 7, P202	78
1018	Plasma levels of urotensin II are increased in patients with three-vessel coronary artery disease and left ventricular dysfunction. 2003 , 7, P203	78
1017	Prognostic value of cardiac Troponin I after cardiac surgery: comparison with two different assays. 2003 , 7, P204	78

1016	Changes in brain natriuretic peptide concentrations after cardiac surgery: kinetics and prognostic value. 2003, 7, P205	78
1015	Correlation of lactate, pHi and oxygen extraction ratio with cardiac index in ICU patients after aortic surgery. 2003, 7, P206	78
1014	Prognostic value of gastric tonometry in patients with intestinal obstruction. 2003, 7, P207	1
1013	Critical role of capsaicin-sensitive sensory neurons in gender difference in the stress-induced gastric mucosal injury in rats. 2003, 7, P208	78
1012	Gastric residual volume and the paracetamol gastric motility test in critically ill patients. 2003, 7, P209	78
1011	Interleukin-18 levels reflect the severity of acute pancreatitis. 2003, 7, P210	78
1010	Extrapancreatic microcirculatory injury in acute experimental pancreatitis in the rat. 2003, 7, P212	78
1009	CVVH versus IHD in patients with multiple organ failure. 2003, 7, P214	78
1008	Very high volume haemofiltration (VHVHF) (8.75 l/hour) sustained during a 4 hour period of time can remove by filtration significantly higher amounts of cytokine compared with low volume haemofiltration (LVHF) (1 l/hour) and is accompanied by a significant drop in cytokines only in haemodynamical responders and survivors during early severe septic shock. 2003, 7, P215	2
1007	Effect of continuous hemodiafiltration (CHDF) on vascular endothelial cell function in sepsis patients. 2003, 7, P216	78
1006	Is it true that PMX-DHP can improve lung oxygenation?. 2003, 7, P217	78
1005	Plasmafiltration in septic shock: a review of 15 cases. 2003, 7, P218	78
1004	Retrospective study of continuous haemofiltration on patients with acute liver failure with renal dysfunction. 2003, 7, P219	78
1003	Retrospective study of the effect of haemofiltration on the outcome of patients with chronic liver disease with renal dysfunction. 2003, 7, P220	78
1002	Creatinine index in acute renal failure: an outcome and nutritional indicator. 2003, 7, P221	78
1001	Immediate effects of a bolus of furosemide on hemodynamics in critically ill patients. 2003, 7, P222	78
1000	Comparison between continuous versus bolus furosemide administration in oliguric postoperative paediatric cardiac patients. 2003, 7, P223	78
999	Hypokalemia, magnesium and high creatinine. 2003, 7, P224	78

998	Outcome from acute renal failure complicating critical illness is influenced by age. 2003 , 7, P225	1
997	Time course of organ dysfunction comparing survivors and nonsurvivors: results of the multicentric study 'Sepsis occurrence in the acutely ill patients' (SOAP). 2003 , 7, P226	78
996	Is MMODS better than SOFA?. 2003 , 7, P227	78
995	Variation of results of the SMR using APACHE II, APACHE III and SAPS II. 2003 , 7, P228	78
994	An upper estimate of the attributable mortality and cost of severe sepsis in surgical patients. 2003 , 7, P229	78
993	Modelling the cost-effectiveness of treatment of septic patients in intensive care units in Hungary. 2003 , 7, P230	78
992	Outcome and cost of sepsis in intensive care units in Hungary. 2003 , 7, P231	78
991	Cost-effectiveness of early goal-directed therapy in the treatment of severe sepsis and septic shock. 2003 , 7, P232	2
990	Effect of socioeconomic deprivation on intensive care mortality. 2003 , 7, P233	2
989	On call physiotherapy: the impact of outreach services. 2003 , 7, P234	78
988	Principles for improving the standards for drug-help in the intensive care units. 2003 , 7, P235	78
987	Implementation of a computerized bedside data management program in the ICU. 2003 , 7, P236	78
986	Comparison of general medical and general surgical nursing intervention following Early Warning Score triggers. 2003 , 7, P237	78
985	Evaluating knowledge in acute illness: Critical Care Educational Project. 2003 , 7, P238	78
984	Critical care training needs analysis for ward staff. 2003 , 7, P239	1
983	A modification of the blood sampling technique in critical care to reduce blood wastage. 2003 , 7, P240	1
982	Education reduces unnecessary diagnostic blood sampling in the intensive care unit (ICU). 2003 , 7, P241	1
981	The efficacy of high performance liquid chromatography (HPLC) for the diagnosis of intoxication patients in the emergency room and ICU. 2003 , 7, P242	1

980	Admission to an adult intensive care unit for poisoning: a review of 230 cases. 2003 , 7, P243	1
979	Organophosphate poisoning in the intensive care unit. 2003 , 7, P244	2
978	Intensive care expenditure on overdose admissions. 2003 , 7, P245	78
977	Adverse incidents in a paediatric ICU: a model to identify latent risk factors. 2003 , 7, P246	78
976	Iatrogenic complications in the ICU: prospective study during 10 months. 2003 , 7, P247	1
975	Near-miss maternal mortality in North Greece during the past decade. 2003 , 7, P248	78
974	Stress and other personality traits in ICU staff. 2003 , 7, P249	78
973	ICU staff level of depression. 2003 , 7, P250	78
972	Intensive care nurses' attitudes to withdrawal of treatment. 2003 , 7, P251	78
971	Predictors of clinician discomfort with daily life support plans for mechanically ventilated patients. 2003 , 7, P252	78
970	Attitudes and practices about do-not-resuscitate orders in Turkey. 2003 , 7, P253	78
969	Influencing advance directive completion rates in nonterminally ill patients: a systematic review. 2003 , 7, P254	1
968	Lifestyle adaptation of the patient post coronary artery bypass surgery (CABG). 2003 , 7, P255	78
967	Late sequela of primary post-traumatic ARDS. 2003 , 7, P256	78
966	Changes of health-related quality of life in survivors of acute respiratory distress syndrome. 2003 , 7, P257	78
965	Resolution and outcome of acute circulatory failure does not correlate with hemodynamics. 2003 , 7, R52	4
964	Pharmacokinetic dosing of aminoglycosides: a controlled trial. 2003 , 114, 194-8	117
963	Interleukin-18 concentration in the peritoneal fluid correlates with the severity of peritonitis. 2003 , 185, 550-5	25

962	Measurement of endotoxin, IL-6, IL-8 and blood lactate after cardiac surgery: re-evaluation of the systemic inflammatory response induced by cardiopulmonary bypass. 2003 , 7, P040	0
961	Rapid up-regulation of IRAK-M expression following a second endotoxin challenge in human monocytes and in monocytes isolated from septic patients. 2003 , 311, 465-72	169
960	Hemostatic changes in dogs with naturally occurring sepsis. 2003 , 17, 674-9	138
959	Risk factors and prognostic variables for survival of foals with radiographic evidence of pulmonary disease. 2003 , 17, 868-75	23
958	Clinical and prognostic significance of radiographic pattern, distribution, and severity of thoracic radiographic changes in neonatal foals. 2003 , 17, 876-86	26
957	The combination of polymicrobial sepsis and endotoxin results in an inflammatory process that could not be predicted from the independent insults. 2003 , 111, 203-8	9
956	Association of two polymorphisms of tumor necrosis factor gene with acute severe pancreatitis. 2003 , 112, 138-43	39
955	Imbalances between the levels of tissue factor and tissue factor pathway inhibitor in ARDS patients. 2003 , 109, 119-24	87
954	Bisacodyl rectal preparation can decrease infectious complications of transrectal ultrasound-guided prostate biopsy. 2003 , 62, 461-6	81
953	Can Enterococcal Infections Initiate Sepsis Syndrome?. 2003 , 5, 372-378	10
952	[Lemierre's syndrome: a report of six cases]. 2003 , 24, 17-23	6
951	Apoptosis of neurons in cardiovascular autonomic centres triggered by inducible nitric oxide synthase after death from septic shock. 2003 , 362, 1799-805	255
950	Drotrecogin alfa (recombinant human activated protein C) for the treatment of severe sepsis. 2003 , 25, 396-421	20
949	Efficacité d'une monothérapie par amoxicilline-acide clavulanique correspondant aux posologies humaines sur un modèle de bactériémie expérimentale \hat{E} Escherichia coli de phénotype intermédiaire chez le microporc Yucatan. 2003 , 33, 63-69	0
948	The effect of TNF- β converting enzyme inhibitors on cytokine response in acute pancreatitis. 2003 , 1255, 173-175	2
947	Endothelin is involved in pancreatic and intestinal ischemia during severe acute pancreatitis. 2003 , 1255, 187-191	1
946	Hydrocortisone improved haemodynamics and fluid requirement in surviving but not non-surviving of severely burned patients. 2003 , 29, 717-20	19
945	Ventilator-associated pneumonia: Incidence, risk factors, outcome, and microbiology. 2003 , 17, 22-8	76

944	Necrotizing soft tissue infections of the head and neck: case reports and literature review. 2003 , 95, 30-7		30
943	La procalcitonine (PCT) est-elle le marqueur spécifique du choc septique ?. 2003 , 18, 120-122		5
942	A new endotoxin adsorption device in Gram-negative sepsis: use of immobilized albumin with the MATISSE adsorber. 2003 , 29, 93-8		29
941	Significant elevation of urinary trypsin inhibitor in patients with brain contusion--a preliminary report. 2003 , 10, 677-9		5
940	Effects of polymyxin B-immobilized fiber hemoperfusion on amino acid imbalance in septic encephalopathy. 2003 , 21, 282-6		8
939	[Occult bacteremia, per se, is not a form of invasive disease]. 2003 , 58, 502-3		
938	Incidence of organ failure in patients with severe acute pancreatitis. 2003 , 7, P211		5
937	Acute renal failure as a risk factor associated with acute pancreatitis. 2003 , 7, P213		78
936	The use of a rapid in situ test in the detection of central venous catheter-related bloodstream infection: a prospective study. 2003 , 27, 146-50		18
935	¿Antibioterapia profiláctica en la pancreatitis aguda grave?. 2003 , 27, 110-117		2
934	[Acinetobacter baumannii bacteremia: clinical and prognostic features]. 2003 , 21, 242-7		16
933	Safety and efficacy of molgramostim as an adjunctive therapy in critically ill patients with severe sepsis. 2003 , 35, 175-9		0
932	2001 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. <i>Critical Care Medicine</i> , 2003 , 31, 1250-6	1.4	4459
931	Immature Granulocyte Measurement Using the Sysmex XE-2100. 2003 , 120, 795-799		619
930	Correlation between mortality and the levels of inter-alpha inhibitors in the plasma of patients with severe sepsis. 2003 , 188, 919-26		88
929	Streptococcus pneumoniae bacteremia: duration of previous antibiotic use and association with penicillin resistance. 2003 , 36, 1132-8		50
928	Arginine vasopressin in advanced vasodilatory shock: a prospective, randomized, controlled study. 2003 , 107, 2313-9		469
927	Increased soluble fibrin in plasma of patients with disseminated intravascular coagulation. 2003 , 9, 233-40		28

926	Acute inflammation and infection maintain circulating phospholipid levels and enhance lipopolysaccharide binding to plasma lipoproteins. 2003 , 44, 2339-48	82
925	Effective immunomodulatory treatment of Escherichia coli experimental sepsis with thalidomide. 2003 , 47, 2445-9	13
924	Endothelial cells are main producers of interleukin 8 through Toll-like receptor 2 and 4 signaling during bacterial infection in leukopenic cancer patients. 2003 , 10, 558-63	29
923	Lipopolysaccharide-binding protein serum levels in patients with severe sepsis due to gram-positive and fungal infections. 2003 , 187, 287-91	68
922	An overview of clinical studies in healthy subjects and patients with severe sepsis with IC14, a CD14-specific chimeric monoclonal antibody. 2003 , 9, 385-389	14
921	Molecular characterization of the acute inflammatory response to infections with gram-negative versus gram-positive bacteria. 2003 , 71, 5803-13	170
920	Clinical identifiers of complicated Staphylococcus aureus bacteremia. 2003 , 163, 2066-72	436
919	Association of endogenous G-CSF with anti-inflammatory mediators in patients with acute respiratory distress syndrome. 2003 , 23, 729-36	27
918	The epidemiology of severe sepsis syndrome and its treatment with recombinant human activated protein C. 2003 , 4, 1789-99	1
917	Three days of intravenous benzyl penicillin treatment of meningococcal disease in adults. 2003 , 37, 658-62	28
916	Systemic cytokine responses in patients with influenza-associated encephalopathy. 2003 , 188, 690-8	139
915	Global end-diastolic volume as an indicator of cardiac preload in patients with septic shock. 2003 , 124, 1900-8	309
914	Sepsis: A follow-up of cytokine production in different phases of septic patients. 2003 , 11, 585	4
913	Immature granulocyte measurement using the Sysmex XE-2100. Relationship to infection and sepsis. 2003 , 120, 795-9	37
912	Caloric intake in medical ICU patients: consistency of care with guidelines and relationship to clinical outcomes. 2003 , 124, 297-305	388
911	Relationships of circulating nitrite/nitrate levels to severity and multiple organ dysfunction syndrome in systemic inflammatory response syndrome. 2003 , 19, 305-9	35
910	Immunologic and hemodynamic effects of "low-dose" hydrocortisone in septic shock: a double-blind, randomized, placebo-controlled, crossover study. 2003 , 167, 512-20	459
909	Sample asymmetry analysis of heart rate characteristics with application to neonatal sepsis and systemic inflammatory response syndrome. 2003 , 54, 892-8	99

908	[The MEDAN database: patients with abdominal septic shock]. 2003 , 128, 298-303		1
907	Prospective pilot study of neoadjuvant chemotherapy with 5-fluorouracil, folinic acid and oxaliplatin in resectable liver metastases of colorectal cancer. Analysis of 42 neoadjuvant chemotherapies. 2003 , 128, 87-94		17
906	Cyclic changes in arterial pulse during respiratory support revisited by Doppler echocardiography. 2003 , 168, 671-6		123
905	[Septic shock and systemic inflammatory response syndrome--diagnosis]. 2003 , 128, 2368-71		1
904	Late complication of abdominoplasty in an obese patient: systemic inflammatory response syndrome and seroma. 2003 , 111, 1568-71		7
903	The clinical value of procalcitonin and neopterin in predicting sepsis and organ failure after major trauma. 2003 , 20, 420-6		60
902	Sepsis, systemic inflammatory response syndrome, multiple organ dysfunction syndrome, and multiple organ failure: are trauma surgeons lumpers or splitters?. 2003 , 55, 997-8		24
901	The problems and challenges of immunotherapy in sepsis. 2003 , 123, 451S-9S		57
900	Monocyte CD40 expression in severe sepsis. 2003 , 19, 24-7		25
899	Deactivation of alveolar macrophages in septic neutropenic ARDS. 2003 , 124, 644-52		38
898	Metabolic alterations in sepsis and vasoactive drug-related metabolic effects. 2003 , 9, 271-8		58
897	Arginine availability, arginase, and the immune response. 2003 , 6, 223-8		165
896	The effect of vasopressin on gastric perfusion in catecholamine-dependent patients in septic shock. 2003 , 124, 2256-60		167
895	Is the implementation of research findings in the critically ill hampered by the lack of universal definitions of illness?. 2003 , 9, 308-15		8
894	Cost-effectiveness of drotrecogin alfa (activated) in the treatment of severe sepsis. <i>Critical Care Medicine</i> , 2003 , 31, 1-11	1.4	216
893	Heat shock protein 70 genotypes HSPA1B and HSPA1L influence cytokine concentrations and interfere with outcome after major injury. <i>Critical Care Medicine</i> , 2003 , 31, 73-9	1.4	74
892	Current clinical practice. DIC 2002: a review of disseminated intravascular coagulation. 2003 , 8, 65-71		11
891	Therapeutic potential of superoxide dismutase mimetics as therapeutic agents in critical care medicine. <i>Critical Care Medicine</i> , 2003 , 31, S29-38	1.4	99

890	Nuclear factor kappa B expression in peripheral blood mononuclear cells of patients with acute pancreatitis. 2003 , 26, 350-6		24
889	Further evidence for endothelin as an important mediator of pancreatic and intestinal ischemia in severe acute pancreatitis. 2003 , 26, 218-23		41
888	Transforming growth factor-beta1 and major trauma: time-dependent association with hepatic and renal insufficiency. 2003 , 19, 16-23		21
887	Flagellin from gram-negative bacteria is a potent mediator of acute pulmonary inflammation in sepsis. 2003 , 19, 131-7		89
886	Treatment of severe sepsis with Xigris: implications for the clinical nurse specialist. 2003 , 17, 128-30		
885	Adrenal insufficiency during septic shock. <i>Critical Care Medicine</i> , 2003 , 31, 141-5	1.4	349
884	Plasma concentration of Gc-globulin is associated with organ dysfunction and sepsis after injury. <i>Critical Care Medicine</i> , 2003 , 31, 152-6	1.4	109
883	Role of flagellin in the pathogenesis of shock and acute respiratory distress syndrome: therapeutic opportunities. <i>Critical Care Medicine</i> , 2003 , 31, S39-45	1.4	16
882	The clinical implications of the systemic inflammatory reaction related to cardiac operations in children. 2003 , 13, 228-39		51
881	Naloxone for shock. 2003 , CD004443		97
880	Time course of hemoglobin concentrations in nonbleeding intensive care unit patients. <i>Critical Care Medicine</i> , 2003 , 31, 406-10	1.4	126
879	Protective role of heme oxygenase-1 in the intestinal tissue injury in an experimental model of sepsis. <i>Critical Care Medicine</i> , 2003 , 31, 893-902	1.4	58
878	Stress doses of hydrocortisone reduce severe systemic inflammatory response syndrome and improve early outcome in a risk group of patients after cardiac surgery. <i>Critical Care Medicine</i> , 2003 , 31, 1068-74	1.4	169
877	Fluconazole improves survival in septic shock: a randomized double-blind prospective study. <i>Critical Care Medicine</i> , 2003 , 31, 1938-46	1.4	92
876	Sublingual capnometry versus traditional markers of tissue oxygenation in critically ill patients. <i>Critical Care Medicine</i> , 2003 , 31, 818-22	1.4	133
875	Effectiveness of direct-current cardioversion for treatment of supraventricular tachyarrhythmias, in particular atrial fibrillation, in surgical intensive care patients. <i>Critical Care Medicine</i> , 2003 , 31, 401-5	1.4	53
874	Interleukin-1 beta rapidly inhibits aortic endothelium-dependent relaxation by a DNA transcription-dependent mechanism. <i>Critical Care Medicine</i> , 2003 , 31, 910-5	1.4	20
873	Possible role of increased oxidant stress in multiple organ failure after systemic inflammatory response syndrome. <i>Critical Care Medicine</i> , 2003 , 31, 1048-52	1.4	170

872	Cardiovascular management of septic shock. <i>Critical Care Medicine</i> , 2003 , 31, 946-55	1.4	287
871	Adrenocortical hormones in survivors and nonsurvivors of severe sepsis: diverse time course of dehydroepiandrosterone, dehydroepiandrosterone-sulfate, and cortisol. <i>Critical Care Medicine</i> , 2003 , 31, 1382-8	1.4	64
870	Reassessing the value of short-term mortality in sepsis: comparing conventional approaches to modeling. <i>Critical Care Medicine</i> , 2003 , 31, 2627-33	1.4	42
869	Report of a case series of ultra low-frequency oscillations in cardiac output in critically ill adults with sepsis, systemic inflammatory response syndrome, and multiple organ dysfunction syndrome. 2003 , 20, 101-9		5
868	Enhanced expression of intranuclear NF-kappa B in primed polymorphonuclear leukocytes in systemic inflammatory response syndrome patients. 2003 , 54, 253-60		12
867	Ischemic skin lesions as a complication of continuous vasopressin infusion in catecholamine-resistant vasodilatory shock: incidence and risk factors. <i>Critical Care Medicine</i> , 2003 , 31, 1394-8	1.4	200
866	Circulating vasopressin levels in septic shock. <i>Critical Care Medicine</i> , 2003 , 31, 1752-8	1.4	332
865	Lipoprotein metabolism in patients with severe sepsis. <i>Critical Care Medicine</i> , 2003 , 31, 1359-66	1.4	234
864	Lipid composition and lipopolysaccharide binding capacity of lipoproteins in plasma and lymph of patients with systemic inflammatory response syndrome and multiple organ failure. <i>Critical Care Medicine</i> , 2003 , 31, 1647-53	1.4	60
863	Infection Probability Score (IPS): A method to help assess the probability of infection in critically ill patients. <i>Critical Care Medicine</i> , 2003 , 31, 2579-84	1.4	61
862	High-dose vasopressin is not superior to norepinephrine in septic shock. <i>Critical Care Medicine</i> , 2003 , 31, 2646-50	1.4	233
861	Alterations of red blood cell shape and sialic acid membrane content in septic patients. <i>Critical Care Medicine</i> , 2003 , 31, 2156-62	1.4	557
860	Sepsis and the dendritic cell. 2003 , 20, 386-401		69
859	Optimal threshold for diagnosis of ventilator-associated pneumonia using bronchoalveolar lavage. 2003 , 55, 263-7; discussion 267-8		53
858	Comparison of procalcitonin and C-reactive protein as markers of sepsis. <i>Critical Care Medicine</i> , 2003 , 31, 1737-41	1.4	287
857	Paradoxical cytoskeleton and microparticle formation changes in monocytes and polymorphonuclear leukocytes in severe systemic inflammatory response syndrome patients. 2003 , 55, 1125-32		11
856	Postoperative intra-abdominal pressure and renal function after liver transplantation. 2003 , 138, 703-6		66
855	Clinical, Hematological, and Biochemical Analysis of Experimental Endotoxemia in Thoroughbred Horses. 2003 , 14, 5-12		10

854	Extracellular ubiquitin inhibits the TNF-alpha response to endotoxin in peripheral blood mononuclear cells and regulates endotoxin hyporesponsiveness in critical illness. 2003 , 101, 1882-90	78
853	[Pharmacological profile of a specific neutrophil elastase inhibitor, Sivelestat sodium hydrate]. 2003 , 122, 151-60	9
852	Flow cytometric analysis of peripheral blood mononuclear cells induced by experimental endotoxemia in horse. 2003 , 65, 857-63	10
851	Association of proinflammatory molecules with apoptotic markers and survival in critically ill multiple organ dysfunction patients. 2003 , 5, 129-41	5
850	Shock and Resuscitation. 2003 , 95-103	
849	Changes in circulating levels of calcitonin gene-related peptide and nitric oxide metabolites in septic patients during direct hemoperfusion with polymyxin B-immobilized fiber. 2003 , 21, 237-43	9
848	[Dopamine and kidney in sepsis: a systematic review]. 2003 , 49, 317-25	5
847	Avanços no diagnóstico e tratamento da sepse. 2003 , 79, S195-S204	12
846	INSUFICIÊNCIA RENAL AGUDA. 2003 , 36, 307	6
845	Intensity of rainfall and severity of melioidosis, Australia. 2003 , 9, 1538-42	177
844	Procalcitonin: a marker of bacteraemia in SIRS. 2003 , 31, 629-36	37
843	Antioxidant and oxidative stress indices in dialysis-dependent acute renal failure. 2003 , 21, 213-9	13
842	Involvement of IL-18 and soluble fas in patients with postoperative hepatic failure. 2003 , 35, 61-6	20
841	Serum procalcitonin and C-reactive protein as markers of sepsis and outcome in patients with neurotrauma and subarachnoid haemorrhage. 2004 , 32, 465-70	47
840	Kupffer cell activity is involved in the hepatoprotective effect of dietary oligofructose in rats with endotoxic shock. 2004 , 134, 1124-9	21
839	Correlation between extravascular lung water and oxygenation in ALI/ARDS patients in septic shock: possible role in the development of atelectasis?. 2004 , 32, 196-201	20
838	Correlation between oxygen consumption calculated using Fick's method and measured with indirect calorimetry in critically ill patients. 2004 , 82, 77-81, 72-6	6
837	Sepsis associated encephalopathy (SAE): a review. 2004 , 9, 1637-41	43

- 836 Serum levels of the apoptosis-associated molecules, tumor necrosis factor-alpha/tumor necrosis factor type-I receptor and Fas/FasL, in sepsis. **2004**, 125, 2238-46 643
- 835 Acute renal failure in the intensive care unit. Risk factors. **2004**, 144, 12-8
- 834 Tumor necrosis factor as a pharmacological target. **2004**, 98, 1-8 13
- 833 Adjunctive granulocyte colony-stimulating factor for treatment of septic shock due to melioidosis. **2004**, 38, 32-7 84
- 832 Antibiotic usage in intensive care units: a pharmaco-epidemiological multicentre study. **2004**, 54, 221-4 27
- 831 Persistent bacteremia due to methicillin-resistant *Staphylococcus aureus* infection is associated with agr dysfunction and low-level in vitro resistance to thrombin-induced platelet microbicidal protein. **2004**, 190, 1140-9 277
- 830 Cytokine production and monocyte HLA-DR expression as predictors of outcome for patients with community-acquired severe infections. **2004**, 11, 161-7 132
- 829 Highly purified vitamin B2 presents a promising therapeutic strategy for sepsis and septic shock. **2004**, 72, 1820-3 32
- 828 Isolates of *Burkholderia pseudomallei* from Northern Australia are distinct by multilocus sequence typing, but strain types do not correlate with clinical presentation. **2004**, 42, 5477-83 45
- 827 Infected bilomas in liver transplant recipients: clinical features, optimal management, and risk factors for mortality. **2004**, 39, 517-25 40
- 826 High-level penicillin-nonsusceptible *Streptococcus pneumoniae* bacteremia: identification of a low-risk subgroup. **2004**, 38, 508-14 21
- 825 The heart and circulation in severe sepsis. **2004**, 93, 114-20 42
- 824 Preoperative chemotherapy increases cytokine production after lung cancer surgery. **2004**, 26, 787-91 14
- 823 Cytokine adsorptive property of various adsorbents in immunoabsorption columns and a newly developed adsorbent: an in vitro study. **2004**, 22, 530-6 27
- 822 Bacteremia due to *Klebsiella pneumoniae* isolates producing the TEM-52 extended-spectrum beta-lactamase: treatment outcome of patients receiving imipenem or ciprofloxacin. **2004**, 38, 243-51 96
- 821 Monitoring therapeutic interventions in critically ill septic patients. **2004**, 19, 423-32 3
- 820 Tumor Necrosis Factor. **2004**, 1 1
- 819 Drotrecogin alfa (activated; Xigris): an effective and cost-efficient treatment for severe sepsis. **2004**, 4, 15-26

818	Safety of drotrecogin alfa (activated) in the treatment of patients with severe sepsis. 2004 , 3, 625-37	6
817	Functional tetrahydrobiopterin synthesis in human platelets. 2004 , 110, 186-92	20
816	Is circulating phospholipase A2 removed by large-pore continuous venovenous hemodiafiltration in septic acute renal failure?. 2004 , 26, 127-33	2
815	Monocyte human leukocyte antigen-DR transcriptional downregulation by cortisol during septic shock. 2004 , 169, 1144-51	121
814	Fetal cardiac dysfunction in preterm premature rupture of membranes. 2004 , 16, 146-57	33
813	Evaluation of systemic inflammatory responses in neonates with herpes simplex virus infection. 2004 , 190, 494-8	26
812	Association of Helicobacter pylori with thrombotic thrombocytopenic purpura and hemolytic uremic syndrome after bone marrow transplantation. 2004 , 18, 547-51	12
811	Outcomes of right colon continent urinary pouch using standardized reporting methods. 2019 , 38, 1290-1297	2
810	Advances in Sepsis Management. 2019 , 675-684	
809	Outcomes of hospital-acquired acute kidney injury in elderly patients: a single-centre study. 2019 , 51, 875-883	4
808	Is a project needed to prevent urinary tract infection in patients admitted to Spanish ICUs?. 2019 , 43, 63-72	
807	Noninvasive measurements of hemodynamic, autonomic and endothelial function as predictors of mortality in sepsis: A prospective cohort study. 2019 , 14, e0213239	12
806	Conservative Treatment in Diverticulitis Patients with Pericolonic Extraluminal Air and the Role of Antibiotic Treatment. 2019 , 23, 2269-2276	8
805	Hemofilter with Adsorptive Capacities: Case Report Series. 2019 , 47 Suppl 3, 1-6	9
804	"Bandemia" without leukocytosis: A potential Emergency Department diagnostic pitfall. 2019 , 37, 1970-1971	2
803	Association between circulating mononuclear cell mitochondrial DNA copy number and in-hospital mortality in septic patients: A prospective observational study based on the Sepsis-3 definition. 2019 , 14, e0212808	7
802	Role of Damage-Associated Molecular Patterns and Uncontrolled Inflammation in Pediatric Sepsis-Induced Multiple Organ Dysfunction Syndrome. 2019 , 8, 25-31	9
801	Point of care technologies for sepsis diagnosis and treatment. 2019 , 19, 728-737	27

800	An Endoscopic Transluminal Approach, Compared With Minimally Invasive Surgery, Reduces Complications and Costs for Patients With Necrotizing Pancreatitis. 2019 , 156, 1027-1040.e3	102
799	Pathophysiology of Acute Illness and Injury. 2019 , 11-42	2
798	Updates in the Management of Acute Pancreatitis. 2019 , 445-454	
797	Derivation of a quick Pitt bacteremia score to predict mortality in patients with Gram-negative bloodstream infection. 2019 , 47, 571-578	19
796	Infection in Cirrhosis. 2019 , 384-394	
795	Carcinoma of the Larynx and Hypopharynx. 2019 ,	1
794	LPS removal reduces CD80-mediated albuminuria in critically ill patients with Gram-negative sepsis. 2019 , 316, F723-F731	24
793	Systemic inflammatory response syndrome in Sepsis-3: a retrospective study. 2019 , 19, 139	6
792	CADDIE2-evaluation of a clinical decision-support system for early detection of systemic inflammatory response syndrome in paediatric intensive care: study protocol for a diagnostic study. 2019 , 9, e028953	3
791	[MAKING OF THE DISEASE SEVERITY PREDICTION INDEX FOR ACUTE PYELONEPHRITIS ASSOCIATED WITH URINARY OBSTRUCTION DUE TO URETERAL CALCULI]. 2019 , 110, 100-105	
790	Bakterielle Infektionen bei Neugeborenen. Leitlinie der GNPI, DGPI, DGKJ und DGGG. (S2k-Level, AWMF-Leitlinien-Register-Nr. 024/008, April 2018). 2019 , 223, 130-144	1
789	The SOFA score-development, utility and challenges of accurate assessment in clinical trials. 2019 , 23, 374	194
788	Stem Cell-Based Therapy for Lung Disease. 2019 ,	3
787	The prognostic value of serum procalcitonin measurements in critically injured patients: a systematic review. 2019 , 23, 390	21
786	Peripheral Blood Mononuclear Cells Demonstrate Mitochondrial Damage Clearance During Sepsis. <i>Critical Care Medicine</i> , 2019 , 47, 651-658	1.4 17
785	Blood Urea Nitrogen Elevation Is a Marker for Pediatric Severe Acute Pancreatitis. 2019 , 48, 363-366	14
784	Machine Learning Models for Analysis of Vital Signs Dynamics: A Case for Sepsis Onset Prediction. 2019 , 2019, 5930379	14
783	Spontaneous bacterial peritonitis recurrence in patients with cirrhosis receiving secondary prophylaxis with norfloxacin. 2019 , 31, 540-546	8

782	Thiamine Use in Sepsis: B1 for Everyone?. 2019 , 42, 292-303		4
781	Corticosteroids for treating sepsis in children and adults. 2019 , 12, CD002243		32
780	Impact of Body Temperature Abnormalities on the Implementation of Sepsis Bundles and Outcomes in Patients With Severe Sepsis: A Retrospective Sub-Analysis of the Focused Outcome Research on Emergency Care for Acute Respiratory Distress Syndrome, Sepsis and Trauma Study. <i>Critical Care Medicine</i> , 2019 , 47, 691-699	1.4	25
779	The REDS score: a new scoring system to risk-stratify emergency department suspected sepsis: a derivation and validation study. 2019 , 9, e030922		8
778	Comparison of International Pediatric Sepsis Consensus Conference Versus Sepsis-3 Definitions for Children Presenting With Septic Shock to a Tertiary Care Center in India: A Retrospective Study. 2019 , 20, e122-e129		11
777	Predicting Bacterial Versus Viral Infection, or None of the Above: Current and Future Prospects of Biomarkers. 2019 , 39, 453-472		6
776	Sepsis: Early Recognition and Optimized Treatment. 2019 , 82, 6-14		33
775	Pathologic Difference between Sepsis and Bloodstream Infections. 2019 , 3, 654-663		14
774	Evolution of protein-bound uremic toxins indoxyl sulphate and p-cresyl sulphate in acute kidney injury. 2019 , 51, 293-302		12
773	Osteoprotegerin is Higher in Sepsis Than in Noninfectious SIRS and Predicts 30-Day Mortality of SIRS Patients in the Intensive Care. 2019 , 3, 559-568		3
772	Can corticosteroids reduce the mortality of patients with severe sepsis? A systematic review and meta-analysis. 2019 , 37, 1657-1664		8
771	Consideration of Occult Infection and Sepsis Mimics in the Sick Patient Without an Apparent Infectious Source. 2019 , 56, 36-45		5
770	Heart rate extraction from PPG signals using variational mode decomposition. 2019 , 39, 75-86		13
769	Diagnostic Challenges and Laboratory Considerations for Pediatric Sepsis. 2019 , 3, 587-600		10
768	Multidrug-resistant bacterial infections in patients with decompensated cirrhosis and with acute-on-chronic liver failure in Europe. 2019 , 70, 398-411		120
767	Impact of De-escalation on Prognosis of Patients With Bacteremia due to Enterobacteriaceae: A Post Hoc Analysis From a Multicenter Prospective Cohort. 2019 , 69, 956-962		10
766	Management of Sepsis in Patients With Cirrhosis: Current Evidence and Practical Approach. 2019 , 70, 418-428		16
765	Is a project needed to prevent urinary tract infection in patients admitted to spanish ICUs?. 2019 , 43, 63-72		4

764	Long-term Prognosis of Acute-on-Chronic Liver Failure Survivors. 2019 , 53, 134-141	10
763	Using System Inflammatory Response Syndrome as an Easy-to-Implement, Sustainable, and Automated Tool for All-Cause Deterioration Among Medical Inpatients. 2019 , 15, e74-e77	4
762	Soluble Suppression Of Tumorigenicity-2 Predicts Hospital Mortality in Burn Patients: An Observational Prospective Cohort Pilot Study. 2019 , 51, 194-199	3
761	Cannabinoid receptor 2: a potential novel therapeutic target for sepsis?. 2019 , 74, 70-74	12
760	Extended Mortality and Chronic Kidney Disease After Septic Acute Kidney Injury. 2020 , 35, 527-535	22
759	Complementary Role of Hypothermia Identification to the Quick Sequential Organ Failure Assessment Score in Predicting Patients With Sepsis at High Risk of Mortality: A Retrospective Analysis From a Multicenter, Observational Study. 2020 , 35, 502-510	8
758	Magnesium protects against sepsis by blocking gasdermin D N-terminal-induced pyroptosis. 2020 , 27, 466-481	28
757	Single-bed rooms in a geriatric ward prevent delirium in older patients. 2020 , 32, 141-147	28
756	Diagnosing Sepsis: qSOFA is Not the Tool We're Looking For. 2020 , 133, 265-266	1
755	The Combined SIRS + qSOFA (qSIRS) Score is More Accurate Than qSOFA Alone in Predicting Mortality in Patients with Surgical Sepsis in an LMIC Emergency Department. 2020 , 44, 21-29	6
754	Efficacy of Albumin Treatment for Patients with Cirrhosis and Infections Unrelated to Spontaneous Bacterial Peritonitis. 2020 , 18, 963-973.e14	38
753	Gastrointestinal Failure Is a Predictor of Poor Outcome in Patients with Acute Pancreatitis. 2020 , 65, 2419-2426	6
752	Post-operative delirium associated with metabolic alterations following hemi-arthroplasty in older patients. 2019 , 49, 88-95	5
751	Characteristics of invasive Acinetobacter infection: A multicenter investigation with molecular identification of causative organisms. 2020 , 26, 475-482	6
750	Heterogenous treatment effects of transfusion thresholds by patient age: Post-hoc analysis of the TRISS trial. 2020 , 64, 641-647	
749	Localized surface plasmon resonance based point-of-care system for sepsis diagnosis. 2020 , 3, 274-281	8
748	Immunohistochemistry in the Postmortem Diagnosis of Sepsis: A Systematic Review. 2020 , 28, 571-578	4
747	Effect of Electroacupuncture on Urea and Creatinine Levels in the Wistar Sepsis Model. 2020 , 32, 29-37	4

746	Very Low Density Lipoprotein Receptor Sequesters Lipopolysaccharide Into Adipose Tissue During Sepsis. <i>Critical Care Medicine</i> , 2020 , 48, 41-48	1.4	9
745	The Epidemiology of Sepsis in Chinese ICUs: A National Cross-Sectional Survey. <i>Critical Care Medicine</i> , 2020 , 48, e209-e218	1.4	65
744	Quality improvement of end-of-life decision-making and communication in the ICU : Effect on clinicians' burnout and relatives' distress. 2020 , 115, 600-608		0
743	Sepsis 2019: What Surgeons Need to Know. 2020 , 21, 195-204		5
742	Hydrocortisone mitigates ICU-AW by fine-tuning of muscle atrophic and hypertrophic signaling pathways in a sepsis model with limb immobilization. 2020 , 261, 118366		0
741	Discovery and Validation of Urinary Molecular Signature of Early Sepsis. 2020 , 2, e0195		5
740	Presence of urinary symptoms in bacteremic urinary tract infection: a retrospective cohort study of Escherichia coli bacteremia. 2020 , 20, 781		3
739	Efficacy and safety of oral magnesium supplementation in reducing febrile neutropenia episodes in children with solid tumors treated with cisplatin-based chemotherapy: randomized clinical trial. 2020 , 86, 673-679		1
738	Attenuating hyperinflammation in COVID-19: A change in paradigm?. 2020 , 60, 334-336		2
737	Diagnostic and Prognostic Value of IL-6 and sTREM-1 in SIRS and Sepsis in Children. 2020 , 2020, 8201585		6
736	National Early Warning Score 2 (NEWS2) on admission predicts severe disease and in-hospital mortality from Covid-19 - a prospective cohort study. 2020 , 28, 66		83
735	Multi-biomarker strategy for prediction of myocardial dysfunction and mortality in sepsis. 2020 , 21, 537-548		9
734	Complement levels in patients with bloodstream infection due to Staphylococcus aureus or Gram-negative bacteria. 2020 , 39, 2121-2131		3
733	Clinical features in 52 patients with COVID-19 who have increased leukocyte count: a retrospective analysis. 2020 , 39, 2279-2287		30
732	A prediction model for outcome in patients with HBV-ACLF based on predisposition, injury, response and organ failure. 2020 , 10, 20176		3
731	Prediction of culture-positive sepsis and selection of empiric antibiotics in critically ill patients with complicated intra-abdominal infections: a retrospective study. 2020 , 1		2
730	Molecular mechanisms of organ damage in sepsis: an overview. 2020 , 24, 552-560		11
729	Comparison the accuracy of early warning scores with qSOFA and SIRS for predicting sepsis in the emergency department. 2021 , 46, 284-288		11

728	Validation study of German inpatient administrative health data for epidemiological surveillance and measurement of quality of care for sepsis: the OPTIMISE study protocol. 2020 , 10, e035763	1
727	Impact of fecal short-chain fatty acids on prognosis in critically ill patients. 2020 , 7, e558	0
726	Validation of a 'Usual Care' Model for Vasopressor Initiation in a Cohort of Emergency Department Patients with Sepsis. 2020 , 2020, 2772-2775	
725	Blood Culture Results and Overtreatment Associated With the Use of a 1-Hour Sepsis Bundle. 2020 , 59, 629-636	5
724	Are you using the third definition to diagnose sepsis in clinic?-A survey among Chinese intensivists. 2020 , 9, 2926-2932	0
723	The Critical Roles and Mechanisms of Immune Cell Death in Sepsis. 2020 , 11, 1918	12
722	Serum and Urine Neutrophil Gelatinase-Associated Lipocalin Levels Measured at Admission Predict Progression to Chronic Kidney Disease in Sepsis-Associated Acute Kidney Injury Patients. 2020 , 2020, 8883404	2
721	Nomograms Predicting the Occurrence of Sepsis in Patients following Major Hepatobiliary and Pancreatic Surgery. 2020 , 2020, 9761878	2
720	Evaluation of a point-of-care device for counting white blood cells and differentials among older patients with acute diseases: Preliminary data. 2020 , 20, 729-730	
719	The fetal inflammatory response syndrome: the origins of a concept, pathophysiology, diagnosis, and obstetrical implications. 2020 , 25, 101146	41
718	A prospective study of epidemiology characteristics and outcomes of bloodstream infections in older patients. 2021 , 40, e182-e189	
717	Characteristics of urinary tract infections in older patients in a tertiary hospital in Greece. 2020 , 20, 1228-1233	1
716	Highways to hell: Mechanism-based management of cytokine storm syndromes. 2020 , 146, 949-959	17
715	A Cross-Sectional Study of GLIM-Defined Malnutrition Based on New Validated Calf Circumference Cut-off Values and Different Screening Tools in Hospitalised Patients over 70 Years Old. 2020 , 24, 832-838	10
714	Monocyte distribution width enhances early sepsis detection in the emergency department beyond SIRS and qSOFA. 2020 , 8, 33	21
713	Soluble CD14 Subtype in Peripheral Blood is a Biomarker for Early Diagnosis of Sepsis. 2020 , 51, 614-619	2
712	Clinical investigation of the utility of a pair of coagulation-fibrinolysis markers for definite diagnosis of sepsis-induced disseminated intravascular coagulation: A single-center, diagnostic, prospective, observational study. 2020 , 192, 116-121	1
711	A multicenter prospective validation study on disseminated intravascular coagulation in trauma-induced coagulopathy. 2020 , 18, 2232-2244	8

710	The SIRS criteria have better performance for predicting infection than qSOFA scores in the emergency department. 2020 , 10, 8095	14
709	Clinical effects of polymyxin B-immobilized fiber column direct hemoperfusion for severe bacterial meningitis: A series of 10 cases. 2020 , 8, 823-832	0
708	An Update on Sepsis Biomarkers. 2020 , 52, 1-18	18
707	A 2020 review on the role of procalcitonin in different clinical settings: an update conducted with the tools of the Evidence Based Laboratory Medicine. 2020 , 8, 610	14
706	Nutritional support therapy after GLIM criteria may neglect the benefit of reducing infection complications compared with NRS2002: Reanalysis of a cohort study. 2020 , 79-80, 110802	7
705	Risk factors of sepsis following pancreaticoduodenectomy based on inflammation markers and clinical characteristics. 2020 , 90, 1428-1433	4
704	Impact of blood glucose abnormalities on outcomes and disease severity in patients with severe sepsis: An analysis from a multicenter, prospective survey of severe sepsis. 2020 , 15, e0229919	16
703	Brain tight junction protein expression in sepsis in an autopsy series. 2020 , 24, 385	19
702	Fecal Gram staining of phagocytosed bacteria to differentiate methicillin-resistant <i>Staphylococcus aureus</i> : A case report. 2020 , 26, 1078-1081	0
701	Epidemiology of sepsis and septic shock in intensive care units between sepsis-2 and sepsis-3 populations: sepsis prognostication in intensive care unit and emergency room (SPICE-ICU). 2020 , 8, 44	14
700	A Potential Mechanism of Tumor Progression during Systemic Infections Via the Hepatocyte Growth Factor (HGF)/c-Met Signaling Pathway. 2020 , 9,	2
699	Antibiotic route and duration of therapy for cellulitis: data extracted from a multi-center clinical trial. 2020 , 56, 106076	2
698	Observational versus antibiotic treatment for uncomplicated diverticulitis: an individual-patient data meta-analysis. 2020 , 107, 1062-1069	9
697	Depressed sympathovagal modulation indicates sepsis in patients with suspected infection. 2020 , 99, e18961	3
696	Sepsis Among Medicare Beneficiaries: 1. The Burdens of Sepsis, 2012-2018. <i>Critical Care Medicine</i> , 2020 , 48, 276-288	1.4 74
695	Immunotherapy in sepsis - brake or accelerate?. 2020 , 208, 107476	35
694	Lower vs Higher Fluid Volumes During Initial Management of Sepsis: A Systematic Review With Meta-Analysis and Trial Sequential Analysis. 2020 , 157, 1478-1496	28
693	Differential regulation of macrophage activation by the MIF cytokine superfamily members MIF and MIF-2 in adipose tissue during endotoxemia. 2020 , 34, 4219-4233	9

- 692 Predictors for gram-negative monomicrobial necrotizing fasciitis in southern Taiwan. **2020**, 20, 60 6
- 691 The significance of disseminated intravascular coagulation on multiple organ dysfunction during the early stage of acute respiratory distress syndrome. **2020**, 191, 15-21 15
- 690 Dysregulated activities of proline-specific enzymes in septic shock patients (sepsis-2). **2020**, 15, e0231555 5
- 689 Presentation and outcome of suspected sepsis in a high-HIV burden, high antiretroviral coverage setting. **2020**, 96, 276-283 1
- 688 Antibiotics Do Not Reduce Length of Hospital Stay for Uncomplicated Diverticulitis in a Pragmatic Double-Blind Randomized Trial. **2021**, 19, 503-510.e1 4
- 687 Combination value of biomarkers in discriminating adult onset Still's disease and sepsis. **2021**, 133, 118-122 3
- 686 Soluble suppression of tumorigenicity-2 predicts pneumonia in patients with inhalation injury: Results of a pilot study. **2021**, 47, 906-913
- 685 A competing endogenous RNA network reveals key lncRNAs associated with sepsis. **2021**, 9, e1557 2
- 684 Abnormal vital signs after laparoscopic colorectal surgery: More common than you think. **2021**, 221, 654-658 1
- 683 Bacteremia in solid organ transplant recipients as compared to immunocompetent patients: Acute phase cytokines and outcomes in a prospective, matched cohort study. **2021**, 21, 2113-2122 5
- 682 Incidence, Clinical Features, and Outcomes of Late-Onset Neutropenia From Rituximab for Autoimmune Disease. **2021**, 73, 347-354 7
- 681 Management of Oral Cancers. **2021**,
- 680 Clinical importance of "occult-bacterial translocation" in patients undergoing highly invasive gastrointestinal surgery: A review. **2021**, 51, 485-492 8
- 679 Survival Impact and Clinical Predictors of Acute Gastrointestinal Bleeding in Patients With Bloodstream Infection. **2021**, 36, 63-69 0
- 678 Fallbeispiel Sepsis. **2021**, 223-238
- 677 Factors associated with admission to bed-based care: observational prospective cohort study in a multidisciplinary same day emergency care unit (SDEC). **2021**, 21, 8 1
- 676 How to Use Antibiotics in Critically Ill Patients with Sepsis and Septic Shock. **2021**, 171-178
- 675 The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2020 (J-SSCG 2020). **2021**, 8, e659 8

674	Comparison of Systemic Inflammatory Response Syndrome and quick Sequential Organ Failure Assessment scores in predicting bacteremia in the emergency department. 2021 , 8, e654	0
673	The utility of the rapid emergency medicine score (REMS) compared with SIRS, qSOFA and NEWS for Predicting in-hospital Mortality among Patients with suspicion of Sepsis in an emergency department. 2021 , 21, 2	8
672	Potential mechanisms of tumor progression associated with postoperative infectious complications. 2021 , 40, 285-296	5
671	Septic shock due to Yersinia pseudotuberculosis infection in an adult immunocompetent patient: a case report and literature review. 2021 , 21, 36	2
670	Diagnosis of Neonatal Late-Onset Infection in Very Preterm Infant: Inter-Observer Agreement and International Classifications. 2021 , 18,	2
669	Clinical Use of Procalcitonin in the Diagnosis of Sepsis: Evaluation of PCT \bar{q} SOFA. 2021 , 11, 32-39	
668	?????????. 2021 , 55, 6-10	2
667	Multiple Organ Dysfunction Syndrome. 2021 , 1085-1103	
666	Optimal timing of ureteroscopic lithotripsy after the initial drainage treatment and risk factors for postoperative febrile urinary tract infection in patients with obstructive pyelonephritis: a retrospective study. 2021 , 21, 10	3
665	?????????????????????. 2021 , 55, 1-5	
664	Utility of white matter disease and atrophy on routinely acquired brain imaging for prediction of long-term delirium risk: population-based cohort study. 2021 ,	2
663	Perspective: A Framework to Screen Pediatric and Adolescent Hematopoietic Cellular Therapy Patients for Organ Dysfunction: Time for a Multi-Disciplinary and Longitudinal Approach. 2021 , 11, 622630	0
662	Early Detection of Sepsis With Machine Learning Techniques: A Brief Clinical Perspective. 2021 , 8, 617486	10
661	Developing Machine-Learning Prediction Algorithm for Bacteremia in Admitted Patients. 2021 , 14, 757-765	3
660	Electroimmunology and cardiac arrhythmia. 2021 , 18, 547-564	5
659	Genetic variants in TNFA, LTA, TLR2 and TLR4 genes and risk of sepsis in patients with severe trauma: nested case-control study in a level-1 trauma centre in SERBIA. 2021 , 52, 419-425	
658	Significance of lactate clearance in septic shock patients with high bilirubin levels. 2021 , 11, 6313	1
657	Peritoneal lavage with hydrogen-rich saline can be an effective and practical procedure for acute peritonitis. 2021 , 51, 1860-1871	3

656	Elevated bands as a predictor of bloodstream infection and in-hospital mortality. 2021 , 41, 205-208		1
655	Development of quantum dot-based fluorescence lateral flow immunoassay strip for rapid and quantitative detection of serum interleukin-6. 2021 , 35, e23752		4
654	Nanoplatfoms for Sepsis Management: Rapid Detection/Warning, Pathogen Elimination and Restoring Immune Homeostasis. 2021 , 13, 88		2
653	Prognosis and Risk Factors of Sepsis Patients in Chinese ICUs: A Retrospective Analysis of a Cohort Database. 2021 , 56, 921-926		1
652	Splenectomy is associated with altered leukocyte kinetics after severe trauma. 2021 , 26, 26		
651	Identifying subpopulations of septic patients: A temporal data-driven approach. 2021 , 130, 104182		1
650	Quick sequential organ failure assessment versus systemic inflammatory response syndrome criteria for emergency department patients with suspected infection. 2021 , 11, 5347		1
649	Efficacy of alanyl glutamine in nutritional support therapy for patients with sepsis: A protocol for systematic review and meta-analysis. 2021 , 100, e24861		0
648	Dental Abscess to Septic Shock: A Case Report and Literature Review. 2021 , 47, 663-670		1
647	Can Coagulation System Disorders and Cytokine and Inflammatory Marker Levels Predict the Temporary Clinical Deterioration or Improvement of Septic Patients on ICU Admission?. 2021 , 10,		
646	Vitamin D and its therapeutic relevance in pulmonary diseases. 2021 , 90, 108571		5
645	Myristic Acid Serum Levels and Their Significance for Diagnosis of Systemic Inflammatory Response, Sepsis, and Bacteraemia. 2021 , 11,		3
644	Challenges in Surveillance for Streptococcal Toxic Shock Syndrome: Active Bacterial Core Surveillance, United States, 2014-2017. 2021 , 333549211013460		0
643	Disseminated intravascular coagulation immediately after trauma predicts a poor prognosis in severely injured patients. 2021 , 11, 11031		2
642	Plasma Ferritin as Marker of Macrophage Activation-Like Syndrome in Critically Ill Patients With Community-Acquired Pneumonia. <i>Critical Care Medicine</i> , 2021 , 49, 1901-1911	1.4	0
641	Utility of Acute Physiology and Chronic Health Evaluation (APACHE II) in Predicting Mortality in Patients with Pyogenic Liver Abscess: A Retrospective Study. 2021 , 10,		0
640	Leukocyte cell population data from the blood cell analyzer as a predictive marker for severity of acute pancreatitis. 2021 , 35, e23863		3
639	Assessment of a Cellular Host Response Test as a Sepsis Diagnostic for Those With Suspected Infection in the Emergency Department. 2021 , 3, e0460		2

638	Early Warning Scores at Time of ICU Admission to Predict Mortality in Critically Ill COVID-19 Patients. 2021 , 1-5	0
637	Presumed Septic Shock Caused by <i>Actinotignum schaalii</i> Bacteremia. 2021 , 60, 1915-1919	1
636	Clinical impact of procalcitonin-based algorithms for duration of antibiotic treatment in critically ill adult patients with sepsis: a meta-analysis of randomized clinical trials. 2021 , 1-10	3
635	Association of Etoricoxib treatment and incident hypoxia in patients with aortic dissection undergoing endovascular aortic repair. 2021 , 139, 111625	0
634	Evaluation and Treatment of Elevated Temperature in the Emergency Department.	
633	Lactated Ringers Does Not Reduce SIRS in Acute Pancreatitis Compared to Normal Saline: An Updated Meta-Analysis. 2021 , 1	1
632	Prognostic accuracy of Quick SOFA in older adults hospitalised with community acquired urinary tract infection. 2021 , 75, e14620	0
631	The predictors of COVID-19 mortality in a nationwide cohort of Turkish patients. 2021 , 183, 106433	12
630	The role of mitophagy in pulmonary sepsis. 2021 , 59, 63-75	7
629	Clinical presentation of secondary infectious complications in COVID-19 patients in intensive care unit treated with tocilizumab or standard of care. 2021 , 94, 39-44	2
628	Corticosteroids for Treating Sepsis in Adult Patients: A Systematic Review and Meta-Analysis. 2021 , 12, 709155	3
627	Microbial Cell-Free DNA Identifies Etiology of Bloodstream Infections, Persists Longer Than Conventional Blood Cultures, and its Duration of Detection is Associated with Metastatic Infection in Patients with <i>Staphylococcus aureus</i> and Gram-Negative Bacteremia. 2021 ,	5
626	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2020 (J-SSCG 2020). 2021 , 9, 53	19
625	Opportunities, controversies, and challenges of extracorporeal hemoadsorption with CytoSorb during ECMO. 2021 , 45, 1240-1249	2
624	Effectiveness of the National Early Warning Score in the diagnosis of sepsis as defined by Sepsis-3 criteria in cancer patients. 2021 , 133, 109-112	
623	Extracellular Vesicles: A Double-Edged Sword in Sepsis. 2021 , 14,	2
622	Validation of the Orlando Protocol for endoscopic management of pancreatic fluid collections in the era of lumen-apposing metal stents. 2021 ,	5
621	Clinical characteristics and risk factors of fatal patients with COVID-19: a retrospective cohort study in Wuhan, China. 2021 , 21, 951	5

620	A pilot study on the melatonin treatment in patients with early septic shock: results of a single-center randomized controlled trial. 2021 , 1	0
619	Effectiveness of anisodamine for the treatment of critically ill patients with septic shock: a multicentre randomized controlled trial. 2021 , 25, 349	1
618	Elevated serum galectin-1 concentrations are associated with increased risks of mortality and acute kidney injury in critically ill patients. 2021 , 16, e0257558	0
617	Which Biomarkers Can Be Used as Diagnostic Tools for Infection in Suspected Sepsis?. 2021 , 42, 662-671	1
616	Bacterial genotype and clinical outcomes in solid organ transplant recipients with Staphylococcus aureus Bacteremia. 2021 ,	4
615	COVID-19, what could sepsis, severe acute pancreatitis, gender differences, and aging teach us?. 2021 , 148, 155628	3
614	Clinical utility of procalcitonin in severe odontogenic maxillofacial infection. 2021 , 43, 3	1
613	?????????????????????. 2021 , 55, 22-28	
612	Postoperative Rise of Circulating Mitochondrial DNA Is Associated with Inflammatory Response in Patients following Pancreaticoduodenectomy. 2021 , 62, 18-24	0
611	Sepsis Biomarkers. 2021 , 2321, 177-189	4
610	Usefulness of procalcitonin for differentiation between activity of systemic autoimmune disease (systemic lupus erythematosus/systemic antineutrophil cytoplasmic antibody-associated vasculitis) and invasive bacterial infection. 1997 , 40, 1250-6	195
609	Abdominal contamination, infection and sepsis: A continuum. 1997 , 84, 269-272	10
608	Bacterial translocation in multiple organ failure: Cause or epiphenomenon still unproven. 1997 , 84, 1340-1350	77
607	SCAI cardiogenic shock classification after out of hospital cardiac arrest and association with outcome. 2021 , 97, E288-E297	13
606	Bacteremia and Sepsis. 2003 , 368-374	2
605	Gram-positive and Gram-negative Sepsis: Two Disease Entities?. 2008 , 395-403	2
604	Epidemiology of Critical Illness. 2014 , 125-131	2
603	Infection, Bacteremia, Sepsis, and the Sepsis Syndrome: Metabolic Alterations, Hypermetabolism, and Cellular Alterations. 2000 , 101-107	1

602	Research in the Intensive Care Unit. 1998 , 481-495	1
601	Indications for intensive care in the management of infections in cancer patients. 1995 , 79, 233-44	2
600	Modifications of red blood cell shape and glycoproteins membrane content in septic patients. 2003 , 510, 109-14	10
599	Shock and multiple organ failure. 1994 , 366, 253-68	18
598	Pathology of Human Endothelium in Septic Organ Failure. 2006 , 161-192	2
597	Antibiotic Prophylaxis and Management of Bacterial Infections. 2011 , 395-410	1
596	Epidemiology of Critical Illness. 2009 , 1-5	1
595	The Safety and Efficiency of Addressing ARDS Using Stem Cell Therapies in Clinical Trials. 2019 , 219-238	3
594	Intracranial pressure in patients with sepsis. 2008 , 102, 71-5	22
593	A New Generation Computer-controlled Imaging Sensor-based Hand-held Microscope for Quantifying Bedside Microcirculatory Alterations. 2014 , 367-381	5
592	Sepsis Definitions. 2017 , 7-24	4
591	Organ Dysfunction in the ICU: A Clinical Perspective. 2007 , 238-245	1
590	Scores. 2008 , 53-63	1
589	Managing Uncertainty with Fuzzy-Automata and Control in an Intensive Care Environment. 2007 , 263-271	2
588	PIRO: The Key to Success?. 2009 , 1-9	1
587	Predicting Outcomes of Septic Shock Patients Using Feature Selection Based on Soft Computing Techniques. 2010 , 65-74	14
586	A Markov Analysis of Patients Developing Sepsis Using Clusters. 2011 , 85-100	1
585	Systemic Inflammatory Response Syndrome (SIRS), Sepsis und Multiorganversagen. 2012 , 1578-1592	0

584	Immunoglobulins in Sepsis: Which Patients will Benefit the Most?. 2013 , 145-152	1
583	On the Use of Graphical Models to Study ICU Outcome Prediction in Septic Patients Treated with Statins. 2012 , 98-111	2
582	Clinical relevance of the systemic inflammatory reaction related to cardiac operations in children. 2000 , 117-125	1
581	Risk and Prognosis of Sepsis Current Methods on the Assessment of the Immunological Status. 2001 , 1-14	1
580	Intensive Care Management in Abdominal Surgical Patients with Septic Complications. 2001 , 71-138	4
579	The Doctor's Dilemma: The Assessment of Successful Adjunctive Immunotherapy in Critically Ill Patients. 2001 , 139-156	1
578	Nosokomiale Infektionen im Alter. 2000 , 547-555	1
577	Surgical Versus Enzymatic Debridement. 1994 , 31-48	3
576	The Systemic Inflammatory Response Syndrome (SIRS). 1995 , 3-12	3
575	Outcome and Prognostic Factors in Bacteremic Sepsis. 1995 , 35-51	5
574	Microbiological Requirements for Studies of Sepsis. 1995 , 71-85	2
573	Low Dose G-CSF to Augment Host Defense and Counteract Progression of Sepsis. 1996 , 150-164	2
572	Infection and the Host Septic Response: Implications for Clinical Trials of Mediator Antagonism. 1994 , 3-13	1
571	Cerebral Blood Flow in Acute Brain Injury. 1997 , 739-748	1
570	Fluid Therapy: Present Controversies. 2000 , 429-442	2
569	Plötzlicher Tod im Erwachsenenalter. 2004 , 965-1069	14
568	Sekundärfolgen mechanischer Gewalteinwirkung. 2004 , 259-285	1
567	Monitoring of the inflammatory response after aneurysmal subarachnoid haemorrhage in the clinical setting: review of literature and report of preliminary clinical experience. 2011 , 110, 191-6	18

566	Septic Shock Diagnosis by Neural Networks and Rule Based Systems. 2002 , 323-356	10
565	Systemic inflammatory response syndrome—A concept for avoiding organ dysfunction induced by a second attack— 1998 , 28, 679	6
564	Tumor necrosis factor- β production after esophageal cancer surgery: Differences in the response to lipopolysaccharide stimulation among whole blood, pleural effusion cells, and bronchoalveolar lavage fluid cells. 1999 , 29, 10	5
563	Sepsis, Severe Sepsis, and Septic Shock. 2010 , 987-1010	14
562	Shock —An overview. 2009 , 97-104	2
561	Metabolism in Acute and Chronic Critical Illness. 2005 , 80-94	1
560	Cytokines and Inflammatory Response in the Fetus and Neonate. 2004 , 1555-1572	3
559	Pediatric Multiple Organ Dysfunction Syndrome. 2006 , 1494-1507	2
558	Neurological Complications in Critically Ill Patients. 2008 , 981-997	2
557	Sepsis. 2009 , 655-676	0
556	Définition et épidémiologie du choc septique. 2012 , 57, 32-33	2
555	NOSOCOMIAL INFECTION IN THE SURGICAL INTENSIVE CARE UNIT. 1992 , 6, 657-675	23
554	Mediator-Specific Therapies for the Systemic Inflammatory Response Syndrome, Sepsis, Severe Sepsis, and Septic Shock: Present and Future Approaches. 1994 , 6, 309-319	4
553	The Management of Sepsis: A Practical Review. 1998 , 13, 229-240	3
552	Prise en charge des foyers infectieux bucco-dentaires. 2012 , 18, 251-314	5
551	Necrotizing soft tissue infections. Risk factors for mortality and strategies for management. 1996 , 224, 672-83	447
550	Polymerase chain reaction surveillance of microbial DNA in critically ill patients: exploring another new frontier. 1998 , 227, 10-1	5
549	Oxygen delivery is an important predictor of outcome in patients with ruptured abdominal aortic aneurysms. 1998 , 227, 726-32; discussion 732-4	33

548	Pancreatic necrosis: results of necrosectomy, packing, and ultimate closure over drains. 1998 , 227, 870-7		89
547	Disseminated intravascular coagulation and sustained systemic inflammatory response syndrome predict organ dysfunctions after trauma: application of clinical decision analysis. 1999 , 229, 121-7		91
546	Thoracic duct in patients with multiple organ failure: no major route of bacterial translocation. 1999 , 229, 128-36		51
545	HLA-DR expression and soluble HLA-DR levels in septic patients after trauma. 1999 , 229, 246-54		143
544	Relation of a TNF gene polymorphism to severe sepsis in trauma patients. 1999 , 230, 207-14		167
543	Evidence based critical care medicine; what is it and what can it do for us? Evidence Based Medicine in Critical Care Group. <i>Critical Care Medicine</i> , 1996 , 24, 334-7	1.4	79
542	Lidocaine attenuates the hypotensive and inflammatory responses to endotoxemia in rabbits. <i>Critical Care Medicine</i> , 1996 , 24, 642-6	1.4	15
541	The central nervous system hypothalamic-pituitary-adrenal axis in sepsis. <i>Critical Care Medicine</i> , 2002 , 30, 490-1	1.4	5
540	Mining for the genetic determinants of septic shock: when is it really gold?. <i>Critical Care Medicine</i> , 2002 , 30, 1161-3	1.4	5
539	Minimal leptin elimination into ultrafiltrate during continuous venovenous haemofiltration in patients with sepsis. 1999 , 16, 539-542		2
538	Elimination of procalcitonin and plasma concentrations during continuous veno-venous haemodiafiltration in septic patients. 2000 , 17, 665-671		9
537	Right ventricular end-diastolic volume as a measure of preload. 1995 , 39, 218-23; discussion 223-4		54
536	Soluble thrombomodulin increases in patients with disseminated intravascular coagulation and in those with multiple organ dysfunction syndrome after trauma: role of neutrophil elastase. 1995 , 39, 660-4		43
535	Relevance of carbohydrate-deficient transferrin as a predictor of alcoholism in intensive care patients following trauma. 1995 , 39, 742-8		33
534	Influence of pentoxifylline and albifylline on liver microcirculation and leukocyte adhesion after hemorrhagic shock in the rat. 1996 , 40, 90-6		29
533	Prestorage versus bedside white blood cell filtration of red blood cell concentrates: effects on the content of cytokines and soluble tumor necrosis factor receptors. 1996 , 40, 379-83		24
532	Postinjury multiple organ failure: a bimodal phenomenon. 1996 , 40, 501-10; discussion 510-2		386
531	Interleukin-10 is associated with the development of sepsis in trauma patients. 1996 , 40, 613-6; discussion 616-7		123

530	Different pattern of local and systemic release of proinflammatory and anti-inflammatory mediators in severely injured patients with chest trauma. 1996 , 40, 907-12; discussion 912-4	72
529	The use of oxygen consumption and delivery as endpoints for resuscitation in critically ill patients. 1996 , 41, 32-9; discussion 39-40	98
528	The relationship of oxygen consumption measured by indirect calorimetry to oxygen delivery in critically ill patients. 1996 , 41, 41-8; discussion 48-50	12
527	"Sepsis/SIRS," physiologic classification, severity stratification, relation to cytokine elaboration and outcome prediction in posttrauma critical illness. 1996 , 41, 581-98	44
526	Relationship of interleukin-10 plasma levels to severity of injury and clinical outcome in injured patients. 1997 , 42, 863-70; discussion 870-1	163
525	The immune microenvironment of human fracture/soft-tissue hematomas and its relationship to systemic immunity. 1997 , 42, 895-903; discussion 903-4	111
524	Nitric oxide production in burns: plasma nitrate levels are not increased in patients with minor thermal injuries. 1997 , 43, 467-74	12
523	Regulation of whole blood tumor necrosis factor production upon endotoxin stimulation after severe blunt trauma. 1997 , 43, 880-7	37
522	The impact of antioxidant and splanchnic-directed therapy on persistent uncorrected gastric mucosal pH in the critically injured trauma patient. 1998 , 44, 355-60	43
521	Endothelial cell injury, as quantified by the soluble thrombomodulin level, predicts sepsis/multiple organ dysfunction syndrome after blunt trauma. 1998 , 44, 789-94; discussion 794-5	34
520	Recombinant human granulocyte colony-stimulating factor attenuates inflammatory responses in septic patients with neutropenia. 1998 , 44, 1047-54; discussion 1054-5	29
519	Cellular injury score for multiple organ failure severity scoring system. 1998 , 45, 304-10; discussion 310-1	26
518	Organ failure, infection, and the systemic inflammatory response syndrome are associated with elevated levels of urinary intestinal fatty acid binding protein: study of 100 consecutive patients in a surgical intensive care unit. 1998 , 45, 900-6	21
517	Antioxidative resuscitation solution prevents leukocyte adhesion in the liver after hemorrhagic shock. 1999 , 46, 886-93	25
516	Early biochemical characterization of soft-tissue trauma and fracture trauma. 1999 , 47, 358-64	55
515	Tumor necrosis factor genetic polymorphisms correlate with infections after liver transplantation. NEMC TNF Study Group. New England Medical Center Tumor Necrosis Factor. 1999 , 67, 1005-10	22
514	A pilot study on the safety and effectiveness of immunosuppression without prednisone after liver transplantation. 1999 , 67, 1308-13	80
513	Trace elements in trauma and burns. 1998 , 1, 513-7	38

512	New approaches to the diagnosis of sepsis. 1999 , 5, 357-362	5
511	Fecal impaction and systemic inflammatory response syndrome in a young male with cerebral palsy. 2006 , 99, 521-4	2
510	Pharmacologic Treatment Related to Severe Sepsis. 2006 , 17, 423-432	1
509	MR-proADM: A New Biomarker for Early Diagnosis of Sepsis in Burned Patients. 2017 , 38, 290-298	19
508	The ability of an improved qSOFA score to predict acute sepsis severity and prognosis among adult patients. 2020 , 99, e18942	14
507	Suboptimal care in the initial management of children who died from severe bacterial infection: a population-based confidential inquiry. 2010 , 11, 469-74	46
506	ADMISSION ANGIOPOIETIN LEVELS IN CHILDREN WITH SEPTIC SHOCK. 2007 , 28, 650-654	87
505	A3 and P2Y2 receptors control the recruitment of neutrophils to the lungs in a mouse model of sepsis. 2008 , 30, 173-7	77
504	Detection of critical illness-related corticosteroid insufficiency using 1 μ adrenocorticotrophic hormone test. 2013 , 39, 144-8	8
503	Mucosal-associated invariant T (MAIT) cells mediate protective host responses in sepsis.	1
502	Combined use of metagenomic sequencing and host response profiling for the diagnosis of suspected sepsis.	2
501	Are soluble factors relevant for polymorphonuclear leukocyte dysregulation in septicemia?. 1995 , 2, 241-5	18
500	Endotoxin binding and elimination by monocytes: secretion of soluble CD14 represents an inducible mechanism counteracting reduced expression of membrane CD14 in patients with sepsis and in a patient with paroxysmal nocturnal hemoglobinuria. 1998 , 66, 1135-41	49
499	Essential role of gamma interferon in survival of colon ascendens stent peritonitis, a novel murine model of abdominal sepsis. 1998 , 66, 2300-9	157
498	Plasma CD14 decreases monocyte responses to LPS by transferring cell-bound LPS to plasma lipoproteins. 2001 , 108, 485-493	142
497	Sepsis-induced immune dysfunction: can immune therapies reduce mortality?. 2016 , 126, 23-31	309
496	p21 mediates macrophage reprogramming through regulation of p50-p50 NF- κ B and IFN- γ 2016 , 126, 3089-103	50
495	Chaotic sepsis and the magic bullet. 2003 , 31, 446-50	5

494	Cost-effectiveness comparison of sequential ofloxacin versus standard switch therapy. 1997 , 31, 1137-45	14
493	Granulocyte Colony-Stimulating Factor to Prevent the Progression of Systemic Nonresponsiveness in Systemic Inflammatory Response Syndrome and Sepsis. 1999 , 93, 425-439	12
492	Performances of disseminated intravascular coagulation scoring systems in septic shock patients. 2020 , 10, 92	9
491	Energy Requirements in the Critically Ill Patient. 2005 , 83-98	1
490	The fetal inflammatory response syndrome. 2006 , 149-172	1
489	Evaluation of prognostic value of selected biochemical markers in surgically treated patients with acute mediastinitis. 2012 , 18, CR308-15	8
488	Recent advances in understanding and managing hepatic encephalopathy in chronic liver disease. 2020 , 9,	7
487	Risk factors, clinical features, and short-term prognosis of spontaneous fungal peritonitis in cirrhosis: A matched case-control study. 2019 , 7, 2438-2449	2
486	Bacterial sepsis in Brazilian children: a trend analysis from 1992 to 2006. 2011 , 6, e14817	22
485	Catheter related bloodstream infection (CR-BSI) in ICU patients: making the decision to remove or not to remove the central venous catheter. 2012 , 7, e32687	15
484	Early interleukin-6 and slope of monocyte human leukocyte antigen-DR: a powerful association to predict the development of sepsis after major trauma. 2012 , 7, e33095	82
483	Serum interleukin-18 at commencement of renal replacement therapy predicts short-term prognosis in critically ill patients with acute kidney injury. 2013 , 8, e66028	19
482	Effect of statin therapy in the outcome of bloodstream infections due to Staphylococcus aureus: a prospective cohort study. 2013 , 8, e82958	24
481	Functional polymorphisms of interferon-gamma affect pneumonia-induced sepsis. 2014 , 9, e87049	19
480	Autophagy-related IRGM polymorphism is associated with mortality of patients with severe sepsis. 2014 , 9, e91522	39
479	Serum estradiol levels predict survival and acute kidney injury in patients with septic shock--a prospective study. 2014 , 9, e97967	11
478	Acute kidney injury enhances outcome prediction ability of sequential organ failure assessment score in critically ill patients. 2014 , 9, e109649	24
477	Proton pump inhibitor intake neither predisposes to spontaneous bacterial peritonitis or other infections nor increases mortality in patients with cirrhosis and ascites. 2014 , 9, e110503	43

476	Levels of protein C and soluble thrombomodulin in critically ill patients with acute kidney injury: a multicenter prospective observational study. 2015 , 10, e0120770	13
475	Prognostic Value of Procalcitonin in Adult Patients with Sepsis: A Systematic Review and Meta-Analysis. 2015 , 10, e0129450	88
474	Lipopolysaccharide Is Cleared from the Circulation by Hepatocytes via the Low Density Lipoprotein Receptor. 2016 , 11, e0155030	63
473	Colistin Dosage without Loading Dose Is Efficacious when Treating Carbapenem-Resistant <i>Acinetobacter baumannii</i> Ventilator-Associated Pneumonia Caused by Strains with High Susceptibility to Colistin. 2016 , 11, e0168468	7
472	Procalcitonin for selecting the antibiotic regimen in outpatients with low-risk community-acquired pneumonia using a rapid point-of-care testing: A single-arm clinical trial. 2017 , 12, e0175634	7
471	Mortality and risks related to healthcare-associated infection. 2015 , 24, 220-228	17
470	[Nosocomial diarrhea in the intensive care unit: incidence and risk factors]. 2008 , 45, 117-23	7
469	[Dengue: a new approach]. 2000 , 33, 465-76	5
468	Prevalence and clinical outcome associated with preexisting malnutrition in acute renal failure: a prospective cohort study. 1999 , 10, 581-93	157
467	Immunomodulation in Septic Shock: Hydrocortisone Differentially Regulates Cytokine Responses. 2001 , 12, S70-S74	68
466	[Myocardial Contractile Function in Patients with Liver Cirrhosis and Syndrome of Bacterial Overgrowth Syndrome]. 2019 , 59, 67-73	1
465	Necroptosis regulated proteins expression is an early prognostic biomarker in patient with sepsis: a prospective observational study. 2017 , 8, 84066-84073	15
464	Serum Neutrophil Gelatinase-associated Lipocalin Measured at Admission to Predict Mortality in Sepsis-associated Acute Kidney Injury of Vietnamese Critically Ill Patients. 2018 , 11, 100-108	2
463	Detection of Bacteremia in Surgical In-Patients Using Recurrent Neural Network Based on Time Series Records: Development and Validation Study. 2020 , 22, e19512	6
462	From data to optimal decision making: a data-driven, probabilistic machine learning approach to decision support for patients with sepsis. 2015 , 3, e11	42
461	Plasma levels of mid-regional pro-adrenomedullin in sepsis are associated with risk of death. 2019 , 85, 366-375	6
460	Using of TLR2 and TLR4 as Biomarker of Sepsis Severity Detection. 2018 , 29, 83	1
459	Sepsis: the LightCycler SeptiFast Test MGRADE [®] , SepsiT [®] and IRIDICA BAC BSI assay for rapidly identifying bloodstream bacteria and fungi - a systematic review and economic evaluation. 2016 , 20, 1-246	36

458	Acute-on-chronic liver failure. 2013 , 19, 349-59	51
457	Static and dynamic prognostic factors for hepatitis-B-related acute-on-chronic liver failure. 2015 , 21, 232-41	7
456	High neutrophil-lymphocyte ratio indicates poor prognosis for acute-on-chronic liver failure after liver transplantation. 2015 , 21, 3317-24	15
455	Influence of acute hyperglycemia in human sepsis on inflammatory cytokine and counterregulatory hormone concentrations. 2003 , 9, 1824-7	69
454	Long non-coding RNA MALAT1 serves as an independent predictive biomarker for the diagnosis, severity and prognosis of patients with sepsis. 2020 , 21, 1365-1373	11
453	Outcome and prognostic factors in critically ill cancer patients admitted to an intensive care unit. 2007 , 14, 299-307	4
452	?????????????????????????????????????. 2010 , 17, 27-32	1
451	Morbidity and Mortality of Bilateral Femur Fractures. 2015 , 38, e588-92	6
450	Physiological Monitoring for Critically Ill Patients: Testing a Predictive Model for the Early Detection of Sepsis. 2007 , 16, 122-130	22
449	Advances in Treating Patients With Severe Sepsis. 2003 , 23, 16-29	23
448	Severe Sepsis Management. 2003 , 23, S2-S15	4
447	Cardiovascular Aspects of Septic Shock. 2005 , 25, 14-40	21
446	Utility of Serum Procalcitonin for Diagnosis of Sepsis and Evaluation of Severity. 2011 , 70, 51	1
445	The comparison of stroke volume variation with central venous pressure in predicting fluid responsiveness in septic patients with acute circulatory failure. 2015 , 19, 394-400	11
444	Patterns of central venous oxygen saturation, lactate and veno-arterial CO2 difference in patients with septic shock. 2015 , 19, 580-6	3
443	Impact of dialysis practice patterns on outcomes in acute kidney injury in Intensive Care Unit. 2016 , 20, 14-20	6
442	Association of hyponatremia with in-hospital outcomes in infective endocarditis: A 5-year review from an Indian Intensive Care Unit. 2016 , 20, 597-600	3
441	A prospective cohort study on anemia and blood transfusion in critically ill patients. 2007 , 11, 182-185	2

440	Microalbuminuria: A novel biomarker of sepsis. 2010 , 14, 22-8	25
439	Clinicomicrobiological profile of the Indian elderly with sepsis. 2016 , 9, 316	2
438	Prognostic factors of sepsis rapid progression in patients admitted to Intensive Care Unit. 2017 , 10, 1770	1
437	Comparison of Various Severity Assessment Scoring Systems in Patients with Sepsis in a Tertiary Care Teaching Hospital. 2018 , 22, 842-845	7
436	The Effects of Atorvastatin on Inflammatory Responses and Mortality in Septic Shock: A Single-center, Randomized Controlled Trial. 2017 , 21, 646-654	7
435	Diagnostic and Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Early and Late Phase of Sepsis. 2018 , 22, 660-663	23
434	Community Acquired AKI: A Prospective Observational Study from a Tertiary Level Hospital in Southern India. 2019 , 29, 254-260	7
433	Serum Cortisol Level in Indian Patients with Severe Sepsis/Septic Shock. 2017 , 10, 194-198	2
432	Clinical effectiveness of continuous peritoneal lavage in moderately severe to severe acute pancreatitis. 2019 , 10, 21	1
431	Agent-Based Model: A Surging Tool to Simulate Infectious Diseases in the Immune System. 2014 , 02, 12-22	18
430	Comparing the Usefulness of the Initial Acute Physiologic and Chronic Health Evaluation (APACHE) II Score in the Emergency Department (ED) and the Mortality in Emergency Department Sepsis (MEDS) Score for Predicting the Prognosis of Septic Patients Admitted to the Intensive Care Unit (ICU) via the ED. 2008 , 23, 90	3
429	Effects of Early Enteral Glutamine Supplementation on Intestinal Permeability in Critically Ill Patients. 2019 , 23, 356-362	5
428	Predictors of Disseminated Intravascular Coagulation in Patients with Septic Shock. 2013 , 2013, 1-6	3
427	Serum C-Reactive Protein in Children with Liver Disease and Ascites. 2016 , 16, e38973	4
426	Coupled Plasma Filtration and Adsorption (CPFA): A Single Center Experience. 2013 , 5, 891-6	9
425	Prognostic significance of urokinase-type plasminogen activator and its receptor in patients with systemic inflammatory response syndrome. 2011 , 2, 185-9	3
424	Relationships between genetic polymorphisms of triggering receptor expressed on myeloid cells-1 and septic shock in a Chinese Han population. 2015 , 6, 123-30	9
423	Association of genetic variants in the IRAK-4 gene with susceptibility to severe sepsis. 2012 , 3, 123-7	4

422	Urokinase-type plasminogen activator receptor as a predictor of poor outcome in patients with systemic inflammatory response syndrome. 2013 , 4, 190-5	4
421	Significance of blood pressure variability in patients with sepsis. 2014 , 5, 42-7	9
420	Pulmonary expression of vascular endothelial growth factor in sepsis. 2003 , 127, 331-5	34
419	Characteristics and Outcomes of Intensive Care Unit Survivors: Experience of a Multidisciplinary Outpatient Clinic in a Teaching Hospital. 2017 , 72, 764-772	2
418	Mucosal-associated invariant T (MAIT) cells mediate protective host responses in sepsis. 2020 , 9,	7
417	Thrombo-inflammatory biomarkers to predict sepsis outcome. 2021 , 35, 20587384211048561	1
416	Factors associated with the appropriate use of ultra-broad spectrum antibiotics, meropenem, for suspected healthcare-associated pneumonia. 2021 , 100, e27488	
415	Features of nephropathy in various types of thrombotic microangiopathies in obstetric practice. 2021 , 128-137	1
414	Intravenous corticosteroid treatment in adult patients with sepsis defined by the Sepsis-3 criteria: a systematic review and meta-analysis.	
413	A panel of urine-derived biomarkers to identify sepsis and distinguish it from systemic inflammatory response syndrome. 2021 , 11, 20794	0
412	Systemic Inflammatory Response and Multiple Organ Dysfunction Syndrome: Biologic Domino Effect. 2000 , 23-29	
411	Sepsis and Organ Dysfunction. The Challenge Continues. 2000 , 17-33	
410	Intensive Care for Trauma Patients: The First 24 Hours. 2000 , 427-437	
409	Intensivmedizin. 2000 , 802-812	
408	Are There Useful New Markers of Sepsis?. 2000 , 137-143	
407	Human Albumin on the Intensive Care Unit: Can We Live Without It?. 2000 , 467-475	2
406	Evidence-Based Medicine in the ICU. 2000 , 551-556	
405	Antimikrobielle Therapie. 2000 , 107-132	

- 404 Renal Function and Dysfunction in Multiple Organ Failure. **2000**, 365-377
- 403 Sepsis bei Tumorerkrankungen und Neutropenie. **2000**, 471-492
- 402 Revised Terminology on Sepsis. **2000**, 115-121
- 401 Risk and Setting for Multiple Organ Failure in Medical Patients. **2000**, 44-51
- 400 Definition und Diagnose von Sepsis und Multiorganversagen. **2000**, 3-26 0
- 399 Cardiovascular Monitoring of the Septic Patient. **2001**, 113-125
- 398 Shock and Resuscitation. **2001**, 259-275
- 397 Corticosteroids in Sepsis. **2001**, 97-109
- 396 Anti-Inflammatory Therapy in Sepsis. **2001**, 129-143
- 395 Management of Septic Patients. **2001**, 347-355
- 394 Sepsis Definitions. **2001**, 1-15
- 393 Sepsis. **2001**, 411-433 1
- 392 Definitions: Sepsis Versus SIRS. **2001**, 17-25
- 391 Hemodialysis Catheter-Related Infections. **2001**, 549-560
- 390 Intra-Abdominal Sepsis. **2001**, 461-470 1
- 389 Therapeutic Applications of Monoclonal Antibodies: A Clinical Overview. **2001**, 311-326
- 388 Fokussanierung, Antibiotikatherapie und dann? Die Rolle von rhAPC in der Sepsis. **2002**, 834-843
- 387 Alpha-4 Integrin: A Novel Mechanism for Neutrophil-endothelial Interaction. **2002**, 12-22

386 Abdominelle Sepsis inklusive Peritonitisbehandlung. **2002**, 173-181

385 Trace Elements and Vitamins. **2002**, 66-79

384 Alpha-4 Integrin: A Novel Mechanism for Neutrophil-endothelial Interaction. **2002**, 12-22

383 Die Bedeutung der Gerinnung für die Prognose von Patienten mit Sepsis. **2002**, 73-80

382 Septic Shock Therapy. **2002**, 169-175

381 Sepsis Trials in Children. **2002**, 177-188

380 Pulmonary Vascular Dysfunction. **2002**, 205-221

379 IMPAIRED TRACHEOBRONCHIAL CLEARANCE. **2002**, 60-62

378 INFECTION AND INFLAMMATION IN SEPSIS AND SYSTEMIC INFLAMMATORY RESPONSE SYNDROME (SIRS). **2002**, 68-70

377 Early goal-directed therapy prevents organ failure and mortality in severe sepsis and septic shock. **2003**, 1089-1103

376 Matrix metalloproteinase inhibitors attenuate endotoxemia induced cardiac dysfunction: A potential role for MMP-9. **2003**, 61-66

1

375 Activation of the Innate Immune Response in Critical Illness. **2003**, 19-39

374 Monitoring the Course of Inflammation. **2003**, 392-401

373 Akutes Lungenversagen (ARDS). **2004**, 393-410

372 Sepsis. **2004**, 314-331

371 Prevention and management of eclampsia. **2004**, 1093-1106

370 Scores. **2004**, 71-81

369 ?????????????? DIC???? ??????????????DIC?????DIC?????????????????????. **2004**, 15, 561-566

3

- 368 Infektionen bei speziellen Patienten. **2004**, 1286-1362
- 367 Regulation of granulocyte colony-stimulating factor (G-CSF) in patients with inflammation. **2004**, 24, 619-628
- 366 Nutrition in Surgery, Trauma, and Sepsis. **2004**, 671-680 1
- 365 Plasma Procalcitonin And C-Reactive Protein In Acute Septic Shock: Clinical And Biological Correlates. **2004**, 17-31 0
- 364 Sepsis. **2004**, 851-876 2
- 363 Immune Status of Patients with Polytrauma During the Period of Acute Reaction and Early Clinical Manifestations of the Traumatic Disease. **2004**, 11, 32-36
- 362 Épidémiologie de l'infection et des états septiques en réanimation Résultats d'une étude de cohorte internationale. **2004**, 188, 1115-1126 0
- 361 Epidemiologische und Ökonomische Aspekte der Sepsis. **2005**, 135-150
- 360 Sepsis: The Systemic Inflammatory Response. **2005**, 3-10
- 359 A case of alcoholic liver cirrhosis with systemic inflammatory response syndrome. **2005**, 46, 710-715
- 358 Successful treatment of severe acute pancreatitis-related ARDS with systemic infusion of neutrophil elastase inhibitor (sivelestat sodium). **2005**, 20, 477-483
- 357 Nutrition Assessment and Monitoring. **2005**, 71-81
- 356 Stress Response and Multiple Organ Failure. **2005**, 3-19
- 355 Sepsis. **2006**, 875-881
- 354 Therapie und Prophylaxe von Infektionen bei Neutropenie. **2006**, 2088-2131 2
- 353 Syringe pumps and volumetric pumps. **2006**, 851-857
- 352 Endotoxemia. **2007**, 317-331
- 351 Cardiovascular Monitoring in Severe Sepsis or Septic Shock. **2007**, 11-21

- 350 Diastolic (Dys)Function in Sepsis. **2007**, 444-454 2
- 349 Hemodialysis Catheter-Related Infections. **2007**, 313-323
- 348 Sindrome acuta da stress respiratorio (ARDS). **2007**, 393-410
- 347 Bloodstream Infections in Patients with Total Parenteral Nutrition Catheters. **2007**, 303-312
- 346 The influence of IL-1 gene cluster polymorphisms on the outcome through IL-1ra/IL-1^β imbalance in intensive care unit patients. **2007**, 14, 81-84 1
- 345 Systemic Inflammatory Response Syndrome (SIRS). **2007**, 1958-1986
- 344 Sepsis. 97-118
- 343 Multiple Organ Dysfunction Syndrome. **2008**, 563-576
- 342 Shock and Resuscitation. **2008**, 305-321
- 341 Sepsis. **2008**, 791-809
- 340 Gram-positive and Gram-negative Sepsis: Two Disease Entities?. **2008**, 395-403 0
- 339 The Epidemiology of Severe Infections in Children. **2008**, 194-212
- 338 Therapeutic Applications of Monoclonal Antibodies: A Clinical Overview. 311-326 0
- 337 Adult critical care. **2008**, 526-541
- 336 [Treatment of urosepsis]. **2008**, 149, 1095-9
- 335 Infectious and Inflammatory Metabolic Encephalopathies. **2009**, 333-348
- 334 RESPONSES OF ANTERIOR PITUITARY HORMONES TO FEVER DURING COMMUNITY-ACQUIRED INFECTIONS. **2008**, 5, 1
- 333 Multiple organ dysfunction syndrome. **2009**, 123-132

332 Septicemia. **2009**, 644-650

331 Slow Plasma Exchange plus CHDF for Liver Failure and CHDF Alone for Severe Acute Pancreatitis. **2009**, 1566-1571

330 Septic Shock. **2009**, 831-834

329 Akutes Lungenversagen (ARDS). **2009**, 358-375

328 Infection in the Surgical Intensive Care Unit. **2009**, 474-494

327 ??????[!R]????((?)????????????????????). **2009**, 79, 432-437

326 Intensivmedizin. **2009**, 1369-1390

325 The Critically Ill Patient. **2009**, 3-12

324 Genetic Factors Influencing Acute Kidney Injury. **2009**, 75-82

323 Multi-organ Dysfunction Syndrome. **2010**, 593-597

322 Sepsis. **2010**, 472-482

321 The Acutely Ill Patient with Fever and Rash. **2010**, 791-807

1

320 Intra-abdominal Sepsis. **2010**, 343-348

319 Fall 25 Leistenabszess. **2010**, 259-270

318 Systemic inflammatory response syndrome(SIRS)?????E-?????????????????????. **2010**, 17, 491-498

317 Sepsis. **2010**, 327-350

316 Sepsis. **2010**, 95-116

315 Sepsis Syndromes. **2010**, 1848-1858

1

314 Multi-analytical Approaches Informing the Risk of Sepsis. **2010**, 394-406 1

313 ?????????????????? ??????2010, 17, 479-489 1

312 Multiple organ dysfunction syndrome: update 2010. **2010**, 52, 116-120

311 ~~????-????-??~~2010, 58-65

310 The Generalized Care of the Patient with Acute Lymphoblastic Leukemia. **2011**, 97-114

309 Heart Rate as Prognostic Marker and Therapeutic Target In MODS. **2011**, 393-405

308 Predicting Sepsis: A Comparison of Analytical Approaches. **2011**, 95-102 1

307 Systemic Inflammation. **2011**, 178-192

306 Pathophysiology of Sepsis and Multiple Organ Dysfunction. **2011**, 983-991

305 Acute Kidney Injury. **2011**, 883-893

304 Fetal and Maternal Responses to Intrauterine Infection. **2011**, 155-172

303 Scores. **2011**, 55-65 1

302 Urgences et complications iatrogènes chez le patient cancéreux. **2011**, 131-149

301 ??. **2011**, 18, 249-252

300 SIRS, Sepsis und Multiorganversagen. **2011**, 425-451

299 Sepsis und SIRS. **2011**, 295-308

298 No Significance of the Free Cortisol Index Compared to Total Cortisol in Critically Ill Patients. **2011**, 26, 120 1

297 ????disseminated intravascular coagulation(DIC)????antithrombin?????????????????. **2011**, 18, 421-422

296 Intensive Care: Principles and Therapy. **2012**, 85-92

295 Critical care. **2011**, 285-296

294 Drotrecogin Alfa Activated (Recombinant Human Activated Protein C, Xigris).

293 Assessment and staging. **2011**, 62-80

292 Síndrome aguda de estrés respiratorio (ARDS). **2012**, 397-416

291 Infektionen und SIRS. **2012**, 7-12

290 Leistenabszess. **2012**, 259-270

289 Timing IgM Treatment in Sepsis: Is Procalcitonin the Answer?. **2012**, 109-115

1

288 Sepsis. 383-406

287 Sepsistherapie. **2013**, 727-734

286 Effect of Intravenous High-Dose Selenium Supplementation in Patients with Systemic Inflammatory Response Syndrome: A Pilot Study. **2013**, 84, 531

285 ???DIC????????????????DIC?????????????????. **2013**, 24, 105-115

284 Differenzialdiagnose und Behandlung des akuten Kopfschmerzes. **2013**, 73-85

283 Differenzialdiagnose und Behandlung des akuten Kopfschmerzes.

282 Encyclopedia of Inflammatory Diseases. **2013**, 1-10

281 Septische Enzephalopathie. **2013**, 265-270

1

280 Clinical course of patients with ALI/ARDS treated with sivelestat: comparison of effects on direct and indirect lung injury using high-resolution CT and clinical parameters. **2013**, 24, 19-29

279 Endotoxin Absorption Therapy. **2014**, 325-332

- 278 Systemic Inflammatory Response to Cardiopulmonary Bypass in Pediatric Patients and Related Strategies for Prevention. **2014**, 791-800 1
- 277 SIRS, Sepsis und Multiorganversagen. **2014**, 453-482
- 276 Shock. **2014**, 159-271
- 275 The Multiply Injured Child. **2014**, 413-431
- 274 Effectiveness of Human Recombinant Thrombomodulin for Septic Disseminated Intravascular Coagulation in Perioperative Care in Digestive Surgery. **2014**, 47, 743-754
- 273 Acute Kidney Injury. **2014**, 313-373
- 272 Sepsis. **2014**, 273-312
- 271 Abdominal sepsis and abdominal compartment syndrome. **2014**, 328-343
- 270 Sepsis. **2014**, 453-479
- 269 Significance of Evaluation of SIRS for Early Phase after Oral Cancer Surgery. **2014**, 20, 25-30
- 268 Fall 25 Leistenabszess. **2014**, 275-286
- 267 Case 25: Inguinal Abscess. **2014**, 243-253
- 266 Efficacy of an immuno-modulating enteral diet in patients with severe sepsis/septic shock. **2014**, 21, 155-163
- 265 Investigation of increase of the serum procalcitonin levels in the acute phase in trauma patients. **2014**, 25, 81-92
- 264 Antibiotikatherapie und -prophylaxe. **1993**, 174-190
- 263 Treatment of Sepsis: A New Look at Prostacyclin. **1994**, 48-53
- 262 Definitions and Therapy of Sepsis. **1994**, 228-238 0
- 261 Phase II-Studie zur Prophylaxe und Therapie der Sepsis bei chirurgischen, intensiv-therapiepflichtigen Patienten mit rhG-CSF. **1994**, 423-426

- 260 Nitric Oxide Synthase Inhibition in Septic Shock. **1994**, 64-74
- 259 N-Acetylcysteine in Sepsis. **1994**, 425-442
- 258 Gerinnungsinhibitoren bei Sepsis und disseminierter intravasaler Gerinnung. **1994**, 19-35 3
- 257 Sepsis and Cellular Metabolism. **1994**, 181-190 1
- 256 Antibiotikatherapie und -prophylaxe. **1995**, 174-190
- 255 Oxidative Stress and Oxygen-Dependent Cytokine Production. **1995**, 413-421 1
- 254 SAPS II and MPM II Models for Early Severe Sepsis. **1995**, 157-164
- 253 Prevention of General Complications: Hypothermia, Coagulation Disorders, Infection and Acute Respiratory Distress Syndrome. **1995**, 233-245
- 252 The Septic Patient: Future Directions. **1995**, 63-68
- 251 Therapie des septischen Kreislaufversagens. **1995**, 139-153
- 250 Sepsis [Multiorganversagen. **1995**, 51-136
- 249 Sepsis and its Related Disorders: Definitions, Epidemiology, Pathogenesis and Pathophysiology. **1995**, 51-61
- 248 ARDS and Sepsis: Resemblances and Differences. **1995**, 52-68
- 247 Die Veränderung des Surfactant-Phospholipidspektrums in Abhängigkeit von der Verletzungsschwere beim polytraumatisierten Patienten: Ein prospektive Verlaufsstudie. **1995**, 173-184
- 246 Liver-Lung Interactions in Critical Illness. **1995**, 73-93 1
- 245 Debate on $\text{DO}_2/(\dot{V})\text{O}_2$ Dependency During Inotropic Treatment. **1996**, 191-202
- 244 Definition und Diagnose von Sepsis und Multiorganversagen. **1996**, 3-22 1
- 243 Definitions, Risk Factors, and Outcome of Sepsis in Children. **1996**, 229-238

- 242 Sepsis, Anemia, and Tissue O₂ Availability. **1996**, 287-295 1
- 241 Pathophysiologie, Klinik und Therapie intensivmedizinischer Krankheitsbilder mit DIC. **1996**, 3-41 2
- 240 Sepsis/Systemic Inflammatory Response Syndrome (SIRS). **1996**, 49-55
- 239 Customized Probability Models for Early Severe Sepsis in Adult Intensive Care Patients. **1996**, 807-815
- 238 Sepsis and Inflammation: The Process of Dying from Critical Illness. **1996**, 3-10 1
- 237 Prediction of septic organ dysfunction by the coagulation-fibrinolytic function function. **1996**, 42, 244-251
- 236 Pathophysiology and Therapy of End-Organ Failure in Critical Illness. **1996**, 137-149
- 235 pHi-Wert als prognostischer Parameter bei septischen und polytraumatisierten Patienten. **1996**, 334-337
- 234 Stellenwert der Elimination von Mediatoren durch Blutwaschverfahren/Einsatz der Hähofiltration beim Polytrauma. **1996**, 102-108
- 233 HBO Therapy in Burns and Smoke Inhalation Injury. **1996**, 509-530 1
- 232 Clinical Trials for the Evaluation of Sepsis Therapies. **1997**, 149-157 1
- 231 Einfluss der Plasmaseparation auf seruminduzierte Granulozytenadhäsion, IL-1 β und TNF β -Spiegel bei Sepsispatienten. **1997**, 379-385
- 230 Evaluationsmodelle zur Therapieplanung/Standardisierung am Beispiel der Sepsis. **1997**, 323-329
- 229 An Idiotype Vaccine Against Gram-Negative Bacterial Sepsis. **1997**, 357-368
- 228 Leucocyte Motion During Gravity Sedimentation of Whole Blood. **1997**, 13-19 1
- 227 Monozytäre Endotoxinelimination: Welche Rolle spielt membranständiges CD 14?. **1997**, 373-377
- 226 Das Netzwerk der Sepsismediatoren/Eine Bestandsaufnahme. **1997**, 199-208
- 225 Mediators in Sepsis and Septic Shock. **1997**, 943-947

- 224 Immunsuppression und abdominale Sepsis. **1997**, 217-224
- 223 The Investigation of Respiratory Insufficiency in Nervous System Trauma and Sepsis. **1997**, 107-127
- 222 Pathophysiology, Presentation, and Treatment of Conditions Associated with DIC. **1997**, 3-40
- 221 Mortality in Sepsis. **1997**, 421-426
- 220 A264 Genomic polymorphisms of the Interleukin-1 gene family in patients suffering from severe sepsis. **1997**, 87, 264A
- 219 Epidemiology and Clinical Course of Sepsis. **1998**, 15-21
- 218 SIRS and Sepsis-Induced Neuromuscular Dysfunctions. **1998**, 155-164
- 217 High Volume Slow Continuous Venovenous Hemofiltration in Septic Nonoliguric Burned Patients. **1998**, 365-370
- 216 Pathophysiology of the sepsis syndrome. **1998**, 495-502
- 215 Therapies Directed against TNF- β and IL-1 during Sepsis. **1998**, 115-121
- 214 Renal replacement therapy in patients with chronic (end stage) renal failure and acute illness. **1998**, 1139-1153
- 213 The Complexities of Sepsis and Organ Dysfunction. **1998**, 23-31 1
- 212 Bacteremia and Sepsis. **1998**, 366-371
- 211 Ist eine Beeinflussung von SIRS und MOV durch Ernährungstherapie möglich?. **1998**, 1083-1085
- 210 Role of Cytokines in Septic Cardiomyopathy. **1998**, 185-219
- 209 Clinical Assessment, Monitoring and Therapeutic Strategies for Septic Patients. **1998**, 501-509
- 208 Do We Really Know the Epidemiology and Clinical Course of Sepsis?. **1998**, 229-237
- 207 Complement Inhibitor Therapeutics and Lung Injury. **1998**, 21-29

- 206 Lights and Shadows in Sepsis and Multiple Organ Dysfunction Syndrome (MODS). **1998**, 167-188
- 205 Shall We Continue to Talk About (or Use) SIRS in the Twenty-first Century?. **1999**, 65-68
- 204 New and Old Markers in Sepsis. **1999**, 147-151
- 203 Die Bedeutung von NF- κ B und AP-1 bei der Sepsis. **1999**, 1-6
- 202 Normalization of Plasma Antithrombin Activity in Patients Requiring Hemodynamic and/or Respiratory Support has Anti-inflammatory Properties Related to Survival. **1999**, 49-62
- 201 Norepinephrine Versus L-NMMA in Hyperdynamic Septic Shock. **1999**, 69-91
- 200 Akutes Lungenversagen (ARDS). **1999**, 593-617
- 199 Literatur. **1999**, 98-100
- 198 Niereninsuffizienz bei Sepsis. **1999**, 105-115
- 197 Tonometer(Special Issue : Equipment and Instruments Developed Recently Anesthesiological Field). **1999**, 69, 640-646
- 196 Sepsis. **2015**, 107-148 ○
- 195 Role of serum proadrenomedullin in assessment of the severity and outcome of hospitalized healthcare-associated pneumonia patients. **2014**, 8, 108-114
- 194 Scores. **2015**, 69-80
- 193 CLINICAL STATUS AND CHEMILUMINESCENT ACTIVITY OF NEUTROPHILS IN PATIENTS WITH ADVANCED PURULENT PERITONITIS IN THE DYNAMICS OF POSTOPERATIVE PERIOD. **2014**, 13, 10-19
- 192 Encyclopedia of Trauma Care. **2015**, 1472-1473
- 191 [Again about sepsis: philosophy of dialectical unity of definition and clinical practice]. **2015**, 84-87 ○
- 190 Dantrolene in the Treatment of Refractory Hyperthermic Conditions in Critical Care: A Multicenter Retrospective Study. **2015**, 05, 63-71 ○
- 189 Scores in der Intensivmedizin. **2015**, 1-18

- 188 Sepsis in der Notfallmedizin. **2015**, 127-135
- 187 Sepsis, Severe Sepsis, and Septic Shock. **2015**, 914-934.e6 0
- 186 Where were we able to clarify to?: the production mechanism and role of procalcitonin. **2015**, 22, 495-497
- 185 Energy Expenditure in the Critically Ill Patient. **2015**, 93-110
- 184 THE CELLULAR AND HUMORAL IMMUNITY STATE DEPENDING ON THE OUTCOME OF A WIDESPREAD PURULENT PERITONITIS. **2015**, 5, 63 2
- 183 Definition, Epidemiologie und ökonomische Aspekte der Sepsis. **2016**, 3-16
- 182 In der Notaufnahme. **2016**, 279-293
- 181 Tumorerkrankungen und Neutropenie. **2016**, 299-308
- 180 A Randomized Clinical Trial of Early Enteral Nutrition to Prevent Infectious Complications in Patients With Extensive Liver Resection. **2015**, 100, 1414-1423
- 179 Compendium of Inflammatory Diseases. **2016**, 1193-1201
- 178 The predictive value of systemic inflammatory response syndrome on the outcome of perforated viscus in adult. **2016**, 4, 7
- 177 ??????????????????????????. **2016**, 50, 265-277
- 176 Shock and Sepsis. **2016**, III-2-42-III-2-47
- 175 Fallbeispiel Sepsis. **2016**, 183-193
- 174 [Types of immune response in advanced suppurative peritonitis]. **2016**, 28-34 2
- 173 Sepsis Philip A Efron and Craig M Coopersmith. **2016**, 386-392
- 172 6. **2016**, 105-120
- 171 Serum C-Reactive Protein in Children with Liver Disease and Ascites. **2016**, In Press,

170 Intensive Care: Principles and Therapy. **2017**, 85-92

169 THE STUDY OF SERUM PROCALCITONIN LEVEL IN CORRELATION WITH SEPSIS. **2016**, 3, 4119-4124

168 Septic Shock and Resuscitation Strategies. **2017**, 291-308

167 Recent advances in diagnosis and treatment of disseminated intravascular coagulation in sepsis and trauma. **2017**, 28, 492-501

166 Pasaulinei sepsio dienai 2016: sepsio ir sepsinio ūko diagnostikos naujienos pagal trečią tarptautinį sutarimą (Sepsis-3). **2017**, 26, 173-177

165 The Efficacy of Preoperative Percutaneous Cholecystostomy for Acute Cholecystitis with Gallbladder Perforation. **2017**, 77, 372

164 T????????????????-15 ?????????????????**2017**, 51, 25-32

163 Sepsis and Septic Shock. **2017**, 317-327

162 Systemic Inflammatory Response-Syndrome (SIRS), Sepsis und Multiorganversagen. **2018**, 1-19

161 The Utility of the Sequential Organ Failure Assessment Score in Predicting Mortality in Critically Ill Obstetric Patients Admitted to a High Dependency Unit in Uganda. **2017**, 3,

160 Evaluaci3n de la perfusi3n tisular en pacientes con choque s3ptico normodin3mico versus hiperdin3mico. **2018**, 32, 344-350

2

159 The Difference of the Impact of Elective Cholecystectomy Surgery in the Immune Response. **2018**, 09, 243-247

158 Sepsis Associated Encephalopathy Predicts Poor Outcome among Acute Supratentorial Intracerebral Hemorrhage with Coma. **2018**, 09, 123-134

157 Septic Shock. **2018**, 55-79

0

156 Evaluation of nuclear DNA level in plasma of cardiac-surgery patients as a predictor of multiorgan dysfunction. **2018**, 17, 39-44

155 [CME Laboratory 54: Inflammation Markers]. **2018**, 107, 571-572

154 A successful management after preterm delivery in a patient with severe sepsis during third-trimester pregnancy. **2018**, 35, 84-88

153 Etiology and Pathogenesis of Burn Anemia. The Role of the Blood Transfusion in the Treatment of Patients with Burns. **2018**, 7, 244-252

1

152	FEATURES OF THE PHENOTYPE AND NAD(P)-DEPENDENT DEHYDROGENASES ACTIVITY IN NEUTROPHIL BY PATIENTS WITH WIDESPREAD PURULENT PERITONITIS IN PROGNOSIS FOR SEPSIS DEVELOPMENT. 2018 , 8, 369-376	1
151	Criteria for the morphological diagnosis of sepsis. 2018 , 20, 66-71	2
150	Management ATG (SIRS). 2019 , 183-187	
149	Optimal antimicrobial therapy and antimicrobial stewardship in sepsis and septic shock. 2019 , 62, 638	0
148	DEPENDENCE OF NEUTROPHIL RESPIRATORY BURST ON THEIR METABOLIC STATE IN THE PATIENTS WITH ACUTE DESTRUCTIVE PANCREATITIS OF DIFFERENT SEVERITY. 2019 , 21, 77-88	
147	Surgical Complications and Management. 2019 , 191-201	
146	Landmark Papers on Blood and Component Transfusion Therapy in the Critically Ill: A Critical Analysis. 2019 , 23, S207-S211	0
145	The effect of the tinctorial properties of microorganism on the nutritional status and the early outcome in patients with SIRS of bacterial origin. 2019 , 21, 359-365	
144	Sepsis-3: renewed determinations, potential problems and further practical foot steps. 2019 , 86, 60-72	
143	Diagnosis and Treatment of Infections in Burns. 2020 , 299-308	1
142	HLA-DR (cellular and soluble) and inflammatory serum markers in patients after trauma: can they predict outcome?. 2019 , 32,	
141	?????????????????????. 2019 , 53, 327-335	
140	Clinical outcomes of urinary tract infection caused by extended spectrum beta-lactamase producing Enterobacteriaceae: a retrospective observational study comparing patients with and without systemic inflammatory response syndrome. 2020 , 7, e472	1
139	INTERNISTISCHE INTENSIVMEDIZIN. 2020 , K-1-K9-4	
138	Sepsis and Nutrition. 2020 , 203-213	
137	Role of C-Reactive Protein (CRP) in Sepsis: Severity and Outcome. 2020 , 249-290	
136	Sepsis. 2020 , 695-709	
135	Sepsis, a 2020 review for the internist. 2020 , 58, 129-137	3

- 134 Early warning scores to assess the probability of critical illness in patients with COVID-19. **2021**, 38, 901-905 ○
- 133 Biomarkers in Critical Care Illness: ARDS and Sepsis. **2020**, 185-198
- 132 Serum Procalcitonin (PCT) Versus Serum C - Reactive Protein (CRP) for Severity of Organ Dysfunction in Sepsis. **2020**, 3, 24-27
- 131 Critical Care and Fluid Therapy. **2020**, 1521-1544.e4
- 130 Influence of lithium chloride on the apoptosis of endotheliocytes in systemic inflammatory response syndrome in patients with severe multiple injury. A retrospective study. **2020**, 115-121 ○
- 129 The Use of High Dose Eltrombopag in the Management of Sepsis-Associated Thrombocytopenia in Critically Ill Patients. **2019**, 5, 123-129 2
- 128 The usefulness of neutrophil/lymphocyte count ratio in the diagnosis and prognosis of bacterial sepsis [An old parameter with new implications. **2020**, 28, 39-48
- 127 Special Considerations in Organ Failure. **2020**, 285-313
- 126 Hepatic Encephalopathy. **2020**, 695-706
- 125 Une pancr tite aigu  grave faisant d couvrir un lymphome osseux primitif. **2020**, 32, 51-55
- 124 2) Organ Crosstalk in Multiple Organ Dysfunction. **2020**, 109, 451-454
- 123 Aetiology and short-term outcome of acute respiratory distress syndrome: a real-world experience from a medical intensive care unit in southern India. **2020**, 50, 12-18 ○
- 122 Detection of Bacteremia in Surgical In-Patients Using Recurrent Neural Network Based on Time Series Records: Development and Validation Study (Preprint).
- 121 Sepsis Occurrence and Its Prognosis in Latin America. **2006**, 11-24
- 120 Resuscitation Goals in Severe Sepsis and Septic Shock. **2006**, 92-102
- 119 Role of Complement in Multi-Organ Dysfunction Syndrome. **2004**, 465-480
- 118 D finitions du sepsis (Conf rence commune SCCM/Esicm/ACCP/ATS/Sis, 2001) et concept PIRO. **2005**, 13-22
- 117  valuation h modynamique. **2005**, 141-166

116 SIRS, Sepsis und Multiorganversagen. **2006**, 341-359

115 Organ dysfunction during sepsis. **2006**, 345-356

0

114 Haemodynamic monitoring of septic patients with pressure recording analytical method: preliminary observations. **2006**, 323-339

113 Organ Dysfunction in the ICU: A Clinical Perspective. **2007**, 238-245

112 Postoperativer Verlauf und seine Störungen [Chirurgische Intensivmedizin in der Viszeralchirurgie. **2006**, 173-179

111 SIRS, Sepsis und Multiorganversagen. **2008**, 351-371

110 Parenterale und enterale Ernährung. 1554-1572

109 Systemic Inflammatory Response Syndrome (SIRS), Sepsis und Multiorganversagen. 1643-1658

108 Surgical Complications and Management. **2021**, 211-219

107 Barriers in Accessing Care for Consequence of Unsafe Abortion by Black Women: Evidence of Institutional Racism in Brazil. **2021**, 8, 1385-1394

1

106 The Effective Removal of Proinflammatory Cytokines by Continuous Hemofiltration with a Polymethylmethacrylate Membrane Following Severe Burn Injury: Report of Three Cases. **1999**, 29, 762-765

105 An observational cohort study of the performance of the REDS score compared to the SIRS criteria, NEWS2, CURB65, SOFA, MEDS and PIRO scores to risk-stratify emergency department suspected sepsis. **2021**, 53, 1863-1874

2

104 A Research Agenda for Diagnostic Excellence in Critical Care Medicine. **2022**, 38, 141-157

103 Efficacy of non-invasive and invasive respiratory management strategies in adult patients with acute hypoxaemic respiratory failure: a systematic review and network meta-analysis. **2021**, 25, 414

1

102 Pathophysiology of Coagulopathy Induced by Traumatic Brain Injury Is Identical to That of Disseminated Intravascular Coagulation With Hyperfibrinolysis. **2021**, 8, 767637

2

101 New Time-Related Insights into an Old Laboratory Parameter: Early CRP Discovered by as a Predictor for Sepsis in Polytrauma Patients. **2021**, 10,

0

100 Clinical and Experimental Study of effects of rhubarb on gastrointestinal blood flow perfusion in critical illness. **2001**, 7, 2-6

99 HAEMATOLOGICAL PARAMETERS AND C-REACTIVE PROTEIN IN PREDICTION OF DISEASE SEVERITY AND MORTALITY IN PATIENTS WITH SEPSIS. **2021**, 4, 13-26

98	What's new in pathophysiology of peritonitis?. 2000 , 32, 162-166	1
97	Treatment outcome and efficacy of therapeutic plasma exchange for transplant-associated thrombotic microangiopathy in a large real-world cohort study.. 2022 ,	2
96	Liver Progenitor Cells in Massive Hepatic Necrosis-How Can a Patient Survive Acute Liver Failure?. 2022 , 12,	0
95	Cluster analysis integrating age and body temperature for mortality in patients with sepsis: a multicenter retrospective study.. 2022 , 12, 1090	0
94	Estimates of sepsis prevalence and outcomes in adult intensive care unit patients in India: a cross-sectional study.. 2022 ,	2
93	Evaluation of Immature Granulocyte Count as the Earliest Biomarker for Sepsis. 2022 , 26, 216-223	1
92	A Thrombomodulin Promoter Gene Polymorphism, rs2239562, Influences Both Susceptibility to and Outcome of Sepsis.. 2021 , 8, 762198	1
91	Anagliptin prevents lipopolysaccharide (LPS)- induced inflammation and activation of macrophages.. 2022 , 104, 108514	1
90	Incidence of proximal deep vein thrombosis in medical critical care patients.. 2022 , 20, 5	0
89	Conservative Management or Cesarean Hysterectomy for Placenta Accreta Spectrum: the PACCRETA Prospective Study.. 2021 ,	8
88	Clinical Significance of Early Echocardiographic Changes after Resuscitated Out-of-Hospital Cardiac Arrest.. 2021 ,	0
87	Prenatal Diagnosis of Fetal Inflammatory Response Syndrome. 2022 , 12, 1260-1266	
86	Improving the diagnosis and prognosis of sepsis according to the sources of infection.. 2022 ,	0
85	Retrospective evaluation of the use of quick Sepsis-related Organ Failure Assessment (qSOFA) as predictor of mortality and length of hospitalization in dogs with pyometra (2013-2019): 52 cases.. 2022 ,	1
84	Outcomes of CMS-mandated fluid administration among fluid-overloaded patients with sepsis: A systematic review and meta-analysis.. 2022 , 55, 157-166	0
83	Global Research Status of Multiple Organ Dysfunction Syndrome During 2001-2021: A 20-Year Bibliometric Analysis.. 2022 , 9, 814381	2
82	The Potential Diagnostic and Predictive Role of HbA1c in Diabetic, Septic Patients: A Retrospective Single-Center Study.. 2022 , 2022, 8543232	
81	A multifaceted educational intervention improved anti-infectious measures but had no effect on mortality in patients with severe sepsis.. 2022 , 12, 3925	

- 80 Comparative Efficacy of Tonic Chinese Herbal Injections for Treating Sepsis or Septic Shock: A Systematic Review and Bayesian Network Meta-Analysis of Randomized Controlled Trials.. **2022**, 13, 830030
- 79 Effects of early rehabilitation in sepsis patients by a specialized physical therapist in an emergency center on the return to activities of daily living independence: A retrospective cohort study.. **2022**, 17, e0266348
- 78 Biomarkers for Diagnosing Febrile Illness in Immunocompromised Children: A Systematic Review of the Literature.. **2022**, 10, 828569 0
- 77 Diagnosis of Neonatal Sepsis: The Role of Inflammatory Markers.. **2022**, 10, 840288 3
- 76 Urine Hydrogen Peroxide Levels and Their Relation to Outcome in Patients with Sepsis, Septic Shock, and Major Burn Injury.. **2022**, 10, 0
- 75 Antiplatelet pretreatment and mortality in patients with severe sepsis: A secondary analysis from a multicenter, prospective survey of severe sepsis in Japan.. **2022**, 69, 154015
- 74 Changes of Antimicrobial Resistance Causing Infections Following Transrectal Prostate Biopsy: Analysis of 10-Year Data. **2021**, 16, 55-60
- 73 CORR Insights[®] : For Patients With Acute PJI Treated With Debridement, Antibiotics, and Implant Retention, What Factors are Associated With Systemic Sepsis and Recurrent or Persistent Infection in Septic Patients?. **2022**,
- 72 The German Quality Network Sepsis: Evaluation of a Quality Collaborative on Decreasing Sepsis-Related Mortality in a Controlled Interrupted Time Series Analysis.. **2022**, 9, 882340
- 71 A prospective study of myeloperoxidase levels in water immersion.. **2022**, 123, 1-4
- 70 Evaluation of the effects of three designs of oxygenators with integrated filters on clinical and haematological outcomes at an Australasian cardiothoracic unit.. **2022**, 2676591221090751
- 69 The Impact of Cytokines on Neutrophils' Phagocytosis and NET Formation during Sepsis-A Review.. **2022**, 23, 1
- 68 Eosinophil count: a predictor of in-hospital mortality in a cohort of cirrhosis patients with sepsis. **2022**, 12,
- 67 Severe Anemia, Anorexia, and Uremia Associated with Diabetic Foot Infections: A Case Series. **2022**, 101926
- 66 Early Biomarker Signatures in Surgical Sepsis.. **2022**, 277, 372-383 1
- 65 Falla peritoneal: ¿un nuevo síndrome?. **2014**, 77-98
- 64 Features of peripheral blood B cell phenotype in patients with pressure ulcers. **2020**, 23, 419-428
- 63 ICU Management: Disseminated Intravascular Coagulation (DIC). **2022**, 473-501

- 62 Early ICU Management of Polytrauma Patients Who Develop Sepsis. **2022**, 503-518
- 61 Age-related differences in the survival benefit of the administration of antithrombin, recombinant human thrombomodulin, or their combination in sepsis. **2022**, 12, 1
- 60 Identifying the Risk of Sepsis in Patients With Cancer Using Digital Health Care Records: Machine Learning-Based Approach (Preprint).
- 59 Identifying the Risk of Sepsis in Patients With Cancer Using Digital Health Care Records: Machine Learning-Based Approach. **2022**, 10, e37689
- 58 Metabolic Syndrome (MetS), Systemic Inflammatory Response Syndrome (SIRS), and Frailty: Is There any Room for Good Outcome in the Elderly Undergoing Emergency Surgery?. 9, 1
- 57 Characterization of lncRNA-Based ceRNA Network and Potential Prognostic Hub Genes for Sepsis. **2022**, 2022, 1-9
- 56 Clinicopathological features and short outcomes of oliguric acute tubular injury. **2022**, 71, 154076
- 55 STUDY OF PROCALCITONIN AS A BIOMARKER FOR EARLY DIAGNOSIS OF SEPSIS PATIENTS IN A TERTIARY CARE HOSPITAL. **2022**, 19-22
- 54 Red blood cell distribution width at admission predicts outcome in critically ill patients with kidney failure: a retrospective cohort study based on the MIMIC-IV database. **2022**, 44, 1182-1191 2
- 53 Epidemiology and Burden of Sepsis at Thailand's Largest University-Based National Tertiary Referral Center during 2019. **2022**, 11, 899
- 52 EARLY DIFFERENTIATION BETWEEN SEPSIS AND STERILE INFLAMMATION VIA URINARY GENE SIGNATURES OF METABOLIC DYSREGULATION. **2022**, 58, 20-27
- 51 YoŪn Bak- m ĩitesindeki Bakteriyemik Hastalarda Antibiyotik Direncinin ve Uygunsuz Ampirik Antibiyotik Tedavisinin 3 Gĭllĭ ve 28 Gĭllĭ Mortalite Ėerine Etkisi: 5 Y-ll-k Retrospektif Analiz.
- 50 Pathophysiology of Sepsis and Genesis of Septic Shock: The Critical Role of Mesenchymal Stem Cells (MSCs). **2022**, 23, 9274
- 49 Role of pyroptosis in inflammation and cancer. 2
- 48 Identification of patient population benefiting from anticoagulant therapy for sepsis-related coagulopathy based on the disseminated intravascular coagulation diagnostic criteria: a retrospective database study.
- 47 Aggressive or Moderate Fluid Resuscitation in Acute Pancreatitis. **2022**, 387, 989-1000 5
- 46 Determinants of initial insulin therapy for hospitalized patients with diabetes mellitus. **2022**, 36, 108307 0
- 45 Risk factors and outcomes of acute decompensation in patients with chronic kidney disease. **2020**, 20, 46 0

44	Identification of Patient Population Benefiting from Anticoagulant Therapy for Sepsis-Related Coagulopathy Based on the Disseminated Intravascular Coagulation Diagnostic Criteria: A Retrospective Database Study.	0
43	Presepsin cut-off value for diagnosis of sepsis in patients with renal dysfunction. 2022 , 17, e0273930	0
42	MicroRNAs combined with the TLR4/TDAG8 mRNAs and proinflammatory cytokines are biomarkers for the rapid diagnosis of sepsis. 2022 , 26,	0
41	Identification of sepsis in paediatric emergency departments: A scoping review.	0
40	Acoustocerebrography in septic patients: A randomized and controlled pilot study. 4,	0
39	Immunopathology of chronic critical illness in sepsis survivors: Role of abnormal myelopoiesis.	0
38	Biomarkers of inflammatory in acute respiratory insufficiency in patients with inhalation injury. 2022 , 23	0
37	Sepsistherapie. 2022 , 887-895	0
36	Presepsin (sCD14-ST): an early marker of sepsis. 2022 , 58, 15-20	0
35	Sepsis Team Organizational Model to Decrease Mortality for Intra-Abdominal Infections: Is Antibiotic Stewardship Enough?. 2022 , 11, 1460	0
34	Efficacy and Safety of Continuous Infusion of Vancomycin in Critically Ill Adults: A Systematic Review.	0
33	Sepsis Syndrome. 2000 , 66, 126-132	5
32	Depressive symptoms among mothers with hospitalized children in South Asia and sub-Saharan Africa. 2023 , 323, 368-377	0
31	Scores in der Intensivmedizin. 2022 , 1-14	0
30	IL-33 induces NF- κ B activation in ILC2 that can be suppressed by in vivo and ex vivo 17 β estradiol. 3,	0
29	Gram-negative bacteremia in solid organ transplant recipients: Clinical characteristics and outcomes as compared to immunocompetent non-transplant recipients. 2022 , 24,	3
28	Pain management in surgical intensive care patients: A retrospective observational research. 2022 , 101, e31297	0
27	Machine learning model identifies aggressive acute pancreatitis within 48 h of admission: a large retrospective study. 2022 , 22,	0

26	A New Risk Score to Predict Intensive Care Unit Admission for Patients with Acute Pancreatitis 48 Hours After Admission: Multicenter Study.	○
25	Association of antithrombin with development of trauma-induced disseminated intravascular coagulation and outcomes. 13,	○
24	QSOFA and SOFA scores are valuable tools for predicting postoperative sepsis resulting from ureteroscopic lithotripsy (URSL). 2022 , 101, e31765	○
23	Profile and Predictors of Infection Following Anti-thymocyte Globulin or Anti-lymphocyte Globulin with Cyclosporine in Aplastic Anemia.	○
22	Educational needs assessment identifying opportunities to improve sepsis care. 2022 , 11, e001930	○
21	Vasoplegic syndrome in cardiovascular surgery. 2023 , 30, 3-6	○
20	Pathophysiologie der Sepsis. 2023 , 58, 13-27	○
19	Endotoxin in Sepsis: Methods for LPS Detection and the Use of Omics Techniques. 2023 , 13, 79	○
18	USE OF THE PROCALCITONIN TEST FOR DIAGNOSTICS OF INFECTED PANCREATIC NECROSIS. 2007 , 30-34	○
17	New Approaches and Understanding of Sepsis. 2023 , 99-104	○
16	Steroid administration for ischemic complications after radiofrequency ablation: A retrospective study.	○
15	Bioavailability of the tumor necrosis factor alpha/regulated on activation, normal T cell expressed and secreted (RANTES) biosystem inside the gestational sac during the pre-immune stages of embryo development. 2023 ,	○
14	Endothelial glycocalyx-associated molecules as potential serological markers for sepsis-associated encephalopathy: A systematic review and meta-analysis. 2023 , 18, e0281941	○
13	Diagnostic significance of microRNAs in sepsis. 2023 , 18, e0279726	1
12	Research Progress of Sepsis. 2023 , 13, 2588-2593	○
11	Is conservative management safe in patients with acute ureterolithiasis and perirenal stranding?. 2023 , 51,	○
10	Sepsis Definitions: A Historical Perspective. 2023 , 7-10	○
9	Sepsis-related coagulopathy treatment based on the disseminated intravascular coagulation diagnostic criteria: a post-hoc analysis of a prospective multicenter observational study. 2023 , 11,	○

- 8 Prognostic performance of the REDS score, SOFA score, NEWS2 score, and the red-flag, NICE high-risk, and SIRS criteria to predict survival at 180 days, in emergency department patients admitted with suspected sepsis [An observational cohort study]. 10,
- 7 Perforated peptic ulcer (PPU) treatment: an Italian nationwide propensity score-matched cohort study investigating laparoscopic vs open approach.
- 6 Interrogating the Sepsis Host Immune Response Using Cytomics. **2023**, 39-48
- 5 Effect of ureteric access sheath on outcomes of retrograde intrarenal surgery for renal stone disease: a randomized controlled trial.
- 4 Interrogating the sepsis host immune response using cytomics. **2023**, 27,
- 3 Sepsis. **2021**, 1603-1621
- 2 Development of the definition of sepsis. **2023**, 4, 75-81
- 1 Cross-center Early Sepsis Recognition by Medical Knowledge Guided Collaborative Learning for Data-scarce Hospitals. **2023**,