

CITATION REPORT

List of articles citing

Association of coagulation factors and inhibitors with carotid artery atherosclerosis. Early results of the Atherosclerosis Risk in Communities (ARIC) Study

DOI: 10.1016/1047-2797(92)90097-a
Annals of Epidemiology, 1992, 2, 471-80.

Source: <https://exaly.com/paper-pdf/23173370/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
62	The Atherosclerosis Risk in Communities (ARIC) Study. Introduction and objectives of the hemostasis component. <i>Annals of Epidemiology</i> , 1992 , 2, 467-9	6.4	30
61	Past infection by Chlamydia pneumoniae strain TWAR and asymptomatic carotid atherosclerosis. Atherosclerosis Risk in Communities (ARIC) Study Investigators. <i>American Journal of Medicine</i> , 1993 , 95, 499-504	2.4	222
60	Association of hemostatic variables with prevalent cardiovascular disease and asymptomatic carotid artery atherosclerosis. The Atherosclerosis Risk in Communities (ARIC) Study Investigators. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993 , 13, 1829-36		157
59	Hemostatic factors in the Coronary Artery Risk Development in Young Adults (CARDIA) Study. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994 , 14, 686-93		56
58	Carotid artery intima-media thickness as an indicator of generalized atherosclerosis. <i>Journal of Internal Medicine</i> , 1994 , 236, 567-73	10.8	321
57	Postmenopausal hormone replacement therapy--clinical implications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1994 , 53, 81-93	2.4	22
56	Haemostatic factors and prevalent coronary heart disease; the FINRISK Haemostasis Study. <i>European Heart Journal</i> , 1994 , 15, 1293-9	9.5	39
55	Coagulation and Fibrinolysis. <i>Cerebrovascular Diseases</i> , 1995 , 5, 89-92	3.2	6
54	Hemostatic Factors and Ischemic Heart Disease Risk Among Postmenopausal Women. <i>Journal of Thrombosis and Thrombolysis</i> , 1995 , 1, 125-131	5.1	1
53	Fibrinogen and cardiovascular disease: historical introduction. <i>European Heart Journal</i> , 1995 , 16 Suppl A, 2-5	9.5	24
52	Smoking and cardiovascular disease. <i>QJM - Monthly Journal of the Association of Physicians</i> , 1996 , 89, 493-8	2.7	13
51	Association of coronary heart disease incidence with carotid arterial wall thickness and major risk factors: the Atherosclerosis Risk in Communities (ARIC) Study, 1987-1993. <i>American Journal of Epidemiology</i> , 1997 , 146, 483-94	3.8	1563
50	Fibrinogen and cardiovascular risk. <i>Vascular Medicine</i> , 1997 , 2, 115-25	3.3	71
49	Risk factors differ for carotid artery plaque with and without acoustic shadowing. Atherosclerosis Risk in Communities Study Investigators. 1997 , 7, 28-34		14
48	Influence of fibrinogen on cardiovascular disease. <i>Drugs</i> , 1997 , 54 Suppl 3, 32-40	12.1	59
47	Recent advances in hemostatic risk factors and cardiovascular diseases. <i>Fibrinolysis and Proteolysis</i> , 1997 , 11, 31-34		1
46	Plasma fibrinogen and wall thickness in carotid and femoral arteries: findings from the KHD study. <i>Fibrinolysis and Proteolysis</i> , 1997 , 11, 35-40		2

45	Contribution of factor VII, fibrinogen and fibrinolytic components to the risk of ischaemic cardiovascular disease: their genetic determinants. <i>Fibrinolysis and Proteolysis</i> , 1998 , 12, 259-276		18
44	Correlation of factor VIIa values with factor VII gene polymorphism, fasting and postprandial triglyceride levels, and subclinical carotid atherosclerosis. <i>Circulation</i> , 1998 , 98, 2815-21	16.7	32
43	Beta-fibrinogen gene polymorphism (C148-->T) is associated with carotid atherosclerosis: results of the Austrian Stroke Prevention Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 18, 487-92	9.4	60
42	Correlates of Antithrombin, Protein C, Protein S, and TFPI in a Healthy Elderly Cohort. <i>Thrombosis and Haemostasis</i> , 1998 , 80, 134-139	7	52
41	Socioeconomic status and determinants of hemostatic function in healthy women. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 485-92	9.4	49
40	Measuring plasma fibrinogen to predict stroke and myocardial infarction: an update. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999 , 19, 1368-77	9.4	244
39	Intima-media thickness of carotid arteries in borderline hypertensives. 1999 , 9, 19-22		10
38	Carotid wall thickness is predictive of incident clinical stroke: the Atherosclerosis Risk in Communities (ARIC) study. <i>American Journal of Epidemiology</i> , 2000 , 151, 478-87	3.8	581
37	Haemostasis and carotid artery wall thickness in non-insulin dependent diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2000 , 47, 25-35	7.4	12
36	Relationship between endothelial cell markers and arterial stenosis in peripheral and carotid artery disease. <i>Thrombosis Research</i> , 2000 , 97, 209-16	8.2	39
35	Effects of heparin and aspirin on circulating P-selectin, E-selectin and von Willebrand Factor levels in healthy men. <i>Atherosclerosis</i> , 2001 , 155, 389-93	3.1	26
34	Covariance of metabolic and hemostatic risk indicators in men and women. <i>Fibrinolysis and Proteolysis</i> , 2001 , 15, 9-20		4
33	Risk factors for progression of common carotid atherosclerosis: the Atherosclerosis Risk in Communities Study, 1987-1998. <i>American Journal of Epidemiology</i> , 2002 , 155, 38-47	3.8	240
32	B-mode ultrasound-detected carotid artery lesions with and without acoustic shadowing and their association with markers of inflammation and endothelial activation: the atherosclerosis risk in communities study. <i>Atherosclerosis</i> , 2002 , 162, 145-55	3.1	23
31	Hyperhomocyst(e)inemia and hemostatic factors: the atherosclerosis risk in communities study. <i>Annals of Epidemiology</i> , 2002 , 12, 228-36	6.4	27
30	Progression of atherosclerosis as assessed by carotid intima-media thickness in patients with HIV infection. <i>Circulation</i> , 2004 , 109, 1603-8	16.7	487
29	Potential of free-form TFPI and PAI-1 to be useful markers of early atherosclerosis in a Japanese general population (the Suita Study): association with the intimal-medial thickness of carotid arteries. <i>Atherosclerosis</i> , 2004 , 176, 355-60	3.1	38
28	What causes acute coronary syndromes? Applying Koch's postulates. <i>Atherosclerosis</i> , 2005 , 179, 1-15	3.1	24

27	Increased carotid intima-media thickness in HIV patients is associated with increased cytomegalovirus-specific T-cell responses. <i>Aids</i> , 2006 , 20, 2275-83	3.5	213
26	Lack of very strong association between pre-treatment fibrinogen and PAI-1 with long-term mortality after coronary bypass surgery. <i>Cardiology</i> , 2007 , 108, 82-9	1.6	5
25	Carotid intima-media thickness and markers of inflammation, endothelial damage and hemostasis. <i>Annals of Medicine</i> , 2008 , 40, 21-44	1.5	71
24	Assessment of coronary heart disease risk by combined analysis of coagulation factors. <i>Atherosclerosis</i> , 2008 , 198, 294-300	3.1	12
23	Hemostatic and inflammatory risk factors for intracerebral hemorrhage in a pooled cohort. <i>Stroke</i> , 2008 , 39, 2268-73	6.7	30
22	Role of viral replication, antiretroviral therapy, and immunodeficiency in HIV-associated atherosclerosis. <i>Aids</i> , 2009 , 23, 1059-67	3.5	273
21	Hemostasis, inflammation, and fatal and nonfatal coronary heart disease: long-term follow-up of the atherosclerosis risk in communities (ARIC) cohort. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009 , 29, 2182-90	9.4	37
20	Carotid atherosclerotic disease following childhood scalp irradiation. <i>Atherosclerosis</i> , 2009 , 204, 556-60	3.1	12
19	Fibrinogen promotes early atherosclerotic changes of the carotid artery in young, healthy adults. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 1003-8	4	18
18	An association between clotting factor VII and carotid intima-media thickness: the CARDIA study. <i>Stroke</i> , 2010 , 41, 1417-22	6.7	10
17	Interrelationships of Factor VII activity and plasma leptin with insulin resistance in coronary heart disease. <i>Atherosclerosis</i> , 2010 , 209, 235-40	3.1	11
16	Carotid Intima-Media Thickness Measurement: A Suitable Alternative for Cardiovascular Risk?. 2011 , 379-395		
15	Imaging biomarkers in atherosclerosis trials. <i>Circulation: Cardiovascular Imaging</i> , 2011 , 4, 319-33	3.9	50
14	A gene-centric association scan for Coagulation Factor VII levels in European and African Americans: the Candidate Gene Association Resource (CARE) Consortium. <i>Human Molecular Genetics</i> , 2011 , 20, 3525-34	5.6	16
13	Measures of cardiovascular risk and subclinical atherosclerosis in a cohort of women with a remote history of preeclampsia. <i>Atherosclerosis</i> , 2013 , 229, 234-9	3.1	44
12	Cardiovascular epidemiology: the legacy of sound national and international studies. <i>Arquivos Brasileiros De Cardiologia</i> , 2013 , 101, 98-100	1.2	0
11	Depletion of B-cells with rituximab improves endothelial function and reduces inflammation among individuals with rheumatoid arthritis. <i>Journal of the American Heart Association</i> , 2014 , 3, e001267	6	44
10	Haemostatic and inflammatory alterations in familial hypercholesterolaemia, and the impact of angiotensin II infusion. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 328-38	3	12

9	Fibrinogen and factor VIII, but not factor VII, are associated with measures of subclinical cardiovascular disease in the elderly. Results from The Cardiovascular Health Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1995 , 15, 1269-79	9.4	58
8	Antithrombin and atherosclerosis in the Rotterdam Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996 , 16, 864-7	9.4	16
7	Risk factors related to carotid intima-media thickness and plaque in children with familial hypercholesterolemia and control subjects. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996 , 16, 984-91	9.4	215
6	Association of fibrinolytic parameters with early atherosclerosis. The ARIC Study. Atherosclerosis Risk in Communities Study. <i>Circulation</i> , 1995 , 91, 284-90	16.7	168
5	Prospective study of hemostatic factors and incidence of coronary heart disease: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 1997 , 96, 1102-8	16.7	473
4	Associations between carotid atherosclerosis and high factor VIII activity, dyslipidemia, and hypertension. <i>Stroke</i> , 1997 , 28, 88-94	6.7	26
3	Hypercoagulable States. 2010 , 588-598		
2	Thrombosis in the Pathogenesis of Coronary Artery Disease. <i>Developments in Cardiovascular Medicine</i> , 1998 , 59-86		
1	Fibrinogen: Risk Factor or Risk Marker?. <i>Medical Science Symposia Series</i> , 1998 , 75-84		