CITATION REPORT List of articles citing

On the significance of subterritories in the "accumbens" part of the rat ventral striatum

DOI: 10.1016/0306-4522(92)90202-d Neuroscience, 1992, 50, 751-67.

Source: https://exaly.com/paper-pdf/23175546/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
942	Specificity in the efferent projections of the nucleus accumbens in the rat: comparison of the rostral pole projection patterns with those of the core and shell. 1993 , 327, 220-32		353
941	Ultrastructural characteristics of enkephalin-immunoreactive boutons and their postsynaptic targets in the shell and core of the nucleus accumbens of the rat. 1993 , 332, 224-36		35
940	Evidence for a multi-compartmental histochemical organization of the nucleus accumbens in the rat. 1993 , 337, 267-76		110
939	The patterns of afferent innervation of the core and shell in the "accumbens" part of the rat ventral striatum: immunohistochemical detection of retrogradely transported fluoro-gold. 1993 , 338, 255-78		939
938	Amphetamine conditioned cue preference and the neurobiology of drug-seeking. 1993 , 5, 329-336		25
937	Prefrontal cortical dopamine systems and the elaboration of functional corticostriatal circuits: implications for schizophrenia and Parkinson's disease. 1993 , 91, 197-221		185
936	Firing patterns of nucleus accumbens neurons during cocaine self-administration in rats. <i>Brain Research</i> , 1993 , 626, 14-22	3.7	102
935	Effects of CCK8 and of the CCKB-selective agonist BC264 on extracellular dopamine content in the anterior and posterior nucleus accumbens: a microdialysis study in freely moving rats. <i>Brain Research</i> , 1993 , 628, 254-62	3.7	47
934	Organization of the output of the ventral striatopallidal system in the rat: ventral pallidal efferents. <i>Neuroscience</i> , 1993 , 57, 113-42	3.9	370
933	The rat nucleus accumbens: two levels of complexity in the distribution of glutamic acid decarboxylase (67 kDa) and preproenkephalin messenger RNA. 1993 , 155, 81-6		16
932	Subsets of neurotensin-immunoreactive neurons in the rat striatal complex following antagonism of the dopamine D2 receptor: an immunohistochemical double-labeling study using antibodies against Fos. <i>Neuroscience</i> , 1993 , 57, 649-60	3.9	15
931	Motor and Cognitive Functions of the Prefrontal Cortex. 1994,		10
930	Glycine site antagonists abolish dopamine D2 but not D1 receptor mediated catalepsy in rats. 1994 , 95, 123-36		29
929	Differential behavioral effects following microinjection of an NMDA antagonist into nucleus accumbens subregions. 1994 , 116, 65-72		109
928	A topographically organized gamma-aminobutyric acid projection from the ventral pallidum to the nucleus accumbens in the rat. 1994 , 345, 579-95		86
927	Nucleus accumbens dopamine release increases during instrumental lever pressing for food but not free food consumption. 1994 , 49, 25-31		153
926	Accumbens D2 modulation of sensorimotor gating in rats: assessing anatomical localization. 1994 , 49, 155-63		66

[1994-1994]

925	Mapping of globus pallidus and ventral pallidum lesions that produce hyperkinetic treading. <i>Brain Research</i> , 1994 , 668, 16-29	3.7	24
924	Lesions of the pedunculopontine tegmental nucleus abolish catalepsy and locomotor depression induced by morphine. <i>Brain Research</i> , 1994 , 662, 134-40	3.7	31
923	Synaptic relationships of enkephalinergic and cholinergic neurons in the nucleus accumbens of the rat. <i>Brain Research</i> , 1994 , 667, 67-76	3.7	23
922	Modulation of locomotor activity by NMDA receptors in the nucleus accumbens core and shell regions of the rat. <i>Brain Research</i> , 1994 , 664, 231-6	3.7	97
921	Involvement of D2 dopamine receptors in the nucleus accumbens in the opiate withdrawal syndrome. 1994 , 371, 155-7		167
920	Rostrocaudal subregional differences in the response of enkephalin, dynorphin and substance P synthesis in rat nucleus accumbens to dopamine depletion. 1994 , 6, 486-96		44
919	Immunohistochemical characterization of the shell and core territories of the nucleus accumbens in the rat. 1994 , 6, 1255-64		194
918	Opposing roles for dopamine D2 and D3 receptors on neurotensin mRNA expression in nucleus accumbens. 1994 , 6, 1384-7		94
917	Role of dopamine in the plasticity of glutamic acid decarboxylase messenger RNA in the rat frontal cortex and the nucleus accumbens. 1994 , 6, 1782-91		18
916	Evidence for two neurochemical divisions in the human nucleus accumbens. 1994 , 6, 1913-6		55
915	Elimination of cocaine-induced hyperactivity and dopamine-mediated neurophysiological effects in dopamine D1 receptor mutant mice. 1994 , 79, 945-55		294
914	Differential effects of dopamine depletion on the binding and mRNA levels of dopamine receptors in the shell and core of the rat nucleus accumbens. 1994 , 25, 333-43		40
913	Rostral-caudal differences in effects of nucleus accumbens amphetamine on VTA ICSS. <i>Brain Research</i> , 1994 , 642, 251-8	3.7	23
912	Sensitization and conditioning of feeding following multiple morphine microinjections into the nucleus accumbens. <i>Brain Research</i> , 1994 , 648, 342-6	3.7	53
911	The organization of the basal ganglia-thalamocortical circuits: open interconnected rather than closed segregated. <i>Neuroscience</i> , 1994 , 63, 363-79	3.9	411
910	Comparison of delta opiate receptor agonist induced reward and motor effects between the ventral pallidum and dorsal striatum. 1994 , 33, 1171-82		36
909	Input from the amygdala to the rat nucleus accumbens: its relationship with tyrosine hydroxylase immunoreactivity and identified neurons. <i>Neuroscience</i> , 1994 , 61, 851-65	3.9	143
908	The organization of midbrain projections to the ventral striatum in the primate. <i>Neuroscience</i> , 1994 , 59, 609-23	3.9	145

907	The involvement of nucleus accumbens dopamine in appetitive and aversive motivation. 1994 , 61, 117-33	3	475
906	Reduction of voluntary alcohol intake in the rat by modulation of the dopaminergic mesolimbic system: transplantation of ventral mesencephalic cell suspensions. <i>Neuroscience</i> , 1994 , 58, 359-69	3.9	16
905	Indirect nucleus accumbens input to the prefrontal cortex via the substantia nigra pars reticulata: a combined anatomical and electrophysiological study in the rat. <i>Neuroscience</i> , 1994 , 61, 533-45	3.9	83
904	Different modifications of the dopamine metabolism in the core and shell parts of the nucleus accumbens following CCK-A receptor stimulation in the shell region. 1994 , 178, 5-10		15
903	Prepulse inhibition in the rat is regulated by ventral and caudodorsal striato-pallidal circuitry 1995 , 109, 912-928		95
902	Organization of thalamic projections to the ventral striatum in the primate. 1995 , 354, 127-49		107
901	5'-nucleotidase in the rodent ventral striatum: relation to the distribution of leu-enkephalin, cell clusters, and infralimbic cortical innervation. 1995 , 360, 49-58		9
900	Organization of projections from the medial nucleus of the amygdala: a PHAL study in the rat. 1995 , 360, 213-45		580
899	Dopamine receptor mRNA expression patterns by opioid peptide cells in the nucleus accumbens of the rat: a double in situ hybridization study. 1995 , 361, 57-76		136
898	Patterns of convergence and segregation in the medial nucleus accumbens of the rat: relationships of prefrontal cortical, midline thalamic, and basal amygdaloid afferents. 1995 , 361, 383-403		183
897	Presynaptic dopamine-glutamate interactions in the nucleus accumbens regulate sensorimotor gating. 1995 , 120, 433-41		94
896	Habit-forming actions of nomifensine in nucleus accumbens. 1995 , 122, 194-7		143
895	Reward shifts and motor responses following microinjections of opiate-specific agonists into either the core or shell of the nucleus accumbens. 1995 , 120, 195-202		33
894	The efferent connections of the nucleus accumbens in the lizard Gekko gecko. A combined tract-tracing/transmitter-immunohistochemical study. 1995 , 191, 73-81		31
893	Neurochemical heterogeneity of the primate nucleus accumbens. 1995 , 104, 177-90		43
892	Dopamine D2 and D3 receptors in the rat striatum and nucleus accumbens: use of 7-OH-DPAT and [125I]-iodosulpride. 1995 , 19, 1-13		42
891	GABAergic projection from the ventral pallidum and globus pallidus to the subthalamic nucleus. 1995 , 20, 10-8		30
890	D3 and D2 dopamine receptors: visualization of cellular expression patterns in motor and limbic structures. 1995 , 20, 325-37		53

(1995-1995)

889	The effects of nucleus accumbens dopamine depletions on continuously reinforced operant responding: contrasts with the effects of extinction. 1995 , 50, 437-43		62
888	Discriminative stimulus effects of cocaine: antagonism by dopamine D1 receptor blockade in the amygdala. 1995 , 51, 759-66		23
887	Selective activation of dopamine transmission in the shell of the nucleus accumbens by stress. <i>Brain Research</i> , 1995 , 675, 325-8	3.7	327
886	Ventral pallidal GABA-A receptors regulate prepulse inhibition of acoustic startle. <i>Brain Research</i> , 1995 , 684, 26-35	3.7	51
885	Morphometric analysis of ventral mesencephalic neurons retrogradely labeled with Fluoro-Gold following injections in the shell, core and rostral pole of the rat nucleus accumbens. <i>Brain Research</i> , 1995 , 689, 151-6	3.7	24
884	Effect of muscimol on haloperidol-induced alteration of neurotensin gene expression in the striatum and nucleus accumbens in the rat. <i>Brain Research</i> , 1995 , 691, 9-17	3.7	9
883	Influences of neuronal uptake and D2 autoreceptors on regulation of extracellular dopamine in the core, shell and rostral pole of the rat nucleus accumbens. <i>Brain Research</i> , 1995 , 699, 171-82	3.7	23
882	Glutamate receptors in the nucleus accumbens shell control feeding behavior via the lateral hypothalamus. <i>Journal of Neuroscience</i> , 1995 , 15, 6779-88	6.6	316
881	Regulation of masculine sexual behavior: involvement of brain opioids and dopamine. 1995 , 21, 162-84		112
880	Basolateral amygdala lesions do not disrupt latent inhibition. 1995 , 72, 73-81		29
880 879	Basolateral amygdala lesions do not disrupt latent inhibition. 1995 , 72, 73-81 ORAL COMMUNICATIONS. 1995 , 115, 1P-50P		29
879	ORAL COMMUNICATIONS. 1995 , 115, 1P-50P Chronic food deprivation decreases extracellular dopamine in the nucleus accumbens: implications		1
8 ₇ 9	ORAL COMMUNICATIONS. 1995 , 115, 1P-50P Chronic food deprivation decreases extracellular dopamine in the nucleus accumbens: implications for a possible neurochemical link between weight loss and drug abuse. 1995 , 3 Suppl 4, 525S-529S Role of dopamine D1 and D2 receptors in the nucleus accumbens in jaw movements of rats: a		1 52
879 878 877	ORAL COMMUNICATIONS. 1995, 115, 1P-50P Chronic food deprivation decreases extracellular dopamine in the nucleus accumbens: implications for a possible neurochemical link between weight loss and drug abuse. 1995, 3 Suppl 4, 525S-529S Role of dopamine D1 and D2 receptors in the nucleus accumbens in jaw movements of rats: a critical role of the shell. 1995, 286, 41-7		1 52 34
879 878 877	ORAL COMMUNICATIONS. 1995, 115, 1P-50P Chronic food deprivation decreases extracellular dopamine in the nucleus accumbens: implications for a possible neurochemical link between weight loss and drug abuse. 1995, 3 Suppl 4, 525S-529S Role of dopamine D1 and D2 receptors in the nucleus accumbens in jaw movements of rats: a critical role of the shell. 1995, 286, 41-7 Novel dopamine receptor subtypes as targets for antipsychotic drugs. 1995, 757, 278-92 Estrogen increases the density of 5-hydroxytryptamine(2A) receptors in cerebral cortex and	3.9	1 52 34
8 ₇₉ 8 ₇₈ 8 ₇₇ 8 ₇₆	ORAL COMMUNICATIONS. 1995, 115, 1P-50P Chronic food deprivation decreases extracellular dopamine in the nucleus accumbens: implications for a possible neurochemical link between weight loss and drug abuse. 1995, 3 Suppl 4, 525S-529S Role of dopamine D1 and D2 receptors in the nucleus accumbens in jaw movements of rats: a critical role of the shell. 1995, 286, 41-7 Novel dopamine receptor subtypes as targets for antipsychotic drugs. 1995, 757, 278-92 Estrogen increases the density of 5-hydroxytryptamine(2A) receptors in cerebral cortex and nucleus accumbens in the female rat. 1995, 54, 15-20 Localization of serotonin-4 receptors in the striatonigral pathway in rat brain. <i>Neuroscience</i> , 1995,	3.9	1 52 34 13 168

871	Distribution of preproenkephalin messenger RNA in the basal ganglia and limbic-associated regions of the monkey telencephalon. <i>Neuroscience</i> , 1995 , 65, 417-29	3.9	12
870	Asymmetrical involvement of mesolimbic dopaminergic neurons in affective perception. <i>Neuroscience</i> , 1995 , 68, 963-8	3.9	66
869	The role of mesoaccumbenspallidal circuitry in novelty-induced behavioral activation. <i>Neuroscience</i> , 1995 , 64, 587-97	3.9	148
868	Excitotoxic lesions of the core and shell subregions of the nucleus accumbens differentially disrupt body weight regulation and motor activity in rat. 1995 , 38, 551-9		75
867	GABAergic axons in the ventral forebrain of the rat: an electron microscopic study. <i>Neuroscience</i> , 1995 , 68, 207-20	3.9	12
866	Topographical organization in the nucleus accumbens of afferents from the basolateral amygdala and efferents to the lateral hypothalamus. <i>Neuroscience</i> , 1995 , 67, 625-30	3.9	55
865	Phenotypical characterization of neurons expressing the dopamine D3 receptor in the rat brain. <i>Neuroscience</i> , 1995 , 65, 731-45	3.9	301
864	Light microscopic immunocytochemical evidence of converging serotonin and dopamine terminals in ventrolateral nucleus accumbens. 1995 , 37, 37-40		33
863	D1 and D2 dopamine receptors differentially increase Fos-like immunoreactivity in accumbal projections to the ventral pallidum and midbrain. <i>Neuroscience</i> , 1995 , 64, 1019-34	3.9	123
862	Morphology and Fos immunoreactivity reveal two subpopulations of striatal neurotensin neurons following acute 6-hydroxydopamine lesions and reserpine administration. <i>Neuroscience</i> , 1995 , 65, 71-8	3.9	25
861	Differential actions of typical and atypical antipsychotic drugs on dopamine release in the core and shell of the nucleus accumbens. 1996 , 6, 29-38		56
860	Immunohistochemical localization of Lyn (p56) protein in the adult rat brain. <i>Neuroscience</i> , 1996 , 71, 89-100	3.9	17
859	Differential effects of ventral striatal lesions on the conditioned place preference induced by morphine or amphetamine. <i>Neuroscience</i> , 1996 , 71, 701-8	3.9	31
858	Sex comparison of neuronal Fos immunoreactivity in the rat vomeronasal projection circuit after chemosensory stimulation. <i>Neuroscience</i> , 1996 , 71, 1063-72	3.9	145
857	Burst stimulation of the medial forebrain bundle selectively increase Fos-like immunoreactivity in the limbic forebrain of the rat. <i>Neuroscience</i> , 1996 , 72, 141-56	3.9	67
856	Patterns of overlap and segregation between insular cortical, intermediodorsal thalamic and basal amygdaloid afferents in the nucleus accumbens of the rat. <i>Neuroscience</i> , 1996 , 73, 359-73	3.9	117
855	Expression of the D3 dopamine receptor in peptidergic neurons of the nucleus accumbens: comparison with the D1 and D2 dopamine receptors. <i>Neuroscience</i> , 1996 , 73, 131-43	3.9	180
854	Modifications in glutamatergic transmission after dopamine depletion of the nucleus accumbens. A combined in vivo/in vitro electrophysiological study in the rat. <i>Neuroscience</i> , 1996 , 72, 1009-21	3.9	16

853	The lamellar organization of the rat substantia nigra pars reticulata: segregated patterns of striatal afferents and relationship to the topography of corticostriatal projections. <i>Neuroscience</i> , 1996 , 73, 761	- 81 9	139
852	Cholinergic innervation in the human striatum: a three-compartment model. <i>Neuroscience</i> , 1996 , 74, 67-87	3.9	44
851	Densitometrical analysis of opioid receptor ligand binding in the human striatumI. Distribution of mu opioid receptor defines shell and core of the ventral striatum. <i>Neuroscience</i> , 1996 , 75, 777-92	3.9	81
850	The effects of methylenedioxymethamphetamine (MDMA, "Ecstasy") on monoaminergic neurotransmission in the central nervous system. 1996 , 49, 455-79		148
849	Prefrontal cortex inputs of the nucleus accumbens-nigro-thalamic circuit. <i>Neuroscience</i> , 1996 , 71, 371-8	3 2 3.9	94
848	The ventral subiculum modulation of prepulse inhibition is not mediated via dopamine D2 or nucleus accumbens non-NMDA glutamate receptor activity. 1996 , 314, 9-18		50
847	The distribution of noradrenaline, serotonin and gamma-aminobutyric acid in the monkey nucleus accumbens. 1996 , 20, 1403-12		14
846	The basolateral amygdala regulates sensorimotor gating of acoustic startle in the rat. <i>Neuroscience</i> , 1997 , 76, 715-24	3.9	84
845	Transient increases in catecholaminergic activity in medial prefrontal cortex and nucleus accumbens shell during novelty. <i>Neuroscience</i> , 1997 , 76, 707-14	3.9	149
844	Differential involvement of the shell and core subterritories of the nucleus accumbens in latent inhibition and amphetamine-induced activity. 1996 , 81, 123-33		138
843	Chapter 28 Theories of basal forebrain organization and the Amotional motor system 1996, 107, 461-4	84	68
842	Neurobiology of addiction. 1996 , 6, 243-51		720
841	The mediodorsal nucleus of the thalamus in ratsII. Behavioral and neurochemical effects of GABA agonists. <i>Neuroscience</i> , 1996 , 70, 103-12	3.9	38
840	Rewarding actions of phencyclidine and related drugs in nucleus accumbens shell and frontal cortex. <i>Journal of Neuroscience</i> , 1996 , 16, 3112-22	6.6	304
839	Phasic firing of single neurons in the rat nucleus accumbens correlated with the timing of intravenous cocaine self-administration. <i>Journal of Neuroscience</i> , 1996 , 16, 3459-73	6.6	129
838	Morphine and naloxone, i.p. or locally, affect extracellular acetylcholine in the accumbens and prefrontal cortex. 1996 , 53, 809-16		66
837	NMDA-induced lesions of the nucleus accumbens or the ventral pallidum increase the rewarding efficacy of food to deprived rats. <i>Brain Research</i> , 1996 , 722, 109-17	3.7	25
836	Sensorimotor gating in rats is regulated by different dopamine-glutamate interactions in the nucleus accumbens core and shell subregions. <i>Brain Research</i> , 1996 , 722, 168-76	3.7	119

835	Estrogen control of central neurotransmission: effect on mood, mental state, and memory. 1996 , 16, 325-44	353
834	Microinjections of phencyclidine (PCP) and related drugs into nucleus accumbens shell potentiate medial forebrain bundle brain stimulation reward. 1996 , 128, 413-20	106
833	Mu opioid receptor mRNA in nucleus accumbens is elevated following dopamine receptor activation. 1996 , 21, 1411-5	34
832	The biological, social and clinical bases of drug addiction: commentary and debate. 1996 , 125, 285-345	243
831	Contralateral turning elicited by unilateral stimulation of dopamine D2 and D1 receptors in the nucleus accumbens of rats is due to stimulation of these receptors in the shell, but not the core, of this nucleus. 1996 , 126, 185-90	38
830	Ventral striatopallidothalamic projection: IV. Relative involvements of neurochemically distinct subterritories in the ventral pallidum and adjacent parts of the rostroventral forebrain. 1996 , 364, 340-62	112
829	Shell and core in monkey and human nucleus accumbens identified with antibodies to calbindin-D28k. 1996 , 365, 628-39	142
828	Ventral pallidostriatal pathway in the monkey: evidence for modulation of basal ganglia circuits. 1996 , 370, 295-312	59
827	Electrophysiological response of neurons of the mediodorsal nucleus of the thalamus to the stimulation of the nucleus accumbens in the rat. 1996 , 19, 109-114	2
826	Distribution of preproenkephalin, preprotachykinin A, and preprodynorphin mRNAs in the rat nucleus accumbens: effect of repeated administration of nicotine. 1996 , 23, 94-106	21
825	Electron-microscopic study of dopaminergic structures in the medial subdivision of the monkey nucleus accumbens. 1996 , 111, 41-50	18
824	Protein kinases in the rat nucleus accumbens are involved in the aversive component of opiate withdrawal. 1996 , 8, 2671-8	34
823	The nucleus accumbens: gateway for limbic structures to reach the motor system?. 1996 , 107, 485-511	257
822	Role of the cerebral cortex and striatum in emotional motor response. 1996 , 107, 537-50	20
821	The anatomical relationships of the prefrontal cortex with limbic structures and the basal ganglia. 1997 , 11, 99-106	199
820	Induction of dopamine D3 receptor expression as a mechanism of behavioral sensitization to levodopa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 3363-75	316
819	Differential expression of transcription factors in the accumbens of an animal model of ADHD. 1997 , 8, 1607-12	21
818	Dopamine D3 receptor antisense reduces neuropeptide mRNA levels in rat nucleus accumbens. 1997 , 8, 3901-5	20

817	Striatal dopaminergic changes depend on the attractive or aversive value of stimulus. 1997 , 8, 3523-6		15
816	The effects of electrolytic lesion to the shell subterritory of the nucleus accumbens on delayed non-matching-to-sample and four-armed baited eight-arm radial-maze tasks 1997 , 111, 92-103		51
815	The development of a conditioned place preference to morphine: Effects of microinjections into various CNS sites 1997 , 111, 1324-1334		223
814	Response-reinforcement learning is dependent on N-methyl-D-aspartate receptor activation in the nucleus accumbens core. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 12174-9	11.5	265
813	Effects of YM-14673, a thyrotropin-releasing hormone analogue, injected into the shell and the core of the nucleus accumbens on production of repetitive jaw movements in rats: comparison with the effects of a dopamine D1 and D2 receptor agonist combination. 1997 , 39, 142-6		
812	Dopamine D3 receptor mutant mice exhibit increased behavioral sensitivity to concurrent stimulation of D1 and D2 receptors. 1997 , 19, 837-48		282
811	A circuitry model of the expression of behavioral sensitization to amphetamine-like psychostimulants. 1997 , 25, 192-216		1033
810	Feeding induced by blockade of AMPA and kainate receptors within the ventral striatum: a microinfusion mapping study. 1997 , 89, 107-13		111
809	The switching model of latent inhibition: an update of neural substrates. 1997, 88, 11-25		217
808	Chronic cocaine increases neurotensin gene expression in the shell of the nucleus accumbens and in discrete regions of the striatum. 1997 , 44, 334-40		32
807	Afferent connections of the nucleus accumbens of the snake, Elaphe guttata, studied by means of in vitro and in vivo tracing techniques in combination with TH immunohistochemistry. 1997 , 225, 101-4		11
806	Substantia innominata: a notion which impedes clinical-anatomical correlations in neuropsychiatric disorders. <i>Neuroscience</i> , 1997 , 76, 957-1006	3.9	237
805	Topographical organization of projections from the entorhinal cortex to the striatum of the rat. <i>Neuroscience</i> , 1997 , 78, 715-29	3.9	90
804	Position of the ventral pallidum in the rat prefrontal cortex-basal ganglia circuit. <i>Neuroscience</i> , 1997 , 80, 523-34	3.9	65
803	Cellular expression of adenosine A2A receptor messenger RNA in the rat central nervous system with special reference to dopamine innervated areas. <i>Neuroscience</i> , 1997 , 80, 1171-85	3.9	161
802	The efferent projections of the dorsal and ventral pallidal parts of the pigeon basal ganglia, studied with biotinylated dextran amine. <i>Neuroscience</i> , 1997 , 81, 773-802	3.9	79
801	Different neural mechanisms underlie dizocilpine maleate- and dopamine agonist-induced locomotor activity. <i>Neuroscience</i> , 1998 , 82, 43-58	3.9	47
800	Expression of D1 receptor, D2 receptor, substance P and enkephalin messenger RNAs in the neurons projecting from the nucleus accumbens. <i>Neuroscience</i> , 1998 , 82, 767-80	3.9	235

799	Dopaminergic innervation of the monkey caudal nucleus accumbens. 1997 , 43, 417-23		2
798	Medullary inputs to nucleus accumbens neurons. 1997 , 273, R2080-8		7
797	The dopamine transporter: comparative ultrastructure of dopaminergic axons in limbic and motor compartments of the nucleus accumbens. <i>Journal of Neuroscience</i> , 1997 , 17, 6899-907	6.6	169
796	Contribution of blockade of the noradrenaline carrier to the increase of extracellular dopamine in the rat prefrontal cortex by amphetamine and cocaine. 1997 , 9, 2077-85		138
795	Genetics, Ethanol and the Fos Response: A Comparison of the C57BL/6J and DBA/2J Inbred Mouse Strains. 1997 , 21, 1497-1507		43
794	Behavioral functions of nucleus accumbens dopamine: empirical and conceptual problems with the anhedonia hypothesis. <i>Neuroscience and Biobehavioral Reviews</i> , 1997 , 21, 341-59	9	450
793	Dopamine depletion in the rostral nucleus accumbens alters the cerebral metabolic response to cocaine in the rat. <i>Brain Research</i> , 1997 , 753, 69-79	3.7	6
792	Adenosine A2A receptor agonists increase Fos-like immunoreactivity in mesolimbic areas. <i>Brain Research</i> , 1997 , 759, 41-9	3.7	58
791	Operant behavior during sessions of intravenous cocaine infusion is necessary and sufficient for phasic firing of single nucleus accumbens neurons. <i>Brain Research</i> , 1997 , 757, 280-4	3.7	58
790	Local muscimol disinhibits mesolimbic dopaminergic activity as examined by brain microdialysis and Fos immunohistochemistry. <i>Brain Research</i> , 1997 , 767, 356-60	3.7	14
7 ⁸ 9	Neurons in accumbens subterritories of the rat: phasic firing time-locked within seconds of intravenous cocaine self-infusion. <i>Brain Research</i> , 1997 , 767, 363-9	3.7	36
788	Mapping of locomotor behavioral arousal induced by microinjections of dopamine within nucleus accumbens septi of rat forebrain. <i>Brain Research</i> , 1997 , 771, 55-62	3.7	32
787	Reduced prepulse inhibition after electrolytic lesions of nucleus accumbens subregions in the rat. <i>Brain Research</i> , 1997 , 773, 45-52	3.7	34
786	Asymmetrical increases in dopamine turn-over in the nucleus accumbens and lack of changes in locomotor responses following unilateral dopaminergic depletions in the entorhinal cortex. <i>Brain Research</i> , 1997 , 778, 150-7	3.7	23
785	Persistent increases in basal cerebral metabolic activity induced by morphine sensitization. 1997 , 57, 89-100		12
784	Cellular mechanisms underlying reinforcement-related processing in the nucleus accumbens: electrophysiological studies in behaving animals. 1997 , 57, 495-504		56
783	Differential behavioral responses to dopaminergic stimulation of nucleus accumbens subregions in the rat. 1997 , 58, 933-45		145
782	Intranucleus accumbens amphetamine infusions enhance responding maintained by a stimulus complex paired with oral ethanol self-administration. 1997 , 58, 1065-73		24

781	[The central dopaminergic system and depression]. 1997 , 68, 545-55	27
78o	Microinfusion of corticotropin-releasing factor into the nucleus accumbens shell results in increased behavioral arousal and oral motor activity. 1997 , 130, 189-96	51
779	Differential effects of acute and chronic nicotine on dopamine output in the core and shell of the rat nucleus accumbens. 1997 , 104, 1-10	87
778	The neurobiology of social play behavior in rats. <i>Neuroscience and Biobehavioral Reviews</i> , 1997 , 21, 309-26	466
777	I. Serotonin (5-HT) within dopamine reward circuits signals open-field behavior. II. Basis for 5-HTDA interaction in cocaine dysfunctional behavior. <i>Neuroscience and Biobehavioral Reviews</i> , 9 1997, 21, 227-60	58
776	5-HT2C (HTR2C) serotonin receptor gene polymorphism associated with the human personality trait of reward dependence: interaction with dopamine D4 receptor (D4DR) and dopamine D3 receptor (D3DR) polymorphisms. 1997 , 74, 65-72	125
775	Basal ganglia organization in amphibians: afferent connections to the striatum and the nucleus accumbens. 1997 , 378, 16-49	92
774	Spatial distribution of kainate receptor subunit mRNA in the mouse basal ganglia and ventral mesencephalon. 1997 , 379, 541-62	84
773	Basal ganglia organization in amphibians: Efferent connections of the striatum and the nucleus accumbens. 1997 , 380, 23-50	94
772	Efferent connections of the internal globus pallidus in the squirrel monkey: I. topography and synaptic organization of the pallidothalamic projection. 1997 , 382, 323-347	134
771	Neurochemical architecture of the human striatum. 1997 , 384, 1-25	191
770	Regional and cellular distribution of serotonin 5-hydroxytryptamine2a receptor mRNA in the nucleus accumbens, olfactory tubercle, and caudate putamen of the rat. 1997 , 389, 1-11	52
7 69	Neurogenesis in the mammalian neostriatum and nucleus accumbens: Parvalbumin-immunoreactive GABAergic interneurons. 1997 , 389, 193-211	41
768	Enhanced reward-related responding following cholera toxin infusion into the nucleus accumbens. 1997 , 26, 46-54	27
767	Methamphetamine selectively damages dopaminergic innervation to the nucleus accumbens core while sparing the shell. 1997 , 27, 153-60	72
766	Distribution of dopamine beta-hydroxylase-like immunoreactive fibers within the shell subregion of the nucleus accumbens. 1997 , 27, 230-41	147
765	Low-level lead exposure selectively enhances dopamine overflow in nucleus accumbens: an in vivo electrochemistry time course assessment. 1998 , 150, 174-85	71
764	Metabolic Mapping of the Effects of Oral Alcohol Self-Administration in Rats. 1998 , 22, 176-182	36

763	Sex steroid control of mood, mental state and memory. 1998 , 25, 764-75		189
762	Dopamine release in the nucleus accumbens by hypothalamic stimulation-escape behavior. <i>Brain Research</i> , 1998 , 782, 228-34	3.7	69
761	Intraaccumbens injections of substance P, morphine and amphetamine: effects on conditioned place preference and behavioral activity. <i>Brain Research</i> , 1998 , 790, 185-94	3.7	62
760	Substance P attenuates and DAMGO potentiates amygdala glutamatergic neurotransmission within the ventral pallidum. <i>Brain Research</i> , 1998 , 792, 193-206	3.7	41
759	Axonal expression sites of tyrosine hydroxylase, calretinin- and calbindin-immunoreactivity in striato-pallidal and septal nuclei of the rat brain: a double-immunolabelling study. <i>Brain Research</i> , 1998 , 795, 227-46	3.7	32
758	Efferent projections of the nucleus accumbens in the rat with special reference to subdivision of the nucleus: biotinylated dextran amine study. <i>Brain Research</i> , 1998 , 797, 73-93	3.7	192
757	Origin of noradrenergic afferents to the shell subregion of the nucleus accumbens: anterograde and retrograde tract-tracing studies in the rat. <i>Brain Research</i> , 1998 , 806, 127-40	3.7	213
756	Cholinergic activation in frontal cortex and nucleus accumbens related to basic behavioral manipulations: handling, and the role of post-handling experience. <i>Brain Research</i> , 1998 , 812, 121-32	3.7	40
755	The role of the nitric oxide (NO) pathway in the discriminative stimuli of amphetamine and cocaine. 1998 , 59, 703-8		13
754	The role of accumbens dopamine in lever pressing and response allocation: effects of 6-OHDA injected into core and dorsomedial shell. 1998 , 59, 557-66		136
753	Sexual behavior in male rats after radiofrequency or dopamine-depleting lesions in nucleus accumbens. 1998 , 60, 585-92		75
752	Amphetamine infused into the ventrolateral striatum produces oral stereotypies and conditioned place preference. 1998 , 61, 107-11		17
751	Effects of dopamine antagonists and accumbens dopamine depletions on time-constrained progressive-ratio performance. 1998 , 61, 341-8		155
750	Cocaine- and amphetamine-regulated transcript peptide immunohistochemical localization in the rat brain. 1998 , 391, 115-132		368
749	Distribution of Striatin, a newly identified calmodulin-binding protein in the rat brain: An in situ hybridization and immunocytochemical study. 1998 , 397, 41-59		24
748	Distinct and interactive effects of d-amphetamine and haloperidol on levels of neurotensin and its mRNA in subterritories in the dorsal and ventral striatum of the rat. 1998 , 400, 487-503		32
747	Immunohistochemical localization of adenosine A2A receptors in the rat central nervous system. 1998 , 401, 163-186		323
746	Amphetamine-induced neurochemical and locomotor responses are expressed differentially across the anteroposterior axis of the core and shell subterritories of the nucleus accumbens. 1998 , 29, 310-2	2	89

745	Inducibility of c-Fos protein in visuo-motor system and limbic structures after acute and repeated administration of nicotine in the rat. 1998 , 29, 343-54		41
744	Effects of intraaccumbens administration of SCH-23390 on cocaine-induced locomotion and conditioned place preference. 1998 , 30, 181-93		77
743	Cocaine-induced changes in glutamate and GABA immunolabeling within rat habenula and nucleus accumbens. 1998 , 30, 211-20		39
742	Effects of the D3 and autoreceptor-preferring dopamine antagonist (+)-UH232 in schizophrenia. 1998 , 105, 719-34		33
741	Ovarian steroids and serotonin neural function. 1998 , 18, 87-123		141
740	Functional correlates of nicotine administration: similarity with drugs of abuse. 1998 , 76, 193-201		21
739	CCK in anxiety and cognitive processes. Neuroscience and Biobehavioral Reviews, 1998, 22, 815-25	9	113
738	The antisense strategy applied to the study of dopamine D3 receptor functions in rat forebrain. 1998 , 22, 857-82		8
737	Neuroethological assessment of amphetamine-induced behavioral changes and their reversal by neuroleptics: focus on the amygdala and nucleus accumbens. 1998 , 22, 883-905		4
736	Recognition memory in ratsII. Neuroanatomical substrates. 1998 , 54, 313-32		100
735	Functional implications of multiple dopamine receptor subtypes: the D1/D3 receptor coexistence. 1998 , 26, 236-42		122
734	Evolution of the basal ganglia in tetrapods: a new perspective based on recent studies in amphibians. 1998 , 21, 487-94		188
733	Differential distribution, affinity and plasticity of dopamine D-1 and D-2 receptors in the target sites of the mesolimbic system in an animal model of ADHD. 1998 , 94, 173-85		89
73 ²	Reduced transduction mechanisms in the anterior accumbal interface of an animal model of Attention-Deficit Hyperactivity Disorder. 1998 , 94, 187-95		32
731	A quantitative cytochrome oxidase mapping study, cross-regional and neurobehavioural correlations in the anterior forebrain of an animal model of Attention Deficit Hyperactivity Disorder. 1998 , 94, 197-211		25
730	Fimbria-fornix cut affects spontaneous activity, two-way avoidance and delayed non matching to sample, but not latent inhibition. 1998 , 96, 59-70		34
729	Discrete quinolinic acid lesions of the rat prelimbic medial prefrontal cortex affect cocaine- and MK-801-, but not morphine- and amphetamine-induced reward and psychomotor activation as measured with the place preference conditioning paradigm. 1998 , 97, 115-27		63
728	Motor activation by amphetamine infusion into nucleus accumbens core and shell subregions of rats differentially sensitive to dopaminergic drugs. 1999 , 98, 155-65		35

727	Repeated administration of cocaine, nicotine and ethanol: effects on preprodynorphin, preprotachykinin A and preproenkephalin mRNA expression in the dorsal and the ventral striatum of the rat. 1998 , 54, 141-51		93
726	Perinatal cocaine decreases the expression of prodynorphin mRNA in nucleus accumbens shell in the adult rat. 1998 , 62, 82-5		14
725	Cocaine and fluoxetine induce the expression of the hVH-5 gene encoding a MAP kinase phosphatase. 1998 , 62, 150-7		22
724	Cholecystokinergic innervation of nucleus accumbens subregions. 1998 , 19, 859-68		42
723	Neuropeptide Y-induced operant responding for sucrose is not mediated by dopamine. 1998 , 19, 1667-	73	35
722	Induction of Fos-protein in the forebrain and disruption of sensorimotor gating following N-methyl-D-aspartate infusion into the ventral hippocampus of the rat. <i>Neuroscience</i> , 1998 , 84, 443-52	3.9	47
721	Microcircuitry of the direct and indirect pathways of the basal ganglia. <i>Neuroscience</i> , 1998 , 86, 353-87	3.9	759
720	Single midline thalamic neurons projecting to both the ventral striatum and the prefrontal cortex in the rat. <i>Neuroscience</i> , 1998 , 86, 635-49	3.9	66
719	A microdialysis study of nucleus accumbens core and shell dopamine during operant responding in the rat. <i>Neuroscience</i> , 1998 , 86, 1001-9	3.9	87
718	The H1- and H2-histamine blockers chlorpheniramine and ranitidine applied to the nucleus basalis magnocellularis region modulate anxiety and reinforcement related processes. 1998 , 37, 1019-32		66
717	The effects of excitotoxic lesion of the medial prefrontal cortex on latent inhibition, prepulse inhibition, food hoarding, elevated plus maze, active avoidance and locomotor activity in the rat. <i>Neuroscience</i> , 1998 , 84, 431-42	3.9	131
716	Topographical organization of opioid peptide precursor gene expression following repeated apomorphine treatment in the 6-hydroxydopamine-lesioned rat. 1998 , 150, 223-34		29
715	Effects of bilateral electrolytic lesions of the medial nucleus accumbens on exploration and spatial learning. 1998 , 106, 297-307		13
714	Mammals. 1998 , 1637-2097		40
713	Behavioral Pharmacology of Amphetamines. 1998 , 515-527		2
712	Latent inhibition is disrupted by acute and repeated administration of corticosterone. 1998 , 1, 103-113		9
711	Importance of the noradrenaline-dopamine coupling in the locomotor activating effects of D-amphetamine. <i>Journal of Neuroscience</i> , 1998 , 18, 2729-39	6.6	221
710	Biophysical and pharmacological characterization of voltage-dependent Ca2+ channels in neurons isolated from rat nucleus accumbens. 1998 , 79, 635-47		29

709	Chronic morphine treatment alters NMDA receptor-mediated synaptic transmission in the nucleus accumbens. <i>Journal of Neuroscience</i> , 1999 , 19, 9081-9	62
708	Personality correlates of the dopaminergic facilitation of incentive motivation: Impulsive sensation seeking rather than extraversion?. 1999 , 22, 534-535	3
707	What about sex differences? An adaptationist perspective on the lines of causal influence of personality systems. 1999 , 22, 530-531	2
706	Neurobiology of the structure of personality: dopamine, facilitation of incentive motivation, and extraversion. 1999 , 22, 491-517; discussion 518-69	1507
705	Of genes, environment, and destiny. 1999 , 22, 519-520	2
704	Neurobiology of extraversion: Pieces of the puzzle still missing. 1999 , 22, 524-524	3
703	On the psychobiological complexity and stability of traits. 1999 , 22, 541-555	7
702	Dopamine and serotonin: Integrating current affective engagement with longer-term goals. 1999 , 22, 527-527	11
701	Anterior asymmetry and the neurobiology of behavioral approach circuitry. 1999 , 22, 528-528	2
700	Dopamine tightens, not loosens. 1999 , 22, 537-538	2
699	But the schizophrenia connection 1999 , 22, 523-524	2
698	The limbic basal-ganglia-thalamocortical circuit and goal-directed behavior. 1999 , 22, 525-526	4
697	The affiliative playfulness and impulsivity of extraverts may not be dopaminergically mediated. 1999 , 22, 533-534	4
696	Is depression a dysfunction in self-regulating the brain/behavior system for approach?. 1999 , 22, 536-537	5
695	Evidence of a functional relationship between the nucleus accumbens shell and lateral hypothalamus subserving the control of feeding behavior. <i>Journal of Neuroscience</i> , 1999 , 19, 11040-8	248
694	Dissociation in effects of lesions of the nucleus accumbens core and shell on appetitive pavlovian approach behavior and the potentiation of conditioned reinforcement and locomotor activity by 6.6 D-amphetamine. <i>Journal of Neuroscience</i> , 1999 , 19, 2401-11	451
693	Incentive motivation: Just extraversion?. 1999 , 22, 539-540	13
692	Steps to a neurochemistry of personality. 1999 , 22, 528-529	1

691	Extraversion, sexual experience, and sexual emotions. 1999 , 22, 537-537	3
690	Dopaminergic influences beyond extraversion. 1999 , 22, 521-521	2
689	Dopamine and extraversion: Differential responsivity may be the key. 1999 , 22, 535-536	3
688	The neurobiology of attention-deficit/hyperactivity disorder (ADHD) as a model of the neurobiology of personality. 1999 , 22, 526-527	
687	Dopamine: Go/No-Go motivation versus switching. 1999 , 22, 532-533	2
686	Reconciling discrete psychological typology with a psychobiological continuum. 1999 , 22, 529-530	1
685	Does extraversion predict positive incentive motivation?. 1999 , 22, 520-521	4
684	Computations in extraversion. 1999 , 22, 521-523	2
683	Moderators and mechanisms relating personality to reward and dopamine: Some findings and open questions. 1999 , 22, 531-532	2
682	The integration of motivation. 1999 , 22, 518-519	54
681	Conditioned stimuli and the expression of extraversion: Help or hindrance?. 1999 , 22, 538-539	
681 680	Conditioned stimuli and the expression of extraversion: Help or hindrance?. 1999 , 22, 538-539 Direct comparison of projections from the central amygdaloid region and nucleus accumbens shell. 1999 , 11, 1119-26	92
	Direct comparison of projections from the central amygdaloid region and nucleus accumbens shell.	92 65
680	Direct comparison of projections from the central amygdaloid region and nucleus accumbens shell. 1999, 11, 1119-26 Functional heterogeneity in dopamine release and in the expression of Fos-like proteins within the	
680 679	Direct comparison of projections from the central amygdaloid region and nucleus accumbens shell. 1999, 11, 1119-26 Functional heterogeneity in dopamine release and in the expression of Fos-like proteins within the rat striatal complex. 1999, 11, 1155-66 Immunocytochemical characterization of catecholaminergic neurons in the rat striatum following	65
680 679 678	Direct comparison of projections from the central amygdaloid region and nucleus accumbens shell. 1999, 11, 1119-26 Functional heterogeneity in dopamine release and in the expression of Fos-like proteins within the rat striatal complex. 1999, 11, 1155-66 Immunocytochemical characterization of catecholaminergic neurons in the rat striatum following dopamine-depleting lesions. 1999, 11, 3585-96	65 74
680 679 678	Direct comparison of projections from the central amygdaloid region and nucleus accumbens shell. 1999, 11, 1119-26 Functional heterogeneity in dopamine release and in the expression of Fos-like proteins within the rat striatal complex. 1999, 11, 1155-66 Immunocytochemical characterization of catecholaminergic neurons in the rat striatum following dopamine-depleting lesions. 1999, 11, 3585-96 The concepts of the ventral striatopallidal system and extended amygdala. 1999, 877, 1-32	65 74 242

673	Functional specificity of ventral striatal compartments in appetitive behaviors. 1999 , 877, 71-90		196
672	Functional-anatomical implications of the nucleus accumbens core and shell subterritories. 1999 , 877, 113-28		271
671	The synaptic framework for chemical signaling in nucleus accumbens. 1999 , 877, 140-56		157
670	Opioid modulation of ventral pallidal inputs. 1999 , 877, 176-201		88
669	The intrinsic organization of the central extended amygdala. 1999, 877, 217-41		223
668	Associative processes in addiction and reward. The role of amygdala-ventral striatal subsystems. 1999 , 877, 412-38		593
667	Disrupted and undisruptable latent inhibition following shell and core lesions. 1999 , 877, 723-7		34
666	Cocaine is self-administered into the shell region of the nucleus accumbens in Wistar rats. 1999 , 877, 788-91		37
665	Amphetamine microinfusion in the dorso-ventral axis of the prefrontal cortex differentially modulates dopamine neurotransmission in the shell-core subterritories of the nucleus accumbens. 1999 , 877, 823-7		16
664	Chronic morphine induces long-lasting changes in acetylcholine release in rat nucleus accumbens core and shell: an in vivo microdialysis study. 1999 , 142, 85-94		44
663	Neuronal spike activity in the nucleus accumbens of behaving rats during ethanol self-administration. <i>Brain Research</i> , 1999 , 817, 172-84	3.7	53
662	Calbindin-D 28kD immunofluorescence in ventral mesencephalic neurons labeled following injections of Fluoro-Gold in nucleus accumbens subterritories: inverse relationship relative to known neurotoxin vulnerabilities. <i>Brain Research</i> , 1999 , 844, 67-77	3.7	20
661	Melatonin acts on the nucleus accumbens to increase acetylcholine release and modify the motor activity pattern of rats. <i>Brain Research</i> , 1999 , 850, 14-20	3.7	25
660	Effects of cocaine on dopamine in subregions of the rat prefrontal cortex and their efferents to subterritories of the nucleus accumbens. 1999 , 372, 143-55		56
659	Cocaine and development: clinical, behavioral, and neurobiological perspectivesa symposium report. 1999 , 21, 481-90		44
658	Distribution of dopamine D3 receptor expressing neurons in the human forebrain: comparison with D2 receptor expressing neurons. 1999 , 20, 60-80		335
657	Differential induction of Fos-like-immunoreactivity in the extended amygdala after haloperidol and clozapine. 1999 , 21, 93-100		16
656	Neural systems for behavioral activation and reward. 1999 , 9, 223-7		263

655	Injections of N-methyl-D-aspartate into the ventral hippocampus increase extracellular dopamine in the ventral tegmental area and nucleus accumbens. 1999 , 31, 241-9		96
654	Dopamine D3 receptor antisense administration reduces basal c-fos and NGFI-B mRNA levels in the rat forebrain. 1999 , 32, 51-7		30
653	Engagement in a non-escape (displacement) behavior elicits a selective and lateralized suppression of frontal cortical dopaminergic utilization in stress. 1999 , 32, 187-97		100
652	NMDA receptor blockade attenuates the haloperidol induction of Fos protein in the dorsal but not the ventral striatum. 1999 , 32, 243-53		15
651	Nucleus accumbens in the lizard Psammodromus algirus: chemoarchitecture and cortical afferent connections. 1999 , 405, 15-31		25
650	Cyclic AMP phosphodiesterases are localized in regions of the mouse brain associated with reinforcement, movement, and affect. 1999 , 407, 287-301		183
649	Opioid receptor-like (ORL1) receptor distribution in the rat central nervous system: Comparison of ORL1 receptor mRNA expression with 125I-[14Tyr]-orphanin FQ binding. 1999 , 412, 563-605		296
648	Integration and segregation of limbic cortico-striatal loops at the thalamic level: an experimental tracing study in rats. 1999 , 16, 167-85		126
647	Psychological stress selectively increases extracellular dopamine in the 'shell', but not in the 'core' of the rat nucleus accumbens: a novel dual-needle probe simultaneous microdialysis study. 1999 , 275, 69-72		37
646	Role of accumbens and cortical dopamine receptors in the regulation of cortical acetylcholine release. <i>Neuroscience</i> , 1999 , 88, 811-22	3.9	188
645	Different sensitivity of in vivo acetylcholine transmission to D1 receptor stimulation in shell and core of nucleus accumbens. <i>Neuroscience</i> , 1999 , 89, 1209-17	3.9	38
644	Different behavioral functions of dopamine in the nucleus accumbens and ventrolateral striatum: a microdialysis and behavioral investigation. <i>Neuroscience</i> , 1999 , 91, 925-34	3.9	55
643	Blockade of cannabinoid receptors by SR141716 selectively increases Fos expression in rat mesocorticolimbic areas via reduced dopamine D2 function. <i>Neuroscience</i> , 1999 , 91, 607-20	3.9	78
642	The effects of radiofrequency lesion or transection of the fimbria-fornix on latent inhibition in the rat. <i>Neuroscience</i> , 1999 , 91, 1355-68	3.9	23
641	Nucleus accumbens dopamine depletions make rats more sensitive to high ratio requirements but do not impair primary food reinforcement. <i>Neuroscience</i> , 1999 , 92, 545-52	3.9	192
640	Maternal separation and early social deprivation in Octodon degus: quantitative changes of nicotinamide adenine dinucleotide phosphate-diaphorase-reactive neurons in the prefrontal cortex and nucleus accumbens. <i>Neuroscience</i> , 1999 , 94, 497-504	3.9	29
639	Exploratory behaviour after intra-accumbens histamine and/or histamine antagonists injection in the rat. 1999 , 102, 171-80		20
638	Localization of brain reinforcement mechanisms: intracranial self-administration and intracranial place-conditioning studies. 1999 , 101, 129-52		539

(2000-1999)

637	Examination of factors mediating the transition to behaviorally correlated nucleus accumbens cell firing during cocaine self-administration sessions in rats. 1999 , 104, 127-39	18
636	Behavioral neurochemistry reveals a new functional dichotomy in the shell subregion of the nucleus accumbens. 1999 , 23, 99-132	21
635	Expression of glutamate receptor subunit/subtype messenger RNAS for NMDAR1, GLuR1, GLuR2 and mGLuR5 by accumbal projection neurons. 1999 , 63, 287-96	27
634	Differential regulation of mu-opioid receptor mRNA in the nucleus accumbens shell and core accompanying amphetamine behavioral sensitization. 1999 , 69, 1-9	22
633	Dopamine receptor blockade in the nucleus accumbens inhibits maternal retrieval and licking, but enhances nursing behavior in lactating rats. 1999 , 67, 659-69	188
632	Does neurotensin mediate the effects of antipsychotic drugs?. 1999 , 46, 340-51	73
631	Feeding induced by GABAA receptor stimulation within the nucleus accumbens shell: Regional mapping and characterization of macronutrient and taste preference 1999 , 113, 324-336	118
630	The human basal forebrain. Part II. 1999 , 57-226	60
629	Mesolimbic gender differences in peptide CART mRNA expression: effects of cocaine. 1999 , 10, 3449-52	73
628	Disconnection of the anterior cingulate cortex and nucleus accumbens core impairs Pavlovian approach behavior: Further evidence for limbic cortical lentral striatopallidal systems 2000 , 114, 42-63	248
627	N-methyl-D-aspartate receptor-dependent plasticity within a distributed corticostriatal network mediates appetitive instrumental learning 2000 , 114, 84-98	98
626	Effects of neurotensin receptor antagonists on the firing rate of rat ventral pallidum neurons. 2000 , 11, 1437-41	13
625	Dynamic dopamine receptor interactions in the core and shell of nucleus accumbens differentially coordinate the expression of unconditioned motor behaviors. 2000 , 36, 297-306	25
624	Human cocaine- and amphetamine-regulated transcript (CART) mRNA is highly expressed in limbicand sensory-related brain regions. 2000 , 425, 583-98	91
623	Hippocampo-prefrontal cortex pathway: anatomical and electrophysiological characteristics. 2000 , 10, 411-9	410
622	Ventral pallidal injections of a mu antagonist block the development of behavioral sensitization to systemic morphine. 2000 , 38, 61-70	35
621	Assessment of tyrosine hydroxylase immunoreactive innervation in five subregions of the nucleus accumbens shell in rats treated with repeated cocaine. 2000 , 38, 261-70	40
620	The distribution and origin of the calretinin-containing innervation of the nucleus accumbens of the rat. 2000 , 12, 1591-8	19

619	Expression of Fos-related antigens in the nucleus accumbens and associated regions following exposure to a cocaine-paired environment. 2000 , 12, 2097-106		105
618	The dopaminergic hyper-responsiveness of the shell of the nucleus accumbens is hormone-dependent. 2000 , 12, 973-9		166
617	An integrative neuroanatomical perspective on some subcortical substrates of adaptive responding with emphasis on the nucleus accumbens. <i>Neuroscience and Biobehavioral Reviews</i> , 2000 , 24, 85-105	9	394
616	Carbamazepine suppresses methamphetamine-induced Fos expression in a regionally specific manner in the rat brain. Possible neural substrates responsible for antimanic effects of mood stabilizers. 2000 , 22, 530-7		15
615	Cocaine intake by rats correlates with cocaine-induced dopamine changes in the nucleus accumbens shell. 2000 , 66, 397-401		9
614	The core-shell dichotomy of nucleus accumbens in the rhesus monkey as revealed by double-immunofluorescence and morphology of cholinergic interneurons. <i>Brain Research</i> , 2000 , 858, 151-62	3.7	43
613	Nucleus accumbens cell firing during maintenance, extinction, and reinstatement of cocaine self-administration behavior in rats. <i>Brain Research</i> , 2000 , 866, 44-54	3.7	52
612	L-type calcium channels modulate glutamate-driven bursting activity in the nucleus accumbens in vivo. <i>Brain Research</i> , 2000 , 880, 212-8	3.7	36
611	Environmental modulation of the response to amphetamine: dissociation between changes in behavior and changes in dopamine and glutamate overflow in the rat striatal complex. 2000 , 151, 166-	74	32
610	Striatonigrostriatal pathways in primates form an ascending spiral from the shell to the dorsolateral striatum. <i>Journal of Neuroscience</i> , 2000 , 20, 2369-82	6.6	1496
610		6.6	1496 134
	dorsolateral striatum. <i>Journal of Neuroscience</i> , 2000 , 20, 2369-82 Dual serotonin (5-HT) projections to the nucleus accumbens core and shell: relation of the 5-HT		
609	dorsolateral striatum. <i>Journal of Neuroscience</i> , 2000 , 20, 2369-82 Dual serotonin (5-HT) projections to the nucleus accumbens core and shell: relation of the 5-HT transporter to amphetamine-induced neurotoxicity. <i>Journal of Neuroscience</i> , 2000 , 20, 1952-63 Evidence that separate neural circuits in the nucleus accumbens encode cocaine versus "natural"	6.6	134
609	Dual serotonin (5-HT) projections to the nucleus accumbens core and shell: relation of the 5-HT transporter to amphetamine-induced neurotoxicity. <i>Journal of Neuroscience</i> , 2000 , 20, 1952-63 Evidence that separate neural circuits in the nucleus accumbens encode cocaine versus "natural" (water and food) reward. <i>Journal of Neuroscience</i> , 2000 , 20, 4255-66 Dopamine D3 receptors expressed by all mesencephalic dopamine neurons. <i>Journal of Neuroscience</i>	6.6	134
609 608 607	Dual serotonin (5-HT) projections to the nucleus accumbens core and shell: relation of the 5-HT transporter to amphetamine-induced neurotoxicity. <i>Journal of Neuroscience</i> , 2000 , 20, 1952-63 Evidence that separate neural circuits in the nucleus accumbens encode cocaine versus "natural" (water and food) reward. <i>Journal of Neuroscience</i> , 2000 , 20, 4255-66 Dopamine D3 receptors expressed by all mesencephalic dopamine neurons. <i>Journal of Neuroscience</i> , 2000 , 20, 8677-84	6.6	134 272 281
609 608 607	Dual serotonin (5-HT) projections to the nucleus accumbens core and shell: relation of the 5-HT transporter to amphetamine-induced neurotoxicity. <i>Journal of Neuroscience</i> , 2000 , 20, 1952-63 Evidence that separate neural circuits in the nucleus accumbens encode cocaine versus "natural" (water and food) reward. <i>Journal of Neuroscience</i> , 2000 , 20, 4255-66 Dopamine D3 receptors expressed by all mesencephalic dopamine neurons. <i>Journal of Neuroscience</i> , 2000 , 20, 8677-84 Limbic cortical-ventral striatal systems underlying appetitive conditioning. 2000 , 126, 263-85 Differential effects of discrete subarea-specific lesions of the rat medial prefrontal cortex on	6.6	134 272 281 105
609 608 607 606	Dual serotonin (5-HT) projections to the nucleus accumbens core and shell: relation of the 5-HT transporter to amphetamine-induced neurotoxicity. <i>Journal of Neuroscience</i> , 2000 , 20, 1952-63 Evidence that separate neural circuits in the nucleus accumbens encode cocaine versus "natural" (water and food) reward. <i>Journal of Neuroscience</i> , 2000 , 20, 4255-66 Dopamine D3 receptors expressed by all mesencephalic dopamine neurons. <i>Journal of Neuroscience</i> , 2000 , 20, 8677-84 Limbic cortical-ventral striatal systems underlying appetitive conditioning. 2000 , 126, 263-85 Differential effects of discrete subarea-specific lesions of the rat medial prefrontal cortex on amphetamine- and cocaine-induced behavioural sensitization. 2000 , 10, 488-98 Neural circuits and topographic organization of the basal ganglia and related regions. 2000 , 22	6.6	134 272 281 105

(2001-2000)

601	Enhanced intake of high-fat food following striatal mu-opioid stimulation: microinjection mapping and fos expression. <i>Neuroscience</i> , 2000 , 99, 267-77	3.9	195
600	Comparative effects of neurotensin, neurotensin(8-13) and [D-Tyr(11)]neurotensin applied into the ventral tegmental area on extracellular dopamine in the rat prefrontal cortex and nucleus accumbens. <i>Neuroscience</i> , 2000 , 98, 485-92	3.9	37
599	Specificity of amygdalostriatal interactions in the involvement of mesencephalic dopaminergic neurons in affective perception. <i>Neuroscience</i> , 2000 , 96, 73-82	3.9	51
598	The connections of the dopaminergic system with the striatum in rats and primates: an analysis with respect to the functional and compartmental organization of the striatum. <i>Neuroscience</i> , 2000 , 96, 451-74	3.9	456
597	Repeated cocaine treatment alters tyrosine hydroxylase in the rat nucleus accumbens. 2000 , 52, 407-1	1	33
596	Possible implications of the dopamine D(3) receptor in schizophrenia and in antipsychotic drug actions. 2000 , 31, 277-87		162
595	The putative role of extra-synaptic mesolimbic dopamine in the neurobiology of nicotine dependence. 2000 , 113, 73-83		215
594	Combined 5-HT2/D2 receptor blockade inhibits the firing rate of SNR neurons in the rat brain. 2000 , 24, 579-93		8
593	CCK/dopamine interactions in Fawn-Hooded and Wistar-Kyoto rat brain. 2000, 21, 379-86		15
592	Effects of intra-VTA injection of neurotensin on local cerebral glucose utilization in freely moving rats. 2000 , 21, 1751-3		5
591	Distinct accumbal subareas are involved in place conditioning of amphetamine and cocaine. 2000 , 67, 2033-43		22
590	The prefrontal cortex and the integration of sensory, limbic and autonomic information. 2000 , 126, 3-2	8	296
589	Dopamine D3 receptor agents as potential new medications for drug addiction. 2000 , 15, 140-6		81
588	Dopamine and noradrenaline release in the prefrontal cortex in relation to unconditioned and conditioned stress and reward. 2000 , 126, 133-63		77
587	In vivo characterization of basal amino acid levels in subregions of the rat nucleus accumbens: effect of a dopamine $D(3)/D(2)$ agonist. 2001 , 39, 199-208		12
586	Glutamatergic regulation of haloperidol-induced c-fos expression in the rat striatum and nucleus accumbens. <i>Neuroscience</i> , 2001 , 102, 391-9	3.9	41
585	GABA(A) agents injected into the ventral pallidum differentially affect dopaminergic pivoting and cholinergic circling elicited from the shell of the nucleus accumbens. <i>Neuroscience</i> , 2001 , 104, 117-27	3.9	30
584	Hippocampal and cortical sensory gating in rats: effects of quinpirole microinjections in nucleus accumbens core and shell. <i>Neuroscience</i> , 2001 , 105, 169-80	3.9	38

583	The effects of acute or repeated cocaine administration on nerve terminal glutamate within the rat mesolimbic system. <i>Neuroscience</i> , 2001 , 106, 15-25	3.9	26
582	Selective responding of nucleus accumbens core and shell dopamine to aversively conditioned contextual and discrete stimuli. <i>Neuroscience</i> , 2001 , 108, 91-102	3.9	84
581	Pharmacology and behavioral pharmacology of the mesocortical dopamine system. 2001 , 63, 241-320		372
580	Disruption of dopaminergic neurotransmission in nucleus accumbens core inhibits the locomotor stimulant effects of nicotine and D-amphetamine in rats. 2001 , 40, 792-805		74
579	Segregation and convergence of information flow through the cortico-subthalamic pathways. <i>Journal of Neuroscience</i> , 2001 , 21, 5764-72	6.6	99
578	Fear and feeding in the nucleus accumbens shell: rostrocaudal segregation of GABA-elicited defensive behavior versus eating behavior. <i>Journal of Neuroscience</i> , 2001 , 21, 3261-70	6.6	204
577	The role of the nucleus accumbens in instrumental conditioning: Evidence of a functional dissociation between accumbens core and shell. <i>Journal of Neuroscience</i> , 2001 , 21, 3251-60	6.6	445
576	Sexual behavior induction of c-Fos in the nucleus accumbens and amphetamine-stimulated locomotor activity are sensitized by previous sexual experience in female Syrian hamsters. <i>Journal of Neuroscience</i> , 2001 , 21, 2123-30	6.6	76
575	Dopamine characteristics in rat genotypes with distinct susceptibility to epileptic activity: apomorphine-induced stereotyped gnawing and novelty/amphetamine-induced locomotor stimulation. 2001 , 12, 517-25		23
574	The effects of excitotoxic lesions of the nucleus accumbens core or shell regions on intravenous heroin self-administration in rats. 2001 , 153, 455-63		46
573	The effects of nucleus accumbens core and shell lesions on intravenous heroin self-administration and the acquisition of drug-seeking behaviour under a second-order schedule of heroin reinforcement. 2001 , 153, 464-72		56
572	The dopamine D3 receptor and drug addiction. 2001 , 3, 433-41		43
571	Involvement of the central nucleus of the amygdala and nucleus accumbens core in mediating Pavlovian influences on instrumental behaviour. 2001 , 13, 1984-92		278
570	Tonic opioid inhibition of the subiculo-accumbens pathway. 2001 , 41, 71-85		3
569	Ultrastructural features of the nitric oxide synthase-containing interneurons in the nucleus accumbens and their relationship with tyrosine hydroxylase-containing terminals. 2001 , 431, 139-54		60
568	Ventral mesopontine projections of the caudomedial shell of the nucleus accumbens and extended amygdala in the rat: Double dissociation by organization and development. 2001 , 436, 111-125		33
567	Differential changes in synaptic terminal protein expression between nucleus accumbens core and shell in the amphetamine-sensitized rat. <i>Brain Research</i> , 2001 , 901, 175-83	3.7	23
566	Effects of psychological stress on monoamine systems in subregions of the frontal cortex and nucleus accumbens of the rat. <i>Brain Research</i> , 2001 , 916, 91-100	3.7	27

565	Autoregulation of dopamine synthesis in subregions of the rat nucleus accumbens. 2001 , 411, 107-113		8
564	Active heroin administration induces specific genomic responses in the nucleus accumbens shell. 2002 , 16, 1961-3		50
563	The neurobiology of tobacco dependence: a commentary. 2002 , 69, 7-11		49
562	Effects of ibotenic acid lesions of the nucleus accumbens on paced mating behavior in the female rat 2002 , 116, 568-576		23
561	Marijuana addiction and CNS reward-related events. 2002,		
560	The nucleus accumbens and reward: neurophysiological investigations in behaving animals. 2002 , 1, 281	-96	101
559	Appetitive instrumental learning is impaired by inhibition of cAMP-dependent protein kinase within the nucleus accumbens. 2002 , 77, 44-62		82
558	Principles of rat subcortical forebrain organization: a study using histological techniques and multiple fluorescence labeling. 2002 , 23, 75-104		68
557	A differential involvement of the shell and core subterritories of the nucleus accumbens of rats in attentional processes. <i>Neuroscience</i> , 2002 , 111, 95-109	3.9	61
556	Amygdaloid projections to ventromedial striatal subterritories in the primate. <i>Neuroscience</i> , 2002 , 110, 257-75	3.9	166
555	Dissociation in the involvement of dopaminergic neurons innervating the core and shell subregions of the nucleus accumbens in latent inhibition and affective perception. <i>Neuroscience</i> , 2002 , 111, 315-23	3.9	37
554	Ventral striatal anatomy of locomotor activity induced by cocaine, D-amphetamine, dopamine and D1/D2 agonists. <i>Neuroscience</i> , 2002 , 113, 939-55	3.9	109
553	Withdrawal duration differentially affects c-fos expression in the medial prefrontal cortex and discrete subregions of the nucleus accumbens in cocaine-sensitized rats. <i>Neuroscience</i> , 2002 , 114, 1061-	3 .9	44
552	Preprodynorphin-, preproenkephalin-, preprotachykinin A- and preprotachykinin B-immunoreactive neurons in the accumbens nucleus and olfactory tubercle: double-immunofluorescence analysis. <i>Neuroscience</i> , 2002 , 114, 611-27	3.9	28
551	Distinct pattern of c-fos mRNA expression after systemic and intra-accumbens amphetamine and MK-801. <i>Neuroscience</i> , 2002 , 115, 67-78	3.9	22
550	The dorsomedial shell of the nucleus accumbens facilitates cocaine-induced locomotor activity during the induction of behavioral sensitization. 2002 , 131, 9-16		23
549	Reduced prepulse inhibition in rats with entorhinal cortex lesions. 2002 , 134, 201-7		29
548	Motivational views of reinforcement: implications for understanding the behavioral functions of nucleus accumbens dopamine. 2002 , 137, 3-25		627

547	Nucleus accumbens dopamine and learned fear revisited: a review and some new findings. 2002 , 137, 115-27		73
546	Differential modulation of nucleus accumbens synapses. 2002 , 88, 142-51		23
545	Defining the caudal ventral striatum in primates: cellular and histochemical features. <i>Journal of Neuroscience</i> , 2002 , 22, 10078-82	6.6	59
544	The effect of 7-nitroindazole on the acquisition and expression of D-methamphetamine-induced place preference in rats. 2002 , 435, 217-23		25
543	Dopaminergic and cholinergic stimulation of the ventrolateral striatum elicit rat jaw movements that are funnelled via distinct efferents. 2002 , 442, 81-92		21
542	Reduced TH-immunoreactive fibers in the limbic system of Sardinian alcohol-preferring rats. <i>Brain Research</i> , 2002 , 924, 242-51	3.7	20
541	An examination of nucleus accumbens cell firing during extinction and reinstatement of water reinforcement behavior in rats. <i>Brain Research</i> , 2002 , 929, 226-35	3.7	23
540	Sensitized Fos expression in subterritories of the rat medial prefrontal cortex and nucleus accumbens following amphetamine sensitization as revealed by stereology. <i>Brain Research</i> , 2002 , 950, 165-79	3.7	26
539	Reduced DAT- and DBH-immunostaining in the limbic system of Sardinian alcohol-preferring rats. <i>Brain Research</i> , 2002 , 948, 192-202	3.7	16
538	Pharmacogenetics of tardive dyskinesia: combined analysis of 780 patients supports association with dopamine D3 receptor gene Ser9Gly polymorphism. 2002 , 27, 105-19		193
537	Differential involvement of mu-opioid receptors in the rostral versus caudal nucleus accumbens in the reinforcing effects of heroin in rats: evidence from focal injections of beta-funaltrexamine. 2002 , 161, 152-9		23
536	Effects of cytotoxic nucleus accumbens lesions on instrumental conditioning in rats. 2002 , 144, 50-68		96
535	Serotonin 5-HT(2) receptor stimulation of dopamine release in the posterior but not anterior nucleus accumbens of the rat. 2000 , 75, 1625-33		47
534	Role of the dopamine D3 receptor in reactivity to cocaine-associated cues in mice. 2002 , 15, 2016-26		142
533	Compartment-specific changes in striatal neuronal activity during expression of amphetamine sensitization are the result of drug hypersensitivity. 2002 , 16, 2462-8		32
532	Identification of D3 and sigma receptors in the rat striatum and nucleus accumbens using (+/-)-7-hydroxy-N,N-di-n-[3H]propyl-2-aminotetralin and carbetapentane. 1995 , 64, 700-10		36
531	Emotion and motivation: the role of the amygdala, ventral striatum, and prefrontal cortex. <i>Neuroscience and Biobehavioral Reviews</i> , 2002 , 26, 321-52	9	1667
530	Diverse actions of ovarian steroids in the serotonin neural system. 2002 , 23, 41-100		365

529	Brain-derived neurotrophic factor controls dopamine D3 receptor expression: implications for neurodevelopmental psychiatric disorders. 2002 , 4, 671-678		40
528	The advantages of electrophysiological control for the localization and selective lesioning of the nucleus accumbens in rats. 2003 , 33, 805-9		1
527	Analysis of the structural bases of information processing in the basal ganglia: the spatial organization of thalamocortical projections in the dog brain. 2003 , 33, 157-61		
526	The medial prefrontal cortex in the rat: evidence for a dorso-ventral distinction based upon functional and anatomical characteristics. <i>Neuroscience and Biobehavioral Reviews</i> , 2003 , 27, 555-79	9	633
525	The "two-headed" latent inhibition model of schizophrenia: modeling positive and negative symptoms and their treatment. 2003 , 169, 257-97		338
524	The cannabinoid receptor antagonist SR 141716 attenuates overfeeding induced by systemic or intracranial morphine. 2003 , 168, 314-23		37
523	Differential effects of dopaminergic agents on locomotor sensitisation and on the reinstatement of cocaine-seeking and food-seeking behaviour. 2004 , 175, 414-27		28
522	Does an imbalance between the dorsal and ventral striatopallidal systems play a role in Tourette's syndrome? A neuronal circuit approach. 2003 , 25 Suppl 1, S3-S14		64
521	Brain-derived neurotrophic factor controls dopamine D3 receptor expression: therapeutic implications in Parkinson's disease. 2003 , 480, 89-95		50
520	Discrimination of striatopallidum and extended amygdala in the rat: a role for parvalbumin immunoreactive neurons?. <i>Brain Research</i> , 2003 , 978, 141-54	3.7	30
520 519		3.7	30 60
	immunoreactive neurons?. <i>Brain Research</i> , 2003 , 978, 141-54 Chemical anatomy of the human ventral striatum and adjacent basal forebrain structures. 2003 ,	3.7	
519	immunoreactive neurons?. Brain Research, 2003, 978, 141-54 Chemical anatomy of the human ventral striatum and adjacent basal forebrain structures. 2003, 460, 345-67 Complementary distribution of vesicular glutamate transporters 1 and 2 in the nucleus accumbens of rat: Relationship to calretinin-containing extrinsic innervation and calbindin-immunoreactive	3.7	60
519 518	immunoreactive neurons?. Brain Research, 2003, 978, 141-54 Chemical anatomy of the human ventral striatum and adjacent basal forebrain structures. 2003, 460, 345-67 Complementary distribution of vesicular glutamate transporters 1 and 2 in the nucleus accumbens of rat: Relationship to calretinin-containing extrinsic innervation and calbindin-immunoreactive neurons. 2003, 465, 1-10 Forebrain astroglial plasticity is induced following withdrawal from repeated cocaine	3.7	60
519 518 517	immunoreactive neurons?. Brain Research, 2003, 978, 141-54 Chemical anatomy of the human ventral striatum and adjacent basal forebrain structures. 2003, 460, 345-67 Complementary distribution of vesicular glutamate transporters 1 and 2 in the nucleus accumbens of rat: Relationship to calretinin-containing extrinsic innervation and calbindin-immunoreactive neurons. 2003, 465, 1-10 Forebrain astroglial plasticity is induced following withdrawal from repeated cocaine administration. 2003, 17, 1273-8 Glutamate motivational ensembles in nucleus accumbens: rostrocaudal shell gradients of fear and	3.7	60 36 69
519 518 517 516	immunoreactive neurons?. Brain Research, 2003, 978, 141-54 Chemical anatomy of the human ventral striatum and adjacent basal forebrain structures. 2003, 460, 345-67 Complementary distribution of vesicular glutamate transporters 1 and 2 in the nucleus accumbens of rat: Relationship to calretinin-containing extrinsic innervation and calbindin-immunoreactive neurons. 2003, 465, 1-10 Forebrain astroglial plasticity is induced following withdrawal from repeated cocaine administration. 2003, 17, 1273-8 Glutamate motivational ensembles in nucleus accumbens: rostrocaudal shell gradients of fear and feeding. 2003, 17, 2187-200 Dopamine efflux in nucleus accumbens shell and core in response to appetitive classical	3.7	60 36 69
519 518 517 516	immunoreactive neurons?. Brain Research, 2003, 978, 141-54 Chemical anatomy of the human ventral striatum and adjacent basal forebrain structures. 2003, 460, 345-67 Complementary distribution of vesicular glutamate transporters 1 and 2 in the nucleus accumbens of rat: Relationship to calretinin-containing extrinsic innervation and calbindin-immunoreactive neurons. 2003, 465, 1-10 Forebrain astroglial plasticity is induced following withdrawal from repeated cocaine administration. 2003, 17, 1273-8 Glutamate motivational ensembles in nucleus accumbens: rostrocaudal shell gradients of fear and feeding. 2003, 17, 2187-200 Dopamine efflux in nucleus accumbens shell and core in response to appetitive classical conditioning. 2003, 18, 1306-14 Dopamine responsiveness to drugs of abuse: A shell-core investigation in the nucleus accumbens of	3.7	60 36 69 125 54

511	Dissociation of core and shell single-unit activity in the nucleus accumbens in free-choice novelty. 2004 , 152, 59-66		19
510	A new anatomical framework for neuropsychiatric disorders and drug abuse. 2003 , 160, 1726-39		270
509	The nucleus accumbens unit activities related to the emotional significance of complex environmental stimuli in freely moving cats. 2003 , 46, 183-9		10
508	An immunohistochemical examination of the effects of sensitisation on the mesotelencephalic dopaminergic response to d-amphetamine. <i>Neuroscience</i> , 2003 , 117, 741-53	3.9	15
507	Differential involvement of dopamine in the anterior and posterior parts of the dorsal striatum in latent inhibition. <i>Neuroscience</i> , 2003 , 118, 233-41	3.9	22
506	Glutamate and dopamine in nucleus accumbens core and shell: sequence learning versus performance. 2003 , 24, 227-43		13
505	The locus coeruleus-noradrenergic system: modulation of behavioral state and state-dependent cognitive processes. 2003 , 42, 33-84		1719
504	The nucleus accumbens shell is critical for normal expression of pup-retrieval in postpartum female rats. 2003 , 145, 99-111		89
503	Differential involvement of nucleus accumbens shell and core subregions in maternal memory in postpartum female rats. 2003 , 117, 426-45		75
502	The contribution of the amygdala, nucleus accumbens, and prefrontal cortex to emotion and motivated behaviour. 2003 , 1250, 347-370		36
501	Neurobiolog de la dependencia alcohlica. 2003 , 5, 4-12		O
500	Hyperlocomotive and discriminative stimulus effects of cocaine are under the control of serotonin(2C) (5-HT(2C)) receptors in rat prefrontal cortex. 2003 , 306, 734-43		92
499	Chronic, but not acute, clomipramine or fluoxetine treatment reduces the spontaneous firing rate in the mesoaccumbens neurons of the rat. 2003 , 48, 116-23		8
498	Cooperative role of the nucleus accumbens shell and core in behavioral adaptation to environmental change.		
497	Nucleus accumbens opioid, GABaergic, and dopaminergic modulation of palatable food motivation: contrasting effects revealed by a progressive ratio study in the rat. 2003 , 117, 202-11		205
496	A differential involvement of the shell and core subterritories of the nucleus accumbens of the rats in memory processes 2003 , 117, 150-168		60
495	Role of the anterior cingulate cortex in the control over behavior by Pavlovian conditioned stimuli in rats. 2003 , 117, 566-87		77
494	Filtering Disturbances in Schizophrenic Patients. Gating of Auditory Evoked Potentials and Prepulse Inhibition of the Acoustic Startle Response Compared. Emphasis on the Role of Dopamine. 2003 , 1, 47-	87	12

(2004-2003)

493	Selective encoding of cocaine versus natural rewards by nucleus accumbens neurons is not related to chronic drug exposure. <i>Journal of Neuroscience</i> , 2003 , 23, 11214-23	6.6	95
492	Segregation of amphetamine reward and locomotor stimulation between nucleus accumbens medial shell and core. <i>Journal of Neuroscience</i> , 2003 , 23, 6295-303	6.6	193
491	Basolateral amygdala neurons encode cocaine self-administration and cocaine-associated cues. Journal of Neuroscience, 2003 , 23, 8204-11	6.6	69
490	Repeated cocaine administration suppresses HVA-Ca2+ potentials and enhances activity of K+ channels in rat nucleus accumbens neurons. 2004 , 92, 1597-607		68
489	The Neurobiology of Addiction. 2004 , 19-42		1
488	The Basal Ganglia. 2004 , 676-738		23
487	Brain-derived neurotrophic factor and the plasticity of the mesolimbic dopamine pathway. 2004 , 59, 425-44		36
486	Dopamine mechanisms and cocaine reward. 2004 , 62, 45-94		15
485	Sexual behavior and sex-associated environmental cues activate the mesolimbic system in male rats. 2004 , 29, 718-30		157
484	Gene transcripts selectively down-regulated in the shell of the nucleus accumbens long after heroin self-administration are up-regulated in the core independent of response contingency. 2004 , 18, 200-2		27
483	The brain-computer: origin of the idea and progress in its realization. 2004 , 3, 125-32		
482	Increases in dopamine D3 receptor binding in rats receiving a cocaine challenge at various time points after cocaine self-administration: implications for cocaine-seeking behavior. 2004 , 29, 1479-87		100
481	Cocaine increases medial prefrontal cortical glutamate overflow in cocaine-sensitized rats: a time course study. 2004 , 20, 1639-46		57
480	Involvement of nucleus accumbens dopaminergic transmission in acoustic startle: observations concerning prepulse inhibition in rats with entorhinal cortex lesions. 2004 , 58, 441-5		10
479	Alterations in ionotropic glutamate receptor subunits during binge cocaine self-administration and withdrawal in rats. 2004 , 89, 1021-33		74
478	Cholecystokinin activates CCKB receptors to excite cells and depress EPSCs in the rat rostral nucleus accumbens in vitro. 2004 , 555, 71-84		17
477	Subregion-specific down-regulation of 5-HT3 immunoreactivity in the nucleus accumbens shell during the induction of cocaine sensitization. 2004 , 77, 415-22		19
476	The role of mesolimbic dopamine in the development and maintenance of ethanol reinforcement. 2004 , 103, 121-46		245

475	The gene transcription factor cyclic AMP-responsive element binding protein: role in positive and negative affective states of alcohol addiction. 2004 , 104, 47-58		86
474	Vulnerabilities of ventral mesencephalic neurons projecting to the nucleus accumbens following infusions of 6-hydroxydopamine into the medial forebrain bundle in the rat. <i>Brain Research</i> , 2004 , 997, 119-27	3.7	1
473	The use of stereological counting methods to assess immediate early gene immunoreactivity. <i>Brain Research</i> , 2004 , 1009, 120-8	3.7	21
472	Repeated cocaine injections have no influence on tyrosine hydroxylase activity in the rat nucleus accumbens core or shell. <i>Brain Research</i> , 2004 , 1012, 119-26	3.7	10
471	Increases in food intake or food-seeking behavior induced by GABAergic, opioid, or dopaminergic stimulation of the nucleus accumbens: is it hunger?. 2004 , 172, 241-7		75
470	Ventral striatopallidal oxytocin and vasopressin V1a receptors in the monogamous prairie vole (Microtus ochrogaster). 2004 , 468, 555-70		132
469	Rostral agranular insular cortex and pain areas of the central nervous system: a tract-tracing study in the rat. 2004 , 468, 425-40		171
468	Efferent connections of the nucleus of the lateral olfactory tract in the rat. 2004 , 471, 314-32		42
467	Amygdaloid inputs define a caudal component of the ventral striatum in primates. 2004 , 476, 330-47		39
466	Mesostriatal and mesolimbic projections of midbrain neurons immunoreactive for estrogen receptor beta or androgen receptors in rats. 2004 , 476, 348-62		100
465	Neurokinin B-producing projection neurons in the lateral stripe of the striatum and cell clusters of the accumbens nucleus in the rat. 2004 , 480, 143-61		14
464	Ventral striatal control of appetitive motivation: role in ingestive behavior and reward-related learning. <i>Neuroscience and Biobehavioral Reviews</i> , 2004 , 27, 765-76	9	696
463	Limbic and motor circuitry underlying footshock-induced reinstatement of cocaine-seeking behavior. <i>Journal of Neuroscience</i> , 2004 , 24, 1551-60	6.6	436
462	Voluntary running distance is negatively correlated with striatal dopamine release in untrained rats. 2004 ,		
461	Morphine-induced alterations in gene expression of calbindin immunopositive neurons in nucleus accumbens shell and core. <i>Neuroscience</i> , 2004 , 126, 689-689	3.9	
460	The neurobiology of tobacco dependence: a preclinical perspective on the role of the dopamine projections to the nucleus accumbens [corrected]. 2004 , 6, 899-912		187
459	Modifications of local cerebral glucose utilization in thalamic structures following injection of a dopaminergic agonist in the nucleus accumbensinvolvement in antiepileptic effects?. 2004 , 188, 452-60)	9
458	Voluntary running distance is negatively correlated with striatal dopamine release in untrained rats. 2004 , 154, 493-9		16

457	Mesolimbic dopaminergic pathways in fear conditioning. 2004 , 74, 301-20		393
456	Nucleus accumbens cell firing and rapid dopamine signaling during goal-directed behaviors in rats. 2004 , 47 Suppl 1, 180-9		70
455	Morphine-induced alterations in gene expression of calbindin immunopositive neurons in nucleus accumbens shell and core. <i>Neuroscience</i> , 2004 , 126, 689-703	3.9	29
454	Blockade of N-methyl-D-aspartate receptors by phencyclidine causes the loss of corticostriatal neurons. <i>Neuroscience</i> , 2004 , 125, 473-83	3.9	45
453	Gaba(A) receptors in the pedunculopontine tegmental nucleus play a crucial role in rat shell-specific dopamine-mediated, but not shell-specific acetylcholine-mediated, turning behaviour. <i>Neuroscience</i> , 2004 , 125, 553-62	3.9	15
452	Differential distribution of parvalbumin immunoreactive neurons in the striatum of cocaine sensitized rats. <i>Neuroscience</i> , 2004 , 127, 35-42	3.9	24
451	Compartment-specific localization of cannabinoid 1 (CB1) and mu-opioid receptors in rat nucleus accumbens. <i>Neuroscience</i> , 2004 , 127, 101-12	3.9	186
450	Role of glutamate receptors in nucleus accumbens core and shell in spatial behaviour of rats. <i>Neuroscience</i> , 2004 , 128, 229-38	3.9	27
449	The distribution of m4 muscarinic acetylcholine receptors in the islands of Calleja and striatum of rats and cynomolgus monkeys. 2004 , 28, 107-16		9
448	Nucleus accumbens and medial prefrontal cortex dopaminergic response to self-administered cocaine in naive rats. 2004 , 354, 205-8		12
447	Acupuncture attenuates repeated nicotine-induced behavioral sensitization and c-Fos expression in the nucleus accumbens and striatum of the rat. 2004 , 358, 87-90		41
446	Differences between accumbens core and shell neurons exhibiting phasic firing patterns related to drug-seeking behavior during a discriminative-stimulus task. 2004 , 92, 1608-14		40
445	Neuronal substrates of relapse to cocaine-seeking behavior: role of prefrontal cortex. 2005 , 84, 653-66		59
444	Chapter IX Human forebrain dopamine systems: Characterization of the normal brain and in relation to psychiatric disorders. 2005 , 21, 525-571		7
443	Long-term gene expression in the nucleus accumbens following heroin administration is subregion-specific and depends on the nature of drug administration. 2005 , 10, 91-100		39
442	Double dissociation of the effects of selective nucleus accumbens core and shell lesions on impulsive-choice behaviour and salience learning in rats. 2005 , 22, 2605-16		135
441	Role of GABA(A) receptors in the retrorubral field and ventral pallidum in rat jaw movements elicited by dopaminergic stimulation of the nucleus accumbens shell. 2005 , 510, 39-47		15
440	Neuropsychopharmacology of drug seeking: Insights from studies with second-order schedules of drug reinforcement. 2005 , 526, 186-98		47

439	Anatomy and pharmacology of cocaine priming-induced reinstatement of drug seeking. 2005 , 526, 65-7	' 6	139
438	Ionotropic glutamatergic neurotransmission in the ventral tegmental area modulates DeltaFosB expression in the nucleus accumbens and abstinence syndrome in morphine withdrawal rats. 2005 , 527, 94-104		15
437	Hemisphere-specific effects on serotonin but not dopamine innervation in the nucleus accumbens of gerbils caused by isolated rearing and a single early methamphetamine challenge. <i>Brain Research</i> , 2005 , 1035, 168-76	3.7	16
436	Activation of feeding-related neural circuitry after unilateral injections of muscimol into the nucleus accumbens shell. <i>Brain Research</i> , 2005 , 1048, 241-50	3.7	39
435	Ontogeny of the dopamine innervation in the nucleus accumbens of gerbils. <i>Brain Research</i> , 2005 , 1066, 16-23	3.7	13
434	Differential regulation of ionotropic glutamate receptor subunits following cocaine self-administration. <i>Brain Research</i> , 2005 , 1064, 75-82	3.7	50
433	Cocaine-induced alterations in dopamine receptor signaling: implications for reinforcement and reinstatement. 2005 , 106, 389-403		155
432	Application of a systems biology approach to developmental neurotoxicology. 2005 , 19, 305-19		35
431	Serotonin 5-HT4 receptors and their mRNAs in rat and guinea pig brain: distribution and effects of neurotoxic lesions. 2005 , 484, 418-39		100
430	A proposed hypothalamic-thalamic-striatal axis for the integration of energy balance, arousal, and food reward. 2005 , 493, 72-85		267
429	Variations in extracellular levels of dopamine, noradrenaline, glutamate, and aspartate across the sleepwake cycle in the medial prefrontal cortex and nucleus accumbens of freely moving rats. 2005 , 81, 891-9		300
428	Prefrontal cortical cell firing during maintenance, extinction, and reinstatement of goal-directed behavior for natural reward. 2005 , 56, 74-83		38
427	Integration of Navigation and Action Selection Functionalities in a Computational Model of Cortico-Basal-Ganglia Thalamo-Cortical Loops. 2005 , 13, 115-130		16
426	Subthalamic nucleus lesions enhance the psychomotor-activating, incentive motivational, and neurobiological effects of cocaine. <i>Journal of Neuroscience</i> , 2005 , 25, 8407-15	6.6	30
425	Abstinence from cocaine self-administration heightens neural encoding of goal-directed behaviors in the accumbens. 2005 , 30, 1464-74		72
424	Acupuncture reduces alcohol withdrawal syndrome and c-Fos expression in rat brain. 2005 , 33, 887-96		25
423	The functional divide for primary reinforcement of D-amphetamine lies between the medial and lateral ventral striatum: is the division of the accumbens core, shell, and olfactory tubercle valid?. <i>Journal of Neuroscience</i> , 2005 , 25, 5061-5	6.6	101
422	Specificity in the projections of prefrontal and insular cortex to ventral striatopallidum and the extended amygdala. <i>Journal of Neuroscience</i> , 2005 , 25, 11757-67	6.6	166

421	Cortical cholinergic transmission and cortical information processing in schizophrenia. 2005 , 31, 117-38	}	121
420	A study on the role of the dorsal striatum and the nucleus accumbens in allocentric and egocentric spatial memory consolidation. 2005 , 12, 491-503		43
419	The effects of temporary inactivation of the core and the shell subregions of the nucleus accumbens on prepulse inhibition of the acoustic startle reflex and activity in rats. 2005 , 30, 683-96		32
418	Cholecystokinin inhibits evoked inhibitory postsynaptic currents in the rat nucleus accumbens indirectly through gamma-aminobutyric acid and gamma-aminobutyric acid type B receptors. 2005 , 79, 412-20		8
417	Chemoarchitecture and afferent connections of the "olfactostriatum": a specialized vomeronasal structure within the basal ganglia of snakes. 2005 , 29, 49-69		11
416	Simultaneous AMPA/kainate receptor blockade and dopamine D(2/3) receptor stimulation in the nucleus accumbens decreases brain stimulation reward in rats. 2005 , 158, 79-88		17
415	Electrolytic lesions to nucleus accumbens core and shell have dissociable effects on conditioning to discrete and contextual cues in aversive and appetitive procedures respectively. 2005 , 160, 222-35		34
414	Latent inhibition is disrupted by nucleus accumbens shell lesion but is abnormally persistent following entire nucleus accumbens lesion: The neural site controlling the expression and disruption of the stimulus preexposure effect. 2005 , 162, 246-55		52
413	Responsiveness of extracellular dopamine in the nucleus accumbens to systemic quinpirole and eticlopride is modulated by low-level lead exposure. 2005 , 19, 323-8		
412	The functional role of the subthalamic nucleus in cognitive and limbic circuits. 2005 , 76, 393-413		296
411	The dopamine D3 receptor and drug dependence: effects on reward or beyond?. 2005, 49, 525-41		156
410	Anatomical evidence for direct connections between the shell and core subregions of the rat nucleus accumbens. <i>Neuroscience</i> , 2005 , 136, 1049-71	3.9	86
409	Long-term effects of a single adult methamphetamine challenge: minor impact on dopamine fibre density in limbic brain areas of gerbils. 2006 , 2, 12		9
408	Opioid receptors in the nucleus accumbens regulate attentional learning in the blocking paradigm. <i>Journal of Neuroscience</i> , 2006 , 26, 4036-45	6.6	49
407	Lidocaine inactivation of the ventral pallidum affects responding for brain stimulation reward more than it affects the stimulation's reward value. 2006 , 173, 288-98		10
406	Behavioral models of impulsivity in relation to ADHD: translation between clinical and preclinical studies. 2006 , 26, 379-95		569
405	The subthalamic nucleus: From response selection to execution. 2006 , 31, 155-61		15
404	Comparing nucleus accumbens and dorsal striatal dopamine responses to self-administered cocaine in naMe rats. 2006 , 408, 146-50		8

403	Effects of dorsal and ventral hippocampal NMDA stimulation on nucleus accumbens core and shell dopamine release. 2006 , 51, 947-57		54
402	c-Fos and deltaFosB expression are differentially altered in distinct subregions of the nucleus accumbens shell in cocaine-sensitized rats. <i>Neuroscience</i> , 2006 , 137, 773-80	3.9	40
401	Higher magnitude accumbal phasic firing changes among core neurons exhibiting tonic firing increases during cocaine self-administration. <i>Neuroscience</i> , 2006 , 137, 1075-85	3.9	20
400	Renewal of an extinguished instrumental response: neural correlates and the role of D1 dopamine receptors. <i>Neuroscience</i> , 2006 , 143, 25-38	3.9	76
399	Fornix, medial prefrontal cortex, nucleus accumbens, and mediodorsal thalamic nucleus: roles in a fear-based context discrimination task. 2006 , 85, 71-85		39
398	Electrolytic lesions of the nucleus accumbens enhance locomotor sensitization to nicotine in rats. 2006 , 120, 600-11		8
397	Perspectives on current directions in the neurobiology of addiction disorders relevant to genetic risk factors. 2006 , 11, 855-62		8
396	Dopamine D1 receptors have subcellular distributions conducive to interactions with prodynorphin in the rat nucleus accumbens shell. 2006 , 60, 1-19		22
395	Session-long modulations of accumbal firing during sucrose-reinforced operant behavior. 2006 , 60, 420)-8	6
394	Neurokinin receptor antagonism attenuates cocaine's behavioural activating effects yet potentiates its dopamine-enhancing action in the nucleus accumbens core. 2006 , 24, 1721-32		24
393	Appetitive Behavior. 2006 , 985, 233-250		256
392	Identification of a noradrenaline-rich subdivision of the human nucleus accumbens. 2006 , 96, 349-54		21
391	Reduced ethanol response in the alcohol-preferring RHA rats and neuropeptide mRNAs in relevant structures. 2006 , 23, 531-40		27
390	Nucleus accumbens subregions: hodological and immunohistochemical study in the domestic chick (Gallus domesticus). 2007 , 327, 221-30		52
389	The evolving theory of basal forebrain functional-anatomical 'macrosystems'. <i>Neuroscience and Biobehavioral Reviews</i> , 2006 , 30, 148-72	9	123
388	The limbic lobe and its output channels: implications for emotional functions and adaptive behavior. <i>Neuroscience and Biobehavioral Reviews</i> , 2006 , 30, 126-47	9	267
387	The anatomy of co-morbid neuropsychiatric disorders based on cortico-limbic synaptic interactions. 2006 , 10, 65-85		12
386	Prefrontal cortex D1 modulation of the reinforcing properties of cocaine. <i>Brain Research</i> , 2006 , 1075, 229-35	3.7	18

(2007-2006)

385	Prenatal cocaine alters dopamine and sigma receptor binding in nucleus accumbens and striatum in dams and adolescent offspring. 2006 , 28, 173-80		17
384	NMDA antagonist AP-5 increase environmentally induced cocaine-conditioned locomotion within the nucleus accumbens. 2006 , 85, 178-84		14
383	Activation of group II metabotropic glutamate receptors in the nucleus accumbens shell attenuates context-induced relapse to heroin seeking. 2006 , 31, 2197-209		192
382	Evidence for multiple sites within rat ventral striatum mediating cocaine-conditioned place preference and locomotor activation. 2006 , 317, 1178-87		58
381	Activation of muscarinic and nicotinic acetylcholine receptors in the nucleus accumbens core is necessary for the acquisition of drug reinforcement. <i>Journal of Neuroscience</i> , 2006 , 26, 6004-10	6.6	63
380	Opioids. 2006 , 121-171		5
379	Differential effects of blockade of dopamine D1-family receptors in nucleus accumbens core or shell on reinstatement of heroin seeking induced by contextual and discrete cues. <i>Journal of Neuroscience</i> , 2007 , 27, 12655-63	6.6	241
378	The Nucleus Accumbens Shell as a Model of Integrative Subcortical Forebrain Systems Regulating Food Intake. 2007 , 27-65		1
377	Ketamine, at a dose that disrupts motor behavior and latent inhibition, enhances prefrontal cortex synaptic efficacy and glutamate release in the nucleus accumbens. 2007 , 32, 719-27		86
376	Differential roles of dopamine D1 and D2 receptors in the nucleus accumbens in attentional performance on the five-choice serial reaction time task. 2007 , 32, 273-83		136
375	Neuroendocrinology and Neurochemistry of Maternal Motivation and Behavior. 2007, 195-245		5
374	The nucleus accumbens and Pavlovian reward learning. 2007 , 13, 148-59		145
373	The ventral striatum as an interface between the limbic and motor systems. 2007 , 12, 887-92		93
372	Differential involvement of the basolateral amygdala, orbitofrontal cortex, and nucleus accumbens core in the acquisition and use of reward expectancies. 2007 , 121, 896-906		42
371	Glucose-monitoring neurons in the nucleus accumbens. 2007 , 18, 1561-5		18
370	Lesions of the nucleus accumbens shell can reduce activity in the elevated plus-maze. 2007 , 31, 906-14		7
369	The neural correlates and role of D1 dopamine receptors in renewal of extinguished alcohol-seeking. <i>Neuroscience</i> , 2007 , 146, 525-36	3.9	160
368	Dendritic distributions of dopamine D1 receptors in the rat nucleus accumbens are synergistically affected by startle-evoking auditory stimulation and apomorphine. <i>Neuroscience</i> , 2007 , 146, 1593-605	3.9	14

367	Subregions of the ventral striatum show preferential coding of reward magnitude and probability. 2007 , 38, 557-63		62
366	Dopaminergic Reward Pathways and Effects of Stress. 2007 , 41-83		9
365	Systems biology approaches for toxicology. 2007 , 27, 201-17		55
364	Comparative analysis of the subcellular and subsynaptic localization of mGluR1a and mGluR5 metabotropic glutamate receptors in the shell and core of the nucleus accumbens in rat and monkey. 2007 , 500, 788-806		65
363	Aldosterone-sensitive neurons of the nucleus of the solitary tract: multisynaptic pathway to the nucleus accumbens. 2007 , 501, 274-89		27
362	Forebrain connectivity of the prefrontal cortex in the marmoset monkey (Callithrix jacchus): an anterograde and retrograde tract-tracing study. 2007 , 502, 86-112		134
361	A scale-free systems theory of motivation and addiction. <i>Neuroscience and Biobehavioral Reviews</i> , 2007 , 31, 1017-45	9	67
360	Programming effects of antenatal dexamethasone in the developing mesolimbic pathways. 2007 , 61, 40-9		41
359	Central neural and endocrine mechanisms of non-exercise activity thermogenesis and their potential impact on obesity. 2007 , 19, 923-40		50
358	Projections from the posterolateral olfactory amygdala to the ventral striatum: neural basis for reinforcing properties of chemical stimuli. 2007 , 8, 103		55
357	Dopamine reward circuitry: two projection systems from the ventral midbrain to the nucleus accumbens-olfactory tubercle complex. 2007 , 56, 27-78		1044
356	Behavioral functions of the mesolimbic dopaminergic system: an affective neuroethological perspective. 2007 , 56, 283-321		374
355	Integrating hippocampus and striatum in decision-making. 2007 , 17, 692-7		222
354	A vehicle injection into the right core of the nucleus accumbens both reverses the region-specificity and alters the type of contralateral turning elicited by unilateral stimulation of dopamine D2/D3 and D1 receptors in the left core of the nucleus accumbens. 2007 , 577, 64-70		6
353	The nucleus accumbens as part of a basal ganglia action selection circuit. 2007 , 191, 521-50		260
352	Effort-related functions of nucleus accumbens dopamine and associated forebrain circuits. 2007 , 191, 461-82		799
351	Alterations in prefrontal glutamatergic and noradrenergic systems following MK-801 administration in rats prenatally exposed to methylazoxymethanol at gestational day 17. 2007 , 192, 373-83		15
350	Three-dimensional organization of dendrites and local axon collaterals of shell and core medium-sized spiny projection neurons of the rat nucleus accumbens. 2008 , 213, 129-47		19

(2008-2008)

349	Behavioral responding and nucleus accumbens cell firing are unaltered following periods of abstinence from sucrose. 2008 , 62, 219-28		18	
348	Presynaptic nicotinic receptors: a dynamic and diverse cholinergic filter of striatal dopamine neurotransmission. 2008 , 153 Suppl 1, S283-97		189	
347	Long-lasting alteration in mesocorticolimbic structures after repeated social defeat stress in rats: time course of mu-opioid receptor mRNA and FosB/DeltaFosB immunoreactivity. 2008 , 27, 2272-84		66	
346	Contributions of nucleus accumbens core and shell GluR1 containing AMPA receptors in AMPA- and cocaine-primed reinstatement of cocaine-seeking behavior. <i>Brain Research</i> , 2008 , 1215, 173-82	3.7	56	
345	Behavioral characteristics and neurobiological substrates shared by Pavlovian sign-tracking and drug abuse. 2008 , 58, 121-35		127	
344	Twenty years of dopamine research: individual differences in the response of accumbal dopamine to environmental and pharmacological challenges. 2008 , 585, 228-44		43	
343	Telencephalon: Basal Ganglia. 2008 , 427-489		4	
342	Preferential reactivation of motivationally relevant information in the ventral striatum. <i>Journal of Neuroscience</i> , 2008 , 28, 6372-82	6.6	138	
341	Neurobiological mechanisms of cannabinoid addiction. 2008 , 286, S97-S107		59	
340	Involvement of dopaminergic mechanisms in the nucleus accumbens core and shell subregions in the expression of fear conditioning. 2008 , 446, 112-6		56	
339	Shell/core differences in mu- and delta-opioid receptor modulation of dopamine efflux in nucleus accumbens. 2008 , 55, 183-9		43	
338	Anticataleptic 8-OH-DPAT preferentially counteracts with haloperidol-induced Fos expression in the dorsolateral striatum and the core region of the nucleus accumbens. 2008 , 55, 717-23		39	
337	Opposite effects of shell or core stimulation of the nucleus accumbens on long-term potentiation in dentate gyrus of anesthetized rats. <i>Neuroscience</i> , 2008 , 151, 572-8	3.9	14	
336	Renewal of extinguished cocaine-seeking. <i>Neuroscience</i> , 2008 , 151, 659-70	3.9	135	
335	Forebrain circuitry involved in effort-related choice: Injections of the GABAA agonist muscimol into ventral pallidum alter response allocation in food-seeking behavior. <i>Neuroscience</i> , 2008 , 152, 321-30	3.9	80	
334	Opposing roles for the nucleus accumbens core and shell in cue-induced reinstatement of food-seeking behavior. <i>Neuroscience</i> , 2008 , 154, 877-84	3.9	88	
333	Preferential relocation of the N-methyl-D-aspartate receptor NR1 subunit in nucleus accumbens neurons that contain dopamine D1 receptors in rats showing an apomorphine-induced sensorimotor gating deficit. <i>Neuroscience</i> , 2008 , 154, 965-77	3.9	17	
332	The shell of the nucleus accumbens has a higher dopamine response compared with the core after non-contingent intravenous ethanol administration. <i>Neuroscience</i> , 2008 , 154, 1042-53	3.9	51	

331	Graded expression of netrin-1 by specific neuronal subtypes in the adult mammalian striatum. <i>Neuroscience</i> , 2008 , 157, 621-36	3.9	19
330	Deep brain stimulation of the nucleus accumbens core and shell: opposite effects on impulsive action. 2008 , 214, 135-9		48
329	The microinjection of AMPA receptor antagonist into the accumbens shell, but not into the accumbens core, induces anxiolysis in an animal model of anxiety. 2008 , 188, 91-9		26
328	The microinjection of AMPA receptor antagonist into the accumbens shell failed to change food intake, but reduced fear-motivated behaviour in free-feeding female rats. 2008 , 193, 243-7		8
327	LITERATURE CITED. 2008 , 141-169		0
326	Opposing roles for 5-HT2A and 5-HT2C receptors in the nucleus accumbens on inhibitory response control in the 5-choice serial reaction time task. 2008 , 33, 2398-406		113
325	The role of the striatum in aversive learning and aversive prediction errors. 2008, 363, 3787-800		215
324	The psychobiology of nicotine dependence. 2008 , 17, 172-181		5
323	Appetitive overshadowing is disrupted by systemic amphetamine but not by electrolytic lesions to the nucleus accumbens shell. 2008 , 22, 172-81		7
322	Role of dopamine receptors subtypes, D1-like and D2-like, within the nucleus accumbens subregions, core and shell, on memory consolidation in the one-trial inhibitory avoidance task. 2009 , 16, 46-52		42
321	Alpha6-containing nicotinic acetylcholine receptors dominate the nicotine control of dopamine neurotransmission in nucleus accumbens. 2008 , 33, 2158-66		203
320	Deep brain stimulation in the treatment of obesity. 2008 , 109, 625-34		140
319	Strategies and experimental models for evaluating anesthetics: effects on the developing nervous system. 2008 , 106, 1643-58		84
318	Low and High Gamma Oscillations in Rat Ventral Striatum have Distinct Relationships to Behavior, Reward, and Spiking Activity on a Learned Spatial Decision Task. 2009 , 3, 9		113
317	Similar neurons, opposite adaptations: psychostimulant experience differentially alters firing properties in accumbens core versus shell. <i>Journal of Neuroscience</i> , 2009 , 29, 12275-83	6.6	95
316	Lateral hypothalamus is required for context-induced reinstatement of extinguished reward seeking. <i>Journal of Neuroscience</i> , 2009 , 29, 1331-42	6.6	89
315	Nicotinic acetylcholine receptors and the ascending dopamine pathways. 2009 , 78, 744-55		108
314	Quantitative analysis of pre- and postsynaptic sex differences in the nucleus accumbens. 2010 , 518, 133	30-48	72

(2010-2009)

313	receptor deficient obese OLETF rat. 2009 , 196, 545-56	9
312	Methylphenidate to adolescent rats drives enduring changes of accumbal Htr7 expression: implications for impulsive behavior and neuronal morphology. 2009 , 8, 356-68	65
311	Comparing the role of the anterior cingulate cortex and 6-hydroxydopamine nucleus accumbens lesions on operant effort-based decision making. 2009 , 29, 1678-91	98
310	High-frequency stimulation of the nucleus accumbens core and shell reduces quinpirole-induced compulsive checking in rats. 2009 , 29, 2401-12	71
309	Neural encoding of cocaine-seeking behavior is coincident with phasic dopamine release in the accumbens core and shell. 2009 , 30, 1117-27	102
308	Electrophysiological evidence of mediolateral functional dichotomy in the rat accumbens during cocaine self-administration: tonic firing patterns. 2009 , 30, 2387-400	17
307	Regional specificity in dopamine signaling during reward-related learning (Commentary on Aragona et al.). 2009 , 30, 1888	2
306	The dopamine response in the nucleus accumbens core-shell border differs from that in the core and shell during operant ethanol self-administration. 2009 , 33, 1355-65	32
305	Motor Control: Pyramidal, Extrapyramidal, and Limbic Motor Control. 2009,	
304	GABAA receptors in the mediodorsal thalamus play a crucial role in rat shell-specific acetylcholine-mediated, but not dopamine-mediated, turning behaviour. <i>Neuroscience</i> , 2009 , 159, 1200- 7^{9}	7
303	Cholinergic innervation and thalamic input in rat nucleus accumbens. 2009 , 37, 33-45	26
302	Nicotine Psychopharmacology. <i>Handbook of Experimental Pharmacology</i> , 2009 , 3.2	10
301	Dopaminergic and serotonergic activity in neostriatum and nucleus accumbens enhanced by intranasal administration of testosterone. 2009 , 19, 53-63	84
300	Steady-state methadone blocks cocaine seeking and cocaine-induced gene expression alterations in the rat brain. 2009 , 19, 238-49	32
299	Effects of tandospirone, a 5-HT1A agonistic anxiolytic agent, on haloperidol-induced catalepsy and forebrain Fos expression in mice. 2009 , 109, 593-9	32
298	Representation of Subjective Value in the Striatum. 2009 , 389-406	12
297	Differential effects on effort discounting induced by inactivations of the nucleus accumbens core or shell. 2010 , 124, 179-91	105
296	Dissociable roles of dopamine within the core and medial shell of the nucleus accumbens in memory for objects and place. 2010 , 124, 789-99	35

295	Kicking the habit: the neural basis of ingrained behaviors in cocaine addiction. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 35, 212-9	79
294	Evidence for motivational effects elicited by activation of GABA-A or dopamine receptors in the nucleus accumbens shell. 2010 , 96, 342-6	29
293	Axonal branching patterns of nucleus accumbens neurons in the rat. 2010 , 518, 4649-73	52
292	The small-conductance calcium-activated potassium channel is a key modulator of firing and long-term depression in the dorsal striatum. 2010 , 31, 1946-59	30
291	At the limbic-motor interface: disconnection of basolateral amygdala from nucleus accumbens core and shell reveals dissociable components of incentive motivation. 2010 , 32, 1735-43	116
290	Parahippocampal regiondopaminergic neuron relationships in latent inhibition. 319-341	3
289	What the brain teaches us about latent inhibition (LI): the neural substrates of the expression and prevention of LI. 372-416	4
288	Integrating early results on ventral striatal gamma oscillations in the rat. 2010 , 4, 300	43
287	Organization of Prefrontal-Striatal Connections. 2010 , 353-365	10
286	Internalizing versus externalizing comorbidity: neural circuit hypothesis. 2010 , 44, 399-409	9
285	Nucleus accumbens core mammalian target of rapamycin signaling pathway is critical for cue-induced reinstatement of cocaine seeking in rats. <i>Journal of Neuroscience</i> , 2010 , 30, 12632-41	72
284	Progressive and lasting amplification of accumbal nicotine-seeking neural signals. <i>Journal of Neuroscience</i> , 2010 , 30, 276-86	7
283	Learning and Reversal Learning in the Subcortical Limbic System: A Computational Model. 2010 , 18, 211-236	4
282	Stimulation of medial prefrontal cortex serotonin 2C (5-HT(2C)) receptors attenuates cocaine-seeking behavior. 2010 , 35, 2037-48	68
281	The ventral basal ganglia, a selection mechanism at the crossroads of space, strategy, and reward. 2010 , 90, 385-417	269
280	Nucleus accumbens and impulsivity. 2010 , 92, 533-57	161
279	Electrical and pharmacological manipulations of the nucleus accumbens core impair synaptic plasticity in the dentate gyrus of the rat. <i>Neuroscience</i> , 2010 , 168, 723-31	6
278	Deep brain stimulation of the nucleus accumbens shell increases impulsive behavior and tissue levels of dopamine and serotonin. 2010 , 225, 302-9	53

277	Cortico-Basal Ganglia reward network: microcircuitry. 2010 , 35, 27-47		692
276	Nucleus accumbens Expioid receptors mediate social reward. <i>Journal of Neuroscience</i> , 2011 , 31, 6362-70	6.6	177
275	Behavioral pharmacology of orofacial movement disorders. 2011 , 97, 1-38		11
274	Decrease of lymphoproliferative response by amphetamine is mediated by dopamine from the nucleus accumbens: influence on splenic met-enkephalin levels. 2011 , 25, 647-57		8
273	Retrospective revaluation and its neural circuit in rats. 2011 , 223, 262-70		4
272	Molecular substrates of action control in cortico-striatal circuits. 2011 , 95, 1-13		76
271	The accumbofrontal fasciculus in the human brain: a microsurgical anatomical study. 2011 , 68, 1102-11; discussion 1111		35
270	Functional mapping of the neural circuitry of rat maternal motivation: effects of site-specific transient neural inactivation. 2011 , 23, 1020-35		94
269	Reduced dopamine function within the medial shell of the nucleus accumbens enhances latent inhibition. 2011 , 98, 1-7		18
268	The avian subpallium: new insights into structural and functional subdivisions occupying the lateral subpallial wall and their embryological origins. <i>Brain Research</i> , 2011 , 1424, 67-101	3.7	63
267	Chlorpheniramine exerts anxiolytic-like effects and activates prefrontal 5-HT systems in mice. 2011 , 213, 441-52		12
266	Calcium-binding protein distributions and fiber connections of the nucleus accumbens in the pigeon (Columba livia). 2011 , 519, 1371-94		32
265	Efferent connections of nucleus accumbens subdivisions of the domestic chicken (Gallus domesticus): an anterograde pathway tracing study. 2011 , 519, 2922-53		28
264	The vertebrate mesolimbic reward system and social behavior network: a comparative synthesis. 2011 , 519, 3599-639		610
263	The neurobiology of repetitive behavior: of mice[]Neuroscience and Biobehavioral Reviews, 2011 , 35, 345-55	9	123
262	IB kinase regulates social defeat stress-induced synaptic and behavioral plasticity. <i>Journal of Neuroscience</i> , 2011 , 31, 314-21	6.6	214
261	Neurons of human nucleus accumbens. 2011 , 68, 655-60		8
260	mu-Opioid receptor stimulation in the nucleus accumbens elevates fatty tastant intake by increasing palatability and suppressing satiety signals. 2011 , 301, R244-54		39

259	Nicotine restores morphine-induced memory deficit through the D1 and D2 dopamine receptor mechanisms in the nucleus accumbens. 2011 , 25, 1126-33		15
258	D(2)-like dopamine receptors differentially regulate unitary IPSCs depending on presynaptic GABAergic neuron subtypes in rat nucleus accumbens shell. 2012 , 107, 692-703		21
257	The Basal Ganglia. 2012 , 678-738		17
256	Spatial memory, plasticity and nucleus accumbens. 2012 , 23, 527-41		21
255	Activation of nucleus accumbens NMDA receptors differentially affects appetitive or aversive taste learning and memory. 2012 , 6, 13		8
254	Motivational Systems: Rewards and Incentive Value. 2012,		
253	Neurocircuitry for modeling drug effects. 2012 , 17, 827-64		82
252	Methylphenidate administration determines enduring changes in neuroglial network in rats. 2012 , 22, 53-63		22
251	The persistence of maladaptive memory: addiction, drug memories and anti-relapse treatments. <i>Neuroscience and Biobehavioral Reviews</i> , 2012 , 36, 1119-39	9	159
250	Chronic phencyclidine (PCP)-induced modulation of muscarinic receptor mRNAs in rat brain: impact of antipsychotic drug treatment. 2012 , 62, 1554-63		5
249	Differential dopamine release dynamics in the nucleus accumbens core and shell track distinct aspects of goal-directed behavior for sucrose. 2012 , 62, 2050-6		48
248	Glucocorticoids interact with the noradrenergic arousal system in the nucleus accumbens shell to enhance memory consolidation of both appetitive and aversive taste learning. 2012 , 98, 197-205		27
247	Assessing learned associations between conditioned cocaine reward and environmental stimuli in the Wistar Kyoto rat. 2012 , 103, 76-82		4
246	Neural systems analysis of decision making during goal-directed navigation. 2012 , 96, 96-135		56
245	Subregional, dendritic compartment, and spine subtype specificity in cocaine regulation of dendritic spines in the nucleus accumbens. <i>Journal of Neuroscience</i> , 2012 , 32, 6957-66	6.6	82
244	Contributions of the striatum to learning, motivation, and performance: an associative account. 2012 , 16, 467-75		205
243	Subpallial Structures. 2012 , 173-220		28
242	The Neuroanatomy of Addictive Processes. 2012 , 766-782		1

Deep brain stimulation reveals a dissociation of consummatory and motivated behaviour in the medial and lateral nucleus accumbens shell of the rat. 2012 , 7, e33455		50
Cocaine Addiction: Changes in Excitatory and Inhibitory Neurotransmission. 2012 ,		
Dopaminergic modulation of nitric oxide synthase activity in subregions of the rat nucleus accumbens. 2012 , 66, 220-31		12
Whole-brain mapping of direct inputs to midbrain dopamine neurons. 2012 , 74, 858-73		768
Insights to drug addiction derived from ultrastructural views of the mesocorticolimbic system. 2012 , 1248, 71-88		36
Cocaine abstinence alters nucleus accumbens firing dynamics during goal-directed behaviors for cocaine and sucrose. 2012 , 35, 940-51		36
Involvement of rat dopaminergic system of nucleus accumbens in nicotine-induced anxiogenic-like behaviors. <i>Brain Research</i> , 2012 , 1460, 25-32	3.7	22
Effects of GABA ligands injected into the nucleus accumbens shell on fear/anxiety-like and feeding behaviours in food-deprived rats. 2012 , 101, 41-8		17
Region-specific role of Rac in nucleus accumbens core and basolateral amygdala in consolidation and reconsolidation of cocaine-associated cue memory in rats. 2013 , 228, 427-37		26
Brain areas and pathways in the regulation of glucose metabolism. 2013 , 39, 505-13		7
Differential contribution of mesoaccumbens and mesohabenular dopamine to intracranial self-stimulation. 2013 , 70, 43-50		8
Axonal branching patterns of ventral pallidal neurons in the rat. 2013 , 218, 1133-57		49
Stimulus-specific and differential distribution of activated extracellular signal-regulated kinase in the nucleus accumbens core and shell during Pavlovian-instrumental transfer. 2013 , 218, 913-27		8
Accumbal core: essential link in feed-forward spiraling striato-nigro-striatal in series connected loop. <i>Neuroscience</i> , 2013 , 252, 60-7	3.9	8
Parceling human accumbens into putative core and shell dissociates encoding of values for reward and pain. <i>Journal of Neuroscience</i> , 2013 , 33, 16383-93	6.6	88
Metabotropic glutamate receptor 5 within nucleus accumbens shell modulates environment-elicited cocaine conditioning expression. 2013 , 110, 154-60		10
Differential striatal spine pathology in Parkinson's disease and cocaine addiction: a key role of dopamine?. <i>Neuroscience</i> , 2013 , 251, 2-20	3.9	68
Direct and indirect interactions of the dopamine Direceptor with glutamate pathways: implications for the treatment of schizophrenia. 2013 , 386, 107-24		37
	medial and lateral nucleus accumbens shell of the rat. 2012, 7, e33455 Cocaine Addiction: Changes in Excitatory and Inhibitory Neurotransmission. 2012, Dopaminergic modulation of nitric oxide synthase activity in subregions of the rat nucleus accumbens. 2012, 66, 220-31 Whole-brain mapping of direct inputs to midbrain dopamine neurons. 2012, 74, 858-73 Insights to drug addiction derived from ultrastructural views of the mesocorticolimbic system. 2012, 1248, 71-88 Cocaine abstinence alters nucleus accumbens firing dynamics during goal-directed behaviors for cocaine and sucrose. 2012, 35, 940-51 Involvement of rat dopaminergic system of nucleus accumbens in nicotine-induced anxiogenic-like behaviors. Brain Research, 2012, 1460, 25-32 Effects of GABA ligands injected into the nucleus accumbens shell on fear/anxiety-like and feeding behaviours in food-deprived rats. 2012, 101, 41-8 Region-specific role of Rac in nucleus accumbens core and basolateral amygdala in consolidation and reconsolidation of cocaine-associated cue memory in rats. 2013, 228, 427-37 Brain areas and pathways in the regulation of glucose metabolism. 2013, 39, 505-13 Differential contribution of mesoaccumbens and mesohabenular dopamine to intracranial self-stimulation. 2013, 70, 43-50 Axonal branching patterns of ventral pallidal neurons in the rat. 2013, 218, 1133-57 Stimulus-specific and differential distribution of activated extracellular signal-regulated kinase in the nucleus accumbens core and shell during Pavlovian-instrumental transfer. 2013, 218, 913-27 Accumbal core: essential link in feed-froward spiraling striato-nigro-striatal in series connected loop. Neuroscience, 2013, 252, 60-7 Parceling human accumbens into putative core and shell dissociates encoding of values for reward and pain. Journal of Neuroscience, 2013, 33, 16383-93 Metabotropic glutamate receptor 5 within nucleus accumbens shell modulates environment-elicited cocaine conditioning expression. 2013, 110, 154-60 Differential striatal spine pathology in Park	medial and lateral nucleus accumbens shell of the rat. 2012, 7, e33455 Cocaine Addiction: Changes in Excitatory and Inhibitory Neurotransmission. 2012, Dopaminergic modulation of nitric oxide synthase activity in subregions of the rat nucleus accumbens. 2012, 66, 220-31 Whole-brain mapping of direct inputs to midbrain dopamine neurons. 2012, 74, 858-73 Insights to drug addiction derived from ultrastructural views of the mesocorticolimbic system. 2012, 1248, 71-88 Cocaine abstinence alters nucleus accumbens firing dynamics during goal-directed behaviors for cocaine and sucrose. 2012, 35, 940-51 Involvement of rat dopaminergic system of nucleus accumbens in nicotine-induced anxiogenic-like behaviors. Brain Research, 2012, 1460, 25-32 Effects of CABA ligands injected into the nucleus accumbens shell on fear/anxiety-like and feeding behaviours in food-deprived rats. 2012, 101, 41-8 Region-specific role of Rac in nucleus accumbens core and basolateral amygdala in consolidation and reconsolidation of cocaine-associated cue memory in rats. 2013, 228, 427-37 Brain areas and pathways in the regulation of glucose metabolism. 2013, 39, 505-13 Differential contribution of mesoaccumbens and mesohabenular dopamine to intracranial self-stimulation. 2013, 70, 43-50 Axonal branching patterns of ventral pallidal neurons in the rat. 2013, 218, 1133-57 Stimulus-specific and differential distribution of activated extracellular signal-regulated kinase in the nucleus accumbens core and shell during Pavlovian-instrumental transfer. 2013, 218, 913-27 Accumbal core: essential link in feed-forward spiraling striato-nigro-striatal in series connected loop. Neuroscience, 2013, 252, 60-7 Parceling human accumbens into putative core and shell dissociates encoding of values for reward and pain. Journal of Neuroscience, 2013, 33, 16383-93 Metabotropic glutamate receptor 5 within nucleus accumbens shell modulates environment-elicited cocaine conditioning expression. 2013, 110, 154-60 Differential striatal spine pathology in Park

223	On lateral septum-like characteristics of outputs from the accumbal hedonic "hotspot" of Peci ll and Berridge with commentary on the transitional nature of basal forebrain "boundaries". 2013 , 521, 50-68		57
222	Differential roles of ventral pallidum subregions during cocaine self-administration behaviors. 2013 , 521, 558-88		44
221	Involvement of the nucleus accumbens shell dopaminergic system in prelimbic NMDA-induced anxiolytic-like behaviors. 2013 , 71, 112-23		22
220	Amygdalostriatal projections in the neurocircuitry for motivation: a neuroanatomical thread through the career of Ann Kelley. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 1932-45	9	35
219	Interaction between gamma-aminobutyric acid type A (GABAA) receptor agents and scopolamine in the nucleus accumbens on impairment of inhibitory avoidance memory performance in rat. 2013 , 241, 191-7		9
218	Dopamine or opioid stimulation of nucleus accumbens similarly amplify cue-triggered 'wanting' for reward: entire core and medial shell mapped as substrates for PIT enhancement. 2013 , 37, 1529-40		163
217	Distribution and compartmental organization of GABAergic medium-sized spiny neurons in the mouse nucleus accumbens. 2013 , 7, 22		76
216	Dopamine system: manager of neural pathways. 2013 , 7, 854		13
215	Intersection of effort and risk: ethological and neurobiological perspectives. 2013, 7, 208		4
214	Alterations in blood glucose and plasma glucagon concentrations during deep brain stimulation in the shell region of the nucleus accumbens in rats. 2013 , 7, 226		15
213	Dopamine preferentially inhibits NMDA receptor-mediated EPSCs by acting on presynaptic D1 receptors in nucleus accumbens during postnatal development. 2014 , 9, e86970		11
212	Inactivation of the nucleus accumbens core or medial shell attenuates reinstatement of sugar-seeking behavior following sugar priming or exposure to food-associated cues. 2014 , 9, e99301		11
211	Oscillatory activity in the medial prefrontal cortex and nucleus accumbens correlates with impulsivity and reward outcome. 2014 , 9, e111300		47
210	It's MORe exciting than mu: crosstalk between mu opioid receptors and glutamatergic transmission in the mesolimbic dopamine system. 2014 , 5, 116		79
209	Modafinil attenuates reinstatement of cocaine seeking: role for cystine-glutamate exchange and metabotropic glutamate receptors. 2014 , 19, 49-60		37
208	Extrasynaptic GABAA Receptors and Alcohol. 2014 , 251-265		
207	Influence of depressive symptoms on dopaminergic treatment of Parkinson's disease. 2014 , 5, 188		5
206	Cellular, molecular, and genetic substrates underlying the impact of nicotine on learning. 2014 , 107, 108-32		46

(2015-2014)

205	Nucleus accumbens core and shell inactivation differentially affects impulsive behaviours in rats. 2014 , 54, 31-42		46
204	An MRI atlas of the mouse basal ganglia. 2014 , 219, 1343-53		27
203	Role of nucleus accumbens in neuropathic pain: linked multi-scale evidence in the rat transitioning to neuropathic pain. 2014 , 155, 1128-1139		111
202	Mu opioid receptor antagonism in the nucleus accumbens shell blocks consumption of a preferred sucrose solution in an anticipatory contrast paradigm. <i>Neuroscience</i> , 2014 , 261, 144-52	3.9	23
201	Delta-opioid receptor blockade in the ventral pallidum increases perceived palatability and consumption of saccharin solution in rats. 2014 , 269, 20-7		10
200	Role of nucleus accumbens shell neuronal ensembles in context-induced reinstatement of cocaine-seeking. <i>Journal of Neuroscience</i> , 2014 , 34, 7437-46	6.6	105
199	Cell type-specific synaptic encoding of ethanol exposure in the nucleus accumbens shell. <i>Neuroscience</i> , 2014 , 277, 184-95	3.9	26
198	Alcohol: mechanisms along the mesolimbic dopamine system. 2014 , 211, 201-33		28
197	Dynamics of rapid dopamine release in the nucleus accumbens during goal-directed behaviors for cocaine versus natural rewards. 2014 , 86, 319-28		70
196	Ultrastructural localization of tyrosine hydroxylase in tree shrew nucleus accumbens core and shell. <i>Neuroscience</i> , 2014 , 271, 23-34	3.9	15
195	The microinjection of a cannabinoid agonist into the accumbens shell induces anxiogenesis in the elevated plus-maze. 2014 , 124, 160-6		8
194	The conditions that promote fear learning: prediction error and Pavlovian fear conditioning. 2014 , 108, 14-21		52
193	Erasing Drug Memories Through the Disruption of Memory Reconsolidation: A Review of Glutamatergic Mechanisms. 2015 , 20, 101-129		4
192	Cholinergic interneurons in the dorsal and ventral striatum: anatomical and functional considerations in normal and diseased conditions. 2015 , 1349, 1-45		100
191	Selecting danger signals: dissociable roles of nucleus accumbens shell and core glutamate in predictive fear learning. 2015 , 41, 1515-23		4
190	Differential roles of dopamine D1 and D2 receptor-containing neurons of the nucleus accumbens shell in behavioral sensitization. 2015 , 135, 1232-41		60
189	Glutamatergic transmission in drug reward: implications for drug addiction. 2015, 9, 404		87
188	A Framework for Understanding the Emerging Role of Corticolimbic-Ventral Striatal Networks in OCD-Associated Repetitive Behaviors. 2015 , 9, 171		45

187	Associative Reactivation of PlaceReward Information in the HippocampalVentral Striatal Circuitry. 2015 , 81-104		O
186	High on food: the interaction between the neural circuits for feeding and for reward. 2015 , 10, 165-176		8
185	Relief learning is dependent on NMDA receptor activation in the nucleus accumbens. 2015 , 172, 2419-20	6	8
184	The role of mesoaccumbens dopamine in nicotine dependence. <i>Current Topics in Behavioral Neurosciences</i> , 2015 , 24, 55-98	3.4	22
183	The Neuropharmacology of Nicotine Dependence. Current Topics in Behavioral Neurosciences, 2015,	3.4	10
182	Intrinsic plasticity: an emerging player in addiction. 2015 , 16, 173-84		105
181	Adenosine signaling in reserpine-induced depression in rats. 2015 , 286, 184-91		29
180	A critical role of nucleus accumbens dopamine D1-family receptors in renewal of alcohol seeking after punishment-imposed abstinence. 2015 , 129, 281-91		25
179	Basal Forebrain Anatomical Systems in MRI Space. 2015 , 395-409		2
178	Assessing contributions of nucleus accumbens shell subregions to reward-seeking behavior. 2015 , 153, 369-73		7
177	The Nucleus Accumbens: A Comprehensive Review. 2015 , 93, 75-93		196
176	The ventral pallidum: Subregion-specific functional anatomy and roles in motivated behaviors. 2015 , 130, 29-70		180
175	Phasic dopamine release induced by positive feedback predicts individual differences in reversal learning. 2015 , 125, 135-45		25
174	Placing the paraventricular nucleus of the thalamus within the brain circuits that control behavior. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 56, 315-29	9	187
173	Elevated Excitatory Input to the Nucleus Accumbens in Schizophrenia: A Postmortem Ultrastructural Study. 2015 , 41, 1123-32		23
172	Dopamine in the nucleus accumbens core, but not shell, increases during signaled food reward and decreases during delayed extinction. 2015 , 123, 125-39		9
171	A role for phasic dopamine release within the nucleus accumbens in encoding aversion: a review of the neurochemical literature. 2015 , 6, 16-26		84
170	c-Fos induction in mesotelencephalic dopamine pathway projection targets and dorsal striatum following oral intake of sugars and fats in rats. 2015 , 111, 9-19		18

(2016-2015)

169	The uncompetitive N-methyl-D-aspartate antagonist memantine reduces binge-like eating, food-seeking behavior, and compulsive eating: role of the nucleus accumbens shell. 2015 , 40, 1163-71		41
168	The nucleus accumbens: an interface between cognition, emotion, and action. 2015 , 66, 25-52		388
167	The Avian Subpallium and Autonomic Nervous System. 2015 , 135-163		5
166	Nucleus accumbens shell excitability is decreased by methamphetamine self-administration and increased by 5-HT2C receptor inverse agonism and agonism. 2015 , 89, 113-21		19
165	Dopamine and Alcohol Dependence: From Bench to Clinic. 2016,		4
164	Deep Brain Stimulation for Obesity: From a Theoretical Framework to Practical Application. 2016 , 2016, 7971460		12
163	Organization of Prefrontal-Striatal Connections. 2016 , 24, 423-438		3
162	Neuropharmacology of New Psychoactive Substances (NPS): Focus on the Rewarding and Reinforcing Properties of Cannabimimetics and Amphetamine-Like Stimulants. 2016 , 10, 153		119
161	Morphology of Human Nucleus Accumbens Neurons Based on the Immunohistochemical Expression of Gad67. 2016 , 17, 297-302		
160	Reappraising striatal D1- and D2-neurons in reward and aversion. <i>Neuroscience and Biobehavioral Reviews</i> , 2016 , 68, 370-386	9	67
159	Nucleus Accumbens AMPA Receptors Are Necessary for Morphine-Withdrawal-Induced Negative-Affective States in Rats. <i>Journal of Neuroscience</i> , 2016 , 36, 5748-62	6.6	34
158	Toward a systems-oriented approach to the role of the extended amygdala in adaptive responding. Neuroscience and Biobehavioral Reviews, 2016, 68, 177-194	9	11
157	Reward Expectancy Strengthens CA1 Theta and Beta Band Synchronization and Hippocampal-Ventral Striatal Coupling. <i>Journal of Neuroscience</i> , 2016 , 36, 10598-10610	6.6	30
156	Neurochemical compartmentalization within the pigeon basal ganglia. 2016 , 78, 65-86		6
155	Safety out of control: dopamine and defence. 2016 , 12, 15		29
154	Non-parametric analysis of neurochemical effects and Arc expression in amphetamine-induced 50-kHz ultrasonic vocalization. 2016 , 312, 174-85		14
153	Circuit-Based Corticostriatal Homologies Between Rat and Primate. 2016, 80, 509-21		177
152	Cocaine and Amphetamine Induce Overlapping but Distinct Patterns of AMPAR Plasticity in Nucleus Accumbens Medium Spiny Neurons. 2016 , 41, 464-76		33

151	Lateral hypothalamic circuits for feeding and reward. 2016 , 19, 198-205		254
150	The Neural Representation of Goal-Directed Actions and Outcomes in the Ventral Striatum's Olfactory Tubercle. <i>Journal of Neuroscience</i> , 2016 , 36, 548-60	6.6	36
149	Reversal of morphine-induced cell-type-specific synaptic plasticity in the nucleus accumbens shell blocks reinstatement. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 757-62	11.5	94
148	N-Methyl-d-aspartate Modulation of Nucleus Accumbens Dopamine Release by Metabotropic Glutamate Receptors: Fast Cyclic Voltammetry Studies in Rat Brain Slices in Vitro. 2017 , 8, 320-328		9
147	Contributions of basolateral amygdala and nucleus accumbens subregions to mediating motivational conflict during punished reward-seeking. 2017 , 140, 92-105		35
146	Dopamine release in the nucleus accumbens is altered following traumatic brain injury. Neuroscience, 2017, 348, 180-190	3.9	21
145	Mu opioid receptor signaling in the nucleus accumbens shell increases responsiveness of satiety-modulated lateral hypothalamus neurons. 2017 , 45, 1418-1430		4
144	Morphological dendritic spine changes of medium spiny neurons in the nucleus accumbens in 6-hydroxydopamine-lesioned rats treated with levodopa. 2017 , 121, 49-53		5
143	Role of dopamine projections from ventral tegmental area to nucleus accumbens and medial prefrontal cortex in reinforcement behaviors assessed using optogenetic manipulation. 2017 , 32, 1491-1	1502	26
142	Modulatory effects of Ampicillin/Sulbactam on glial glutamate transporters and metabotropic glutamate receptor 1 as well as reinstatement to cocaine-seeking behavior. 2017 , 332, 288-298		32
141	Intra-accumbal blockade of endocannabinoid CB1 receptors impairs learning but not retention of conditioned relief. 2017 , 144, 48-52		3
140	Multimodal connectivity-based parcellation reveals a shell-core dichotomy of the human nucleus accumbens. 2017 , 38, 3878-3898		24
139	Role of TAAR1 within the Subregions of the Mesocorticolimbic Dopaminergic System in Cocaine-Seeking Behavior. <i>Journal of Neuroscience</i> , 2017 , 37, 882-892	6.6	38
138	Calpain-GRIP Signaling in Nucleus Accumbens Core Mediates the Reconsolidation of Drug Reward Memory. <i>Journal of Neuroscience</i> , 2017 , 37, 8938-8951	6.6	14
137	The dopamine D3 receptor, a quarter century later. 2017 , 45, 2-19		131
136	The Mesoaccumbens Pathway: A Retrograde Labeling and Single-Cell Axon Tracing Analysis in the Mouse. 2017 , 11, 25		12
135	Glycine-Binding Site Stimulants of NMDA Receptors Alleviate Extrapyramidal Motor Disorders by Activating the Nigrostriatal Dopaminergic Pathway. 2017 , 18,		10
134	Nucleus Accumbens Shell Dopamine Preferentially Tracks Information Related to Outcome Value of Reward. 2017 , 4,		21

133	transporter GLT-1 in neurons: resistance to the acute locomotor effects of amphetamine. 2018 , 235, 1371-1387		13	
132	GABA and Glutamate Synaptic Coadaptations to Chronic Ethanol in the Striatum. <i>Handbook of Experimental Pharmacology</i> , 2018 , 248, 79-112	3.2	3	
131	Neuropharmacology of compulsive eating. 2018 , 373,		14	
130	Opioid and Psychostimulant Plasticity: Targeting Overlap in Nucleus Accumbens Glutamate Signaling. 2018 , 39, 276-294		41	
129	Lateral preoptic and ventral pallidal roles in locomotion and other movements. 2018, 223, 2907-2924		15	
128	Dissociable contributions of dorsal and ventral striatal regions on a rodent cost/benefit decision-making task requiring cognitive effort. 2018 , 137, 322-331		7	
127	4b-Adrenergic Receptor Localization and Relationship to the D1-Dopamine Receptor in the Rat Nucleus Accumbens. <i>Neuroscience</i> , 2018 , 371, 126-137	3.9	4	
126	Cell-Type-Specific Afferent Innervation of the Nucleus Accumbens Core and Shell. 2018 , 12, 84		44	
125	Nucleus Accumbens Modulation in Reward and Aversion. 2018 , 83, 119-129		32	
124	The Neuropharmacology of What, Where, When: How Dopamine Modulates Recognition Memory for Objects and Their Contexts. 2018 , 27, 359-369			
123	Role of glutamatergic system and mesocorticolimbic circuits in alcohol dependence. 2018 , 171, 32-49		33	
122	Striatal dopamine regulates systemic glucose metabolism in humans and mice. 2018 , 10,		50	
121	Cooperative and dissociable involvement of the nucleus accumbens core and shell in the promotion and inhibition of actions during active and inhibitory avoidance. 2018 , 138, 57-71		18	
120	Nucleus accumbens core medium spiny neuron electrophysiological properties and partner preference behavior in the adult male prairie vole, Microtus ochrogaster. 2018 , 119, 1576-1588		11	
119	Expression and localization of CB1R, NAPE-PLD, and FAAH in the vervet monkey nucleus accumbens. 2018 , 8, 8689		4	
118	Glutamate Afferents From the Medial Prefrontal Cortex Mediate Nucleus Accumbens Activation by Female Sexual Behavior. 2019 , 13, 227		6	
117	A Mini-Review of the Role of Glutamate Transporter in Drug Addiction. 2019 , 10, 1123		3	
116	Cell-type and region-specific nucleus accumbens AMPAR plasticity associated with morphine reward, reinstatement, and spontaneous withdrawal. 2019 , 224, 2311-2324		20	

115	Circuit directionality for motivation: Lateral accumbens-pallidum, but not pallidum-accumbens, connections regulate motivational attraction to reward cues. 2019 , 162, 23-35		7
114	Anatomic Review of the Ventral Capsule/Ventral Striatum and the Nucleus Accumbens to Guide Target Selection for Deep Brain Stimulation for Obsessive-Compulsive Disorder. 2019 , 126, 1-10		13
113	Neural Circuit Plasticity in Addiction. 2019 , 35-60		0
112	Involvement of orexinergic receptors in the nucleus accumbens, in the effect of forced swim stress on the reinstatement of morphine seeking behaviors. 2019 , 356, 279-287		13
111	Prefrontal-accumbens opioid plasticity: Implications for relapse and dependence. 2019 , 139, 158-165		15
110	The modulatory role of nicotine on cognitive and non-cognitive functions. <i>Brain Research</i> , 2019 , 1710, 92-101	3.7	10
109	DNMT3a in the hippocampal CA1 is crucial in the acquisition of morphine self-administration in rats. 2020 , 25, e12730		4
108	Role of nucleus accumbens core but not shell in incubation of methamphetamine craving after voluntary abstinence. 2020 , 45, 256-265		12
107	Cell-Type- and Endocannabinoid-Specific Synapse Connectivity in the Adult Nucleus Accumbens Core. <i>Journal of Neuroscience</i> , 2020 , 40, 1028-1041	6.6	15
106	Potential mechanisms for phencyclidine/ketamine-induced brain structural alterations and behavioral consequences. 2020 , 76, 213-219		3
105	Nucleus accumbens shell dopamine mediates outcome value, but not predicted value, in a magnitude decision-making task. 2020 , 51, 1526-1538		1
104	Striatal circuit development and its alterations in Huntington's disease. 2020 , 145, 105076		7
103	Stress and the dopaminergic reward system. 2020 , 52, 1879-1890		27
102	Prefrontal cortical and nucleus accumbens contributions to discriminative conditioned suppression of reward-seeking. 2020 , 27, 429-440		11
101	The Projection From Ventral CA1, Not Prefrontal Cortex, to Nucleus Accumbens Core Mediates Recent Memory Retrieval of Cocaine-Conditioned Place Preference. 2020 , 14, 558074		4
100	Blockade of the endovanilloid receptor, TRPV1, and of the endocannabinoid enzyme, FAAH, within the nucleus accumbens shell elicits anxiolytic-like effects in male rats. 2020 , 732, 135023		1
99	Sex Differences and the Role of Estradiol in Mesolimbic Reward Circuits and Vulnerability to Cocaine and Opiate Addiction. 2020 , 14, 74		30
98	Brain-Wide Mapping of Afferent Inputs to Accumbens Nucleus Core Subdomains and Accumbens Nucleus Subnuclei. 2020 , 14, 15		8

97	The ventral pallidum and relapse in alcohol seeking. 2020 , 177, 3855-3864		6
96	Heterogeneity in striatal dopamine circuits: Form and function in dynamic reward seeking. 2020 , 98, 1	046-10	169 20
95	The Impact of Physical Enrichment in the Structure of the Medial Prefrontal Cortex and Nucleus Accumbens of the Adult Male Rat Brain. <i>Neuroscience</i> , 2021 , 454, 51-60	3.9	
94	The tubular striatum and nucleus accumbens distinctly represent reward-taking and reward-seeking. 2021 , 125, 166-183		3
93	Effect of Modulation of the Astrocytic Glutamate Transporters' Expression on Cocaine-Induced Reinstatement in Male P Rats Exposed to Ethanol. 2021 , 56, 210-219		3
92	Basal impulses: findings from the last twenty years on impulsivity and reward pathways using deep brain stimulation. 2020 , 64, 544-551		
91	Neuronal Nitric Oxide Synthase in Nucleus Accumbens Specifically Mediates Susceptibility to Social Defeat Stress through Cyclin-Dependent Kinase 5. <i>Journal of Neuroscience</i> , 2021 , 41, 2523-2539	6.6	3
90	Anhedonia correlates with functional connectivity of the nucleus accumbens subregions in patients with major depressive disorder. 2021 , 30, 102599		9
89	The Paraventricular Nucleus of the Thalamus as an Integrating and Relay Node in the Brain Anxiety Network. 2021 , 15, 627633		16
88	Shifting motivational states: The effects of nucleus accumbens dopamine and opioid receptor activation on a modified effort-based choice task. 2021 , 399, 112999		2
87	The Role of CaMKII and ERK Signaling in Addiction. 2021 , 22,		5
86	Rapid appetitive transitions are sculpted by amygdala to accumbens pathways.		
85	Distinct threat and valence signals in rat nucleus accumbens core.		
84	The Role of Neuropeptide Y in the Nucleus Accumbens. 2021 , 22,		1
83	Endocannabinoid Modulation of Nucleus Accumbens Microcircuitry and Terminal Dopamine Release. 2021 , 13, 734975		0
82	Blockade of the orexin 1 receptors in the nucleus accumbens' shell reversed the reduction effect of olanzapine on motivation for positive reinforcers. 2021 , 762, 136137		
81	Neuroplasticity and Multilevel System of Connections Determine the Integrative Role of Nucleus Accumbens in the Brain Reward System. 2021 , 22,		0
80	Motivational Systems. 379		2

79	Organization of the Projections from the Ventral Striato-Pallidal System to Ventral Mesencephalic Dopaminergic Neurons in the Rat. 1994 , 81-93		17
78	Transition Areas of the Striatopallidal System with the Extended Amygdala in the Rat and Primate: Observations from Histochemistry and Experiments with Mono- and Transsynaptic Tracer. 1994 , 95-107		12
77	Core and Shell of the Nucleus Accumbens are Interconnected Via Intrastriatal Projections. 2002 , 191-20	0	1
76	The Latent Inhibition Model of Schizophrenia. 2000 , 197-230		7
75	Multiple dopamine receptors: the D3 receptor and actions of substances of abuse. 1994 , 71, 81-92		8
74	Limbic-Basal Ganglia Circuits Parallel and Integrative Aspects. 2016 , 11-45		3
73	The neuronal pathways mediating the behavioral and addictive properties of nicotine. <i>Handbook of Experimental Pharmacology</i> , 2009 , 209-33	3.2	74
72	Synaptology of Dopamine Neurons. <i>Handbook of Experimental Pharmacology</i> , 2002 , 63-119	3.2	10
71	The Dopamine D3 Receptor and Its Implication in Neuropsychiatry Disorders and Their Treatments. <i>Handbook of Experimental Pharmacology</i> , 2002 , 185-221	3.2	1
70	Sites and Mechanisms of Action of Antipsychotic Drugs as Revealed by Immediate-Early Gene Expression. <i>Handbook of Experimental Pharmacology</i> , 1996 , 117-161	3.2	10
69	Antipsychotic Drug Action After Lesions to the Hippocampus or Frontal Cortex. <i>Handbook of Experimental Pharmacology</i> , 1996 , 267-288	3.2	3
68	Anatomical Relationships Between the Prefrontal Cortex and the Basal Ganglia in the Rat. 1994 , 51-77		41
67	Opioid and CCK Systems in Anxiety and Reward. 1995 , 151-171		6
66	Multichannel fiber photometry for mapping axonal terminal activity in a restricted brain region in freely moving mice. 2019 , 6, 035011		8
65	Microsurgical and Fiber Tract Anatomy of the Nucleus Accumbens. 2016 , 12, 269-288		11
64	High-frequency electrical stimulation in the nucleus accumbens of morphine-treated rats suppresses neuronal firing in reward-related brain regions. 2011 , 17, BR153-60		10
63	Tamping Ramping: Algorithmic, Implementational, and Computational Explanations of Phasic Dopamine Signals in the Accumbens. 2015 , 11, e1004622		30
62	Contribution of nucleus accumbens core (AcbC) to behavior control during a learned resting period: introduction of a novel task and lesion experiments. 2014 , 9, e95941		2

(1996-2001)

61	The circuitry mediating cocaine-induced reinstatement of drug-seeking behavior. <i>Journal of Neuroscience</i> , 2001 , 21, 8655-63	6.6	699
60	Rapid dopamine dynamics in the accumbens core and shell: learning and action. 2013, 5, 273-88		80
59	Presynaptic dopamine modulation by stimulant self-administration. 2013, 5, 261-76		20
58	Neural integrative activities of nucleus accumbens subregions in relation to learning and motivation. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1999 , 27, 198-213		51
57	Nucleus Accumbens and Its Role in Reward and Emotional Circuitry: A Potential Hot Mess in Substance Use and Emotional Disorders. 2017 , 4, 52-70		5
56	Dopamine neurons projecting to the posterior striatum form an anatomically distinct subclass. 2015 , 4, e10032		174
55	Opposite initialization to novel cues in dopamine signaling in ventral and posterior striatum in mice. 2017 , 6,		117
54	The Place of Dopamine Neurons Within the Organization of the Forebrain. <i>Handbook of Experimental Pharmacology</i> , 2002 , 43-62	3.2	
53	Une approche thapeutique centra sur les effets conditionnels des drogues. 2002, 8, 115		
52	Immunocytochemical Characterisation of Catecholaminergic Neurons in the Rat Striatum Following Dopamine Depleting Lesions. 2002 , 477-487		
51	Re-Evaluation of Markers for the Patch-Matrix Organization of the Rat Striatum. 2002, 393-398		
50	Effect of Herbal-Acupuncture on Repeated Cocaine-induced Behavioral Sensitization in the Rat. 2004 , 7, 53-61		
49	Effect of Herbal Acupuncture with Sang-hwang (Phellinus linteus) on High Fat Diet-induced Obesity in Rats. 2004 , 7, 5-14		
48	La neurobiologie de l'addiction. 2007 , 23-51		1
47	Neuroanatomical Systems Relevant to Neuropsychiatric Disorders. 2008, 975-995		О
46	Regulation of Dopamine Release by Striatal Acetylcholine and Nicotine Is via Distinct Nicotinic Acetylcholine Receptors in Dorsal vs. Ventral Striatum. 2009 , 323-335		
45	Telencefalo: gangli della base. 2010 , 427-489		
44	Speculations on the Molecular Mechanisms Underlying Dopamine Agonist-Induced Dyskinesias in Parkinsonism. 1996 , 347-355		

43	Functional Imaging Probes to Study the Neural Bases of Behavior in Genetic Animal Models of ADHD. 1998 , 145-169		
42	Circuit directionality for motivation: lateral accumbens-pallidum, but not pallidum-accumbens, connections regulate motivational attraction to reward cues.		
41	Cell-type and region-specific nucleus accumbens AMPAR plasticity associated with morphine reward, reinstatement, and spontaneous withdrawal.		O
40	Cell-type and endocannabinoid specific synapse connectivity in the adult nucleus accumbens core.		
39	Chronic Chemogenetic Manipulation of Ventral Pallidum Targeted Neurons in Rats Fed an Obesogenic Diet.		1
38	The avian subpallium and autonomic nervous system. 2022 , 257-290		
37	Threat and bidirectional valence signaling in the nucleus accumbens core. <i>Journal of Neuroscience</i> , 2021 ,	6.6	O
36	Reviewing the role of the orexinergic system and stressors in modulating mood and reward-related behaviors <i>Neuroscience and Biobehavioral Reviews</i> , 2021 , 133, 104516	9	1
35	Whole-Brain Map of Top-down afferent Inputs to Nucleus Accumbens of the Mouse.		
34	Immunolabeling provides evidence for subregions in the songbird nucleus accumbens and suggests a context-dependent role in song in male European starlings (Sturnus vulgaris). <i>Brain, Behavior and Evolution</i> , 2021 ,	1.5	O
33	Mesoaccumbal Dopamine Heterogeneity: What Do Dopamine Firing and Release Have to Do with It?. <i>Annual Review of Neuroscience</i> , 2022 ,	17	2
32	Chronic Chemogenetic Manipulation of Ventral Pallidum Targeted Neurons in Male Rats Fed an Obesogenic Diet <i>Brain Research</i> , 2022 , 147886	3.7	O
31	The effects of early life stress on impulsivity Neuroscience and Biobehavioral Reviews, 2022, 104638	9	O
30	Erratum to: GABA and Glutamate Synaptic Coadaptations to Chronic Ethanol in the Striatum. <i>Handbook of Experimental Pharmacology</i> , 2018 , 79	3.2	
29	lmage_1.TIF. 2018 ,		
28	Table_1.XLSX. 2018 ,		
27	Table_1.DOCX. 2019 ,		
26	lmage_1.TIF. 2020 ,		

Data_Sheet_1.pdf. 2020, 25 Image_1.tif. **2020**, 24 Image_2.tif. 2020, 23 Table_1.xlsx. 2020, Table_2.xlsx. **2020**, 21 A Historical Perspective on the Dopamine D3 Receptor.. Current Topics in Behavioral Neurosciences, 20 3.4 2022, Selective excitotoxic lesions of the nucleus accumbens core and shell differentially affect aversive Pavlovian conditioning to discrete and contextual cues. Cognitive, Affective and Behavioral 18 19 Neuroscience, 1999, 27, 256-266 Hippocampal and amygdaloid interactions in the nucleus accumbens. Cognitive, Affective and 18 Behavioral Neuroscience, 1999, 27, 149-164 Microcircuits in nucleus accumbens hell and core involved in cognition and reward. Cognitive, 17 24 Affective and Behavioral Neuroscience, 1999, 27, 165-186 Glutamatergic projections from ventral hippocampus to nucleus accumbens cholinergic neurons 16 are altered in a mouse model of depression. A unidirectional but not uniform striatal landscape of dopamine signaling for motivational stimuli. 15 11.5 1 Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, A new cortical parcellation based on systematic review of primate anatomical tracing studies on 14 corticostriatal projections. Neural signals implicated in the processing of appetitive and aversive events in social and 13 O non-social contexts. 16. Sex Differences in Activation of Forebrain Orexin Targets During Hedonic Eating. 12 Intra-Accumbal D1- But not D2-Like Dopamine Receptor Antagonism Reverses the Inhibitory Effects of Cannabidiol on Extinction and Reinstatement of Methamphetamine Seeking Behavior in 11 \circ Mu opioid receptor stimulation in the medial preoptic area or nucleus accumbens facilitates song 10 and reward in flocking European starlings. 13, Sex differences in activation of extra-hypothalamic forebrain areas during hedonic eating. 2022, O 227, 2857-2878 The interaction of membrane estradiol receptors and metabotropic glutamate receptors in adaptive and maladaptive estradiol-mediated motivated behaviors in females. 2022,

7	the motivational impairment from systemic dopamine receptor antagonism by Flupenthixol. 2023 , 137069	О
6	Striatal circuits. 2023 , 73-124	O
5	Excitatory projections from the prefrontal cortex to nucleus accumbens core D1-MSNs and kappa opioid receptor modulate itch-related scratching behaviors. JN-RM-1359-22	O
4	Ventral pallidal regulation of motivated behaviors and reinforcement. 17,	О
3	The architecture of abnormal reward behaviour in dementia: multimodal hedonic phenotypes and brain substrate. 2023 , 5,	О
2	Frustrative nonreward and the basal ganglia: Chemogenetic inhibition and excitation of the nucleus accumbens and globus pallidus externus during reward downshift. 2023 , 200, 107736	O
1	Inhibition of ventral tegmental area projections to the nucleus accumbens shell increases	0