CITATION REPORT List of articles citing

Susceptibility to low-density lipoprotein oxidation and coronary atherosclerosis in man

DOI: 10.1016/0140-6736(92)91129-v Lancet, The, 1992, 339, 1183-6.

Source: https://exaly.com/paper-pdf/23257824/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
520	Oxidative stress and antioxidant parameters in neutropenic patients secondary to chemotherapy. 2016 , 32, 309-13		4
519	ORAL COMMUNICATIONS. 1992 , 107, 234P-332P		
518	Magnesium deficiency and cardiovascular disease. <i>Lancet, The</i> , 1992 , 340, 1224-5	40	10
517	Ten-year cardiovascular mortality in relation to risk factors and abnormalities in lipoprotein composition in type 2 (non-insulin-dependent) diabetic and non-diabetic subjects. 1993 , 36, 1175-84		311
516	Hyperlipidaemia in diabetes mellitus. 1993 , 10, 214-216		
515	Pathogenesis and treatment perspectives of chronic graft rejection (CVR). 1993 , 134, 83-98		68
514	The influence of pretransplant lipoprotein abnormalities on the early results of renal transplantation. 1993 , 23, 572-9		85
513	Lower tocopherol serum levels in subjects with abdominal adiposity. 1993 , 234, 53-60		107
512	Lipid hydroperoxides potentiate mesenteric artery vasoconstrictor responses. 1993 , 14, 397-407		29
511	Oxidized LDL and atherogenesis: relation to risk factors for coronary heart disease. 1993 , 16, I3-5		20
510	Prevention of platelet dysfunction by vitamin E in diabetic atherosclerosis. 1993 , 32, 243-61		9
509	Tamoxifen inhibits lipid peroxidation in cardiac microsomes. Comparison with liver microsomes and potential relevance to the cardiovascular benefits associated with cancer prevention and treatment by tamoxifen. 1993 , 45, 1851-5		29
508	Lack of an association between serum vitamin E and myocardial infarction in a population with high vitamin E levels. 1993 , 103, 21-8		70
507	Probucol and other antioxidants prevent the inhibition of endothelium-dependent relaxation by low density lipoproteins. 1993 , 103, 73-9		39
506	Probucol inhibits mononuclear cell adhesion to vascular endothelium in the cholesterol-fed rabbit. 1993 , 100, 171-81		39
505	Mononuclear leukocytes exposed to oxidized low density lipoprotein secrete a factor that stimulates endothelial cells to express adhesion molecules. 1993 , 103, 213-9		51
504	Vitamin E consumption and the risk of coronary disease in women. 1993 , 328, 1444-9		1724

503	Analysis of lipoprotein diene formation in human serum exposed to copper. 1993 , 19, 267-78		71
502	Hypertension and hyperlipidemia. A review. 1993 , 6, 303S-308S		26
501	Genetics of LDL subclass phenotypes in women twins. Concordance, heritability, and commingling analysis. 1993 , 13, 687-95		71
500	Vitamin E, LDL, and endothelium. Brief oral vitamin supplementation prevents oxidized LDL-mediated vascular injury in vitro. 1993 , 13, 1779-89		86
499	Protective actions of tamoxifen and 4-hydroxytamoxifen against oxidative damage to human low-density lipoproteins: a mechanism accounting for the cardioprotective action of tamoxifen?. <i>Biochemical Journal</i> , 1993 , 292 (Pt 3), 635-8	3.8	72
498	Hormone replacement and cardiovascular risk factors. 1993 , 329, 1041; author reply 1042-3		3
497	Relation of plasma levels and composition of apolipoprotein B-containing lipoproteins to angiographically defined coronary artery disease in young patients with myocardial infarction. 1993 , 88, 2180-9		83
496	Chapter 23. New Potential Therapies for the Treatment of Atherosclerosis. 1993 , 28, 217-226		2
495	Lipid peroxidation and its role in atherosclerosis. 1993 , 49, 566-76		215
494	The role of high-density lipoprotein and lipid-soluble antioxidant vitamins in inhibiting low-density lipoprotein oxidation. <i>Biochemical Journal</i> , 1993 , 294 (Pt 3), 829-34	3.8	273
493	Antioxidant vitamins and low-density-lipoprotein oxidation. 1993 , 58, 525-32		138
492	Prospects for the prevention of free radical disease, regarding cancer and cardiovascular disease. 1993 , 49, 679-99		175
491	Oxidants, antioxidants, and the degenerative diseases of aging. 1993 , 90, 7915-22		4749
490	The Early Atherosclerotic Lesion [Morphology and Mechanisms. 1993, vmr-4, 59-75		1
490	The Early Atherosclerotic Lesion [Morphology and Mechanisms. 1993, vmr-4, 59-75 Autoantibodies to oxidized low density lipoproteins in restenosis following coronary angioplasty. 1994, 84, 310-5		30
	Autoantibodies to oxidized low density lipoproteins in restenosis following coronary angioplasty.		
489	Autoantibodies to oxidized low density lipoproteins in restenosis following coronary angioplasty. 1994 , 84, 310-5 Changes in serum carotenoids in subjects with colorectal adenomas after 24 mo of beta-carotene		30

485	Lipoprotein abnormalities in non-insulin-dependent diabetic patients with impaired extrahepatic insulin sensitivity, hypertension, and microalbuminuria. 1994 , 14, 911-6	12
484	Biological importance of low-density-lipoprotein subfractions. 1994 , 1, 207-11	4
483	Patient-Directed, Nonprescription Approaches to Cardiovascular Disease. 1994 , 154, 2283	6
482	Lipids, Apolipoproteins and Lipoproteins. <i>Developments in Cardiovascular Medicine</i> , 1994 , 83-103	5
481	Free radicals and atherosclerosis. 1994 , 257-280	7
480	Methods to determine oxidation of low-density lipoproteins. 1994 , 233, 425-41	197
479	Antioxidants and coronary heart disease. 1994 , 26, 429-34	48
478	Lipoprotein oxidation and measurement of hydroperoxide formation in a single microtitre plate. 1994 , 54, 341-6	15
477	Lipid Peroxides and Essential Fatty Acids in Patients with Diabetes Mellitus and Diabetic Nephropathy. 1994 , 4, 149-155	28
476	Exogenous CoQ10 preserves plasma ubiquinone levels in patients treated with 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors. 1994 , 24, 171-6	54
475	The effect of the gastrointestinal lipase inhibitor, orlistat, on serum lipids and lipoproteins in patients with primary hyperlipidaemia. 1994 , 46, 405-10	82
474	LDL-Oxidation - Results and Relevance for Atherogenesis and Possible Clinical Consequences. 1994 , 96, 20-22	1
473	Effect of n-3 fatty acid-rich fish oil supplementation on the oxidation of low density lipoproteins. 1994 , 29, 233-6	58
472	Enhanced LDL oxidation in uremic patients: an additional mechanism for accelerated atherosclerosis?. 1994 , 45, 876-83	184
471	Myeloproliferative and metabolic causes. 1994 , 7, 591-635	4
470	The antioxidant action of a pure antioestrogen: ability to inhibit lipid peroxidation compared to tamoxifen and 17 beta-oestradiol and relevance to its anticancer potential. 1994 , 47, 493-8	26
469	Low density lipoprotein is saturable by pro-oxidant copper. 1994 , 343, 188-94	169
468	Increased susceptibility to lipid oxidation of low-density lipoproteins and erythrocyte membranes from diabetic patients. 1994 , 43, 1470-4	68

467	Influence of lipoprotein lipids, dietary fat and smoking on macrophage degradation of native and oxidized low density lipoprotein. 1994 , 110, 13-23	6
466	Stored iron levels and myocardial infarction at young age. 1994 , 106, 123-5	24
465	Low density lipoprotein isolated from patients with essential hypertension exhibits increased propensity for oxidation and enhanced uptake by macrophages: a possible role for angiotensin II. 1994 , 107, 71-84	93
464	[Vitamin E, antioxidants and atherosclerosis]. 1994 , 15, 641-9	O
463	The role of oxidation and glycation in the pathogenesis of diabetic atherosclerosis. 1994 , 5, 329-34	16
462	Combined Treatment with Pravastatin and Gemfibrozil in Patients with Refractory Familial Combined Hyperlipidaemia. 1994 , 7, 134-142	13
461	Epidemiology and the role of antioxidants in preventing coronary heart disease: a brief overview. 1994 , 53, 59-65	22
460	Carotenoids: functions and fallacies. 1994 , 53, 77-87	34
459	A comparison of antioxidant status and free radical peroxidation of plasma lipoproteins in healthy young persons from Naples and Bristol. 1994 , 15, 871-6	80
458	Effects of antioxidants and fatty acids on low-density-lipoprotein oxidation. 1994 , 60, 1010S-1013S	29
457	The susceptibility of low density lipoprotein to chemical oxidation is closely related to proneness to biological modification. 1995 , 23, 581-92	1
456	Oxidized low-density lipoprotein induces the expression of P-selectin (GMP140/PADGEM/CD62) on human endothelial cells. <i>Biochemical Journal</i> , 1995 , 306 (Pt 1), 293-8	56
455	Low density lipoproteins and atherosclerosis-quantity or quality?. 1995 , 1, 171-6	6
454	Hyperlipidaemia in renal transplantationrisk factor for long-term graft outcome. 1995 , 25, 574-83	73
453	Increased susceptibility to oxidation of low-density lipoproteins isolated from patients with systemic sclerosis. 1995 , 38, 1060-7	75
452	Multiple modifications of low-density lipoproteins in the blood of patients with atherosclerosis. 1995 , 120, 759-762	
45 ¹	Probucol inhibits not only the progression of atherosclerotic disease, but causes a different composition of atherosclerotic lesions in WHHL-rabbits. 1995 , 426, 179-88	23
450	Oxidation of low density lipoproteins from patients with renal failure or renal transplants. 1995 , 48, 227-36	69

449	Ten-year retrospective on the antioxidant hypothesis of arteriosclerosis: Threshold plasma levels of antioxidant micronutrients related to minimum cardiovascular risk. 1995 , 6, 206-236	116
448	Patients with early-onset peripheral vascular disease have increased levels of autoantibodies against oxidized LDL. 1995 , 15, 441-5	207
447	Oxidation-related analytes and lipid and lipoprotein concentrations in healthy subjects. 1995 , 15, 733-9	36
446	Antioxidants and Cardiovascular Disease. 1995 , vmr-6, 1-6	
445	The effect of alpha-tocopherol supplementation on LDL oxidation. A dose-response study. 1995 , 15, 190-8	300
444	Supplementation with low doses of vitamin E protects LDL from lipid peroxidation in men and women. 1995 , 15, 325-33	179
443	Vascular Mechanisms in the Development of Chronic Rejection1. 1995 , 21, 92-99	2
442	Tamoxifen as an antioxidant and cardioprotectant. 1995 , 61, 209-19	23
441	Serial Coronary Angiographic Evidence That Antioxidant Vitamin Intake Reduces Progression of Coronary Artery Atherosclerosis. 1995 , 273, 1849	176
440	Insights into the pathogenesis and prevention of coronary artery disease. 1995 , 70, 69-79	32
439	Autoantibodies against oxidatively modified low-density lipoproteins in NIDDM. 1995, 44, 60-6	136
438	Cardiovascular disease and nutrient antioxidants: role of low-density lipoprotein oxidation. 1995 , 35, 83-98	108
437	Effect of in-vivo supplementation with low-dose vitamin E on susceptibility of low-density lipoprotein and high-density lipoprotein to oxidative modification. 1995 , 14, 46-52	64
436	Isolation, characterization, and metabolism of the glycated and nonglycated subfractions of low-density lipoproteins isolated from type I diabetic patients and nondiabetic subjects. 1995 , 44, 1093-8	71
435	A secondary prevention trial of antioxidant vitamins and cardiovascular disease in women. Rationale, design, and methods. The WACS Research Group. 1995 , 5, 261-9	96
434	Effect of low-dose simvastatin on cholesterol levels, oxidative susceptibility, and antioxidant levels of low-density lipoproteins in patients with hypercholesterolemia: a pilot study. 1995 , 17, 379-89	10
433	Diabetes mellitus, hypertension, and cardiovascular disease: which role for oxidative stress?. 1995 , 44, 363-8	288
432	A comparison between the effects of gemfibrozil and simvastatin on insulin sensitivity in patients with non-insulin-dependent diabetes mellitus and hyperlipoproteinemia. 1995 , 44, 212-7	82

[1996-1995]

431	patients. 1995 , 239, 131-41	35
430	Susceptibility to copper oxidation of neuraminidase-treated LDL. 1995 , 240, 221-3	7
429	Enhanced susceptibility of low-density lipoproteins to oxidation in coronary bypass patients with progression of atheroscerosis. 1995 , 243, 137-49	24
428	Alpha-tocopherol mediated peroxidation in the copper (II) and met myoglobin induced oxidation of human low density lipoprotein: the influence of lipid hydroperoxides. 1995 , 360, 271-6	25
427	Prospects for the use of antioxidant therapies. 1995 , 49, 345-61	399
426	Oxidisability of low density lipoproteins in patients with carotid or femoral artery atherosclerosis. 1995 , 112, 77-84	45
425	Susceptibility of low density lipoprotein to oxidation in familial hypercholesterolaemia. 1995 , 115, 9-15	25
424	HDL, its enzymes and its potential to influence lipid peroxidation. 1995 , 115, 243-53	377
423	Low-density lipoprotein heterogeneity. 1995 , 9, 687-703	11
422	Oxidized lipoproteins. 1995 , 9, 721-37	5
421	Insights Into the Pathogenesis and Prevention of Coronary Artery Disease. 1995 , 70, 69-79	33
420	Preserved antioxidative defense of lipoproteins in renal failure and during hemodialysis. 1995 , 25, 564-71	34
419	Protection of low density lipoprotein oxidation at chemical and cellular level by the antioxidant drug dipyridamole. 1996 , 119, 1438-46	38
418	Increased susceptibility of low-density lipoprotein (LDL) to oxidation by gamma-radiolysis with age. 1996 , 392, 45-8	38
417	Oxidation of lipoprotein(a) and low density lipoprotein containing density gradient ultracentrifugation fractions. 1996 , 1303, 15-21	16
416	Antioxidant effects of Ilex paraguariensis: induction of decreased oxidability of human LDL in vivo. 1996 , 224, 338-44	111
415	Low-density lipoprotein oxidation is increased in kidney transplant recipients. <i>Transplant International</i> , 1996 , 9, S54-S57	2
414	Susceptibility of plasma low- and high-density lipoproteins to oxidation in patients with severe hyperhomocysteinemia. 1996 , 74, 771-6	23

413	Enhanced capacity of n-3 fatty acid-enriched macrophages to oxidize low density lipoprotein mechanisms and effects of antioxidant vitamins. 1996 , 124, 157-69	22
412	Increased oxidation resistance of atherogenic plasma lipoproteins at high vitamin E levels in non-vitamin E supplemented men. 1996 , 124, 83-94	38
411	In vitro oxidised HDL exerts a cytotoxic effect on macrophages. 1996 , 125, 39-46	39
410	The effect of probucol on low density lipoprotein oxidation and femoral atherosclerosis. 1996 , 125, 217-229	23
409	Low-density lipoprotein susceptibility to in vitro oxidation in healthy smokers and nonsmokers. 1996 , 42, 524-530	20
408	Linoleic acid intake and susceptibility of very-low-density and low density lipoproteins to oxidation in men. 1996 , 63, 698-703	63
407	Prevention of atherosclerosis with dietary antioxidants: fact or fiction?. 1996, 126, 1067S-71S	20
406	Low-density lipoprotein is the major carrier of lipid hydroperoxides in plasma. Relevance to determination of total plasma lipid hydroperoxide concentrations. <i>Biochemical Journal</i> , 1996 , 313 (3.8 Pt 3), 781-6	133
405	PNormolipidemicPtendinous and tuberous xanthomatosis. 1996 , 193, 27-32	10
404	Relationships among oxidation of low-density lipoprotein, antioxidant protection, and atherosclerosis. 1997 , 38, 425-56	52
403	Inverse relation between the concentration of low-density-lipoprotein vitamin E and severity of coronary artery disease. 1996 , 63, 377-85	45
402	The role of oxidized low density lipoprotein in atherogenesis. 1996 , 126, 1053S-7S	92
401	Antioxidant property of Fructus Momordicae extract. 1996 , 40, 1111-21	7
400	Factors affecting resistance of low density lipoproteins to oxidation. 1996 , 31 Suppl, S71-6	39
399	Blood radicals: reactive nitrogen species, reactive oxygen species, transition metal ions, and the vascular system. 1996 , 13, 649-62	245
398	Oxidized low-density lipoprotein and atherosclerosis. 1996 , 26, 178-84	52
397	Oxidative susceptibility of low-density lipoproteinsinfluence of regular alcohol use. 1996 , 20, 980-4	37
396	Gamma, but not alpha, tocopherol levels in serum are reduced in coronary heart disease patients. 1996 , 239, 111-7	136

395	Modification of Lipoproteins in Diabetes. 1996 , 12, 69-90	27
394	Low-density lipoprotein composition and oxidability in atherosclerotic cardiovascular disease. 1996 , 29, 479-87	27
393	Acute effects of smoking cessation on antioxidant status. 1996 , 7, 29-39	25
392	Effective lovastatin therapy in elderly hypercholesterolemic patients - an antioxidative impact?. 1996 , 22, 207-21	12
391	Plasma lipid oxidation and susceptibility of low-density lipoproteins to oxidation in male patients with stable coronary artery disease. 1996 , 29, 573-9	14
390	Lipid profile in patients with microvascular angina. 1996 , 26, 1150-5	6
389	Oxidability of low density lipoproteins in pregnancy-induced hypertension. 1996 , 103, 1159-61	7
388	Melatonin in relation to physiology in adult humans. 1996 , 21, 200-13	125
387	Increased low density lipoprotein oxidation in stable kidney transplant recipients. 1996 , 49, 488-93	62
386	Effectiveness versus efficacy of treatment of hypertension for stroke prevention. 1996 , 46, 301-7	47
385	LDL apheresis reduces the susceptibility of LDL to in vitro oxidation in a diabetic patient with hemodialysis treatment. 1996 , 19, 1103-7	19
384	Oxidatively modified LDL and atherosclerosis: an evolving plausible scenario. 1996 , 36, 341-55	12
383	Modified lipoproteins, cytokines and macrovascular disease in non-insulin-dependent diabetes mellitus. 1996 , 28, 347-54	17
382	LDL from patients with well-controlled IDDM is not more susceptible to in vitro oxidation. 1996 , 45, 762-7	49
381	Reference values for alpha-tocopherol and beta-carotene in the Whitehall II Study. 1997, 27, 207-19	25
380	Effect of tea flavonoid supplementation on the susceptibility of low-density lipoprotein to oxidative modification. 1997 , 66, 261-6	252
379	Increased serum and low-density-lipoprotein antioxidant potential after antioxidant supplementation in endurance athletes. 1997 , 65, 1052-6	46
378	Anti-oxidant therapy: does it have a role in the treatment of human disease?. 1997 , 6, 211-36	22

377	Plasma oxysterols and angiographically determined coronary atherosclerosis: a case control study. 1997 , 2, 373-8	12
376	Influence of the medium on the assessment of LDL resistance to oxidation: lag time in phosphate buffered saline is longer than in sodium chloride solution. 1997 , 129, 127-8	1
375	LDL from aerobically-trained subjects shows higher resistance to oxidative modification than LDL from sedentary subjects. 1997 , 132, 207-13	53
374	Elevated plasma lipid hydroperoxides in patients with coronary artery disease. 1997 , 134, 572-6	28
373	Decreased low-density lipoprotein oxidation after repeated selective apheresis in homozygous familial hypercholesterolemia. 1997 , 133, 585-95	58
372	Lipoprotein oxidation, antioxidants and cardiovascular risk: epidemiologic evidence. 1997 , 57, 479-87	41
371	Ubiquinol-10 and total peroxyl radical trapping capacity of LDL lipoproteins during aging: the effects of Q-10 supplementation. 1997 , 18 Suppl, S113-20	19
370	Reduced plasma concentrations of alpha-tocopherol and beta-carotene in obese boys. 1997 , 130, 653-5	63
369	Localized thrombotic purpura: a rare complication of chickenpox. 1997 , 130, 655-7	13
368	Effect of sucrose/ -80 degrees C storage of plasma on between-site values of low-density lipoprotein susceptibility to copper-induced oxidation. GERBAP Section Lipoprotines. Groupe dævaluation et de Recherche des Biologistes de læssistance Publique. 1997 , 258, 249-55	11
367	Low and very low density lipoprotein composition and resistance to copper-induced oxidation are not notably modified in smokers. 1997 , 265, 1-12	17
366	Resistance of lipoproteins from continuous ambulatory peritoneal dialysis patients to in vitro oxidation. 1997 , 46, 833-9	6
365	The effects of gliclazide and other sulfonylureas on low-density lipoprotein oxidation in vitro. 1997 , 46, 22-5	32
364	Combined effects of lipid peroxidation and antioxidant status on carotid atherosclerosis in a population aged 59-71 y: The EVA Study. Etude sur le Vieillisement ArtFiel. 1997 , 65, 121-7	86
363	Increased oxidation of LDL in patients with coronary artery disease is independent from dietary vitamins E and C. 1997 , 17, 1432-7	53
362	Vitamin E/lipid peroxide ratio and susceptibility of LDL to oxidative modification in non-insulin-dependent diabetes mellitus. 1997 , 17, 1438-46	41
361	Dose-response comparison of RRR-alpha-tocopherol and all-racemic alpha-tocopherol on LDL oxidation. 1997 , 17, 2273-9	84
360	Dietary fish oil. Influence on lesion regression in the porcine model of atherosclerosis. 1997 , 17, 688-94	28

359	lipoproteins in healthy men. 1997 , 827, 269-78	1
358	Vitamin E and human health: rationale for determining recommended intake levels. 1997 , 13, 450-60	114
357	Antioxidants inhibit the expression of intercellular cell adhesion molecule-1 and vascular cell adhesion molecule-1 induced by oxidized LDL on human umbilical vein endothelial cells. 1997 , 22, 117-27	195
356	Effects of acute prolonged exercise on-serum and LDL oxidation and antioxidant defences. 1997 , 22, 509-13	58
355	Low-density lipoprotein and oxidised low-density lipoprotein: their role in the development of atherosclerosis. 1997 , 74, 55-72	48
354	Whole plasma oxidation assay as a measure of lipoprotein oxidizability. 1997 , 6, 99-109	30
353	Effects of troglitazone on in vitro oxidation of LDL and HDL induced by copper ions and endothelial cells. 1997 , 40, 165-72	43
352	Oxidized lipoproteins found in patients with NIDDM stimulate radical-induced monocyte chemoattractant protein-1 mRNA expression in cultured human endothelial cells. 1997 , 40, 662-70	43
351	Troglitazone increases the resistance of low density lipoprotein to oxidation in healthy volunteers. 1997 , 40, 1211-8	45
350	Plasmalogen phospholipids - facts and theses to their antioxidative qualities. 1997 , 25, 73-81	26
349	Increased activity of platelet-activating factor acetylhydrolase in low-density lipoprotein subfractions induces enhanced lysophosphatidylcholine production during oxidation in patients with heterozygous familial hypercholesterolaemia. 1997 , 27, 595-602	56
348	Lipid oxidation in unfractionated serum and plasma. 1998 , 92, 151-70	83
347	Effect of supplementation with vitamin E on LDL oxidizability and prevention of atherosclerosis. 1998 , 7, 51-4	20
346	A personal overview of vitamin E research. 1998 , 7, 175-9	
345	Lipoprotein profiles and serum peroxide levels of aged women consuming palmolein or oleic acid-rich sunflower oil diets. 1998 , 52, 675-83	26
344	Defining specific goals of therapy in treating dyslipidemia in the patient with low high-density lipoprotein cholesterol. 1998 , 41, 151-74	31
343	The biological significance of plasmalogens in defense against oxidative damage. 1998 , 33, 363-9	96
342	Copper can promote oxidation of LDL by markedly different mechanisms. 1998 , 24, 607-23	90

341	Pycnogenol enhances immune and haemopoietic functions in senescence-accelerated mice. 1998 , 54, 1168-72	37
340	Measurement of oxidation in plasma Lp(a) in CAPD patients using a novel ELISA. 1998 , 54, 637-45	12
339	Inhibitory effects of Dai-saiko-to (Da-Chai-Hu-Tang) on the progression of atherosclerotic lesions in Kurosawa and Kusanagi-hypercholesterolemic rabbits. 1998 , 63, 209-18	21
338	Re-evaluation of the ferrous oxidation in xylenol orange assay for the measurement of plasma lipid hydroperoxides. 1998 , 37, 137-46	109
337	Identification of the G994> T missense in exon 9 of the plasma platelet-activating factor acetylhydrolase gene as an independent risk factor for coronary artery disease in Japanese men. 1998, 47, 177-81	138
336	The effect of high density lipoprotein subfractions on endothelial eicosanoid secretion. 1998 , 92, 65-71	27
335	Age-related increased susceptibility of high-density lipoproteins (HDL) to in vitro oxidation induced by gamma-radiolysis of water. 1998 , 435, 153-8	40
334	Antioxidant properties of ticlopidine on human low density lipoprotein oxidation. 1998 , 436, 357-60	11
333	Susceptibility of LDL to oxidation is not associated with the presence of coronary heart disease or renal dysfunction in NIDDM patients. 1998 , 275, 163-74	15
332	Low plasma ascorbic acid independently predicts the presence of an unstable coronary syndrome. 1998 , 31, 980-6	63
331	Screening of preformed oxidised low density lipoprotein isolated by a polyanion precipitation method. Its correlation with serum triglyceride levels. 1998 , 37, 265-72	1
330	Antioxidant vitamin levels in plasma and low density lipoprotein of obese girls. 1998 , 28, 81-6	42
329	An animal model to study local oxidation of LDL and its biological effects in the arterial wall. 1998 , 18, 884-93	74
328	A Citrus Extract plus Ascorbic Acid Decreases Lipids, Lipid Peroxides, Lipoprotein Oxidative Susceptibility, and Atherosclerosis in Hypercholesterolemic Hamsters. 1998 , 46, 1453-1459	24
327	LDL oxidation: therapeutic perspectives. 1998 , 137 Suppl, S25-31	39
326	The in vitro oxidizability of lipoprotein particles in obese and non-obese subjects. 1998 , 137 Suppl, S39-44	37
325	Beneficial effect of gemfibrozil on the chemical composition and oxidative susceptibility of low density lipoprotein: a randomized, double-blind, placebo-controlled study. 1998 , 139, 179-87	34
324	Free Radical and Antioxidant Protocols. 1998 ,	19

323	LDL oxidation and extent of coronary atherosclerosis. 1998 , 18, 193-9	37
322	Carvedilol in the treatment of hypertensiona review of the clinical data base. 1998 , 47, 67-80	5
321	Thrombosis and Hemostasis in Cardiology: Review of Pathophysiology and Clinical Practice (Part I). 1998 , 4, 51-75	O
320	No effect of consumption of green and black tea on plasma lipid and antioxidant levels and on LDL oxidation in smokers. 1998 , 18, 833-41	151
319	Antioxidant activity of low-density lipoprotein. 1998 , 108, 325-35	7
318	Troglitazone reduces LDL oxidation and lowers plasma E-selectin concentration in NIDDM patients. 1998 , 47, 130-3	82
317	Passive smoking induces atherogenic changes in low-density lipoprotein. 1998 , 97, 2012-6	113
316	Dietary antioxidants inhibit development of fatty streak lesions in the LDL receptor-deficient mouse. 1998 , 18, 1506-13	102
315	Effect of dietary patterns on measures of lipid peroxidation: results from a randomized clinical trial. 1998 , 98, 2390-5	125
314	Deamination of methylamine and angiopathy; toxicity of formaldehyde, oxidative stress and relevance to protein glycoxidation in diabetes. 1998 , 52, 201-16	52
313	The role of anti-endothelial antibodies in the immunopathogenesis of transplant associated coronary artery disease (Review). 1998 , 1, 439-52	3
312	Progression of coronary artery disease in young male post-infarction patients is linked to disturbances of carbohydrate and lipoprotein metabolism and to impaired fibrinolytic function. 1998 , 19, 402-10	45
311	Lower lipid peroxide levels in practitioners of the Transcendental Meditation program. 1998 , 60, 38-41	66
310	Antioxidant vitamin supplementation and lipid peroxidation in smokers. 1998 , 68, 319-27	91
309	Relationship between insulin resistance and partially oxidized LDL particles in healthy, nondiabetic volunteers. 1998 , 18, 762-7	49
308	Response to Howard and Howard. 1998 , 21, 2202-2203	O
307	Sialic acid content of LDL in coronary artery disease: no evidence of desialylation in subjects with coronary stenosis and increased levels in subjects with extensive atherosclerosis and acute myocardial infarction: relation between desialylation and in vitro peroxidation. 1998 , 18, 876-83	22
306	Randomized controlled smoking cessation study: transient increase in plasma high density lipoprotein but no change in lipoprotein oxidation resistance. 1998 , 58, 11-8	15

305	Roles of plasma platelet-activating factor acetylhydrolase in allergic, inflammatory, and atherosclerotic diseases. 1998 , 62, 328-35	12
304	Reduced oxidative susceptibility of LDL from patients participating in an intensive atherosclerosis treatment program. 1998 , 68, 778-85	41
303	Effects of antioxidant vitamins C and E on atherosclerosis in lipid-fed rabbits. 1998 , 89, 189-94	16
302	A Microassay to Assess the Oxidative Resistance of Low-Density Lipoproteins. 1998 , 44, 1762-1764	24
301	Inhibition of LDL oxidation by melatonin requires supraphysiologic concentrations. 1998 , 44, 1931-1936	39
300	A marathon run increases the susceptibility of LDL to oxidation in vitro and modifies plasma antioxidants. 1999 , 276, E1083-91	27
299	MRC/BHF Heart Protection Study of cholesterol-lowering therapy and of antioxidant vitamin supplementation in a wide range of patients at increased risk of coronary heart disease death: early safety and efficacy experience. 1999 , 20, 725-41	175
298	Role of plasmalogens in the enhanced resistance of LDL to copper-induced oxidation after LDL apheresis. 1999 , 19, 2431-8	20
297	Effects of native, triglyceride-enriched, and oxidatively modified LDL on plasminogen activator inhibitor-1 expression in human endothelial cells. 1999 , 19, 1354-60	44
296	Autoantibodies against oxidized low density lipoprotein in patients with angiographically verified coronary artery disease. 1999 , 19, 23-7	168
295	SYNTHESIS OF ANTIOXIDANT ISOFLAVONE FATTY ACID ESTERS. 1999 , 215-217	1
294	Serum paraoxonase after myocardial infarction. 1999 , 19, 330-5	234
293	Oxidant stress: the role of nutrients in cell-lipoprotein interactions. 1999 , 58, 559-63	16
292	Combined oestrogen-progestogen replacement therapy does not inhibit low-density lipoprotein oxidation in postmenopausal women. 1999 , 47, 315-21	8
291	Vitamin E supplementation in hyperlipidaemic patients: effect of increasing doses on in vitro and in vivo low-density lipoprotein oxidation. 1999 , 29, 1027-34	15
290	Serum urate determines antioxidant capacity in middle-aged men - a controlled, randomized diet and exercise intervention study. 1999 , 246, 219-26	24
289	Strong association between malnutrition, inflammation, and atherosclerosis in chronic renal failure. 1999 , 55, 1899-911	1196
288	Serum malondialdehyde and prevalent cardiovascular disease in hemodialysis. 1999 , 56, 1078-83	113

287	Calcineurin inhibitors enhance low-density lipoprotein oxidation in transplant patients. 1999 , 71, S137-40	25
286	Obesity is associated with increased myocardial oxidative stress. 1999 , 23, 67-74	94
285	An update on the role of free radicals and antioxidant defense in human disease. 1999 , 29, 49-55	202
284	Susceptibility of serum lipids to copper-induced peroxidation correlates with the level of high density lipoprotein cholesterol. 1999 , 34, 255-9	10
283	Cerebrospinal fluid lipoproteins are more vulnerable to oxidation in Alzheimerß disease and are neurotoxic when oxidized ex vivo. 1999 , 34, 1273-80	50
282	Association of low-density lipoprotein oxidation to abnormal electrocardiographic late potentials. 1999 , 83, 1571-3, A8	
281	Protection of low density lipoprotein oxidation by the antioxidant agent IRFI005, a new synthetic hydrophilic vitamin E analogue. 1999 , 26, 858-68	29
280	Cyclosporin A does not increase the oxidative susceptibility of low density lipoprotein in vitro. 1999 , 26, 1064-8	14
279	Baseline diene conjugation in LDL lipids: an indicator of circulating oxidized LDL. 1999 , 27, 1141-50	54
278	Postprandial low-density lipoproteins in type 2 diabetes are oxidized more extensively than fasting diabetes and control samples. 1999 , 222, 178-84	50
277	Molecular mechanisms of the copper dependent oxidation of low-density lipoprotein. 1999 , 30, 1-9	32
276	Incorporation of esterified soybean isoflavones with antioxidant activity into low density lipoprotein. 1999 , 1438, 369-76	58
275	Antioxidant protection of lipoproteins containing estrogens: in vitro evidence for low- and high-density lipoproteins as estrogen carriers. 1999 , 1439, 331-40	20
274	[Primary nutritional and drug prevention of atherosclerosis]. 1999 , 20 Suppl 3, 360s-370s	2
273	Simpler technique for measuring oxidative susceptibility by heparin affinity column isolation of lipoproteins. 1999 , 283, 89-103	8
272	Comparison of serum concentrations of alpha-tocopherol and beta-carotene in a cross-sectional sample of obese and nonobese children (NHANES III). National Health and Nutrition Examination Survey. 1999 , 134, 160-5	164
271	Antioxidant vitamin supplements: update of their potential benefits and possible risks. 1999 , 21, 253-66	38
270	The role of nutrition and nutritional supplements in womenß health. 1999 , 72, 579-91	9

269	Antioxidants, but not B-group vitamins increase the resistance of low-density lipoprotein to oxidation: a randomized, factorial design, placebo-controlled trial. 1999 , 144, 419-27	21
268	Moderate supplementation with natural alpha-tocopherol decreases platelet aggregation and low-density lipoprotein oxidation. 1999 , 147, 177-85	49
267	Alpha-tocopherol supplementation for men with existing coronary artery disease: a feasibility study. 1999 , 29, 112-8	5
266	Alcohol, stroke and coronary heart disease. Are there anti-oxidants and pro-oxidants in alcoholic beverages that might influence the development of atherosclerotic cardiovascular disease?. 1999 , 18, 292-302	40
265	Effects of lovastatin therapy on susceptibility of LDL to oxidation during alpha-tocopherol supplementation. 1999 , 19, 1541-8	14
264	Dietary intake of Indians living in the metropolitan area of Durban. 1999 , 2, 55-60	9
263	Oxidation of LDL and extent of peripheral atherosclerosis. 1999 , 31, 129-39	5
262	APA hamster model for diabetic atherosclerosis. 2. Analysis of lipids and lipoproteins. 2000 , 49, 267-74	15
261	Oxidized low-density lipoprotein impairs the anti-coagulant function of tissue-factor-pathway inhibitor through oxidative modification by its high association and accelerated degradation in cultured human endothelial cells. <i>Biochemical Journal</i> , 2000 , 352, 277	5
260	Safety considerations of polyunsaturated fatty acids. 2000 , 71, 197S-201S	130
259	Metabolic abnormalities of apolipoprotein B-containing lipoproteins in non-insulin-dependent diabetes: a stable isotope kinetic study. 2000 , 30, 685-694	5
258	Effects of policosanol treatment on the susceptibility of low density lipoprotein (LDL) isolated from healthy volunteers to oxidative modification in vitro. 2000 , 50, 255-62	57
257	Smoking or its cessation does not alter the susceptibility to in vitro LDL oxidation. 2000 , 30, 972-9	6
256	Synthesis of Antioxidant Isoflavone Fatty Acid Esters 1. 2000 , 56, 7805-7810	24
255	Studies of LDL oxidation following alpha-, gamma-, or delta-tocotrienyl acetate supplementation of hypercholesterolemic humans. 2000 , 29, 834-45	102
254	Abnormal lipid peroxidation in patients with sleep apnoea. 2000 , 16, 644-7	199
253	Susceptibility of apolipoprotein B-containing lipoproteins to oxidation and antioxidant status in acute coronary syndromes. 2000 , 23, 655-8	6
252	Antioxidants and vitamins to reduce cardiovascular disease. 2000 , 2, 342-51	24

(2001-2000)

251	Apolipoprotein E accelerates the efflux of cholesterol from macrophages: mechanism of xanthoma formation in apolipoprotein E deficiency. 2000 , 6, 22-7	13
250	Comparison of Three Methods for Measuring LDL Resistance against Copper-induced Oxidation. 2000 , 46, 291-294	9
249	Accumulation of LDL in rat arteries is associated with activation of tumor necrosis factor-alpha expression. 2000 , 20, 2205-11	53
248	Metabolic abnormalities of apolipoprotein B-containing lipoproteins in non-insulin-dependent diabetes: a stable isotope kinetic study. 2000 , 30, 685	80
247	Effect of menopause on low-density lipoprotein oxidation: is oestrogen an important determinant?. 2000 , 34, 233-8	13
246	Oxidation of low-density lipoprotein in normotensive type 2 diabetic patients. Comparative effects of enalapril versus nifedipine: a randomized cross-over over study. 2000 , 48, 139-45	15
245	Effects of policosanol on the susceptibility of low-density lipoprotein isolated from hypercholesterolemic patients at high coronary risk to in vitro copper-mediated lipid peroxidation: a randomized, double-blind pilot study. 2000 , 61, 609-620	21
244	Effect of meat replacement by tofu on CHD risk factors including copper induced LDL oxidation. 2000 , 19, 761-7	29
243	Alpha-tocopherol supplementation decreases the oxidative susceptibility of LDL in renal failure patients on dialysis therapy. 2000 , 150, 217-24	93
242	Endothelial vasodilator function is related to low-density lipoprotein particle size and low-density lipoprotein vitamin E content in type 1 diabetes. 2000 , 35, 292-9	53
241	Oxidized LDL and thickness of carotid intima-media are associated with coronary atherosclerosis in middle-aged men: lower levels of oxidized LDL with statin therapy. 2001 , 155, 403-12	90
240	Reduced myocardial flow reserve relates to increased carotid intima-media thickness in healthy young men. 2001 , 156, 469-75	27
239	Anti-oxidants a protective role in cardiovascular disease?. 2001 , 2, 1737-50	28
238	Coronary heart disease: dietary links and pathogenesis. 2001 , 4, 459-74	38
237	Antioxidants in health and disease. 2001 , 54, 176-86	1010
236	Reduced susceptibility of low density lipoprotein to lipid peroxidation after cholestyramine treatment in heterozygous familial hypercholesterolemic children. 2001 , 8, 21-28	13
235	A possible role of decreased oxidative resistance of low-density lipoproteins in the early formation of carotid atherosclerosis. 2001 , 56, 694-6	1
234	Quantity versus quality of LDL cholesterol in patients with familial hypercholesterolemiawhich is more important?. 2001 , 314, 167-73	3

233	Hypolipidaemic and antiplatelet agents. Expert Opinion on Therapeutic Patents, 2001, 11, 1301-1327	6.8	2
232	Effect of consumption of phenols from olives and extra virgin olive oil on LDL oxidizability in healthy humans. 2001 , 35, 619-29		26
231	Low-density lipoprotein-antioxidant constituents of Saururus chinensis. 2001, 64, 1562-4		35
230	In vitro test for the effectiveness of antioxidants as inhibitors of thiyl radical-induced reactions with unsaturated fatty acids. 2001 , 49, 1224-7		32
229	Behavioral treatment of hypertensive heart disease in African Americans: rationale and design of a randomized controlled trial. 2001 , 27, 83-95		11
228	Enhanced Susceptibility to Oxidation and Diminished Vitamin E Content of LDL from Patients with Stable Coronary Artery Disease. 2001 , 47, 1234-1240		38
227	The effect of alpha-tocopherol on monocyte proatherogenic activity. 2001 , 131, 389S-94S		70
226	Inhibition of in vitro low-density lipoprotein oxidation by oligomeric procyanidins present in chocolate and cocoas. 2001 , 335, 350-60		37
225	Autoantibodies against oxidized low-density lipoprotein and C-reactive protein are associated with diabetes and myocardial infarction in women. 2001 , 101, 523-531		19
224	Autoantibodies against oxidized low-density lipoprotein and C-reactive protein are associated with diabetes and myocardial infarction in women. 2001 , 101, 523		12
223	Analysis of malondialdehyde in biological matrices by capillary gas chromatography with electron-capture detection and mass spectrometry. 2001 , 290, 108-15		54
222	Composition of LDL as determinant of its susceptibility to in vitro oxidation in patients with well-controlled type 2 diabetes. 2001 , 17, 459-66		13
221	Role of lipids, lipoproteins and vitamins in women with breast cancer. 2001 , 34, 71-6		88
220	Antioxidant activity of amiodarone on human lipoprotein oxidation. 2001 , 133, 739-45		12
219	Reduced oxidized low-density lipoprotein after weight reduction in obese premenopausal women. 2001 , 25, 205-11		36
218	Antioxidant mechanisms of isoflavones in lipid systems: paradoxical effects of peroxyl radical scavenging. 2001 , 31, 1570-81		137
217	Smoking, but not lipids, lipoprotein(a) and antibodies against oxidised LDL, is correlated to the expansion of abdominal aortic aneurysms. 2001 , 21, 51-6		97
216	Antibodies against oxidized low-density lipoproteins in systemic sclerosis. 2001 , 40, 401-5		29

215	Influence of plasma fibrinogen levels on the incidence of myocardial infarction and death is modified by other inflammation-sensitive proteins: a long-term cohort study. 2001 , 21, 452-8	55
214	Measurement of asialylated LDL in the blood of patients with coronary artery disease by antibody-lectin sandwich assay. 2001 , 38, 499-508	5
213	BASELINE DIENE CONJUGATION IN LDL LIPIDS: AN INDICATOR OF CIRCULATING OXIDIZED LDL. 2001 , 7-16	
212	Effect of glycemic optimization on electronegative low-density lipoprotein in diabetes: relation to nonenzymatic glycosylation and oxidative modification. 2001 , 86, 3243-9	55
211	Renin-angiotensin system antagonism and lipid-lowering therapy in cardiovascular risk management. 2002 , 3, 96-102	3
210	Effects of dietary fatty acids on the composition and oxidizability of low-density lipoprotein. 2002 , 56, 72-81	123
209	Susceptibility of LDL to oxidation in vitro and antioxidant capacity in familial combined hyperlipidemia: comparison of patients with different lipid phenotypes. 2002 , 34, 48-54	16
208	Association between carotid intima-media thickness and low-density lipoprotein size and susceptibility of low-density lipoprotein to oxidation in asymptomatic members of familial combined hyperlipidemia families. 2002 , 33, 1255-60	50
207	Antioxidants and Antiatherosclerotic Effects of Chinese Medicinal Herb Salvia Miltiorrhiza. 2002 , 310-328	2
206	Eicosapentaenoic acid and docosahexaenoic acid from fish oils: differential associations with lipid responses. 2002 , 87, 435-445	82
205	Original study of the biochemical and oil composition of the Cambodia nut Irvingia malayana. 2002 , 50, 1478-82	13
204	New insight on the relationship between LDL composition, associated proteins, oxidative resistance and preparation procedure. 2002 , 36, 127-42	12
203	Effects of preventive group education on the resistance of LDL against oxidation and risk factors for coronary heart disease in bypass surgery patients. 2002 , 34, 272-83	5
202	MRC/BHF Heart Protection Study of antioxidant vitamin supplementation in 20,536 high-risk individuals: a randomised placebo-controlled trial. <i>Lancet, The</i> , 2002 , 360, 23-33	1218
201	Effect of an Indo-Mediterranean diet on progression of coronary artery disease in high risk patients (Indo-Mediterranean Diet Heart Study): a randomised single-blind trial. <i>Lancet, The</i> , 2002 , 360, 1455-61	460
200	Comparative time-courses of copper-ion-mediated protein and lipid oxidation in low-density lipoprotein. 2002 , 400, 223-32	25
199	Analysis of tert-butyl hydroperoxide induced constrictions of perfused vascular beds in vitro. 2002 , 71, 1255-66	8
198	Smoking has no effect on the amino acid composition of apolipoprotein B100 of LDL while directly influencing the antioxidant status. 2002 , 292, 175-83	1

197	Lipid compositional differences of small, dense low-density lipoprotein particle influence its oxidative susceptibility: possible implication of increased risk of coronary artery disease in subjects with phenotype B. 2002 , 51, 1081-7		43
196	The diet-induced proinflammatory state: a cause of chronic pain and other degenerative diseases?. 2002 , 25, 168-79		39
195	Elevated plasma lipid peroxide levels in angina pectoris and myocardial infarction. 2002, 11, 153-7		11
194	Update on cardiovascular disease in post-menopausal women. 2002 , 16, 329-55		60
193	Efficacy of a complex multivitamin supplement. 2002 , 18, 738-42		17
192	The impact of dietary mono- and poly-unsaturated fatty acids on risk factors for atherosclerosis in humans. 2002 , 104, 300-311		21
191	Oxidized LDL metabolites with high family risk for premature cardiovascular disease. 2002 , 69, 755-9		8
190	Oxidative stress, alpha-tocopherol therapy, and atherosclerosis. 2002 , 4, 373-80		33
189	Dynamics of LDL oxidation in ischemic stroke patients. 2002 , 105, 185-8		13
188	Losartan and lercanidipine attenuate low-density lipoprotein oxidation in patients with hypertension and type 2 diabetes mellitus: a randomized, prospective crossover study. 2002 , 72, 302-7		34
187	In vitro effect of nicotine and cotinine on the susceptibility of LDL oxidation and hemoglobin glycosylation. <i>Molecular and Cellular Biochemistry</i> , 2003 , 246, 117-120	4.2	3
186	Hypolipidemic Effect and Antiatherogenic Potential of Pu-Erh Tea. 2003 , 87-103		13
185	The postprandial effects of dietary antioxidants in humans. 2003, 5, 452-8		11
184	Effect of catechin O-methylated metabolites and analogues on human LDL oxidation. 2003 , 34, 850-5		25
183	Plasma oxidized LDL: a predictor for acute myocardial infarction?. 2003, 253, 425-9		52
182	Vitamin E-bonded hemodialyzer improves atherosclerosis associated with a rheological improvement of circulating red blood cells. 2003 , 63, 1881-7		59
181	In vitro and in vivo lipolysis of plasma triglycerides increases the resistance to oxidative modification of low-density lipoproteins. 2003 , 33, 51-7		4
180	Influence of fish oil supplementation on in vivo and in vitro oxidation resistance of low-density lipoprotein in type 2 diabetes. 2003 , 57, 713-20		36

(2005-2003)

179	High oxidative stress in patients with stable coronary heart disease. 2003, 168, 99-106	119
178	Evaluation of the atherogenic tendency of lipids and lipoprotein content and their relationships with oxidant-antioxidant system in patients with psoriasis. 2003 , 328, 71-82	107
177	[From organophosphate compound toxicity to atherosclerosis: role of paraoxonase 1]. 2003, 24, 436-42	9
176	PON1 activities and oxidative markers of LDL in patients with angiographically proven coronary artery disease. 2003 , 91, 43-51	30
175	Effects of flavonoids on the susceptibility of low-density lipoprotein to oxidative modification. 2003 , 69, 73-7	36
174	Seasonal variation in copper-mediated low-density lipoprotein oxidation in vitro is related to varying plasma concentration of oxidised lipids in summer and winter. 2003 , 37, 341-7	6
173	Hypertension is related to the degradation of dietary frying oils. 2003, 78, 1092-7	139
172	Familial hypercholesterolemia and coronary heart disease: a HuGE association review. 2004 , 160, 421-9	220
171	Circulating oxidized low-density lipoprotein and its association with carotid intima-media thickness in asymptomatic members of familial combined hyperlipidemia families. 2004 , 24, 1492-7	67
170	Reduced progression of atherosclerosis in apolipoprotein E-deficient mice treated with lacidipine is associated with a decreased susceptibility of low-density lipoprotein to oxidation. 2004 , 85, 105-14	7
169	Antioxidant activity of three extracts of Morus nigra. 2004 , 18, 365-9	49
168	"Vulnerable plaques"ticking of the time bomb. 2004 , 82, 860-71	24
167	Evaluation of some biochemical changes in diabetic patients. 2004 , 346, 161-70	189
166	Impact of Vitamin E supplementation on lipoprotein peroxidation and composition in Type 1 diabetic patients treated with Atorvastatin. 2004 , 175, 369-76	18
165	Impaired high density lipoprotein antioxidant activity in healthy postmenopausal women. 2004 , 177, 203-10	48
164	The antioxidant effects of statins. 2004 , 15, 251-8	96
163	Lipoprotein metabolism in patients with anorexia nervosa: a case-control study investigating the mechanisms leading to hypercholesterolaemia. 2004 , 91, 959-69	41
162	Mulberry (Morus alba L.) leaves and their major flavonol quercetin 3-(6-malonylglucoside) attenuate atherosclerotic lesion development in LDL receptor-deficient mice. 2005 , 135, 729-34	139

161	Efficient lipase-catalyzed synthesis of new lipid antioxidants based on a catechol structure. 2005 , 61, 7654-7660	47
160	Lymphocyte DNA damage in patients with acute coronary syndrome and its relationship with severity of acute coronary syndrome. 2005 , 578, 298-307	30
159	Tamoxifen-treated breast carcinoma patients and the risk of acute myocardial infarction and newly-diagnosed angina. 2005 , 103, 1114-21	50
158	Synthesis and in vitro antioxidant activity of some new fused pyridine analogs. 2005 , 338, 175-80	41
157	Heme, heme oxygenase and ferritin in vascular endothelial cell injury. 2005, 49, 1030-43	97
156	Clinical significance of the physicochemical properties of LDL in type 2 diabetes. 2005 , 48, 808-16	19
155	Increased plasma malondialdehyde and protein carbonyl levels and lymphocyte DNA damage in patients with angiographically defined coronary artery disease. 2005 , 38, 1059-65	35
154	Antioxidant activity of various teas against free radicals and LDL oxidation. 2005 , 40, 849-53	50
153	Dietary Antioxidants for Prevention of Cardiovascular Disease. 2005, 1, 4-14	3
152	Suppressive effect of cocoa powder on atherosclerosis in Kurosawa and Kusanagi-hypercholesterolemic rabbits. 2005 , 12, 20-8	46
152 151		46 17
	Kusanagi-hypercholesterolemic rabbits. 2005 , 12, 20-8	, in the second
151	Kusanagi-hypercholesterolemic rabbits. 2005 , 12, 20-8 . 2005 ,	
151 150	Kusanagi-hypercholesterolemic rabbits. 2005, 12, 20-8 . 2005, References. 312-370	17
151 150 149	. 2005, References. 312-370 Ex vivo measures of LDL oxidative susceptibility predict carotid artery disease. 2005, 179, 147-53	17 19
151 150 149 148	 Kusanagi-hypercholesterolemic rabbits. 2005, 12, 20-8 . 2005, References. 312-370 Ex vivo measures of LDL oxidative susceptibility predict carotid artery disease. 2005, 179, 147-53 Effect of high stearic acid containing fat on markers for in vivo lipid peroxidation. 2005, 56, 567-79 Lipid profile, oxidant-antioxidant status and glycoprotein components in hyperlipidemic patients 	17 19 2
151 150 149 148	References. 312-370 Ex vivo measures of LDL oxidative susceptibility predict carotid artery disease. 2005, 179, 147-53 Effect of high stearic acid containing fat on markers for in vivo lipid peroxidation. 2005, 56, 567-79 Lipid profile, oxidant-antioxidant status and glycoprotein components in hyperlipidemic patients with/without diabetes. 2005, 362, 49-56	17 19 2 23

(2007-2005)

143	150 kDa glycoprotein isolated from Solanum nigrum Linne enhances activities of detoxicant enzymes and lowers plasmic cholesterol in mouse. 2005 , 51, 399-408	26
142	Diabetes and Cardiovascular Disease. 2005 ,	6
141	Recent developments in the treatment of atherosclerosis. 2006 , 21, 1-15	11
140	Beneficial effect of simvastatin treatment on LDL oxidation and antioxidant protection is more pronounced in combined hyperlipidemia than in hypercholesterolemia. 2006 , 54, 203-7	23
139	Phenolic compounds from the roots of Lindera fruticosa. 2006 , 69, 853-5	22
138	Association between paraoxonase activity and lipid levels in patients with premature coronary artery disease. 2006 , 373, 77-81	25
137	Evolutionary aspects of diet, the omega-6/omega-3 ratio and genetic variation: nutritional implications for chronic diseases. 2006 , 60, 502-7	753
136	Glycoprotein (90 kDa) isolated from Opuntia ficus-indica var. saboten MAKINO lowers plasma lipid level through scavenging of intracellular radicals in Triton WR-1339-induced mice. 2006 , 29, 1391-6	37
135	LycoRed as an alternative to hormone replacement therapy in lowering serum lipids and oxidative stress markers: a randomized controlled clinical trial. 2006 , 32, 299-304	31
134	Mechanisms underlying lysophosphatidylcholine-induced potentiation of vascular contractions in the Otsuka Long-Evans Tokushima Fatty (OLETF) rat aorta. 2006 , 149, 931-41	29
133	Lipid and protein oxidation and antioxidant status in patients with angiographically proven coronary artery disease. 2006 , 39, 794-803	83
132	Postprandial LDL phenolic content and LDL oxidation are modulated by olive oil phenolic compounds in humans. 2006 , 40, 608-16	212
131	The biochemical alterations following administration of Kalpaamruthaa and Semecarpus anacardium in mammary carcinoma. 2006 , 161, 69-78	20
130	Phellinsin A from Phellinus sp. PL3 exhibits antioxidant activities. 2006 , 72, 572-5	8
129	Hypolipidemic and antioxidative effects of the plant glycoprotein (36 kDa) from Rhus verniciflua stokes fruit in Triton WR-1339-induced hyperlipidemic mice. 2006 , 70, 447-56	47
128	Oxidative stress influences cholesterol efflux in THP-1 macrophages: role of ATP-binding cassette A1 and nuclear factors. 2006 , 72, 473-82	61
127	Serum oxidized low density lipoprotein, paraoxonase 1 and lipid peroxidation levels during oral glucose tolerance test. 2007 , 39, 207-11	24
126	Lipoprotein alterations, hepatic lipase activity, and insulin sensitivity in subclinical hypothyroidism: response to L-T(4) treatment. 2007 , 17, 453-60	65

125	Continuous intake of polyphenolic compounds containing cocoa powder reduces LDL oxidative susceptibility and has beneficial effects on plasma HDL-cholesterol concentrations in humans. 2007 , 85, 709-17	181
124	Antioxidant Status of Subjects with Essential Hypertension in a Nigerian Population. 2007, 14, 229-234	
123	Hypolipidemic effect and antioxidant activity of glycoprotein isolated from Ulmus davidiana Nakai in Triton WR-1339-treated mouse. 2007 , 25, 495-500	2
122	Oxidized LDL, serum oxidizability and serum lipid levels in patients with breast or ovarian cancer. 2007 , 40, 1129-34	79
121	Synthesis of new phenolic fatty acid esters and their evaluation as lipophilic antioxidants in an oil matrix. 2007 , 105, 657-665	78
120	Dietary polyunsaturated fat intake is associated with low-density lipoprotein size, but not with susceptibility to oxidation in subjects with impaired glucose metabolism and type II diabetes: the Hoorn study. 2007 , 61, 205-11	10
119	Heme, heme oxygenase, and ferritin: how the vascular endothelium survives (and dies) in an iron-rich environment. 2007 , 9, 2119-37	144
118	Silymarin downregulates COX-2 expression and attenuates hyperlipidemia during NDEA-induced rat hepatocellular carcinoma. <i>Molecular and Cellular Biochemistry</i> , 2008 , 313, 53-61	54
117	Heterocyclic compounds from Chrysanthemum coronarium L. and their inhibitory activity on hACAT-1, hACAT-2, and LDL-oxidation. 2008 , 31, 573-8	25
116	Melatonin prevents oxidized low-density lipoprotein-induced increase of myosin light chain kinase activation and expression in HUVEC through ERK/MAPK signal transduction. 2008 , 45, 328-34	24
115	Low LDL oxidation in veteran endurance athletes. 1996 , 6, 303-8	23
114	Lipid-lowering and LDL-oxidation inhibitory effects of aqueous extract of freshwater clam (Corbicula fluminea)using tilapia as an animal model. 2008 , 73, H148-54	16
113	Genetic and environmental influences on LDL subclass phenotypes. 1994 , 46, 64-70	30
112	Relationship between oxidized LDL antibodies and different stages of esophageal carcinoma. 2008 , 39, 760-7	9
111	Small dense LDL oxidation in hypertensives and diabetics and prediction of Metabolic Syndrome. 2008 , 2, 21-27	1
110	Clinical Aspects of Coenzyme Q10 in Relationship with Its Bioenergetic and Antioxidant Properties. 2008 , 303-321	1
109	Oximes as inhibitors of low density lipoprotein oxidation. 2008 , 83, 878-85	13
108	Antioxidant and antiproliferative activity of polyphenols in novel high-polyphenol grape lines. 2008 , 41, 419-428	52

(2010-2008)

107	The importance of the omega-6/omega-3 fatty acid ratio in cardiovascular disease and other chronic diseases. 2008 , 233, 674-88	1767
106	Improved carbohydrate metabolism after bariatric surgery raises antioxidized LDL antibody levels in morbidly obese patients. 2008 , 31, 2258-64	19
105	Asian plantain (Plantago asiatica) essential oils suppress 3-hydroxy-3-methyl-glutaryl-co-enzyme A reductase expression in vitro and in vivo and show hypocholesterolaemic properties in mice. 2008 , 99, 67-75	32
104	Plasma lipid peroxidation and totalantioxidant status among dyslipidaemic and hypertensive Nigerians with high risk of coronary heart disease. 2009 , 28, 87-91	7
103	Time course of changes in the expression of insulin sensitivity-related genes after an acute load of virgin olive oil. 2009 , 13, 431-8	42
102	Evolutionary aspects of the dietary omega-6:omega-3 fatty acid ratio: medical implications. 2009 , 100, 1-21	92
101	Plasmalogens in biological systems: their role in oxidative processes in biological membranes, their contribution to pathological processes and aging and plasmalogen analysis. 2009 , 16, 2021-41	143
100	Lipid profile, low-density lipoprotein oxidation and ceruloplasmin in the progeny of families with a positive history of cardiovascular diseases and/or hyperlipidemia. 2009 , 60, 455-61	8
99	L-Carnitine supplementation reduces oxidized LDL cholesterol in patients with diabetes. 2009 , 89, 71-6	79
98	Hypolipidemic effect of MeOH extract of Bambusae Caulis in Taeniam in hyperlipidemia induced by Triton WR-1339 and high cholesterol diet in rats. 2009 , 31, 439-45	4
97	A new insight into resveratrol as an atheroprotective compound: inhibition of lipid peroxidation and enhancement of cholesterol efflux. 2009 , 207, 420-7	112
96	Vitamins and cardiovascular disease. 2009 , 101, 1113-31	56
95	Mechanism of action of resveratrol in lipid metabolism and atherosclerosis. 2009, 4, 527-531	5
94	Chemo-enzymatic synthesis and evaluation of novel structured phenolic lipids as potential lipophilic antioxidants. 2010 , 112, n/a-n/a	18
93	The relationship between paraoxonase1-192 polymorphism and activity with coronary artery disease. 2010 , 43, 553-8	37
92	Effects of Enterococcus faecium M 74 strain on selected blood and production parameters of laying hens. 2010 , 51, 614-20	18
91	Hydroxytyrosol Lipophilic Analogues. 2010 , 1233-1243	5
90	Synthesis, radical scavenging activity, protection during storage, and frying by novel antioxidants. 2010 , 58, 11081-9	17

89	Subgram daily supplementation with docosahexaenoic acid protects low-density lipoproteins from oxidation in healthy men. 2010 , 208, 467-72	53
88	LDL Oxidation as a Biomarker of Antioxidant Status. 2010 , 51-64	
87	A New Xanthene from Desmostachya bipinnata (L.) Stapf Inhibits Signal Transducer and Activator of Transcription 3 (STAT3) and Low-density Lipoprotein-Oxidation. 2011 , 54,	1
86	Synthesis and characterization of phenolic antioxidants with surfactant properties: glucosyl- and glucuronosyl alkyl gallates. 2011 , 67, 7268-7279	26
85	High risk of cardiovascular disease in iron overload patients. 2011 , 41, 479-86	17
84	Blood oxidative stress in Taiwan workers exposed to carbon disulfide. 2011 , 54, 637-45	7
83	High LDL levels are associated with increased lipoprotein-associated phospholipase A(2) activity on nitric oxide synthesis and reactive oxygen species formation in human endothelial cells. 2011 , 44, 171-7	11
82	Role of the APOB Gene Polymorphism (c.12669G>A, p. Gln4154Lys) in Coronary Artery Disease in the Indian Punjabi Population. 2011 , 14, 35-40	4
81	Importance of the omega-6/omega-3 balance in health and disease: evolutionary aspects of diet. 2011 , 102, 10-21	129
80	Oil palm vegetation liquor: a new source of phenolic bioactives. 2011 , 106, 1655-63	45
80 79	Oil palm vegetation liquor: a new source of phenolic bioactives. 2011 , 106, 1655-63 Relationship between total antioxidant capacity and the severity of coronary artery disease. 2012 , 3,	45 4
	Relationship between total antioxidant capacity and the severity of coronary artery disease. 2012 ,	
79	Relationship between total antioxidant capacity and the severity of coronary artery disease. 2012 , 3, Structural and quantitative analysis of antioxidant and low-density lipoprotein-antioxidant	4
79 78	Relationship between total antioxidant capacity and the severity of coronary artery disease. 2012, 3, Structural and quantitative analysis of antioxidant and low-density lipoprotein-antioxidant flavonoids from the grains of sugary rice. 2012, 15, 399-405	4 9
79 78 77	Relationship between total antioxidant capacity and the severity of coronary artery disease. 2012, 3, Structural and quantitative analysis of antioxidant and low-density lipoprotein-antioxidant flavonoids from the grains of sugary rice. 2012, 15, 399-405 Health implications of high dietary omega-6 polyunsaturated Fatty acids. 2012, 2012, 539426 HOMA-IR and non-HDL-C as predictors of high cholesteryl ester transfer protein activity in patients	4 9 472
79 78 77 76	Relationship between total antioxidant capacity and the severity of coronary artery disease. 2012, 3, Structural and quantitative analysis of antioxidant and low-density lipoprotein-antioxidant flavonoids from the grains of sugary rice. 2012, 15, 399-405 Health implications of high dietary omega-6 polyunsaturated Fatty acids. 2012, 2012, 539426 HOMA-IR and non-HDL-C as predictors of high cholesteryl ester transfer protein activity in patients at risk for type 2 diabetes. 2012, 45, 566-70	4 9 47 ² 18
79 78 77 76	Relationship between total antioxidant capacity and the severity of coronary artery disease. 2012, 3, Structural and quantitative analysis of antioxidant and low-density lipoprotein-antioxidant flavonoids from the grains of sugary rice. 2012, 15, 399-405 Health implications of high dietary omega-6 polyunsaturated Fatty acids. 2012, 2012, 539426 HOMA-IR and non-HDL-C as predictors of high cholesteryl ester transfer protein activity in patients at risk for type 2 diabetes. 2012, 45, 566-70 Resveratrol in cholesterol metabolism and atherosclerosis. 2012, 15, 763-73	4 9 47 ² 18

71	Disubstituted diaryl diselenides as potential atheroprotective compounds: Involvement of TrxR and GPx-like systems. 2013 , 48, 717-25	10
70	Flavonoids from Machilus japonica stems and their inhibitory effects on LDL oxidation. 2014 , 15, 16418-29	12
69	Effects of lactic acid bacteria on low-density lipoprotein susceptibility to oxidation and aortic fatty lesion formation in hyperlipidemic hamsters. 2015 , 6, 287-93	9
68	Anti-hyperlipidemic and anti-atherosclerotic effects of Pinus eldarica Medw. nut in hypercholesterolemic rabbits. 2015 , 23, 32	15
67	Alpha-linolenic acid: an omega-3 fatty acid with neuroprotective properties-ready for use in the stroke clinic?. 2015 , 2015, 519830	77
66	Skin delivery of antioxidant surfactants based on gallic acid and hydroxytyrosol. <i>Journal of Pharmacy and Pharmacology</i> , 2015 , 67, 900-8	28
65	Antihyperlipidemic Effect of Syrian Mesquite (Prosopis farcta) Root in High Cholesterol Diet-Fed Rabbits. 2016 , 21, NP62-6	10
64	THE EFFECT OF DIABETES ON CARDIOVASCULAR SYSTEM. 2017 , 17, 1740008	1
63	Intracellular GSH of Streptococcus thermophilus shows anti-oxidative activity against low-density lipoprotein oxidation in vitro and in a hyperlipidaemic hamster model. 2018 , 9, 143-152	5
62	Omega-6 vegetable oils as a driver of coronary heart disease: the oxidized linoleic acid hypothesis. 2018 , 5, e000898	28
61	Trained immunity in organ transplantation. 2020 , 20, 10-18	32
60	Dietary Lipids and Physiological Function. 2020 , 1-33	
59	Oxysterol species generated by auto-oxidation in subclinical hypothyroidism. 2021 , 93, 73-79	1
58	The Human Serum Paraoxonase Polymorphism and Atherosclerosis. 1994 , 65-73	8
57	Oxidative stress, antioxidants, aging and disease. 1995 , 1-14	20
56	Chronic allograft nephropathy: the inevitable outcome of renal transplantation?. 1999 , 92, 37-60	5
55	Free Radicals and Antioxidants in Atherosclerosis. 1995 , 39-52	5
54	Extent of antioxidant protection of plasma LDL is not a predictor of the antiatherogenic effect of antioxidants. 1997 , 38, 2455-2464	65

53	LDL particle subclasses in hypercholesterolemia: molecular determinants of reduced lipid hydroperoxide stability. 2002 , 43, 453-462	15
52	Cholesterol delivered to macrophages by oxidized low density lipoprotein is sequestered in lysosomes and fails to efflux normally. 2000 , 41, 1658-1665	45
51	Low density lipoproteins develop resistance to oxidative modification due to inhibition of cholesteryl ester transfer protein by a monoclonal antibody. 2000 , 41, 126-133	17
50	Content of antioxidants, preformed lipid hydroperoxides, and cholesterol as predictors of the susceptibility of human LDL to metal ion-dependent and -independent oxidation 1993 , 34, 2135-2145	222
49	Effect of lipid transfer activity and lipolysis on low density lipoprotein (LDL) oxidizability: evidence for lipolysis-generated non-esterified fatty acids as inhibitors of LDL oxidation. 1996 , 37, 2179-2192	9
48	Effects of fish oil fatty acids on low density lipoprotein size, oxidizability, and uptake by macrophages 1995 , 36, 473-484	145
47	Determination of triglycerides in lipoproteins separated by agarose gel electrophoresis 1995 , 36, 1839-1847	12
46	Reduced oxidized LDL levels after a 10-month exercise program. 1998 , 30, 1496-501	68
45	Is oxidized low-density lipoprotein present in vivo?. 1998 , 9, 337-44	76
44	Effects of diet and exercise on qualitative and quantitative measures of LDL and its susceptibility to oxidation. 1996 , 16, 201-7	51
43	Beneficial effects of alcohol withdrawal on LDL particle size distribution and oxidative susceptibility in subjects with alcohol-induced hypertriglyceridemia. 1997 , 17, 2540-7	19
42	Effect of 17 beta-estradiol on plasma lipids and LDL oxidation in postmenopausal women with type II diabetes mellitus. 1997 , 17, 324-30	45
41	Association of serum vitamin levels, LDL susceptibility to oxidation, and autoantibodies against MDA-LDL with carotid atherosclerosis. A case-control study. The ARIC Study Investigators. Atherosclerosis Risk in Communities. 1997 , 17, 1171-7	146
40	Cigarette smoking potentiates endothelial dysfunction of forearm resistance vessels in patients with hypercholesterolemia. Role of oxidized LDL. 1996 , 93, 1346-53	254
39	Atherogenic lipids, vascular dysfunction, and clinical signs of ischemic heart disease. 1997 , 95, 5-7	49
38	Lipoprotein oxidation and progression of carotid atherosclerosis. 1997 , 95, 840-5	151
37	Association between cigarette smoking and lipid peroxidation in a controlled feeding study. 1997 , 96, 1097-101	67
36	Beta-carotene inhibits atherosclerosis in hypercholesterolemic rabbits. 1995 , 96, 2075-82	125

(2003-1999)

35	Non-insulin-dependent diabetes mellitus and hypertriglyceridemia impair lipoprotein metabolism in chronic hemodialysis patients. 1999 , 10, 332-41	16
34	Oxidative stress and endothelial function in chronic renal failure. 2001 , 12, 2747-2752	185
33	Cholesteryl ester transfer protein, low density lipoprotein particle size and intima media thickness in patients with coronary heart disease. 2011 , 11, 169-73	6
32	Antioxidant and Whitening Activities of Various Cultivars of Korean Unripe Peaches (Prunus persica L. Batsch). 2012 , 41, 156-160	11
31	Inhibition on LDL-oxidation by Phenolic Compounds from the Fruit Body of Phellinus linteus. 2009 , 52, 147-150	4
30	Inhibition of Low Density Lipoprotein-oxidation, ACAT-1, and ACAT-2 by Lignans from the Bark of Machilus thunbergii. 2011 , 54, 63-66	4
29	Antioxidative Effect of Extracts from Different Parts of Kohlrabi. 2014, 57, 353-358	9
28	Radical Scavenging Activity of Ethanol Extracts and Solvent Partitioned Fractions from Various Red Seaweeds. 2012 , 34, 445-451	10
27	The Nutritional Composition and Antioxidant Activity from Undariopsis peterseniana. 2013, 35, 273-280	7
26	Antioxidative effects of Choi-oki-to and its ability to inhibit the progression of atheroma in KHC rabbits. 2000 , 6, 49-54	9
25	The Antioxidant and Skin Whitening Effect of Artemisia iwayomogi Extracts. 2012 , 44, 89-93	12
24	Beneficial Effect of Gemfibrozil on LDL Chemicophysical Characteristics and Oxidizability. 2000 , 74-76	
23	Dietary Antioxidants and Protection from Coronary Heart Disease. 2001, 101-120	1
22	Antioxidative Effect of Plasmalogens. 2002 , 2, 27-36,12	
21	Pathophysiologie der KHK und Wirkung der Etrogene. 2002 , 39-50	
20	Oxidative Stress and Cardiovascular Risk in Type 2 Diabetes. 2003 , 140-149	
19	Gliclazide and Diabetic Angiopathy. 2003 , 28-36	
18	In vitro effect of nicotine and cotinine on the susceptibility of LDL oxidation and hemoglobin glycosylation. 2003 , 117-120	

Pathophysiology of Coronary Heart Disease and the Effects of Estrogen. **2003**, 35-46

16	Levels of Lipids, Lipoproteins and Status of Antioxidative Defense System in Breast Cancer Patients. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2006 , 39, 11-17	3.1	
15	Preventive Effects of Food Factors on Atherosclerotic Diseases. <i>Nihon Eiy\shokury\shokury\shokai Shi = Nippon Eiy\shokury\shokury\shokaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2007 , 60, 3-9	0.2	
14	Modulators of Chronic Rejection. 1993 , 135-143		
13	Patent Evaluation: Anti hypercholesterolaemic aminophosphate derivatives. <i>Expert Opinion on Therapeutic Patents</i> , 1994 , 4, 453-454	6.8	
12	Low-density lipoprotein oxidation is increased in kidney transplant recipients. <i>Transplant International</i> , 1996 , 9 Suppl 1, S54-7	3	
11	The use of metabolic measurements in angiographic regression trials. <i>Developments in Cardiovascular Medicine</i> , 1996 , 31-43		
10	Epidemiology and risk factors of coronary artery disease. <i>Developments in Cardiovascular Medicine</i> , 1996 , 139-166		
9	Why are low-density lipoproteins atherogenic?. Western Journal of Medicine, 1994, 160, 153-64		41
8	Oxidized low-density lipoprotein impairs the anti-coagulant function of tissue-factor-pathway inhibitor through oxidative modification by its high association and accelerated degradation in cultured human endothelial cells. <i>Biochemical Journal</i> , 2000 , 352 Pt 2, 277-85	3.8	3
7	The importance of diet and physical activity in the treatment of conditions managed in general practice. <i>British Journal of General Practice</i> , 1996 , 46, 187-92	1.6	11
6	Effect of essential oil of traditional two Saudi mint types and its possible role in cardiovascular and throat health. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 8060-8		3
5	Dietary Strategies to Improve Cardiovascular Health: Focus on Increasing High-Density Lipoprotein Functionality. <i>Frontiers in Nutrition</i> , 2021 , 8, 761170	6.2	2
4	In vitro effect of nicotine and cotinine on the susceptibility of LDL oxidation and hemoglobin glycosylation. <i>Molecular and Cellular Biochemistry</i> , 2003 , 246, 117-20	4.2	2
3	Polysaccharides of Grifola frondosa ameliorate oxidative stress and hypercholesterolaemia in hamsters fed a high-fat, high-cholesterol diet <i>Journal of Pharmacy and Pharmacology</i> , 2022 ,	4.8	
2	Training vs. Tolerance: The Yin/Yang of the Innate Immune System. 2023 , 11, 766		О
1	The Effect of 75 Grams of Glucose during OGTT on Plasma Markers of Lipid and Lipoprotein Peroxidation, Oxidized LDL and Thiobarbituric Acid Reactive Substances, in People with Increased Body Mass. 2023 , 13, 483		0