

CITATION REPORT

List of articles citing

Short-term intraindividual variability in hemostasis factors. The ARIC Study. Atherosclerosis Risk in Communities Intraindividual Variability Study

DOI: 10.1016/1047-2797(92)90017-k
Annals of Epidemiology, 1992, 2, 723-33.

Source: <https://exaly.com/paper-pdf/23268936/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
95	Methods for assessing difference between groups in change when initial measurements is subject to intra-individual variation. <i>Statistics in Medicine</i> , 1993 , 12, 1213-37	2.3	34
94	The effects of saturated fat and n-6 polyunsaturated fat on postprandial lipemia and hemostatic activity. <i>Atherosclerosis</i> , 1993 , 103, 1-11	3.1	79
93	Associations of fish intake and dietary n-3 polyunsaturated fatty acids with a hypocoagulable profile. The Atherosclerosis Risk in Communities (ARIC) Study. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993 , 13, 1205-12		92
92	Association of hemostatic variables with prevalent cardiovascular disease and asymptomatic carotid artery atherosclerosis. The Atherosclerosis Risk in Communities (ARIC) Study Investigators. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993 , 13, 1829-36		157
91	Intraindividual variability of fibrinogen levels and cardiovascular risk profile. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1994 , 14, 1928-32		36
90	Haemostatic factors and prevalent coronary heart disease; the FINRISK Haemostasis Study. <i>European Heart Journal</i> , 1994 , 15, 1293-9	9.5	39
89	Are job characteristics related to fibrinogen levels in middle-aged women?. <i>Health Psychology</i> , 1995 , 14, 310-318	5	30
88	Short- and long-term repeatability of fatty acid composition of human plasma phospholipids and cholesterol esters. The Atherosclerosis Risk in Communities (ARIC) Study Investigators. <i>American Journal of Clinical Nutrition</i> , 1995 , 62, 572-8	7	74
87	Fibrinolytic split products, fibrinolysis, and factor XIII activity in inflammatory bowel disease. <i>Scandinavian Journal of Gastroenterology</i> , 1995 , 30, 580-5	2.4	31
86	Variability in B-mode ultrasound measurements in the atherosclerosis risk in communities (ARIC) study. <i>Ultrasound in Medicine and Biology</i> , 1996 , 22, 545-54	3.5	72
85	Association of coronary heart disease incidence with carotid arterial wall thickness and major risk factors: the Atherosclerosis Risk in Communities (ARIC) Study, 1987-1993. <i>American Journal of Epidemiology</i> , 1997 , 146, 483-94	3.8	1563
84	Intra-individual variability of fibrinogen levels. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 393-9	5.7	14
83	Cytomegalovirus infection, lipoprotein(a), and hypercoagulability: an atherogenic link?. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 1780-5	9.4	34
82	Monday and non-Monday concentrations of lifestyle-related blood components in the Oslo Diet and Exercise Study. <i>Journal of Internal Medicine</i> , 1998 , 244, 507-13	10.8	23
81	Beta-fibrinogen gene polymorphism (C148-->T) is associated with carotid atherosclerosis: results of the Austrian Stroke Prevention Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 18, 487-92	9.4	60
80	Segregation analysis of plasminogen activator inhibitor-1 and fibrinogen levels in the NHLBI family heart study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 18, 1559-67	9.4	26
79	Plasma fibrinogen and incident hypertension in the Atherosclerosis Risk in Communities (ARIC) Study. <i>Journal of Hypertension</i> , 1998 , 16, 1579-83	1.9	25

78	Intra- and Interindividual Variability of Hemostatic Factors and Traditional Cardiovascular Risk Factors in a Three-year Follow-up. <i>Thrombosis and Haemostasis</i> , 1998 , 79, 969-974	7	22
77	Prospective study of markers of hemostatic function with risk of ischemic stroke. The Atherosclerosis Risk in Communities (ARIC) Study Investigators. <i>Circulation</i> , 1999 , 100, 736-42	16.7	350
76	Thrombogenic Risk Factors for Cardiovascular Disease in Dialysis Patients. <i>Seminars in Dialysis</i> , 1999 , 12, 117-125	2.5	8
75	Markers of inflammation and prediction of diabetes mellitus in adults (Atherosclerosis Risk in Communities study): a cohort study. <i>Lancet, The</i> , 1999 , 353, 1649-52	40	817
74	Physical activity and ischemic stroke risk. The atherosclerosis risk in communities study. <i>Stroke</i> , 1999 , 30, 1333-9	6.7	107
73	Fibrinogen, other putative markers of inflammation, and weight gain in middle-aged adults--the ARIC study. <i>Atherosclerosis Risk in Communities. Obesity</i> , 2000 , 8, 279-86		96
72	Carotid wall thickness is predictive of incident clinical stroke: the Atherosclerosis Risk in Communities (ARIC) study. <i>American Journal of Epidemiology</i> , 2000 , 151, 478-87	3.8	581
71	Are retinal arteriolar abnormalities related to atherosclerosis?: The Atherosclerosis Risk in Communities Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 1644-50	9.4	256
70	Determinants of population changes in fibrinogen and factor VII over 6 years: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 601-6	9.4	32
69	Hemostatic imbalance in active and quiescent ulcerative colitis. <i>American Journal of Gastroenterology</i> , 2001 , 96, 487-493	0.7	26
68	Cross-sectional association of soluble thrombomodulin with mild peripheral artery disease; the ARIC study. <i>Atherosclerosis Risk in Communities. Atherosclerosis</i> , 2001 , 157, 309-14	3.1	23
67	Variability in fibrinogen measurements: an obstacle to cardiovascular risk stratification. <i>Atherosclerosis</i> , 2001 , 159, 225-30	3.1	8
66	Covariance of metabolic and hemostatic risk indicators in men and women. <i>Fibrinolysis and Proteolysis</i> , 2001 , 15, 9-20		4
65	Association of hemostatic variables with MRI-detected cerebral abnormalities: the atherosclerosis risk in communities study. <i>Neuroepidemiology</i> , 2001 , 20, 96-104	5.4	25
64	Predictive value of inflammatory and coagulation parameters in the course of severe ulcerative colitis. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 644-8	4	39
63	Hemostatic imbalance in active and quiescent ulcerative colitis. <i>American Journal of Gastroenterology</i> , 2001 , 96, 487-93	0.7	19
62	Protein C, antithrombin, and venous thromboembolism incidence: a prospective population-based study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 1018-22	9.4	54
61	Risk factors for progression of common carotid atherosclerosis: the Atherosclerosis Risk in Communities Study, 1987-1998. <i>American Journal of Epidemiology</i> , 2002 , 155, 38-47	3.8	240

60	B-mode ultrasound-detected carotid artery lesions with and without acoustic shadowing and their association with markers of inflammation and endothelial activation: the atherosclerosis risk in communities study. <i>Atherosclerosis</i> , 2002 , 162, 145-55	3.1	23
59	Parameters of coagulant and fibrinolytic capacity and activity in postmenopausal women: within-subject variability. <i>Thrombosis Research</i> , 2002 , 107, 229-33	8.2	5
58	Plasma fibrinogen variability in healthy citizens. <i>Thrombosis Research</i> , 2002 , 108, 287-9	8.2	3
57	The effect of decision rules on the choice of a body mass index cutoff for obesity: examples from African American and white women. <i>American Journal of Clinical Nutrition</i> , 2002 , 75, 986-92	7	61
56	Risk factors for coronary heart disease in African Americans: the atherosclerosis risk in communities study, 1987-1997. <i>Archives of Internal Medicine</i> , 2002 , 162, 2565-71		114
55	Inflammation markers predict increased weight gain in smoking quitters. <i>Obesity</i> , 2003 , 11, 1339-44		20
54	Glutathione-S-transferase genotypes, smoking, and their association with markers of inflammation, hemostasis, and endothelial function: the atherosclerosis risk in communities (ARIC) study. <i>Atherosclerosis</i> , 2003 , 171, 265-72	3.1	55
53	Coronary heart disease risk prediction in the Atherosclerosis Risk in Communities (ARIC) study. <i>Journal of Clinical Epidemiology</i> , 2003 , 56, 880-90	5.7	245
52	Risk factors for progression to incident hyperinsulinemia: the Atherosclerosis Risk in Communities Study, 1987-1998. <i>American Journal of Epidemiology</i> , 2003 , 158, 1058-67	3.8	91
51	Prediction of ischemic stroke risk in the Atherosclerosis Risk in Communities Study. <i>American Journal of Epidemiology</i> , 2004 , 160, 259-69	3.8	116
50	Cardiovascular events in diabetic and nondiabetic adults with or without history of myocardial infarction. <i>Circulation</i> , 2004 , 109, 855-60	16.7	204
49	Lipoprotein-associated phospholipase A2, high-sensitivity C-reactive protein, and risk for incident coronary heart disease in middle-aged men and women in the Atherosclerosis Risk in Communities (ARIC) study. <i>Circulation</i> , 2004 , 109, 837-42	16.7	525
48	Analytical goals for coagulation tests based on biological variation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 79-83	5.9	10
47	External quality assessment and the laboratory diagnosis of thrombophilia. <i>Seminars in Thrombosis and Hemostasis</i> , 2005 , 31, 59-65	5.3	6
46	Lipoprotein-associated phospholipase A2, high-sensitivity C-reactive protein, and risk for incident ischemic stroke in middle-aged men and women in the Atherosclerosis Risk in Communities (ARIC) study. <i>Archives of Internal Medicine</i> , 2005 , 165, 2479-84		219
45	Beta-fibrinogen haplotypes and the risk for cardiovascular disease in a dialysis cohort. <i>American Journal of Kidney Diseases</i> , 2005 , 46, 78-85	7.4	6
44	Serum uric acid and risk of ischemic stroke: the ARIC Study. <i>Atherosclerosis</i> , 2006 , 187, 401-7	3.1	110
43	The reliability of the ankle-brachial index in the Atherosclerosis Risk in Communities (ARIC) study and the NHLBI Family Heart Study (FHS). <i>BMC Cardiovascular Disorders</i> , 2006 , 6, 7	2.3	35

42	Ankle-brachial index and hemostatic markers in the Atherosclerosis Risk in Communities (ARIC) study cohort. <i>Vascular Medicine</i> , 2007 , 12, 267-73	3.3	32
41	Study on biological variation of haemostatic parameters in clinically healthy dogs. <i>Veterinary Journal</i> , 2007 , 174, 62-8	2.5	62
40	Early-life and adult socioeconomic status and inflammatory risk markers in adulthood. <i>European Journal of Epidemiology</i> , 2007 , 22, 55-66	12.1	160
39	Activated partial thromboplastin time and risk of future venous thromboembolism. <i>American Journal of Medicine</i> , 2008 , 121, 231-8	2.4	38
38	Cumulative life course and adult socioeconomic status and markers of inflammation in adulthood. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 484-91	5.1	94
37	Hemostatic factors and subclinical brain infarction in a community-based sample: the ARIC study. <i>Cerebrovascular Diseases</i> , 2009 , 28, 589-94	3.2	20
36	Inflammation, hemostasis, and the risk of kidney function decline in the Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 596-605	7.4	80
35	Low protein C and incidence of ischemic stroke and coronary heart disease: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 1774-8	15.4	33
34	Genome-wide association study identifies novel loci for plasma levels of protein C: the ARIC study. <i>Blood</i> , 2010 , 116, 5032-6	2.2	63
33	Total tissue factor pathway inhibitor and venous thrombosis. The Longitudinal Investigation of Thromboembolism Etiology. <i>Thrombosis and Haemostasis</i> , 2010 , 104, 207-12	7	35
32	Novel associations of multiple genetic loci with plasma levels of factor VII, factor VIII, and von Willebrand factor: The CHARGE (Cohorts for Heart and Aging Research in Genome Epidemiology) Consortium. <i>Circulation</i> , 2010 , 121, 1382-92	16.7	260
31	Clinical Summaries. <i>Circulation</i> , 2010 , 121, 1375-1376	16.7	
30	Variability of fibrinogen measurements in post-myocardial infarction patients. Results from the AIRGENE study center Augsburg. <i>Thrombosis and Haemostasis</i> , 2012 , 107, 895-902	7	2
29	Hemostatic markers are associated with the risk and prognosis of atrial fibrillation: the ARIC study. <i>International Journal of Cardiology</i> , 2012 , 155, 217-22	3.2	50
28	Fibrinogen, chronic obstructive pulmonary disease (COPD) and outcomes in two United States cohorts. <i>International Journal of COPD</i> , 2012 , 7, 173-82	3	16
27	Genetic markers associated with plasma protein C level in African Americans: the atherosclerosis risk in communities (ARIC) study. <i>Genetic Epidemiology</i> , 2014 , 38, 709-13	2.6	6
26	Biological variations of ADAMTS13 and von Willebrand factor in human adults. <i>Biochemia Medica</i> , 2014 , 24, 138-45	2.5	5
25	A genetic association study of activated partial thromboplastin time in European Americans and African Americans: the ARIC Study. <i>Human Molecular Genetics</i> , 2015 , 24, 2401-8	5.6	5

24	Circulating Biomarkers and Abdominal Aortic Aneurysm Incidence: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2015 , 132, 578-85	16.7	67
23	Biological and analytical variations of 16 parameters related to coagulation screening tests and the activity of coagulation factors. <i>Seminars in Thrombosis and Hemostasis</i> , 2015 , 41, 336-41	5.3	16
22	Gene-centric approach identifies new and known loci for FVIII activity and VWF antigen levels in European Americans and African Americans. <i>American Journal of Hematology</i> , 2015 , 90, 534-40	7.1	15
21	Four-year stability of anthropometric and cardio-metabolic parameters in a prospective cohort of older adults. <i>Biomarkers in Medicine</i> , 2015 , 9, 109-22	2.3	7
20	Hemostatic Factors, APOL1 Risk Variants, and the Risk of ESRD in the Atherosclerosis Risk in Communities Study. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 784-90	6.9	19
19	Biological Variation of Hemostasis Variables in Thrombosis and Bleeding: Consequences for Performance Specifications. <i>Clinical Chemistry</i> , 2016 , 62, 1639-1646	5.5	25
18	Analytical and biological variability in biomarker measurement in the Hispanic Community Health Study/Study of Latinos. <i>Clinica Chimica Acta</i> , 2016 , 463, 129-137	6.2	16
17	Biological Variations of Lupus Anticoagulant, Antithrombin, Protein C, Protein S, and von Willebrand Factor Assays. <i>Seminars in Thrombosis and Hemostasis</i> , 2016 , 42, 87-92	5.3	9
16	Effects of hemolysis and lipemia interference on kaolin-activated thromboelastography, and comparison with conventional coagulation tests. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017 , 77, 98-103	2	3
15	Estimates of Within-Subject Biological Variation of Protein C, Antithrombin, Protein S Free, Protein S Activity, and Activated Protein C Resistance in Pregnant Women. <i>Clinical Chemistry</i> , 2017 , 63, 898-907	5.5	13
14	Midlife systemic inflammatory markers are associated with late-life brain volume: The ARIC study. <i>Neurology</i> , 2017 , 89, 2262-2270	6.5	59
13	Pleiotropic effects of n-6 and n-3 fatty acid-related genetic variants on circulating hemostatic variables. <i>Thrombosis Research</i> , 2018 , 168, 53-59	8.2	1
12	Thirty-year risk of ischemic stroke in individuals with sickle cell trait and modification by chronic kidney disease: The atherosclerosis risk in communities (ARIC) study. <i>American Journal of Hematology</i> , 2019 , 94, 1306-1313	7.1	7
11	Determination of sigma score based on biological variation for haemostasis assays: fit-for-purpose for daily practice?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1235-1241	5.9	5
10	The Type and Amount of Dietary Fat Affect Plasma Factor VIIc, Fibrinogen, and PAI-1 in Healthy Individuals and Individuals at High Cardiovascular Disease Risk: 2 Randomized Controlled Trials. <i>Journal of Nutrition</i> , 2020 , 150, 2089-2100	4.1	1
9	Comparison among different measurement systems for fibrinogen using fresh samples and frozen samples. <i>Clinica Chimica Acta</i> , 2020 , 509, 258-263	6.2	1
8	Association between Circulating Protein C Levels and Incident Dementia: The Atherosclerosis Risk in Communities Study. <i>Neuroepidemiology</i> , 2021 , 55, 306-315	5.4	0
7	Differential impacts of hemolysis on coagulation parameters of blood samples: A STROBE-compliant article. <i>Medicine (United States)</i> , 2021 , 100, e25798	1.8	

6	Circulating adhesion molecules VCAM-1, ICAM-1, and E-selectin in carotid atherosclerosis and incident coronary heart disease cases: the Atherosclerosis Risk In Communities (ARIC) study. <i>Circulation</i> , 1997 , 96, 4219-25	16.7	919
5	Prospective study of hemostatic factors and incidence of coronary heart disease: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 1997 , 96, 1102-8	16.7	473
4	Association of White Blood Cell Count and Differential with the Incidence of Atrial Fibrillation: The Atherosclerosis Risk in Communities (ARIC) Study. <i>PLoS ONE</i> , 2015 , 10, e0136219	3.7	12
3	Comparability of sample results and commutability of reference materials among different measurement procedures for protein C activity assays. <i>Clinica Chimica Acta</i> , 2021 ,	6.2	1
2	Short-term biological variation study of plasma hemophilia and thrombophilia parameters in a population of apparently healthy Caucasian adults. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022	5.9	1
1	Systematic review and meta-analysis of within-subject and between-subject biological variation data of coagulation and fibrinolytic measurands. 2023 ,		0