CITATION REPORT List of articles citing

Translocation of a specific premessenger ribonucleoprotein particle through the nuclear pore studied with electron microscope tomography

DOI: 10.1016/0092-8674(92)90224-z Cell, 1992, 69, 605-13.

Source: https://exaly.com/paper-pdf/23302958/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
239	Nuclear targeting in plants. 1992 , 100, 1627-32		196
238	The nuclear membrane. 1992 , 258, 942-7		202
237	Nuclear localization of Agrobacterium VirE2 protein in plant cells. 1992 , 256, 1802-5		270
236	The elusive nuclear matrix. 1992 , 209, 503-9		54
235	Effect of cytoarchitecture on the transport and localization of protein synthetic machinery. 1993 , 52, 140-7		35
234	The central region of the synaptonemal complex in Blaps cribrosa studied by electron microscope tomography. <i>Chromosoma</i> , 1993 , 102, 669-81	2.8	40
233	Scanning electron microscopy of polytene chromosomes (I). 1993 , 1, 221-37		9
232	The Balbiani ring particle: a model for the assembly and export of RNPs from the nucleus?. 1993 , 3, 443	i-7	34
231	hnRNP proteins: localization and transport between the nucleus and the cytoplasm. 1993 , 3, 151-5		124
230	mRNA translation and turnover: a cellular perspective on their relationship. 1993 , 3, 180-3		10
229	Cell-to-cell movement of plant viruses. Insights from amino acid sequence comparisons of movement proteins and from analogies with cellular transport systems. 1993 , 133, 239-57		124
228	The nuclear pore complex. 1993 , 122, 977-84		160
227	Macromolecular domains within the cell nucleus. 1993 , 9, 265-315		532
226	The nuclear pore complex and nucleocytoplasmic transport. 1993 , 5, 395-407		64
225	Nuclear export of proteins: the role of nuclear retention. <i>Cell</i> , 1993 , 74, 493-504	56.2	205
224	The adsorption staining technique applied to isolated premessenger ribonucleoprotein particles: a comparison with conventional techniques using electron microscope tomography. 1993 , 170, 173-82		9
223	Applications of medium-voltage STEM for the 3-D study of organelles within very thick sections. 1993 , 170, 247-58		24

222	Nucleocytoplasmic transport in the yeast Saccharomyces cerevisiae. 1993 , 62, 219-54	57
221	Transport of nucleic acids through membrane channels: snaking through small holes. 1993 , 47, 167-97	118
220	Evidence to implicate translation by ribosomes in the mechanism by which nonsense codons reduce the nuclear level of human triosephosphate isomerase mRNA. 1993 , 90, 482-6	166
219	Multiple cis-acting signals for export of pre-U1 snRNA from the nucleus. 1993 , 7, 1898-908	63
218	Isolation of the yeast nuclear pore complex. 1993 , 123, 771-83	244
217	Architecture of the Xenopus nuclear pore complex revealed by three-dimensional cryo-electron microscopy. 1993 , 122, 1-19	360
216	Evidence for channeled diffusion of pre-mRNAs during nuclear RNA transport in metazoans. 1993 , 121, 729-42	139
215	Lamin B distribution and association with peripheral chromatin revealed by optical sectioning and electron microscopy tomography. 1993 , 123, 1671-85	130
214	Structural requirements of 5S rRNA for nuclear transport, 7S ribonucleoprotein particle assembly, and 60S ribosomal subunit assembly in Xenopus oocytes. <i>Molecular and Cellular Biology</i> , 1993 , 13, 6819-3 ¹ 8	31
213	Nonsense codons can reduce the abundance of nuclear mRNA without affecting the abundance of pre-mRNA or the half-life of cytoplasmic mRNA. <i>Molecular and Cellular Biology</i> , 1993 , 13, 1892-902	180
212	Subcellular partitioning of MRP RNA assessed by ultrastructural and biochemical analysis. 1994 , 124, 871-82	126
211	Introns are cis effectors of the nonsense-codon-mediated reduction in nuclear mRNA abundance. Molecular and Cellular Biology, 1994 , 14, 6317-25 4.8	132
210	Nuclear export of different classes of RNA is mediated by specific factors. 1994 , 124, 627-35	309
209	In vivo analysis of the stability and transport of nuclear poly(A)+ RNA. 1994 , 126, 877-99	210
208	Split Genes and RNA Splicing (Nobel Lecture). 1994 , 33, 1229-1240	12
207	Diskontinuierliche Gene und das Spleißn von RNA (Nobel-Vortrag). 1994 , 106, 1292-1304	3
206	Pores for thought: nuclear pore complex proteins. 1994 , 4, 357-65	253
205	Storage of messenger RNA in eukaryotes: envelopment with protein, translational barrier at 5' side, or conformational masking by 3' side?. 1994 , 38, 107-17	79

204	Nup145p is required for nuclear export of mRNA and binds homopolymeric RNA in vitro via a novel conserved motif. <i>Cell</i> , 1994 , 78, 275-89	56.2	129
203	Starvation in vivo for aminoacyl-tRNA increases the spatial separation between the two ribosomal subunits. <i>Cell</i> , 1994 , 79, 629-38	56.2	41
202	mRNA nuclear export. 1994 , 4, 305-9		35
201	AU-A, an RNA-binding activity distinct from hnRNP A1, is selective for AUUUA repeats and shuttles between the nucleus and the cytoplasm. 1994 , 22, 238-46		67
200	Nucleocytoplasmic transport. 1994 , 300 (Pt 3), 609-18		35
199	Role of nuclear trafficking in regulating cellular activity. 1994 , 151, 183-228		30
198	Mammalian nonsense codons can be cis effectors of nuclear mRNA half-life. <i>Molecular and Cellular Biology</i> , 1994 , 14, 8219-28	4.8	112
197	The GTP-bound form of the yeast Ran/TC4 homologue blocks nuclear protein import and appearance of poly(A)+ RNA in the cytoplasm. 1995 , 92, 225-9		177
196	Transport of proteinBucleic acid complexes within and between plant cells. 1995 , 39-57		6
195	Signalling and transport through the nuclear membrane. 1995 , 1241, 425-51		44
,,			' '
194	Nuclear spreads: I. Visualization of bipartite ribosomal RNA domains. 1995 , 128, 15-27		33
	Nuclear spreads: I. Visualization of bipartite ribosomal RNA domains. 1995 , 128, 15-27 Nucleolar accumulation of poly (A)+ RNA in heat-shocked yeast cells: implication of nucleolar involvement in mRNA transport. 1995 , 6, 1515-34		
194	Nucleolar accumulation of poly (A)+ RNA in heat-shocked yeast cells: implication of nucleolar		33
194	Nucleolar accumulation of poly (A)+ RNA in heat-shocked yeast cells: implication of nucleolar involvement in mRNA transport. 1995 , 6, 1515-34 A novel nuclear pore protein Nup82p which specifically binds to a fraction of Nsp1p. 1995 , 130, 1263-73 Glyceraldehyde-3-phosphate dehydrogenase selectively binds AU-rich RNA in the NAD(+)-binding	5-4	33 67
194 193 192	Nucleolar accumulation of poly (A)+ RNA in heat-shocked yeast cells: implication of nucleolar involvement in mRNA transport. 1995 , 6, 1515-34 A novel nuclear pore protein Nup82p which specifically binds to a fraction of Nsp1p. 1995 , 130, 1263-73 Glyceraldehyde-3-phosphate dehydrogenase selectively binds AU-rich RNA in the NAD(+)-binding	5-4	33 67 88
194 193 192	Nucleolar accumulation of poly (A)+ RNA in heat-shocked yeast cells: implication of nucleolar involvement in mRNA transport. 1995 , 6, 1515-34 A novel nuclear pore protein Nup82p which specifically binds to a fraction of Nsp1p. 1995 , 130, 1263-73 Glyceraldehyde-3-phosphate dehydrogenase selectively binds AU-rich RNA in the NAD(+)-binding region (Rossmann fold). <i>Journal of Biological Chemistry</i> , 1995 , 270, 2755-63	5.4	33 67 88 276
194 193 192 191	Nucleolar accumulation of poly (A)+ RNA in heat-shocked yeast cells: implication of nucleolar involvement in mRNA transport. 1995, 6, 1515-34 A novel nuclear pore protein Nup82p which specifically binds to a fraction of Nsp1p. 1995, 130, 1263-73 Glyceraldehyde-3-phosphate dehydrogenase selectively binds AU-rich RNA in the NAD(+)-binding region (Rossmann fold). <i>Journal of Biological Chemistry</i> , 1995, 270, 2755-63 Diverse effects of the guanine nucleotide exchange factor RCC1 on RNA transport. 1995, 267, 1807-10 A conditional allele of the novel repeat-containing yeast nucleoporin RAT7/NUP159 causes both	5.4	33 67 88 276

186	Mechanisms of nuclear protein import. 1995 , 7, 310-8		227
185	Approaches to large-scale structures. 1995 , 5, 194-201		43
184	A nuclear export signal in hnRNP A1: a signal-mediated, temperature-dependent nuclear protein export pathway. <i>Cell</i> , 1995 , 83, 415-22	56.2	475
183	RNA export. <i>Cell</i> , 1995 , 81, 153-9	56.2	188
182	The peptide repeat domain of nucleoporin Nup98 functions as a docking site in transport across the nuclear pore complex. <i>Cell</i> , 1995 , 81, 215-22	56.2	406
181	Transcription of heat shock gene loci versus non-heat shock loci in Chironomus polytene chromosomes: evidence for heat-induced formation of novel putative ribonucleoprotein particles (hsRNPs) in the major heat shock puffs. <i>Chromosoma</i> , 1995 , 103, 528-38	2.8	12
180	Structural plasticity of the nuclear pore complex. 1995 , 248, 273-93		72
179	The nuclear pore complex. 1995 , 64, 865-96		298
178	A nuclear cap-binding complex facilitates association of U1 snRNP with the cap-proximal 5' splice site. 1996 , 10, 1683-98		185
177	A nuclear cap-binding complex binds Balbiani ring pre-mRNA cotranscriptionally and accompanies the ribonucleoprotein particle during nuclear export. 1996 , 133, 5-14		205
176	Coupling transcription to translation: a novel site for the regulation of eukaryotic gene expression. 1996 , 28, 247-57		37
175	RNP export is mediated by structural reorganization of the nuclear pore basket. 1996 , 260, 304-11		92
174	A pre-mRNA-binding protein accompanies the RNA from the gene through the nuclear pores and into polysomes. <i>Cell</i> , 1996 , 84, 253-64	56.2	210
173	Cytoplasmic mRNA for human triosephosphate isomerase is immune to nonsense-mediated decay despite forming polysomes. 1996 , 78, 1043-7		32
172	Role of cytoarchitecture in cytoplasmic transport. 1996 , 115, 295-306		19
171	Agrobacterium VirE2 protein mediates nuclear uptake of single-stranded DNA in plant cells. 1996 , 93, 2392-7		120
170	Identification of two RNA-binding proteins in Balbiani ring premessenger ribonucleoprotein granules and presence of these proteins in specific subsets of heterogeneous nuclear ribonucleoprotein particles. <i>Molecular and Cellular Biology</i> , 1996 , 16, 1425-35	4.8	45
169	Yeast N1e3p/Nup170p is required for normal stoichiometry of FG nucleoporins within the nuclear pore complex. <i>Molecular and Cellular Biology</i> , 1996 , 16, 2025-36	4.8	49

168	Agrobacterium-Plant Cell DNA Transport: Have Virulence Proteins, Will Travel. 1996, 8, 1699	1
167	Transport of DNA into the Nuclei of Xenopus Oocytes by a Modified VirE2 Protein of Agrobacterium. 1996 , 8, 363	
166	Toward a molecular understanding of the structure and function of the nuclear pore complex. 1995 , 162B, 225-55	42
165	Integration of complete transferred DNA units is dependent on the activity of virulence E2 protein of Agrobacterium tumefaciens. 1996 , 93, 126-30	158
164	The nuclear pore complex. 1996 , 1-47	1
163	Alignment of electron tomographic series by correlation without the use of gold particles. 1996 , 63, 27-38	28
162	Agrobacterium-plant cell DNA transport: have virulence proteins, will travel. 1996 , 8, 1699-710	223
161	Nucleolar accumulation of poly (A)+ RNA in heat-shocked yeast cells: implication of nucleolar involvement in mRNA transport. 1996 , 7, 173-92	30
160	The product of the Saccharomyces cerevisiae RSS1 gene, identified as a high-copy suppressor of the rat7-1 temperature-sensitive allele of the RAT7/NUP159 nucleoporin, is required for efficient mRNA export. 1996 , 7, 1601-21	55
159	A protein of the SR family of splicing factors binds extensively to exonic Balbiani ring pre-mRNA and accompanies the RNA from the gene to the nuclear pore. 1996 , 10, 2881-93	54
158	Transportin-mediated nuclear import of heterogeneous nuclear RNP proteins. 1997 , 138, 1181-92	216
157	Nuclear localization signal peptides for the import of plasmid DNA in gene therapy (review). 1997 , 10, 301-9	2
156	Modulation of AUUUA response element binding by heterogeneous nuclear ribonucleoprotein A1 in human T lymphocytes. The roles of cytoplasmic location, transcription, and phosphorylation. Journal of Biological Chemistry, 1997, 272, 28732-41	83
155	RNA transport. 1997 , 20, 269-301	115
154	mRNA binding protein mrnp 41 localizes to both nucleus and cytoplasm. 1997 , 94, 9119-24	82
153	Nuclear ultrastructure: transmission electron microscopy and image analysis. 1998 , 53, 99-124	5
152	Participation of the nuclear cap binding complex in pre-mRNA 3' processing. 1997 , 94, 11893-8	184
151	The Agrobacterium DNA Transfer Complex. 1997 , 16, 279-295	85

150	Quantitative digital analysis of diffuse and concentrated nuclear distributions of nascent transcripts, SC35 and poly(A). 1997 , 231, 27-37	98
149	The molecular structure of agrobacterium VirE2-single stranded DNA complexes involved in nuclear import. 1997 , 271, 718-27	90
148	Electron tomography of large, multicomponent biological structures. 1997 , 120, 219-27	111
147	HnRNP proteins and the nuclear export of mRNA. <i>Seminars in Cell and Developmental Biology</i> , 1997 , 8, 57-63	39
146	Nuclear export of proteins and RNAs. 1997 , 9, 420-9	196
145	A look at messenger RNP moving through the nuclear pore. <i>Cell</i> , 1997 , 88, 585-8 56.2	127
144	The role of the cap structure in RNA processing and nuclear export. 1997 , 247, 461-9	171
143	Evidence that translation reinitiation abrogates nonsense-mediated mRNA decay in mammalian cells. 1997 , 16, 826-33	138
142	Posttranscriptional regulation by Rev protein of human immunodeficiency virus type 1 results in nonrandom nuclear localization of gag mRNA. 1997 , 228, 360-70	10
141	Electron spectroscopic imaging analyses of the distribution of phosphorus in Balbiani ring granules and in the surrounding nucleoplasm. <i>Chromosoma</i> , 1997 , 105, 360-8	5
140	Macromolecular substructure in nuclear pore complexes by in-lens field-emission scanning electron microscopy. 1997 , 19, 403-10	12
139	Intercellular protein trafficking through plasmodesmata. 1998 , 38, 279-310	79
138	The influenza virus NEP (NS2 protein) mediates the nuclear export of viral ribonucleoproteins. 1998 , 17, 288-96	324
137	Nuclear history of a pre-mRNA determines the translational activity of cytoplasmic mRNA. 1998 , 17, 2107-21	180
136	Nuclear import and export of viruses and virus genomes. 1998 , 246, 1-23	167
135	Pre-embedding immunolabeling for electron microscopy: an evaluation of permeabilization methods and markers. 1998 , 42, 43-58	64
134	Three-dimensional architecture of the isolated yeast nuclear pore complex: functional and evolutionary implications. 1998 , 1, 223-34	306
133	The protein family of RNA helicases. 1998 , 33, 259-96	190

132	Dbp5p/Rat8p is a yeast nuclear pore-associated DEAD-box protein essential for RNA export. 1998 , 17, 2663-76		214
131	Nucleocytoplasmic transport: the soluble phase. 1998 , 67, 265-306		1035
130	Nuclear RNA export. 1998 , 12, 3303-19		99
129	The Rhizobiaceae. 1998 ,		62
128	Intron function in the nonsense-mediated decay of beta-globin mRNA: indications that pre-mRNA splicing in the nucleus can influence mRNA translation in the cytoplasm. <i>Rna</i> , 1998 , 4, 801-15	5.8	255
127	Cellular Localization of Receptors Mediating the Actions of Steroid Hormones. 1998 , 437-460		
126	Formation of mRNA 3' ends in eukaryotes: mechanism, regulation, and interrelationships with other steps in mRNA synthesis. <i>Microbiology and Molecular Biology Reviews</i> , 1999 , 63, 405-45	13.2	810
125	Characterization of nuclear import of potato spindle tuber viroid RNA in permeabilized protoplasts. 1999 , 17, 627-635		40
124	Nuclear-pore-complex dynamics and transport in higher eukaryotes. 1999 , 209, 144-156		12
123	Demonstration of a DNase-sensitive network associated with the nuclear pore complexes in rat liver nuclei. <i>Chromosoma</i> , 1999 , 108, 64-71	2.8	5
122	Identification of chURP, a nuclear calmodulin-binding protein related to hnRNP-U. 1999 , 261, 137-47		4
121	Genetic organization of polytene chromosomes. 1999 , 39, 1-589		39
120	The intranuclear movement of Balbiani ring premessenger ribonucleoprotein particles. 1999 , 251, 135-	·46	74
119	Nup124p is a nuclear pore factor of Schizosaccharomyces pombe that is important for nuclear import and activity of retrotransposon Tf1. <i>Molecular and Cellular Biology</i> , 1999 , 19, 5768-84	4.8	41
118	The transfer of DNA from agrobacterium tumefaciens into plants: a feast of fundamental insights. 2000 , 23, 11-28		374
117	Ultrastructural immunogold cytochemistry with autoimmune human sera and an antibody to uridine implicate human mast cell granules in RNA biology. 2000 , 32, 685-96		4
116	Nonsense-mediated decay of glutathione peroxidase 1 mRNA in the cytoplasm depends on intron position. 2000 , 19, 4734-44		72
115	Orphan receptor DAX-1 is a shuttling RNA binding protein associated with polyribosomes via mRNA. <i>Molecular and Cellular Biology</i> , 2000 , 20, 4910-21	4.8	103

(2003-2000)

114	Ultrastructural autoradiographic analysis of RNA in isolated human lung mast cells during secretion and recovery from secretion. 2000 , 122, 124-36		11	
113	Nucleic acid transport in plant-microbe interactions: the molecules that walk through the walls. 2000 , 54, 187-219		134	
112	Nonsense mutations in the COL1A1 gene preferentially reduce nuclear levels of mRNA but not hnRNA in osteogenesis imperfecta type I cell strains. 2000 , 19, 1-9		23	
111	Evidence for a pioneer round of mRNA translation: mRNAs subject to nonsense-mediated decay in mammalian cells are bound by CBP80 and CBP20. <i>Cell</i> , 2001 , 106, 607-17	56.2	453	
110	Block of HAC1 mRNA translation by long-range base pairing is released by cytoplasmic splicing upon induction of the unfolded protein response. <i>Cell</i> , 2001 , 107, 103-14	56.2	243	
109	Packing and delivery of a genetic message. <i>Chromosoma</i> , 2001 , 110, 173-85	2.8	18	
108	Evidence that selenium deficiency results in the cytoplasmic decay of GPx1 mRNA dependent on pre-mRNA splicing proteins bound to the mRNA exon-exon junction. 2001 , 14, 37-42		23	
107	Friedrich Miescher Prize awardee lecture review. A conserved family of nuclear export receptors mediates the exit of messenger RNA to the cytoplasm. 2001 , 58, 1105-12		12	
106	Actin bound to the heterogeneous nuclear ribonucleoprotein hrp36 is associated with Balbiani ring mRNA from the gene to polysomes. 2001 , 153, 229-36		119	
105	Assembly and transport of a premessenger RNP particle. 2001 , 98, 7012-7		125	
104	Integration of splicing, transport and translation to achieve mRNA quality control by the nonsense-mediated decay pathway. 2002 , 3, REVIEWS1006		72	
103	The case for extending storage and secretion functions of human mast cell granules to include synthesis. 2002 , 37, 231-318		O	
102	The mRNA export factor Dbp5 is associated with Balbiani ring mRNP from gene to cytoplasm. 2002 , 21, 1177-87		86	
101	The exon junction complex is detected on CBP80-bound but not eIF4E-bound mRNA in mammalian cells: dynamics of mRNP remodeling. 2002 , 21, 3536-45		207	
100	A p50-like Y-box protein with a putative translational role becomes associated with pre-mRNA concomitant with transcription. <i>Journal of Cell Science</i> , 2003 , 116, 1493-503	5.3	38	
00	Nuclear poly(A)-binding protein PABPN1 is associated with RNA polymerase II during transcription		40	
99	and accompanies the released transcript to the nuclear pore. 2003 , 286, 332-44			
99	and accompanies the released transcript to the nuclear pore. 2003 , 286, 332-44 The Chironomus tentans translation initiation factor eIF4H is present in the nucleus but does not bind to mRNA until the mRNA reaches the cytoplasmic perinuclear region. <i>Journal of Cell Science</i> , 2003 , 116, 4521-32	5.3	12	

96	A long terminal repeat-containing retrotransposon of Schizosaccharomyces pombe expresses a Gag-like protein that assembles into virus-like particles which mediate reverse transcription. <i>Journal of Virology</i> , 2003 , 77, 5451-63	6.6	22
95	CRM1 and Ran are present but a NES-CRM1-RanGTP complex is not required in Balbiani ring mRNP particles from the gene to the cytoplasm. <i>Journal of Cell Science</i> , 2004 , 117, 1553-66	5.3	9
94	References. 2005 , 85, 319-344		
93	Nup153 affects entry of messenger and ribosomal ribonucleoproteins into the nuclear basket during export. 2005 , 16, 5610-20		30
92	Nuclear Import of Agrobacterium T-DNA. 2005 , 83-99		3
91	Xenopus Protocols. <i>Methods in Molecular Biology</i> , 2006 ,	1.4	11
90	Will you let me use your nucleus? How Agrobacterium gets its T-DNA expressed in the host plant cell. 2006 , 84, 333-45		35
89	Human mRNA export machinery recruited to the 5' end of mRNA. <i>Cell</i> , 2006 , 127, 1389-400	56.2	348
88	Plugs in nuclear pores: transcripts in early oocyte development identified with nanotechniques. 2006 , 98, 567-76		7
87	Microtubule-associated protein-4 (MAP-4) inhibits microtubule-dependent distribution of mRNA in isolated neonatal cardiocytes. 2006 , 71, 506-16		13
86	A novel Ded1-like RNA helicase interacts with the Y-box protein ctYB-1 in nuclear mRNP particles and in polysomes. <i>Journal of Biological Chemistry</i> , 2006 , 281, 14263-72	5.4	20
85	Heat-induced antigen retrieval: mechanisms and application to histochemistry. 2007 , 41, 141-200		120
84	Regulation of Gene Expression in Plants. 2007,		3
83	Close coupling between transcription and exit of mRNP from the cell nucleus. 2008, 314, 1708-20		9
82	Gene expression in polytene nuclei. <i>Methods in Molecular Biology</i> , 2009 , 464, 29-54	1.4	2
81	Minor-class splicing occurs in the nucleus of the Xenopus oocyte. <i>Rna</i> , 2008 , 14, 1459-62	5.8	8
80	Purification of nuclear poly(A)-binding protein Nab2 reveals association with the yeast transcriptome and a messenger ribonucleoprotein core structure. <i>Journal of Biological Chemistry</i> , 2009 , 284, 34911-7	5.4	78
79	mRNA nuclear export at a glance. <i>Journal of Cell Science</i> , 2009 , 122, 1933-7	5.3	182

78	Three-dimensional organization of chromatids by nuclear envelope-associated structures. 2010 , 75, 545-54	13
77	Dynamics and kinetics of nucleo-cytoplasmic mRNA export. <i>Wiley Interdisciplinary Reviews RNA</i> , 2010 , 1, 388-401	11
76	Exclusion of mRNPs and ribosomal particles from a thin zone beneath the nuclear envelope revealed upon inhibition of transport. 2010 , 316, 1028-38	14
75	Nuclear mRNA on the move. 2010 , 12, 525-7	5
74	Dynamics of single mRNP nucleocytoplasmic transport and export through the nuclear pore in living cells. 2010 , 12, 543-52	193
73	The nuclear pore complex and nuclear transport. 2010 , 2, a000562	464
7 ²	On the right track: following the nucleo-cytoplasmic path of an mRNA. 2010 , 1, 492-8	7
71	RNA processing and export. 2010 , 2, a000752	108
7°	The nucleus introduced. 2011 , 3,	26
69	Nuclear export dynamics of RNA-protein complexes. 2011 , 475, 333-41	142
69 68	Nuclear export dynamics of RNA-protein complexes. 2011 , 475, 333-41 Keeping mRNPs in check during assembly and nuclear export. 2011 , 12, 377-84	142 75
		<u> </u>
68	Keeping mRNPs in check during assembly and nuclear export. 2011 , 12, 377-84	75
68 67	Keeping mRNPs in check during assembly and nuclear export. 2011 , 12, 377-84 Nucleocytoplasmic mRNP export is an integral part of mRNP biogenesis. <i>Chromosoma</i> , 2011 , 120, 23-38 2.8 The Dbp5 cycle at the nuclear pore complex during mRNA export I: dbp5 mutants with defects in	75 18
68 67 66	Keeping mRNPs in check during assembly and nuclear export. 2011 , 12, 377-84 Nucleocytoplasmic mRNP export is an integral part of mRNP biogenesis. <i>Chromosoma</i> , 2011 , 120, 23-38 2.8 The Dbp5 cycle at the nuclear pore complex during mRNA export I: dbp5 mutants with defects in RNA binding and ATP hydrolysis define key steps for Nup159 and Gle1. 2011 , 25, 1052-64 Rrp6 is recruited to transcribed genes and accompanies the spliced mRNA to the nuclear pore. <i>Rna</i> ,	75 18 85
68 67 66	Keeping mRNPs in check during assembly and nuclear export. 2011 , 12, 377-84 Nucleocytoplasmic mRNP export is an integral part of mRNP biogenesis. <i>Chromosoma</i> , 2011 , 120, 23-38 2.8 The Dbp5 cycle at the nuclear pore complex during mRNA export I: dbp5 mutants with defects in RNA binding and ATP hydrolysis define key steps for Nup159 and Gle1. 2011 , 25, 1052-64 Rrp6 is recruited to transcribed genes and accompanies the spliced mRNA to the nuclear pore. <i>Rna</i> , 2012 , 18, 1466-74	75 18 85
68 67 66 65	Keeping mRNPs in check during assembly and nuclear export. 2011, 12, 377-84 Nucleocytoplasmic mRNP export is an integral part of mRNP biogenesis. <i>Chromosoma</i> , 2011, 120, 23-38 2.8 The Dbp5 cycle at the nuclear pore complex during mRNA export I: dbp5 mutants with defects in RNA binding and ATP hydrolysis define key steps for Nup159 and Gle1. 2011, 25, 1052-64 Rrp6 is recruited to transcribed genes and accompanies the spliced mRNA to the nuclear pore. <i>Rna</i> , 2012, 18, 1466-74 Cell biology. An alternative route for nuclear mRNP export by membrane budding. 2012, 336, 809-10 Nuclear export of single native mRNA molecules observed by light sheet fluorescence microscopy.	75 18 85 14

60	Nuclear export, enlightened. 2012 , 109, 9228-9		1
59	Multiscale dynamics in nucleocytoplasmic transport. 2012 , 24, 100-6		22
58	The dynamic pathway of nuclear RNA in eukaryotes. 2013 , 4, 195-205		12
57	Single mRNP tracking in living mammalian cells. <i>Methods in Molecular Biology</i> , 2013 , 1042, 87-99	1.4	4
56	Jumping over the fence: RNA nuclear export revisited. 2013 , 4, 95-9		6
55	mRNA nuclear export in yeast. 2013 , 113, 8523-45		45
54	A single molecule view on Dbp5 and mRNA at the nuclear pore. 2013 , 4, 8-13		4
53	Three-Dimensional Mapping of mRNA Export through the Nuclear Pore Complex. 2014 , 5, 1032-49		9
52	High-resolution imaging reveals new features of nuclear export of mRNA through the nuclear pore complexes. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 14492-504	6.3	7
51	Vesiculoviral matrix (M) protein occupies nucleic acid binding site at nucleoporin pair (Rae1 🛭 Nup98). 2014 , 111, 9127-32		39
50	Mechanisms of mRNA export. Seminars in Cell and Developmental Biology, 2014, 32, 47-54	7.5	30
49	An agent-based model for mRNA export through the nuclear pore complex. 2014 , 25, 3643-53		21
48	Single molecule fluorescence approaches shed light on intracellular RNAs. 2014 , 114, 3224-65		65
47	Breaching the nuclear envelope in development and disease. 2014 , 205, 133-41		93
46	The Balbiani Ring Story: Synthesis, Assembly, Processing, and Transport of Specific Messenger RNA-Protein Complexes. 2015 , 84, 65-92		17
45	3D Structural Fluctuation of IgG1 Antibody Revealed by Individual Particle Electron Tomography. <i>Scientific Reports</i> , 2015 , 5, 9803	4.9	69
44	Intranuclear binding in space and time of exon junction complex and NXF1 to premRNPs/mRNPs in vivo. 2015 , 211, 63-75		6
43	The Functional Nucleus. 2016 ,		1

Dynamics and Transport of Nuclear RNA. 2016, 491-513 7 42 Nucleocytoplasmic Transport of RNAs and RNA-Protein Complexes. 2016, 428, 2040-59 41 39 Nuclear pore complex plasticity during developmental process as revealed by super-resolution 40 4.9 11 microscopy. Scientific Reports, 2017, 7, 14732 Kinetics of transport through the nuclear pore complex. Seminars in Cell and Developmental Biology, 39 7.5 15 **2017**, 68, 18-26 The mechanical stability of proteins regulates their translocation rate into the cell nucleus. Nature 38 16.2 23 Physics, 2019, 15, 973-981 The Biology of mRNA: Structure and Function. Advances in Experimental Medicine and Biology, 2019, 3.6 37 2 LoTToR: An Algorithm for Missing-Wedge Correction of the Low-Tilt Tomographic 3D 36 9 4.9 Reconstruction of a Single-Molecule Structure. Scientific Reports, 2020, 10, 10489 Choosing the right exit: How functional plasticity of the nuclear pore drives selective and efficient 35 9.3 4 mRNA export. Wiley Interdisciplinary Reviews RNA, 2021, 12, e1660 Reprogramming the Ribosome for Selenoprotein Expression: RNA Elements and Protein Factors. 34 3 Nucleic Acids and Molecular Biology, 2010, 29-52 Introduction to nucleocytoplasmic transport: molecules and mechanisms. Methods in Molecular 33 1.4 27 Biology, 2006, 322, 235-58 Lessons from (pre-)mRNA Imaging. Advances in Experimental Medicine and Biology, 2019, 1203, 247-284 3.6 32 Nuclear export of messenger RNA. Results and Problems in Cell Differentiation, 2002, 35, 133-50 1.4 21 Intranuclear pre-mRNA trafficking in an insect model system. Progress in Molecular and Subcellular 8 30 3 Biology, 2004, 35, 99-118 Procedures for Three-Dimensional Reconstruction from Thin Sections with Electron Tomography. 29 **1998**, 72-94 Functions of Nuclear Pre-mRNA/mRNA Binding Proteins. Molecular Biology Intelligence Unit, 1995, 17-33 28 13 Role of Virulence Proteins of Agrobacterium in the Plant. 1998, 303-320 27 14 Intercellular protein trafficking through plasmodesmata. 1998, 279-310 26 2 Characterization of denatured protein inducers of the heat shock (stress) response in Xenopus 25 5.4 33 laevis oocytes.. Journal of Biological Chemistry, 1994, 269, 15710-15717

24	Evolutionary conservation of B asket[structure in nuclear pore complexes, and their possible role in mRNA export. <i>Proceedings Annual Meeting Electron Microscopy Society of America</i> , 1994 , 52, 12-13		1
23	Nuclear trafficking of influenza virus ribonuleoproteins in heterokaryons. <i>Journal of Virology</i> , 1996 , 70, 2743-56	6.6	103
22	Herpes simplex virus type 1 protein IE63 affects the nuclear export of virus intron-containing transcripts. <i>Journal of Virology</i> , 1996 , 70, 5255-65	6.6	54
21	Structural requirements of 5S rRNA for nuclear transport, 7S ribonucleoprotein particle assembly, and 60S ribosomal subunit assembly in Xenopus oocytes. <i>Molecular and Cellular Biology</i> , 1993 , 13, 6819-	- 6 8831	12
20	Nonsense codons can reduce the abundance of nuclear mRNA without affecting the abundance of pre-mRNA or the half-life of cytoplasmic mRNA. <i>Molecular and Cellular Biology</i> , 1993 , 13, 1892-1902	4.8	101
19	Mammalian nonsense codons can be cis effectors of nuclear mRNA half-life. <i>Molecular and Cellular Biology</i> , 1994 , 14, 8219-8228	4.8	67
18	Introns are cis effectors of the nonsense-codon-mediated reduction in nuclear mRNA abundance. <i>Molecular and Cellular Biology</i> , 1994 , 14, 6317-6325	4.8	63
17	Posttranscriptional control of gene expression in yeast. <i>Microbiology and Molecular Biology Reviews</i> , 1998 , 62, 1492-553	13.2	173
16	Active nuclear pore complexes in Chironomus: visualization of transporter configurations related to mRNP export. <i>Journal of Cell Science</i> , 1998 , 111, 223-236	5.3	98
15	Single-molecule dynamics of nuclear mRNA. <i>F1000 Biology Reports</i> , 2009 , 1, 29		11
14	Electron Tomography.		
13	Balbiani Ring.		
12	A. Tumefaciens T-DNA Transport: Roles for VirB, VirD2 and VirE2. <i>Current Plant Science and Biotechnology in Agriculture</i> , 1993 , 63-71		
11	The elusive nuclear matrix. 1993 , 227-233		
10	Events at the Pore-Complex. <i>Molecular Biology Intelligence Unit</i> , 1996 , 81-117		
9	Protein Deposition on Nascent Pre-mRNA Transcripts. 1997 , 243-296		
8	The Great Escape: mRNA Export through the Nuclear Pore Complex. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	3
7	Die Kernporenkomplexe. 2005 , 16-17		

CITATION REPORT

6 Control of Gene Expression by mRNA Transport and Turnover. 148-188 О When cells stop making sense: effects of nonsense codons on RNA metabolism in vertebrate cells. 5.8 5 393 Rna, 1995, 1, 453-65 Teaching old dogmas new tricks: recent insights into the nuclear import of HIV-1.. Current Opinion 7.5 О in Virology, **2022**, 53, 101203 Intercellular protein trafficking through plasmodesmata. Plant Molecular Biology, 1998, 38, 279-310 4.6 28 Electron spectroscopic imaging analyses of the distribution of phosphorus in Balbiani ring granules 2.8 2 1 and in the surrounding nucleoplasm. Chromosoma, 1997, 105, 360-368 RNA export through the nuclear pore complex is directional. 2022, 13,