

# CITATION REPORT

List of articles citing

The chemical shift index: a fast and simple method for the assignment of protein secondary structure through NMR spectroscopy

DOI: 10.1021/bi00121a010  
Biochemistry, 1992, 31, 1647-51.

**Source:** <https://exaly.com/paper-pdf/23313841/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2066	Toward Structure Determination of Disulfide-Rich Peptides Using Chemical Shift-Based Methods.		
2065	Secondary structure of human interleukin 2 from 3D heteronuclear NMR experiments. <i>Biochemistry</i> , <b>1992</b> , 31, 7741-4	3.2	37
2064	Peptide/protein structure analysis using the chemical shift index method: upfield alpha-CH values reveal dynamic helices and alpha L sites. <b>1992</b> , 184, 1008-14		23
2063	Three-dimensional solution structure of an insulin dimer. A study of the B9(Asp) mutant of human insulin using nuclear magnetic resonance, distance geometry and restrained molecular dynamics. <b>1992</b> , 227, 1146-63		48
2062	Structure of an SH2 domain of the p85 alpha subunit of phosphatidylinositol-3-OH kinase. <b>1992</b> , 358, 684-7		174
2061	Proton, carbon, and nitrogen chemical shifts accurately delineate differences and similarities in secondary structure between the homologous proteins IRAP and IL-1 beta. <b>1992</b> , 2, 591-6		8
2060	The three-dimensional structure of guanine-specific ribonuclease F1 in solution determined by NMR spectroscopy and distance geometry. <b>1992</b> , 208, 41-51		5
2059	<sup>1</sup> H-NMR study of neurotoxin B-IV from the marine worm <i>Cerebratulus lacteus</i> . Solution properties, sequence-specific resonance assignments, secondary structure and global fold. <b>1992</b> , 210, 231-40		10
2058	Determination of the three-dimensional solution structure of the histidine-containing phosphocarrier protein HPr from <i>Escherichia coli</i> using multidimensional NMR spectroscopy. <b>1992</b> , 210, 881-91		24
2057	Peptide group chemical shift computation. <b>1992</b> , 30, 1012-1018		24
2056	Methods for computing nuclear magnetic resonance chemical shielding in large systems. Multiple cluster and charge field approaches. <b>1993</b> , 205, 108-116		76
2055	Analytical biotechnology. <b>1993</b> , 4, 95-120		
2054	<sup>1</sup> H NMR studies of the mercuric ion binding protein MerP: sequential assignment, secondary structure and global fold of oxidized MerP. <b>1993</b> , 3, 613-26		25
2053	Heteronuclear three-dimensional NMR spectroscopy of a partially denatured protein: the A-state of human ubiquitin. <b>1993</b> , 3, 285-96		79
2052	Disulfide bonds in homo- and heterodimers of EF-hand subdomains of calbindin D9k: stability, calcium binding, and NMR studies. <i>Protein Science</i> , <b>1993</b> , 2, 985-1000	6.3	43
2051	Backbone assignments and secondary structure of the <i>Escherichia coli</i> enzyme-II mannitol A domain determined by heteronuclear three-dimensional NMR spectroscopy. <i>Protein Science</i> , <b>1993</b> , 2, 1331-41	6.3	19
2050	Sequential <sup>1</sup> H-NMR assignments of neurotoxin III from the sea anemone <i>Heteractis macrodactylus</i> and structural comparison with related toxins. <b>1993</b> , 12, 371-8		2

2049	The solution structure of the leucine zipper motif of the Jun oncoprotein homodimer. <b>1993</b> , 214, 415-24		14
2048	Equine infectious anemia virus Tat is a predominantly helical protein. <b>1993</b> , 218, 973-6		20
2047	Analysis of polypeptides and proteins. <b>1993</b> , 10, 29-90		29
2046	NMR analysis of the residual structure in the denatured state of an unusual mutant of staphylococcal nuclease. <i>Structure</i> , <b>1993</b> , 1, 121-34	5.2	68
2045	Comparison of acyl-carrier protein and other protein structures in aqueous solutions by Fourier-transform infrared spectroscopy. <b>1993</b> , 1164, 273-82		9
2044	NMR and circular dichroism studies of the lantibiotic nisin in non-aqueous environments. <b>1993</b> , 319, 189-94		45
2043	<sup>1</sup> H assignment and secondary structure determination of human melanoma growth stimulating activity (MGSA) by NMR spectroscopy. <b>1993</b> , 330, 302-6		16
2042	Conformational behavior of Escherichia coli OmpA signal peptides in membrane mimetic environments. <i>Biochemistry</i> , <b>1993</b> , 32, 4881-94	3.2	192
2041	Secondary and tertiary structural effects on protein NMR chemical shifts: an ab initio approach. <b>1993</b> , 260, 1491-6		424
2040	Proton NMR conformational study of an annexin I fragment: influence of a phospholipidic micellar environment. <i>Biochemistry</i> , <b>1993</b> , 32, 7244-54	3.2	15
2039	Ribosomal protein S17: characterization of the three-dimensional structure by <sup>1</sup> H and <sup>15</sup> N NMR. <i>Biochemistry</i> , <b>1993</b> , 32, 12812-20	3.2	66
2038	Assignment of <sup>1</sup> H, <sup>15</sup> N, and backbone <sup>13</sup> C resonances in detergent-solubilized M13 coat protein via multinuclear multidimensional NMR: a model for the coat protein monomer. <i>Biochemistry</i> , <b>1993</b> , 32, 8322-8	3.2	69
2037	Secondary structure of a pair of fibronectin type 1 modules by two-dimensional nuclear magnetic resonance. <i>Biochemistry</i> , <b>1993</b> , 32, 7388-95	3.2	22
2036	Sequence-specific assignments of the backbone <sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N resonances of the MutT enzyme by heteronuclear multidimensional NMR. <i>Biochemistry</i> , <b>1993</b> , 32, 13071-80	3.2	28
2035	Solution structure of P05-NH <sub>2</sub> , a scorpion toxin analog with high affinity for the apamin-sensitive potassium channel. <i>Biochemistry</i> , <b>1993</b> , 32, 11969-76	3.2	60
2034	Solution structure of pituitary adenylate cyclase activating polypeptide by nuclear magnetic resonance spectroscopy. <i>Biochemistry</i> , <b>1993</b> , 32, 5832-41	3.2	82
2033	Solution structure of human corticotropin releasing factor by <sup>1</sup> H NMR and distance geometry with restrained molecular dynamics. <b>1993</b> , 6, 149-56		38
2032	Molten-globule conformation of Arc repressor monomers determined by high-pressure <sup>1</sup> H NMR spectroscopy. <b>1993</b> , 90, 1776-80		81

2031	Solution structure of a DNA-binding domain from HMG1. <b>1993</b> , 21, 3427-36		262
2030	<sup>1</sup> H-n.m.r. study of the solution properties and secondary structure of neurotoxin III from the sea anemone <i>Anemonia sulcata</i> . <i>Biochemical Journal</i> , <b>1993</b> , 293 ( Pt 2), 545-51	3.8	6
2029	Secondary structure and protein folding of recombinant chloroplastic thioredoxin Ch2 from the green alga <i>Chlamydomonas reinhardtii</i> as determined by <sup>1</sup> H NMR. <b>1993</b> , 114, 421-31		25
2028	NMR studies of U1 snRNA recognition by the N-terminal RNP domain of the human U1A protein.. <i>EMBO Journal</i> , <b>1994</b> , 13, 3873-3881	13	47
2027	Probabilistic Approach to NMR-Based Determination of Accurate Local Conformation and Three-Dimensional Structure of Proteins in Solution. <b>1994</b> , 446-465		
2026	Peptide Analysis Protocols. <b>1994</b> ,		5
2025	Assessment of quality of derived macromolecular structures. <b>1994</b> , 239, 416-39		24
2024	NMR spectroscopy of peptides and proteins. <i>Methods in Molecular Biology</i> , <b>1994</b> , 36, 131-54	1.4	1
2023	Comparison of protein structures in solution using local conformations derived from NMR data: application to cytochrome c. <b>1994</b> , 12, 527-58		14
2022	The <sup>13</sup> C chemical-shift index: a simple method for the identification of protein secondary structure using <sup>13</sup> C chemical-shift data. <b>1994</b> , 4, 171-80		1826
2021	Analysis of proton chemical shifts in regular secondary structure of proteins. <b>1994</b> , 4, 215-30		115
2020	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N NMR backbone assignments and secondary structure of the 269-residue protease subtilisin 309 from <i>Bacillus lentus</i> . <b>1994</b> , 4, 257-78		36
2019	A computer-based protocol for semiautomated assignments and 3D structure determination of proteins. <b>1994</b> , 4, 79-96		59
2018	Correlation between <sup>15</sup> N NMR chemical shifts in proteins and secondary structure. <b>1994</b> , 4, 341-8		83
2017	<sup>1</sup> H and <sup>15</sup> N resonance assignments and secondary structure of cellular retinoic acid-binding protein with and without bound ligand. <b>1994</b> , 4, 741-60		38
2016	Enzyme IIBcellobiose of the phosphoenol-pyruvate-dependent phosphotransferase system of <i>Escherichia coli</i> : backbone assignment and secondary structure determined by three-dimensional NMR spectroscopy. <i>Protein Science</i> , <b>1994</b> , 3, 282-90	6.3	8
2015	Engineering of betabellin 14D: disulfide-induced folding of a beta-sheet protein. <i>Protein Science</i> , <b>1994</b> , 3, 1069-73	6.3	90
2014	A model for the structure of a homodimeric prohormone: the precursor to the locust neuropeptide AKH I. <b>1994</b> , 20, 356-66		3

2013	Structure-function studies of [2Fe-2S] ferredoxins. <b>1994</b> , 26, 67-88		93
2012	Effect of succinylation on the membrane activity and conformation of a short cecropin A-melittin hybrid peptide. <b>1994</b> , 34, 1251-8		14
2011	NMR and molecular modeling investigations of the neuropeptide substance P in the presence of 15 mM sodium dodecyl sulfate micelles. <b>1994</b> , 34, 1449-62		65
2010	Fluorine NMR of proteins. <b>1994</b> , 26, 293-370		202
2009	A 1H-NMR determination of the solution structure of the A-chain of insulin: comparison with the crystal structure and an examination of the role of solvent. <b>1994</b> , 1209, 177-82		8
2008	Structural characterization of a highly-ordered 'molten globule' at low pH. <b>1994</b> , 1, 23-9		128
2007	Solution structure of the tetrameric minimum transforming domain of p53. <b>1994</b> , 1, 877-90		242
2006	Proton resonance assignments and secondary structure of bovine angiogenin. <b>1994</b> , 224, 811-22		10
2005	Resonance assignment, cysteine-pairing elucidation and secondary-structure determination of capsicin, an alpha-elicitin, by three-dimensional 1H NMR. <b>1994</b> , 220, 427-38		15
2004	1H-NMR assignments and secondary structure of human plasminogen kringle 1. <b>1994</b> , 221, 927-37		6
2003	1H resonance assignments and secondary structure of the carbon monoxide complex of soybean leghemoglobin determined by homonuclear two-dimensional and three-dimensional NMR spectroscopy. <b>1994</b> , 219, 611-26		8
2002	The blind watchmaker and rational protein engineering. <b>1994</b> , 36, 185-220		23
2001	Kalioxin (1-37) shows structural differences with related potassium channel blockers. <i>Biochemistry</i> , <b>1994</b> , 33, 14256-63	3.2	51
2000	Three-Dimensional Solution Structure of the Extracellular Region of the Complement Regulatory Protein CD59, a New Cell-Surface Protein Domain Related to Snake Venom Neurotoxins. <i>Biochemistry</i> , <b>1994</b> , 33, 4471-4482	3.2	135
1999	Does the solid-state structure of endothelin-1 provide insights concerning the solution-state conformational equilibrium?. <b>1994</b> , 355, 140-6		7
1998	Protein three-dimensional structure determination and sequence-specific assignment of 13C and 15N-separated NOE data. A novel real-space ab initio approach. <b>1994</b> , 243, 696-718		54
1997	Chemical shifts as a tool for structure determination. <b>1994</b> , 239, 363-92		744
1996	Use of chemical shifts and coupling constants in nuclear magnetic resonance structural studies on peptides and proteins. <b>1994</b> , 239, 392-416		99

1995	Backbone <sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N assignments and secondary structure of bovine low molecular weight phosphotyrosyl protein phosphatase. <i>Biochemistry</i> , <b>1994</b> , 33, 5221-9	3.2	11
1994	Proton nuclear magnetic resonance and distance geometry/simulated annealing studies on the variant-1 neurotoxin from the New World scorpion <i>Centruroides sculpturatus</i> Ewing. <i>Biochemistry</i> , <b>1994</b> , 33, 2468-75	3.2	26
1993	Solution conformation of an atrial natriuretic peptide variant selective for the type A receptor. <i>Biochemistry</i> , <b>1994</b> , 33, 8897-904	3.2	26
1992	Chemical shift assignments and folding topology of the Ras-binding domain of human Raf-1 as determined by heteronuclear three-dimensional NMR spectroscopy. <i>Biochemistry</i> , <b>1994</b> , 33, 7745-52	3.2	38
1991	Secondary structure of myristoylated recoverin determined by three-dimensional heteronuclear NMR: implications for the calcium-myristoyl switch. <i>Biochemistry</i> , <b>1994</b> , 33, 10743-53	3.2	85
1990	Unusual helix-containing greek keys in development-specific Ca(2+)-binding protein S. <sup>1</sup> H, <sup>15</sup> N, and <sup>13</sup> C assignments and secondary structure determined with the use of multidimensional double and triple resonance heteronuclear NMR spectroscopy. <i>Biochemistry</i> , <b>1994</b> , 33, 2409-21	3.2	22
1989	Sequential assignments and identification of secondary structure elements of the colicin E9 immunity protein in solution by homonuclear and heteronuclear NMR. <i>Biochemistry</i> , <b>1994</b> , 33, 12347-55	3.2	15
1988	Structural analysis of peptide fragment 71-93 of transthyretin by NMR spectroscopy and electron microscopy: insight into amyloid fibril formation. <i>Biochemistry</i> , <b>1994</b> , 33, 33-41	3.2	26
1987	Strategy for studying modular proteins: application to complement modules. <b>1994</b> , 239, 464-85		10
1986	The secondary structure of the ets domain of human Fli-1 resembles that of the helix-turn-helix DNA-binding motif of the <i>Escherichia coli</i> catabolite gene activator protein. <b>1994</b> , 91, 11655-9		46
1985	NMR structure of a biologically active peptide containing the RNA-binding domain of human immunodeficiency virus type 1 Tat. <b>1994</b> , 91, 8248-52		42
1984	The DNA-binding domain of the MotA transcription factor from bacteriophage T4 shows structural similarity to the TATA-binding protein. <b>1994</b> , 91, 10972-6		18
1983	Multiple native-like conformations trapped via self-association-induced hydrophobic collapse of the 33-residue beta-sheet domain from platelet factor 4. <i>Biochemical Journal</i> , <b>1995</b> , 306 ( Pt 2), 407-19	3.8	23
1982	Chapter 14 Simulated annealing in the calculation of NMR structures. <b>1995</b> , 15, 303-328		1
1981	Design, synthesis and characterization of a water-soluble beta-sheet peptide. <b>1995</b> , 6, 451-457		5
1980	Mutational effects on the spectroscopic properties and biological activities of oxidized bovine adrenodoxin, and their structural implications. <b>1995</b> , 231, 226-35		33
1979	Assignment and Secondary-Structure Determination of Monomeric Bovine Seminal Ribonuclease Employing Computer-Assisted Evaluation of Homonuclear Three-Dimensional <sup>1</sup> H-NMR Spectra. <b>1995</b> , 229, 494-502		
1978	<sup>1</sup> H and <sup>15</sup> N Assignment of NMR Spectrum, Secondary Structure and Global Folding of the Immunophilin-Like Domain of the 59-kDa FK506-Binding Protein. <b>1995</b> , 231, 761-772		4

1977	Structure of amyloid A4-(1-40)-peptide of Alzheimer's disease. <b>1995</b> , 233, 293-8		243
1976	NMR studies of the major coat protein of bacteriophage M13. Structural information of gVIIIp in dodecylphosphocholine micelles. <b>1995</b> , 232, 490-500		24
1975	<sup>1</sup> H and <sup>15</sup> N assignments and secondary structure of the starch-binding domain of glucoamylase from <i>Aspergillus niger</i> . <b>1995</b> , 233, 568-78		13
1974	NMR-based structural studies of the pNR-2/pS2 single domain trefoil peptide. Similarities to porcine spasmolytic peptide and evidence for a monomeric structure. <b>1995</b> , 233, 847-55		14
1973	The C-terminal domain of alpha-spectrin is structurally related to calmodulin. <b>1995</b> , 227, 35-42		40
1972	Design and characterization of a model alpha beta peptide. <b>1995</b> , 36, 109-20		10
1971	Structure-function studies of mEGF: probing the type I beta-turn between residues 25 and 26. <b>1995</b> , 14, 753-62		1
1970	Combined use of <sup>13</sup> C chemical shift and <sup>1</sup> H alpha- <sup>13</sup> C alpha heteronuclear NOE data in monitoring a protein NMR structure refinement. <b>1995</b> , 5, 161-72		35
1969	Chemical shifts and three-dimensional protein structures. <b>1995</b> , 5, 217-25		144
1968	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N chemical shift referencing in biomolecular NMR. <b>1995</b> , 6, 135-40		2054
1967	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N NMR assignments and solution secondary structure of rat Apo-S100 beta. <b>1995</b> , 6, 171-9		44
1966	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N random coil NMR chemical shifts of the common amino acids. I. Investigations of nearest-neighbor effects. <b>1995</b> , 5, 67-81		1487
1965	Synthesis, activity, and preliminary structure of the fourth EGF-like domain of thrombomodulin. <i>Protein Science</i> , <b>1995</b> , 4, 1683-95	6.3	26
1964	The structure of <i>Escherichia coli</i> heat-stable enterotoxin b by nuclear magnetic resonance and circular dichroism. <i>Protein Science</i> , <b>1995</b> , 4, 1718-29	6.3	42
1963	Structure of the carboxy-terminal domain of bovine rhodopsin. <b>1995</b> , 2, 832-4		57
1962	Solution structure of the <i>Kluyveromyces lactis</i> LAC9 Cd2 Cys6 DNA-binding domain. <b>1995</b> , 2, 898-905		23
1961	High-resolution structural studies of the factor XIIIa crosslinking site and the first type 1 module of fibronectin. <b>1995</b> , 2, 946-50		19
1960	A short linear peptide derived from the N-terminal sequence of ubiquitin folds into a water-stable non-native beta-hairpin. <b>1995</b> , 2, 999-1006		162

1959	Chemical shifts in proteins come of age. <b>1995</b> , 27, 325-442		110
1958	A 1H-NMR study of the casein phosphopeptide $\beta$ 1-casein(5979). <b>1995</b> , 1247, 201-208		30
1957	CD and NMR determination of the solution structure of a peptide corresponding to T4 lysozyme residues 38-51. <b>1995</b> , 1250, 163-70		13
1956	Molecular mechanism of the calcium-induced conformational change in the spectrin EF-hands.. <i>EMBO Journal</i> , <b>1995</b> , 14, 4922-4931	13	57
1955	Secondary structure of the HAV peptide which regulates cadherin-cadherin interaction. <b>1995</b> , 13, 447-55		10
1954	Structure of human parathyroid hormone 1-37 in solution. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 15194-202	5-4	56
1953	Solution structure of the acetylated and noncleavable mitochondrial targeting signal of rat chaperonin 10. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 1323-31	5-4	60
1952	A Ca(2+)-binding chimera of human lysozyme and bovine alpha-lactalbumin that can form a molten globule. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 10514-24	5-4	29
1951	Calmodulin binding of a peptide derived from the regulatory domain of Bordetella pertussis adenylate cyclase. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 7088-96	5-4	20
1950	Secondary structure of uracil-DNA glycosylase inhibitor protein. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 296-303	5-4	12
1949	Gene cloning, expression, and characterization of the Sac7 proteins from the hyperthermophile Sulfolobus acidocaldarius. <i>Biochemistry</i> , <b>1995</b> , 34, 10063-77	3-2	72
1948	Comparison of the refolding of hen lysozyme from dimethyl sulfoxide and guanidinium chloride. <i>Biochemistry</i> , <b>1995</b> , 34, 1714-24	3-2	44
1947	Elucidation of the primary and three-dimensional structure of the uterotonic polypeptide kalata B1. <i>Biochemistry</i> , <b>1995</b> , 34, 4147-58	3-2	362
1946	1H NMR of A beta amyloid peptide congeners in water solution. Conformational changes correlate with plaque competence. <i>Biochemistry</i> , <b>1995</b> , 34, 5191-200	3-2	185
1945	Nonnative capping structure initiates helix folding in an annexin I fragment. A 1H NMR conformational study. <i>Biochemistry</i> , <b>1995</b> , 34, 12820-9	3-2	15
1944	Structural characterization of folded and unfolded states of an SH3 domain in equilibrium in aqueous buffer. <i>Biochemistry</i> , <b>1995</b> , 34, 6784-94	3-2	170
1943	1H NMR studies of sarafotoxin SRTb, a nonselective endothelin receptor agonist, and IRL 1620, an ETB receptor-specific agonist. <i>Biochemistry</i> , <b>1995</b> , 34, 2026-33	3-2	25
1942	1H, 13C, and 15N NMR resonance assignments, secondary structure, and backbone topology of a variant of human interleukin-3. <i>Biochemistry</i> , <b>1995</b> , 34, 6540-51	3-2	22



1941	Structure and stability of monomeric lambda repressor: NMR evidence for two-state folding. <i>Biochemistry</i> , <b>1995</b> , 34, 3884-92	3.2	87
1940	NMR solution structure of the RNA-binding peptide from human immunodeficiency virus (type 1) <i>Rev. Biochemistry</i> , <b>1995</b> , 34, 8242-9	3.2	25
1939	Polyanion-induced alpha-helical structure of a synthetic 23-residue peptide representing the lysine-rich segment of the N-terminal extension of yeast cytoplasmic aspartyl-tRNA synthetase. <i>Biochemistry</i> , <b>1995</b> , 34, 569-76	3.2	30
1938	Structural characterization by nuclear magnetic resonance spectroscopy of a genetically engineered high-affinity calmodulin-binding peptide derived from <i>Bordetella pertussis</i> adenylate cyclase. <b>1995</b> , 320, 224-35		5
1937	Computer modeling of protein folding: conformational and energetic analysis of reduced and detailed protein models. <b>1995</b> , 247, 995-1012		70
1936	Conformational transitions in peptides containing two putative alpha-helices of the prion protein. <b>1995</b> , 250, 514-26		182
1935	Three-dimensional solution structure of the calcium channel antagonist omega-agatoxin IVA: consensus molecular folding of calcium channel blockers. <b>1995</b> , 250, 659-71		71
1934	Complete 1H nuclear magnetic resonance assignments and structural characterization of a fusion protein of the alpha-amylase inhibitor tendamistat with the activation domain of the human immunodeficiency virus type 1 Tat protein. <b>1995</b> , 250, 672-88		11
1933	Solution X-ray scattering analysis of cold- heat-, and urea-denatured states in a protein, <i>Streptomyces subtilisin</i> inhibitor. <b>1995</b> , 251, 95-103		41
1932	Search for nucleation sites in smaller fragments of chymotrypsin inhibitor 2. <b>1995</b> , 254, 289-304		69
1931	Nuclear magnetic resonance assignments and secondary structure of bovine S100 beta protein. <b>1995</b> , 363, 90-6		13
1930	Structural analysis and comparison of the C-terminal transport signal domains of hemolysin A and leukotoxin A. <b>1995</b> , 366, 1-5		20
1929	Cardiolipin modulates the secondary structure of the presequence peptide of cytochrome oxidase subunit IV: a 2D 1H-NMR study. <b>1995</b> , 373, 239-44		23
1928	The GA module, a mobile albumin-binding bacterial domain, adopts a three-helix-bundle structure. <b>1995</b> , 374, 257-61		22
1927	Lipases and esterases: a review of their sequences, structure and evolution. <b>1995</b> , 1, 315-71		52
1926	Determination of the three-dimensional solution structure of noxiustoxin: analysis of structural differences with related short-chain scorpion toxins. <i>Biochemistry</i> , <b>1995</b> , 34, 16563-73	3.2	77
1925	Searching for the simplest structural units to describe the three-dimensional structure of proteins. <b>1995</b> , 14, 127-168		29
1924	An RBD that does not bind RNA: NMR secondary structure determination and biochemical properties of the C-terminal RNA binding domain from the human U1A protein. <b>1995</b> , 247, 739-752		19

1923	Solution structure of human insulin-like growth factor II. Relationship to receptor and binding protein interactions. <b>1995</b> , 248, 385-401		38
1922	Solution structure of an Old World-like neurotoxin from the venom of the New World scorpion <i>Centruroides sculpturatus</i> Ewing. <b>1995</b> , 248, 449-58		20
1921	Three-dimensional solution structure and <sup>13</sup> C nuclear magnetic resonance assignments of the colicin E9 immunity protein Im9. <i>Biochemistry</i> , <b>1996</b> , 35, 9505-12	3.2	50
1920	Secondary structure and topology of a mitochondrial presequence peptide associated with negatively charged micelles. A 2D H-NMR study. <i>Biochemistry</i> , <b>1996</b> , 35, 3141-6	3.2	33
1919	Conformational preferences of a chimeric peptide HIV-1 immunogen from the C4-V3 domains of gp120 envelope protein of HIV-1 CAN0A based on solution NMR: comparison to a related immunogenic peptide from HIV-1 RF. <i>Biochemistry</i> , <b>1996</b> , 35, 5158-65	3.2	32
1918	NMR solution structure of a synthetic troponin C heterodimeric domain. <i>Biochemistry</i> , <b>1996</b> , 35, 7429-38	3.2	16
1917	NMR spectroscopic evidence that helodermin, unlike other members of the secretin/VIP family of peptides, is substantially structured in water. <i>Biochemistry</i> , <b>1996</b> , 35, 5955-62	3.2	29
1916	Folding topologies of human interleukin-6 and its mutants as studied by NMR spectroscopy. <i>Biochemistry</i> , <b>1996</b> , 35, 273-81	3.2	13
1915	Structure of the N-terminal cellulose-binding domain of <i>Cellulomonas fimi</i> CenC determined by nuclear magnetic resonance spectroscopy. <i>Biochemistry</i> , <b>1996</b> , 35, 14381-94	3.2	122
1914	Intestinal fatty acid-binding protein: the structure and stability of a helix-less variant. <i>Biochemistry</i> , <b>1996</b> , 35, 7553-8	3.2	59
1913	Time Evolution of NMR Proton Chemical Shifts of an RNA Hairpin during a Molecular Dynamics Simulation. <i>Journal of the American Chemical Society</i> , <b>1996</b> , 118, 12812-12820	16.4	13
1912	The role of acidic amino acid residues in the structural stability of snake cardiotoxins. <i>Biochemistry</i> , <b>1996</b> , 35, 9177-86	3.2	29
1911	Conformations of human apolipoprotein E(263-286) and E(267-289) in aqueous solutions of sodium dodecyl sulfate by CD and <sup>1</sup> H NMR. <i>Biochemistry</i> , <b>1996</b> , 35, 10358-66	3.2	50
1910	Structure of <i>Synechococcus elongatus</i> [Fe2S2] ferredoxin in solution. <i>Biochemistry</i> , <b>1996</b> , 35, 12831-41	3.2	42
1909	Solution and membrane bound structure of a peptide derived from the protein kinase C substrate domain of neuromodulin. <i>Biochemistry</i> , <b>1996</b> , 35, 11104-12	3.2	21
1908	Three-dimensional solution structure of mu-conotoxin GIIIB, a specific blocker of skeletal muscle sodium channels. <i>Biochemistry</i> , <b>1996</b> , 35, 8824-35	3.2	93
1907	NMR conformational study of the cytoplasmic domain of the canine Sec61 gamma protein from the protein translocation pore of the endoplasmic reticulum membrane. <i>Biochemistry</i> , <b>1996</b> , 35, 14717-24	3.2	9
1906	NMR characterization of side chain flexibility and backbone structure in the type I antifreeze protein at near freezing temperatures. <i>Biochemistry</i> , <b>1996</b> , 35, 16698-704	3.2	50

1905	Structure and dynamics of bacteriophage IKe major coat protein in MPG micelles by solution NMR. <i>Biochemistry</i> , <b>1996</b> , 35, 5145-57	3.2	75
1904	Structure of the membrane binding domain of CTP:phosphocholine cytidyltransferase. <i>Biochemistry</i> , <b>1996</b> , 35, 11975-84	3.2	90
1903	Folding properties of an annexin I domain: a 1H-15N NMR and CD study. <i>Biochemistry</i> , <b>1996</b> , 35, 10347-53.2	3.2	13
1902	Torsion Angle Determination in Solid 13C-Labeled Amino Acids and Peptides by Separated-Local-Field Double-Quantum NMR. <i>Journal of the American Chemical Society</i> , <b>1996</b> , 118, 7601-7603	16.4	96
1901	Spectroscopic study of an HIV-1 capsid protein major homology region peptide analog. <b>1996</b> , 378, 43-7		5
1900	The spectrin repeat folds into a three-helix bundle in solution. <b>1996</b> , 383, 201-7		62
1899	NMR investigations of the structural properties of the nodulation protein, NodF, from <i>Rhizobium leguminosarum</i> and its homology with <i>Escherichia coli</i> acyl carrier protein. <b>1996</b> , 388, 66-72		18
1898	Unusually stable helical kink in the antimicrobial peptide--a derivative of gaegurin. <b>1996</b> , 392, 309-12		42
1897	Structure of a methionine-rich segment of <i>Escherichia coli</i> Ffh protein. <b>1996</b> , 395, 160-4		2
1896	NMR structure of HMfB from the hyperthermophile, <i>Methanothermus fervidus</i> , confirms that this archaeal protein is a histone. <b>1996</b> , 255, 187-203		123
1895	Structure of the cysteine-rich intestinal protein, CRIP. <b>1996</b> , 257, 153-74		54
1894	Solution structure of PMP-C: a new fold in the group of small serine proteinase inhibitors. <b>1996</b> , 258, 158-71		48
1893	Structural studies of synthetic peptides dissected from the voltage-gated sodium channel. <b>1996</b> , 258, 672-87		32
1892	Cold denaturation of barstar: 1H, 15N and 13C NMR assignment and characterisation of residual structure. <b>1996</b> , 259, 805-18		103
1891	Three-dimensional structure of the lipoyl domain from the dihydrolipoyl succinyltransferase component of the 2-oxoglutarate dehydrogenase multienzyme complex of <i>Escherichia coli</i> . <b>1996</b> , 264, 179-90		62
1890	Mapping the functional surface of insulin by design: structure and function of a novel A-chain analogue. <b>1996</b> , 264, 390-403		113
1889	Three-dimensional structure of the HTLV-II matrix protein and comparative analysis of matrix proteins from the different classes of pathogenic human retroviruses. <b>1996</b> , 264, 1117-31		54
1888	Three-dimensional structures of the amyloid beta peptide (25-35) in membrane-mimicking environment. <i>Biochemistry</i> , <b>1996</b> , 35, 16094-104	3.2	80

1887	High-resolution solution structure of the EGF-like domain of heregulin-alpha. <i>Biochemistry</i> , <b>1996</b> , 35, 3402-17	3.2	61
1886	Structure of the amino-terminal core domain of the HIV-1 capsid protein. <b>1996</b> , 273, 231-5		400
1885	Structural influence of cation binding to recombinant human brain S100b: evidence for calcium-induced exposure of a hydrophobic surface. <i>Biochemistry</i> , <b>1996</b> , 35, 8805-14	3.2	67
1884	Solution structure of an engineered insulin monomer at neutral pH. <i>Biochemistry</i> , <b>1996</b> , 35, 8836-45	3.2	120
1883	Toward a Description of the Conformations of Denatured States of Proteins. Comparison of a Random Coil Model with NMR Measurements. <b>1996</b> , 100, 2661-2666		148
1882	Solution Structure of the Human CD4 (403-419) Receptor Peptide. <b>1996</b> , 3, 435-441		1
1881	Role of hydrophobic interactions and desolvation in determining the structural properties of a model alpha beta peptide. <b>1996</b> , 93, 1135-40		10
1880	Solution Structure of the Human CD4 (403-419) Receptor Peptide. <b>1996</b> , 3, 435-441		11
1879	NOE-derived conformation of GRGDSP cell adhesion recognition site in the presence of SDS micelles and integrin receptor GPIIB/IIIA. <b>1996</b> , 1296, 95-102		5
1878	Structural studies of the equine infectious anemia virus trans-activator protein. <b>1996</b> , 240, 45-52		3
1877	Two-dimensional 1H-NMR of transmembrane peptides from Escherichia coli phosphatidylglycerophosphate synthase in micelles. <b>1996</b> , 241, 489-97		21
1876	Structure of the B-Myb DNA-binding domain in solution and evidence for multiple conformations in the region of repeat-2 involved in DNA binding: implications for sequence-specific DNA binding by Myb proteins. <b>1996</b> , 235, 721-35		24
1875	Solution structure of the DNA-binding domain of the tomato heat-stress transcription factor HSF24. <b>1996</b> , 236, 911-21		49
1874	NMR studies of the free alpha subunit of human chorionic gonadotropin. Structural influences of N-glycosylation and the beta subunit on the conformation of the alpha subunit. <b>1996</b> , 241, 229-42		66
1873	Sequence-specific resonance assignments of the 1H-NMR spectra and structural characterization in solution of the HIV-1 transframe protein p6. <b>1996</b> , 237, 383-92		28
1872	The solution structure of the synthetic circular peptide CGVSRQGKPYC. NMR studies of the folding of a synthetic model for the DNA-binding loop of the ssDNA-binding protein encoded by gene V of phage M13. <b>1996</b> , 238, 706-13		6
1871	Dissection of the basic subdomain of the c-Jun oncoprotein: a structural analysis of two peptide fragments by CD, Fourier-transform infrared and NMR. <b>1996</b> , 235, 699-712		5
1870	Structure and multiple conformations of the kunitz-type domain from human type VI collagen alpha3(VI) chain in solution. <i>Structure</i> , <b>1996</b> , 4, 195-209	5.2	19

1869	Towards the complete structural characterization of a protein folding pathway: the structures of the denatured, transition and native states for the association/folding of two complementary fragments of cleaved chymotrypsin inhibitor 2. Direct evidence for a nucleation-condensation mechanism. <b>1996</b> , 1, 189-208		36
1868	Molecular dynamics simulations of apocytochrome b562--the highly ordered limit of molten globules. <b>1996</b> , 1, 335-46		27
1867	Solution structure of P01, a natural scorpion peptide structurally analogous to scorpion toxins specific for apamin-sensitive potassium channel. <b>1996</b> , 24, 359-69		26
1866	Conformational characterization of a peptide mimetic of the third cytoplasmic loop of the G-protein coupled parathyroid hormone/parathyroid hormone related protein receptor. <b>1996</b> , 40, 653-66		34
1865	Recent progress in understanding chemical shifts. <b>1996</b> , 6, 101-25		64
1864	Progress towards understanding beta-sheet structure. <b>1996</b> , 4, 739-66		128
1863	Ab initio calculations of the NMR chemical shift. <b>1996</b> , 29, 229-278		209
1862	The secondary structure of a pyrimidine-guanine sequence-specific ribonuclease possessing cytotoxic activity from the oocytes of <i>Rana catesbeiana</i> . <b>1996</b> , 8, 331-44		6
1861	Resonance assignment and structural analysis of acid denatured <i>E. coli</i> [U-15N]-glutaredoxin 3: use of 3D 15N-HSQC-(TOCSY-NOESY)-15N-HSQC. <b>1996</b> , 24, 179-84		2
1860	Temperature coefficients of amide proton NMR resonance frequencies in trifluoroethanol: a monitor of intramolecular hydrogen bonds in helical peptides. <b>1996</b> , 8, 93-7		46
1859	Possible role of a short extra loop of the long-chain flavodoxin from <i>Azotobacter chroococcum</i> in electron transfer to nitrogenase: complete 1H, 15N and 13C backbone assignments and secondary solution structure of the flavodoxin. <b>1996</b> , 7, 315-30		17
1858	Secondary structure of beta-hydroxydecanoyl thiol ester dehydrase, a 39-kDa protein, derived from <i>H alpha</i> , <i>C alpha</i> , <i>C beta</i> and CO signal assignments and the Chemical Shift Index: comparison with the crystal structure. <b>1996</b> , 7, 335-40		12
1857	1H and 15N NMR resonance assignments and solution secondary structure of oxidized <i>Desulfovibrio desulfuricans</i> flavodoxin. <b>1996</b> , 7, 225-35		5
1856	Solution studies of the SH2 domain from the <i>fyn</i> tyrosine kinase: secondary structure, backbone dynamics and protein association. <b>1996</b> , 24, 371-80		19
1855	Solution structure of human neuropeptide Y. <b>1996</b> , 8, 379-90		80
1854	Structural coupling of the inhibitory regions flanking the ETS domain of murine Ets-1. <i>Protein Science</i> , <b>1996</b> , 5, 296-309	6.3	57
1853	4-Oxalocrotonate tautomerase, a 41-kDa homohexamer: backbone and side-chain resonance assignments, solution secondary structure, and location of active site residues by heteronuclear NMR spectroscopy. <i>Protein Science</i> , <b>1996</b> , 5, 729-41	6.3	17
1852	Secondary structure and NMR assignments of <i>Bacillus circulans</i> xylanase. <i>Protein Science</i> , <b>1996</b> , 5, 1118-353		24

1851	A recipe for designing water-soluble, beta-sheet-forming peptides. <i>Protein Science</i> , <b>1996</b> , 5, 1301-15	6.3	84
1850	<sup>1</sup> H NMR assignments of apo calyculin and comparative structural analysis with calbindin D9k and S100 beta. <i>Protein Science</i> , <b>1996</b> , 5, 2162-74	6.3	32
1849	Solution structure of a mini IGF-1. <i>Protein Science</i> , <b>1996</b> , 5, 2193-202	6.3	30
1848	The hairpin stack fold, a novel protein architecture for a new family of protein growth factors. <b>1996</b> , 3, 747-52		142
1847	Formation of the hinge helix in the lac repressor is induced upon binding to the lac operator. <b>1996</b> , 3, 916-9		68
1846	Native-like beta-hairpin structure in an isolated fragment from ferredoxin: NMR and CD studies of solvent effects on the N-terminal 20 residues. <b>1996</b> , 9, 559-65		63
1845	Nuclear magnetic resonance chemical shift: comparison of estimated secondary structures in peptides by nuclear magnetic resonance and circular dichroism. <b>1996</b> , 9, 15-25		13
1844	Secondary structure and tertiary fold of the birch pollen allergen Bet v 1 in solution. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 19243-50	5.4	25
1843	Aqueous solution structure of a hybrid lentiviral Tat peptide and a model of its interaction with HIV-1 TAR RNA. <b>1996</b> , 13, 649-60		10
1842	Modulation of structure and antibacterial and hemolytic activity by ring size in cyclic gramicidin S analogs. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 25261-8	5.4	159
1841	Glutaredoxin-3 from Escherichia coli. Amino acid sequence, <sup>1</sup> H AND <sup>15</sup> N NMR assignments, and structural analysis. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 6736-45	5.4	56
1840	Turns. <b>1996</b> , 285-380		78
1839	Structure of recombinant human parathyroid hormone in solution using multidimensional NMR spectroscopy. <b>1996</b> , 377, 175-86		15
1838	Neuropeptide Protocols. <b>1996</b> ,		
1837	Chapter 30. New NMR Methods for Structural Studies of Proteins to Aid in Drug Design. <b>1996</b> , 299-307		2
1836	Mutagenesis studies of interleukin-8. Identification of a second epitope involved in receptor binding. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 9579-86	5.4	58
1835	The Role of Positive Charges and Structural Segments in the Presequence of Rat Liver Aldehyde Dehydrogenase in Import into Mitochondria. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 21041-21048	5.4	41
1834	Ab Initio Studies of Amide- <sup>15</sup> N Chemical Shifts in Dipeptides: Applications to Protein NMR Spectroscopy <b>1996</b> , 100, 16423-16428		52

1833	Pharmaceutical Applications of NMR. <b>1996</b> , 32, 143-213		4
1832	The study of membrane- or receptor-bound neuropeptides by NMR. <i>Methods in Molecular Biology</i> , <b>1997</b> , 73, 185-207	1.4	
1831	SKN-1 domain folding and basic region monomer stabilization upon DNA binding. <b>1997</b> , 11, 2227-38		35
1830	Assessment by 1H NMR spectroscopy of the structural behaviour of human parathyroid-hormone-related protein(1-34) and its close relationship with the N-terminal fragments of human parathyroid hormone in solution. <b>1997</b> , 378, 1501-8		11
1829	The A-kinase anchoring domain of type IIalpha cAMP-dependent protein kinase is highly helical. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 23637-44	5.4	60
1828	Conformational integrity and ligand binding properties of a single chain T-cell receptor expressed in Escherichia coli. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 32190-7	5.4	14
1827	Solution structure of the carboxyl-terminal LIM domain from quail cysteine-rich protein CRP2. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 12001-7	5.4	36
1826	Structure of the C-terminal fragment 300-320 of the rat angiotensin II AT1A receptor and its relevance with respect to G-protein coupling. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 9734-41	5.4	58
1825	On the convergent evolution of animal toxins. Conservation of a diad of functional residues in potassium channel-blocking toxins with unrelated structures. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 4302-9	5.4	283
1824	Solution structure of porcine delta sleep-inducing peptide immunoreactive peptide A homolog of the shortsighted gene product. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 30918-27	5.4	11
1823	Solution structure of a 142-residue recombinant prion protein corresponding to the infectious fragment of the scrapie isoform. <b>1997</b> , 94, 10086-91		431
1822	Analysis of the stabilization of hen lysozyme by helix macrodipole and charged side chain interaction. <b>1997</b> , 121, 1076-81		12
1821	Metal-ion-binding properties of synthetic conantokin-G. <i>Biochemical Journal</i> , <b>1997</b> , 328 ( Pt 3), 777-83	3.8	21
1820	Solution conformation of a peptide corresponding to bovine kappa-casein B residues 130-153 by circular dichroism spectroscopy and 1H-nuclear magnetic resonance spectroscopy. <b>1997</b> , 64, 377-97		19
1819	Solution nuclear magnetic resonance characterization of peptide folding. <b>1997</b> , 289, 646-72		3
1818	Designing water soluble sheet peptides with compact structure. <b>1997</b> , 8, 797-808		1
1817	Structure of the recombinant full-length hamster prion protein PrP(29-231): the N terminus is highly flexible. <b>1997</b> , 94, 13452-7		626
1816	Temperature dependence of backbone dynamics in loops of human mitochondrial heat shock protein 10. <i>Biochemistry</i> , <b>1997</b> , 36, 10975-86	3.2	38



1815	Glycosylation affects both the three-dimensional structure and antibody binding properties of the HIV-1IIIB GP120 peptide RP135. <i>Biochemistry</i> , <b>1997</b> , 36, 10846-56	3.2	74
1814	Magic Angle Spinning Nuclear Magnetic Resonance in Solid-Phase Peptide Synthesis. <i>Journal of the American Chemical Society</i> , <b>1997</b> , 119, 10494-10500	16.4	66
1813	Structure of the carboxy-terminal fragment of the apo-biotin carboxyl carrier subunit of Escherichia coli acetyl-CoA carboxylase. <i>Biochemistry</i> , <b>1997</b> , 36, 15089-100	3.2	68
1812	Calcium binding peptides from alpha-lactalbumin: implications for protein folding and stability. <i>Biochemistry</i> , <b>1997</b> , 36, 4607-15	3.2	33
1811	Solution conformations of a peptide containing the cytoplasmic domain sequence of the beta amyloid precursor protein. <i>Biochemistry</i> , <b>1997</b> , 36, 8145-52	3.2	25
1810	Structures of the reduced and mercury-bound forms of MerP, the periplasmic protein from the bacterial mercury detoxification system. <i>Biochemistry</i> , <b>1997</b> , 36, 6885-95	3.2	186
1809	<sup>13</sup> C NMR Chemical Shift Calculations for Some Substituted Pyridines: A Comparative Consideration $\square$ <b>1997</b> , 37, 726-730		28
1808	Three-dimensional solution structure and stability of phage 434 Cro protein. <i>Biochemistry</i> , <b>1997</b> , 36, 6424-36		20
1807	Solution structure for Pandinus toxin K-alpha (PiTX-K alpha), a selective blocker of A-type potassium channels. <i>Biochemistry</i> , <b>1997</b> , 36, 2763-71	3.2	18
1806	NMR studies of the secondary structure in solution and the steroid binding site of delta5-3-ketosteroid isomerase in complexes with diamagnetic and paramagnetic steroids. <i>Biochemistry</i> , <b>1997</b> , 36, 3458-72	3.2	27
1805	The helix-hinge-helix structural motif in human apolipoprotein A-I determined by NMR spectroscopy. <i>Biochemistry</i> , <b>1997</b> , 36, 13657-66	3.2	49
1804	Conformational analysis of LYS(11-36), a peptide derived from the beta-sheet region of T4 lysozyme, in TFE and SDS. <i>Biochemistry</i> , <b>1997</b> , 36, 11525-33	3.2	43
1803	A novel potassium channel blocking toxin from the scorpion Pandinus imperator: A <sup>1</sup> H NMR analysis using a nano-NMR probe. <i>Biochemistry</i> , <b>1997</b> , 36, 2649-58	3.2	54
1802	Solution structures of a highly insecticidal recombinant scorpion alpha-toxin and a mutant with increased activity. <i>Biochemistry</i> , <b>1997</b> , 36, 2414-24	3.2	71
1801	NMR structure of a de novo designed, peptide 33mer with two distinct, compact beta-sheet folds. <i>Biochemistry</i> , <b>1997</b> , 36, 5245-50	3.2	55
1800	The first and second cytoplasmic loops of the G-protein receptor, rhodopsin, independently form beta-turns. <i>Biochemistry</i> , <b>1997</b> , 36, 3864-9	3.2	85
1799	Definition of the switch surface in the solution structure of Cdc42Hs. <i>Biochemistry</i> , <b>1997</b> , 36, 8755-66	3.2	87
1798	Predicting Chemical Shifts in Proteins: Structure Refinement of Valine Residues by Using ab Initio and Empirical Geometry Optimizations $\square$ <i>Journal of the American Chemical Society</i> , <b>1997</b> , 119, 11941-11950	16.4	72



1797	Determination of the three-dimensional structure of CC chemokine monocyte chemoattractant protein 3 by 1H two-dimensional NMR spectroscopy. <i>Biochemistry</i> , <b>1997</b> , 36, 4412-22	3.2	39
1796	Solution structure of the paramagnetic complex of the N-terminal domain of calmodulin with two Ce3+ ions by 1H NMR. <i>Biochemistry</i> , <b>1997</b> , 36, 11605-18	3.2	82
1795	Conformational studies of RS-66271, an analog of parathyroid hormone-related protein with pronounced bone anabolic activity. <b>1997</b> , 40, 3025-31		22
1794	Snake venom cardiotoxins-structure, dynamics, function and folding. <b>1997</b> , 15, 431-63		72
1793	Anab InitioQuantum Chemical Investigation of Carbon-13 NMR Shielding Tensors in Glycine, Alanine, Valine, Isoleucine, Serine, and Threonine: Comparisons between Helical and Sheet Tensors, and the Effects of $\pi$ on Shielding $\square$ <i>Journal of the American Chemical Society</i> , <b>1997</b> , 119, 11951-11958	16.4	103
1792	Methods for Measurement of Intermolecular NOEs by Multinuclear NMR Spectroscopy: Application to a Bacteriophage $\square$ N-Peptide/boxBRNA Complex. <i>Journal of the American Chemical Society</i> , <b>1997</b> , 119, 6711-6721	16.4	529
1791	A transmembrane helix dimer: structure and implications. <b>1997</b> , 276, 131-3		893
1790	Solution structure of 3-oxo-delta5-steroid isomerase. <b>1997</b> , 276, 415-8		136
1789	Insights on $\square$ Hairpin Stability in Aqueous Solution from Peptides with Enforced Type I $\square$ and Type II $\square$ $\square$ Turns. <i>Journal of the American Chemical Society</i> , <b>1997</b> , 119, 2303-2304	16.4	224
1788	Lipid-induced conformation of substance P. <b>1997</b> , 15, 27-36		35
1787	Extracting Information from the Temperature Gradients of Polypeptide NH Chemical Shifts. 1. The Importance of Conformational Averaging. <i>Journal of the American Chemical Society</i> , <b>1997</b> , 119, 8547-8561	16.4	211
1786	An Extended $\square$ Strand Mimic for a Larger Artificial $\square$ Sheet. <i>Journal of the American Chemical Society</i> , <b>1997</b> , 119, 5413-5424	16.4	65
1785	Structure of neurotoxin B-IV from the marine worm <i>Cerebratulus lacteus</i> : a helical hairpin cross-linked by disulphide bonding. <b>1997</b> , 268, 886-902		28
1784	Solution structure of R-elafin, a specific inhibitor of elastase. <b>1997</b> , 268, 666-77		44
1783	fd coat protein structure in membrane environments: structural dynamics of the loop between the hydrophobic trans-membrane helix and the amphipathic in-plane helix. <b>1997</b> , 270, 481-95		105
1782	Three-dimensional structure of the DNA-binding domain of the fructose repressor from <i>Escherichia coli</i> by 1H and 15N NMR. <b>1997</b> , 270, 496-510		34
1781	An exceptionally stable helix from the ribosomal protein L9: implications for protein folding and stability. <b>1997</b> , 270, 640-7		40
1780	Structure of the fifth EGF-like domain of thrombomodulin: An EGF-like domain with a novel disulfide-bonding pattern. <b>1997</b> , 273, 913-26		28

1779	Solution structure of human p8MTCP1, a cysteine-rich protein encoded by the MTCP1 oncogene, reveals a new alpha-helical assembly motif. <b>1997</b> , 274, 801-15		23
1778	A hairpin-loop conformation in tandem repeat sequence of the ice nucleation protein revealed by NMR spectroscopy. <b>1997</b> , 409, 227-31		14
1777	The NMR solution structure of the NMDA receptor antagonist, conantokin-T, in the absence of divalent metal ions. <b>1997</b> , 411, 19-26		26
1776	A cytoplasmic peptide of the neurotrophin receptor p75NTR: induction of apoptosis and NMR determined helical conformation. <b>1997</b> , 415, 145-54		9
1775	Sequential assignments and secondary structure of the RNA-binding transcriptional regulator NusB. <b>1997</b> , 415, 221-6		8
1774	Inactive conformation of an insulin despite its wild-type sequence. <i>Protein Science</i> , <b>1997</b> , 6, 580-7	6.3	12
1773	A cyclic disulfide peptide reproduces in solution the main structural features of a native antigenic site of foot-and-mouth disease virus. <b>1997</b> , 20, 209-19		11
1772	Solution structure of the sodium channel antagonist conotoxin GS: a new molecular caliper for probing sodium channel geometry. <i>Structure</i> , <b>1997</b> , 5, 571-83	5.2	46
1771	Local interactions in a Schellman motif dictate interhelical arrangement in a protein fragment. <b>1997</b> , 2, 211-22		25
1770	Solution structure of Lqh-8/6, a toxin-like peptide from a scorpion venom--structural heterogeneity induced by proline cis/trans isomerization. <b>1997</b> , 246, 218-27		34
1769	NMR assignments, secondary structure and hydration of oxidized Escherichia coli flavodoxin. <b>1997</b> , 244, 384-99		11
1768	Three-dimensional solution structure of human angiogenin determined by 1H,15N-NMR spectroscopy--characterization of histidine protonation states and pKa values. <b>1997</b> , 250, 712-26		35
1767	Spectroscopic studies of the C-terminal secretion signal of the Serratia marcescens haem acquisition protein (HasA) in various membrane-mimetic environments. <b>1997</b> , 243, 400-7		19
1766	1H, 15N and 13C NMR assignments, secondary structure and overall topology of the Escherichia coli GlgS protein. <b>1997</b> , 246, 301-10		6
1765	Solution structure of neuropeptide tyrosine 13-36, a Y2 receptor agonist, as determined by NMR. <b>1997</b> , 246, 780-5		14
1764	A conformational study of the human and rat encephalitogenic myelin oligodendrocyte glycoprotein peptides 35-55. <b>1997</b> , 246, 59-70		20
1763	Sequential main-chain proton and carbon resonance assignments for wild-type yeast iso-1 ferrocytochrome c and identification of secondary structural elements. <b>1997</b> , 16, 775-86		1
1762	Protein phi and psi dihedral restraints determined from multidimensional hypersurface correlations of backbone chemical shifts and their use in the determination of protein tertiary structures. <b>1997</b> , 10, 129-42		53

1761	The effects of guanidine hydrochloride on the 'random coil' conformations and NMR chemical shifts of the peptide series GGXGG. <b>1997</b> , 10, 221-30		89
1760	ORB, a homology-based program for the prediction of protein NMR chemical shifts. <b>1997</b> , 10, 165-179		12
1759	The effect of ring currents on carbon chemical shifts in cytochromes. <b>1997</b> , 9, 389-95		18
1758	<sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N NMR backbone assignments and chemical-shift-derived secondary structure of glutamine-binding protein of Escherichia coli. <b>1997</b> , 9, 167-80		10
1757	Resonance assignment and secondary structure determination and stability of the recombinant human uteroglobin with heteronuclear multidimensional NMR. <b>1997</b> , 9, 35-46		8
1756	NMR secondary structure of the plasminogen activator protein staphylokinase. <b>1997</b> , 9, 273-86		13
1755	Two-dimensional <sup>1</sup> H NMR experiments show that the 23-residue magainin antibiotic peptide is an alpha-helix in dodecylphosphocholine micelles, sodium dodecylsulfate micelles, and trifluoroethanol/water solution. <b>1997</b> , 9, 127-35		207
1754	NMR spectroscopy of peptides and proteins. Practical considerations. <b>1997</b> , 7, 315-31		8
1753	Conformational studies of the N-terminal lipid-associating domain of human apolipoprotein C-I by CD and <sup>1</sup> H NMR spectroscopy. <i>Protein Science</i> , <b>1997</b> , 6, 1858-68	6.3	22
1752	Solution structure of alpha t alpha, a helical hairpin peptide of de novo design. <i>Protein Science</i> , <b>1997</b> , 6, 1869-77	6.3	45
1751	Empirical parameterization of a model for predicting peptide helix/coil equilibrium populations. <i>Protein Science</i> , <b>1997</b> , 6, 1920-36	6.3	49
1750	Structure of the LAV6 peptide: a nucleation site for the correct receptor-induced refolding of the CD4-binding domain of HIV1 gp 120. <b>1997</b> , 29, 203-11		5
1749	Solution structure of maurotoxin, a scorpion toxin from Scorpio maurus, with high affinity for voltage-gated potassium channels. <b>1997</b> , 29, 321-333		78
1748	Extreme heat- and pressure-resistant 7-kDa protein P2 from the archaeon Sulfolobus solfataricus is dramatically destabilized by a single-point amino acid substitution. <b>1997</b> , 29, 381-90		38
1747	NMR study of silk I structure of Bombyx mori silk fibroin with <sup>15</sup> N- and <sup>13</sup> C-NMR chemical shift contour plots. <b>1997</b> , 41, 193-203		82
1746	Hydrophobic forces are responsible for the folding of a highly potent natriuretic peptide analogue at a membrane mimetic surface: an NMR study. <b>1997</b> , 42, 37-48		12
1745	Detailed NMR analysis of the heme-protein interactions in component IV Glycera dibranchiata monomeric hemoglobin-CO. <b>1998</b> , 11, 119-33		8
1744	Chemical shift homology in proteins. <b>1998</b> , 11, 45-57		12

1743	Chemical shift as a probe of molecular interfaces: NMR studies of DNA binding by the three amino-terminal zinc finger domains from transcription factor IIIA. <b>1998</b> , 12, 51-71		98
1742	Assignment of <sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N signals of the inhibitor protein Im9 bound to the DNase domain of colicin E9. <b>1998</b> , 12, 567-8		4
1741	Solution structure of cytochrome c6 from the thermophilic cyanobacterium <i>Synechococcus elongatus</i> . <i>EMBO Journal</i> , <b>1998</b> , 17, 27-36	13	41
1740	Unusual beta-sheet periodicity in small cyclic peptides. <b>1998</b> , 5, 284-8		104
1739	Structural studies on phospholamban and implications for regulation of the Ca(2+)-ATPase. <b>1998</b> , 853, 63-78		9
1738	Solution structure comparison of the VIP/PACAP family of peptides by NMR spectroscopy. <b>1998</b> , 865, 37-44		22
1737	Homology predicted structure and comparison with the secondary structure from NMR data for plastocyanin for the cyanobacterium <i>Synechocystis</i> sp. PCC 6803. <b>1998</b> , 275-276, 73-89		5
1736	Sidechain and backbone requirements for anti-invasive activity of laminin peptide 11. <b>1998</b> , 1429, 187-207		7
1735	Prion protein fragments spanning helix 1 and both strands of beta sheet (residues 125-170) show evidence for predominantly helical propensity by CD and NMR. <b>1998</b> , 3, 313-20		15
1734	Residual structure in the Alzheimer's disease peptide: probing the origin of a central hydrophobic cluster. <b>1998</b> , 3, 413-22		42
1733	Structural information on a cecropin-like synthetic peptide, Shiva-3 toxic to the sporogonic development of <i>Plasmodium berghei</i> . <b>1998</b> , 257, 263-73		21
1732	The solution structure of human endothelin-2 a <sup>1</sup> H-NMR and CD study. <b>1998</b> , 257, 380-8		9
1731	Solution structure of the recombinant oxidized rabbit uteroglobin using homonuclear and heteronuclear multidimensional NMR. <b>1998</b> , 258, 521-32		4
1730	The three-dimensional structure of Ca(2+)-bound calcyclin: implications for Ca(2+)-signal transduction by S100 proteins. <i>Structure</i> , <b>1998</b> , 6, 223-31	5.2	109
1729	How a protein prepares for B12 binding: structure and dynamics of the B12-binding subunit of glutamate mutase from <i>Clostridium tetanomorphum</i> . <i>Structure</i> , <b>1998</b> , 6, 1021-33	5.2	63
1728	An NMR investigation of the conformational effect of nitroxide spin labels on Ala-rich helical peptides. <b>1998</b> , 131, 248-53		20
1727	Three-dimensional structure of the ion-channel forming peptide trichorzianin TA VII bound to sodium dodecyl sulfate micelles. <b>1998</b> , 46, 75-88		16
1726	Structure of segments of a G protein-coupled receptor: CD and NMR analysis of the <i>Saccharomyces cerevisiae</i> tridecapeptide pheromone receptor. <b>1998</b> , 46, 343-57		25

1725	1H NMR conformational study on N-terminal nonapeptide sequences of HIV-1 Tat protein: a contribution to structure-activity relationships. <b>1998</b> , 4, 400-10		4
1724	Conformation of the Ras-binding domain of Raf studied by molecular dynamics and free energy simulations. <b>1998</b> , 31, 186-200		9
1723	1H NMR structure of an antifungal gamma-thionin protein Slalpha1: similarity to scorpion toxins. <b>1998</b> , 32, 334-49		32
1722	Structure and dynamic properties of the single disulfide-deficient alpha-amylase inhibitor [C45A/C73A]tendamistat: an NMR study. <b>1998</b> , 33, 285-94		9
1721	Apparent local stability of the secondary structure of <i>Azotobacter vinelandii</i> holoflavodoxin II as probed by hydrogen exchange: implications for redox potential regulation and flavodoxin folding. <i>Protein Science</i> , <b>1998</b> , 7, 306-17	6.3	29
1720	A folding pathway for betapep-4 peptide 33mer: from unfolded monomers and beta-sheet sandwich dimers to well-structured tetramers. <i>Protein Science</i> , <b>1998</b> , 7, 358-68	6.3	23
1719	The methanol-induced transition and the expanded helical conformation in hen lysozyme. <i>Protein Science</i> , <b>1998</b> , 7, 681-8	6.3	52
1718	NMR determination of the global structure of the <sup>113</sup> Cd derivative of desulfuredoxin: investigation of the hydrogen bonding pattern at the metal center. <i>Protein Science</i> , <b>1998</b> , 7, 928-37	6.3	17
1717	The three-dimensional structure of a helix-less variant of intestinal fatty acid-binding protein. <i>Protein Science</i> , <b>1998</b> , 7, 1332-9	6.3	29
1716	Role of the 6-20 disulfide bridge in the structure and activity of epidermal growth factor. <i>Protein Science</i> , <b>1998</b> , 7, 1738-49	6.3	33
1715	Structural/functional properties of the Glu1-HSer57 N-terminal fragment of human plasminogen: conformational characterization and interaction with kringle domains. <i>Protein Science</i> , <b>1998</b> , 7, 1947-59	6.3	16
1714	Differences between the electronic environments of reduced and oxidized <i>Escherichia coli</i> DsbA inferred from heteronuclear magnetic resonance spectroscopy. <i>Protein Science</i> , <b>1998</b> , 7, 2065-80	6.3	12
1713	Localization of basic residues required for receptor binding to the single alpha-helix of the receptor binding domain of human alpha2-macroglobulin. <i>Protein Science</i> , <b>1998</b> , 7, 2602-12	6.3	28
1712	Designed beta-sheet-forming peptide 33mers with potent human bactericidal/permeability increasing protein-like bactericidal and endotoxin neutralizing activities. <b>1998</b> , 1425, 81-92		33
1711	The use of chemical shifts and their anisotropies in biomolecular structure determination. <b>1998</b> , 8, 624-30		83
1710	Accessibility of selenomethionine proteins by total chemical synthesis: structural studies of human herpesvirus-8 MIP-II. <b>1998</b> , 441, 77-82		11
1709	Main-chain dynamics of cardiotoxin II from Taiwan cobra ( <i>Naja naja atra</i> ) as studied by carbon-13 NMR at natural abundance: delineation of the role of functionally important residues. <i>Biochemistry</i> , <b>1998</b> , 37, 155-64	3.2	21
1708	Protein chemical shift analysis: a practical guide. <b>1998</b> , 76, 153-163		168

1707	Use of a Designed Triple-Stranded Antiparallel $\beta$ -Sheet To Probe $\beta$ -Sheet Cooperativity in Aqueous Solution. <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 4869-4870	16.4	182
1706	Phosphorylation of the C-terminal sites of human p53 reduces non-sequence-specific DNA binding as modeled with synthetic peptides. <i>Biochemistry</i> , <b>1998</b> , 37, 13755-64	3.2	18
1705	Solution structure of calcium-bound rat S100B(beta-beta) as determined by nuclear magnetic resonance spectroscopy. <i>Biochemistry</i> , <b>1998</b> , 37, 2729-40	3.2	156
1704	Rules for Antiparallel $\beta$ -Sheet Design: d-Pro-Gly Is Superior to l-Asn-Gly for $\beta$ -Hairpin Nucleation1. <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 4236-4237	16.4	233
1703	Comparison of ring current methods for use in molecular modeling refinement of NMR derived three-dimensional structures. <b>1998</b> , 38, 702-9		23
1702	Solution structure of two new toxins from the venom of the Chinese scorpion <i>Buthus martensi</i> Karsch blockers of potassium channels. <i>Biochemistry</i> , <b>1998</b> , 37, 12412-8	3.2	29
1701	Cooperative Interaction between the Three Strands of a Designed Antiparallel $\beta$ -Sheet. <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 5291-5300	16.4	112
1700	Solution Structure Model of Residues 108 of the Amyloid $\beta$ -Peptide When Bound to Micelles. <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 11082-11091	16.4	74
1699	Structure and stability of the N-terminal domain of the ribosomal protein L9: evidence for rapid two-state folding. <i>Biochemistry</i> , <b>1998</b> , 37, 1025-32	3.2	68
1698	Structural characterization and topology of the second potential membrane anchor region in the thromboxane A2 synthase amino-terminal domain. <i>Biochemistry</i> , <b>1998</b> , 37, 822-30	3.2	19
1697	Structure determination of the Ras-binding domain of the Ral-specific guanine nucleotide exchange factor Rlf. <i>Biochemistry</i> , <b>1998</b> , 37, 13453-62	3.2	34
1696	The amino acid sequence coded by the rarely expressed exon 26A of human elastin contains a stable beta-turn with chemotactic activity for monocytes. <i>Biochemistry</i> , <b>1998</b> , 37, 11128-35	3.2	31
1695	Helix-stabilizing nonpolar interactions between tyrosine and leucine in aqueous and TFE solutions: 2D-1H NMR and CD studies in alanine-lysine peptides. <i>Biochemistry</i> , <b>1998</b> , 37, 17318-30	3.2	34
1694	Binding domain of human parathyroid hormone receptor: from conformation to function. <i>Biochemistry</i> , <b>1998</b> , 37, 12737-43	3.2	67
1693	Density Functional Study of Ribose and Deoxyribose Chemical Shifts. <b>1998</b> , 102, 5280-5289		56
1692	A change-in-hand mechanism for S100 signalling. <b>1998</b> , 76, 324-333		61
1691	NMR solution structure of a cytoplasmic surface loop of the human red cell anion transporter, band 3. <i>Biochemistry</i> , <b>1998</b> , 37, 11670-8	3.2	19
1690	Solution structure of murine macrophage inflammatory protein-2. <i>Biochemistry</i> , <b>1998</b> , 37, 8303-13	3.2	34

1689	Transcriptional activator-coactivator recognition: nascent folding of a kinase-inducible transactivation domain predicts its structure on coactivator binding. <i>Biochemistry</i> , <b>1998</b> , 37, 5858-66	3.2	86
1688	Solution structure of the cytoplasmic domain of the human CD4 glycoprotein by CD and 1H NMR spectroscopy: implications for biological functions. <i>Biochemistry</i> , <b>1998</b> , 37, 8527-38	3.2	29
1687	Folding, calcium binding, and structural characterization of a concatemer of the first and second ligand-binding modules of the low-density lipoprotein receptor. <i>Biochemistry</i> , <b>1998</b> , 37, 10994-1002	3.2	50
1686	Origin of $\beta$ -Hairpin Stability in Solution: Structural and Thermodynamic Analysis of the Folding of a Model Peptide Supports Hydrophobic Stabilization in Water. <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 1996-2007	16.4	212
1685	Aggregation behaviour and Zn <sup>2+</sup> binding properties of secretin. <i>Biochemistry</i> , <b>1998</b> , 37, 16967-74	3.2	6
1684	Calcium binding properties of an epidermal growth factor-like domain from human thrombomodulin. <i>Biochemistry</i> , <b>1998</b> , 37, 9091-100	3.2	7
1683	The structure of the N-terminus of striated muscle alpha-tropomyosin in a chimeric peptide: nuclear magnetic resonance structure and circular dichroism studies. <i>Biochemistry</i> , <b>1998</b> , 37, 7834-43	3.2	87
1682	Solution structure of the glycosylated second type 2 module of fibronectin. <b>1998</b> , 276, 177-87		50
1681	Determination of the structure of oxidised <i>Desulfovibrio africanus</i> ferredoxin I by 1H NMR spectroscopy and comparison of its solution structure with its crystal structure. <b>1998</b> , 277, 683-706		25
1680	Solution structure of the human Hck SH3 domain and identification of its ligand binding site. <b>1998</b> , 278, 253-65		28
1679	On the global architecture of initiation factor IF3: a comparative study of the linker regions from the <i>Escherichia coli</i> protein and the <i>Bacillus stearothermophilus</i> protein. <b>1998</b> , 278, 871-8		20
1678	Structure determination of the small ubiquitin-related modifier SUMO-1. <b>1998</b> , 280, 275-86		321
1677	Insights into the mechanism of heterodimerization from the 1H-NMR solution structure of the c-Myc-Max heterodimeric leucine zipper. <b>1998</b> , 281, 165-81		88
1676	Structural characterisation of apoflavodoxin shows that the location of the stable nucleus differs among proteins with a flavodoxin-like topology. <b>1998</b> , 282, 653-66		77
1675	Peptide models of local and long-range interactions in the molten globule state of human alpha-lactalbumin. <b>1998</b> , 283, 279-91		47
1674	alpha->beta transition of beta-lactoglobulin as evidenced by heteronuclear NMR. <b>1998</b> , 283, 731-9		99
1673	The relationship between insulin bioactivity and structure in the NH <sub>2</sub> -terminal A-chain helix. <b>1998</b> , 284, 477-88		37
1672	Structure and dynamics of the antibiotic peptide PGLa in membranes by solution and solid-state nuclear magnetic resonance spectroscopy. <b>1998</b> , 74, 981-7		126



1671	Cylindrical Sheet Peptide Assemblies. <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 8949-8962	16.4	163
1670	Membrane-induced secondary structures of neuropeptides: a comparison of the solution conformations adopted by agonists and antagonists of the mammalian tachykinin NK1 receptor. <b>1998</b> , 41, 1497-506		55
1669	Model of the complex formed between the H2 domain of the TATA box binding protein and the L(281-301) fragment of the human transcription factor TFIIA. <b>1998</b> , 11, 729-38		6
1668	Structure-activity relation of NH <sub>2</sub> -terminal human parathyroid hormone fragments. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 4308-16	5.4	23
1667	The Cdc42/Rac interactive binding region motif of the Wiskott Aldrich syndrome protein (WASP) is necessary but not sufficient for tight binding to Cdc42 and structure formation. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 18067-76	5.4	115
1666	Structural features of the minimal DNA binding domain (M98-F219) of human nucleotide excision repair protein XPA. <b>1998</b> , 26, 2779-88		53
1665	Correlation between binding affinity and necrosis-inducing activity of mutant AVR9 peptide elicitors. <b>1998</b> , 117, 609-18		53
1664	The solution structure and dynamics of the pleckstrin homology domain of G protein-coupled receptor kinase 2 (beta-adrenergic receptor kinase 1). A binding partner of Gbetagamma subunits. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 2835-43	5.4	67
1663	NMR studies of the antimicrobial salivary peptides histatin 3 and histatin 5 in aqueous and nonaqueous solutions. <b>1998</b> , 76, 247-256		41
1662	Delineation of conformational preferences in human salivary statherin by <sup>1</sup> H, <sup>31</sup> P NMR and CD studies: sequential assignment and structure-function correlations. <b>1998</b> , 16, 91-107		44
1661	The roles of individual gamma-carboxyglutamate residues in the solution structure and cation-dependent properties of conantokin-T. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 7512-22	5.4	27
1660	Addressing the tertiary structure of human parathyroid hormone-(1-34). <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 10420-7	5.4	90
1659	Conformational changes in conantokin-G induced upon binding of calcium and magnesium as revealed by NMR structural analysis. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 16248-58	5.4	35
1658	Sequence-specific <sup>1</sup> H NMR resonance assignments and secondary structure of human apolipoprotein C-I in the presence of sodium dodecyl sulfate. <b>1998</b> , 76, 267-275		12
1657	A multifunctional repeated motif is present in human bifunctional tRNA synthetase. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 11267-73	5.4	48
1656	Structural and energetic factors of the increased thermal stability in a genetically engineered <i>Escherichia coli</i> adenylate kinase. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 19102-7	5.4	21
1655	Structure of cysteine- and glycine-rich protein CRP2. Backbone dynamics reveal motional freedom and independent spatial orientation of the lim domains. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 23233-40	5.4	36
1654	Structure and topography of the membrane-binding C2 domain of factor VIII in the presence of dodecylphosphocholine micelles. <i>Biochemical Journal</i> , <b>1998</b> , 332 ( Pt 2), 549-55	3.8	19



1653	Studies on the structure of a transmembrane region and a cytoplasmic loop of the human red cell anion exchanger (band 3, AE1). <b>1998</b> , 26, 516-20		1
1652	Structure of the G-protein-coupled receptor, rhodopsin: a domain approach. <b>1998</b> , 26, 520-31		18
1651	Topographic analysis of the S7 binding subsite of the tachykinin neurokinin-1 receptor. <b>1998</b> , 39, 133-147		3
1650	The evolutionarily conserved Dim1 protein defines a novel branch of the thioredoxin fold superfamily. <b>1999</b> , 1, 109-18		20
1649	Binding of elongin A or a von Hippel-Lindau peptide stabilizes the structure of yeast elongin C. <b>1999</b> , 96, 9033-8		23
1648	Alpha-helix nucleation by a calcium-binding peptide loop. <b>1999</b> , 96, 903-8		69
1647	Configuration of the catalytic GIY-YIG domain of intron endonuclease I-TevI: coincidence of computational and molecular findings. <b>1999</b> , 27, 2115-25		91
1646	Identification and structure characterization of a Cdk inhibitory peptide derived from neuronal-specific Cdk5 activator. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 7120-7	5-4	10
1645	Dissociation of antimicrobial and hemolytic activities in cyclic peptide diastereomers by systematic alterations in amphipathicity. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 13181-92	5-4	215
1644	Structure of two fragments of the third cytoplasmic loop of the rat angiotensin II AT1A receptor. Implications with respect to receptor activation and G-protein selection and coupling. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 227-35	5-4	39
1643	Self-association and domains of interactions of an amphipathic helix peptide inhibitor of HIV-1 integrase assessed by analytical ultracentrifugation and NMR experiments in trifluoroethanol/H <sub>2</sub> O mixtures. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 34174-85	5-4	21
1642	Tetrameric octi(p-phenylene) self-assemblies in aqueous solution: proof of principle of a novel suprastructural motif. <b>1999</b> , 40, 4623-4625		4
1641	Apparent proton affinities of highly charged peptide ions. <b>1999</b> , 10, 483-91		15
1640	Two new beta-strand mimics. <b>1999</b> , 7, 29-38		25
1639	NMR structural characterization of cecropin A(1-8) - magainin 2(1-12) and cecropin A (1-8) - melittin (1-12) hybrid peptides. <b>1999</b> , 53, 578-89		39
1638	NMR analysis of human salivary mucin (MUC7) derived O-linked model glycopeptides: comparison of structural features and carbohydrate-peptide interactions. <b>1999</b> , 54, 290-310		41
1637	Folding and conformational analysis of AVR9 peptide elicitors of the fungal tomato pathogen <i>Cladosporium fulvum</i> . <b>1999</b> , 264, 9-18		16
1636	Host defence peptides from the skin glands of the Australian blue mountains tree-frog <i>Litoria citropa</i> . Solution structure of the antibacterial peptide citropin 1.1. <b>1999</b> , 265, 627-37		65

1635	Type I beta-turn conformation is important for biological activity of the melanocyte-stimulating hormone analogues. <b>1999</b> , 265, 430-40		28
1634	Inherent flexibility in a potent inhibitor of blood coagulation, recombinant nematode anticoagulant protein c2. <b>1999</b> , 265, 539-48		36
1633	Solution structure of a new hypothalamic neuropeptide, human hypocretin-2/orexin-B. <b>1999</b> , 266, 831-9		54
1632	The dimerization and topological specificity functions of MinE reside in a structurally autonomous C-terminal domain. <b>1999</b> , 31, 1161-9		34
1631	A synthetic peptide adhesion epitope as a novel antimicrobial agent. <b>1999</b> , 17, 42-7		89
1630	Resonance assignment of <sup>13</sup> C/ <sup>15</sup> N labeled solid proteins by two- and three-dimensional magic-angle-spinning NMR. <b>1999</b> , 15, 1-14		122
1629	Enhanced protein fold recognition using secondary structure information from NMR. <i>Protein Science</i> , <b>1999</b> , 8, 1127-33	6.3	20
1628	Folding propensities of synthetic peptide fragments covering the entire sequence of phage 434 Cro protein. <i>Protein Science</i> , <b>1999</b> , 8, 1675-88	6.3	12
1627	Structural changes in the C-terminus of Ca <sup>2+</sup> -bound rat S100B (beta beta) upon binding to a peptide derived from the C-terminal regulatory domain of p53. <i>Protein Science</i> , <b>1999</b> , 8, 1743-51	6.3	39
1626	Studies on solution NMR structure of brazzein : Secondary structure and molecular scaffold. <b>1999</b> , 42, 409-19		3
1625	The solution structure of a [3Fe-4S] ferredoxin: oxidised ferredoxin II from <i>Desulfovibrio gigas</i> . <b>1999</b> , 4, 421-30		19
1624	Candidacidal activity prompted by N-terminus histatin-like domain of human salivary mucin (MUC7)1. <b>1999</b> , 1431, 107-19		44
1623	Helical structure and self-association in a 13 residue neuropeptide YY2 receptor agonist: relationship to biological activity. <b>1999</b> , 1435, 127-37		12
1622	The solution structure of VAT-N reveals a 'missing link' in the evolution of complex enzymes from a simple betaalphanbetabeta element. <b>1999</b> , 9, 1158-68		90
1621	Novel mode of ligand binding by the SH2 domain of the human XLP disease gene product SAP/SH2D1A. <b>1999</b> , 9, 1355-62		97
1620	Solution structure of a pair of modules from the gelatin-binding domain of fibronectin. <i>Structure</i> , <b>1999</b> , 7, 1451-60	5.2	19
1619	Solution structure of a conformationally constrained Arg-Gly-Asp-like motif inserted into the alpha/beta scaffold of leurotoxin I. <b>1999</b> , 260, 810-7		5
1618	NMR studies of the C-terminal secretion signal of the haem-binding protein, HasA. <b>1999</b> , 261, 562-8		34

1617	1H-NMR structural studies of a cystine-linked peptide containing residues 71-93 of transthyretin and effects of a Ser84 substitution implicated in familial amyloidotic polyneuropathy. <b>1999</b> , 262, 586-94		8
1616	Structure and dynamics of the B12-binding subunit of glutamate mutase from <i>Clostridium cochlearium</i> . <b>1999</b> , 263, 178-88		23
1615	1H and 15N chemical shift assignments of a carboxy-terminal functional domain of the bacteriophage P22 scaffolding protein. <b>1999</b> , 37, 602-604		2
1614	An nmr conformational analysis of a synthetic peptide Cn2(1-15)NH <sub>2</sub> -S-S-acetyl-Cn2(52-66)NH <sub>2</sub> from the New World <i>Centruroides noxius</i> 2 (Cn2) scorpion toxin: comparison of the structure with those of the <i>Centruroides</i> scorpion toxins. <b>1999</b> , 49, 277-86		1
1613	A light-harvesting antenna protein retains its folded conformation in the absence of protein-lipid and protein-pigment interactions. <b>1999</b> , 49, 361-72		17
1612	Characterization of a type of $\beta$ -bend ribbon spiral generated by the repeating (Xaa $\beta$ Yaa $\beta$ Zib $\beta$ Pro) motif: The solution structure of harzianin HC IX, a 14-residue peptaibol forming voltage-dependent ion channels. <b>1999</b> , 50, 71-85		26
1611	The study of the conformation and interaction of two tachykinin peptides in membrane mimicking systems by NMR spectroscopy and pulsed field gradient diffusion. <b>1999</b> , 50, 555-68		20
1610	Solution structure of potassium channel-inhibiting scorpion toxin Lq2. <b>1999</b> , 34, 417-26		14
1609	Solution structure and RNA-binding activity of the N-terminal leucine-repeat region of hepatitis delta antigen. <b>1999</b> , 37, 121-9		27
1608	Conformational studies by NMR of the antimicrobial peptide, drosocin, and its non-glycosylated derivative: effects of glycosylation on solution conformation. <i>Biochemistry</i> , <b>1999</b> , 38, 705-14	3.2	65
1607	Zn(2+) ions selectively induce antimicrobial salivary peptide histatin-5 to fuse negatively charged vesicles. Identification and characterization of a zinc-binding motif present in the functional domain. <i>Biochemistry</i> , <b>1999</b> , 38, 9626-33	3.2	66
1606	Pi7, an orphan peptide from the scorpion <i>Pandinus imperator</i> : a 1H-NMR analysis using a nano-NMR Probe. <i>Biochemistry</i> , <b>1999</b> , 38, 16756-65	3.2	29
1605	Solution conformation of brazzein by 1H nuclear magnetic resonance: resonance assignment and secondary structure. <b>1999</b> , 24, 351-9		12
1604	<i>Trypanosoma cruzi</i> : conformational preferences of antigenic peptides bearing the immunodominant epitope of the B13 antigen. <b>1999</b> , 93, 38-44		9
1603	1H NMR study of robustoxin, the lethal neurotoxin from the funnel web spider <i>Atrax robustus</i> . <b>1999</b> , 37, 485-506		5
1602	The structure of human parathyroid hormone-related protein(1-34) in near-physiological solution. <b>1999</b> , 444, 239-44		23
1601	NMR assignments and secondary structure of the UvrC binding domain of UvrB. <b>1999</b> , 451, 181-5		16
1600	NMR structure of a minimized human agouti related protein prepared by total chemical synthesis. <b>1999</b> , 451, 125-31		68

1599	Solution structure of neuromedin B by (1)H nuclear magnetic resonance spectroscopy. <b>1999</b> , 460, 263-9		17
1598	Solution structure of the proapoptotic molecule BID: a structural basis for apoptotic agonists and antagonists. <b>1999</b> , 96, 625-34		347
1597	Higher-Order Structure of Polymyxin B: The Functional Significance of Topological Flexibility. <i>Journal of the American Chemical Society</i> , <b>1999</b> , 121, 11993-12004	16.4	42
1596	Solution structure of carnobacteriocin B2 and implications for structure-activity relationships among type IIa bacteriocins from lactic acid bacteria. <i>Biochemistry</i> , <b>1999</b> , 38, 15438-47	3.2	86
1595	Structure of the active domain of the herpes simplex virus protein ICP47 in water/sodium dodecyl sulfate solution determined by nuclear magnetic resonance spectroscopy. <i>Biochemistry</i> , <b>1999</b> , 38, 13692-8 <sup>2</sup>	3.2	39
1594	Comparison of the solution conformations of a cell-adhesive peptide LBE and its reverse sequence EBL. <b>1999</b> , 17, 429-44		9
1593	Troponin I inhibitory peptide (96-115) has an extended conformation when bound to skeletal muscle troponin C. <i>Biochemistry</i> , <b>1999</b> , 38, 6911-7	3.2	22
1592	<sup>1</sup> H-NMR and circular dichroism spectroscopic studies on changes in secondary structures of the sodium channel inactivation gate peptides as caused by the pentapeptide KIFMK. <b>1999</b> , 77, 1363-73		10
1591	Structure of the 1-36 amino-terminal fragment of human phospholamban by nuclear magnetic resonance and modeling of the phospholamban pentamer. <b>1999</b> , 76, 1784-95		53
1590	Solution structure of the chicken cysteine-rich protein, CRP1, a double-LIM protein implicated in muscle differentiation. <i>Biochemistry</i> , <b>1999</b> , 38, 5701-13	3.2	43
1589	Folding of an Artificial $\beta$ -Sheet in Competitive Solvents. <b>1999</b> , 64, 2527-2531		18
1588	The glycine residue in cyclic lactam analogues of galanin(1-16)-NH <sub>2</sub> is important for stabilizing an N-terminal helix. <i>Biochemistry</i> , <b>1999</b> , 38, 15295-304	3.2	28
1587	Structural correlates for enhanced stability in the E2 DNA-binding domain from bovine papillomavirus. <i>Biochemistry</i> , <b>1999</b> , 38, 16115-24	3.2	20
1586	Self-Assembled Rigid-Rod Ionophores. <i>Journal of the American Chemical Society</i> , <b>1999</b> , 121, 4294-4295	16.4	68
1585	A Chemical Model of a Protein $\beta$ -Sheet Dimer. <i>Journal of the American Chemical Society</i> , <b>1999</b> , 121, 8409-8410	16.4	52
1584	Secondary structure and fold homology of the ArsC protein from the Escherichia coli arsenic resistance plasmid R773. <i>Biochemistry</i> , <b>1999</b> , 38, 10178-86	3.2	12
1583	Solution structure and orientation of the transmembrane anchor domain of the HIV-1-encoded virus protein U by high-resolution and solid-state NMR spectroscopy. <i>Biochemistry</i> , <b>1999</b> , 38, 5272-82	3.2	69
1582	Nmr Structural Studies Of Iron-Sulfur Proteins. <b>1999</b> , 37, 119-177		6

1581	Solution structure of the N-terminal F1 module pair from human fibronectin. <i>Biochemistry</i> , <b>1999</b> , 38, 8304-12	3.2	35
1580	Molecular complex of cholecystokinin-8 and N-terminus of the cholecystokinin A receptor by NMR spectroscopy. <i>Biochemistry</i> , <b>1999</b> , 38, 14775-83	3.2	91
1579	Energetics of Weak Interactions in a Hairpin Peptide: Electrostatic and Hydrophobic Contributions to Stability from Lysine Salt Bridges. <i>Journal of the American Chemical Society</i> , <b>1999</b> , 121, 11615-11620	16.4	71
1578	Structural similarities between the N-terminal domain of <i>Clostridium pasteurianum</i> hydrogenase and plant-type ferredoxins. <i>Biochemistry</i> , <b>1999</b> , 38, 1938-43	3.2	10
1577	A single-point mutation in the extreme heat- and pressure-resistant sso7d protein from <i>Sulfolobus solfataricus</i> leads to a major rearrangement of the hydrophobic core. <i>Biochemistry</i> , <b>1999</b> , 38, 12709-17	3.2	34
1576	NMR mapping of the recombinant mouse major urinary protein I binding site occupied by the pheromone 2-sec-butyl-4,5-dihydrothiazole. <i>Biochemistry</i> , <b>1999</b> , 38, 9850-61	3.2	54
1575	Structural analysis of the heparin-binding site of the NC1 domain of collagen XIV by CD and NMR. <i>Biochemistry</i> , <b>1999</b> , 38, 6479-88	3.2	30
1574	Site-specific deuterium order parameters and membrane-bound behavior of a peptide fragment from the intracellular domain of HIV-1 gp41. <i>Biochemistry</i> , <b>1999</b> , 38, 6327-34	3.2	42
1573	NMR-Based Quantification of Sheet Populations in Aqueous Solution through Use of Reference Peptides for the Folded and Unfolded States. <i>Journal of the American Chemical Society</i> , <b>1999</b> , 121, 11577-11578	16.4	109
1572	Conformation of human apolipoprotein C-I in a lipid-mimetic environment determined by CD and NMR spectroscopy. <i>Biochemistry</i> , <b>1999</b> , 38, 14475-84	3.2	42
1571	Solution structure by NMR of circulin A: a macrocyclic knotted peptide having anti-HIV activity. <b>1999</b> , 285, 333-45		102
1570	Solution structures of micelle-bound amyloid beta-(1-40) and beta-(1-42) peptides of Alzheimer's disease. <b>1999</b> , 285, 755-73		279
1569	NMR structure of the (52-96) C-terminal domain of the HIV-1 regulatory protein Vpr: molecular insights into its biological functions. <b>1999</b> , 285, 2105-17		93
1568	Structural studies on the effects of the deletion in the red cell anion exchanger (band 3, AE1) associated with South East Asian ovalocytosis. <b>1999</b> , 285, 1289-307		26
1567	NMR structures and activity of a novel alpha-like toxin from the scorpion <i>Leiurus quinquestriatus hebraeus</i> . <b>1999</b> , 285, 1749-63		67
1566	Temperature dependence of intramolecular dynamics of the basic leucine zipper of GCN4: implications for the entropy of association with DNA. <b>1999</b> , 285, 2133-46		201
1565	Structure, backbone dynamics and interactions with RNA of the C-terminal RNA-binding domain of a mouse neural RNA-binding protein, Musashi1. <b>1999</b> , 287, 315-30		43
1564	Structure and interactions with RNA of the N-terminal UUAG-specific RNA-binding domain of hnRNP D0. <b>1999</b> , 287, 221-37		42

1563	Solution structure of the transactivation domain of ATF-2 comprising a zinc finger-like subdomain and a flexible subdomain. <b>1999</b> , 287, 593-607		49
1562	The solution structure and dynamics of human neutrophil gelatinase-associated lipocalin. <b>1999</b> , 289, 139-57		76
1561	Characterization of the binding interface between ubiquitin and class I human ubiquitin-conjugating enzyme 2b by multidimensional heteronuclear NMR spectroscopy in solution. <b>1999</b> , 290, 213-28		86
1560	Mutational analysis and NMR spectroscopy of quail cysteine and glycine-rich protein CRP2 reveal an intrinsic segmental flexibility of LIM domains. <b>1999</b> , 292, 893-908		19
1559	Dissecting the stability of a beta-hairpin peptide that folds in water: NMR and molecular dynamics analysis of the beta-turn and beta-strand contributions to folding. <b>1999</b> , 292, 1051-69		152
1558	The roles of side chain and backbone in protein structure probed with glycine- and sarcosine-rich synthetic leucine zipper peptides. <b>1999</b> , 265, 350-5		1
1557	Solution Structure of a Designed Four- $\alpha$ -Helix Bundle Maquette Scaffold. <i>Journal of the American Chemical Society</i> , <b>1999</b> , 121, 4941-4951	16.4	75
1556	Structural features of a peptide corresponding to human kappa-casein residues 84-101 by $^1\text{H}$ -nuclear magnetic resonance spectroscopy. <b>1999</b> , 66, 53-63		8
1555	Domain approach to three-dimensional structure of rhodopsin using high-resolution nuclear magnetic resonance. <b>2000</b> , 315, 107-15		21
1554	Structure-function relationships in novel peptide dodecamers with broad-spectrum bactericidal and endotoxin-neutralizing activities. <i>Biochemical Journal</i> , <b>2000</b> , 349 Pt 3, 717-28	3.8	27
1553	NMR spectroscopy: a multifaceted approach to macromolecular structure. <b>2000</b> , 33, 29-65		203
1552	Synthesis and conformational analysis of apamin analogues with natural and non-natural cystine/selenocystine connectivities. <b>2000</b> , 53, 550-64		65
1551	Solution structure of BmKTX, a K <sup>+</sup> blocker toxin from the Chinese scorpion <i>Buthus Martensi</i> . <b>2000</b> , 38, 70-8		35
1550	Structural and functional differences of two toxins from the scorpion <i>Pandinus imperator</i> . <b>2000</b> , 38, 441-9		6
1549	Structural consequences of an amino acid deletion in the B1 domain of protein G. <b>2000</b> , 41, 323-33		7
1548	Chemical synthesis, characterization and activity of RK-1, a novel alpha-defensin-related peptide. <b>2000</b> , 6, 19-25		14
1547	Non-sequential vasopressin peptides. Stereochemistry and biological activity. <b>2000</b> , 6, 123-9		
1546	High resolution MAS-NMR in combinatorial chemistry. <b>2000</b> , 71, 130-48		26

1545	A solid-state NMR index of helical membrane protein structure and topology. <b>2000</b> , 144, 150-5	314
1544	A Designed Hairpin Containing a Natural Hydrophobic Cluster. <b>2000</b> , 112, 2420-2423	15
1543	The structure of the membrane-binding 38 C-terminal residues from bovine PP3 determined by liquid- and solid-state NMR spectroscopy. <b>2000</b> , 267, 188-99	11
1542	Maculatin 1.1, an anti-microbial peptide from the Australian tree frog, <i>Litoria genimaculata</i> solution structure and biological activity. <b>2000</b> , 267, 1894-908	83
1541	The NMR solution structure of the ion channel peptaibol chrysospermin C bound to dodecylphosphocholine micelles. <b>2000</b> , 267, 1784-94	23
1540	Solution structure of the antimicrobial peptide gaegurin 4 by H and <sup>15</sup> N nuclear magnetic resonance spectroscopy. <b>2000</b> , 267, 2695-704	34
1539	Folding of a beta-hairpin peptide derived from the N-terminus of ubiquitin. Conformational preferences of beta-turn residues dictate non-native beta-strand interactions. <b>2000</b> , 267, 3539-48	25
1538	Conotoxin TVIIA, a novel peptide from the venom of <i>Conus tulipa</i> 2. Three-dimensional solution structure. <b>2000</b> , 267, 4649-57	12
1537	The antibiotic and anticancer active aurein peptides from the Australian Bell Frogs <i>Litoria aurea</i> and <i>Litoria raniformis</i> the solution structure of aurein 1.2. <b>2000</b> , 267, 5330-41	197
1536	Structural study of the sodium channel inactivation gate peptide including an isoleucine-phenylalanine-methionine motif and its analogous peptide (phenylalanine/glutamine) in trifluoroethanol solutions and SDS micelles. <b>2000</b> , 56, 172-84	10
1535	The Chemical Shift Index method applied to resin-bound peptides. <b>2000</b> , 56, 346-51	1
1534	Synthetic protein design: construction of a four-stranded beta-sheet structure and evaluation of its integrity in methanol-water systems. <b>2000</b> , 56, 307-17	13
1533	Templating peptide folding on the surface of a micelle: nucleating the formation of a beta-hairpin. <b>2000</b> , 10, 1139-42	9
1532	Structure of the negative regulatory domain of p53 bound to S100B(beta-beta). <b>2000</b> , 7, 570-4	267
1531	Solution structures of two CCHC zinc fingers from the FOG family protein U-shaped that mediate protein-protein interactions. <i>Structure</i> , <b>2000</b> , 8, 1157-66	5.2 36
1530	Local interactions and the role of the 6-120 disulfide bond in alpha-lactalbumin: implications for formation of the molten globule state. <b>2000</b> , 1476, 9-19	4
1529	Pressure effect on the dynamics of an isolated alpha-helix studied by <sup>15</sup> N- <sup>1</sup> H NMR relaxation. <b>2000</b> , 17, 257-63	21
1528	DipoCoup: A versatile program for 3D-structure homology comparison based on residual dipolar couplings and pseudocontact shifts. <b>2000</b> , 17, 283-94	69



1527	The influence of DNA binding on the backbone dynamics of the yeast cell-cycle protein Mbp1. <b>2000</b> , 16, 183-96		17
1526	<sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N assignments of un-myristoylated Ca <sup>2+</sup> -frequentin, a synaptic efficacy modulator. <b>2000</b> , 16, 85-6		7
1525	Random coil chemical shifts in acidic 8 M urea: implementation of random coil shift data in NMRView. <b>2000</b> , 18, 43-8		258
1524	The structure and dynamics in solution of Cu(I) pseudoazurin from <i>Paracoccus pantotrophus</i> . <i>Protein Science</i> , <b>2000</b> , 9, 846-58	6.3	20
1523	Synthesis and NMR solution structure of an alpha-helical hairpin stapled with two disulfide bridges. <i>Protein Science</i> , <b>2000</b> , 9, 942-55	6.3	29
1522	Initial denaturing conditions influence the slow folding phase of acylphosphatase associated with proline isomerization. <i>Protein Science</i> , <b>2000</b> , 9, 1466-73	6.3	4
1521	NMR investigation of the interaction of the inhibitor protein Im9 with its partner DNase. <i>Protein Science</i> , <b>2000</b> , 9, 1709-18	6.3	8
1520	Receptor recognition by a hepatitis B virus reveals a novel mode of high affinity virus-receptor interaction. <i>EMBO Journal</i> , <b>2000</b> , 19, 1217-27	13	45
1519	Backbone resonance assignment of human UBC4. <b>2000</b> , 18, 363-4		3
1518	Unordered structure of proinsulin C-peptide in aqueous solution and in the presence of lipid vesicles. <b>2000</b> , 57, 337-42		26
1517	The transmembrane domains of hepatitis C virus envelope glycoproteins E1 and E2 play a major role in heterodimerization. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 31428-37	5.4	124
1516	The transactivation domain within cysteine/histidine-rich region 1 of CBP comprises two novel zinc-binding modules. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 15128-34	5.4	37
1515	Isoform-specific differences between the type I $\alpha$ and II $\alpha$ cyclic AMP-dependent protein kinase anchoring domains revealed by solution NMR. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 35146-52	5.4	43
1514	Structure of tuberoindubular peptide of 39 residues. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 27284-90	5.4	9
1513	The NOESY jigsaw: automated protein secondary structure and main-chain assignment from sparse, unassigned NMR data. <b>2000</b> , 7, 537-58		71
1512	The first selective agonist for the neuropeptide YY5 receptor increases food intake in rats. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 36043-8	5.4	154
1511	Analysis by NMR spectroscopy of the structural homology between the linear and the cyclic peptide recognized by anti-human leukocyte antigen class I monoclonal antibody TP25.99*. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 24679-85	5.4	3
1510	Secondary structure and structure-activity relationships of peptides corresponding to the subunit interface of herpes simplex virus DNA polymerase. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 472-8	5.4	22



1509	Heparin-binding growth-associated molecule contains two heparin-binding beta -sheet domains that are homologous to the thrombospondin type I repeat. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 13564-70	5-4	84
1508	Development of the structural basis for antimicrobial and hemolytic activities of peptides based on gramicidin S and design of novel analogs using NMR spectroscopy. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 14287-94	5-4	54
1507	Requirement of specific intrahelical interactions for stabilizing the inactive conformation of glycoprotein hormone receptors. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 37860-9	5-4	28
1506	Secondary structure and calcium-induced folding of the <i>Clostridium thermocellum</i> dockerin domain determined by NMR spectroscopy. <b>2000</b> , 379, 237-44		56
1505	Solution structures of human parathyroid hormone fragments hPTH(1-34) and hPTH(1-39) and bovine parathyroid hormone fragment bPTH(1-37). <b>2000</b> , 267, 213-20		62
1504	Structure of the cytoplasmic domain of p23 in solution: implications for the formation of COPI vesicles. <b>2000</b> , 271, 401-8		9
1503	Solution structure of a designed amphipathic antimicrobial synthetic peptide, PGAA. <b>2000</b> , 276, 1278-85		2
1502	NMR solution structure of the inserted domain of human leukocyte function associated antigen-1. <b>2000</b> , 295, 1251-64		65
1501	Solution structure and dynamics of the Rous sarcoma virus capsid protein and comparison with capsid proteins of other retroviruses. <b>2000</b> , 296, 633-49		106
1500	Metal-dependent conformational changes in a recombinant vWF-A domain from human factor B: a solution study by circular dichroism, fourier transform infrared and (1)H NMR spectroscopy. <b>2000</b> , 298, 135-47		18
1499	The solution structure of <i>Rhodobacter sphaeroides</i> LH1beta reveals two helical domains separated by a more flexible region: structural consequences for the LH1 complex. <b>2000</b> , 298, 83-94		49
1498	Molten globule structure of equine beta-lactoglobulin probed by hydrogen exchange. <b>2000</b> , 299, 757-70		51
1497	Solution conformation and amyloid-like fibril formation of a polar peptide derived from a beta-hairpin in the OspA single-layer beta-sheet. <b>2000</b> , 301, 477-89		59
1496	NMR solution structure of hPar14 reveals similarity to the peptidyl prolyl cis/trans isomerase domain of the mitotic regulator hPin1 but indicates a different functionality of the protein. <b>2000</b> , 301, 1003-17		59
1495	Formation of nNOS/PSD-95 PDZ dimer requires a preformed beta-finger structure from the nNOS PDZ domain. <b>2000</b> , 303, 359-70		103
1494	Rapid determination of protein folds using residual dipolar couplings. <b>2000</b> , 304, 447-60		97
1493	Activation barriers to structural transition determine deposition rates of Alzheimer's disease a beta amyloid. <b>2000</b> , 130, 174-83		57
1492	Review: model peptides and the physicochemical approach to beta-amyloids. <b>2000</b> , 130, 153-73		103

1491	Characterization of parathyroid hormone/receptor interactions: structure of the first extracellular loop. <i>Biochemistry</i> , <b>2000</b> , 39, 8153-60	3.2	77
1490	Structure-function relationships of the NMDA receptor antagonist peptide, conantokin-R. <b>2000</b> , 470, 139-46		21
1489	An Unnatural Amino Acid that Mimics a Tripeptide $\beta$ -Strand and Forms $\beta$ -Sheetlike Hydrogen-Bonded Dimers. <i>Journal of the American Chemical Society</i> , <b>2000</b> , 122, 7654-7661	16.4	130
1488	Structural and dynamic characterization of omega-conotoxin MVIIA: the binding loop exhibits slow conformational exchange. <i>Biochemistry</i> , <b>2000</b> , 39, 3908-19	3.2	36
1487	Solution structure of O-glycosylated C-terminal leucine zipper domain of human salivary mucin (MUC7). <b>2000</b> , 18, 145-54		3
1486	NMR studies of the anti-apoptotic protein Bcl-xL in micelles. <i>Biochemistry</i> , <b>2000</b> , 39, 11024-33	3.2	93
1485	Oligopeptide-Mediated Stabilization of the $\beta$ -Helix of a Prion Protein Peptide. <i>Journal of the American Chemical Society</i> , <b>2000</b> , 122, 12596-12597	16.4	5
1484	Structure, Folding, and Energetics of Cooperative Interactions between the $\beta$ -Strands of a de Novo Designed Three-Stranded Antiparallel $\beta$ -Sheet Peptide. <i>Journal of the American Chemical Society</i> , <b>2000</b> , 122, 8350-8356	16.4	109
1483	High-Resolution Magic Angle Spinning NMR Study of Resin-Bound Polyalanine Peptides. <i>Journal of the American Chemical Society</i> , <b>2000</b> , 122, 1789-1795	16.4	52
1482	Structure and calcium-binding properties of Frq1, a novel calcium sensor in the yeast <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , <b>2000</b> , 39, 12149-61	3.2	108
1481	Nuclear magnetic resonance studies of the N-terminal fragment of adenosine diphosphate ribosylation factor 1 in micelles and bicelles: influence of N-myristoylation. <i>Biochemistry</i> , <b>2000</b> , 39, 3804-3816	3.2	33
1480	Solution structures in SDS micelles and functional activity at the bullfrog substance P receptor of ranatachykinin peptides. <b>2000</b> , 43, 1741-53		20
1479	Structural effects of O-glycosylation on a 15-residue peptide from the mucin (MUC1) core protein. <i>Biochemistry</i> , <b>2000</b> , 39, 12076-82	3.2	57
1478	Conformational changes in the PBX homeodomain and C-terminal extension upon binding DNA and HOX-derived YPWM peptides. <i>Biochemistry</i> , <b>2000</b> , 39, 9943-50	3.2	21
1477	Solution structure of BmP02, a new potassium channel blocker from the venom of the Chinese scorpion <i>Buthus martensi</i> Karsch. <i>Biochemistry</i> , <b>2000</b> , 39, 13669-75	3.2	17
1476	Transient structure of the amyloid precursor protein cytoplasmic tail indicates preordering of structure for binding to cytosolic factors. <i>Biochemistry</i> , <b>2000</b> , 39, 2714-25	3.2	77
1475	Structure and dynamics of an acid-denatured protein G mutant. <i>Biochemistry</i> , <b>2000</b> , 39, 965-77	3.2	38
1474	Solid-State NMR Determination of $^{13}\text{C}$ Chemical Shift Anisotropies for the Identification of Protein Secondary Structure. <i>Journal of the American Chemical Society</i> , <b>2000</b> , 122, 3762-3770	16.4	47

1473	Characterization of the DNA-binding domains from the yeast cell-cycle transcription factors Mbp1 and Swi4. <i>Biochemistry</i> , <b>2000</b> , 39, 3943-54	3.2	41
1472	Role of the hinge region and the tryptophan residue in the synthetic antimicrobial peptides, cecropin A(1-8)-magainin 2(1-12) and its analogues, on their antibiotic activities and structures. <i>Biochemistry</i> , <b>2000</b> , 39, 11855-64	3.2	144
1471	Investigation of the DsbA mechanism through the synthesis and analysis of an irreversible enzyme-ligand complex. <i>Biochemistry</i> , <b>2000</b> , 39, 6732-42	3.2	23
1470	Structure of the complex of Cdc42Hs with a peptide derived from P-21 activated kinase. <i>Biochemistry</i> , <b>2000</b> , 39, 3963-71	3.2	40
1469	Cooperative assembly of a natively like ubiquitin structure through peptide fragment complexation: energetics of peptide association and folding. <i>Biochemistry</i> , <b>2000</b> , 39, 12355-64	3.2	40
1468	Discovery of potent antagonists of the interaction between human double minute 2 and tumor suppressor p53. <b>2000</b> , 43, 3205-8		230
1467	Identification of initiation sites for T4 lysozyme folding using CD and NMR spectroscopy of peptide fragments. <i>Biochemistry</i> , <b>2000</b> , 39, 5911-20	3.2	17
1466	Solution structure of monomeric peptide YY supports the functional significance of the PP-fold. <i>Biochemistry</i> , <b>2000</b> , 39, 9935-42	3.2	39
1465	Dual structural requirements for multilineage hematopoietic-suppressive activity of chemokine-derived peptides. <i>Biochemistry</i> , <b>2000</b> , 39, 9612-22	3.2	5
1464	NMR solution structure and receptor peptide binding of the CC chemokine eotaxin-2. <i>Biochemistry</i> , <b>2000</b> , 39, 8382-95	3.2	57
1463	Introduction to NMR of proteins. <b>2001</b> , Chapter 17, Unit 17.5		2
1462	Structure and binding specificity of the second N-terminal cellulose-binding domain from <i>Cellulomonas fimi</i> endoglucanase C. <i>Biochemistry</i> , <b>2000</b> , 39, 2445-58	3.2	50
1461	Conformational analysis of a glycosylated human myelin oligodendrocyte glycoprotein peptide epitope able to detect antibody response in multiple sclerosis. <b>2001</b> , 44, 2378-81		36
1460	A new structure for the substrate-binding antibiotic ramoplanin. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 8640-1	16.4	36
1459	Sequence-dependent correction of random coil NMR chemical shifts. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 2970-8	16.4	509
1458	Kinase recognition by calmodulin: modeling the interaction with the autoinhibitory region of human cardiac titin kinase. <b>2001</b> , 306, 81-95		6
1457	The solution structure of C1-T1, a two-domain proteinase inhibitor derived from a circular precursor protein from <i>Nicotiana glauca</i> . <b>2001</b> , 306, 69-79		18
1456	Solution structure and dynamics of the central CCP module pair of a poxvirus complement control protein. <b>2001</b> , 307, 323-39		52

1455	Solution structure of a type I dockerin domain, a novel prokaryotic, extracellular calcium-binding domain. <b>2001</b> , 307, 745-53		74
1454	Comparison of the structural and dynamical properties of holo and apo bovine alpha-lactalbumin by NMR spectroscopy. <b>2001</b> , 307, 885-98		58
1453	Phosphorylation-induced structural changes in the amyloid precursor protein cytoplasmic tail detected by NMR. <b>2001</b> , 307, 871-84		126
1452	The solution structure of the N-terminal domain of riboflavin synthase. <b>2001</b> , 309, 949-60		54
1451	The B(12)-binding subunit of glutamate mutase from <i>Clostridium tetanomorphum</i> traps the nucleotide moiety of coenzyme B(12). <b>2001</b> , 309, 777-91		28
1450	Structure of the C-terminal RNA-binding domain of hnRNP D0 (AUF1), its interactions with RNA and DNA, and change in backbone dynamics upon complex formation with DNA. <b>2001</b> , 311, 973-88		35
1449	Solution NMR structure and folding dynamics of the N terminus of a rat non-muscle alpha-tropomyosin in an engineered chimeric protein. <b>2001</b> , 312, 833-47		65
1448	Solution structure of the squash trypsin inhibitor MCoTI-II. A new family for cyclic knottins. <i>Biochemistry</i> , <b>2001</b> , 40, 7973-83	3.2	152
1447	A simple approach to membrane protein secondary structure and topology based on NMR spectroscopy. <b>2001</b> , 80, 994-1003		75
1446	Molecular scaffold of a new pokeweed antifungal peptide deduced by <sup>1</sup> H nuclear magnetic resonance. <b>2001</b> , 29, 251-8		5
1445	The interface between microbiology and structural biology as viewed by nuclear magnetic resonance. <b>2001</b> , 152, 697-705		2
1444	Secondary structure of human apolipoprotein A-I(1-186) in lipid-mimetic solution. <b>2001</b> , 487, 390-6		24
1443	Chemical shift mapping of shikimate-3-phosphate binding to the isolated N-terminal domain of 5-enolpyruvylshikimate-3-phosphate synthase. <b>2001</b> , 499, 182-6		13
1442	Turn structures in CGRP C-terminal analogues promote stable arrangements of key residue side chains. <i>Biochemistry</i> , <b>2001</b> , 40, 8317-25	3.2	41
1441	A triply templated artificial beta-sheet. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 5176-80	16.4	41
1440	Monomeric solution structure of the prototypical 'C' chemokine lymphotactin. <i>Biochemistry</i> , <b>2001</b> , 40, 12486-96	3.2	47
1439	Compatibility of the thioamide functional group with beta-sheet secondary structure: incorporation of a thioamide linkage into a beta-hairpin peptide. <b>2001</b> , 3, 3373-5		67
1438	Quantum Chemical Study on Oxygen-17 and Nitrogen-14 Nuclear Quadrupole Coupling Parameters of Peptide Bonds in $\alpha$ -Helix and $\beta$ -Sheet Proteins. <b>2001</b> , 105, 4546-4557		21

1437	Solution structure of the toluene 4-monooxygenase effector protein (T4moD). <i>Biochemistry</i> , <b>2001</b> , 40, 3512-24	3.2	26
1436	Conversion of phospholamban into a soluble pentameric helical bundle. <i>Biochemistry</i> , <b>2001</b> , 40, 6636-45	3.2	33
1435	Solution Structure and Backbone Dynamics of the Defunct Domain of Calcium Vector Protein□ <i>Biochemistry</i> , <b>2001</b> , 40, 13888-13897	3.2	13
1434	Evidence of secondary structure by high-resolution magic angle spinning NMR spectroscopy of a bioactive peptide bound to different solid supports. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 4130-8	16.4	35
1433	Solution structure of PAFP-S: a new knottin-type antifungal peptide from the seeds of <i>Phytolacca americana</i> . <i>Biochemistry</i> , <b>2001</b> , 40, 10973-8	3.2	46
1432	NMR solution structure and backbone dynamics of the CC chemokine eotaxin-3. <i>Biochemistry</i> , <b>2001</b> , 40, 7820-31	3.2	30
1431	The NMR structure of human beta-defensin-2 reveals a novel alpha-helical segment. <i>Biochemistry</i> , <b>2001</b> , 40, 3810-6	3.2	115
1430	A minimal peptide scaffold for beta-turn display: optimizing a strand position in disulfide-cyclized beta-hairpins. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 625-32	16.4	132
1429	Solution structure of HI0257, a bacterial ribosome binding protein. <i>Biochemistry</i> , <b>2001</b> , 40, 10979-86	3.2	11
1428	Stability and global fold of the mouse prohormone convertase 1 pro-domain. <i>Biochemistry</i> , <b>2001</b> , 40, 5488-95	3.2	21
1427	Interaction of a toxin from the scorpion <i>Tityus serrulatus</i> with a cloned K <sup>+</sup> channel from squid (sqKv1A). <i>Biochemistry</i> , <b>2001</b> , 40, 5942-53	3.2	29
1426	Solution structure of an immunoactive peptide fragment of Staphylococcal protein-A. <b>2001</b> , 18, 773-81		4
1425	Effects of amino acid phi,psi propensities and secondary structure interactions in modulating H alpha chemical shifts in peptide and protein beta-sheet. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 12318-24	16.4	38
1424	Interactions between mastoparan B and the membrane studied by 1H NMR spectroscopy. <b>2001</b> , 18, 595-606		14
1423	NMR structure of bucandin, a neurotoxin from the venom of the Malayan krait ( <i>Bungarus candidus</i> ). <i>Biochemical Journal</i> , <b>2001</b> , 360, 539-548	3.8	28
1422	Photoaffinity labeling of mutant neurokinin-1 receptors reveals additional structural features of the substance P/NK-1 receptor complex. <i>Biochemistry</i> , <b>2001</b> , 40, 2530-9	3.2	29
1421	Polyproline II helix is a key structural motif of the elastic PEVK segment of titin. <i>Biochemistry</i> , <b>2001</b> , 40, 3427-38	3.2	128
1420	Folding of beta pep-4 beta-sheet sandwich dimers and tetramers is influenced by aliphatic hydrophobic residues at the intersubunit interface. <i>Biochemical Journal</i> , <b>2001</b> , 357, 739-47	3.8	3

1419	NMR structure of bucandin, a neurotoxin from the venom of the Malayan krait ( <i>Bungarus candidus</i> ). <i>Biochemical Journal</i> , <b>2001</b> , 360, 539-48	3.8	14
1418	Cation-dependent structural features of $\beta$ -casein-(1-25). <i>Biochemical Journal</i> , <b>2001</b> , 356, 277-286	3.8	31
1417	Folding of $\beta$ -casein sheet sandwich dimers and tetramers is influenced by aliphatic hydrophobic residues at the intersubunit interface. <i>Biochemical Journal</i> , <b>2001</b> , 357, 739-747	3.8	5
1416	Cation-dependent structural features of beta-casein-(1-25). <i>Biochemical Journal</i> , <b>2001</b> , 356, 277-86	3.8	29
1415	Interaction of mastoparan with membranes studied by <sup>1</sup> H-NMR spectroscopy in detergent micelles and by solid-state <sup>2</sup> H-NMR and <sup>15</sup> N-NMR spectroscopy in oriented lipid bilayers. <b>2001</b> , 268, 302-9		55
1414	Solution structure of human immunodeficiency virus type 1 Vpr(13-33) peptide in micelles. <b>2001</b> , 268, 389-95		19
1413	Solution structure of microcin J25, the single macrocyclic antimicrobial peptide from <i>Escherichia coli</i> . <b>2001</b> , 268, 2124-33		33
1412	Alpha methylation in molecular recognition. Application to substance P and the two neurokinin-1 receptor binding sites. <b>2001</b> , 268, 2997-3005		7
1411	Le calcul du déplacement chimique, un outil de validation des structures d'acides nucléiques. <b>2001</b> , 4, 779-782		
1410	Structural characterization of the complex of the Rev response element RNA with a selected peptide. <b>2001</b> , 8, 511-20		22
1409	NMR and CD conformational studies of the C-terminal 16-peptides of <i>Pseudomonas aeruginosa</i> c551 and <i>Hydrogenobacter thermophilus</i> c552 cytochromes. <b>2001</b> , 57, 39-47		12
1408	O-Linked glycopeptides retain helicity in water. <b>2001</b> , 58, 180-9		11
1407	Solution structures of the cytoplasmic linkers between segments S4 and S5 (S4-S5) in domains III and IV of human brain sodium channels in SDS micelles. <b>2001</b> , 58, 193-203		8
1406	Helix-stabilizing effects of the pentapeptide KIFMK and its related peptides on the sodium channel inactivation gate peptides. <b>2001</b> , 58, 413-23		3
1405	A diepitopic sequential oligopeptide carrier (SOCn) as mimic of the sm autoantigen: synthesis, conformation and biological assays. <b>2001</b> , 7, 105-14		7
1404	Structure and folding of glucagon-like peptide-1-(7-36)-amide in aqueous trifluoroethanol studied by NMR spectroscopy. <b>2001</b> , 39, 477-483		37
1403	Peptide fragments as models to study the structure of a G-protein coupled receptor: the alpha-factor receptor of <i>Saccharomyces cerevisiae</i> . <b>2001</b> , 60, 334-50		21
1402	A high resolution ( <sup>1</sup> H) magic angle spinning NMR study of a high-M(r) subunit of wheat glutenin. <b>2001</b> , 58, 33-45		21

1401	Solution structure of the cytoplasmic linker between domain III-S6 and domain IV-S1 (III-IV linker) of the rat brain sodium channel in SDS micelles. <b>2001</b> , 59, 380-93		12
1400	Structure determination of membrane-associated proteins from nuclear magnetic resonance data. <b>2001</b> , 288, 1-15		19
1399	Synthesis and Structural Analysis of a Hairpin Peptide Containing a Sugar Amino Acid. <b>2001</b> , 2001, 1541-1547		21
1398	Backbone resonance assignment of protease from Mason-Pfizer monkey virus. <b>2001</b> , 20, 291-2		5
1397	Sequence-specific assignment and determination of the secondary structure of the 163-residue M. tuberculosis and M. bovis antigenic protein mpb70. <b>2001</b> , 20, 185-6		2
1396	Sequential assignments of the isolated N-terminal domain of 5-enolpyruvylshikimate-3-phosphate synthase. <b>2001</b> , 20, 387-8		2
1395	Assignment of 1H, 13C and 15N resonances of the a' domain of ERp57. <b>2001</b> , 20, 385-6		8
1394	Solution structures of casein peptides: NMR, FTIR, CD, and molecular modeling studies of alphas1-casein, 1-23. <b>2001</b> , 20, 391-404		40
1393	The roles of turn formation and cross-strand interactions in fibrillization of peptides derived from the OspA single-layer beta-sheet. <i>Protein Science</i> , <b>2001</b> , 10, 2083-92	6.3	18
1392	Solution structure and backbone dynamics of the DNA-binding domain of mouse Sox-5. <i>Protein Science</i> , <b>2001</b> , 10, 83-98	6.3	18
1391	Solution structure of the DNA-binding domain of the TyrR protein of Haemophilus influenzae. <i>Protein Science</i> , <b>2001</b> , 10, 592-8	6.3	16
1390	Chemical shifts in denatured proteins: resonance assignments for denatured ubiquitin and comparisons with other denatured proteins. <b>2001</b> , 19, 153-65		62
1389	Flipping a genetic switch by subunit exchange. <i>EMBO Journal</i> , <b>2001</b> , 20, 7149-59	13	26
1388	Design of a discretely folded mini-protein motif with predominantly beta-structure. <b>2001</b> , 8, 535-9		38
1387	Solution structures of the inactivation gate particle peptides of rat brain type-IIA and human heart sodium channels in SDS micelles. <b>2001</b> , 57, 203-14		7
1386	A peptide derived from the C-terminal part of a plant cysteine protease folds into a stack of two beta-hairpins, a scaffold present in the emerging family of granulin-like growth factors. <b>2001</b> , 57, 227-33		8
1385	Solution structure of micelle-bound H5 peptide (427-452): a primary structure corresponding to the pore forming region of the voltage dependent potassium channel. <b>2001</b> , 1545, 153-9		4
1384	The hydrophobin EAS is largely unstructured in solution and functions by forming amyloid-like structures. <i>Structure</i> , <b>2001</b> , 9, 83-91	5.2	126



1383	Structural characterization of the LEM motif common to three human inner nuclear membrane proteins. <i>Structure</i> , <b>2001</b> , 9, 503-11	5.2	97
1382	A peptide derived from the C-terminal part of a plant cysteine protease folds into a stack of two hairpins, a scaffold present in the emerging family of granulin-like growth factors. <b>2001</b> , 57, 227-233		2
1381	NMR solution structure of murine CCL20/MIP-3alpha, a chemokine that specifically chemoattracts immature dendritic cells and lymphocytes through its highly specific interaction with the beta-chemokine receptor CCR6. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 28372-9	5.4	69
1380	Structure of Tctex-1 and its interaction with cytoplasmic dynein intermediate chain. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 14067-74	5.4	95
1379	Interstrand side chain--side chain interactions in a designed beta-hairpin: significance of both lateral and diagonal pairings. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 8667-77	16.4	127
1378	Length-dependent stability and strand length limits in antiparallel beta -sheet secondary structure. <b>2001</b> , 98, 12015-20		121
1377	Recruitment of the transcriptional machinery through GAL11P: structure and interactions of the GAL4 dimerization domain. <b>2001</b> , 15, 1007-20		36
1376	The disordered mobile loop of GroES folds into a defined beta-hairpin upon binding GroEL. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 31257-64	5.4	31
1375	The structure of the coliphage HK022 Nun protein-lambda-phage boxB RNA complex. Implications for the mechanism of transcription termination. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 32064-70	5.4	24
1374	Conformational heterogeneity in the C-terminal zinc fingers of human MTF-1: an NMR and zinc-binding study. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 42322-32	5.4	29
1373	Extracting structural information using time-frequency analysis of protein NMR data. <b>2001</b> ,		2
1372	Lipid induced conformation of the tachykinin peptide Kassinin. <b>2001</b> , 18, 611-21, 623-5		18
1371	Solution structure of p21(Waf1/Cip1/Sdi1) C-terminal domain bound to Cdk4. <b>2001</b> , 19, 419-27		4
1370	Production and characterization of recombinant tachycitin, the Cys-rich chitin-binding protein. <b>2002</b> , 15, 763-9		7
1369	The solution structures of the human beta-defensins lead to a better understanding of the potent bactericidal activity of HBD3 against <i>Staphylococcus aureus</i> . <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 8279-89	5.4	282
1368	Solution structure of peptide toxins that block mechanosensitive ion channels. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 34443-50	5.4	82
1367	Circular dichroism and nuclear magnetic resonance spectroscopic analysis of immunogenic gluten peptides and their analogs. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 45572-8	5.4	30
1366	Reduced-dimensionality NMR spectroscopy for high-throughput protein resonance assignment. <b>2002</b> , 99, 8009-14		165



1365	Protein structure elucidation from NMR proton densities. <b>2002</b> , 99, 6713-8		34
1364	The PDZ1 domain of SAP90. Characterization of structure and binding. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 6967-73	5.4	38
1363	Structural requirements for potent versus selective cytotoxicity for antimicrobial dermaseptin S4 derivatives. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 16941-51	5.4	127
1362	NMR studies of lipoprotein structure. <b>2002</b> , 31, 177-206		38
1361	Impact of single-residue mutations on the structure and function of ovispirin/novispirin antimicrobial peptides. <b>2002</b> , 15, 225-32		65
1360	Structural rearrangement of human lymphotactin, a C chemokine, under physiological solution conditions. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 17863-70	5.4	60
1359	Using Conformational Analysis to Identify Structurally Conserved Regions of MAP Peptides that Exhibit Cellular Attachment Ability. <b>2002</b> , 18, 149-159		10
1358	The solution structure of human hepcidin, a peptide hormone with antimicrobial activity that is involved in iron uptake and hereditary hemochromatosis. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 37597-603 <sup>273</sup>	5.4	603
1357	Role of proline, cysteine and a disulphide bridge in the structure and activity of the anti-microbial peptide gaegurin 5. <i>Biochemical Journal</i> , <b>2002</b> , 368, 171-82	3.8	38
1356	Solution structure and topology of the N-terminal membrane anchor domain of a microsomal cytochrome P450: prostaglandin I2 synthase. <i>Biochemical Journal</i> , <b>2002</b> , 368, 721-8	3.8	23
1355	Allostery and Induced Fit: NMR and Molecular Modeling Study of the trp Repressor-mtr DNA Complex. <b>2002</b> , 340-366		2
1354	Residue 19 of the parathyroid hormone: structural consequences. <i>Biochemistry</i> , <b>2002</b> , 41, 13217-23	3.2	19
1353	NMR solution structure of ATTp, an Arabidopsis thaliana trypsin inhibitor. <i>Biochemistry</i> , <b>2002</b> , 41, 12284-96	3.6	34
1352	An ab initio study of amide proton shift tensor dependence on local protein structure. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 327-35	16.4	34
1351	NMR structure of lung surfactant peptide SP-B(11-25). <i>Biochemistry</i> , <b>2002</b> , 41, 9627-36	3.2	32
1350	Solution structure of human Mts1 (S100A4) as determined by NMR spectroscopy. <i>Biochemistry</i> , <b>2002</b> , 41, 12670-80	3.2	68
1349	An unnatural amino acid that induces beta-sheet folding and interaction in peptides. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 4972-3	16.4	80
1348	Structural studies on Hgr3 orphan receptor ligand prolactin-releasing peptide. <b>2002</b> , 45, 5483-91		18

1347	Key motif to gain selectivity at the neuropeptide Y5-receptor: structure and dynamics of micelle-bound [Ala31, Pro32]-NPY. <i>Biochemistry</i> , <b>2002</b> , 41, 8031-42	3.2	16
1346	Four-dimensional NMR spectroscopy of a 723-residue protein: chemical shift assignments and secondary structure of malate synthase g. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 10025-35	16.4	205
1345	"@-Tides": the 1,2-dihydro-3(6H)-pyridinone unit as a beta-strand mimic. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 58-66	16.4	74
1344	Structural characterization of a paramagnetic metal-ion-assembled three-stranded alpha-helical coiled coil. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 11018-28	16.4	32
1343	NMR and modeling studies of a synthetic extracellular loop II of the kappa opioid receptor in a DPC micelle. <i>Biochemistry</i> , <b>2002</b> , 41, 61-8	3.2	37
1342	Stabilization of protein by replacement of a fluctuating loop: structural analysis of a chimera of bovine alpha-lactalbumin and equine lysozyme. <i>Biochemistry</i> , <b>2002</b> , 41, 13807-13	3.2	12
1341	Environmental mimic of receptor interaction: conformational analysis of CCK-15 in solution. <b>2002</b> , 45, 762-9		18
1340	Investigation of the neighboring residue effects on protein chemical shifts. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 14075-84	16.4	101
1339	Design and construction of an open multistranded beta-sheet polypeptide stabilized by a disulfide bridge. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 4987-94	16.4	48
1338	Structural studies of porcine myeloid antibacterial peptide PMAP-23 and its analogues in DPC micelles by NMR spectroscopy. <b>2002</b> , 290, 204-12		42
1337	Chemical shifts in amino acids, peptides, and proteins: from quantum chemistry to drug design. <b>2002</b> , 53, 349-78		108
1336	Structural studies of the interaction between ubiquitin family proteins and proteasome subunit S5a. <i>Biochemistry</i> , <b>2002</b> , 41, 1767-77	3.2	189
1335	NMR structure of the second intracellular loop of the alpha 2A adrenergic receptor: evidence for a novel cytoplasmic helix. <i>Biochemistry</i> , <b>2002</b> , 41, 3596-604	3.2	39
1334	Design of non-cysteine-containing antimicrobial beta-hairpins: structure-activity relationship studies with linear protegrin-1 analogues. <i>Biochemistry</i> , <b>2002</b> , 41, 12835-42	3.2	67
1333	Use of chemical shifts in macromolecular structure determination. <b>2001</b> , 338, 3-34		296
1332	Probing the structural determinants of type II' beta-turn formation in peptides and proteins. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 1203-13	16.4	88
1331	Structure of the third intracellular loop of the human cannabinoid 1 receptor. <i>Biochemistry</i> , <b>2002</b> , 41, 11344-50	3.2	34
1330	Structure comparison of two conserved HNF-3/fkh proteins HFH-1 and genesis indicates the existence of folding differences in their complexes with a DNA binding sequence. <i>Biochemistry</i> , <b>2002</b> , 41, 3286-93	3.2	15

1329	Structure of the N-WASP EVH1 domain-WIP complex: insight into the molecular basis of Wiskott-Aldrich Syndrome. <b>2002</b> , 111, 565-76	145
1328	Solution structure of betacellulin, a new member of EGF-family ligands. <b>2002</b> , 294, 1040-6	17
1327	A ubiquitin-interacting motif from Hrs binds to and occludes the ubiquitin surface necessary for polyubiquitination in monoubiquitinated proteins. <b>2002</b> , 296, 1222-7	57
1326	Solution structure of polyglutamine tracts in GST-polyglutamine fusion proteins. <b>2002</b> , 513, 267-72	123
1325	NMR studies of the aggregation of glucagon-like peptide-1: formation of a symmetric helical dimer. <b>2002</b> , 515, 165-70	36
1324	Heteronuclear NMR studies of human serum apolipoprotein A-I. Part I. Secondary structure in lipid-mimetic solution. <b>2002</b> , 517, 139-43	26
1323	Probing the environment of neurotensin whilst bound to the neurotensin receptor by solid state NMR. <b>2002</b> , 518, 111-5	25
1322	Direct evidence for alteration of unfolding profile of a helical peptide by far-ultraviolet circular dichroism aromatic side-chain contribution. <b>2002</b> , 523, 152-6	16
1321	Conformations of platypus venom C-type natriuretic peptide in aqueous solution and sodium dodecyl sulfate micelles. <b>2002</b> , 40, 711-9	24
1320	Interaction of Kazal-type inhibitor domains with serine proteinases: biochemical and structural studies. <b>2002</b> , 318, 533-46	44
1319	Solution structure of the single-domain prolyl cis/trans isomerase PIN1At from Arabidopsis thaliana. <b>2002</b> , 320, 321-32	34
1318	The nuclease A inhibitor represents a new variation of the rare PR-1 fold. <b>2002</b> , 320, 771-82	18
1317	Transient structure formation in unfolded acyl-coenzyme A-binding protein observed by site-directed spin labelling. <b>2002</b> , 324, 349-57	80
1316	Structure of the 1-36 N-terminal fragment of human phospholamban phosphorylated at Ser-16 and Thr-17. <b>2002</b> , 83, 484-90	14
1315	Structure and interactions of the carboxyl terminus of striated muscle alpha-tropomyosin: it is important to be flexible. <b>2002</b> , 83, 2754-66	48
1314	Three-dimensional structure of the S4-S5 segment of the Shaker potassium channel. <b>2002</b> , 82, 2995-3002	22
1313	HIV-1 encoded virus protein U (Vpu) solution structure of the 41-62 hydrophilic region containing the phosphorylated sites Ser52 and Ser56. <b>2002</b> , 30, 23-40	27
1312	. <b>2002</b> ,	10

1311	Combined Automated Assignment of NMR Spectra and Calculation of Three-Dimensional Protein Structures. <b>2002</b> , 37-79	
1310	Structure-function relationship of three neurotoxins from the venom of <i>Naja kaouthia</i> : a comparison between the NMR-derived structure of NT2 with its homologues, NT1 and NT3. <b>2002</b> , 1594, 353-63	5
1309	Mapping of the interaction interface of DNA polymerase beta with XRCC1. <i>Structure</i> , <b>2002</b> , 10, 1709-20	5.2 40
1308	Conformationally stable and constrained macrocyclic pseudopeptide mimics of beta-hairpin structures. <b>2002</b> , 8, 111-7	23
1307	Structural insight into the role of the second intracellular loop of the bradykinin 2 receptor in signaling and internalization. <b>2002</b> , 63, 239-46	13
1306	High resolution NMR analysis of the seven transmembrane domains of a heptahelical receptor in organic-aqueous medium. <b>2002</b> , 64, 161-76	29
1305	Micelle-bound conformation of a hairpin-forming peptide: combined NMR and molecular dynamics study. <b>2002</b> , 65, 284-98	21
1304	Extracellular domains of the neurokinin-1 receptor: structural characterization and interactions with substance P. <b>2002</b> , 66, 339-49	24
1303	Solution structure of the unbound, oxidized Photosystem I subunit PsaC, containing [4Fe-4S] clusters F(A) and F(B): a conformational change occurs upon binding to photosystem I. <b>2002</b> , 7, 461-72	29
1302	Comparative structure analysis of proteinase inhibitors from the desert locust, <i>Schistocerca gregaria</i> . <b>2002</b> , 269, 527-37	30
1301	SMAP-29 has two LPS-binding sites and a central hinge. <b>2002</b> , 269, 1181-9	80
1300	Multiple bacteria encode metallothioneins and SmtA-like zinc fingers. <b>2002</b> , 45, 1421-32	138
1299	Structure of human immunodeficiency virus type 1 Vpr(34-51) peptide in micelle containing aqueous solution. <b>2002</b> , 269, 3264-9	17
1298	Structures and mode of membrane interaction of a short alpha helical lytic peptide and its diastereomer determined by NMR, FTIR, and fluorescence spectroscopy. <b>2002</b> , 269, 3869-80	70
1297	Monitoring the structural consequences of Phe12-->D-Phe and Leu15-->Aib substitution in human/rat corticotropin releasing hormone. Implications for design of CRH antagonists. <b>2002</b> , 269, 6009-19	12
1296	Native structural propensity in cellular retinoic acid-binding protein I 64-88: the role of locally encoded structure in the folding of a beta-barrel protein. <b>2003</b> , 100, 421-36	9
1295	Investigation of penetratin peptides. Part 1. The environment dependent conformational properties of penetratin and two of its derivatives. <b>2002</b> , 8, 151-71	42
1294	Conformational analysis of the Galpha(s) protein C-terminal region. <b>2002</b> , 8, 476-88	8

1293	Influence of induced fit in the interaction of <i>Bacillus subtilis</i> trp RNA-binding attenuator protein and its RNA antiterminator target oligomer. <b>2002</b> , 49, 432-8		5
1292	Structure of the N-terminal 283-residue fragment of the immature HIV-1 Gag polyprotein. <b>2002</b> , 9, 537-43		134
1291	Pescador: the PEptides in Solution ConformAtion Database: Online Resource. <b>2002</b> , 23, 85-102		2
1290	Structure and activity of D-Pro14 melittin. <b>2002</b> , 21, 243-53		12
1289	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N resonance assignments of the ribosome-associated cold shock response protein Yfia of <i>Escherichia coli</i> . <b>2002</b> , 23, 335-6		6
1288	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N chemical shift assignments of the SH2 domain of the Csk homologous kinase. <b>2002</b> , 24, 363-4		4
1287	Probability-based protein secondary structure identification using combined NMR chemical-shift data. <i>Protein Science</i> , <b>2002</b> , 11, 852-61	6.3	323
1286	Analysis of the factors that stabilize a designed two-stranded antiparallel beta-sheet. <i>Protein Science</i> , <b>2002</b> , 11, 1492-505	6.3	105
1285	Recognition of ERK MAP kinase by PEA-15 reveals a common docking site within the death domain and death effector domain. <i>EMBO Journal</i> , <b>2002</b> , 21, 6494-504	13	83
1284	PROSHIFT: protein chemical shift prediction using artificial neural networks. <b>2003</b> , 26, 25-37		149
1283	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N resonance assignments of domain 1 of receptor associated protein. <b>2003</b> , 26, 187-8		4
1282	Solution structure of a PAN module from the apicomplexan parasite <i>Eimeria tenella</i> . <b>2003</b> , 4, 227-34		14
1281	Sequence dependence of beta-hairpin structure: comparison of a salt bridge and an aromatic interaction. <i>Protein Science</i> , <b>2003</b> , 12, 2657-67	6.3	74
1280	RefDB: a database of uniformly referenced protein chemical shifts. <b>2003</b> , 25, 173-95		357
1279	Toward direct determination of conformations of protein building units from multidimensional NMR experiments. V. NMR chemical shielding analysis of N-formyl-serinamide, a model for polar side-chain containing peptides. <b>2003</b> , 24, 1157-71		6
1278	The NMR-derived conformation of neuropeptide AF, an orphan G-protein coupled receptor peptide. <b>2003</b> , 69, 201-15		15
1277	Zinc binding in peptide models of angiotensin-I converting enzyme active sites studied through <sup>1</sup> H-NMR and chemical shift perturbation mapping. <b>2003</b> , 69, 244-52		8
1276	Structure-activity relationships of de novo designed cyclic antimicrobial peptides based on gramicidin S. <b>2003</b> , 71, 28-48		77

1275	Structure of an elastin-mimetic polypeptide by solid-state NMR chemical shift analysis. <b>2003</b> , 70, 158-68		39
1274	Mechanism-based protein design: attempted "nucleation-condensation" approach to a possible minimal helix-bundle protein. <b>2003</b> , 70, 355-63		5
1273	The solution structure of frenatin 3, a neuronal nitric oxide synthase inhibitor from the giant tree frog, <i>Litoria infrafronata</i> . <b>2003</b> , 70, 424-34		11
1272	Solution structures of cyclic melanocortin agonists and antagonists by NMR. <b>2003</b> , 71, 696-716		50
1271	Asymmetric alpha-helicity loss within a peptide adsorbed onto charged colloidal substrates. <b>2003</b> , 261, 255-63		34
1270	Synthesis and biological evaluation of novel turn-modified gramicidin S analogues. <b>2003</b> , 11, 2835-41		27
1269	Structures of neuropeptide gamma from goldfish and mammalian neuropeptide gamma, as determined by 1H NMR spectroscopy. <b>2003</b> , 61, 274-85		9
1268	Conformational studies of antimetastatic laminin-1 derived peptides in different solvent systems, using solution NMR spectroscopy. <b>2003</b> , 61, 24-39		3
1267	A simple protocol to study blue copper proteins by NMR. <b>2003</b> , 270, 600-9		12
1266	nNOS inhibition, antimicrobial and anticancer activity of the amphibian skin peptide, citropin 1.1 and synthetic modifications. The solution structure of a modified citropin 1.1. <b>2003</b> , 270, 1141-53		60
1265	The use of NMR chemical shifts to analyse the MD trajectories: simulation of bovine pancreatic trypsin inhibitor dynamics in water as a test case for solvent influences. <b>2003</b> , 9, 450-60		1
1264	Pathogenic bacteria attach to human fibronectin through a tandem beta-zipper. <b>2003</b> , 423, 177-81		301
1263	NMR solution structures of two mutants of desulfiredoxin. <i>Journal of Inorganic Biochemistry</i> , <b>2003</b> , 93, 100-8	4.2	1
1262	Role of local sequence in the folding of cellular retinoic acid binding protein I: structural propensities of reverse turns. <i>Biochemistry</i> , <b>2003</b> , 42, 7976-85	3.2	30
1261	Quantitation of Proteins in Milk and Milk Products. <b>2003</b> , 49-138		7
1260	A designed beta-hairpin peptide for molecular recognition of ATP in water. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 9580-1	16.4	130
1259	DSA: a new internal standard for NMR studies in aqueous solution. <b>2003</b> , 5, 3511-3		57
1258	Accurate and automated classification of protein secondary structure with PsiCSI. <i>Protein Science</i> , <b>2003</b> , 12, 288-95	6.3	42

1257	Reinvestigation of the proposed folding and self-association of the Neuropeptide Head Activator. <i>Protein Science</i> , <b>2003</b> , 12, 560-6	6.3	6
1256	Solution structure of the carboxyl-terminal domain of RAP74 and NMR characterization of the FCP1-binding sites of RAP74 and human TFIIIB. <i>Biochemistry</i> , <b>2003</b> , 42, 1460-9	3.2	18
1255	High Resolution Magic Angle Spinning Applications to Solid Phase Synthetic Systems and Other Semi-Solids. <b>2003</b> , 51, 261-295		21
1254	Active peptidic mimics of the second intracellular loop of the V(1A) vasopressin receptor are structurally related to the second intracellular rhodopsin loop: a combined 1H NMR and biochemical study. <i>Biochemistry</i> , <b>2003</b> , 42, 8204-13	3.2	25
1253	NMR structure and dynamics of the second transmembrane domain of the neuronal acetylcholine receptor beta 2 subunit. <i>Biochemistry</i> , <b>2003</b> , 42, 13058-65	3.2	17
1252	Stabilization of beta-hairpin peptides by salt bridges: role of preorganization in the energetic contribution of weak interactions. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 9038-47	16.4	89
1251	Quantitative evaluation of experimental NMR restraints. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 12026-34	16.4	74
1250	NMR solution structure of the glucagon antagonist [desHis1, desPhe6, Glu9]glucagon amide in the presence of perdeuterated dodecylphosphocholine micelles. <i>Biochemistry</i> , <b>2003</b> , 42, 2825-35	3.2	19
1249	NMR structure and backbone dynamics of the extended second transmembrane domain of the human neuronal glycine receptor alpha1 subunit. <i>Biochemistry</i> , <b>2003</b> , 42, 3989-95	3.2	25
1248	NMR structure of the DNA-binding domain of the cell cycle protein Mbp1 from <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , <b>2003</b> , 42, 1266-73	3.2	15
1247	A new turn structure for the formation of beta-hairpins in peptides. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 876-7	16.4	83
1246	Conformation of secondary amides. A predictive algorithm that correlates DFT-calculated structures and experimental proton chemical shifts. <b>2003</b> , 68, 1834-42		17
1245	Structures of phage-display peptides that bind to the malarial surface protein, apical membrane antigen 1, and block erythrocyte invasion. <i>Biochemistry</i> , <b>2003</b> , 42, 9915-23	3.2	29
1244	Characterization of the yeast peroxiredoxin Ahp1 in its reduced active and overoxidized inactive forms using NMR. <i>Biochemistry</i> , <b>2003</b> , 42, 14139-49	3.2	32
1243	Linearization of a naturally occurring circular protein maintains structure but eliminates hemolytic activity. <i>Biochemistry</i> , <b>2003</b> , 42, 6688-95	3.2	102
1242	Solution structure of the RNase H domain of the HIV-1 reverse transcriptase in the presence of magnesium. <i>Biochemistry</i> , <b>2003</b> , 42, 639-50	3.2	52
1241	Dissection of human tropoelastin: exon-by-exon chemical synthesis and related conformational studies. <i>Biochemistry</i> , <b>2003</b> , 42, 13347-62	3.2	148
1240	NMR solution structure of attractin, a water-borne protein pheromone from the mollusk <i>Aplysia californica</i> . <i>Biochemistry</i> , <b>2003</b> , 42, 9970-9	3.2	26



1239	A conserved histidine in vertebrate-type ferredoxins is critical for redox-dependent dynamics. <i>Biochemistry</i> , <b>2003</b> , 42, 8171-82	3.2	10
1238	Structure and metal binding studies of the second copper binding domain of the Menkes ATPase. <b>2003</b> , 143, 209-18		27
1237	The denatured state of Engrailed Homeodomain under denaturing and native conditions. <b>2003</b> , 333, 977-91		83
1236	The octapeptide repeats in mammalian prion protein constitute a pH-dependent folding and aggregation site. <b>2003</b> , 334, 477-88		117
1235	Solution structure of termite-derived antimicrobial peptide, spinigerin, as determined in SDS micelle by NMR spectroscopy. <b>2003</b> , 309, 591-7		22
1234	Self-assembling of the porphyrin-linked acyclic penta- and heptapeptides in aqueous trifluoroethanol. <b>2003</b> , 68, 5540-9		26
1233	Structure of the N-terminal extension of human aspartyl-tRNA synthetase: implications for its biological function. <b>2003</b> , 35, 1548-57		13
1232	The three-dimensional solution structure of NaD1, a new floral defensin from <i>Nicotiana glauca</i> and its application to a homology model of the crop defense protein alfAFP. <b>2003</b> , 325, 175-88		114
1231	Influence of strand number on antiparallel beta-sheet stability in designed three- and four-stranded beta-sheets. <b>2003</b> , 326, 553-68		49
1230	Homologous proteins with different folds: the three-dimensional structures of domains 1 and 6 of the multiple Kazal-type inhibitor LEKTI. <b>2003</b> , 328, 205-19		28
1229	The tertiary structure and backbone dynamics of human prolactin. <b>2003</b> , 328, 1105-21		66
1228	Towards an understanding of the poliovirus replication complex: the solution structure of the soluble domain of the poliovirus 3A protein. <b>2003</b> , 330, 225-34		53
1227	Solution structure of CnErg1 (Ergtoxin), a HERG specific scorpion toxin. <b>2003</b> , 539, 138-42		38
1226	NMR studies of the fifth transmembrane segment of sarcoplasmic reticulum Ca <sup>2+</sup> -ATPase reveals a hinge close to the Ca <sup>2+</sup> -ligating residues. <b>2003</b> , 544, 50-6		8
1225	Domain architecture of the polyglutamine protein ataxin-3: a globular domain followed by a flexible tail. <b>2003</b> , 549, 21-5		85
1224	Solution structure of epiregulin and the effect of its C-terminal domain for receptor binding affinity. <b>2003</b> , 553, 232-8		14
1223	Determination of the membrane contact residues and solution structure of the helix F/G loop of prostaglandin I <sub>2</sub> synthase. <b>2003</b> , 411, 27-35		11
1222	cDNA sequence and in vitro folding of GsMTx4, a specific peptide inhibitor of mechanosensitive channels. <b>2003</b> , 42, 263-74		69

1221	Three-dimensional structure of the mammalian tachykinin peptide neurokinin A bound to lipid micelles. <b>2003</b> , 85, 4002-11		23
1220	Solution structure of the tachykinin peptide eleodoisin. <b>2003</b> , 84, 655-64		22
1219	Conformation of neuropeptide Y receptor antagonists: structural implications in receptor selectivity. <b>2003</b> , 24, 1035-43		9
1218	Structure of <i>Petunia hybrida</i> defensin 1, a novel plant defensin with five disulfide bonds. <i>Biochemistry</i> , <b>2003</b> , 42, 8214-22	3.2	85
1217	The NMR-derived conformation of orexin-A: an orphan G-protein coupled receptor agonist involved in appetite regulation and sleep. <b>2003</b> , 21, 201-10		7
1216	Location of the Zn(2+)-binding site on S100B as determined by NMR spectroscopy and site-directed mutagenesis. <i>Biochemistry</i> , <b>2003</b> , 42, 13410-21	3.2	37
1215	NMR conformational studies of micelle-bound orexin-B: a neuropeptide involved in the sleep/awake cycle and feeding regulation. <b>2003</b> , 21, 341-51		10
1214	Structural characterization of the HIV-1 Vpr N terminus: evidence of cis/trans-proline isomerism. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 43188-201	5.4	44
1213	PROTINFO: Secondary and tertiary protein structure prediction. <b>2003</b> , 31, 3296-9		33
1212	Structural elucidation of the protein- and membrane-binding properties of the N-terminal tail domain of human annexin II. <b>2003</b> , 134, 427-32		9
1211	CD and NMR studies of prion protein (PrP) helix 1. Novel implications for its role in the PrPC-->PrPSc conversion process. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 50175-81	5.4	59
1210	NMR structure of a complex containing the TFIIF subunit RAP74 and the RNA polymerase II carboxyl-terminal domain phosphatase FCP1. <b>2003</b> , 100, 5688-93		36
1209	Hyaluronan recognition mode of CD44 revealed by cross-saturation and chemical shift perturbation experiments. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 43550-5	5.4	45
1208	Structure-Function Studies of the Plant Cyclotides: The Role of a Circular Protein Backbone. <b>2003</b> , 22, 555-576		4
1207	Tumor Suppressor Genes. <b>2003</b> ,		
1206	Roles of aromatic residues in the structure and biological activity of the small cytokine, growth-blocking peptide (GBP). <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 10778-83	5.4	6
1205	Structure of the HERG K+ channel S5P extracellular linker: role of an amphipathic alpha-helix in C-type inactivation. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 42136-48	5.4	63
1204	An NMR-based model of the ubiquitin-bound human ubiquitin conjugation complex Mms2.Ubc13. The structural basis for lysine 63 chain catalysis. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 13151-8	5.4	81

1203	Solution structure of the plant disease resistance-triggering protein NIP1 from the fungus <i>Rhynchosporium secalis</i> shows a novel beta-sheet fold. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 45730-6	5.4	19
1202	Structural basis for new pattern of conserved amino acid residues related to chitin-binding in the antifungal peptide from the coconut rhinoceros beetle <i>Oryctes rhinoceros</i> . <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 22820-7	5.4	15
1201	Rapid protein fold determination using unassigned NMR data. <b>2003</b> , 100, 15404-9		103
1200	The solution structure of YbcJ from <i>Escherichia coli</i> reveals a recently discovered alphaL motif involved in RNA binding. <b>2003</b> , 185, 4204-10		10
1199	Lanthanide-binding helix-turn-helix peptides: solution structure of a designed metallonuclease. <b>2003</b> , 100, 3725-30		52
1198	Utilizing NMR to study the structure of growth-inhibitory proteins. <i>Methods in Molecular Biology</i> , <b>2003</b> , 223, 3-15	1.4	1
1197	Membrane-inserted conformation of transmembrane domain 4 of divalent-metal transporter. <i>Biochemical Journal</i> , <b>2003</b> , 372, 757-66	3.8	28
1196	Prospects for High-Throughput Structure Determination of Proteins by NMR Spectroscopy. <b>2003</b> , 95-139		
1195	NMR-based Structural Studies of the Glycosylated MUC1 Tandem Repeat Peptide. <i>International Journal of Molecular Sciences</i> , <b>2004</b> , 5, 84-92	6.3	2
1194	Short-chain diacyl phosphatidylglycerols: which one to choose for the NMR structural determination of a membrane-associated peptide from <i>Escherichia coli</i> ?. <b>2004</b> , 18, 257-264		13
1193	Exploring deltorphin II binding to the third extracellular loop of the delta-opioid receptor. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 21069-77	5.4	16
1192	Structural features of angiotensin-I converting enzyme catalytic sites: conformational studies in solution, homology models and comparison with other zinc metallopeptidases. <b>2004</b> , 4, 403-29		23
1191	Protein structure prediction using sparse dipolar coupling data. <b>2004</b> , 32, 551-61		13
1190	Myristoylation, a protruding loop, and structural plasticity are essential features of a nonenveloped virus fusion peptide motif. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 51386-94	5.4	43
1189	Structures of muO-conotoxins from <i>Conus marmoreus</i> . I nhibitors of tetrodotoxin (TTX)-sensitive and TTX-resistant sodium channels in mammalian sensory neurons. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 25774-82	5.4	72
1188	NMR analysis shows that a b-type variant of <i>Hydrogenobacter thermophilus</i> cytochrome c552 retains its native structure. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 15177-82	5.4	15
1187	NMR solution structure of the focal adhesion targeting domain of focal adhesion kinase in complex with a paxillin LD peptide: evidence for a two-site binding model. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 8441-51	5.4	63
1186	Systematic peptide engineering and structural characterization to search for the shortest antimicrobial peptide analogue of gaegurin 5. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 14784-91	5.4	55

1185	Protein chemical shifts arising from alpha-helices and beta-sheets depend on solvent exposure. <b>2004</b> , 101, 17394-7		67
1184	NMR study of nucleotide-induced changes in the nucleotide binding domain of Thermus thermophilus Hsp70 chaperone DnaK: implications for the allosteric mechanism. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 33958-67	5.4	33
1183	A small CDC25 dual-specificity tyrosine-phosphatase isoform in Arabidopsis thaliana. <b>2004</b> , 101, 13380-5		103
1182	Direct determination of the interleukin-6 binding epitope of the interleukin-6 receptor by NMR spectroscopy. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 571-6	5.4	12
1181	Three dimensional structure of mammalian tachykinin peptide neurokinin B bound to lipid micelles. <b>2004</b> , 22, 137-48		21
1180	Secondary structure of a dynamic type I'beta-hairpin peptide. <b>2004</b> , 63, 371-82		9
1179	Single phosphorylation of Tyr304 in the cytoplasmic tail of ephrin B2 confers high-affinity and bifunctional binding to both the SH2 domain of Grb4 and the PDZ domain of the PDZ-RGS3 protein. <b>2004</b> , 271, 1725-36		18
1178	Structure and topology of the transmembrane domain 4 of the divalent metal transporter in membrane-mimetic environments. <b>2004</b> , 271, 1938-51		11
1177	Structure and potential C-terminal dimerization of a recombinant mutant of surfactant-associated protein C in chloroform/methanol. <b>2004</b> , 271, 2076-85		16
1176	NMR structure of the thromboxane A2 receptor ligand recognition pocket. <b>2004</b> , 271, 3006-16		26
1175	Solution structure of Cu6 metallothionein from the fungus Neurospora crassa. <b>2004</b> , 271, 4213-21		33
1174	Context-dependent effects of proline residues on the stability and folding pathway of ubiquitin. <b>2004</b> , 271, 4474-84		19
1173	Solution structure of the cyclotide palicourein: implications for the development of a pharmaceutical framework. <i>Structure</i> , <b>2004</b> , 12, 85-94	5.2	36
1172	Secondary structure switching in Cro protein evolution. <i>Structure</i> , <b>2004</b> , 12, 569-81	5.2	36
1171	Solution structures of the C-terminal headpiece subdomains of human villin and advillin, evaluation of headpiece F-actin-binding requirements. <i>Protein Science</i> , <b>2004</b> , 13, 1276-87	6.3	40
1170	The NMR structure of a stable and compact all-beta-sheet variant of intestinal fatty acid-binding protein. <i>Protein Science</i> , <b>2004</b> , 13, 1227-37	6.3	11
1169	Solution structure of Escherichia coli Par10: The prototypic member of the Parvulin family of peptidyl-prolyl cis/trans isomerases. <i>Protein Science</i> , <b>2004</b> , 13, 2378-87	6.3	26
1168	Investigation of the nature of the methionine-pi interaction in beta-hairpin peptide model systems. <i>Protein Science</i> , <b>2004</b> , 13, 2515-22	6.3	66

1167	1H, 15N and 13C backbone assignment of the carboxyl terminal domain of the cytokine binding module of the interleukin-6 receptor. <b>2004</b> , 29, 407-8	1
1166	1H, 15N and 13C resonance assignments of the ApaG protein of the phytopathogen Xanthomonas axonopodis pv. citri. <b>2004</b> , 29, 423-4	5
1165	1H, 15N and 13C resonance assignments of the apo Sm14-M20(C62V) protein, a mutant of Schistosoma mansoni Sm14. <b>2004</b> , 29, 553-4	12
1164	An evaluation of chemical shift index-based secondary structure determination in proteins: influence of random coil chemical shifts. <b>2004</b> , 30, 143-53	30
1163	Myelin basic protein-diverse conformational states of an intrinsically unstructured protein and its roles in myelin assembly and multiple sclerosis. <b>2004</b> , 35, 503-42	199
1162	Secondary structural effects on protein NMR chemical shifts. <b>2004</b> , 30, 233-44	15
1161	Conformational study of fragments of envelope proteins (gp120: 254-274 and gp41: 519-541) of HIV-1 by NMR and MD simulations. <b>2004</b> , 10, 363-80	8
1160	A peptide flavoprotein mimic: flavin recognition and redox potential modulation in water by a designed beta hairpin. <b>2004</b> , 43, 724-7	34
1159	Modulation of compactness and long-range interactions of unfolded lysozyme by single point mutations. <b>2004</b> , 43, 5780-5	52
1158	Searching for folding initiation sites of staphylococcal nuclease: a study of N-terminal short fragments. <b>2004</b> , 75, 229-41	9
1157	Aromatic interactions in peptides: impact on structure and function. <b>2004</b> , 76, 435-45	159
1156	Solid-phase synthesis and conformational properties of angiotensin converting enzyme catalytic-site peptides: the basis for a structural study on the enzyme-substrate interaction. <b>2004</b> , 76, 512-26	6
1155	A Peptide Flavoprotein Mimic: Flavin Recognition and Redox Potential Modulation in Water by a Designed Hairpin. <b>2004</b> , 116, 742-745	8
1154	Modulation of Compactness and Long-Range Interactions of Unfolded Lysozyme by Single Point Mutations. <b>2004</b> , 116, 5904-5909	8
1153	Concepts and tools for NMR restraint analysis and validation. <b>2004</b> , 22A, 90-105	12
1152	Dissection of human tropoelastin: solution structure, dynamics and self-assembly of the exon 5 peptide. <b>2004</b> , 10, 3166-76	39
1151	Peptide models XXXII. Computed chemical shift analysis of penetratin fragments. <b>2004</b> , 675, 129-139	3
1150	Automated structure determination of proteins by NMR spectroscopy. <b>2004</b> , 44, 33-96	91

1149	Validation of protein structures derived by NMR spectroscopy. <b>2004</b> , 45, 315-337		64
1148	A case study of 2,2-dimethylthiazolidine as locked cis proline amide bond: synthesis, NMR and molecular modeling studies of a delta-conotoxin EVIA peptide analog. <b>2004</b> , 2, 2437-41		22
1147	Stability of loops in the structure of lactose permease. <i>Biochemistry</i> , <b>2004</b> , 43, 12829-37	3.2	18
1146	A solid-state NMR investigation of orexin-B. <b>2004</b> , 82, 1554-1563		7
1145	A practical synthesis of gramicidin s and sugar amino Acid containing analogues. <b>2004</b> , 69, 7851-9		38
1144	NMR solution structure of the archaeobacterial chromosomal protein MC1 reveals a new protein fold. <i>Biochemistry</i> , <b>2004</b> , 43, 14971-8	3.2	17
1143	Cooperative interaction of arginine-19 and the N-terminal signaling domain in the affinity and potency of parathyroid hormone. <i>Biochemistry</i> , <b>2004</b> , 43, 3459-70	3.2	4
1142	How C-terminal carboxyamidation alters the biological activity of peptides from the venom of the eumenine solitary wasp. <i>Biochemistry</i> , <b>2004</b> , 43, 5608-17	3.2	80
1141	Comparison of C-H...pi and hydrophobic interactions in a beta-hairpin peptide: impact on stability and specificity. <i>Journal of the American Chemical Society</i> , <b>2004</b> , 126, 2028-34	16.4	126
1140	Unraveling the active conformation of urotensin II. <b>2004</b> , 47, 1652-61		39
1139	Solution structure and functional characterization of SGTx1, a modifier of Kv2.1 channel gating. <i>Biochemistry</i> , <b>2004</b> , 43, 890-7	3.2	95
1138	Toward parathyroid hormone minimization: conformational studies of cyclic PTH(1-14) analogues. <i>Biochemistry</i> , <b>2004</b> , 43, 690-9	3.2	35
1137	The N-terminal domain of the Drosophila histone mRNA binding protein, SLBP, is intrinsically disordered with nascent helical structure. <i>Biochemistry</i> , <b>2004</b> , 43, 9390-400	3.2	17
1136	NMR structural studies reveal a novel protein fold for MerB, the organomercurial lyase involved in the bacterial mercury resistance system. <i>Biochemistry</i> , <b>2004</b> , 43, 8322-32	3.2	33
1135	Solution structure of cryptdin-4, a mouse paneth cell alpha-defensin. <i>Biochemistry</i> , <b>2004</b> , 43, 15759-66	3.2	32
1134	Myelin basic protein?diverse conformational states of an intrinsically unstructured protein and its roles in myelin assembly and multiple sclerosis. <b>2004</b> ,		
1133	Orientation and helical conformation of a tissue-specific hunter-killer peptide in micelles. <i>Protein Science</i> , <b>2004</b> , 13, 1988-96	6.3	8
1132	The interactions of the HIV gp41 fusion peptides with zwitterionic membrane mimics determined by NMR spectroscopy. <b>2004</b> , 1667, 67-81		32

1131	Molecular cloning, overexpression, and characterization of the ligand-binding D2 domain of fibroblast growth factor receptor. <b>2004</b> , 317, 253-8		10
1130	Human programmed cell death 5 protein has a helical-core and two dissociated structural regions. <b>2004</b> , 318, 391-6		13
1129	Antibiotic activity and structural analysis of the scorpion-derived antimicrobial peptide IsCT and its analogs. <b>2004</b> , 323, 712-9		67
1128	Presence of transient helical segments in the galanin-like peptide evident from (1)H NMR, circular dichroism, and prediction studies. <b>2004</b> , 146, 261-71		7
1127	Membrane-induced structure of the mammalian tachykinin neuropeptide gamma. <b>2004</b> , 148, 315-25		18
1126	Altering the RNA-binding mode of the U1A RBD1 protein. <b>2004</b> , 335, 465-80		31
1125	Solution structures of the inactive and BeF3-activated response regulator CheY2. <b>2004</b> , 338, 287-97		15
1124	Solution structure of subunit F(6) from the peripheral stalk region of ATP synthase from bovine heart mitochondria. <b>2004</b> , 342, 593-603		19
1123	Characterization of the structure and the amyloidogenic properties of the Josephin domain of the polyglutamine-containing protein ataxin-3. <b>2004</b> , 344, 1021-35		108
1122	Spectroscopic characterization of the calmodulin-binding and autoinhibitory domains of calcium/calmodulin-dependent protein kinase I. <b>2004</b> , 421, 192-206		19
1121	Structural and functional characterization of the first intracellular loop of human thromboxane A2 receptor. <b>2004</b> , 423, 253-65		28
1120	Structure--activity relationships of hainantoxin-IV and structure determination of active and inactive sodium channel blockers. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 37734-40	5-4	52
1119	Structural studies on a protein-binding zinc-finger domain of Eos reveal both similarities and differences to classical zinc fingers. <i>Biochemistry</i> , <b>2004</b> , 43, 13318-27	3.2	11
1118	Activity and structural comparisons of solution associating and monomeric channel-forming peptides derived from the glycine receptor m2 segment. <b>2004</b> , 86, 1424-35		21
1117	Model-based assignment and inference of protein backbone Nuclear Magnetic Resonances. <b>2004</b> , 3, Article6		7
1116	Effects of detergent alkyl chain length and chemical structure on the properties of a micelle-bound bacterial membrane targeting peptide. <b>2004</b> , 331, 33-39		27
1115	Acylation of SC4 dodecapeptide increases bactericidal potency against Gram-positive bacteria, including drug-resistant strains. <i>Biochemical Journal</i> , <b>2004</b> , 378, 93-103	3.8	67
1114	Probing Zn2+-binding effects on the zinc-ribbon domain of human general transcription factor TFIIB. <i>Biochemical Journal</i> , <b>2004</b> , 378, 317-24	3.8	15



1113	NMR characterization of the interaction between the C-terminal domain of interferon-gamma and heparin-derived oligosaccharides. <i>Biochemical Journal</i> , <b>2004</b> , 384, 93-9	3.8	27
1112	Solution structure of human orexin-A: regulator of appetite and wakefulness. <b>2004</b> , 37, 565-73		18
1111	The N-terminal 26-residue fragment of human programmed cell death 5 protein can form a stable alpha-helix having unique electrostatic potential character. <i>Biochemical Journal</i> , <b>2005</b> , 392, 47-54	3.8	15
1110	Protein Structure Determination from NMR Data. <b>2005</b> , 211-243		
1109	NMR structural analysis of a peptide mimic of the bridging sheet of HIV-1 gp120 in methanol and water. <i>Biochemical Journal</i> , <b>2005</b> , 390, 573-81	3.8	11
1108	Solution structure of the ubiquitin-like domain of human DC-UbP from dendritic cells. <i>Protein Science</i> , <b>2005</b> , 14, 2044-50	6.3	7
1107	Solution structure of the Escherichia coli protein ydhR: a putative mono-oxygenase. <i>Protein Science</i> , <b>2005</b> , 14, 3115-20	6.3	5
1106	A photoinducible beta-hairpin. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 2929-36	16.4	118
1105	Sequence-specific assignment of 1H-NMR resonance and determination of the secondary structure of Jingzhaotoxin-I. <b>2005</b> , 37, 567-72		2
1104	Toward direct determination of conformations of protein building units from multidimensional NMR experiments VI: chemical shift analysis of his to gain 3D structure and protonation state information. <b>2005</b> , 26, 1307-17		3
1103	Synthetic peptides as probes for conformational preferences of domains of membrane receptors. <b>2005</b> , 80, 199-213		26
1102	NMR structures and orientation of the fourth transmembrane domain of the rat divalent metal transporter (DMT1) with G185D mutation in SDS micelles. <b>2005</b> , 77, 173-83		12
1101	An autonomously folding beta-hairpin derived from the human YAP65 WW domain: attempts to define a minimum ligand-binding motif. <b>2005</b> , 80, 303-11		13
1100	1H NMR assignment and secondary structure of recombinant RGD-hirudin. <b>2005</b> , 43, 956-61		5
1099	From structure to chemical shift and vice-versa. <b>2005</b> , 47, 27-39		30
1098	Modulation of zinc- and cobalt-binding affinities through changes in the stability of the zinc ribbon protein L36. <b>2005</b> , 10, 167-80		5
1097	A simple method to adjust inconsistently referenced 13C and 15N chemical shift assignments of proteins. <b>2005</b> , 31, 143-8		30
1096	1H and 15N resonance assignment, secondary structure and dynamic behaviour of the C-terminal domain of human papillomavirus oncoprotein E6. <b>2005</b> , 31, 129-41		16

1095	Solution structure of the mouse enhancer of rudimentary protein reveals a novel fold. <b>2005</b> , 32, 329-34		13
1094	The Solution Structure of a Cyclic Analog of Neuropeptide Y with High Y1 Receptor Affinity by NMR, CD and MD Simulations. <i>International Journal of Peptide Research and Therapeutics</i> , <b>2005</b> , 11, 143-152		
1093	Functional and structural characteristics of anticancer peptide Pep27 analogues. <b>2005</b> , 5, 21		39
1092	The betaalphabetaalphabeta elementary supersecondary structure of the Rossmann fold from porcine lactate dehydrogenase exhibits characteristics of a molten globule. <b>2005</b> , 60, 740-5		5
1091	Solution structures of the reduced and Cu(I) bound forms of the first metal binding sequence of ATP7A associated with Menkes disease. <b>2005</b> , 61, 1038-49		44
1090	Conformation and Dynamics of Nonnative States of Proteins studied by NMR Spectroscopy. 737-808		5
1089	NMR spectroscopy and protein structure determination: applications to drug discovery and development. <b>2005</b> , 6, 105-20		46
1088	THE HELIX-TURN-HELIX AS A SCAFFOLD FOR CHIMERIC NUCLEASE DESIGN. <b>2005</b> , 26, 127-164		3
1087	Alzheimer's Abeta40 studied by NMR at low pH reveals that sodium 4,4-dimethyl-4-silapentane-1-sulfonate (DSS) binds and promotes beta-ball oligomerization. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 3675-85	5.4	30
1086	Solution structure of the human immunodeficiency virus type 1 p6 protein. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 42515-27	5.4	46
1085	A novel dileucine lysosomal-sorting-signal mediates intracellular EGF-receptor retention independently of protein ubiquitylation. <b>2005</b> , 118, 3959-71		21
1084	Membrane structures of the hemifusion-inducing fusion peptide mutant G1S and the fusion-blocking mutant G1V of influenza virus hemagglutinin suggest a mechanism for pore opening in membrane fusion. <b>2005</b> , 79, 12065-76		60
1083	Determination of protein backbone structures from residual dipolar couplings. <b>2005</b> , 394, 175-209		58
1082	Targeting angiogenesis: structural characterization and biological properties of a de novo engineered VEGF mimicking peptide. <b>2005</b> , 102, 14215-20		195
1081	NMR conformational analyses on (des-bromo) neuropeptide B [1-23] and neuropeptide W [1-23]: the importance of alpha-helices, a cation-pi interaction and a beta-turn. <b>2005</b> , 23, 77-90		9
1080	The serine-rich domain from Crk-associated substrate (p130cas) is a four-helix bundle. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 21908-14	5.4	23
1079	Structural basis for the interaction of Asf1 with histone H3 and its functional implications. <b>2005</b> , 102, 5975-80		115
1078	Supramolecular amyloid-like assembly of the polypeptide sequence coded by exon 30 of human tropoelastin. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 2682-90	5.4	83

1077	Human lactoferricin is partially folded in aqueous solution and is better stabilized in a membrane mimetic solvent. <b>2005</b> , 49, 3387-95		80
1076	Structural characterization of the antimicrobial peptide pleurocidin from winter flounder. <i>Biochemistry</i> , <b>2005</b> , 44, 7282-93	3.2	51
1075	Structural characterization of the intermolecular interactions of synapse-associated protein-97 with the NR2B subunit of N-methyl-D-aspartate receptors. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 26992-6	5.4	23
1074	The structure of bypass of forespore C, an intercompartmental signaling factor during sporulation in <i>Bacillus</i> . <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 36214-20	5.4	2
1073	Single turn peptide alpha helices with exceptional stability in water. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 2974-83	16.4	241
1072	The nociceptin pharmacophore site for opioid receptor binding derived from the NMR structure and bioactivity relationships. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 8134-42	5.4	25
1071	ADRF Research Grant Abstracts. <b>2005</b> , 50, S3-s44		
1070	The Proteomics Protocols Handbook. <b>2005</b> ,		204
1069	Secondary structure and dynamics of an intrinsically unstructured linker domain. <b>2005</b> , 23, 113-24		19
1068	<sup>1</sup> H NMR studies on the solution conformation of the [L-Ser10] and [D-Ser10] analogues of contulakin-G. <b>2005</b> , 83, 156-165		3
1067	NMR structure of the natural killer cell receptor 2B4 (CD244): implications for ligand recognition. <i>Biochemistry</i> , <b>2005</b> , 44, 6416-23	3.2	13
1066	A topological model of the interaction between alpha-synuclein and sodium dodecyl sulfate micelles. <i>Biochemistry</i> , <b>2005</b> , 44, 329-39	3.2	108
1065	Biosynthesis and NMR analysis of a 73-residue domain of a <i>Saccharomyces cerevisiae</i> G protein-coupled receptor. <i>Biochemistry</i> , <b>2005</b> , 44, 11795-810	3.2	34
1064	Magnetic effects of disulfide bridges: a density functional and semiempirical study. <b>2005</b> , 109, 3627-38		5
1063	Turn residues in beta-hairpin peptides as points for covalent modification. <b>2005</b> , 7, 3825-8		16
1062	Urotensin-II receptor ligands. From agonist to antagonist activity. <b>2005</b> , 48, 7290-7		22
1061	Structure, assembly, and topology of the G185R mutant of the fourth transmembrane domain of divalent metal transporter. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 1414-23	16.4	17
1060	@-Tide-stabilized beta-hairpins. <b>2005</b> , 70, 1865-71		17

1059	Mediating molecular recognition by methionine oxidation: conformational switching by oxidation of methionine in the carboxyl-terminal domain of calmodulin. <i>Biochemistry</i> , <b>2005</b> , 44, 9486-96	3.2	40
1058	Minimalist protein design: a beta-hairpin peptide that binds ssDNA. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 24-5	16.4	46
1057	Calcium-modulated S100 protein-phospholipid interactions. An NMR study of calbindin D9k and DPC. <i>Biochemistry</i> , <b>2005</b> , 44, 6502-12	3.2	11
1056	Structural and dynamic characterization of the acid-unfolded state of hUBF HMG box 1 provides clues for the early events in protein folding. <i>Biochemistry</i> , <b>2005</b> , 44, 8117-25	3.2	20
1055	Structural characterization of the interaction of the delta and alpha subunits of the Escherichia coli F1F0-ATP synthase by NMR spectroscopy. <i>Biochemistry</i> , <b>2005</b> , 44, 11786-94	3.2	42
1054	Dissecting the domain structure of Cdc4p, a myosin essential light chain involved in Schizosaccharomyces pombe cytokinesis. <i>Biochemistry</i> , <b>2005</b> , 44, 12136-48	3.2	4
1053	Structure and dynamics of the second and third transmembrane domains of human glycine receptor. <i>Biochemistry</i> , <b>2005</b> , 44, 8790-800	3.2	45
1052	Coulombic and hydrophobic interactions in the first intracellular loop are vital for bradykinin B2 receptor ligand binding and consequent signal transduction. <i>Biochemistry</i> , <b>2005</b> , 44, 5295-306	3.2	8
1051	Definable equilibrium states in the folding of human prion protein. <i>Biochemistry</i> , <b>2005</b> , 44, 16649-57	3.2	43
1050	Dynamics in the unfolded state of beta2-microglobulin studied by NMR. <b>2005</b> , 346, 279-94		88
1049	Simulation and experiment at high temperatures: ultrafast folding of a thermophilic protein by nucleation-condensation. <b>2005</b> , 347, 855-70		48
1048	NMR investigations of allosteric processes in a two-domain Thermus thermophilus Hsp70 molecular chaperone. <b>2005</b> , 349, 163-83		66
1047	Extending the folding nucleus of ubiquitin with an independently folding beta-hairpin finger: hurdles to rapid folding arising from the stabilisation of local interactions. <b>2005</b> , 349, 205-21		24
1046	Conformational flexibility of alpha-lactalbumin related to its membrane binding capacity. <b>2005</b> , 349, 1072-86		39
1045	Structure and inter-domain interactions of domain II from the blood-stage malarial protein, apical membrane antigen 1. <b>2005</b> , 350, 641-56		29
1044	Structure and modeling studies of the carboxy-terminus region of human tropoelastin. <b>2005</b> , 24, 271-82		13
1043	The interactions of antimicrobial peptides derived from lysozyme with model membrane systems. <b>2005</b> , 1668, 175-89		78
1042	Solution structure of humanin, a peptide against Alzheimer's disease-related neurotoxicity. <b>2005</b> , 329, 152-60		48

1041	Solution structure of a peptide derived from the oncogenic protein beta-Catenin in its phosphorylated and nonphosphorylated states. <b>2005</b> , 26, 227-41		17
1040	Solution conformation of Substance P antagonists-[D-Arg1, D-Trp7,9, Leu11]-SP, [D-Arg1, D-Pro2, D-Trp7,9, Leu11]-SP and [D-Pro2, D-Trp7,9]-SP by CD, NMR and MD simulations. <b>2005</b> , 26, 875-85		8
1039	Structure and tropomyosin binding properties of the N-terminal capping domain of tropomodulin 1. <b>2005</b> , 88, 372-83		54
1038	Probing the pH-dependent structural features of alpha-KTx12.1, a potassium channel blocker from the scorpion <i>Tityus serrulatus</i> . <i>Protein Science</i> , <b>2005</b> , 14, 1025-38	6.3	12
1037	Membrane-Induced Structure of Scyliorhinin I: A Dual NK1/NK2 Agonist. <b>2005</b> , 88, 3592-600		9
1036	Conformational properties of peptide fragments homologous to the 106-114 and 106-126 residues of the human prion protein: a CD and NMR spectroscopic study. <b>2005</b> , 3, 490-7		20
1035	The recognition of nucleotides with model beta-hairpin receptors: investigation of critical contacts and nucleotide selectivity. <b>2005</b> , 70, 1105-14		47
1034	A novel conotoxin framework with a helix-loop-helix (Cs alpha/alpha) fold. <i>Biochemistry</i> , <b>2005</b> , 44, 15986-96		44
1033	Natively Disordered Proteins. 275-357		54
1032	NMR- Based Structure Determination of Proteins in Solution. <b>2005</b> , 967-982		1
1031	Macromolecular Structure Determination by NMR Spectroscopy. <b>2005</b> , 89-113		3
1030	An algebraic geometry approach to protein structure determination from NMR data. <b>2005</b> , 235-46		3
1029	Structural determinants for the membrane interaction of novel bioactive undecapeptides derived from gaegurin 5. <b>2006</b> , 49, 4886-95		38
1028	Folding and aggregation kinetics of a beta-hairpin. <i>Biochemistry</i> , <b>2006</b> , 45, 7023-35	3.2	65
1027	Structure-based Drug Design and NMR-based Screening. <b>2006</b> ,		
1026	Identification of an ordered compact structure within the recombinant bovine fibrinogen alphaC-domain fragment by NMR. <i>Biochemistry</i> , <b>2006</b> , 45, 2257-66	3.2	39
1025	Characterizing residual structure in disordered protein States using nuclear magnetic resonance. <i>Methods in Molecular Biology</i> , <b>2007</b> , 350, 49-67	1.4	55
1024	Modular alpha-helical mimetics with antiviral activity against respiratory syncytial virus. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 13284-9	16.4	64

1023	Roles of salt and conformation in the biological and physicochemical behavior of protegrin-1 and designed analogues: correlation of antimicrobial, hemolytic, and lipid bilayer-perturbing activities. <i>Biochemistry</i> , <b>2006</b> , 45, 15718-30	3.2	24
1022	NMR studies of the fifth transmembrane segment of Na <sup>+</sup> ,K <sup>+</sup> -ATPase reveals a non-helical ion-binding region. <b>2006</b> , 580, 4777-83		3
1021	The lipid-associated 3D structure of SPA, a broad-spectrum neuropeptide antagonist with anticancer properties. <b>2006</b> , 91, 4478-89		6
1020	What I have learned by using chemical model systems to study biomolecular structure and interactions. <b>2006</b> , 4, 3869-85		46
1019	NMR solution structure and backbone dynamics of domain III of the E protein of tick-borne Langkat flavivirus suggests a potential site for molecular recognition. <i>Protein Science</i> , <b>2006</b> , 15, 1342-55	6.3	20
1018	Beta-turn modified gramicidin S analogues containing arylated sugar amino acids display antimicrobial and hemolytic activity comparable to the natural product. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 7559-65	16.4	55
1017	Characterizing the residue level folding of the intrinsically unstructured IA3. <i>Biochemistry</i> , <b>2006</b> , 45, 13585-96	3.2	11
1016	NMR analysis of aromatic interactions in designed peptide beta-hairpins. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 1125-38	16.4	89
1015	Thermodynamic analysis of autonomous parallel beta-sheet formation in water. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 7148-9	16.4	25
1014	Conformation of the cell division regulator MinE: evidence for interactions between the topological specificity and anti-MinCD domains. <i>Biochemistry</i> , <b>2006</b> , 45, 4593-601	3.2	15
1013	NMR characterization of a peptide model provides evidence for significant structure in the unfolded state of the villin headpiece helical subdomain. <i>Biochemistry</i> , <b>2006</b> , 45, 6940-6	3.2	40
1012	Domain motions of the Mip protein from <i>Legionella pneumophila</i> . <i>Biochemistry</i> , <b>2006</b> , 45, 12303-11	3.2	21
1011	Conformation-activity relationship of designed glycopeptides as synthetic probes for the detection of autoantibodies, biomarkers of multiple sclerosis. <b>2006</b> , 49, 5072-9		31
1010	Structure and activity of the N-terminal region of the eukaryotic cytolyisin equinatoxin II. <i>Biochemistry</i> , <b>2006</b> , 45, 1818-28	3.2	46
1009	Solution structure of discrepin, a new K <sup>+</sup> -channel blocking peptide from the alpha-KTx15 subfamily. <i>Biochemistry</i> , <b>2006</b> , 45, 1795-804	3.2	18
1008	Streptococcal M protein: structural studies of the hypervariable region, free and bound to human C4BP. <i>Biochemistry</i> , <b>2006</b> , 45, 4559-68	3.2	29
1007	Determinants of specificity of MDM2 for the activation domains of p53 and p65: proline27 disrupts the MDM2-binding motif of p53. <i>Biochemistry</i> , <b>2006</b> , 45, 11945-57	3.2	63
1006	Determinations of <sup>15</sup> N chemical shift anisotropy magnitudes in a uniformly <sup>15</sup> N, <sup>13</sup> C-labeled microcrystalline protein by three-dimensional magic-angle spinning nuclear magnetic resonance spectroscopy. <b>2006</b> , 110, 10926-36		58

1005	Solution structure of an oncogenic mutant of Cdc42Hs. <i>Biochemistry</i> , <b>2006</b> , 45, 2577-83	3.2	12
1004	Examination of the structure, stability, and catalytic potential in the engineered phosphoryl carrier domain of pyruvate phosphate dikinase. <i>Biochemistry</i> , <b>2006</b> , 45, 1702-11	3.2	8
1003	Localizing alpha-helices in human tropoelastin: assembly of the elastin "puzzle". <i>Biochemistry</i> , <b>2006</b> , 45, 9518-30	3.2	67
1002	The link between sequence and conformation in protein structures appears to be stereochemically established. <b>2006</b> , 110, 9314-23		42
1001	NMR structural studies of the myristoylated N-terminus of ADP ribosylation factor 6 (Arf6). <b>2006</b> , 580, 4296-301		5
1000	A POMC variant implicates beta-melanocyte-stimulating hormone in the control of human energy balance. <b>2006</b> , 3, 135-40		179
999	Peptide antibiotics in action: investigation of polypeptide chains in insoluble environments by rotational-echo double resonance. <b>2006</b> , 1758, 1314-29		29
998	Determining the 3D structure of human ASC2 protein involved in apoptosis and inflammation. <b>2006</b> , 340, 860-4		11
997	Chemical synthesis and structure elucidation of bovine kappa-casein (1-44). <b>2006</b> , 340, 1098-103		9
996	Solution structure of Ser14Gly-humanin, a potent rescue factor against neuronal cell death in Alzheimer's disease. <b>2006</b> , 349, 634-42		22
995	NMR solution structure of BmK-betaIT, an excitatory scorpion beta-toxin without a 'hot spot' at the relevant position. <b>2006</b> , 349, 890-9		8
994	Conformational analysis in solution of gastrin releasing peptide. <b>2006</b> , 350, 120-4		7
993	Structural impact of heparin binding to full-length Tau as studied by NMR spectroscopy. <i>Biochemistry</i> , <b>2006</b> , 45, 12560-72	3.2	115
992	The denatured state under native conditions: a non-native-like collapsed state of N-PGK. <b>2006</b> , 357, 365-72		25
991	Discovery and characterization of a linear cyclotide from <i>Viola odorata</i> : implications for the processing of circular proteins. <b>2006</b> , 357, 1522-35		95
990	Defining the intramembrane binding mechanism of sarcolipin to calcium ATPase using solution NMR spectroscopy. <b>2006</b> , 358, 420-9		48
989	Abeta42 is more rigid than Abeta40 at the C terminus: implications for Abeta aggregation and toxicity. <b>2006</b> , 364, 853-62		214
988	Solution structure of amphibian tachykinin Uperolein bound to DPC micelles. <b>2006</b> , 156, 442-52		12



987	Quantum Chemical Calculations of NMR Parameters. <b>2006</b> , 513-536		1
986	Two-, Three- and Four- Dimensional Nuclear Magnetic Resonance of Biomolecules. <b>2006</b> ,		
985	Prediction of the amount of secondary structure of proteins using unassigned NMR spectra: a tool for target selection in structural proteomics. <b>2006</b> , 29, 762-770		4
984	Ferredoxins Containing One [3FeS] Cluster. <i>Desulfovibrio Gigas</i> Ferredoxin II Solution Structure. <b>2006</b> ,		
983	Dockerin Domains. <b>2006</b> ,		
982	Predicting the redox state and secondary structure of cysteine residues in proteins using NMR chemical shifts. <b>2006</b> , 63, 219-26		12
981	Simulation of oligopeptide dynamics and folding. The use of NMR chemical shifts to analyse the MD trajectories. <b>2006</b> , 12, 33-42		
980	Diversity and junction residues as hotspots of binding energy in an antibody neutralizing the dengue virus. <i>FEBS Journal</i> , <b>2006</b> , 273, 34-46	5-7	17
979	Structure and influence on stability and activity of the N-terminal propeptide part of lung surfactant protein C. <i>FEBS Journal</i> , <b>2006</b> , 273, 926-35	5-7	7
978	Local binding with globally distributed changes in a small protease inhibitor upon enzyme binding. <i>FEBS Journal</i> , <b>2006</b> , 273, 1831-42	5-7	5
977	Structure-activity relationships of fowlicidin-1, a cathelicidin antimicrobial peptide in chicken. <i>FEBS Journal</i> , <b>2006</b> , 273, 2581-93	5-7	63
976	Structural evaluation of a novel pro-apoptotic peptide coupled to CNGRC tumor homing sequence by NMR. <b>2006</b> , 67, 417-24		6
975	NMR: prediction of protein flexibility. <b>2006</b> , 1, 683-8		65
974	The study of solution conformation of allatostatins by 2-D NMR and molecular modeling. <b>2006</b> , 1764, 70-5		16
973	The malonyl transferase activity of type II polyketide synthase acyl carrier proteins. <b>2006</b> , 13, 587-96		24
972	Asteropine A, a sialidase-inhibiting conotoxin-like peptide from the marine sponge <i>Asteropus simplex</i> . <b>2006</b> , 13, 569-74		22
971	Alternative O-GlcNAcylation/O-phosphorylation of Ser16 induce different conformational disturbances to the N terminus of murine estrogen receptor beta. <b>2006</b> , 13, 937-44		72
970	Structural and molecular evolutionary analysis of Agouti and Agouti-related proteins. <b>2006</b> , 13, 1297-305		41

969	Measurement of magnetic susceptibility and calculation of shape factor of NMR samples. <b>2006</b> , 178, 237-47		52
968	Characterization of the unfolded state of bovine alpha-lactalbumin and comparison with unfolded states of homologous proteins. <i>Protein Science</i> , <b>2006</b> , 15, 1397-407	6.3	34
967	Solution structure of the ubiquitin-associated domain of human BMSC-UbP and its complex with ubiquitin. <i>Protein Science</i> , <b>2006</b> , 15, 1248-59	6.3	43
966	Structure and topology of the non-amyloid-beta component fragment of human alpha-synuclein bound to micelles: implications for the aggregation process. <i>Protein Science</i> , <b>2006</b> , 15, 1408-16	6.3	42
965	Motional properties of unfolded ubiquitin: a model for a random coil protein. <b>2006</b> , 35, 175-86		49
964	The solution structure of the protein ydhA from Escherichia coli. <b>2006</b> , 35, 295-300		11
963	Determination of the residue-specific <sup>15</sup> N CSA tensor principal components using multiple alignment media. <b>2006</b> , 35, 249-59		14
962	A Bayesian-probability-based method for assigning protein backbone dihedral angles based on chemical shifts and local sequences. <b>2007</b> , 37, 31-41		
961	Estimation of protein secondary structure content directly from NMR spectra using an improved empirical correlation with averaged chemical shift. <b>2005</b> , 6, 281-5		4
960	Solution conformation of an immunodominant epitope in the hepatitis B virus preS2 surface antigen. <b>2006</b> , 72, 207-15		6
959	The influence of phosphorylation on the activity and structure of the neuronal IQ motif protein, PEP-19. <b>2006</b> , 1092, 16-27		11
958	NMR conformational analysis of proadrenomedullin N-terminal 20 peptide, a proangiogenic factor involved in tumor growth. <b>2006</b> , 81, 295-308		8
957	NMR of conotoxins: structural features and an analysis of chemical shifts of post-translationally modified amino acids. <b>2006</b> , 44 Spec No, S41-50		41
956	Accurate prediction of protein torsion angles using chemical shifts and sequence homology. <b>2006</b> , 44 Spec No, S158-67		40
955	Solution structure and mechanism of the MutT pyrophosphohydrolase. <b>1999</b> , 73, 183-207		11
954	A polynomial-time algorithm for de novo protein backbone structure determination from nuclear magnetic resonance data. <b>2006</b> , 13, 1267-88		25
953	PREDITOR: a web server for predicting protein torsion angle restraints. <b>2006</b> , 34, W63-9		158
952	Artificial carriers: a strategy for constructing antigenic/immunogenic conjugates. <b>2006</b> , 6, 1715-35		23

951 Protein Folding Protocols. **2006**,

950 SimShift: identifying structural similarities from NMR chemical shifts. **2006**, 22, 460-5 12

949 Structural and functional characterization of transmembrane segment VII of the Na<sup>+</sup>/H<sup>+</sup> exchanger isoform 1. *Journal of Biological Chemistry*, **2006**, 281, 29817-29 5-4 60

948 Structure of Pfu Pop5, an archaeal RNase P protein. **2006**, 103, 873-8 53

947 Consequences of N-acylation on structure and membrane binding properties of dermaseptin derivative K4-S4-(1-13). *Journal of Biological Chemistry*, **2006**, 281, 9432-8 5-4 31

946 NMR and alanine scan studies of glucose-dependent insulinotropic polypeptide in water. *Journal of Biological Chemistry*, **2006**, 281, 16370-6 5-4 32

945 Glutathionylation induces the dissociation of 1-Cys D-peroxiredoxin non-covalent homodimer. *Journal of Biological Chemistry*, **2006**, 281, 31736-42 5-4 65

944 The interaction between calcium- and integrin-binding protein 1 and the alpha11b integrin cytoplasmic domain involves a novel C-terminal displacement mechanism. *Journal of Biological Chemistry*, **2006**, 281, 26455-64 5-4 30

943 Structural basis for calcium-induced inhibition of rhodopsin kinase by recoverin. *Journal of Biological Chemistry*, **2006**, 281, 37237-45 5-4 74

942 Polyproline II conformation is one of many local conformational states and is not an overall conformation of unfolded peptides and proteins. **2006**, 103, 1744-9 149

941 Fusion peptide of influenza hemagglutinin requires a fixed angle boomerang structure for activity. *Journal of Biological Chemistry*, **2006**, 281, 5760-70 5-4 98

940 Structural changes of region 1-16 of the Alzheimer disease amyloid beta-peptide upon zinc binding and in vitro aging. *Journal of Biological Chemistry*, **2006**, 281, 2151-61 5-4 233

939 Engineered sarafotoxins as tissue inhibitor of metalloproteinases-like matrix metalloproteinase inhibitors. *Journal of Biological Chemistry*, **2007**, 282, 26948-26955 5-4 13

938 Structural characterization and oligomerization of PB1-F2, a proapoptotic influenza A virus protein. *Journal of Biological Chemistry*, **2007**, 282, 353-63 5-4 45

937 Structural insights into activation of phosphatidylinositol 4-kinase (Pik1) by yeast frequenin (Frq1). *Journal of Biological Chemistry*, **2007**, 282, 30949-59 5-4 52

936 Folding of the C-terminal fragment V111-D143 of staphylococcal nuclease in aqueous solution. **2007**, 14, 747-55 2

935 Structure-activity analysis of quorum-sensing signaling peptides from *Streptococcus mutans*. **2007**, 189, 1441-50 43

934 Peptide and Protein Secondary Structural Elements. **2007**,

933	Combinatorial Chemistry. <b>2007</b> ,		
932	Amino Acids, Peptides and Proteins: Chemical Shifts. <b>2007</b> ,		
931	NMR characterization of the pH 4 beta-intermediate of the prion protein: the N-terminal half of the protein remains unstructured and retains a high degree of flexibility. <i>Biochemical Journal</i> , <b>2007</b> , 401, 533-40	3.8	34
930	Evidence for a C-terminal structural motif in gastrin and its bioactive fragments in membrane mimetic media. <b>2007</b> , 28, 1561-71		13
929	Phosphorylation-dependent structure of ATF4 peptides derived from a human ATF4 protein, a member of the family of transcription factors. <b>2007</b> , 28, 2253-67		13
928	CLASSICAL NMR SPECTROSCOPY. <b>2007</b> , 1-28		12
927	Structure and localization of an essential transmembrane segment of the proton translocation channel of yeast H <sup>+</sup> -V-ATPase. <b>2007</b> , 1768, 218-27		17
926	Transmembrane helices of membrane proteins may flex to satisfy hydrophobic mismatch. <b>2007</b> , 1768, 530-7		45
925	Solid-state NMR spectroscopy of 18.5 kDa myelin basic protein reconstituted with lipid vesicles: spectroscopic characterisation and spectral assignments of solvent-exposed protein fragments. <b>2007</b> , 1768, 3193-205		41
924	Human topoisomerase I C-terminal domain fragment containing the active site tyrosine is a molten globule: implication for the formation of competent productive complex. <b>2007</b> , 159, 111-21		5
923	Unique helical conformation of the fourth cytoplasmic loop of the CB1 cannabinoid receptor in a negatively charged environment. <b>2007</b> , 159, 359-68		17
922	Improved structural characterizations of the drkN SH3 domain unfolded state suggest a compact ensemble with native-like and non-native structure. <b>2007</b> , 367, 1494-510		99
921	The novel fold of scytovirin reveals a new twist for antiviral entry inhibitors. <b>2007</b> , 369, 451-61		42
920	Detection of initiation sites in protein folding of the four helix bundle ACBP by chemical shift analysis. <b>2007</b> , 581, 4965-71		43
919	Structure-guided peptidomimetic design leads to nanomolar beta-hairpin inhibitors of the Tat-TAR interaction of bovine immunodeficiency virus. <i>Biochemistry</i> , <b>2007</b> , 46, 741-51	3.2	68
918	CyBase: a database of cyclic protein sequences and structures, with applications in protein discovery and engineering. <b>2008</b> , 36, D206-10		194
917	SEQUENTIAL ASSIGNMENT, STRUCTURE DETERMINATION, AND OTHER APPLICATIONS. <b>2007</b> , 781-817		9
916	Peripherin-2: an intracellular analogy to viral fusion proteins. <i>Biochemistry</i> , <b>2007</b> , 46, 3605-13	3.2	16

915	Protein folding determinants: structural features determining alternative disulfide pairing in alpha- and chi/lambda-conotoxins. <i>Biochemistry</i> , <b>2007</b> , 46, 3338-55	3.2	33
914	Peptide binding by a fragment of calmodulin composed of EF-hands 2 and 3. <i>Biochemistry</i> , <b>2007</b> , 46, 8525-36		4
913	NMR solution structure of subunit F of the methanogenic A1AO adenosine triphosphate synthase and its interaction with the nucleotide-binding subunit B. <i>Biochemistry</i> , <b>2007</b> , 46, 11684-94	3.2	24
912	Driving forces in the delivery of penetratin conjugated G protein fragment. <b>2007</b> , 50, 1458-64		7
911	An artificial beta-sheet that dimerizes through parallel beta-sheet interactions. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 13043-8	16.4	30
910	NMR solution structures of the apo and peptide-inhibited human rhinovirus 3C protease (Serotype 14): structural and dynamic comparison. <i>Biochemistry</i> , <b>2007</b> , 46, 12945-58	3.2	22
909	Thermodynamic dissection of the Ezrin FERM/CERMAD interface. <i>Biochemistry</i> , <b>2007</b> , 46, 12174-89	3.2	16
908	Cyclic modular beta-sheets. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 2548-58	16.4	47
907	Investigating the amyloidogenic nanostructured sequences of elastin: sequence encoded by exon 28 of human tropoelastin gene. <b>2007</b> , 8, 3478-86		34
906	Protein structure determination from NMR chemical shifts. <b>2007</b> , 104, 9615-20		440
905	Solution structure of BmKalpalT01, an alpha-insect toxin from the venom of the Chinese scorpion <i>Buthus martensii</i> Karsch. <i>Biochemistry</i> , <b>2007</b> , 46, 11322-30	3.2	3
904	Common and divergent structural features of a series of corticotropin releasing factor-related peptides. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 16102-14	16.4	46
903	Structure of the first transmembrane domain of the neuronal acetylcholine receptor beta2 subunit. <b>2007</b> , 92, 1616-22		9
902	Structure and plasticity of the human immunodeficiency virus gp41 fusion domain in lipid micelles and bilayers. <b>2007</b> , 93, 876-85		84
901	Novel peptide inhibitors of human secretory phospholipase A2 with antiinflammatory activity: solution structure and molecular modeling. <b>2007</b> , 50, 5938-50		19
900	Effect of pH, urea, peptide length, and neighboring amino acids on alanine alpha-proton random coil chemical shifts. <b>2007</b> , 85, 72-80		9
899	Biological and structural characterization of new linear gomesin analogues with improved therapeutic indices. <b>2007</b> , 88, 386-400		52
898	NMR analysis of G7-18NATE, a nonphosphorylated cyclic peptide inhibitor of the Grb7 adapter protein. <b>2007</b> , 88, 174-81		15

897	Solution structures and biological functions of the antimicrobial peptide, arenicin-1, and its linear derivative. <b>2007</b> , 88, 208-16		50
896	Peptide design and structural characterization of a GPCR loop mimetic. <b>2007</b> , 86, 298-310		15
895	Conformational solution studies of the SDS micelle-bound 11-28 fragment of two Alzheimer's beta-amyloid variants (E22K and A21G) using CD, NMR, and MD techniques. <b>2007</b> , 87, 23-39		15
894	Astressin-amide and stressin-acid are structurally different in dimethylsulfoxide. <b>2007</b> , 87, 196-205		7
893	A mixed-alpha,beta miniprotein stereochemically reprogrammed to high-binding affinity for acetylcholine. <b>2007</b> , 87, 231-43		20
892	NMR solution structure of the angiostatic peptide anginex. <b>2007</b> , 1774, 645-51		12
891	NMR study and molecular dynamics simulations of optimized beta-hairpin fragments of protein G. <b>2007</b> , 69, 285-96		19
890	Understanding interactions of gastric inhibitory polypeptide (GIP) with its G-protein coupled receptor through NMR and molecular modeling. <b>2007</b> , 13, 287-300		16
889	Conformational solution studies of the anti-microbial temporin A retro-analogues by using NMR spectroscopy. <b>2007</b> , 13, 327-33		5
888	Solution structure and cell selectivity of piscidin 1 and its analogues. <i>Biochemistry</i> , <b>2007</b> , 46, 3653-63	3,2	81
887	Variability in secondary structure of the antimicrobial peptide Cateslytin in powder, solution, DPC micelles and at the air-water interface. <b>2007</b> , 36, 1019-27		20
886	2DCSi: identification of protein secondary structure and redox state using 2D cluster analysis of NMR chemical shifts. <b>2007</b> , 38, 57-63		17
885	Empirical isotropic chemical shift surfaces. <b>2007</b> , 38, 269-87		7
884	CheckShift: automatic correction of inconsistent chemical shift referencing. <b>2007</b> , 39, 223-7		22
883	Nearest-neighbor effects on backbone alpha and beta carbon chemical shifts in proteins. <b>2007</b> , 39, 247-57		16
882	A global analysis of NMR distance constraints from the PDB. <b>2007</b> , 39, 303-14		9
881	Elimination of the C-cap in ubiquitin - structure, dynamics and thermodynamic consequences. <b>2007</b> , 126, 25-35		8
880	Structure of human insulin monomer in water/acetonitrile solution. <b>2008</b> , 40, 55-64		46

879	Application of the random coil index to studying protein flexibility. <b>2008</b> , 40, 31-48		86
878	Model-independent interpretation of NMR relaxation data for unfolded proteins: the acid-denatured state of ACBP. <b>2008</b> , 42, 163-77		26
877	H, C and N resonance assignments of the C-terminal domain of the 43 kDa subunit of the chloroplast signal recognition particle. <i>Biomolecular NMR Assignments</i> , <b>2008</b> , 2, 37-39	0.7	
876	<sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N resonance assignment of the ubiquitin-like domain from Dsk2p. <i>Biomolecular NMR Assignments</i> , <b>2008</b> , 2, 147-9	0.7	3
875	A complete backbone spectral assignment of lipid-free human apolipoprotein E (apoE). <i>Biomolecular NMR Assignments</i> , <b>2008</b> , 2, 207-10	0.7	11
874	Solution structure of a cathelicidin-derived antimicrobial peptide, CRAMP as determined by NMR spectroscopy. <b>2002</b> , 60, 1-9		29
873	Knottin cyclization: impact on structure and dynamics. <b>2008</b> , 8, 54		63
872	<sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N resonance assignments of <i>Fusarium solani</i> pisi cutinase and preliminary features of the structure in solution. <i>Protein Science</i> , <b>1997</b> , 6, 2375-84	6.3	24
871	Identification of the binding site on S100B protein for the actin capping protein CapZ. <i>Protein Science</i> , <b>1997</b> , 6, 2494-503	6.3	32
870	Human uroporphyrinogen III synthase: NMR-based mapping of the active site. <b>2008</b> , 71, 855-73		16
869	Solution structure, antibacterial activity, and expression profile of <i>Manduca sexta</i> moricin. <b>2008</b> , 14, 855-63		23
868	Synthesis and conformational studies of pseudopeptides containing an unsymmetrical triazine scaffold. <b>2008</b> , 14, 596-609		9
867	Correlating sideband patterns with powder patterns for accurate determination of chemical shift parameters in solid-state NMR. <b>2008</b> , 46, 913-7		3
866	pH effects on the conformational preferences of amyloid beta-peptide (1-40) in HFIP aqueous solution by NMR spectroscopy. <b>2008</b> , 3, 833-43		15
865	A Combined NMR, Computational, and HPLC Study of the Inclusion of Aromatic and Fluoroaromatic Compounds in Cyclodextrins as a Model for Studying Carbohydrate-Aromatic Interactions. <b>2008</b> , 2008, 5891-5898		12
864	Characterization of the structure and dynamics of mastoparan-X during folding in aqueous TFE by CD and NMR spectroscopy. <b>2008</b> , 89, 197-209		10
863	NMR structure of biosynthetic engineered human insulin monomer B31(Lys)-B32(Arg) in water/acetonitrile solution. Comparison with the solution structure of native human insulin monomer. <b>2008</b> , 89, 820-30		18
862	Distance measurements in the borderline region of applicability of CW EPR and DEER: a model study on a homologous series of spin-labelled peptides. <b>2008</b> , 191, 202-18		127



861	NMR evaluation of adipocyte fatty acid binding protein (aP2) with R- and S-ibuprofen. <b>2008</b> , 16, 4323-30		3
860	NMR comparison of the native energy landscapes of DLC8 dimer and monomer. <b>2008</b> , 134, 10-9		18
859	Structural rationale for the coupled binding and unfolding of the c-Myc oncoprotein by small molecules. <b>2008</b> , 15, 1149-55		126
858	The influence of C-terminal extension on the structure of the "J-domain" in E. coli DnaJ. <i>Protein Science</i> , <b>1999</b> , 8, 203-14	6.3	38
857	NMR assignments, secondary structure, and global fold of calerythrin, an EF-hand calcium-binding protein from <i>Saccharopolyspora erythraea</i> . <i>Protein Science</i> , <b>1999</b> , 8, 2580-8	6.3	19
856	The solution structure of a superpotent B-chain-shortened single-replacement insulin analogue. <i>Protein Science</i> , <b>1999</b> , 8, 499-508	6.3	11
855	Synthetic mimetics of the gp130 binding site for viral interleukin-6 as inhibitors of the vIL-6-gp130 interaction. <b>2008</b> , 71, 494-500		10
854	Identification of critical residues of subunit H in its interaction with subunit E of the A-ATP synthase from <i>Methanocaldococcus jannaschii</i> . <i>FEBS Journal</i> , <b>2008</b> , 275, 1803-12	5.7	10
853	The interactions of phenytoin and its binding site in DI-S6 segment of Na <sup>+</sup> channel voltage-gated peptide by NMR spectroscopy and molecular modeling study. <b>2005</b> , 66, 27-38		2
852	The Basic Subdomain of the c-Jun Oncoprotein. <b>2008</b> , 231, 370-380		
851	<sup>1</sup> H Nuclear-Magnetic-Resonance Investigation of Oxidized Fe4S4 Ferredoxin from <i>Thermotoga maritima</i> . <b>2008</b> , 229, 658-668		
850	NMR study of general anesthetic interaction with nAChR beta2 subunit. <b>2008</b> , 94, 1681-8		22
849	Early stages of amyloid fibril formation studied by liquid-state NMR: the peptide hormone glucagon. <b>2008</b> , 95, 366-77		29
848	Peptide-Based Drug Design. <i>Methods in Molecular Biology</i> , <b>2008</b> ,	1.4	17
847	Detailed structural characterization of unbound protein phosphatase 1 inhibitors. <i>Biochemistry</i> , <b>2008</b> , 47, 12346-56	3.2	59
846	Linkage isomerism in the binding of pentapeptide Ac-His(Ala) <sub>3</sub> His-NH <sub>2</sub> to (ethylenediamine)palladium(II): effect of the binding mode on peptide conformation. <b>2008</b> , 47, 9439-49		10
845	The Arctic mutation alters helix length and type in the 11-28 beta-amyloid peptide monomer-CD, NMR and MD studies in an SDS micelle. <b>2008</b> , 164, 199-209		6
844	Interaction of Alzheimer's A beta peptide with an engineered binding protein--thermodynamics and kinetics of coupled folding-binding. <b>2008</b> , 378, 398-411		31

843	Probing the conformation and dynamics of allatostatin neuropeptides: a structural model for functional differences. <b>2008</b> , 29, 375-85			4
842	Solution NMR structures of the antimicrobial peptides phylloseptin-1, -2, and -3 and biological activity: the role of charges and hydrogen bonding interactions in stabilizing helix conformations. <b>2008</b> , 29, 1633-44			47
841	NMR analysis of viral protein structures. <i>Methods in Molecular Biology</i> , <b>2008</b> , 451, 441-62	1.4		11
840	Two well-defined motifs in the cAMP-dependent protein kinase inhibitor (PKIalpha) correlate with inhibitory and nuclear export function. <i>Protein Science</i> , <b>1999</b> , 8, 545-53	6.3		22
839	Structural characterization of neurokinin-3 receptor selective peptide agonist scyliorhinin II bound to DPC micelles. <b>2008</b> , 25, 395-405			
838	Structural characterization of the transmembrane domain from subunit e of yeast F1Fo-ATP synthase: a helical GXXXG motif located just under the micelle surface. <i>Biochemistry</i> , <b>2008</b> , 47, 1910-7	3.2		10
837	Three-dimensional structure of conotoxin tx3a: An m-1 branch peptide of the M-superfamily. <i>Biochemistry</i> , <b>2008</b> , 47, 2826-32	3.2		14
836	The micelle-associated 3D structures of Boc-Y(SO <sub>3</sub> )-Nle-G-W-Nle-D-2-phenylethylester (JMV-180) and CCK-8(s) share conformational elements of a calculated CCK1 receptor-bound model. <b>2008</b> , 51, 3742-54			4
835	Structures and micelle locations of the nonlipidated and lipidated C-terminal membrane anchor of 2',3'-cyclic nucleotide-3'-phosphodiesterase. <i>Biochemistry</i> , <b>2008</b> , 47, 308-19	3.2		15
834	A different molecular mechanism underlying antimicrobial and hemolytic actions of temporins A and L. <b>2008</b> , 51, 2354-62			65
833	Solution structure of a conformationally restricted fully active derivative of the human relaxin-like factor. <i>Biochemistry</i> , <b>2008</b> , 47, 13308-17	3.2		4
832	A soluble oligomer of tau associated with fiber formation analyzed by NMR. <i>Biochemistry</i> , <b>2008</b> , 47, 7393-404	3.2		60
831	Conservation of unfavorable sequence motifs that contribute to the chemokine quaternary state. <i>Biochemistry</i> , <b>2008</b> , 47, 10637-48	3.2		3
830	NMR structure of DREAM: Implications for Ca(2+)-dependent DNA binding and protein dimerization. <i>Biochemistry</i> , <b>2008</b> , 47, 2252-64	3.2		40
829	Evidence for effect of GM1 on opioid peptide conformation: NMR study on leucine enkephalin in ganglioside-containing isotropic phospholipid bicelles. <b>2008</b> , 24, 5422-32			26
828	The thymine-DNA glycosylase regulatory domain: residual structure and DNA binding. <i>Biochemistry</i> , <b>2008</b> , 47, 6519-30	3.2		31
827	Designed glycopeptides with different beta-turn types as synthetic probes for the detection of autoantibodies as biomarkers of multiple sclerosis. <b>2008</b> , 51, 5304-9			24
826	Dependence of amino acid side chain <sup>13</sup> C shifts on dihedral angle: application to conformational analysis. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 11097-105	16.4		65

825	Differences in dynamic structure of LC8 monomer, dimer, and dimer-peptide complexes. <i>Biochemistry</i> , <b>2008</b> , 47, 11940-52	3.2	26
824	The importance of micelle-bound states for the bioactivities of bifunctional peptide derivatives for delta/mu opioid receptor agonists and neurokinin 1 receptor antagonists. <b>2008</b> , 51, 6334-47		31
823	Engineering stabilized vascular endothelial growth factor-A antagonists: synthesis, structural characterization, and bioactivity of grafted analogues of cyclotides. <b>2008</b> , 51, 7697-704		152
822	Elucidation of the mode of interaction in the UP1-telomerase RNA-telomeric DNA ternary complex which serves to recruit telomerase to telomeric DNA and to enhance the telomerase activity. <b>2008</b> , 36, 6816-24		11
821	Both lipid environment and pH are critical for determining physiological solution structure of 3-D-conserved epitopes of the HIV-1 gp41-MPER peptide P1. <b>2008</b> , 22, 4338-51		28
820	Structural insights into membrane targeting by the flagellar calcium-binding protein (FCaBP), a myristoylated and palmitoylated calcium sensor in <i>Trypanosoma cruzi</i> . <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 23388-96	5.4	23
819	Synthesis, structure, and activities of an oral mucosal alpha-defensin from rhesus macaque. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 35869-77	5.4	5
818	Probing the mechanism of recognition of ssDNA by the Cdc13-DBD. <b>2008</b> , 36, 1624-33		15
817	On the role of aromatic-sugar interactions in the molecular recognition of carbohydrates: A 3D view by using NMR. <b>2008</b> , 80, 1827-1835		21
816	Structural and functional characterization of nonstructural protein 2 for its role in hepatitis C virus assembly. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 28546-62	5.4	124
815	Structural mechanism of signal transduction between the RNA-binding domain and the phosphotransferase system regulation domain of the LicT antiterminator. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 30838-49	5.4	15
814	Structural and functional characterization of transmembrane segment IX of the NHE1 isoform of the Na <sup>+</sup> /H <sup>+</sup> exchanger. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 22018-30	5.4	32
813	Metallomics, elementomics, and analytical techniques. <b>2008</b> , 80, 2577-2594		26
812	Analysis of a membrane interacting region of herpes simplex virus type 1 glycoprotein H. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 29993-30009	5.4	46
811	S100A1 and calmodulin compete for the same binding site on ryanodine receptor. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 26676-83	5.4	89
810	Conformational distributions of unfolded polypeptides from novel NMR techniques. <b>2008</b> , 128, 052204		83
809	Two amino acid substitutions within the first external loop of CCR5 induce human immunodeficiency virus-blocking antibodies in mice and chickens. <b>2008</b> , 82, 4125-34		19
808	Multidimensional Nuclear Magnetic Resonance of Biomolecules. <b>2008</b> ,		

807	Human macrophage inflammatory protein 3alpha: protein and peptide nuclear magnetic resonance solution structures, dimerization, dynamics, and anti-infective properties. <b>2008</b> , 52, 883-94		31
806	Structural basis for the localization of the chemotaxis phosphatase CheZ by CheAS. <b>2009</b> , 191, 5842-4		8
805	Identification and structural analysis of type I collagen sites in complex with fibronectin fragments. <b>2009</b> , 106, 4195-200		75
804	The PN2-3 domain of centrosomal P4.1-associated protein implements a novel mechanism for tubulin sequestration. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 6909-17	5-4	39
803	Solution state structures of human pancreatic amylin and pramlintide. <b>2009</b> , 22, 497-513		42
802	GroEL Recognizes an Amphipathic Helix and Binds to the Hydrophobic Side. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 4324-31	5-4	25
801	Structural and functional analysis of transmembrane XI of the NHE1 isoform of the Na <sup>+</sup> /H <sup>+</sup> exchanger. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 11546-56	5-4	26
800	The solution structure of pGolemi, a high affinity Mena EVH1 binding miniature protein, suggests explanations for paralog-specific binding to Ena/VASP homology (EVH) 1 domains. <b>2009</b> , 390, 417-26		2
799	Effect of highly fluorinated amino acids on protein stability at a solvent-exposed position on an internal strand of protein G B1 domain. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 13192-3	16.4	57
798	Conformational properties of beta-PrP. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 21981-21990	5-4	31
797	A unified scheme for initiation and conformational adaptation of human apolipoprotein E N-terminal domain upon lipoprotein binding and for receptor binding activity. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 14657-66	5-4	36
796	Identification of a novel determinant for membrane association in hepatitis C virus nonstructural protein 4B. <b>2009</b> , 83, 6257-68		81
795	Quantitative determination of the conformational properties of partially folded and intrinsically disordered proteins using NMR dipolar couplings. <i>Structure</i> , <b>2009</b> , 17, 1169-85	5.2	138
794	Solution structure of the toxic octapeptide, lophyrotomin. <b>1993</b> , 42, 366-71		2
793	<sup>1</sup> H NMR analysis of fibril-forming peptide fragments of transthyretin. <b>1994</b> , 44, 388-98		26
792	Solution structure of the B-chain of insulin as determined by <sup>1</sup> H NMR spectroscopy. Comparison with the crystal structure of the insulin hexamer and with the solution structure of the insulin monomer. <b>1995</b> , 46, 424-33		25
791	Conformational behaviour of a synthetic peptide of the C-terminus of villin that interacts with actin: an NMR, CD and stimulated annealing study. <b>1995</b> , 45, 574-86		7
790	Solution structure of the hydrophilic region of HIV-1 encoded virus protein U (Vpu) by CD and <sup>1</sup> H NMR spectroscopy. <b>1995</b> , 45, 35-43		59

789	Structural characterizations of neuropeptide tyrosine (NPY) and its agonist analog [Ahx5-17]NPY by NMR and molecular modeling. <b>1995</b> , 45, 86-95	9
788	Conformational differences of ovine and human corticotropin releasing hormone. A CD, IR, NMR and dynamic light scattering study. <b>1996</b> , 47, 383-93	22
787	<sup>1</sup> H NMR studies of prototypical helical designer peptides. A comparative study of the amide chemical shift dependency on temperature and polypeptide sequence. <b>1996</b> , 47, 467-76	3
786	Solution structure of the cytoplasmic domain of the human immunodeficiency virus type 1 encoded virus protein U (Vpu). <b>1996</b> , 47, 297-310	55
785	Identification of a novel ubiquitin binding site of STAM1 VHS domain by NMR spectroscopy. <b>2009</b> , 15, 583, 287-92	20
784	Cooperative metal binding and helical folding in model peptides of treble-clef zinc fingers. <b>2009</b> , 15, 4798-810	33
783	Engineering a beta-helical D,L-peptide for folding in polar media. <b>2009</b> , 15, 11867-77	12
782	Molecular and supramolecular structural studies on significant repetitive sequences of resilin. <b>2010</b> , 11, 83-93	48
781	Ring-extended derivatives of gramicidin S with furanoid sugar amino acids in the turn region have enhanced antimicrobial activity. <b>2009</b> , 4, 1976-9	12
780	Synthesis and Biological Evaluation of Novel Gramicidin S Analogues. <b>2009</b> , 2009, 4231-4241	17
779	Antimicrobial peptide RP-1 structure and interactions with anionic versus zwitterionic micelles. <b>2009</b> , 91, 1-13	47
778	Deuterium isotope effects on <sup>15</sup> N backbone chemical shifts in proteins. <b>2009</b> , 44, 119-26	22
777	CheckShift improved: fast chemical shift reference correction with high accuracy. <b>2009</b> , 44, 207-11	11
776	TALOS+: a hybrid method for predicting protein backbone torsion angles from NMR chemical shifts. <b>2009</b> , 44, 213-23	1994
775	<sup>1</sup> H, <sup>13</sup> C, <sup>15</sup> N backbone and side-chain resonance assignments of the Bright/ARID domain from the human histone demethylase JARID1B. <i>Biomolecular NMR Assignments</i> , <b>2009</b> , 3, 85-7	0.7 1
774	A method for structure-activity analysis of quorum-sensing signaling peptides from naturally transformable streptococci. <b>2009</b> , 11, 207-26	17
773	Influence of different assignment conditions on the determination of symmetric homodimeric structures with ARIA. <b>2009</b> , 75, 569-85	29
772	Conformational preferences of a short Aib/Ala-based water-soluble peptide as a function of temperature. <b>2009</b> , 76, 184-200	25

771	Charge neutralization and collapse of the C-terminal tail of alpha-synuclein at low pH. <i>Protein Science</i> , <b>2009</b> , 18, 1531-40	6.3	75
770	Design of high-affinity S100-target hybrid proteins. <i>Protein Science</i> , <b>2009</b> , 18, 2528-36	6.3	16
769	C-terminal domain of SARS-CoV main protease can form a 3D domain-swapped dimer. <i>Protein Science</i> , <b>2009</b> , 18, 839-44	6.3	19
768	Relationship between chemical shift value and accessible surface area for all amino acid atoms. <b>2009</b> , 9, 20		24
767	Solution structure of the equine infectious anemia virus p9 protein: a rationalization of its different ALIX binding requirements compared to the analogous HIV-p6 protein. <b>2009</b> , 9, 74		5
766	Gramicidin S analogs having six basic amino acid residues. <b>2009</b> , 62, 597-9		6
765	Conformational stability of neuroglobin helix F--possible effects on the folding pathway within the globin family. <i>FEBS Journal</i> , <b>2009</b> , 276, 5177-90	5.7	8
764	Differential involvement of disulfide bridges on the folding of a scorpion toxin. <b>1997</b> , 50, 39-47		3
763	Nuclear magnetic resonance spectroscopy of mussel adhesive protein repeating peptide segment. <b>1997</b> , 50, 436-42		15
762	Three-dimensional structure of the Y1 receptor agonist [Leu31, Pro34]NPY as determined by NMR and molecular modeling. <b>1998</b> , 51, 317-22		8
761	Solid-phase synthesis, conformational analysis, and biological activity of AVR9 elicitor peptides of the fungal tomato pathogen <i>Cladosporium fulvum</i> . <b>1998</b> , 52, 482-94		13
760	The urea-dipeptides show stronger H-bonding propensity to nucleate $\beta$ -sheetlike assembly than natural sequence. <b>2009</b> , 65, 8269-8276		12
759	The imide-dipeptides that show strong and stable $\beta$ -sheet-like interactions compared with natural sequence. <b>2009</b> , 50, 3926-3928		4
758	Characterization of protein secondary structure from NMR chemical shifts. <b>2009</b> , 54, 141-165		71
757	Automated NMR Assignment and Protein Structure Determination using Sparse Dipolar Coupling Constraints. <b>2009</b> , 55, 101-127		31
756	Structural and biological evaluation of some loloatin C analogues. <b>2009</b> , 17, 6233-40		15
755	Binding interactions in early- and late-stage amyloid aggregates of TTR(105-115). <b>2009</b> , 144, 1-8		6
754	The geometry and efficacy of cation- $\pi$ interactions in a diagonal position of a designed beta-hairpin. <i>Protein Science</i> , <b>2003</b> , 12, 2443-52	6.3	101

753	Solution structure of a K(+)-channel blocker from the scorpion <i>Tityus cambridgei</i> . <i>Protein Science</i> , <b>2002</b> , 11, 390-400	6.3	11
752	Structural insight into G-protein coupled receptor binding by apelin. <i>Biochemistry</i> , <b>2009</b> , 48, 537-48	3.2	77
751	Role of tryptophan-tryptophan interactions in Trpzip beta-hairpin formation, structure, and stability. <i>Biochemistry</i> , <b>2009</b> , 48, 10362-71	3.2	64
750	Disorder and structure in the Rab11 binding domain of Rab11 family interacting protein 2. <i>Biochemistry</i> , <b>2009</b> , 48, 549-57	3.2	9
749	A new artificial beta-sheet that dimerizes through parallel beta-sheet interactions. <b>2009</b> , 11, 1003-6		9
748	Design of beta-hairpin peptides for modulation of cell adhesion by beta-turn constraint. <b>2009</b> , 52, 726-36		12
747	Macrocyclic design strategies for small, stable parallel beta-sheet scaffolds. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 7970-2	16.4	34
746	Metal clips that induce unstructured pentapeptides to be alpha-helical in water. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 4505-12	16.4	42
745	Improving metabolic stability by glycosylation: bifunctional peptide derivatives that are opioid receptor agonists and neurokinin 1 receptor antagonists. <b>2009</b> , 52, 5164-75		40
744	Comparison of the structure and dynamics of the antibiotic peptide polymyxin B and the inactive nonapeptide in aqueous trifluoroethanol by NMR spectroscopy. <b>2009</b> , 113, 544-51		26
743	Redox-dependent dynamics of a dual thioredoxin fold protein: evolution of specialized folds. <i>Biochemistry</i> , <b>2009</b> , 48, 5984-93	3.2	9
742	Headgroup-dependent membrane catalysis of apelin-receptor interactions is likely. <b>2009</b> , 113, 10465-71		32
741	Multiple independent binding sites for small-molecule inhibitors on the oncoprotein c-Myc. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 7390-401	16.4	171
740	Structural properties of a peptide derived from H <sup>+</sup> -V-ATPase subunit a. <b>2009</b> , 1788, 1204-12		2
739	Conformational and dynamics simulation study of antimicrobial peptide hedistin-heterogeneity of its helix-turn-helix motif. <b>2009</b> , 1788, 2497-508		4
738	NMR structure of the Wnt modulator protein Sclerostin. <b>2009</b> , 380, 160-5		63
737	A novel fibronectin type III module binding motif identified on C-terminus of <i>Leptospira</i> immunoglobulin-like protein, LigB. <b>2009</b> , 389, 57-62		29
736	Three-dimensional structure of Phyllomedusin, a NK1 receptor agonist bound to dodecylphosphocholine micelles. <b>2009</b> , 167, 176-84		4



735	Downhill versus barrier-limited folding of BBL 1: energetic and structural perturbation effects upon protonation of a histidine of unusually low pKa. <b>2009</b> , 387, 986-92		28
734	A molecular mechanism of bacterial flagellar motor switching. <b>2009</b> , 388, 71-84		60
733	Insights into the dynamics of specific telomeric single-stranded DNA recognition by Pot1pN. <b>2009</b> , 387, 935-48		8
732	Fluctuating partially native-like topologies in the acid denatured ensemble of autolysis resistant HIV-1 protease. <b>2009</b> , 482, 33-41		5
731	Synthesis and structural characterization of sialic acid-glutamic acid hybrid foldamers as conformational surrogates of alpha-2,8-linked polysialic acid. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 5495-505	16.4	26
730	Characterization of the intrinsic and TSC2-GAP-regulated GTPase activity of Rheb by real-time NMR. <b>2009</b> , 2, ra3		46
729	Averaging semiempirical NMR chemical shifts: dynamic effects on the subpicosecond time scale. <b>2009</b> , 113, 11723-33		5
728	Structure and dynamics of membrane proteins by magic angle spinning solid-state NMR. <b>2009</b> , 38, 385-403		283
727	Incorporation of antimicrobial peptides into membranes: a combined liquid-state NMR and molecular dynamics study of alamethicin in DMPC/DHPC bicelles. <b>2009</b> , 113, 6928-37		60
726	chi-Conopeptide pharmacophore development: toward a novel class of norepinephrine transporter inhibitor (Xen2174) for pain. <b>2009</b> , 52, 6991-7002		63
725	Interaction of histone H2B (fragment 63-93) with Ni(ii). An NMR study. <b>2009</b> , 1904-13		12
724	Formation of nanostructures by self-assembly of an elastin peptide. <b>2009</b> , 5, 104-113		17
723	Copper(I)-mediated protein-protein interactions result from suboptimal interaction surfaces. <i>Biochemical Journal</i> , <b>2009</b> , 422, 37-42	3.8	78
722	Solution structure and catalytic mechanism of human protein histidine phosphatase 1. <i>Biochemical Journal</i> , <b>2009</b> , 418, 337-44	3.8	19
721	The role of thiols and disulfides on protein stability. <b>2009</b> , 10, 614-25		262
720	Chapter 1:Introduction. <b>2010</b> , 1-43		0
719	New insight into the mechanism of action of the temporin antimicrobial peptides. <i>Biochemistry</i> , <b>2010</b> , 49, 1477-85	3.2	37
718	Zinc-finger hydrolase: Computational selection of a linker and a sequence towards metal activation with a synthetic protein. <b>2010</b> , 18, 8270-6		11

717	Chemical shift tensor - the heart of NMR: Insights into biological aspects of proteins. <b>2010</b> , 57, 181-228		136
716	NMR assignment of <sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N resonances of rat lipocalin-type prostaglandin D synthase. <i>Biomolecular NMR Assignments</i> , <b>2010</b> , 4, 223-5	0.7	
715	<sup>1</sup> H, <sup>13</sup> C, <sup>15</sup> N chemical shift assignments for the <i>Neisseria gonorrhoeae</i> MinE regulator of cell division septum placement. <i>Biomolecular NMR Assignments</i> , <b>2010</b> , 4, 227-9	0.7	2
714	<sup>1</sup> H, <sup>13</sup> C and <sup>15</sup> N resonance assignments of the major extracytoplasmic domain of the cell shape-determining protein MreC from <i>Bacillus subtilis</i> . <i>Biomolecular NMR Assignments</i> , <b>2010</b> , 4, 235-8	0.7	2
713	The predictive accuracy of secondary chemical shifts is more affected by protein secondary structure than solvent environment. <b>2010</b> , 46, 257-70		24
712	A probabilistic approach for validating protein NMR chemical shift assignments. <b>2010</b> , 47, 85-99		30
711	Methods for Enhancing Ring Closing Metathesis Yield in Peptides: Synthesis of a Dicarba Human Growth Hormone Fragment. <i>International Journal of Peptide Research and Therapeutics</i> , <b>2010</b> , 16, 133-144 <sup>1</sup>		17
710	Design of lanthanide fingers: compact lanthanide-binding metalloproteins. <b>2010</b> , 11, 1738-47		22
709	Gramicidin S derivatives containing cis- and trans-morpholine amino acids (MAAs) as turn mimetics. <b>2010</b> , 16, 4259-65		14
708	Potential allosteric modulators of the proteasome activity. <b>2010</b> , 93, 481-95		22
707	Design and conformational analysis of natively folded hairpin peptides stabilized by nucleobase interactions. <b>2010</b> , 94, 830-42		3
706	Conformations of Betanovins in aqueous trifluoroethanol. <b>2010</b> , 93, 893-903		2
705	Nociceptin and its natural and specifically-modified fragments: Structural studies. <b>2010</b> , 93, 1039-54		11
704	Use of chemical shifts for structural studies of nucleic acids. <b>2010</b> , 56, 289-310		38
703	Biomolecular NMR data analysis. <b>2010</b> , 56, 329-45		9
702	The solution structure of the Mg <sup>2+</sup> form of soybean calmodulin isoform 4 reveals unique features of plant calmodulins in resting cells. <i>Protein Science</i> , <b>2010</b> , 19, 475-85	6.3	13
701	Validation of archived chemical shifts through atomic coordinates. <b>2010</b> , 78, 2482-9		30
700	Solution structure of LC5, the CCR5- derived peptide for HIV-1 inhibition. <b>2010</b> , 16, 165-70		10

699	Mapping interactions of gastric inhibitory polypeptide with GIPR N-terminus using NMR and molecular dynamics simulations. <b>2010</b> , 16, 383-91		5
698	NMR-based detection of acetylation sites in peptides. <b>2010</b> , 16, 414-23		16
697	Antimicrobial and conformational studies of the active and inactive analogues of the protegrin-1 peptide. <i>FEBS Journal</i> , <b>2010</b> , 277, 1010-22	5:7	18
696	Deciphering the hidden informational content of protein sequences: foldability of proinsulin hinges on a flexible arm that is dispensable in the mature hormone. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 30989-1001	5:4	15
695	NMR structure and ion channel activity of the p7 protein from hepatitis C virus. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 31446-61	5:4	113
694	Protein secondary structure prediction using NMR chemical shift data. <b>2010</b> , 8, 867-84		15
693	New insights on the protein-ligand interaction differences between the two primary cellular retinol carriers. <b>2010</b> , 51, 1332-43		9
692	Molecular chaperone function of Mia40 triggers consecutive induced folding steps of the substrate in mitochondrial protein import. <b>2010</b> , 107, 20190-5		107
691	Solution structure of proinsulin: connecting domain flexibility and prohormone processing. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 7847-51	5:4	51
690	Differential interaction of the E3 ligase parkin with the proteasomal subunit S5a and the endocytic protein Eps15. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 1424-34	5:4	18
689	Quantitative characterization of Tob interactions provides the thermodynamic basis for translation termination-coupled deadenylase regulation. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 27624-31	5:4	20
688	NMR-Based Screening and Drug Discovery. <b>2010</b> , 367-446		2
687	Structural and functional analysis of transmembrane segment VI of the NHE1 isoform of the Na <sup>+</sup> /H <sup>+</sup> exchanger. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 36656-65	5:4	28
686	Implications for collagen binding from the crystallographic structure of fibronectin 6FnI1-2FnI17FnI. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 33764-70	5:4	26
685	Atypical alpha-conotoxin LtIA from <i>Conus litteratus</i> targets a novel microsite of the alpha3beta2 nicotinic receptor. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 12355-66	5:4	46
684	Real-time NMR study of guanine nucleotide exchange and activation of RhoA by PDZ-RhoGEF. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 5137-45	5:4	30
683	Molecular requirements for the insecticidal activity of the plant peptide pea albumin 1 subunit b (PA1b). <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 32689-32694	5:4	24
682	Structural disorder within sendai virus nucleoprotein and phosphoprotein: insight into the structural basis of molecular recognition. <b>2010</b> , 17, 952-60		23

681 Theory and Applications of Biomolecular NMR Spectroscopy. **2010**, 99-118

680 Sequence-specific random coil chemical shifts of intrinsically disordered proteins. *Journal of the American Chemical Society*, **2010**, 132, 18000-3 16.4 229

679 Solving the alpha-conotoxin folding problem: efficient selenium-directed on-resin generation of more potent and stable nicotinic acetylcholine receptor antagonists. *Journal of the American Chemical Society*, **2010**, 132, 3514-22 16.4 114

678 Solid-state NMR studies of HIV-1 capsid protein assemblies. *Journal of the American Chemical Society*, **2010**, 132, 1976-87 16.4 103

677 Understanding cold denaturation: the case study of Yfh1. *Journal of the American Chemical Society*, **2010**, 132, 16240-6 16.4 39

676 NMR structure of navel orangeworm moth pheromone-binding protein (AtraPBP1): implications for pH-sensitive pheromone detection. *Biochemistry*, **2010**, 49, 1469-76 3.2 44

675 The possible role of 94-125 peptide fragment of histone H2B in nickel-induced carcinogenesis. **2010**, 49, 5658-68 12

674 NXO building blocks for backbone modification of peptides and preparation of pseudopeptides. **2010**, 75, 2492-500 9

673 Selective removal of individual disulfide bonds within a potato type II serine proteinase inhibitor from *Nicotiana glauca* reveals differential stabilization of the reactive-site loop. **2010**, 395, 609-26 15

672 Membrane charge dependent states of the beta-amyloid fragment Abeta (16-35) with differently charged micelle aggregates. **2010**, 1798, 660-71 21

671 Potential role of the membrane in hERG channel functioning and drug-induced long QT syndrome. **2010**, 1798, 1651-62 15

670 Structural flexibility and the positive charges are the key factors in bacterial cell selectivity and membrane penetration of peptoid-substituted analog of Piscidin 1. **2010**, 1798, 1913-25 40

669 Solution structure of BmKalphaTx11, a toxin from the venom of the Chinese scorpion *Buthus martensii* Karsch. **2010**, 391, 627-33 9

668 NMR solution structure of the N-terminal domain of hERG and its interaction with the S4-S5 linker. **2010**, 403, 126-32 57

667 Structural and pharmacological characteristics of chimeric peptides derived from peptide E and beta-endorphin reveal the crucial role of the C-terminal YGGFL and YKKGE motifs in their analgesic properties. **2010**, 31, 962-72 2

666 Elucidation of the structure of the membrane anchor of penicillin-binding protein 5 of *Escherichia coli*. *Journal of the American Chemical Society*, **2010**, 132, 4110-8 16.4 6

665 Antimicrobially active cycloundecapeptides related to gramicidin S having a novel turn structure with cis D-Phe-Pro peptide bond. **2010**, 8, 1791-7 17

664 Influence of the solvent on the self-assembly of a modified amyloid beta peptide fragment. II. NMR and computer simulation investigation. **2010**, 114, 940-51 68

663	Binding of the hemopressin peptide to the cannabinoid CB1 receptor: structural insights. <i>Biochemistry</i> , <b>2010</b> , 49, 10449-57	3.2	20
662	Coordination of Cu(2+) and Ni(2+) with the histone model peptide of H2B N-terminal tail (1-31 residues): A spectroscopic study. <b>2010</b> , 39, 4369-81		16
661	Lysine N(epsilon)-trimethylation, a tool for improving the selectivity of antimicrobial peptides. <b>2010</b> , 53, 5587-96		24
660	Biomedical Applications of Biophysics. <b>2010</b> ,		3
659	An Achilles' heel in an amyloidogenic protein and its repair: insulin fibrillation and therapeutic design. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 10806-21	5.4	41
658	Conformationally constrained peptides from CD2 to modulate protein-protein interactions between CD2 and CD58. <b>2011</b> , 54, 5307-19		32
657	Folding of a tryptophan zipper peptide investigated on the basis of the nuclear Overhauser effect and thermal denaturation. <b>2011</b> , 115, 15355-61		10
656	Lipid interacting regions in phosphate stress glycosyltransferase atDGD2 from <i>Arabidopsis thaliana</i> . <i>Biochemistry</i> , <b>2011</b> , 50, 4451-66	3.2	11
655	Inducing $\beta$ -sheets formation in synthetic spider silk fibers by aqueous post-spin stretching. <b>2011</b> , 12, 2375-81		60
654	Discovery of a potent and efficacious peptide derivative for $\mu$ -opioid agonist/neurokinin 1 antagonist activity with a 2',6'-dimethyl-L-tyrosine: in vitro, in vivo, and NMR-based structural studies. <b>2011</b> , 54, 2029-38		26
653	A switch I mutant of Cdc42 exhibits less conformational freedom. <i>Biochemistry</i> , <b>2011</b> , 50, 6196-207	3.2	12
652	Detailed biophysical characterization of the acid-induced PrP(c) to PrP <sup>Sc</sup> conversion process. <i>Biochemistry</i> , <b>2011</b> , 50, 1162-73	3.2	79
651	Accelerating All-Atom Normal Mode Analysis with Graphics Processing Unit. <b>2011</b> , 7, 1595-603		3
650	Conformation of the calmodulin-binding domain of metabotropic glutamate receptor subtype 7 and its interaction with calmodulin. <b>2011</b> , 149, 463-74		9
649	Effective techniques for protein structure mining. <i>Methods in Molecular Biology</i> , <b>2012</b> , 857, 33-54	1.4	1
648	Nuclear Magnetic Resonance of Amino Acids, Peptides, and Proteins. <b>2011</b> , 97-153		
647	Characterization of a designed vascular endothelial growth factor receptor antagonist helical peptide with antiangiogenic activity in vivo. <b>2011</b> , 54, 1391-400		34
646	Folding of Disulfide Proteins. <b>2011</b> ,		5

645	Secondary Structure Assignment of Amyloid- $\beta$ Peptide Using Chemical Shifts. <b>2011</b> , 7, 1552-63		13
644	Solution structure of LCI, a novel antimicrobial peptide from <i>Bacillus subtilis</i> . <i>Biochemistry</i> , <b>2011</b> , 50, 3621-7	3-2	35
643	Comparative NMR studies demonstrate profound differences between two viroporins: p7 of HCV and Vpu of HIV-1. <b>2011</b> , 1808, 554-60		27
642	Oligomeric structure of a cathelicidin antimicrobial peptide in dodecylphosphocholine micelle determined by NMR spectroscopy. <b>2011</b> , 1808, 369-81		30
641	NMR structural study of the intracellular loop 3 of the serotonin 5-HT(1A) receptor and its interaction with calmodulin. <b>2011</b> , 1808, 2224-32		19
640	Structure and membrane orientation of IAPP in its natively amidated form at physiological pH in a membrane environment. <b>2011</b> , 1808, 2337-42		187
639	Comparative NMR analysis of an 80-residue G protein-coupled receptor fragment in two membrane mimetic environments. <b>2011</b> , 1808, 2674-84		11
638	Solution structure of a human minimembrane protein Ost4, a subunit of the oligosaccharyltransferase complex. <b>2011</b> , 409, 572-6		21
637	Solution structure of a defense peptide from wheat with a 10-cysteine motif. <b>2011</b> , 411, 14-8		32
636	Novel recombinant insulin analogue with flexible C-terminus in B chain. NMR structure of biosynthetic engineered A22G-B31K-B32R human insulin monomer in water/acetonitrile solution. <b>2011</b> , 49, 548-54		5
635	Association of the disordered C-terminus of CDC34 with a catalytically bound ubiquitin. <b>2011</b> , 407, 425-38		18
634	Lactam-stabilized helical analogues of the analgesic $\mu$ -conotoxin KIIIA. <b>2011</b> , 54, 7558-66		44
633	Dockerin Domains. <b>2011</b> ,		
632	Solution structure of LC4 transmembrane segment of CCR5. <b>2011</b> , 6, e20452		11
631	NMR studies of the C-terminus of alpha4 reveal possible mechanism of its interaction with MID1 and protein phosphatase 2A. <b>2011</b> , 6, e28877		5
630	Ferredoxins Containing One [3FeS] Cluster. <i>Desulfovibrio Gigas</i> Ferredoxin II Solution Structure. <b>2011</b> ,		
629	Structural Disorder within Sendai Virus Nucleoprotein and Phosphoprotein. <b>2011</b> , 95-114		
628	High resolution magic angle spinning NMR applied to the analysis of organic compounds bound to solid supports. <b>2011</b> , 11, 74-92		14

627	Structures behind the amyloid aggregation of $\beta$ -synuclein: an NMR based approach. <b>2011</b> , 12, 188-204	9
626	Discovery and characterization of taspoglutide, a novel analogue of human glucagon-like peptide-1, engineered for sustained therapeutic activity in type 2 diabetes. <b>2011</b> , 13, 19-25	32
625	Novel lynx spider toxin shares common molecular architecture with defense peptides from frog skin. <i>FEBS Journal</i> , <b>2011</b> , 278, 4382-93	5:7 25
624	Phosphorylation of enkephalins: NMR and CD studies in aqueous and membrane-mimicking environments. <b>2011</b> , 78, 749-56	5
623	Conformational study on cyclic melanocortin ligands and new insight into their binding mode at the MC4 receptor. <b>2011</b> , 46, 3721-33	12
622	Overview on the use of NMR to examine protein structure. <b>2011</b> , Chapter 17, Unit17.5	6
621	Random coil chemical shift for intrinsically disordered proteins: effects of temperature and pH. <b>2011</b> , 49, 139-49	193
620	Density functional calculations of backbone $^{15}\text{N}$ shielding tensors in beta-sheet and turn residues of protein G. <b>2011</b> , 50, 19-33	14
619	CONNJUR spectrum translator: an open source application for reformatting NMR spectral data. <b>2011</b> , 50, 83-9	11
618	Uncovering symmetry-breaking vector and reliability order for assigning secondary structures of proteins from atomic NMR chemical shifts in amino acids. <b>2011</b> , 51, 411-24	2
617	Structural elements of the C-terminal domain of subunit E (E <sub>C</sub> ) from the <i>Saccharomyces cerevisiae</i> V <sub>1</sub> ATPase determined by solution NMR spectroscopy. <b>2011</b> , 43, 447-55	9
616	The host-pathogen interaction of human cyclophilin A and HIV-1 Vpr requires specific N-terminal and novel C-terminal domains. <b>2011</b> , 11, 49	14
615	One-bond and two-bond J couplings help annotate protein secondary-structure motifs: J-coupling indexing applied to human endoplasmic reticulum protein ERp18. <b>2011</b> , 79, 428-43	8
614	Synthesis, biological activity and solution structure of new analogues of the antimicrobial Gramicidin S. <b>2011</b> , 17, 211-7	10
613	Folding and assembly of TMD 6-related segments of DMT 1 in trifluoroethanol aqueous solution. <b>2011</b> , 17, 505-11	7
612	Isotope Labelling. <b>2011</b> , 23-53	1
611	Studying Partially Folded and Intrinsically Disordered Proteins Using NMR Residual Dipolar Couplings. <b>2011</b> , 319-345	1
610	Local protein backbone folds determined by calculated NMR chemical shifts. <b>2011</b> , 32, 3362-82	1



609	Conformation of a Seven-Helical Transmembrane Photosensor in the Lipid Environment. <b>2011</b> , 123, 1338-1341	10
608	Characteristics of Human Lysozyme and Its Disease-Related Mutants in their Unfolded States. <b>2011</b> , 123, 5628-5632	3
607	Impact of Strand Length on the Stability of Parallel- $\beta$ -Sheet Secondary Structure. <b>2011</b> , 123, 8894-8897	6
606	Protein Turns Recreated in Structurally Stable Small Molecules. <b>2011</b> , 123, 11303-11307	8
605	Conformation of a seven-helical transmembrane photosensor in the lipid environment. <b>2011</b> , 50, 1302-5	104
604	Characteristics of human lysozyme and its disease-related mutants in their unfolded states. <b>2011</b> , 50, 5514-8	7
603	Impact of strand length on the stability of parallel- $\beta$ -sheet secondary structure. <b>2011</b> , 50, 8735-8	18
602	Protein turns recreated in structurally stable small molecules. <b>2011</b> , 50, 11107-11	19
601	NMR study of the structure and self-association of Core peptide in aqueous solution and DPC micelles. <b>2011</b> , 96, 177-80	4
600	Solution conformation of non-mammalian tachykinin physalaemin in lipid micelles by nuclear magnetic resonance. <b>2011</b> , 96, 252-9	3
599	Study of the interaction between the amyloid beta peptide (1-40) and antioxidant compounds by nuclear magnetic resonance spectroscopy. <b>2011</b> , 96, 316-27	29
598	Expression and biophysical analysis of a triple-transmembrane domain-containing fragment from a yeast G protein-coupled receptor. <b>2011</b> , 96, 757-71	9
597	The inorganic perspective of nerve growth factor: interactions of Cu <sup>2+</sup> and Zn <sup>2+</sup> with the N-terminus fragment of nerve growth factor encompassing the recognition domain of the TrkA receptor. <b>2011</b> , 17, 3726-38	46
596	Exploring the conformational and biological versatility of turn-modified gramicidin S by using sugar amino acid homologues that vary in ring size. <b>2011</b> , 17, 3995-4004	32
595	Investigation of the binding of a carbohydrate-mimetic peptide to its complementary anticarbohydrate antibody by STD-NMR spectroscopy and molecular-dynamics simulations. <b>2011</b> , 17, 11446-55	20
594	Structural framework for the modulation of the activity of the hybrid antibiotic peptide cecropin A-melittin [CA(1-7)M(2-9)] by N <sup>ε</sup> -lysine trimethylation. <b>2011</b> , 12, 2177-83	5
593	A Synthetic mirror image of kalata B1 reveals that cyclotide activity is independent of a protein receptor. <b>2011</b> , 12, 2456-62	40
592	Synthetic virus-like particles and conformationally constrained peptidomimetics in vaccine design. <b>2011</b> , 12, 2829-36	28

591	Effects of oligopeptide's conformational changes on its adsorption. <b>2011</b> , 83, 229-36		3
590	Conformational, receptor interaction and alanine scan studies of glucose-dependent insulinotropic polypeptide. <b>2011</b> , 1814, 882-8		9
589	Interpreting protein chemical shift data. <b>2011</b> , 58, 62-87		171
588	Experimental Algorithms. <b>2011</b> ,		2
587	Structure of a Ca <sup>2+</sup> -myristoyl switch protein that controls activation of a phosphatidylinositol 4-kinase in fission yeast. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 12565-77	5-4	42
586	Identification of new functional regions in hepatitis C virus envelope glycoprotein E2. <b>2011</b> , 85, 1777-92		62
585	Solution structures of Ca <sup>2+</sup> -CIB1 and Mg <sup>2+</sup> -CIB1 and their interactions with the platelet integrin $\alpha$ IIb $\beta$ cytoplasmic domain. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 17181-92	5-4	16
584	Internal and environmental effects on folding and dimerization of the Alzheimer's $\beta$ -amyloid peptide. <b>2011</b> , 37,		11
583	Structure and function of papiliocin with antimicrobial and anti-inflammatory activities isolated from the swallowtail butterfly, <i>Papilio xuthus</i> . <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 41296-41311	5-4	77
582	Architecture of the catalytic HPN motif is conserved in all E2 conjugating enzymes. <i>Biochemical Journal</i> , <b>2012</b> , 445, 167-74	3-8	23
581	Using NMR chemical shifts to calculate the propensity for structural order and disorder in proteins. <b>2012</b> , 40, 1014-20		82
580	Relative spatial positions of tryptophan and cationic residues in helical membrane-active peptides determine their cytotoxicity. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 233-244	5-4	40
579	Structural basis for Ca <sup>2+</sup> -induced activation and dimerization of estrogen receptor $\beta$ by calmodulin. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 9336-44	5-4	33
578	Nuclear import of isoforms of the cytomegalovirus kinase pUL97 is mediated by differential activity of NLS1 and NLS2 both acting through classical importin- $\beta$ binding. <b>2012</b> , 93, 1756-1768		18
577	Resolving nitrogen-15 and proton chemical shifts for mobile segments of elastin with two-dimensional NMR spectroscopy. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 18201-9	5-4	14
576	A vitellogenin polyserine cleavage site: highly disordered conformation protected from proteolysis by phosphorylation. <b>2012</b> , 215, 1837-46		14
575	Structural analysis of hepatitis C virus core-E1 signal peptide and requirements for cleavage of the genotype 3a signal sequence by signal peptide peptidase. <b>2012</b> , 86, 7818-28		18
574	pH-Dependent Interaction between C-Peptide and Phospholipid Bicelles. <b>2012</b> , 2012, 185907		5

573	Secondary Structure and Dynamics of a Family of Disordered Proteins. <b>2012</b> , 221-238	
572	Solvation and Electrostatics as Determinants of Local Structural Order in Unfolded Peptides and Proteins. <b>2012</b> , 131-158	3
571	Influence of specific amino acid side-chains on the antimicrobial activity and structure of bovine lactoferrampin. <b>2012</b> , 90, 362-77	13
570	An Arg-rich putative prebiotic protein is as stable as its Lys-rich variant. <b>2012</b> , 528, 118-26	6
569	Substituted imidazo[1,2-a]pyridines as $\beta$ -strand peptidomimetics. <b>2012</b> , 14, 6162-5	19
568	Physicochemical characterization of complex drug substances: evaluation of structural similarities and differences of protamine sulfate from various sources. <b>2012</b> , 14, 619-26	19
567	Synthesis and biological evaluation of gramicidin S-inspired cyclic mixed $\beta$ -peptides. <b>2012</b> , 9, 2494-506	7
566	NMR structure of the calflagin Tb24 flagellar calcium binding protein of <i>Trypanosoma brucei</i> . <i>Protein Science</i> , <b>2012</b> , 21, 1942-7	6.3 5
565	PACSY, a relational database management system for protein structure and chemical shift analysis. <b>2012</b> , 54, 169-79	22
564	3D-TROSY-based backbone and ILV-methyl resonance assignments of a 319-residue homodimer from a single protein sample. <b>2012</b> , 54, 135-43	7
563	Spectral editing of two-dimensional magic-angle-spinning solid-state NMR spectra for protein resonance assignment and structure determination. <b>2012</b> , 54, 343-53	22
562	Structural characterization of CHCHD5 and CHCHD7: two atypical human twin CX9C proteins. <b>2012</b> , 180, 190-200	23
561	Cross-validation of the structure of a transiently formed and low populated FF domain folding intermediate determined by relaxation dispersion NMR and CS-Rosetta. <b>2012</b> , 116, 6637-44	13
560	Designed glucopeptides mimetics of myelin protein epitopes as synthetic probes for the detection of autoantibodies, biomarkers of multiple sclerosis. <b>2012</b> , 55, 10437-47	14
559	Protein Structure. <b>2012</b> ,	1
558	Protein secondary structure imaging with ultrabroadband multiplex coherent anti-Stokes Raman scattering (CARS) microspectroscopy. <b>2012</b> , 116, 1452-7	20
557	The receptor-CheW binding interface in bacterial chemotaxis. <b>2012</b> , 415, 759-67	38
556	Targeting the lateral interactions of transmembrane domain 5 of Epstein-Barr virus latent membrane protein 1. <b>2012</b> , 1818, 2282-9	11

555	Modulation of structure and dynamics by disulfide bond formation in unfolded states. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 6846-54	16.4	30
554	Toward an improved structural model of the frog-skin antimicrobial peptide esculentin-1b(1-18). <b>2012</b> , 97, 873-81		9
553	How to investigate interactions between membrane proteins and ligands by solid-state NMR. <i>Methods in Molecular Biology</i> , <b>2012</b> , 914, 65-86	1.4	7
552	3.9 Intrinsically Disordered Proteins. <b>2012</b> , 170-211		0
551	Structural and functional analysis of extracellular loop 4 of the Nhe1 isoform of the Na(+)/H(+) exchanger. <b>2012</b> , 1818, 2783-90		9
550	Solution structure and biophysical properties of MqsA, a Zn-containing antitoxin from <i>Escherichia coli</i> . <b>2012</b> , 1824, 1401-8		7
549	Influence of $^1\text{H}$ chemical shift assignments of the interface residues on structure determinations of homodimeric proteins. <b>2012</b> , 222, 96-104		6
548	Engineering cyclic peptide toxins. <b>2012</b> , 503, 57-74		31
547	Assessing and refining molecular dynamics simulations of proteins with nuclear magnetic resonance data. <b>2012</b> , 4, 189-203		9
546	$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ NMR assignments of the aciniform spidroin (AcSp1) repetitive domain of <i>Argiope trifasciata</i> wrapping silk. <i>Biomolecular NMR Assignments</i> , <b>2012</b> , 6, 147-51	0.7	15
545	Electrochemical and structural coupling of the naphthoquinone amino acid. <b>2012</b> , 48, 1997-9		8
544	Evolution of quantitative methods in protein secondary structure determination via deep-ultraviolet resonance Raman spectroscopy. <b>2012</b> , 137, 555-62		26
543	Parallel $\beta$ -sheet secondary structure is stabilized and terminated by interstrand disulfide cross-linking. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 75-8	16.4	42
542	A Review of REDCRAFT: Simultaneous Investigation of Structure and Dynamics of Proteins from RDC Restraints. <b>2012</b> , 76, 23-66		7
541	Conformations of islet amyloid polypeptide monomers in a membrane environment: implications for fibril formation. <b>2012</b> , 7, e47150		27
540	Structure and Dynamics of Proteins from Nuclear Magnetic Resonance Spectroscopy. <b>2012</b> ,		
539	Structural characterization by nuclear magnetic resonance of the impact of phosphorylation in the proline-rich region of the disordered Tau protein. <b>2012</b> , 80, 454-62		60
538	The solution structure of the S4-S5 linker of the hERG potassium channel. <b>2012</b> , 18, 140-5		16

537	Structural insights into the transmembrane domains of human copper transporter 1. <b>2012</b> , 18, 449-55		4
536	New tricks of an old pattern: structural versatility of scorpion toxins with common cysteine spacing. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 12321-30	5.4	42
535	A peptide study of the relationship between the collagen triple-helix and amyloid. <b>2012</b> , 97, 795-806		16
534	Disentangling the coil: modulation of conformational and dynamic properties by site-directed mutation in the non-native state of hen egg white lysozyme. <i>Biochemistry</i> , <b>2012</b> , 51, 3361-72	3.2	20
533	Conformational distributions of denatured and unstructured proteins are similar to those of 20 × 20 blocked dipeptides. <b>2012</b> , 53, 25-41		20
532	Characterization the effects of structure and energetics of intermolecular interactions on the oligomerization of peptides in aqueous 2, 2, 2-trifluoroethanol via circular dichroism and nuclear magnetic resonance spectroscopy. <b>2012</b> , 31, 222-8		2
531	RegIIA: an $\alpha$ /7-conotoxin from the venom of <i>Conus regius</i> that potently blocks $\alpha$ 7 nAChRs. <b>2012</b> , 83, 419-26		40
530	Three-dimensional structure and mimetic-membrane association of consensus 11-amino-acid motif from soybean LEA3 protein. <b>2012</b> , 98, 59-66		7
529	A procedure to validate and correct the $^{13}\text{C}$ chemical shift calibration of RNA datasets. <b>2012</b> , 52, 179-90		26
528	Probing site-specific $^{13}\text{C}/^{15}\text{N}$ -isotope enrichment of spider silk with liquid-state NMR spectroscopy. <b>2013</b> , 405, 3997-4008		8
527	Applications of NMR to Biomolecular Systems of Interactions: An Overview. <b>2013</b> , 573-591		
526	The application of DOSY NMR and molecular dynamics simulations to explore the mechanism(s) of micelle binding of antimicrobial peptides containing unnatural amino acids. <b>2013</b> , 99, 548-61		13
525	Spatial structure of cyclosporin A and insight into its flexibility. <i>Journal of Molecular Structure</i> , <b>2013</b> , 1036, 298-304	3.4	26
524	A NMR guided approach for CsrA-RNA crystallization. <b>2013</b> , 56, 31-9		1
523	Secondary structural analysis of proteins based on ( $^{13}\text{C}$ ) chemical shift assignments in unresolved solid-state NMR spectra enhanced by fragmented structure database. <b>2013</b> , 55, 189-200		7
522	Chemical shift assignments of the canecystatin-1 from <i>Saccharum officinarum</i> . <i>Biomolecular NMR Assignments</i> , <b>2013</b> , 7, 163-5	0.7	4
521	( $^1\text{H}$ ), ( $^{15}\text{N}$ ), and ( $^{13}\text{C}$ ) chemical shift assignments of the calflagin Tb24 flagellar calcium binding protein of <i>Trypanosoma brucei</i> . <i>Biomolecular NMR Assignments</i> , <b>2013</b> , 7, 9-12	0.7	3
520	Iron binding $\beta$ hairpin peptides. <b>2013</b> , 26, 667-75		2

519	Conformation propensities of des-acyl-ghrelin as probed by CD and NMR. <b>2013</b> , 43, 62-7		4
518	Design, synthesis, and characterization of cyclic analogues of the iron regulatory peptide hormone hepcidin. <b>2013</b> , 100, 519-26		12
517	Design, synthesis and efficacy of novel G protein-coupled receptor kinase 2 inhibitors. <b>2013</b> , 69, 384-92		17
516	Exploring the binding of peptidic West Nile virus NS2B-NS3 protease inhibitors by NMR. <b>2013</b> , 97, 137-44		28
515	Foldameric $\beta$ -peptide analogs of the $\beta$ -sheet-forming antiangiogenic anginex: structure and bioactivity. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 16578-84	16.4	30
514	An introduction to biological NMR spectroscopy. <b>2013</b> , 12, 3006-25		98
513	Effect of Ser392 phosphorylation on the structure and dynamics of the polybasic domain of ADP ribosylation factor nucleotide site opener protein: a molecular simulation study. <i>Biochemistry</i> , <b>2013</b> , 52, 7339-49	3.2	4
512	Micelle-bound structure of an extracellular Met-rich domain of hCtr1 and its binding with silver. <b>2013</b> , 3, 15245		4
511	Assessing the preferred solution conformation of an interacting sense-antisense (complementary) peptide pair. <b>2013</b> , 23, 496-502		3
510	An initial event in the insect innate immune response: structural and biological studies of interactions between $\beta$ 1,3-glucan and the N-terminal domain of $\beta$ 1,3-glucan recognition protein. <i>Biochemistry</i> , <b>2013</b> , 52, 161-70	3.2	18
509	An unusual conformation of $\beta$ -melanocyte-stimulating hormone analogues leads to a selective human melanocortin 1 receptor antagonist for targeting melanoma cells. <i>Biochemistry</i> , <b>2013</b> , 52, 752-64 <sup>3.2</sup>		8
508	Quantum chemical calculations of amide-15N chemical shift anisotropy tensors for a membrane-bound cytochrome-b5. <b>2013</b> , 117, 859-67		8
507	(1)H, (15)N and (13)C resonance assignments for the three LOTUS RNA binding domains of Tudor domain-containing protein TDRD7. <i>Biomolecular NMR Assignments</i> , <b>2013</b> , 7, 79-83	0.7	4
506	Database proton NMR chemical shifts for RNA signal assignment and validation. <b>2013</b> , 55, 33-46		44
505	$\beta$ -sheet structures and dimer models of the two major tyrocidines, antimicrobial peptides from <i>Bacillus aneurinolyticus</i> . <i>Biochemistry</i> , <b>2013</b> , 52, 7798-806	3.2	21
504	Influenza A virus protein PB1-F2 from different strains shows distinct structural signatures. <b>2013</b> , 1834, 568-82		12
503	Identifying secondary structures in proteins using NMR chemical shift 3D correlation maps. <i>Journal of Molecular Structure</i> , <b>2013</b> , 1041, 200-212	3.4	1
502	Imaging neural architecture of the brain based on its multipole magnetic response. <b>2013</b> , 67, 193-202		24

501	Structural features of the apelin receptor N-terminal tail and first transmembrane segment implicated in ligand binding and receptor trafficking. <b>2013</b> , 1828, 1471-83		29
500	Quantitation of Proteins in Milk and Milk Products. <b>2013</b> , 87-134		6
499	Opposite modulation of cell migration by distinct subregions of urokinase connecting peptide. <b>2013</b> , 14, 882-9		7
498	Protein Structure Determination from NMR Data. <b>2013</b> , 247-288		
497	Backbone (1)H, (13)C, and (15)N resonance assignments of guanylyl cyclase activating protein-1, GCAP1. <i>Biomolecular NMR Assignments</i> , <b>2013</b> , 7, 39-42	0.7	3
496	Conformational propensities of intrinsically disordered proteins from NMR chemical shifts. <b>2013</b> , 14, 3034-45		57
495	X-ray crystallography and NMR studies of domain-swapped canecystatin-1. <i>FEBS Journal</i> , <b>2013</b> , 280, 1028-38	9.7	20
494	The effect of d-amino acid substitution on the selectivity of temporin L towards target cells: identification of a potent anti-Candida peptide. <b>2013</b> , 1828, 652-60		44
493	Insight into the modulation of Shaw2 Kv channels by general anesthetics: structural and functional studies of S4-S5 linker and S6 C-terminal peptides in micelles by NMR. <b>2013</b> , 1828, 595-601		6
492	Insight into the antimicrobial activities of coprisin isolated from the dung beetle, <i>Copris tripartitus</i> , revealed by structure-activity relationships. <b>2013</b> , 1828, 271-83		40
491	Amyloidogenesis of proteolytic fragments of human elastin. <b>2013</b> , 3, 13273		11
490	Solid-state NMR <sup>13</sup> C and <sup>15</sup> N resonance assignments of a seven-transmembrane helical protein Anabaena Sensory Rhodopsin. <i>Biomolecular NMR Assignments</i> , <b>2013</b> , 7, 253-6	0.7	21
489	Single point mutation induced alterations in the equilibrium structural transitions on the folding landscape of HIV-1 protease. <b>2013</b> , 31, 684-93		1
488	TrCP interacts with the ubiquitin-dependent endocytosis motif of the GH receptor in an unconventional manner. <i>Biochemical Journal</i> , <b>2013</b> , 453, 291-301	3.8	5
487	A transient helical molecular recognition element in the disordered N-terminus of the Sgs1 helicase is critical for chromosome stability and binding of Top3/Rmi1. <b>2013</b> , 41, 10215-27		19
486	An experimentally tested scenario for the structural evolution of eukaryotic Cys2His2 zinc fingers from eubacterial ros homologs. <b>2013</b> , 30, 1504-13		18
485	Structure and function of hainantoxin-III, a selective antagonist of neuronal tetrodotoxin-sensitive voltage-gated sodium channels isolated from the Chinese bird spider <i>Ornithoctonus hainana</i> . <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 20392-403	5.4	44
484	Investigating hydrophobic ligand-receptor interactions in parathyroid hormone receptor using peptide probes. <b>2013</b> , 19, 337-44		4



483	Aromatic interactions with naphthylalanine in a hairpin peptide. <b>2013</b> , 19, 277-82		7
482	Impact of the K24N mutation on the transactivation domain of p53 and its binding to murine double-minute clone 2. <b>2013</b> , 81, 1738-47		14
481	Structural analysis of a calmodulin variant from rice: the C-terminal extension of OsCaM61 regulates its calcium binding and enzyme activation properties. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 32036-49	5-4	3
480	NMR analysis of a novel enzymatically active unlinked dengue NS2B-NS3 protease complex. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 12891-900	5-4	78
479	NMR- and circular dichroism-monitored lipid binding studies suggest a general role for the FATC domain as membrane anchor of phosphatidylinositol 3-kinase-related kinases (PIKK). <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 20046-63	5-4	15
478	Hairpin Peptides: Heme Binding, Catalysis, and Structure in Detergent Micelles. <b>2013</b> , 125, 6558-6562		9
477	Hairpin peptides: heme binding, catalysis, and structure in detergent micelles. <b>2013</b> , 52, 6430-4		19
476	Sequence-specific <sup>1</sup> H-NMR assignment and determination of the secondary structure of hainantoxin-III from the spider <i>Ornithoctonus hainana</i> . <b>2013</b> , 20, 761-6		3
475	Structural characterization by NMR of a double phosphorylated chimeric peptide vaccine for treatment of Alzheimer's disease. <b>2013</b> , 18, 4929-41		
474	Probing the residual structure in avian prion hexarepeats by CD, NMR and MD techniques. <b>2013</b> , 18, 11467-84		6
473	Structural characterization of de novo designed L5K5W model peptide isomers with potent antimicrobial and varied hemolytic activities. <b>2013</b> , 18, 859-76		12
472	Tyrosine phosphorylation within the intrinsically disordered cytosolic domains of the B-cell receptor: an NMR-based structural analysis. <b>2014</b> , 9, e96199		16
471	The mitochondrial intermembrane space oxidoreductase Mia40 funnels the oxidative folding pathway of the cytochrome c oxidase assembly protein Cox19. <i>Journal of Biological Chemistry</i> , <b>2014</b> , 289, 9852-64	5-4	13
470	Identification of a novel LEA protein involved in freezing tolerance in wheat. <b>2014</b> , 55, 136-47		60
469	Mutation of the highly conserved Ser-40 of the HIV-1 p6 gag protein to Phe causes the formation of a hydrophobic patch, enhances membrane association, and polyubiquitination of Gag. <b>2014</b> , 6, 3738-65		8
468	Aminoterminal amphipathic helix AH1 of hepatitis C virus nonstructural protein 4B possesses a dual role in RNA replication and virus production. <b>2014</b> , 10, e1004501		43
467	Comparative Helicity of Cyclic Pentapeptides in Water. <b>2014</b> , 126, 7085-7089		40
466	New charge-bearing amino acid residues that promote sheet secondary structure. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 16683-8	16.4	27

465	CSI 2.0: a significantly improved version of the Chemical Shift Index. <b>2014</b> , 60, 131-46		40
464	Insight into the structures of the second and fifth transmembrane domains of Slc11a1 in membrane mimics. <b>2014</b> , 20, 165-72		5
463	SAR study and conformational analysis of a series of novel peptide G protein-coupled receptor kinase 2 inhibitors. <b>2014</b> , 101, 121-8		9
462	NMR structural analysis of Sleeping Beauty transposase binding to DNA. <i>Protein Science</i> , <b>2014</b> , 23, 23-336.3		14
461	The p66 immature precursor of HIV-1 reverse transcriptase. <b>2014</b> , 82, 2343-52		21
460	Improving on Nature: Making a Cyclic Heptapeptide Orally Bioavailable. <b>2014</b> , 126, 12255-12259		18
459	The Molecular Structure of Alzheimer's Amyloid Fibrils Formed in the Presence of Phospholipid Vesicles. <b>2014</b> , 126, 9448-9451		3
458	Intramolecular binding mode of the C-terminus of Escherichia coli single-stranded DNA binding protein determined by nuclear magnetic resonance spectroscopy. <b>2014</b> , 42, 2750-7		34
457	Comparing atomistic molecular mechanics force fields for a difficult target: a case study on the Alzheimer's amyloid peptide. <b>2014</b> , 32, 1817-32		62
456	NMR investigations of metal interactions with unstructured soluble protein domains. <b>2014</b> , 269, 1-12		28
455	Active-site structure of the thermophilic Foc-subunit ring in membranes elucidated by solid-state NMR. <b>2014</b> , 106, 390-8		6
454	NMR of glycans: shedding new light on old problems. <b>2014</b> , 79, 48-68		44
453	$^1\text{H}$ , $^{13}\text{C}$ and $^{15}\text{N}$ backbone and side-chain resonance assignments of the N-terminal ubiquitin-binding domains of the human deubiquitinase Usp28. <i>Biomolecular NMR Assignments</i> , <b>2014</b> , 8, 251-4	0.7	2
452	$^1\text{H}$ , $^{13}\text{C}$ , and $^{15}\text{N}$ chemical shift assignments of neuronal calcium sensor protein, hippocalcin. <i>Biomolecular NMR Assignments</i> , <b>2014</b> , 8, 63-6	0.7	2
451	Solution structure of the transmembrane domain of the insulin receptor in detergent micelles. <b>2014</b> , 1838, 1313-21		30
450	Conformation and topology of diacylglycerol kinase in E.coli membranes revealed by solid-state NMR spectroscopy. <b>2014</b> , 53, 5624-8		20
449	$^1\text{H}$ , $^{15}\text{N}$ , and $^{13}\text{C}$ chemical shift assignments of murine calcium-binding protein 4. <i>Biomolecular NMR Assignments</i> , <b>2014</b> , 8, 361-4	0.7	2
448	Structure determination of helical membrane proteins by solution-state NMR: emphasis on retinal proteins. <b>2014</b> , 1837, 578-88		12

447	The molecular structure of Alzheimer $\beta$ -amyloid fibrils formed in the presence of phospholipid vesicles. <b>2014</b> , 53, 9294-7		44
446	Type I and II turns prediction using NMR chemical shifts. <b>2014</b> , 59, 175-84		2
445	Direct detection of neuropeptide dynorphin A binding to the second extracellular loop of the $\mu$ opioid receptor using a soluble protein scaffold. <i>FEBS Journal</i> , <b>2014</b> , 281, 814-24	5.7	6
444	Structural insight into the transmembrane domain and the juxtamembrane region of the erythropoietin receptor in micelles. <b>2014</b> , 107, 2325-36		22
443	Accelerating the Conformational Sampling of Intrinsically Disordered Proteins. <b>2014</b> , 10, 5081-94		31
442	Folded structure and insertion depth of the frog-skin antimicrobial Peptide esculentin-1b(1-18) in the presence of differently charged membrane-mimicking micelles. <b>2014</b> , 77, 2410-7		10
441	Dimers differ from monomers in structural propensity, aggregation paths and population of synaptotoxic assemblies. <i>Biochemical Journal</i> , <b>2014</b> , 461, 413-26	3.8	53
440	Photoconversion changes bilin chromophore conjugation and protein secondary structure in the violet/orange cyanobacteriochrome NpF2164g3' [corrected]. <b>2014</b> , 13, 951-62		30
439	Improving on nature: making a cyclic heptapeptide orally bioavailable. <b>2014</b> , 53, 12059-63		107
438	Comparative helicity of cyclic pentapeptides in water. <b>2014</b> , 53, 6965-9		128
437	Equilibrium simulations of proteins using molecular fragment replacement and NMR chemical shifts. <b>2014</b> , 111, 13852-7		26
436	Re-engineering the $\beta$ -conotoxin SIIIa scaffold. <b>2014</b> , 101, 347-54		2
435	OGlcNAcylation and phosphorylation have similar structural effects in helices: post-translational modifications as inducible start and stop signals in helices, with greater structural effects on threonine modification. <i>Biochemistry</i> , <b>2014</b> , 53, 2242-60	3.2	32
434	Micelle-catalyzed domain swapping in the GlpG rhomboid protease cytoplasmic domain. <i>Biochemistry</i> , <b>2014</b> , 53, 5907-15	3.2	6
433	Exploring free-energy landscapes of intrinsically disordered proteins at atomic resolution using NMR spectroscopy. <i>Chemical Reviews</i> , <b>2014</b> , 114, 6632-60	68.1	197
432	Structural and functional analysis of the transmembrane segment pair VI and VII of the NHE1 isoform of the Na <sup>+</sup> /H <sup>+</sup> exchanger. <i>Biochemistry</i> , <b>2014</b> , 53, 3658-70	3.2	8
431	"Frozen" block copolymer nanomembranes with light-driven proton pumping performance. <b>2014</b> , 8, 537-45		29
430	Solution structure of a sponge-derived cystine knot peptide and its notable stability. <b>2014</b> , 77, 304-10		6

429	Structural characterization and biological properties of the amyloidogenic elastin-like peptide (VGGVG) <sub>3</sub> . <b>2014</b> , 36, 15-27		24
428	Conformation of the critical pH sensitive region of troponin depends upon a single residue in troponin I. <b>2014</b> , 552-553, 40-9		5
427	Asteropsins B-D, sponge-derived knottins with potential utility as a novel scaffold for oral peptide drugs. <b>2014</b> , 1840, 977-84		14
426	Label-free detection of native proteins by surface-enhanced Raman spectroscopy using iodide-modified nanoparticles. <b>2014</b> , 86, 2238-45		193
425	Furan-based locked Z-vinylogous $\beta$ -amino acid stabilizing protein $\beta$ -turn in water-soluble cyclic $\beta$ -tetrapeptides. <b>2014</b> , 16, 2084-7		19
424	$^1\text{H}$ , $^{15}\text{N}$ , and $^{13}\text{C}$ chemical shift assignments of cyanobacteriochrome NpF2164g3 in the photoproduct state. <i>Biomolecular NMR Assignments</i> , <b>2014</b> , 8, 259-62	0.7	8
423	Conformation and Topology of Diacylglycerol Kinase in E.coli Membranes Revealed by Solid-state NMR Spectroscopy. <b>2014</b> , 126, 5730-5734		2
422	The N-terminal ubiquitin-binding region of ubiquitin-specific protease 28 modulates its deubiquitination function: NMR structural and mechanistic insights. <i>Biochemical Journal</i> , <b>2015</b> , 471, 155-65	2.8	4
421	A dynamic view of ATP-coupled functioning cycle of Hsp90 N-terminal domain. <i>Scientific Reports</i> , <b>2015</b> , 5, 9542	4.9	18
420	Solution structure of the transmembrane domain of the mouse erythropoietin receptor in detergent micelles. <i>Scientific Reports</i> , <b>2015</b> , 5, 13586	4.9	16
419	Membrane proteins in their native habitat as seen by solid-state NMR spectroscopy. <i>Protein Science</i> , <b>2015</b> , 24, 1333-46	6.3	37
418	Impact of Strand Number on Parallel $\beta$ -Sheet Stability. <b>2015</b> , 127, 14544-14547		5
417	Hybrid Diphenylalkyne-Dipeptide Oligomers Induce Multistrand $\beta$ -Sheet Formation. <b>2015</b> , 21, 13518-21		5
416	Membrane-induced structure of novel human tachykinin hemokinin-1 (hHK1). <b>2015</b> , 103, 702-10		6
415	A de Novo-Designed Monomeric, Compact Three-Helix-Bundle Protein on a Carbohydrate Template. <b>2015</b> , 16, 1905-1918		2
414	Using lysine-reactive fluorescent dye for surface characterization of a mAb. <b>2015</b> , 104, 995-1004		3
413	The Dependence of Amyloid- $\beta$ Dynamics on Protein Force Fields and Water Models. <b>2015</b> , 16, 3278-89		77
412	Beyond Natural Limitations: Long-Range Influence of Non-Natural Flexible and Rigid $\beta$ -Turn Mimetics in a Native $\beta$ -Hairpin Motif. <b>2015</b> , 2015, 6448-6457		4

411	Impact of Strand Number on Parallel $\beta$ -Sheet Stability. <b>2015</b> , 54, 14336-9		20
410	The N-terminal residues 43 to 60 form the interface for dopamine mediated $\beta$ -synuclein dimerisation. <b>2015</b> , 10, e0116497		7
409	Cullin3-BTB interface: a novel target for stapled peptides. <b>2015</b> , 10, e0121149		23
408	NMR Structure and Dynamics of the Resuscitation Promoting Factor RpfC Catalytic Domain. <b>2015</b> , 10, e0142807		12
407	The Supramolecular Organization of a Peptide-Based Nanocarrier at High Molecular Detail. <i>Journal of the American Chemical Society</i> , <b>2015</b> , 137, 7775-84	16.4	42
406	An investigation into the origin of the biased agonism associated with the urotensin II receptor activation. <b>2015</b> , 21, 392-9		15
405	Backbone and side chain NMR assignments of <i>Geobacillus stearothermophilus</i> ZapA allow identification of residues that mediate the interaction of ZapA with FtsZ. <i>Biomolecular NMR Assignments</i> , <b>2015</b> , 9, 387-91	0.7	1
404	Notch Transmembrane Domain: Secondary Structure and Topology. <i>Biochemistry</i> , <b>2015</b> , 54, 3565-8	3.2	14
403	Identification and Characterization of ProTx-III [PTRTX-Tp1a], a New Voltage-Gated Sodium Channel Inhibitor from Venom of the Tarantula <i>Thrixopelma pruriens</i> . <b>2015</b> , 88, 291-303		60
402	CSI 3.0: a web server for identifying secondary and super-secondary structure in proteins using NMR chemical shifts. <b>2015</b> , 43, W370-7		100
401	Folding stability modulation of the villin headpiece helical subdomain by 4-fluorophenylalanine and 4-methylphenylalanine. <b>2015</b> , 103, 627-37		4
400	A robust algorithm for optimizing protein structures with NMR chemical shifts. <b>2015</b> , 63, 255-64		8
399	Comparison of residual alpha- and beta-structures between two intrinsically disordered proteins by using NMR. <b>2015</b> , 1854, 229-38		3
398	NMR proton chemical shift prediction of C/C mismatches in B-DNA. <b>2015</b> , 252, 87-93		4
397	Advanced solid-state NMR techniques for characterization of membrane protein structure and dynamics: application to <i>Anabaena</i> Sensory Rhodopsin. <b>2015</b> , 253, 119-28		17
396	Characterization of dengue virus NS4A and NS4B protein interaction. <b>2015</b> , 89, 3455-70		95
395	Induced folding of protein-sized foldameric $\beta$ -sandwich models with core $\beta$ -amino acid residues. <b>2015</b> , 21, 6173-80		13
394	Increased resolution of aromatic cross peaks using alternate $^{13}\text{C}$ labeling and TROSY. <b>2015</b> , 62, 291-301		19

393	A Native-like Intermediate Serves as a Branching Point between the Folding and Aggregation Pathways of the Mouse Prion Protein. <i>Structure</i> , <b>2015</b> , 23, 1735-1742	5.2	28
392	Role of Lipoylation of the Immunodominant Epitope of Pyruvate Dehydrogenase Complex: Toward a Peptide-Based Diagnostic Assay for Primary Biliary Cirrhosis. <b>2015</b> , 58, 6619-29		3
391	The structure and behavior of the NA-CATH antimicrobial peptide with liposomes. <b>2015</b> , 1848, 2394-405		15
390	The native structure of annexin A2 peptides in hydrophilic environment determines their anti-angiogenic effects. <b>2015</b> , 95, 1-15		8
389	Structure and Functional Characterization of the Conserved JAK Interaction Region in the Intrinsically Disordered N-Terminus of SOCS5. <i>Biochemistry</i> , <b>2015</b> , 54, 4672-82	3.2	11
388	Legonaridin, a new member of linaridin RiPP from a Ghanaian Streptomyces isolate. <b>2015</b> , 13, 9585-92		28
387	Hepatitis B virus peptide inhibitors: solution structures and interactions with the viral capsid. <b>2015</b> , 13, 7780-9		9
386	Mechanisms of amyloid formation revealed by solution NMR. <b>2015</b> , 88-89, 86-104		66
385	pUL69 of Human Cytomegalovirus Recruits the Cellular Protein Arginine Methyltransferase 6 via a Domain That Is Crucial for mRNA Export and Efficient Viral Replication. <b>2015</b> , 89, 9601-15		7
384	Self-Assembly of the Second Transmembrane Domain of hCtr1 in Micelles and Interaction with Silver Ion. <b>2015</b> , 119, 8302-12		4
383	Membrane topology of NS2B of dengue virus revealed by NMR spectroscopy. <b>2015</b> , 1848, 2244-52		48
382	Structure-Activity Relationship-based Optimization of Small Temporin-SHf Analogs with Potent Antibacterial Activity. <b>2015</b> , 10, 2257-66		20
381	The natural, peptaibolic peptide SPF-5506-A4 adopts a $\beta$ -bend spiral structure, shows low hemolytic activity and targets membranes through formation of large pores. <b>2015</b> , 1854, 882-9		7
380	Peptoid-Substituted Hybrid Antimicrobial Peptide Derived from Papiliocin and Magainin 2 with Enhanced Bacterial Selectivity and Anti-inflammatory Activity. <i>Biochemistry</i> , <b>2015</b> , 54, 3921-31	3.2	21
379	Fast and accurate resonance assignment of small-to-large proteins by combining automated and manual approaches. <b>2015</b> , 11, e1004022		6
378	NMR Analysis of Tuning Cross-Strand Phe/Tyr/Trp-Trp Interactions in Designed $\beta$ -Hairpin Peptides: Terminal Switch from L to D Amino Acid as a Strategy for $\beta$ -Hairpin Capping. <b>2015</b> , 119, 5376-85		13
377	Tuning self-assembly in elastin-derived peptides. <b>2015</b> , 11, 3385-95		17
376	Structure and membrane interactions of chionodracine, a piscidin-like antimicrobial peptide from the icefish Chionodraco hamatus. <b>2015</b> , 1848, 1285-93		15

375	Spatial Structures of PAP(262-270) and PAP(274-284), Two Selected Fragments of PAP(248-286), an Enhancer of HIV Infectivity. <b>2015</b> , 46, 757-769		4
374	Spectroscopic studies reveal that the heme regulatory motifs of heme oxygenase-2 are dynamically disordered and exhibit redox-dependent interaction with heme. <i>Biochemistry</i> , <b>2015</b> , 54, 2693-708	3.2	14
373	Stabilization of a Natural $\beta$ -Hairpin by a Twist-Compatible $\beta$ -Turn Mimetic. <b>2015</b> , 2015, 2382-2387		10
372	Magic-angle spinning NMR of intact bacteriophages: insights into the capsid, DNA and their interface. <b>2015</b> , 253, 80-90		17
371	NMR Methods for the Study of Intrinsically Disordered Proteins Structure, Dynamics, and Interactions: General Overview and Practical Guidelines. <b>2015</b> , 870, 49-122		56
370	Steric Crowding of the Turn Region Alters the Tertiary Fold of Amyloid- $\beta$ 8-35 and Makes It Soluble. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 30099-107	5.4	12
369	Isolation, Characterization, and Synthesis of the Barrettides: Disulfide-Containing Peptides from the Marine Sponge <i>Geodia barretti</i> . <b>2015</b> , 78, 1886-93		20
368	Structural study of caveolin-1 intramembrane domain by circular dichroism and nuclear magnetic resonance. <b>2015</b> , 104, 11-20		16
367	The N-Terminal Peptides of the Three Human Isoforms of the Mitochondrial Voltage-Dependent Anion Channel Have Different Helical Propensities. <i>Biochemistry</i> , <b>2015</b> , 54, 5646-56	3.2	16
366	Structure of a CGI-58 motif provides the molecular basis of lipid droplet anchoring. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 26361-72	5.4	32
365	$\beta$ -Strand mimics based on tetrahydropyridazinedione (tpd) peptide stitching. <b>2015</b> , 51, 16259-62		16
364	Discovery of Novel Potent and Selective Agonists at the Melanocortin-3 Receptor. <b>2015</b> , 58, 9773-8		15
363	Structural proteomics: high-throughput methods. Preface. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1261, v	1.4	4
362	The p10 FAST protein fusion peptide functions as a cystine noose to induce cholesterol-dependent liposome fusion without liposome tubulation. <b>2015</b> , 1848, 408-16		11
361	High-resolution NMR structure of the antimicrobial peptide protegrin-2 in the presence of DPC micelles. <b>2015</b> , 61, 227-34		19
360	Atomistic insights into human Cys-loop receptors by solution NMR. <b>2015</b> , 1848, 307-14		9
359	Resonance assignment and secondary structure determination of full length human Dickkopf 4 (hDkk4), a secreted, disulphide-rich Wnt inhibitor protein. <i>Biomolecular NMR Assignments</i> , <b>2015</b> , 9, 147-51.7		2
358	(1)H, (13)C and (15)N backbone assignment of the EC-1 domain of human E-cadherin. <i>Biomolecular NMR Assignments</i> , <b>2015</b> , 9, 31-5	0.7	3



357	Understanding dengue virus capsid protein disordered N-Terminus and pep14-23-based inhibition. <b>2015</b> , 10, 517-26		36
356	Glutamic Acid Residues in HIV-1 p6 Regulate Virus Budding and Membrane Association of Gag. <b>2016</b> , 8, 117		8
355	Backbone and side chain assignments of human cell cycle regulatory protein S-phase kinase-associated protein 1. <i>Biomolecular NMR Assignments</i> , <b>2016</b> , 10, 351-5	0.7	3
354	Stereopositional Outcome in the Packing of Dissimilar Aromatics in Designed $\beta$ -Hairpins. <b>2016</b> , 22, 4147-56		4
353	Multidimensional Nuclear Magnetic Resonance of Biomolecules. <b>2016</b> , 1-26		
352	Distinct Dynamic Modes Enable the Engagement of Dissimilar Ligands in a Promiscuous Atypical RNA Recognition Motif. <i>Biochemistry</i> , <b>2016</b> , 55, 7141-7150	3.2	20
351	Secondary Structure and Membrane Topology of the Full-Length Dengue Virus NS4B in Micelles. <b>2016</b> , 128, 12247-12251		3
350	'Lollipop'-shaped helical structure of a hybrid antimicrobial peptide of temporin B-lipopolysaccharide binding motif and mapping cationic residues in antibacterial activity. <b>2016</b> , 1860, 1362-72		15
349	Thymosin $\beta$ 4 Interacts with Exposed Phosphatidylserine in Membrane Models and in Cells and Uses Serum Albumin as a Carrier. <i>Biochemistry</i> , <b>2016</b> , 55, 1462-72	3.2	18
348	Structure-activity analysis and biological studies of chensinin-1b analogues. <b>2016</b> , 37, 59-68		6
347	Structure and Dynamics of Extracellular Loops in Human Aquaporin-1 from Solid-State NMR and Molecular Dynamics. <b>2016</b> , 120, 9887-902		18
346	The key position: influence of staple location on constrained peptide conformation and binding. <b>2016</b> , 14, 9731-9735		3
345	Mechanism of Action of Thymosin $\beta$ 4: Does It Interact with Membrane by Recognition of Exposed Phosphatidylserine on Cell Surface? A Structural Approach. <b>2016</b> , 102, 101-19		3
344	Atomic-resolution structure of a disease-relevant A $\beta$ (1-42) amyloid fibril. <b>2016</b> , 113, E4976-84		557
343	Secondary Structure and Membrane Topology of the Full-Length Dengue Virus NS4B in Micelles. <b>2016</b> , 55, 12068-72		20
342	Pressure dependence of backbone chemical shifts in the model peptides Ac-Gly-Gly-Xxx-Ala-NH <sub>2</sub> . <b>2016</b> , 65, 65-77		10
341	ALS Mutations Disrupt Phase Separation Mediated by $\beta$ -Helical Structure in the TDP-43 Low-Complexity C-Terminal Domain. <i>Structure</i> , <b>2016</b> , 24, 1537-49	5.2	409
340	Proteins of well-defined structures can be designed without backbone readjustment by a statistical model. <b>2016</b> , 196, 350-357		8

339	The activation loop of PIP5K functions as a membrane sensor essential for lipid substrate processing. <b>2016</b> , 2, e1600925		16
338	Structure of the NS2B-NS3 protease from Zika virus after self-cleavage. <b>2016</b> , 7, 13410		123
337	Synthesis and Characterization of Site-Selective Orbitide-BSA Conjugate to Produce Antibodies. <b>2016</b> , 27, 2346-2358		3
336	Predicting the redox state and secondary structure of cysteine residues using multi-dimensional classification analysis of NMR chemical shifts. <b>2016</b> , 66, 55-68		1
335	PSCD Domains of Pleuralin-1 from the Diatom <i>Cylindrotheca fusiformis</i> : NMR Structures and Interactions with Other Biosilica-Associated Proteins. <i>Structure</i> , <b>2016</b> , 24, 1178-91	5.2	8
334	Changes in the folding landscape of the WW domain provide a molecular mechanism for an inherited genetic syndrome. <i>Scientific Reports</i> , <b>2016</b> , 6, 30293	4.9	11
333	The singular behavior of a $\beta$ -type semi-synthetic two branched polypeptide: three-dimensional structure and mode of action. <b>2016</b> , 18, 30998-31011		12
332	Secondary structural analysis of the carboxyl-terminal domain from different connexin isoforms. <b>2016</b> , 105, 143-62		8
331	<sup>1</sup> H, <sup>13</sup> C, and <sup>15</sup> N chemical shift assignments of cyanobacteriochrome NpR6012g4 in the green-absorbing photoproduct state. <i>Biomolecular NMR Assignments</i> , <b>2016</b> , 10, 157-61	0.7	6
330	A pH-Mediated Topological Switch within the N-Terminal Domain of Human Caveolin-3. <b>2016</b> , 110, 2475-2485		5
329	NMR-based platform for fragment-based lead discovery used in screening BRD4-targeted compounds. <b>2016</b> , 37, 984-93		15
328	Chemical shift assignments of the C-terminal EF-hand domain of $\beta$ -actinin-1. <i>Biomolecular NMR Assignments</i> , <b>2016</b> , 10, 219-22	0.7	2
327	Stable and biocompatible cystine knot peptides from the marine sponge <i>Asteropus</i> sp. <b>2016</b> , 24, 2979-2987		4
326	Sequential backbone resonance assignments of the <i>E. coli</i> dihydrofolate reductase Gly67Val mutant: folate complex. <i>Biomolecular NMR Assignments</i> , <b>2016</b> , 10, 125-9	0.7	
325	Solvent Removal Induces a Reversible $\beta$ -to- $\alpha$ -Switch in Oligomeric A $\beta$ Peptide. <b>2016</b> , 428, 268-273		16
324	Fragment Assembly Approach Based on Graph/Network Theory with Quantum Chemistry Verifications for Assigning Multidimensional NMR Signals in Metabolite Mixtures. <b>2016</b> , 11, 1030-8		19
323	The Dynamic Landscape of the Full-Length HIV-1 Transactivator of Transcription. <i>Biochemistry</i> , <b>2016</b> , 55, 1314-25	3.2	6
322	Solid-state NMR sequential assignments of the N-terminal domain of HpDnaB helicase. <i>Biomolecular NMR Assignments</i> , <b>2016</b> , 10, 13-23	0.7	13

321	1H, 15N, and 13C chemical shift assignments of cyanobacteriochrome NpR6012g4 in the red-absorbing dark state. <i>Biomolecular NMR Assignments</i> , <b>2016</b> , 10, 139-42	0.7	6
320	Peptide N-Amination Supports $\beta$ -Sheet Conformations. <b>2017</b> , 56, 2083-2086		22
319	Peptide N-Amination Supports $\beta$ -Sheet Conformations. <b>2017</b> , 129, 2115-2118		2
318	Monomer-to-dimer transition of Brucella suis type IV secretion system component VirB8 induces conformational changes. <i>FEBS Journal</i> , <b>2017</b> , 284, 1218-1232	5.7	7
317	Perfluoro-tert-butyl Homoserine Is a Helix-Promoting, Highly Fluorinated, NMR-Sensitive Aliphatic Amino Acid: Detection of the Estrogen Receptor-Coactivator Protein-Protein Interaction by F NMR. <i>Biochemistry</i> , <b>2017</b> , 56, 1062-1074	3.2	25
316	Calmodulin Lobes Facilitate Dimerization and Activation of Estrogen Receptor- $\beta$ . <i>Journal of Biological Chemistry</i> , <b>2017</b> , 292, 4614-4622	5.4	12
315	Apela exhibits isoform- and headgroup-dependent modulation of micelle binding, peptide conformation and dynamics. <b>2017</b> , 1859, 767-778		20
314	Characterization of a Basidiomycota hydrophobin reveals the structural basis for a high-similarity Class I subdivision. <i>Scientific Reports</i> , <b>2017</b> , 7, 45863	4.9	20
313	Preserved Transmembrane Segment Topology, Structure, and Dynamics in Disparate Micellar Environments. <b>2017</b> , 8, 2381-2386		3
312	The impact of processing and aging on the oxidative potential, molecular structure and dissolution of gelatin. <b>2017</b> , 66, 246-258		5
311	Choosing the optimal spectroscopic toolkit to understand protein function. <b>2017</b> , 37,		3
310	Photochemically Induced Dynamic Nuclear Polarization: Basic Principles and Applications. <b>2017</b> , 283-314		12
309	Novel furan-containing peptide-based inhibitors of protein arginine deiminase type IV (PAD4). <b>2017</b> , 90, 1134-1146		5
308	Bioactivity of the putative apelin proprotein expands the repertoire of apelin receptor ligands. <b>2017</b> , 1861, 1901-1912		17
307	A phosphorylation-motif for tuneable helix stabilisation in intrinsically disordered proteins - Lessons from the sodium proton exchanger 1 (NHE1). <b>2017</b> , 37, 40-51		22
306	NMR solution structure of the RED subdomain of the Sleeping Beauty transposase. <i>Protein Science</i> , <b>2017</b> , 26, 1171-1181	6.3	2
305	Zinc binding with l-dopa peptides. <b>2017</b> , 461, 120-126		5
304	H, C and N backbone and side-chain resonance assignments of the ZnF-UBP domain of USP20/VDU2. <i>Biomolecular NMR Assignments</i> , <b>2017</b> , 11, 91-93	0.7	5

303	Dissecting the role of conformational change and membrane binding by the bacterial cell division regulator MinE in the stimulation of MinD ATPase activity. <i>Journal of Biological Chemistry</i> , <b>2017</b> , 292, 20732-20743	5.4	10
302	NMR-based assignment of isoleucine vs. allo-isoleucine stereochemistry. <b>2017</b> , 15, 9372-9378		4
301	Rational design of proteins that exchange on functional timescales. <b>2017</b> , 13, 1280-1285		54
300	H, C and N chemical shift assignments of <i>Saccharomyces cerevisiae</i> type 1 thioredoxin in the oxidized state by solution NMR spectroscopy. <i>Biomolecular NMR Assignments</i> , <b>2017</b> , 11, 221-224	0.7	1
299	Characterization of Polypeptides and Polypeptoides [Methods and Challenges. <b>2017</b> , 1-29		
298	Measurement of amide proton chemical shift anisotropy in perdeuterated proteins using CSA amplification. <b>2017</b> , 284, 33-38		6
297	Backbone cyclization of analgesic conotoxin GeXIVA facilitates direct folding of the ribbon isomer. <i>Journal of Biological Chemistry</i> , <b>2017</b> , 292, 17101-17112	5.4	9
296	Bulky Dehydroamino Acids Enhance Proteolytic Stability and Folding in [Hairpin Peptides. <b>2017</b> , 19, 5190-5193		9
295	Unraveling the meaning of chemical shifts in protein NMR. <b>2017</b> , 1865, 1564-1576		17
294	Structural Basis for Interaction of the Tandem Zinc Finger Domains of Human Muscleblind with Cognate RNA from Human Cardiac Troponin T. <i>Biochemistry</i> , <b>2017</b> , 56, 4154-4168	3.2	15
293	Solution and Solid-State Nuclear Magnetic Resonance Structural Investigations of the Antimicrobial Designer Peptide GL13K in Membranes. <i>Biochemistry</i> , <b>2017</b> , 56, 4269-4278	3.2	19
292	Co-refolding of a functional complex of Dengue NS3 protease and NS2B co-factor domain and backbone resonance assignment by solution NMR. <b>2017</b> , 140, 16-27		6
291	Amide hydrogens reveal a temperature-dependent structural transition that enhances site-II Ca-binding affinity in a C-domain mutant of cardiac troponin C. <i>Scientific Reports</i> , <b>2017</b> , 7, 691	4.9	18
290	Insight into the molecular recognition mechanism of the coactivator NCoA1 by STAT6. <i>Scientific Reports</i> , <b>2017</b> , 7, 16845	4.9	5
289	Pressure dependence of side chain C chemical shifts in model peptides Ac-Gly-Gly-Xxx-Ala-NH. <b>2017</b> , 69, 53-67		7
288	Apelin conformational and binding equilibria upon micelle interaction primarily depend on membrane-mimetic headgroup. <i>Scientific Reports</i> , <b>2017</b> , 7, 15433	4.9	7
287	Toward a Soluble Model System for the Amyloid State. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 16434-16437	16.4	3
286	[Hairpin mimics containing a piperidine-pyrrolidine scaffold modulate the [Amyloid aggregation process preserving the monomer species. <b>2017</b> , 8, 1295-1302		32

285	Transmembrane Segment XI of the Na/H Antiporter of <i>S. pombe</i> is a Critical Part of the Ion Translocation Pore. <i>Scientific Reports</i> , <b>2017</b> , 7, 12793	4.9	4
284	Thymosin $\beta$ Interacts with Hyaluronic Acid Electrostatically by Its Terminal Sequence LKEKK. <b>2017</b> , 22,		8
283	The Leaderless Bacteriocin Enterocin K1 Is Highly Potent against : A Study on Structure, Target Spectrum and Receptor. <b>2017</b> , 8, 774		25
282	Solution NMR structure of the TRIM21 B-box2 and identification of residues involved in its interaction with the RING domain. <b>2017</b> , 12, e0181551		5
281	Ubiquitin Modulates Liquid-Liquid Phase Separation of UBQLN2 via Disruption of Multivalent Interactions. <b>2018</b> , 69, 965-978.e6		140
280	Solid-State NMR Spectroscopy and Isotopic Labeling Target Abundant Dipeptide Sequences in Elastin $\beta$ Hydrophobic Domains. <b>2018</b> , 51, 2145-2156		7
279	Protein stabilization by tuning the steric restraint at the reverse turn. <b>2018</b> , 9, 4600-4609		7
278	Chemical shift assignments of retinal degeneration 3 protein (RD3). <i>Biomolecular NMR Assignments</i> , <b>2018</b> , 12, 167-170	0.7	1
277	Replacement of Arg with Nle and modified D-Phe in the core sequence of MSHs, Ac-His-D-Phe-Arg-Trp-NH, leads to hMC1R selectivity and pigmentation. <b>2018</b> , 151, 815-823		12
276	Characterization of the multimeric structure of poly(A)-binding protein on a poly(A) tail. <i>Scientific Reports</i> , <b>2018</b> , 8, 1455	4.9	9
275	Structural plasticity of mini-M conotoxins - expression of all mini-M subtypes by <i>Conus regius</i> . <i>FEBS Journal</i> , <b>2018</b> , 285, 887-902	5.7	5
274	NMR Study of Rcf2 Reveals an Unusual Dimeric Topology in Detergent Micelles. <b>2018</b> , 19, 444-447		3
273	Successful refolding and NMR structure of rMagi3: A disulfide-rich insecticidal spider toxin. <i>Protein Science</i> , <b>2018</b> , 27, 692-701	6.3	2
272	Recent developments in solution nuclear magnetic resonance (NMR)-based molecular biology. <b>2018</b> , 96, 1-8		18
271	Modeling the Early Stages of Phase Separation in Disordered Elastin-like Proteins. <b>2018</b> , 114, 1563-1578		9
270	Secondary structure and membrane topology of dengue virus NS4A protein in micelles. <b>2018</b> , 1860, 442-450		15
269	Structural insights of a self-assembling 9-residue peptide from the C-terminal tail of the SARS corona virus E-protein in DPC and SDS micelles: A combined high and low resolution spectroscopic study. <b>2018</b> , 1860, 335-346		6
268	Site-specific detection of protein secondary structure using 2D IR dihedral indexing: a proposed assembly mechanism of oligomeric hIAPP. <b>2018</b> , 9, 463-474		21

267	Environmental metabolomics with data science for investigating ecosystem homeostasis. <b>2018</b> , 104, 56-88		33
266	Rapid and reliable protein structure determination via chemical shift threading. <b>2018</b> , 70, 33-51		3
265	Advances in NMR Data Acquisition and Processing for Protein Structure Determination. <b>2018</b> , 63-90		
264	Understanding the Biomineralization Role of Magnetite-Interacting Components (MICs) From Magnetotactic Bacteria. <b>2018</b> , 9, 2480		13
263	Using NMR Chemical Shifts to Determine Residue-Specific Secondary Structure Populations for Intrinsically Disordered Proteins. <b>2018</b> , 611, 101-136		7
262	Redox-Responsive Protein Design: Design of a Small Protein Motif Dependent on Glutathionylation. <i>Biochemistry</i> , <b>2018</b> , 57, 6956-6963	3.2	4
261	Conformational Dynamics of a Cysteine-Stabilized Plant Defensin Reveals an Evolutionary Mechanism to Expose Hydrophobic Residues. <i>Biochemistry</i> , <b>2018</b> , 57, 5797-5806	3.2	11
260	Characterization of Dynamic IDP Complexes by NMR Spectroscopy. <b>2018</b> , 611, 193-226		13
259	Affinity binding of chicken apolipoprotein A1 to a novel flax orbitide (linusorb).. <b>2018</b> , 8, 17702-17709		4
258	Tyrosine Sulfation Restricts the Conformational Ensemble of a Flexible Peptide, Strengthening the Binding Affinity for an Antibody. <i>Biochemistry</i> , <b>2018</b> , 57, 4177-4185	3.2	7
257	Solid-state NMR chemical shift assignments of aquaporin Z in lipid bilayers. <i>Biomolecular NMR Assignments</i> , <b>2018</b> , 12, 323-328	0.7	3
256	The Structural Properties in Solution of the Intrinsically Mixed Folded Protein Ataxin-3. <b>2018</b> , 115, 59-71		5
255	LyeTx1-b, a Synthetic Peptide Derived From Spider Venom, Shows Potent Antibiotic Activity and. <b>2018</b> , 9, 667		20
254	Synthesis, antimicrobial activity and conformational analysis of the class IIa bacteriocin pediocin PA-1 and analogs thereof. <i>Scientific Reports</i> , <b>2018</b> , 8, 9029	4.9	40
253	Metallomics. <b>2018</b> ,		4
252	Advanced Nuclear and Related Techniques for Metallomics and Nanometallomics. <b>2018</b> , 1055, 213-243		4
251	Concentration-dependent changes to diffusion and chemical shift of internal standard molecules in aqueous and micellar solutions. <b>2018</b> , 71, 79-89		3
250	Conformational Characterization of Intrinsically Disordered Proteins and Its Biological Significance. <b>2018</b> , 381-399		2

249	Development of Endocyclic Control Elements for Peptide Macrocycles. <i>Journal of the American Chemical Society</i> , <b>2018</b> , 140, 8763-8770	16.4	32
248	Binding of a small molecule water channel inhibitor to aquaporin Z examined by solid-state MAS NMR. <b>2018</b> , 71, 91-100		0
247	Fast and potent bactericidal membrane lytic activity of PaDBS1R1, a novel cationic antimicrobial peptide. <b>2019</b> , 1861, 178-190		20
246	Does induced current density explain the C-H and C-F Perlin effects?. <b>2019</b> , 21, 18622-18628		2
245	Structure, amphipathy, and topology of the membrane-proximal helix 8 influence apelin receptor plasma membrane localization. <b>2019</b> , 1861, 183036		2
244	The Plasticity of the Carbohydrate Recognition Domain Dictates the Exquisite Mechanism of Binding of Human Macrophage Galactose-Type Lectin. <b>2019</b> , 25, 13945-13955		16
243	Conformational Control of Macrocycles by Remote Structural Modification. <i>Chemical Reviews</i> , <b>2019</b> , 119, 9724-9752	68.1	51
242	Random coil shifts of posttranslationally modified amino acids. <b>2019</b> , 73, 587-599		13
241	Structure and dynamics of human and bacterial acyl carrier proteins and their interactions with fatty acid synthesis proteins. <b>2019</b> , 516, 1183-1189		0
240	Including Protons in Solid-State NMR Resonance Assignment and Secondary Structure Analysis: The Example of RNA Polymerase II Subunits Rpo4/7. <b>2019</b> , 6, 100		12
239	A Short Peptide Hydrogel with High Stiffness Induced by 3-Helices to $\beta$ -Sheet Transition in Water. <b>2019</b> , 6, 1901173		16
238	The effect of Arginine, Lysine and Histidine in the myosin secondary structure by circular dichroism and Raman spectroscopy. <b>2019</b> , 17, 656-660		6
237	Three-dimensional structure of Megabalanus rosa Cement Protein 20 revealed by multi-dimensional NMR and molecular dynamics simulations. <b>2019</b> , 374, 20190198		7
236	Insights into the molecular mechanism behind solubilization of amyloidogenic polyglutamine-containing peptides. <b>2019</b> , 111, e24094		4
235	Auto-encoding NMR chemical shifts from their native vector space to a residue-level biophysical index. <b>2019</b> , 10, 2511		4
234	Design and Synthetic Strategies for Helical Peptides. <i>Methods in Molecular Biology</i> , <b>2019</b> , 2001, 107-131	1.4	1
233	H, C, and N backbone resonance assignments of the human DNA ligase 3 DNA-binding domain (residues 257-477). <i>Biomolecular NMR Assignments</i> , <b>2019</b> , 13, 305-308	0.7	1
232	Structural Analysis of the 42 kDa Parvulin of. <b>2019</b> , 9,		



231	The influence of commonly used tags on structural propensities and internal dynamics of peptides. <b>2019</b> , 150, 913-925		4
230	A dynamically interacting flexible loop assists oligomerisation of the <i>Caenorhabditis elegans</i> centriolar protein SAS-6. <i>Scientific Reports</i> , <b>2019</b> , 9, 3526	4.9	2
229	Chemical shift assignments of retinal guanylyl cyclase activating protein 5 (GCAP5). <i>Biomolecular NMR Assignments</i> , <b>2019</b> , 13, 201-205	0.7	1
228	Chemical shift assignments of a calmodulin intermediate with two Ca bound in complex with the IQ-motif of voltage-gated Ca channels (Ca1.2). <i>Biomolecular NMR Assignments</i> , <b>2019</b> , 13, 233-237	0.7	1
227	Selective antibacterial activity of the cationic peptide PaDBS1R6 against Gram-negative bacteria. <b>2019</b> , 1861, 1375-1387		28
226	Conformational studies of RGDchi peptide by natural-abundance NMR spectroscopy. <b>2019</b> , 25, e3166		6
225	Temperature- and pH-dependent protein conformational changes investigated by terahertz dielectric spectroscopy. <b>2019</b> , 98, 260-265		8
224	Phosphorylation-dependent protein design: design of a minimal protein kinase-inducible domain. <b>2019</b> , 17, 3984-3995		6
223	NMR structures and mutational analysis of the two peptides constituting the bacteriocin plantaricin S. <i>Scientific Reports</i> , <b>2019</b> , 9, 2333	4.9	6
222	Secondary structure and topology of the transmembrane domain of Syndecan-2 in detergent micelles. <b>2019</b> , 593, 554-561		1
221	Conformational Changes in the Cytoplasmic Region of KIR3DL1 upon Interaction with SHP-2. <i>Structure</i> , <b>2019</b> , 27, 639-650.e2	5.2	2
220	NMR Study of the Secondary Structure and Biopharmaceutical Formulation of an Active Branched Antimicrobial Peptide. <b>2019</b> , 24,		3
219	Ribbon $\beta$ -Conotoxin KTM Exhibits Potent Inhibition of Nicotinic Acetylcholine Receptors. <b>2019</b> , 17,		1
218	CB1 cannabinoid receptor-phosphorylated fourth intracellular loop structure-function relationships. <b>2019</b> , 111, e24104		1
217	Structural characterization of the L0 cytoplasmic loop of human multidrug resistance protein 6 (MRP6). <b>2019</b> , 1861, 380-386		3
216	Functional Selectivity Revealed by N-Methylation Scanning of Human Urotensin II and Related Peptides. <b>2019</b> , 62, 1455-1467		10
215	Studies of membranotropic and fusogenic activity of two putative HCV fusion peptides. <b>2019</b> , 1861, 50-61		3
214	Heterogeneous-Backbone Foldamer Mimics of a Computationally Designed, Disulfide-Rich Miniprotein. <b>2019</b> , 20, 103-110		7

213	Conformational Studies on Two FtsZ Targeting Cyclic Peptides. <i>International Journal of Peptide Research and Therapeutics</i> , <b>2020</b> , 26, 1567-1573	2.1	
212	The (un)structural biology of biomolecular liquid-liquid phase separation using NMR spectroscopy. <i>Journal of Biological Chemistry</i> , <b>2020</b> , 295, 2375-2384	5.4	43
211	Decoupling the effects of hydrophilic and hydrophobic moieties at the neuron-nanofibre interface. <b>2019</b> , 11, 1375-1382		4
210	Revealing the mechanism of protein-lipid interactions for a putative membrane curvature sensor in plant endoplasmic reticulum. <b>2020</b> , 1862, 183160		4
209	Synaptotagmin Binding to Botulinum Neurotoxins. <i>Biochemistry</i> , <b>2020</b> , 59, 491-498	3.2	2
208	Improved Stability and Tunable Functionalization of Parallel $\beta$ -Sheets via Multicomponent N-Alkylation of the Turn Moiety. <b>2020</b> , 132, 265-269		2
207	Improved Stability and Tunable Functionalization of Parallel $\beta$ -Sheets via Multicomponent N-Alkylation of the Turn Moiety. <b>2020</b> , 59, 259-263		6
206	SPR and NMR characterization of the molecular interaction between A9 peptide and a model system of HER2 receptor: A fragment approach for selecting peptide structures specific for their target. <b>2020</b> , 26, e3231		3
205	The influence of the stereochemistry and C-end chemical modification of dermorphin derivatives on the peptide-phospholipid interactions. <b>2020</b> , 1862, 183066		
204	Molecular Architecture of a Network of Potential Intracellular EGFR Modulators: ARNO, CaM, Phospholipids, and the Juxtamembrane Segment. <i>Structure</i> , <b>2020</b> , 28, 54-62.e5	5.2	5
203	Defining the Familial Fold of the Vicilin-Buried Peptide Family. <b>2020</b> , 83, 3030-3040		3
202	Characterization of DNA G-quadruplex Topologies with NMR Chemical Shifts. <b>2020</b> , 11, 10016-10022		8
201	In-depth NMR characterization of Rab4a structure, nucleotide exchange and hydrolysis kinetics reveals an atypical GTPase profile. <b>2020</b> , 212, 107582		0
200	Critical residue properties for potency and selectivity of Conotoxin Rg1A towards $\alpha$ 10 nicotinic acetylcholine receptors. <b>2020</b> , 181, 114124		6
199	NMR structure and localization of the host defense antimicrobial peptide thanatin in zwitterionic dodecylphosphocholine micelle: Implications in antimicrobial activity. <b>2020</b> , 1862, 183432		4
198	Impact of oxetane incorporation on the structure and stability of alpha-helical peptides. <b>2020</b> , 22, 25075-25083		1
197	Novel NMR Assignment Strategy Reveals Structural Heterogeneity in Solution of the nsP3 HVD Domain of Venezuelan Equine Encephalitis Virus. <b>2020</b> , 25,		4
196	Robust Cell-Free Expression of Sub-Pathological and Pathological Huntingtin Exon-1 for NMR Studies. General Approaches for the Isotopic Labeling of Low-Complexity Proteins. <b>2020</b> , 10,		3

195	Classification of the botanical and geographical origins of Chinese honey based on H NMR profile with chemometrics. <b>2020</b> , 137, 109714		10
194	Structural Insight of the Full-Length Ros Protein: A Prototype of the Prokaryotic Zinc-Finger Family. <i>Scientific Reports</i> , <b>2020</b> , 10, 9283	4.9	3
193	Development of Therapeutic Gramicidin S Analogues Bearing Plastic $\beta$ -Diamino Acids. <b>2020</b> , 15, 1089-1100		4
192	Near-infrared spectroscopy and imaging in protein research. <b>2020</b> , 143-176		4
191	NMR backbone assignment of the C $\beta$ domain of immunoglobulin E. <i>Biomolecular NMR Assignments</i> , <b>2020</b> , 14, 151-155	0.7	0
190	Pro-islet amyloid polypeptide in micelles contains a helical prohormone segment. <i>FEBS Journal</i> , <b>2020</b> , 287, 4440-4457	5.7	1
189	The antimicrobial peptide maculatin self assembles in parallel to form a pore in phospholipid bilayers. <b>2020</b> , 1862, 183204		15
188	Intrinsically disordered regions regulate the activities of ATP binding cassette transporters. <b>2020</b> , 1862, 183202		4
187	Structure and Activity Studies of Disulfide-Deficient Analogues of $\beta$ -Conotoxin GeXIVA. <b>2020</b> , 63, 1564-1575		5
186	Magnetic susceptibility measurement by NMR: 1. The temperature dependence of TMS. <b>2020</b> , 312, 106689		3
185	The Viral SUMO-Targeted Ubiquitin Ligase ICP0 is Phosphorylated and Activated by Host Kinase Chk2. <b>2020</b> , 432, 1952-1977		5
184	The Extracellular Domain of Two-component System Sensor Kinase VanS from <i>Streptomyces coelicolor</i> Binds Vancomycin at a Newly Identified Binding Site. <i>Scientific Reports</i> , <b>2020</b> , 10, 5727	4.9	6
183	Structural Characterization of the S-glycosylated Bacteriocin ASM1 from <i>Lactobacillus plantarum</i> . <b>2020</b> , 6, 16		0
182	Phosphosite Analysis of the Cytomegaloviral mRNA Export Factor pUL69 Reveals Serines with Critical Importance for Recruitment of Cellular Proteins Pin1 and UAP56/URH49. <b>2020</b> , 94,		7
181	Assigned NMR backbone resonances of the ligand-binding region domain of the pneumococcal serine-rich repeat protein (PsrP-BR) reveal a rigid monomer in solution. <i>Biomolecular NMR Assignments</i> , <b>2020</b> , 14, 195-200	0.7	
180	Dissecting the differential structural and dynamics features of CCL2 chemokine orthologs. <b>2020</b> , 156, 239-251		6
179	Three-dimensional structure of transmembrane domain 6 of natural resistance associated macrophage protein 2 in hexafluoroisopropanol aqueous solution. <b>2021</b> , 54, 26-32		
178	Bioactivity improvement via display of the hydrophobic core of HYD1 in a cyclic $\beta$ -hairpin-like scaffold, MTI-101. <b>2021</b> , 113, e24199		

177	Solid-state NMR spectroscopy of microcrystalline proteins. <b>2021</b> , 102, 81-151		2
176	Dimer Organization of Membrane-Associated NS5A of Hepatitis C Virus as Determined by Highly Sensitive <sup>1</sup> H-Detected Solid-State NMR. <b>2021</b> , 133, 5399-5407		1
175	Dimer Organization of Membrane-Associated NS5A of Hepatitis C Virus as Determined by Highly Sensitive <sup>1</sup> H-Detected Solid-State NMR. <b>2021</b> , 60, 5339-5347		9
174	An enhancer sequence in the intrinsically disordered region of the essential cell division protein FtsZ promotes conformation-guided substrate processing by ClpXP in Escherichia coli.		
173	The role of hairpin conformation in ester hydrolysis peptide catalysts based on a TrpZip scaffold. <b>2021</b> , 11, 23714-23718		1
172	The Structure of Fibril-Forming SEM1(86-107) Peptide Increasing the HIV Infectivity. <b>2021</b> , 11, 182-188		1
171	Chemical Synthesis and NMR Solution Structure of Conotoxin GXIA from. <b>2021</b> , 19,		3
170	Investigation of the structure and dynamics of gallium binding to high-affinity peptides elucidated by multi-scale simulation, quantum chemistry, NMR and ITC. <b>2021</b> , 23, 8618-8632		
169	Visualizing intra-medulla lipids in human hair using ultra-multiplex CARS, SHG, and THG microscopy. <b>2021</b> , 146, 1163-1168		1
168	Evolution of A bHLH Interaction Motif. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
167	Cyclotides from Brazilian and Their Effects on Human Lymphocytes. <b>2021</b> , 84, 81-90		6
166	Structural Characterization of the Interaction between the $\beta$ Domain of the Integrin Mac-1 and the Cytokine Pleiotrophin. <i>Biochemistry</i> , <b>2021</b> , 60, 182-193	3.2	2
165	CheSPI: Chemical shift Secondary structure Population Inference.		
164	Pursuing Orally Bioavailable Hepcidin Analogues via Cyclic $\alpha$ -Methylated Mini-Hepcidins. <b>2021</b> , 9,		2
163	Structural characterization of the antimicrobial peptides myxinidin and WMR in bacterial membrane mimetic micelles and bicelles.		0
162	Curvature sensing amphipathic helix in the C-terminus of RTNLB13 is conserved in all endoplasmic reticulum shaping reticulons in Arabidopsis thaliana. <i>Scientific Reports</i> , <b>2021</b> , 11, 6326	4.9	0
161	Transient Diffusive Interactions with a Protein Crowder Affect Aggregation Processes of Superoxide Dismutase 1 $\beta$ Barrel. <b>2021</b> , 125, 2521-2532		0
160	NMR three-dimensional structure of the cationic peptide Stigmurin from Tityus stigmurus scorpion venom: In vitro antioxidant and in vivo antibacterial and healing activity. <b>2021</b> , 137, 170478		3

159	Hydrophobic Gate of Mechanosensitive Channel of Large Conductance in Lipid Bilayers Revealed by Solid-State NMR Spectroscopy. <b>2021</b> , 125, 2477-2490	0
158	Chemical shift assignments of the N-terminal domain of PSD95 (PSD95-NT). <i>Biomolecular NMR Assignments</i> , <b>2021</b> , 15, 347-350	0.7 2
157	Antimicrobial Bombinin-like Peptide 3 Selectively Recognizes and Inserts into Bacterial Biomimetic Bilayers in Multiple Steps. <b>2021</b> , 64, 5185-5197	3
156	CS-Annotate: A Tool for Using NMR Chemical Shifts to Annotate RNA Structure. <b>2021</b> , 61, 1545-1549	2
155	Comparative analysis of C chemical shifts of sheet amyloid proteins and outer membrane proteins. <b>2021</b> , 75, 151-166	
154	NMR-Based Screening and Drug Discovery. 1-83	
153	On-cell nuclear magnetic resonance spectroscopy to probe cell surface interactions. <b>2021</b> , 99, 683-692	
152	NMR Spectroscopy in the Conformational Analysis of Peptides: An Overview. <b>2021</b> , 28, 2729-2782	2
151	NMR structural analysis of the yeast cytochrome c oxidase subunit Cox13 and its interaction with ATP. <b>2021</b> , 19, 98	1
150	Structure and antimicrobial activity of NCR169, a nodule-specific cysteine-rich peptide of <i>Medicago truncatula</i> . <i>Scientific Reports</i> , <b>2021</b> , 11, 9923	4.9 3
149	Ellagic Acid Inhibits Synuclein Aggregation at Multiple Stages and Reduces Its Cytotoxicity. <b>2021</b> , 12, 1919-1930	6
148	Nuclear magnetic resonance studies on conformation and stability of mastoparan in methanol. <b>2021</b> , 27, e3338	0
147	Structurally Based Design of Glucagon Mutants That Inhibit Fibril Formation. <i>Biochemistry</i> , <b>2021</b> , 60, 2033-2043	1
146	CheSPI: chemical shift secondary structure population inference. <b>2021</b> , 75, 273-291	3
145	Molecular Basis of Selectivity and Activity for the Antimicrobial Peptide Lynronne-1 Informs Rational Design of Peptide with Improved Activity. <b>2021</b> , 22, 2430-2439	2
144	Structure of a consensus chitin-binding domain revealed by solution NMR. <b>2021</b> , 213, 107725	0
143	Phosphorylation and -GlcNAcylation of the PHF-1 Epitope of Tau Protein Induce Local Conformational Changes of the C-Terminus and Modulate Tau Self-Assembly Into Fibrillar Aggregates. <b>2021</b> , 14, 661368	5
142	Approaches to Introduce Helical Structure in Cysteine-Containing Peptides with a Bimane Group. <b>2021</b> , 22, 2711-2720	1

141	Introduction. <b>2021</b> , 1-33		
140	Conformation and membrane interaction studies of the potent antimicrobial and anticancer peptide palustrin-Ca.		
139	Effect of Differential Geminal Substitution of $\alpha$ -Amino Acid Residues at the (+ 2) Position of $\beta$ Turn Segments on the Conformation of Template $\beta$ -Hairpin Peptides. <b>2021</b> , 86, 11310-11323		1
138	CSI-LSTM: a web server to predict protein secondary structure using bidirectional long short term memory and NMR chemical shifts. <b>2021</b> , 75, 393-400		0
137	Identification and characterization of metamorphic proteins: Current and future perspectives. <b>2021</b> , 112, e23473		1
136	Identifying Distinct Structural Features of the SARS-CoV-2 Spike Protein Fusion Domain Essential for Membrane Interaction. <i>Biochemistry</i> , <b>2021</b> , 60, 2978-2986	3.2	1
135	Folding in Place: Design of $\beta$ -Strap Motifs to Stabilize the Folding of Hairpins with Long Loops. <b>2021</b> , 86, 13535-13547		1
134	An Improved Turn Structure for Inducing $\beta$ -Hairpin Formation in Peptides. <b>2021</b> , 60, 22776-22782		0
133	An Improved Turn Structure for Inducing $\beta$ -Hairpin Formation in Peptides. <b>2021</b> , 133, 22958		0
132	Mycobacterial resistance to zinc poisoning requires assembly of P-ATPase-containing membrane metal efflux platforms.		0
131	Probing the helical stability in a VEGF-mimetic peptide. <i>Bioorganic Chemistry</i> , <b>2021</b> , 116, 105379	5.1	0
130	The SOUL family of heme-binding proteins: Structure and function 15 years later. <b>2021</b> , 448, 214189		1
129	Constrained beta-amino acid-containing miniproteins. <b>2021</b> , 19, 4272-4278		2
128	Conformational landscape of multidomain SMAD proteins. <b>2021</b> , 19, 5210-5224		1
127	Angular Restraints from Residual Dipolar Couplings for Structure Refinement. <b>2002</b> , 163-229		5
126	Solid-state nuclear magnetic resonance spectroscopy for membrane protein structure determination. <i>Methods in Molecular Biology</i> , <b>2015</b> , 1261, 331-47	1.4	16
125	NMR in peptide drug development. <i>Methods in Molecular Biology</i> , <b>2008</b> , 494, 87-113	1.4	3
124	Conformational Characterization of Intrinsically Disordered Proteins and Its Biological Significance. <b>2017</b> , 1-20		2

123	Influence of Pruning Devices on the Solution of Molecular Distance Geometry Problems. <b>2011</b> , 206-217		10
122	Nuclear Shielding and Biomolecular Structure. <b>1994</b> , 87-114		1
121	Intra- and Intermolecular Electrical Effects on Nuclear Magnetic Resonance, Nuclear Quadrupole Resonance and Infra-Red spectroscopic Parameters from Ab Initio Calculation and Experiment: From CO to Proteins. <b>1993</b> , 75-94		4
120	The Application of Chemical Shift Calculation to Protein Structure Determination by NMR. <b>1993</b> , 615-622		7
119	Characterization of a 78-residue fragment of c-Raf-1 that comprises a minimal binding domain for the interaction with Ras-GTP.. <i>Journal of Biological Chemistry</i> , <b>1994</b> , 269, 22340-22346	5-4	47
118	Micelle-bound conformational preferences of a peptide derived from a murine major histocompatibility complex class I molecule.. <i>Journal of Biological Chemistry</i> , <b>1993</b> , 268, 22830-22837	5-4	3
117	Import, processing, and two-dimensional NMR structure of a linker-deleted signal peptide of rat liver mitochondrial aldehyde dehydrogenase.. <i>Journal of Biological Chemistry</i> , <b>1993</b> , 268, 19906-19914	5-4	62
116	Crystallization and preliminary structural analysis of the replication terminator protein of <i>Bacillus subtilis</i> .. <i>Journal of Biological Chemistry</i> , <b>1992</b> , 267, 18885-18889	5-4	9
115	Structure of Tuberoinfundibular Peptide of 39 Residues. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 27284-27297		37
114	Glutathionylation Induces the Dissociation of 1-Cys D-peroxiredoxin Non-covalent Homodimer. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 31736-31742	5-4	15
113	CHAPTER 17:Polysaccharides as Major Carbon Sources in Environmental Biodiversity. 369-395		2
112	Mimicry of beta II'-turns of proteins in cyclic pentapeptides with one and without D-amino acids. <b>1999</b> , 259, 776-88		14
111	Assignment and secondary-structure determination of monomeric bovine seminal ribonuclease employing computer-assisted evaluation of homonuclear three-dimensional 1H-NMR spectra. <b>1995</b> , 229, 494-502		16
110	1H nuclear-magnetic-resonance investigation of oxidized Fe4S4 ferredoxin from <i>Thermotoga maritima</i> . Hyperfine-shifted resonances, sequence-specific assignments and secondary structure. <b>1995</b> , 229, 658-68		17
109	The basic subdomain of the c-Jun oncoprotein. A joint CD, Fourier-transform infrared and NMR study. <b>1995</b> , 231, 370-80		10
108	Interaction of peptides with sequences from the Newcastle disease virus fusion protein heptad repeat regions. <b>1999</b> , 73, 5945-56		65
107	Fast mapping of global protein folding states by multivariate NMR: a GPS for proteins. <b>2010</b> , 5, e10262		16
106	Solution structural analysis of the single-domain parvulin TbPin1. <b>2012</b> , 7, e43017		6



105	Proteolysis of mature HIV-1 p6 Gag protein by the insulin-degrading enzyme (IDE) regulates virus replication in an Env-dependent manner. <b>2017</b> , 12, e0174254		7
104	Structural characterization and pro-tumor properties of a highly conserved matrikine. <b>2018</b> , 9, 17839-17857		12
103	Antimicrobial Peptide K11 Selectively Recognizes Bacterial Biomimetic Membranes and Acts by Twisting Their Bilayers. <i>Pharmaceuticals</i> , <b>2020</b> , 14,	5.2	8
102	Structural and Functional Characterization of CRAMP-18 Derived from a Cathelicidin-Related Antimicrobial Peptide CRAMP. <b>2003</b> , 24, 1478-1484		3
101	NMR Assignment of des [40-93] Mutant of Bovine Angiogenin. <b>2008</b> , 29, 2259-2263		2
100	An NMR Study on the Conformation of Substance P in Acidic Bicelles. <b>2011</b> , 32, 3702-3706		3
99	<sup>1</sup> H, <sup>15</sup> N and <sup>13</sup> C Backbone Assignments and Secondary Structures of C-ter100 Domain of Vibrio Extracellular Metalloprotease Derived from <i>Vibrio vulnificus</i> . <b>2012</b> , 33, 3248-3252		3
98	NMR spectroscopic assessment of the structure and dynamic properties of an amphibian antimicrobial peptide (Gaegurin 4) bound to SDS micelles. <b>2007</b> , 40, 261-9		8
97	Designed Trp-Cage Proteins with Antimicrobial Activity and Enhanced Stability. <i>Biochemistry</i> , <b>2021</b> , 60, 3187-3199	3.2	
96	p53 Transactivation Domain Mediates Binding and Phase Separation with Poly-PR/GR. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
95	Molecular conformations and dynamics in the extracellular matrix of mammalian structural tissues: Solid-state NMR spectroscopy approaches. <b>2021</b> , 12, 100086		0
94	Protein Structure and Dynamics by NMR in Solution. <b>2000</b> , 91-116		
93	Conformational Studies of a Glycopeptide Recognized with High Affinity by Autoantibodies in Multiple Sclerosis. <b>2001</b> , 340-341		
92	Determining Structures and Analyzing Cells. <b>2001</b> , 95-159		
91	NMR and Drug Discovery. <b>2003</b> , 507-582		
90	Structure of CT26 in the C-terminal of Amyloid Precursor Protein Studied by NMR Spectroscopy. <b>2005</b> , 26, 1225-1228		
89	NMR: Applications in Chemical Biology.		
88	Structural studies on large fragments of G protein coupled receptors. <b>2009</b> , 611, 309-10		

- 87 NMR-Spectroscopic Investigation of Disulfide Dynamics in Unfolded States of Proteins. **2011**, 217-256 1
- 86 References. 575-608
- 85 Structural Characterization of the J-domain of Tid1, a Mitochondrial Hsp40/DnaJ Protein. **2012**, 16, 22-33 2
- 84 Mainchain NMR Assignments and secondary structure prediction of the C-terminal domain of BldD, a developmental transcriptional regulator from *Streptomyces coelicolor* A3(2). **2013**, 17, 59-66
- 83 Specificity Determinants of the Interaction Between Colicin E9 and its Immunity Protein. **1992**, 181-201
- 82 Solution structure of PACAP by <sup>1</sup>H NMR spectroscopy, distance geometry, and molecular dynamic calculations. **1993**, 220-223
- 81 The conformation of amphipathic peptides in lipid complexes. **1994**, 774-776
- 80 Dependence of proton chemical shifts on backbone conformation in proteins and peptides. **1994**, 911-913
- 79 Helical character and aggregation effects on the activity of short cecropin-melittin hybrid peptides. **1994**, 373-375
- 78 On the Use of NMR in Complex Biological Systems: NMR Studies of Calcium Sensitive Interactions amongst Muscle Proteins. **1996**, 275-284
- 77 Multidimensional NMR of macromolecules. **1996**, 85-157
- 76 Chapter 5 The determination of protein structure by nuclear magnetic resonance. **1997**, 269-337
- 75 The Molecular Mechanism of Amyloidosis in Alzheimer's Disease. **1999**, 1
- 74 Enhanced Chemical Shift Analysis for Secondary Structure prediction of protein. **2014**, 18, 36-40 1
- 73 Bibliography. **2015**, 235-263
- 72 Structure-Activity Relationship of the N-terminal Helix Analog of Papiliocin, PapN. **2015**, 19, 54-60
- 71 Effect of Acylation on the Structure of the Acyl Carrier Protein P. **2015**, 19, 149-155 1
- 70 Rational design of proteins that exchange on functional timescales.

69	Structural propensity database of proteins.		
68	Comprehensive structural analysis of designed incomplete polypeptide chains of the replicase nonstructural protein 1 from the severe acute respiratory syndrome coronavirus. <b>2017</b> , 12, e0182132		
67	Cataract-associated deamidations on the surface of $\beta$ -crystallin increase protein unfolding and flexibility at distant regions.		
66	Defining the familial fold of the vicilin-buried peptide family.		
65	Structure of a consensus chitin-binding domain revealed by solution NMR.		
64	An Inherent Structural Difference Between Serine and Threonine Phosphorylation: Phosphothreonine Prefers an Ordered, Compact, Cyclic Conformation.		1
63	Protein folding intermediates and Alzheimer's disease. <b>1999</b> , 319-321		
62	Molecular mechanism of the calcium-induced conformational change in the spectrin EF-hands. <i>EMBO Journal</i> , <b>1995</b> , 14, 4922-31	13	16
61	NMR studies of U1 snRNA recognition by the N-terminal RNP domain of the human U1A protein. <i>EMBO Journal</i> , <b>1994</b> , 13, 3873-81	13	22
60	Prediction of secondary structure population and intrinsic disorder of proteins using multitask deep learning. <b>2020</b> , 2020, 1325-1334	0.7	
59	An engineered construct of cFLIP provides insight into DED1 structure and interactions. <i>Structure</i> , <b>2021</b> ,	5.2	0
58	$\beta$ -Helix stabilization by co-operative side chain charge-reinforced interactions to phosphoserine in a basic kinase-substrate motif.		
57	The impact of phosphatidylserine exposure on cancer cell membranes on the activity of the anticancer peptide HB43. <i>FEBS Journal</i> , <b>2021</b> ,	5.7	3
56	Conformation and membrane interaction studies of the potent antimicrobial and anticancer peptide palustrin-Ca. <i>Scientific Reports</i> , <b>2021</b> , 11, 22468	4.9	1
55	Structure of amyloidogenic PAP(85-120) peptide by high-resolution NMR spectroscopy. <i>Journal of Molecular Structure</i> , <b>2022</b> , 1253, 132294	3.4	
54	Secondary Structures of the Transmembrane Domain of SARS-CoV-2 Spike Protein in Detergent Micelles.. <i>International Journal of Molecular Sciences</i> , <b>2022</b> , 23,	6.3	0
53	Structural stability of <i>Cutibacterium acnes</i> acyl carrier protein studied using CD and NMR spectroscopy. <i>Journal of Analytical Science and Technology</i> , <b>2022</b> , 13,	3.4	0
52	C Direct Detected NMR for Challenging Systems.. <i>Chemical Reviews</i> , <b>2022</b> ,	68.1	3

51	Applications of Cell-Free Synthesized Membrane Protein Precipitates.. <i>Methods in Molecular Biology</i> , <b>2022</b> , 2406, 245-266	1.4	
50	Comparative Analysis of Sulfonium- $\pi$ Ammonium- $\pi$ and Sulfur- $\pi$ Interactions and Relevance to SAM-Dependent Methyltransferases.. <i>Journal of the American Chemical Society</i> , <b>2022</b> ,	16.4	0
49	Chemical shift assignments of calmodulin bound to the $\beta$ subunit of a retinal cyclic nucleotide-gated channel (CNGB1).. <i>Biomolecular NMR Assignments</i> , <b>2022</b> , 1	0.7	2
48	A metallothionein from an open ocean cyanobacterium removes zinc from the sensor protein controlling its transcription.. <i>Journal of Inorganic Biochemistry</i> , <b>2022</b> , 230, 111755	4.2	
47	Structural impact of thioamide incorporation into a $\beta$ hairpin. <i>RSC Chemical Biology</i> ,	3	1
46	Peptide Model of the Mutant Proinsulin Syndrome. II. Nascent Structure and Biological Implications.. <i>Frontiers in Endocrinology</i> , <b>2022</b> , 13, 821091	5.7	2
45	NMR Structure and Localization of the Host Defense Peptide ThanatinM21F in Zwitterionic Dodecylphosphocholine Micelle: Implications in Antimicrobial and Hemolytic Activity.. <i>Journal of Membrane Biology</i> , <b>2022</b> , 1	2.3	0
44	Solid-State NMR: Methods for Biological Solids.. <i>Chemical Reviews</i> , <b>2022</b> ,	68.1	2
43	$\beta$ Helix stabilization by co-operative side chain charge-reinforced interactions to phosphoserine in a basic kinase-substrate motif.. <i>Biochemical Journal</i> , <b>2022</b> ,	3.8	0
42	H, N and C backbone resonance assignments of the acidic domain of the human MDMX protein.. <i>Biomolecular NMR Assignments</i> , <b>2022</b> , 1	0.7	0
41	Mutagenesis of bracelet cyclotide hyen D reveals functionally and structurally critical residues for membrane binding and cytotoxicity.. <i>Journal of Biological Chemistry</i> , <b>2022</b> , 101822	5.4	1
40	The potential of antifungal peptide Sesquin as natural food preservative.. <i>Biochimie</i> , <b>2022</b> ,	4.6	2
39	Targeting Ship2-Sam with peptide ligands: Novel insights from a multidisciplinary approach.. <i>Bioorganic Chemistry</i> , <b>2022</b> , 122, 105680	5.1	0
38	Total Synthesis of Novel Antimicrobial $\beta$ Hairpin Capitellacin Via Rapid Flow-Based SPPS Assembly and Regioselective On-Resin Disulfide Cyclisation. <i>International Journal of Peptide Research and Therapeutics</i> , <b>2022</b> , 28, 1	2.1	1
37	Subspace Modeling for Classification of Protein Secondary Structure Elements from CDTrace. <b>2021</b> ,		
36	Structure-Activity Relationship Investigations of Novel Constrained Chimeric Peptidomimetics of SOCS3 Protein Targeting JAK2.. <i>Pharmaceuticals</i> , <b>2022</b> , 15,	5.2	
35	An enhancer sequence in the intrinsically disordered region of FtsZ promotes polymer-guided substrate processing by ClpXP protease.. <i>Protein Science</i> , <b>2022</b> , 31, e4306	6.3	2
34	Data_Sheet_1.PDF. <b>2018</b> ,		

33	Data_Sheet_1.PDF. <b>2019,</b>		
32	Chemical shift assignments of calmodulin under standard conditions at neutral pH.. <i>Biomolecular NMR Assignments</i> , <b>2022</b> , 1	0.7	0
31	Recent Trends of Microbiota-Based Microbial Metabolites Metabolism in Liver Disease. <i>Frontiers in Medicine</i> , <b>2022</b> , 9,	4.9	0
30	Minimal Increments of Hydrophobic Collapse within the N-Terminus of the Neuropeptide Galanin. <i>Biochemistry</i> ,	3.2	0
29	ADOPT: intrinsic protein disorder prediction through deep bidirectional transformers.		1
28	The Influence of Short Motifs on the Anticancer Activity of HB43 Peptide. <i>Pharmaceutics</i> , <b>2022</b> , 14, 10896.4		2
27	Deciphering the conformational landscape of few selected aromatic noncoded amino acids (NCAAs) for applications in rational design of peptide therapeutics. <i>Amino Acids</i> ,	3.5	1
26	Mycobacterial resistance to zinc poisoning requires assembly of P-ATPase-containing membrane metal efflux platforms. <b>2022</b> , 13,		
25	Chemical shift assignments of calmodulin bound to a C-terminal site (residues 1120-1147) in the $\beta$ subunit of a retinal cyclic nucleotide-gated channel (CNGB1).		
24	NMR and biochemical characterization of the interaction between FGFR1 juxtamembrane domain and phospholipids. <b>2022</b> ,		
23	The neuropeptide galanin adopts an irregular secondary structure. <b>2022</b> , 626, 121-128		
22	Solid-State NMR Spectroscopy on Microbial Rhodopsins. <b>2022</b> , 181-206		0
21	Therapeutic Peptides: Unravelling Conformational Dynamics by Systematic Application of Biophysical Techniques. <b>2022</b> , 23,		0
20	Chemical shift assignments of the C-terminal domain of CaBP1 bound to the IQ-motif of voltage-gated Ca <sup>2+</sup> channel (CaV1.2). <b>2022</b> , 16, 385-390		0
19	High-Resolution Conformational Analysis of RGDechi-Derived Peptides Based on a Combination of NMR Spectroscopy and MD Simulations. <b>2022</b> , 23, 11039		0
18	The PROSCOOP10 gene encodes two extracellular hydroxylated peptides and impacts flowering time in Arabidopsis.		0
17	Structure-based design of glycosylated oxytocin analogues with improved selectivity and antinociceptive activity.		0
16	Engineering Peptide Inhibitors of the HFE-Transferrin Receptor 1 Complex. <b>2022</b> , 27, 6581		0

- 15  $\beta$ -Proton Chemical Shift Index and Amide Proton Chemical Shift Temperature Coefficient of Melittin in Methanol: Indicators for a Helix Structure and an Intra-Molecular Hydrogen Bond?. 0
- 14 Investigation of the Thermal Stability of Proteinase K for the Melt Processing of Poly(L-lactide). 1
- 13 Chemical shifts of artificial monomers used to construct heterogeneous-backbone protein mimetics in random coil and folded states. 0
- 12 Investigation of the Effect of Turn Residues on Tetrapeptide Aldol Catalysts with  $\beta$ -Turn Propensity. **2022**, 7, 45336-45340 0
- 11 Making the Most of Chemical Shifts. **2012**, 53-83 0
- 10 The influence of random-coil chemical shifts on the assessment of structural propensities in folded proteins and IDPs. **2023**, 13, 10182-10203 0
- 9 Structure-Based Design of Glycosylated Oxytocin Analogues with Improved Selectivity and Antinociceptive Activity. **2023**, 14, 163-170 0
- 8 Chemical shift assignments of calmodulin bound to the GluN1 C0 domain (residues 841-865) of the NMDA receptor. 0
- 7  $^1\text{H}$ ,  $^{13}\text{C}$ ,  $^{15}\text{N}$  Backbone and sidechain chemical shift assignments of the C-terminal domain of human UDP-glucuronosyltransferase 2B17 (UGT2B17-C). 0
- 6 The Mechanism of Action of SAAP-148 Antimicrobial Peptide as Studied with NMR and Molecular Dynamics Simulations. **2023**, 15, 761 0
- 5 Pseudopeptosomes: non-lipidated vesicular assemblies from bispidine-appended pseudopeptides. 0
- 4 Structural and Functional Characterization of the Newly Designed Antimicrobial Peptide Crabrolin21. **2023**, 13, 365 0
- 3 Structural conservation of HBV-like capsid proteins over hundreds of millions of years despite the shift from non-enveloped to enveloped life-style. **2023**, 14, 0
- 2 Chemical shift assignments of calmodulin bound to a cytosolic domain of GluN2A (residues 1004-1024) from the NMDA receptor. 0
- 1 Recent Advances in NMR Protein Structure Prediction with ROSETTA. **2023**, 24, 7835 0