Automated recognition of valley lines and drainage network models: a review and a new method

Journal of Hydrology 139, 263-293 DOI: 10.1016/0022-1694(92)90206-b

Citation Report

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Scale: Landscape attributes and geographical information systems. Hydrological Processes, 1995, 9, 401-422. | 2.6 | 83 |
| 2 | Discussion of "Determination of Watershed Features for Surface Runoff Models―by N. K. Garg and D. J. Sen. Journal of Hydraulic Engineering, 1995, 121, 563-564. | 1.5 | 0 |
| 3 | Closure to "Determination of Watershed Features for Surface Runoff Models―by N. K. Garg and D. J. Sen. Journal of Hydraulic Engineering, 1995, 121, 564-565. | 1.5 | 0 |
| 4 | Automated recognition of valley lines and drainage networks from grid digital elevation models: a review and a new method — Comment. Journal of Hydrology, 1995, 167, 393-396. | 5.4 | 47 |
| 5 | Reducing elevation roundoff errors in digital elevation models. Journal of Hydrology, 1995, 169, 37-49. | 5.4 | 8 |
| 6 | Fractal analyses of tree-like channel networks from digital elevation model data. Journal of Hydrology, 1996, 187, 157-172. | 5.4 | 25 |
| 7 | IDENTIFICATION AND ANALYSIS OF NATURAL CHANNEL NETWORKS FROM DIGITAL ELEVATION MODELS. , 1996, 21, 1007-1020. | | 14 |
| 8 | Including the spatial dimension: using geographical information systems in hydrology. Progress in Physical Geography, 1996, 20, 159-177. | 3.2 | 31 |
| 9 | ls the drainage network a fractal Sierpinski space?. Water Resources Research, 1997, 33, 2399-2408. | 4.2 | 6 |
| 10 | The assignment of drainage direction over flat surfaces in raster digital elevation models. Journal of Hydrology, 1997, 193, 204-213. | 5.4 | 269 |
| 11 | USE OF DIGITAL ELEVATION MODEL DATA FOR THE DERIVATION OF THE GEOMORPHOLOGICAL INSTANTANEOUS UNIT HYDROGRAPH. Hydrological Processes, 1997, 11, 13-33. | 2.6 | 80 |
| 12 | INFLUENCE OF THE DRAINAGE NETWORK IDENTIFICATION METHOD ON GEOMORPHOLOGICAL PROPERTIES AND HYDROLOGICAL RESPONSE. , 1997, 11, 353-375. | | 41 |
| 13 | GEOMORPHOLOGICAL TRANSFER FUNCTION CALCULATED FROM DIGITAL ELEVATION MODELS FOR DISTRIBUTED HYDROLOGICAL MODELLING. Hydrological Processes, 1997, 11, 429-449. | 2.6 | 37 |
| 14 | Ecological and economic analysis of lake eutrophication by nonpoint pollution. Austral Ecology, 1998, 23, 68-79. | 1.5 | 76 |
| 15 | The treatment of flat areas and depressions in automated drainage analysis of raster digital elevation models. Hydrological Processes, 1998, 12, 843-855. | 2.6 | 204 |
| 16 | A phenomenon-based approach to upslope contributing area and depressions in DEMs. Hydrological Processes, 1998, 12, 857-872. | 2.6 | 71 |
| 17 | Accuracy and Precision of Stream Reach Water Surface Slopes Estimated in the Field and from Maps. North American Journal of Fisheries Management, 1999, 19, 141-148. | 1.0 | 26 |
| 18 | An outlet breaching algorithm for the treatment of closed depressions in a raster DEM. Computers and Geosciences, 1999, 25, 835-844. | 4.2 | 149 |

| | | REPORT | |
|----|---|--------|-----------|
| # | Article | IF | CITATIONS |
| 19 | A GIS-based variable source area hydrology model. Hydrological Processes, 1999, 13, 805-822. | 2.6 | 179 |
| 20 | Use of geomorphological units to improve drainage network extraction from a DEM. International Journal of Applied Earth Observation and Geoinformation, 1999, 1, 187-195. | 2.8 | 16 |
| 21 | Quality assessment for drainage networks and watershed boundaries extraction from a digital elevation model (DEM). , 2000, , . | | 8 |
| 22 | Determination of the drainage structure of a watershed using a digital elevation model and a digital river and lake network. Journal of Hydrology, 2001, 240, 225-242. | 5.4 | 241 |
| 23 | ON THE METHOD OF GENERATING ARTIFICIAL STREAM NETWORKS OF LARGE RIVER BASINS ANDITS EFFECT ON RUNOFF SIMULATION. Proceedings of Hydraulic Engineering, 2001, 45, 139-144. | 0.0 | 5 |
| 24 | Flow computation on massive grids. , 2001, , . | | 15 |
| 25 | Error assessment of grid-based flow routing algorithms used in hydrological models. International Journal of Geographical Information Science, 2002, 16, 819-842. | 4.8 | 97 |
| 26 | Runoff hydrograph simulation based on time variable isochrone technique. Journal of Hydrology, 2002, 261, 193-203. | 5.4 | 86 |
| 27 | Algorithms for using a DEM for mapping catchment areas of stream sediment samples. Computers and Geosciences, 2002, 28, 1051-1060. | 4.2 | 121 |
| 28 | Using digital terrain analysis modeling techniques for the parameterization of a hydrologic model. Environmental Modelling and Software, 2002, 17, 125-134. | 4.5 | 68 |
| 29 | Efficient Flow Computation on Massive Grid Terrain Datasets. GeoInformatica, 2003, 7, 283-313. | 2.7 | 87 |
| 30 | Topographic parameterization in continental hydrology: a study in scale. Hydrological Processes, 2003, 17, 3763-3781. | 2.6 | 42 |
| 31 | Water Storage of the Central Amazon Floodplain Measured with GIS and Remote Sensing Imagery. Annals of the American Association of Geographers, 2003, 93, 55-66. | 3.0 | 56 |
| 32 | Carving and adaptive drainage enforcement of grid digital elevation models. Water Resources Research, 2003, 39, . | 4.2 | 125 |
| 33 | Development and application of a new algorithm for automated pit removal for grid DEMs. Hydrological Sciences Journal, 2003, 48, 985-997. | 2.6 | 32 |
| 34 | Integrating automatically processed SPOT HRV Pan imagery in a DEM-based procedure for channel network extraction. International Journal of Remote Sensing, 2004, 25, 3541-3547. | 2.9 | 14 |
| 35 | Development and Comparison of Approaches for Automated Mapping of Stream Channel Networks. Annals of the American Association of Geographers, 2004, 94, 477-490. | 3.0 | 95 |
| 36 | Optimal removal of spurious pits in grid digital elevation models. Water Resources Research, 2004, 40, | 4.2 | 71 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Application of the PROMETHEE technique to determine depression outlet location and flow direction in DEM. Journal of Hydrology, 2004, 287, 49-61. | 5.4 | 60 |
| 38 | Hydrodynamic and geomorphologic dispersion: scale effects in the Illinois River Basin. Journal of Hydrology, 2004, 288, 237-257. | 5.4 | 30 |
| 39 | Integrating information on river networks, catchments and major forest types: towards the characterisation and analysis of European landscapes. Landscape and Urban Planning, 2004, 67, 27-41. | 7.5 | 5 |
| 40 | Tectonic forcing of longitudinal valleys in the Himalaya: morphological analysis of the Ladakh Batholith, North India. Geomorphology, 2004, 58, 49-65. | 2.6 | 65 |
| 41 | Fuzzy Representation of Special Terrain Features Using a Similarity-based Approach. , 2005, , 233-251. | | 8 |
| 42 | Removal of artifact depressions from digital elevation models: towards a minimum impact approach. Hydrological Processes, 2005, 19, 3113-3126. | 2.6 | 138 |
| 43 | Exploring the Relationship Between Hydrologic Parameters and Nutrient Loads Using Digital Elevation Model and GIS – A Case Study from Sugarcreek Headwaters, Ohio, U.S.A Environmental Monitoring and Assessment, 2005, 110, 141-169. | 2.7 | 16 |
| 44 | O desafio da delimitação de áreas de preservação permanente. Revista Arvore, 2005, 29, 203-212. | 0.5 | 45 |
| 45 | Cenozoic landscape evolution of the Lambert basin, East Antarctica: the relative role of rivers and ice sheets. Global and Planetary Change, 2005, 45, 35-49. | 3.5 | 64 |
| 46 | Detection of karst depression by aster image in the Bambui Group, Brazil. , 2005, , . | | 2 |
| 47 | Improvements in large-scale drainage networks derived from digital elevation models. Water Resources Research, 2006, 42, . | 4.2 | 30 |
| 48 | An efficient method for identifying and filling surface depressions in digital elevation models for hydrologic analysis and modelling. International Journal of Geographical Information Science, 2006, 20, 193-213. | 4.8 | 343 |
| 49 | Sensitivity of channel mapping techniques to uncertainty in digital elevation data. International Journal of Geographical Information Science, 2006, 20, 669-692. | 4.8 | 48 |
| 50 | Uso do modelo AVSWAT na avaliação do aporte de nitrogênio (N) e fÃ3sforo (P) aos mananciais de uma microbacia hidrográfica contendo atividade avÃcola. Engenharia Sanitaria E Ambiental, 2006, 11, 311-317. | 0.5 | 7 |
| 51 | Simulation of runoff based on digital Wujiang watershed. , 2006, , . | | 0 |
| 52 | The effect of error in gridded digital elevation models on the estimation of topographic parameters. Environmental Modelling and Software, 2006, 21, 710-732. | 4.5 | 110 |
| 53 | An efficient depression processing algorithm for hydrologic analysis. Computers and Geosciences, 2006, 32, 615-623. | 4.2 | 36 |
| 54 | Distinguishing actual and artefact depressions in digital elevation data. Computers and Geosciences, 2006, 32, 1192-1204. | 4.2 | 81 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Automated suitable drainage network extraction from digital elevation models in Taiwan's upstream watersheds. Hydrological Processes, 2006, 20, 289-306. | 2.6 | 69 |
| 56 | Spatial Resolution and Algorithm Choice as Modifiers of Downslope Flow Computed from Digital Elevation Models. Cartography and Geographic Information Science, 2007, 34, 215-230. | 3.0 | 8 |
| 57 | Sharing Water Resources Data in the Binational Rio Grande/Bravo Basin. Journal of Water Resources Planning and Management - ASCE, 2007, 133, 416-426. | 2.6 | 27 |
| 58 | TerraStream., 2007,,. | | 42 |
| 59 | Digital Terrain Analysis in a GIS Environment. Concepts and Development. , 2007, , 1-43. | | 11 |
| 60 | A novel method for filling the depressions in massive DEM data. , 2007, , . | | 4 |
| 61 | Cellular automata algorithms for drainage network extraction and rainfall data assimilation. Hydrological Sciences Journal, 2007, 52, 579-592. | 2.6 | 35 |
| 62 | River reach length and slope estimates for large-scale hydrological models based on a relatively high-resolution digital elevation model. Journal of Hydrology, 2007, 343, 127-139. | 5.4 | 46 |
| 63 | Artificial neural network exploration of the influential factors in drainage network derivation. Hydrological Processes, 2007, 21, 2965-2978. | 2.6 | 17 |
| 64 | An enhanced technique in construction of the discrete drainage network from low-resolution spatial database. Computers and Geosciences, 2007, 33, 717-727. | 4.2 | 31 |
| 65 | Adaptive smoothing of valleys in DEMs using TIN interpolation from ridgeline elevations: An application to morphotectonic aspect analysis. Computers and Geosciences, 2007, 33, 573-585. | 4.2 | 38 |
| 66 | Simulation of surface runoff in the Wujiang River watershed based on GIS. Diqiu Huaxue, 2007, 26, 284-289. | 0.5 | 2 |
| 67 | Nonpoint Source Pollution Assessment of Wujiang RiverWatershed in Guizhou Province, SW China. Environmental Modeling and Assessment, 2008, 13, 155-167. | 2.2 | 5 |
| 68 | The influence of elevation error on the morphometrics of channel networks extracted from DEMs and the implications for hydrological modelling. Hydrological Processes, 2008, 22, 1588-1603. | 2.6 | 40 |
| 69 | Mapping detention basins and deriving their spatial attributes from airborne LiDAR data for hydrological applications. Hydrological Processes, 2008, 22, 2358-2369. | 2.6 | 26 |
| 70 | Errors in river lengths derived from raster digital elevation models. Computers and Geosciences, 2008, 34, 1584-1596. | 4.2 | 36 |
| 71 | Global search algorithm for nondispersive flow path extraction. Journal of Geophysical Research, 2008, 113, . | 3.3 | 23 |
| 73 | Uncertainty of Flow Accumulation Threshold Influence in Hydrology Modeling - A Case Study in Qinling Mountain SRTM3 DEM Based. , 2008, , . | | 2 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 74 | WinBasin: Using improved algorithms and the GIS technique for automated watershed modelling analysis from digital elevation models. International Journal of Geographical Information Science, 2008, 22, 47-69. | 4.8 | 36 |
| 75 | Surface water hydrologic simulation of Qingshuijiang Watershed based on SRTM DEM. Proceedings of SPIE, 2008, , . | 0.8 | 2 |
| 76 | THE RATE AND EXTENT OF DEFORESTATION IN WATERSHEDS OF THE SOUTHWESTERN AMAZON BASIN. , 2008, 18, 31-48. | | 12 |
| 77 | Hydrogeomorphic properties of simulated drainage patterns using digital elevation models: the flat area issue / Propriétés hydro-géomorphologiques de réseaux de drainage simulés à partir de modÃ"les numériques de terrain: la question des zones planes. Hydrological Sciences Journal, 2008, 53, 1176-1193. | 2.6 | 105 |
| 78 | Another Fast and Simple DEM Depression-Filling Algorithm Based on Priority Queue Structure. Atmospheric and Oceanic Science Letters, 2009, 2, 214-219. | 1.3 | 20 |
| 79 | Chapter 7 Land-Surface Parameters and Objects in Hydrology. Developments in Soil Science, 2009, 33, 171-194. | 0.5 | 65 |
| 80 | Automatic generation of hypsometric layers for small-scale maps. Computers and Geosciences, 2009, 35, 2074-2083. | 4.2 | 22 |
| 81 | Improving hydrological information acquisition from DEM processing in floodplains. Hydrological Processes, 2009, 23, 502-514. | 2.6 | 38 |
| 82 | Evaluating parameter effects in a DEM â€~burning' process based on land cover data. Hydrological Processes, 2009, 23, 2316-2325. | 2.6 | 21 |
| 83 | Building channel networks for flat regions in digital elevation models. Hydrological Processes, 2009, 23, 2879-2887. | 2.6 | 33 |
| 84 | A new treatment of depression for drainage network extraction based on DEM. Journal of Mountain Science, 2009, 6, 311-319. | 2.0 | 7 |
| 85 | Discrimination of fluvial, eolian and neotectonic features in a low hilly landscape: A DEM-based morphotectonic analysis in the Central Pannonian Basin, Hungary. Geomorphology, 2009, 104, 203-217. | 2.6 | 74 |
| 86 | Computation of the thirdâ€order partial derivatives from a digital elevation model. International Journal of Geographical Information Science, 2009, 23, 213-231. | 4.8 | 50 |
| 88 | A new algorithm and its application about distributed snowmelt concentration model. , 2009, , . | | 1 |
| 89 | DEM-based spatial discretization and parameter database design for distributed hydrological model. Proceedings of SPIE, 2009, , . | 0.8 | 4 |
| 90 | A modified binary tree codification of drainage networks to support complex hydrological models. Computers and Geosciences, 2010, 36, 1427-1435. | 4.2 | 34 |
| 91 | High resolution quantification of gully erosion in upland peatlands at the landscape scale. Earth Surface Processes and Landforms, 2010, 35, 876-886. | 2.5 | 116 |
| 92 | Drainage network extraction using LiDAR-derived DEM in volcanic plains. Area, 2010, 43, no-no. | 1.6 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 94 | Obtaining High Fidelity Triangular Regular Network from Only DEM Points. Cartographic Journal, 2010, 47, 150-156. | 1.5 | 1 |
| 95 | Research on Extracting Digital Drainage Network Based on DEM and Remote Sensing. , 2010, , . | | 0 |
| 96 | Primary studies of local shape correction of coarse DEM based on 3D terrain features. , 2010, , . | | 0 |
| 97 | Automated Reduction of Visual Complexity in Small-Scale Relief Shading. Cartographica, 2010, 45, 64-74. | 0.4 | 17 |
| 98 | Scalable algorithms for large high-resolution terrain data. , 2010, , . | | 6 |
| 99 | A geometric framework for channel network extraction from lidar: Nonlinear diffusion and geodesic paths. Journal of Geophysical Research, 2010, 115, . | 3.3 | 183 |
| 100 | Morphometric characterisation of landform from DEMs. International Journal of Geographical Information Science, 2010, 24, 305-326. | 4.8 | 38 |
| 101 | Parallel computing of catchment basins of rivers in large digital elevation models. , 2010, , . | | 3 |
| 102 | Accuracy Considerations in the Analysis of Depressions in Medium-Resolution Lidar DEMs. GIScience and Remote Sensing, 2010, 47, 187-207. | 5.9 | 20 |
| 103 | Variations of NDVI Over Elevational Zones During the Past Two Decades and Climatic Controls in the Qilian Mountains, Northwestern China. Arctic, Antarctic, and Alpine Research, 2011, 43, 127-136. | 1.1 | 10 |
| 104 | On the prediction of channel heads in a complex alpine terrain using gridded elevation data. Water Resources Research, 2011, 47, . | 4.2 | 78 |
| 105 | The use of remote sensing in soil and terrain mapping — A review. Geoderma, 2011, 162, 1-19. | 5.1 | 596 |
| 106 | Lidar DEM error analyses and topographic depression identification in a hummocky landscape in the prairie region of Canada. Geomorphology, 2011, 129, 263-275. | 2.6 | 63 |
| 107 | Identificação das áreas de preservação permanente no municÃpio de Alegre utilizando geotecnologia. Cerne, 2011, 17, 563-571. | 0.9 | 17 |
| 108 | A new algorithm for grid-based hydrologic analysis by incorporating stormwater infrastructure. Computers and Geosciences, 2011, 37, 1035-1044. | 4.2 | 23 |
| 109 | Characteristics and driving factors of surface water chemistry of Wujiang watershed. Environmental Earth Sciences, 2011, 64, 1445-1453. | 2.7 | 3 |
| 110 | Incorporating landscape features to obtain an objectâ€oriented landscape drainage network representing the connectivity of surface flow pathways over rural catchments. Hydrological Processes, 2011, 25, 3625-3636. | 2.6 | 36 |
| 111 | Parallel Computing Flow Accumulation in Large Digital Elevation Models. Procedia Computer Science, 2011, 4, 2277-2286. | 2.0 | 23 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 112 | A quick algorithm of counting flow accumulation matrix for deriving drainage networks from a DEM. , 2011, , . | | 2 |
| 113 | Research and extraction of the hydrological characteristics based on GIS and DEM. , 2011, , . | | 2 |
| 114 | A method for extracting drainage networks with heuristic information from digital elevation models. Water Science and Technology, 2011, 64, 2316-2324. | 2.5 | 2 |
| 115 | Spatial hydrological analysis for water harvesting potential using ArcGIS model: the case of the north-eastern desert, Jordan. Water Policy, 2012, 14, 524-538. | 1.5 | 4 |
| 117 | Valley lines extraction from DEM and its programming realization based on IDL&ArcGIS Engine. , 2012, , . | | 0 |
| 118 | Assessing resolution and source effects of digital elevation models on automated floodplain delineation: A case study from the Camp Creek Watershed, Missouri. Applied Geography, 2012, 34, 38-46. | 3.7 | 47 |
| 119 | A new algorithm to calculate weighted flow-accumulation from a DEM by considering surface and underground stormwater infrastructure. Environmental Modelling and Software, 2012, 30, 81-91. | 4.5 | 33 |
| 120 | Catchment-based classification of Australia's continental slope canyons. Marine Geology, 2012, 303-306, 183-192. | 2.1 | 13 |
| 121 | A Preprocessing Program for Hydrologic Model—A Case Study in the Wei River Basin. Procedia Environmental Sciences, 2012, 13, 766-777. | 1.4 | 5 |
| 122 | Semiâ€automated GIS techniques for detecting floodplain earthworks. Hydrological Processes, 2013, 27, 579-591. | 2.6 | 20 |
| 123 | Parallel contributing area calculation with granularity control on massive grid terrain datasets. Computers and Geosciences, 2013, 60, 70-80. | 4.2 | 12 |
| 124 | A flooding algorithm for extracting drainage networks from unprocessed digital elevation models. Computers and Geosciences, 2013, 59, 116-123. | 4.2 | 23 |
| 125 | A robust, twoâ€parameter method for the extraction of drainage networks from highâ€resolution digital elevation models (<scp>DEMs</scp>): Evaluation using synthetic and realâ€world <scp>DEMs</scp> . Water Resources Research, 2013, 49, 75-89. | 4.2 | 126 |
| 126 | Developing and programming a watershed traversal algorithm (WTA) in GRID-DEM and adapting it to hydrological processes. Computers and Geosciences, 2013, 51, 418-429. | 4.2 | 14 |
| 127 | A suggestion for the evaluation of maps of small streams in forests. Forest Science and Technology, 2013, 9, 203-212. | 0.8 | 0 |
| 128 | A recognition method of surface -water based on RBF neural network. , 2013, , . | | 0 |
| 129 | Review on remote sensing data-based stream mapping algorithms. Forest Science and Technology, 2013, 9, 87-96. | 0.8 | 2 |
| 130 | Establishment of channel networks in a digital elevation model of the prairie region through hydrological correction and geomorphological assessment. Canadian Water Resources Journal, 2013, 38, 12-23 | 1.2 | 14 |

| | Сітатіо | N REPORT | |
|-----|---|----------|-----------|
| # | ARTICLE A scalable parallel minimum spanning tree algorithm for catchment basin delimitation in large digital | IF | Citations |
| 131 | elevation models. Concurrency Computation Practice and Experience, 2013, 25, 1394-1409. | 2.2 | 1 |
| 132 | A new model for optimizing relief window size. , 2013, , . | | 0 |
| 133 | Lava flows. , 2013, , 85-106. | | 12 |
| 134 | Watershed Delineation in the Field: A New Approach for Mobile Applications Using LiDAR Elevation Data. , 2013, , . | | Ο |
| 135 | Nationwide Digital Terrain Models for Topographic Depression Modelling in Detection of Flood Detention Areas. Water (Switzerland), 2014, 6, 271-300. | 2.7 | 4 |
| 136 | A review of the synthetic unit hydrograph: from the empirical UH to advanced geomorphological methods. Hydrological Sciences Journal, 2014, 59, 239-261. | 2.6 | 65 |
| 137 | An Efficient Algorithm for Depression Filling and Flat-Surface Processing in Raster DEMs. IEEE Geoscience and Remote Sensing Letters, 2014, 11, 2198-2202. | 3.1 | 9 |
| 138 | Capturing Li <scp>DAR</scp> â€Derived Hydrologic Spatial Parameters to Evaluate Playa Wetlands. Journal of the American Water Resources Association, 2014, 50, 234-245. | 2.4 | 18 |
| 139 | Assessment of GeoEye-1 stereo-pair-generated DEM in flood mapping of an ungauged basin. Journal of Hydroinformatics, 2014, 16, 1-18. | 2.4 | 31 |
| 140 | How large is the Upper Indus Basin? The pitfalls of auto-delineation using DEMs. Journal of Hydrology, 2014, 509, 442-453. | 5.4 | 78 |
| 141 | Tracking geomorphic signatures of watershed suburbanization with multitemporal LiDAR. Geomorphology, 2014, 219, 42-52. | 2.6 | 20 |
| 142 | An efficient assignment of drainage direction over flat surfaces in raster digital elevation models. Computers and Geosciences, 2014, 62, 128-135. | 4.2 | 54 |
| 143 | Assessing Impact of Flood on River Dynamics and Susceptible Regions: Geomorphometric Analysis. Water Resources Management, 2014, 28, 2615-2638. | 3.9 | 13 |
| 144 | Quantitative analysis of morphometric parameters of Kali River basin, southern India, using bearing azimuth and drainage (bAd) calculator and GIS. Environmental Earth Sciences, 2014, 72, 2887-2903. | 2.7 | 29 |
| 145 | Mark on the globe: a quest for scientific bases of geographic information and its international influence. International Journal of Geographical Information Science, 2014, 28, 1233-1245. | 4.8 | 5 |
| 146 | Fresh shallow valleys in the Martian midlatitudes as features formed by meltwater flow beneath ice. Journal of Geophysical Research E: Planets, 2014, 119, 128-153. | 3.6 | 33 |
| 147 | A stemâ€branch topological codification for watershed subdivision and identification to support distributed hydrological modelling at large river basins. Hydrological Processes, 2014, 28, 2074-2081. | 2.6 | 4 |
| 148 | Comparis of digital elevation model (DEM) and aerial photographs for drainage. Modeling Earth Systems and Environment, 2015, 1, 1. | 3.4 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 149 | Comparison of basin morphometry derived from topographic maps, ASTER and SRTM DEMs: an example from Kerala, India. Geocarto International, 2015, 30, 346-364. | 3.5 | 28 |
| 150 | An integrated algorithm for depression filling and assignment of drainage directions over flat surfaces in digital elevation models. Earth Science Informatics, 2015, 8, 895-905. | 3.2 | 7 |
| 151 | A robust channel network extraction method combining discrete curve evolution and the skeleton construction technique. Advances in Water Resources, 2015, 83, 17-27. | 3.8 | 17 |
| 152 | Mountain-river runoff components and their role in the seasonal development of desert-oases in northwest China. Journal of Arid Environments, 2015, 122, 1-15. | 2.4 | 9 |
| 153 | Effects of analytical window and resolution on topographic relief derived using digital elevation models. GIScience and Remote Sensing, 2015, 52, 462-477. | 5.9 | 7 |
| 154 | Influence of DEM resolution on drainage network extraction: A multifractal analysis. Geomorphology, 2015, 241, 243-254. | 2.6 | 76 |
| 155 | An efficient and comprehensive method for drainage network extraction from DEM with billions of pixels using a size-balanced binary search tree. Geomorphology, 2015, 238, 56-67. | 2.6 | 56 |
| 156 | A localized contour tree method for deriving geometric and topological properties of complex surface depressions based on high-resolution topographical data. International Journal of Geographical Information Science, 2015, 29, 2041-2060. | 4.8 | 52 |
| 157 | Calculation Methods. , 2016, , 109-147. | | 0 |
| 159 | Automatic boundary extraction from magnetic field data using triangular meshes. Geophysics, 2016, 81, J47-J60. | 2.6 | 7 |
| 160 | Evaluating DEM conditioning techniques, elevation source data, and grid resolution for field-scale hydrological parameter extraction. Journal of Hydrology, 2016, 540, 1022-1029. | 5.4 | 74 |
| 161 | Watershed delineation using hydrographic features and a DEM in plain river network region. Hydrological Processes, 2016, 30, 276-288. | 2.6 | 25 |
| 162 | An efficient algorithm for assignment of flow direction over flat surfaces in raster DEMs based on distance transform. Earth Science Informatics, 2016, 9, 225-233. | 3.2 | 10 |
| 163 | Simulating the thermorheological evolution of channel-contained lava: FLOWGO and its implementation in EXCEL. Geological Society Special Publication, 2016, 426, 313-336. | 1.3 | 15 |
| 164 | Reducing hillslope size in digital elevation models at various scales and the effects on slope gradient estimation. Geocarto International, 2016, 31, 140-157. | 3.5 | 8 |
| 165 | An integrated algorithm to evaluate flow direction and flow accumulation in flat regions of hydrologically corrected DEMs. Catena, 2017, 151, 174-181. | 5.0 | 33 |
| 166 | An illustrated introduction to general geomorphometry. Progress in Physical Geography, 2017, 41, 723-752. | 3.2 | 85 |
| 167 | Determination of 3D Displacements of Drainage Networks Extracted from Digital Elevation Models | 2.9 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 168 | An Automated Processing Algorithm for Flat Areas Resulting from DEM Filling and Interpolation. ISPRS International Journal of Geo-Information, 2017, 6, 376. | 2.9 | 14 |
| 169 | A Novel Workflow for Geothermal Prospectively Mapping Weights-of-Evidence in Liaoning Province, Northeast China. Energies, 2017, 10, 1069. | 3.1 | 9 |
| 170 | Delineating the Drainage Structure and Sources of Groundwater Flux for Lake Basaka, Central Rift Valley Region of Ethiopia. Water (Switzerland), 2017, 9, 797. | 2.7 | 7 |
| 172 | Evaluation of automatic drainage extraction thresholds using ASTER GDEM and Cartosat-1 DEM: A case study from basaltic terrain of Central India. Egyptian Journal of Remote Sensing and Space Science, 2018, 21, 95-104. | 2.0 | 28 |
| 173 | GIS for Hydrology. , 2018, , 51-80. | | 7 |
| 174 | Wetlandscape Fractal Topography. Geophysical Research Letters, 2018, 45, 6983-6991. | 4.0 | 18 |
| 175 | Examining the Stream Threshold Approaches Used in Hydrologic Analysis. ISPRS International Journal of Geo-Information, 2018, 7, 201. | 2.9 | 16 |
| 176 | Geomorphic response of the river basin drainage in seismically active regions of India. Environmental Earth Sciences, 2019, 78, 1. | 2.7 | 2 |
| 177 | Cause Analysis of Groundwater Level Changes in a Seismic Monitoring Hole: A Case Study of Well Yu-11 in Kaifeng. IOP Conference Series: Earth and Environmental Science, 2019, 233, 032027. | 0.3 | 0 |
| 178 | Review on algorithms of dealing with depressions in grid DEM. Annals of GIS, 2019, 25, 83-97. | 3.1 | 21 |
| 179 | Reconstructing basin-scale drainage dynamics with regional subsurface mapping and channel-bar scaling, Aptian, Western Canada Foreland Basin. Sedimentary Geology, 2019, 385, 26-44. | 2.1 | 22 |
| 180 | Heterogeneous Influence of Glacier Morphology on the Mass Balance Variability in High Mountain Asia. Journal of Geophysical Research F: Earth Surface, 2019, 124, 1331-1345. | 2.8 | 112 |
| 181 | Pixel-Based Geometric Assessment of Channel Networks/Orders Derived from Global Spaceborne Digital Elevation Models. Remote Sensing, 2019, 11, 235. | 4.0 | 26 |
| 182 | The HadCM3 contribution to PlioMIP phase 2. Climate of the Past, 2019, 15, 1691-1713. | 3.4 | 31 |
| 183 | Steady-state distributed modeling of dissolved oxygen in data-poor, sewage dominated river systems using drainage networks. Environmental Modelling and Software, 2019, 111, 153-169. | 4.5 | 4 |
| 184 | BaDAM Toolbox: A GIS-Based Approach for Automated Drainage Basin Morphometry. Journal of the Indian Society of Remote Sensing, 2019, 47, 467-478. | 2.4 | 4 |
| 185 | The 02 January 2018 ML 5.0 Oued Djer Earthquake in the Seismotectonic Context of the Southwestern Mitidja Basin Area, North-Central Algeria. Pure and Applied Geophysics, 2020, 177, 681-702. | 1.9 | 2 |
| 186 | Modelling of Storm-water Drainage Systems in Residential Areas. IOP Conference Series: Materials Science and Engineering, 2020, 960, 022090. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 187 | The accuracy of drainage network delineation as a function of environmental factors: A case study in Central and Northern Sweden. Hydrological Processes, 2020, 34, 5489-5504. | 2.6 | 7 |
| 188 | Sustainable Development of Water and Environment. Environmental Science and Engineering, 2020, , . | 0.2 | 3 |
| 189 | The isotropic organization of DEM structure and extraction of valley lines using hexagonal grid. Transactions in GIS, 2020, 24, 483-507. | 2.3 | 19 |
| 190 | Geographic Information Systems and Remote Sensing Applications in Environmental and Water Resources. Handbook of Environmental Engineering, 2021, , 197-236. | 0.4 | 1 |
| 191 | Definitions of Critical Risk Factors in an Effluent Drainage Network Project Using AHP: A Case of Study. Springer Proceedings in Mathematics and Statistics, 2021, , 211-224. | 0.2 | 0 |
| 192 | Analysis of Difference for Gully Density and the Relationship between Terrain Factors and Gully Density in the Losses Plateau Based on Google Earth and GIS. Journal of Physics: Conference Series, 2021, 1881, 032083. | 0.4 | 0 |
| 193 | Effects of different tillage practices on rill distribution of sloping farmland. Agronomy Journal, 2021, 113, 4396. | 1.8 | 0 |
| 194 | The Hierarchical Watershed Partitioning and Data Simplification of River Network. , 2006, , 617-632. | | 54 |
| 195 | From Mathematical Morphology to Morphological Terrain Features. , 2007, , 45-66. | | 4 |
| 196 | Cetemps Hydrological Model (CHyM), a Distributed Grid-Based Model Assimilating Different Rainfall Data Sources. Water Science and Technology Library, 2009, , 165-201. | 0.3 | 3 |
| 198 | Minimum spanning trees for valley and ridge characterization in digital elevation maps. , 2010, , . | | 4 |
| 199 | Utilização de Geotecnologia para o Mapeamento de Ãreas de Preservação Permanente no MunicÃpio de João Neiva, ES. Floresta E Ambiente, 2015, 22, 13-22. | 0.4 | 8 |
| 200 | Confronto do Uso e Ocupação da Terra em APPs no MunicÃpio de Muqui, ES. Floresta E Ambiente, 2015, 22, 141-152. | 0.4 | 14 |
| 201 | Identificação de conflito de uso da terra em áreas de preservação permanente no entorno do parque nacional do CaparaÃ3, Estado de Minas Gerais. Revista Arvore, 2008, 32, 899-908. | 0.5 | 20 |
| 202 | The Methods and Application of Automatically Extracting Stream Network of Watershed. Hupo Kexue/Journal of Lake Sciences, 2003, 15, 205-212. | 0.8 | 6 |
| 203 | Delimitação Automática de Bacias de Drenagens e Análise Multivariada de Atributos Morfométricos usando Modelo Digital De Elevação Hidrologicamente Corrigido. Revista Brasileira De Geomorfologia, 2010, 8, . | 0.2 | 6 |
| 204 | The effect of cell resolution on depressions in Digital Elevation Models. Applied GIS, 2006, 2, 4.1-4.1. | 0.1 | 13 |
| 205 | Simulação de Escoamento em uma Microbacia Hidrográfica Utilizando Técnicas de Modelagem e Geoprocessamento, Revista Brasileira De Recursos Hidricos, 2003, 8, 147,155 | 0.5 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-------|-----------|
| 206 | A GIS-based Subcatchments Division Approach for SWMM. Open Civil Engineering Journal, 2015, 9, 515-521. | 0.8 | 22 |
| 207 | DETERMINATION OF SOME HYDROLOGIC CHARACTERISTICS IN THE WATERSHED OF BERTIZ STREAM, KAHRAMANMARAÅž BY USING ARCHDYRO SOFTWARE. Turkish Journal of Forest Science, 2020, 4, 146-159. | 0.4 | 3 |
| 208 | Extraction of Watersheds from Digital Elevation Models Using Mathematical Morphology. Journal of Applied Sciences, 2008, 8, 956-965. | 0.3 | 5 |
| 209 | Automatic Extraction of Drainage Networks from DEMs Base on Heuristic Search. Journal of Software, 2011, 6, . | 0.6 | 6 |
| 210 | Calibration of a rainfall-runoff model using radar and raingauge data. Advances in Geosciences, 0, 2, 41-46. | 12.0 | 21 |
| 212 | Extract relevant features from DEM for groundwater potential mapping. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XL-7/W4, 113-119. | 0.2 | 8 |
| 213 | Uso do geoprocessamento na identificação de conflito de uso da terra em áreas de preservação permanente na bacia hidrográfica do rio Alegre, EspÃŧito Santo Ciencia Florestal, 2010, 15, 207-220. | 0.3 | 22 |
| 214 | Application of timberline morphometric analysis for detecting snow avalanche paths: A case study of the Tatra Mountains. Geographia Polonica, 2016, 89, 91-111. | 1.0 | 2 |
| 215 | Drainage Network Analysis, Comparis of Digital Elevation Model(DEM) from ASTER with High Resolution Satellite Image and Areal Photographs. International Journal of Environmental Science and Development, 0, , 194-198. | 0.6 | 17 |
| 216 | Processing of nationwide topographic data for ensuring consistent river network representation. Journal of Hydrology X, 2021, 13, 100106. | 1.6 | 4 |
| 218 | Classificação De Bacias De Drenagem Do Alto JequitaÃ-(Minas Gerais) A Partir Da Análise De Principais Componentes E Análise De Grupos. Revista Brasileira De Geomorfologia, 2010, 8, . | 0.2 | 1 |
| 219 | Extraction of Hydrological Features from Digital Elevation Models Using Morphological Thinning. Asian Journal of Scientific Research, 2008, 1, 310-323. | 0.1 | 4 |
| 220 | A New Algorithm to Process Depressions Based on DEM Model. Geo-information Science, 2010, 11, 50-55. | 0.1 | 1 |
| 221 | Extracting River Networks of Lianyungang City from SRTM Data. Advances in Intelligent and Soft Computing, 2012, , 343-348. | 0.2 | 0 |
| 222 | Development of GIS-based Method for Estimating and Representing Stream Slopes Along the River Network. Journal of Environmental Science International, 2012, 21, 725-738. | 0.2 | 1 |
| 224 | The Protective Role of a Riparian Vegetation to the Sources of a Rural Watershed. Journal of Water Resource and Protection, 2019, 11, 419-433. | 0.8 | 0 |
| 225 | Delineation of Drainage Network and Estimation of Total Discharge using Digital Elevation Model (DEM) International Journal of Innovations in Science and Technology, 2019, , . | 0.3 | 5 |
| 226 | Batı Akdeniz Havzası Sınırlarının Yüksek Doğrulukla Belirlenmesi. Teknik Dergi/Technical Journal of Turkish Chamber of Civil Engineers, 0, , . | f 1.1 | 0 |

| | CHAHON RE | CHAHON REPORT | | |
|-----|--|---------------|-----------|--|
| # | Article | IF | CITATIONS | |
| 228 | Data Models for River-Basin Management in Mexico. World Water Resources, 2020, , 83-102. | 0.4 | 0 | |
| 229 | Nehir Akımlarının Derin Öğrenme ile Tahmini ve Akımların Demiryolları Güzergahına etkisi. Dei Mühendisliği, 0, , . | miryolu | 0 | |
| 230 | An Automatic Method for Drainage Basin Spatial Range Delineation Using DEMs. Environmental Science and Engineering, 2020, , 259-267. | 0.2 | 0 | |
| 233 | A combined hydrological and hydraulic modelling approach for the flood hazard mapping of the Po river basin. Journal of Flood Risk Management, 2022, 15, . | 3.3 | 7 | |
| 235 | PyVF: A python program for extracting vertical features from LiDAR-DEMs. Environmental Modelling and Software, 2022, 157, 105503. | 4.5 | 2 | |
| 236 | Development and evaluation of GIS-based runoff and sediment yield watershed scale model. Arabian Journal of Geosciences, 2022, 15, . | 1.3 | 2 | |
| 237 | Visualization model of relief texture based on DEM. , 2022, , . | | 0 | |
| 238 | Delineation of Drainage Network and Estimation of Total Discharge using Digital Elevation Model (DEM). International Journal of Innovations in Science and Technology, 2019, , 50-61. | 0.3 | 0 | |
| 239 | Performance of automated geoprocessing methods for culvert detection in remote Forest environments. Canadian Water Resources Journal, 2023, 48, 248-257. | 1.2 | 1 | |
| 241 | A novel gully network extraction method combining hydrological confluence process and surface morphology. Journal of Mountain Science, 2023, 20, 2536-2556. | 2.0 | 0 | |
| 242 | Optimizing slope unit-based landslide susceptibility mapping using the priority-flood flow direction algorithm. Catena, 2024, 235, 107657. | 5.0 | 3 | |
| 243 | Parallel Channel Identification and Elimination Method Based on the Spatial Position Relationship of Different Channels. ISPRS International Journal of Geo-Information, 2024, 13, 13. | 2.9 | 0 | |
| 244 | High-resolution automated detection of headwater streambeds for large watersheds. Hydrology and Earth System Sciences, 2024, 28, 1027-1040. | 4.9 | 0 | |
| 245 | REA-FM: automated generation of natural-looking flow maps through river extraction algorithm. Cartography and Geographic Information Science, 0, , 1-21. | 3.0 | 0 | |