"Well-tempered†diuresis renography: Its historica technical pitfalls, and standardized technique protocol

Seminars in Nuclear Medicine 22, 74-84

DOI: 10.1016/s0001-2998(05)80083-2

Citation Report

#	Article	IF	CITATIONS
1	The Long-Term Outcome of Fetally Diagnosed Uropathies. Journal of Maternal-Fetal and Neonatal Medicine, 1992, 1, 277-285.	1.5	5
2	Microanatomy and Morphometry of the Hydronephrotic "Obstructed―Renal Pelvis in Asymptomatic Infants. Journal of Urology, 1992, 148, 519-524.	0.4	55
3	Grading Nephroureteral Dilatation Detected in the First Year of Life: Correlation with Obstruction. Journal of Urology, 1992, 148, 609-614.	0.4	110
4	Obstructive Uropathy: Pathophysiology and Management1. Pediatric and Adolescent Medicine, 1994, 5, 154-164.	0.4	O
5	Diuretic Renal Scan: Is It Always Reliable?. Journal of Endourology, 1994, 8, 405-410.	2.1	4
6	Correlative imaging of the kidney. Seminars in Nuclear Medicine, 1994, 24, 219-233.	4.6	O
7	Contradictory Supranormal Differential Renal Function During Nuclear Renographic Investigation of Hydroureteronephrosis. Journal of Urology, 1994, 152, 600-603.	0.4	41
8	Outcome of Nonspecific Hydronephrosis in the Infant: A Report from the Registry of the Society for Fetal Urology. Journal of Urology, 1994, 152, 2324-2327.	0.4	54
9	MAG3 renal scintigraphy: Improved ability to make anatomical diagnoses in neonates. Journal of Medical Imaging and Radiation Oncology, 1995, 39, 24-26.	0.6	2
10	Neonatal hydronephrosis?the controversy and the management. Pediatric Nephrology, 1995, 9, 503-509.	1.7	100
11	Bilateral congenital midureteral adynamic segments. Urology, 1995, 45, 520-523.	1.0	11
12	Contradictory Supranormal Nuclear Renographic Differential Renal Function: Fact or Artifact?. Journal of Urology, 1995, 154, 667-670.	0.4	35
13	Contradictory Renal Function Measured With Mercaptoacetyltriglycine Diuretic Renography in Unilateral Hydronephrosis. Journal of Urology, 1995, 154, 1486-1490.	0.4	25
14	Evaluation of Pediatric Hydronephrosis Using Individualized Pressure Flow Criteria. Journal of Urology, 1995, 154, 671-676.	0.4	37
15			
_	Pressure Decay Half-life: A Method for Characterizing Upper Urinary Tract Urine Transport. Journal of Urology, 1996, 155, 1045-1049.	0.4	4
16		2.1	35
16 17	Urology, 1996, 155, 1045-1049.		

#	Article	IF	CITATIONS
19	PROVOCATIVE IMAGING. Urologic Clinics of North America, 1998, 25, 227-249.	1.8	47
20	A PROSPECTIVE RANDOMIZED TRIAL COMPARING 2 DIURESIS RENOGRAPHY TECHNIQUES FOR EVALUATION OF SUSPECTED UPPER URINARY TRACT OBSTRUCTION IN CHILDREN. Journal of Urology, 1998, 159, 1691-1693.	0.4	12
21	THE CAPTOPRIL RENOGRAM: A NEW TOOL FOR DIAGNOSING AND PREDICTING OBSTRUCTION IN CHILDHOOD HYDRONEPHROSIS. Journal of Urology, 1998, 160, 1446-1449.	0.4	19
22	CONSTANT ELEVATION IN RENAL PELVIC PRESSURE INDUCES AN INCREASE IN URINARY N-ACETYL-beta-D-GLUCOSAMINIDASE IN A NONOBSTRUCTIVE PORCINE MODEL. Journal of Urology, 1998, 159, 212-216.	0.4	21
23	NEONATAL MANAGEMENT. Urologic Clinics of North America, 1998, 25, 187-197.	1.8	52
24	Upper urinary tract obstruction: experimental and clinical aspects. British Journal of Urology, 1998, 81, 13-21.	0.1	31
25	Prenatally diagnosed hydronephrosis: the Great Ormond Street experience. British Journal of Urology, 1998, 81, 39-44.	0.1	297
26	SUPRANORMAL RENOGRAPHIC DIFFERENTIAL RENAL FUNCTION IN CONGENITAL HYDRONEPHROSIS: FACT, NOT ARTIFACT. Journal of Urology, 1999, 161, 1290-1294.	0.4	36
27	PRENATAL DIAGNOSIS OF HYDRONEPHROSIS: IMPACT ON RENAL FUNCTION AND ITS RECOVERY AFTER PYELOPLASTY. Journal of Urology, 1999, 162, 1029-1032.	0.4	73
28	Use of diuretic renogram in evaluation of patients before and after endopyelotomy. Urology, 1999, 53, 271-275.	1.0	25
29	Neonatal intervention for severe antenatal pyelocaliectasis. Urology, 1999, 54, 1097.	1.0	3
30	ELEVATED BLADDER URINE CONCENTRATION OF TRANSFORMING GROWTH FACTOR-beta 1 CORRELATES WITH UPPER URINARY TRACT OBSTRUCTION IN CHILDREN. Journal of Urology, 1999, 162, 1033-1036.	0.4	78
31	NORA: A simple and reliable parameter for estimating renal output with or without frusemide challenge. Nuclear Medicine Communications, 2000, 21, 317-323.	1,1	61
32	Combined static-dynamic MR urography for the simultaneous evaluation of morphology and function in urinary tract obstruction. Pediatric Radiology, 2000, 30, 511-522.	2.0	94
33	Antenatally detected proximal ureteral diverticulum. Urology, 2000, 55, 774.	1.0	17
35	VARIABILITY OF DIURESIS RENOGRAPHY INTERPRETATION DUE TO METHOD OF POST-DIURETIC RENAL PELVIC CLEARANCE HALF-TIME DETERMINATION. Journal of Urology, 2000, 164, 467-471.	0.4	39
36	HYDRONEPHROSIS WITH DIFFUSE OR SEGMENTAL CORTICAL THINNING: IMPACT ON RENAL FUNCTION. Journal of Urology, 2001, 165, 2293-2295.	0.4	29
37	LAMINA MUSCULARIS PROPRIA THICKNESS OF RENAL PELVIS PREDICTS RADIOLOGICAL OUTCOME OF SURGICAL CORRECTION OF URETEROPELVIC JUNCTION OBSTRUCTION. Journal of Urology, 2001, 165, 1648-1651.	0.4	13

#	Article	IF	Citations
38	SUPRANORMAL DIFFERENTIAL RENAL FUNCTION IS REAL BUT MAY BE PATHOLOGICAL: ASSESSMENT BY 99m TECHNETIUM MERCAPTOACETYLTRIGLYCINE RENAL SCAN OF CONGENITAL UNILATERAL HYDRONEPHROSIS. Journal of Urology, 2001, 165, 2300-2304.	0.4	35
39	Quality of dynamic radionuclide renal imaging: multicentre evaluation using a functional renal phantom. Nuclear Medicine Communications, 2001, 22, 987-995.	1.1	28
40	Management of neonatal ureteropelvic junction obstruction. Current Urology Reports, 2001, 2, 106-112.	2.2	4
41	The diagnosis of upper urinary tract obstruction. BJU International, 2001, 83, 893-901.	2.5	27
43	Effect of the size of regions of interest on the estimation of differential renal function in children with congenital hydronephrosis. Nuclear Medicine Communications, 2002, 23, 147-151.	1.1	19
44	Vesicoureteral Reflux to an Ectopically Located Right Kidney Visualized on Indirect Radionuclide Cystography. Clinical Nuclear Medicine, 2002, 27, 745-746.	1.3	0
46	MR to assess renal function in children. European Radiology, 2003, 13, 1033-1045.	4.5	58
47	Analysis of compartmental models of type 4 nuclear renograms with calculation of flow rate parameters and instantaneous drainage rates. BJU International, 2003, 92, 85-91.	2.5	2
48	Dynamic Renal Scintigraphy in Children With Vesicoureteral Reflux and Suspected Coexisting Ureteropelvic Junction Obstruction. Journal of Urology, 2003, 170, 1966-1970.	0.4	18
50	Renal Transit Time with MR Urography in Children. Radiology, 2004, 233, 41-50.	7.3	109
51	Interpretation of the renogram: problems and pitfalls in hydronephrosis in children. BJU International, 2004, 94, 887-892.	2.5	70
52	Evaluation of dilated upper renal tracts by technetium-99m ethylenedicysteine f+0 diuresis renography in infants and children. Annals of Nuclear Medicine, 2004, 18, 681-687.	2.2	14
54	INCREASED NEPHRON VOLUME IS NOT A CAUSE OF SUPRANORMAL RENOGRAPHIC DIFFERENTIAL RENAL FUNCTION IN PATIENTS WITH URETEROPELVIC JUNCTION OBSTRUCTION. Journal of Urology, 2004, 172, 1108-1110.	0.4	10
55	Increasing the Dose of Furosemide in Patients With Azotemia and Suspected Obstruction. Clinical Nuclear Medicine, 2004, 29, 149-153.	1.3	15
56	Comparison of Three Different Diuretic Renal Scintigraphy Protocols in Patients With Dilated Upper Urinary Tracts. Clinical Nuclear Medicine, 2004, 29, 154-160.	1.3	28
57	The estimation of renal transit using renography – our opinion. Nuclear Medicine Communications, 2004, 25, 1223-1231.	1.1	5
58	Intrinsic expression of Th2 cytokines in urothelium of congenital ureteropelvic junction obstruction. Kidney International, 2005, 67, 638-646.	5.2	16
59	Supranormal renal function in unilateral hydronephrosis: does it represent true hyperfunction?. Pediatric Nephrology, 2005, 20, 1762-1765.	1.7	20

#	Article	IF	Citations
60	Unilateral temporary functional stasis in the upper urinary tract caused by "a filled bladder―on Tc-99m DTPA diuresis renography: A teaching case. Annals of Nuclear Medicine, 2005, 19, 511-514.	2.2	2
61	RENAL PELVIS VOLUME DURING DIURESIS IN CHILDREN WITH HYDRONEPHROSIS: IMPLICATIONS FOR DIAGNOSING OBSTRUCTION WITH DIURETIC RENOGRAPHY. Journal of Urology, 2005, 174, 303-307.	0.4	48
62	MANAGEMENT OF THE FAILED PYELOPLASTY: A CONTEMPORARY REVIEW. Journal of Urology, 2005, 174, 2363-2366.	0.4	99
63	Comparison of the Effectiveness of the Renogram, the Serial Renal Scan and the Diuretic Half Time according to the Renal Function for Interpreting a Diuretic DTPA Scan following Pyeloplasty. Korean Journal of Urology, 2006, 47, 402.	0.2	2
64	Retroperitoneal Fibrosis, Today: An Updating of Knowledges on this Subjet. Urologia, 2006, 73, 205-216.	0.7	0
65	DIURETIC RENAL SCINTIGRAPHY IN NORMAL DOGS. Veterinary Radiology and Ultrasound, 2006, 47, 602-608.	0.9	13
66	Optimal Scintigraphic Evaluation of a Hydronephrotic Horseshoe Kidney. Journal of Nuclear Medicine Technology, 2007, 35, 255-258.	0.8	1
67	The prognostic value of relative renal function greater than 51% in the pelvi-ureteric junction-obstructed kidney on 99mtechnetium mercaptoacetyltriglycine study. Journal of Pediatric Urology, 2007, 3, 184-188.	1.1	3
68	Current Diagnosis and Management of Fetal Genitourinary Abnormalities. Urologic Clinics of North America, 2007, 34, 89-101.	1.8	21
69	Delayed decrease in differential renal function after successful pyeloplasty in children with unilateral antenatally detected hydronephrosis. International Journal of Urology, 2007, 14, 488-490.	1.0	13
70	Requirements for accurately diagnosing chronic partial upper urinary tract obstruction in children with hydronephrosis. Pediatric Radiology, 2008, 38, 41-48.	2.0	27
71	DIURETIC RENAL SCINTIGRAPHY IN NORMAL CATS. Veterinary Radiology and Ultrasound, 2008, 49, 589-594.	0.9	7
72	International Scientific Committee of Radionuclides in Nephrourology (ISCORN) Consensus on Renal Transit Time Measurements. Seminars in Nuclear Medicine, 2008, 38, 82-102.	4.6	57
73	Variation in Diethylenetriamine Pentaacetic Acid and Mercaptoacetyltriglycine Renal Scans: Clinical Implications of Interobserver and Intraobserver Differences. Journal of Urology, 2008, 179, 1132-1137.	0.4	1
74	Procedure Guideline for Diuretic Renography in Children 3.0. Journal of Nuclear Medicine Technology, 2008, 36, 162-168.	0.8	74
75	Obstructive Genitourinary Disorders. , 2008, , 561-586.		2
76	MULTICYSTIC DYSPLASTIC KIDNEY DISEASE. , 2010, , 218-225.		1
77	Modified Differential Renal Function Measurement Revised by Renal Cross Sectional Area in Children with Ureteropelvic Junction Obstruction. Korean Journal of Urology, 2010, 51, 271.	1,2	0

#	Article	IF	CITATIONS
78	URETERAL OBSTRUCTION AND MALFORMATIONS., 2010, , 703-715.		0
79	Guidelines for standard and diuretic renogram in children. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 1175-1188.	6.4	156
81	Ureteropelvic Junction Obstruction., 2012, , 1411-1425.		6
82	Comparison of Surgical Outcomes between Dismembered Pyeloplasty with or without Ureteral Stenting in Children with Ureteropelvic Junction Obstruction. Korean Journal of Urology, 2012, 53, 564.	1.2	27
83	99mTc-MAG3 Diuretic Renography in Diagnosis of Obstructive Nephropathy in Adults. Clinical Nuclear Medicine, 2013, 38, 432-436.	1.3	14
84	Early Pyeloplasty for Recovery of Parenchymal Thickness in Children with Unilateral Ureteropelvic Junction Obstruction. Urologia Internationalis, 2014, 92, 473-476.	1.3	15
86	Sonographic Evaluation of Hydronephrosis in the Pediatric Population. Journal of Ultrasound in Medicine, 2015, 34, 655-662.	1.7	7
87	Prediction of Clinical Outcomes in Prenatal Hydronephrosis: Importance of Gravity Assisted Drainage. Journal of Urology, 2017, 197, 838-844.	0.4	9
88	Editorial Comment. Urology, 2017, 103, 249-250.	1.0	0
89	Author Reply. Urology, 2017, 103, 250.	1.0	0
90	Influence of bladder fullness on the detection of urinary tract obstruction by dynamic renal scintigraphy. Radiologia Brasileira, 2017, 50, 237-243.	0.7	7
92	Advantages of gravity-assisted diuretic renogram: F + 10 (seated position) method. Nuclear Medicine Communications, 2021, 42, 602-610.	1.1	3
93	Upper Urinary Tract Dilatation in Newborns and Infants. Medical Radiology, 2008, , 237-250.	0.1	2
94	Ureteropelvic Junction Obstruction. , 2006, , 1723-1740.		5
95	Urinary Tract Obstruction. , 2012, , 1383-1410.		9
96	HYDRONEPHROSIS. Urologic Clinics of North America, 1995, 22, 31-42.	1.8	23
97	ELEVATED BLADDER URINE CONCENTRATION OF TRANSFORMING GROWTH FACTOR-beta 1 CORRELATES WITH UPPER URINARY TRACT OBSTRUCTION IN CHILDREN. Journal of Urology, 1999, 162, 1033-1036.	0.4	21
98	VARIABILITY OF DIURESIS RENOGRAPHY INTERPRETATION DUE TO METHOD OF POST-DIURETIC RENAL PELVIC CLEARANCE HALF-TIME DETERMINATION. Journal of Urology, 2000, , 467-471.	0.4	2

#	Article	IF	CITATIONS
99	LAMINA MUSCULARIS PROPRIA THICKNESS OF RENAL PELVIS PREDICTS RADIOLOGICAL OUTCOME OF SURGICAL CORRECTION OF URETEROPELVIC JUNCTION OBSTRUCTION. Journal of Urology, 2001, , 1648-1651.	0.4	1
100	HYDRONEPHROSIS WITH DIFFUSE OR SEGMENTAL CORTICAL THINNING: IMPACT ON RENAL FUNCTION. Journal of Urology, 2001, 165, 2293-2295.	0.4	12
101	Çocuklarda akut piyelonefrit ve böbrek parankim zedelenmesinde MAG3 sintigrafinin ve DMSA sintigrafinin tanısal değeri. Çukurova Üniversitesi Tıp Fakültesi Dergisi, 2016, 41, 464-471.	0.0	1
102	F+0 diuretic protocol is superior to F-15 and F+20 for nuclear renogram in children. Indian Journal of Urology, 2015, 31, 245.	0.6	2
103	Recent advances in pediatric uroradiology. Indian Journal of Urology, 2007, 23, 390.	0.6	5
104	Comparison of the F+20 and F-15 Diuresis Technetium-99m Diethylenetriaminepentacetate Renography Protocols for Diagnosis of Ureteropelvic Junction Obstruction in Adult Patients with Hydronephrosis. Indian Journal of Nuclear Medicine, 2018, 33, 39-42.	0.3	2
105	Difference in Results of Ultrasonography and Diuretic Renograms after Pyeloplasty in Children with Unilateral Ureteropelvic Junction Obstruction. Korean Journal of Urology, 2009, 50, 596.	1.2	4
106	Upper Urinary Tract Dilatation in Newborns and Infants. Medical Radiology, 2001, , 161-176.	0.1	0
107	Upper Urinary Tract Dilatation in Newborns and Infants. Medical Radiology, 2001, , 161-176.	0.1	0
108	SUPRANORMAL DIFFERENTIAL RENAL FUNCTION IS REAL BUT MAY BE PATHOLOGICAL: ASSESSMENT BY 99mTECHNETIUM MERCAPTOACETYLTRIGLYCINE RENAL SCAN OF CONGENITAL UNILATERAL HYDRONEPHROSIS. Journal of Urology, 2001, 165, 2300-2304.	0.4	11
110	Management of secondary ureteropelvic junction obstruction in the adult. Atlas of the Urologic Clinics of North America, 2003, 11, 205-219.	0.0	0
111	1 year follow-up results of prenatally diagnosed unilateral hydronephrosis according to renal sonographic findings at 1 month of age. Korean Journal of Pediatrics, 2006, 49, 64.	1.9	2
112	Urinary tract anomalies in children: Current management of hydronephrosis and vesico-ureteral reflux. Japanese Journal of Pediatric Nephrology, 2009, 22, 172-177.	0.0	0
113	Hydronephrosis: Prenatal and postnatal., 2011,, 235-248.		1
115	Radionuclide scanning in critical care nephrology. , 1998, , 1503-1515.		0
116	Radionuclides Diagnostic Techniques. , 2019, , 197-204.e1.		1
117	Diuretic Renal Scintigraphy in Adults: Practical Aspects and Reporting. Seminars in Nuclear Medicine, 2022, 52, 445-452.	4.6	1
118	The Delayed Nephrogram: Point-of-care Quantitative Measurement, Validation as an Indicator of Obstruction, and Novel Use as a Predictor of Renal Functional Impairment. European Urology Focus, 2022, 8, 1809-1815.	3.1	1

ARTICLE IF CITATIONS

120 Progress in Diagnosis and Treatment of Bilateralhydronephrosis Due to Ureteropelvic Junction Obstruction. Advances in Clinical Medicine, 2023, 13, 4110-4116.