

Iontophoretically administered drugs acting at the N-m  
modulate burst firing in A9 dopamine neurons in the ra

Synapse

10, 131-140

DOI: [10.1002/syn.890100208](https://doi.org/10.1002/syn.890100208)

Citation Report

#	ARTICLE	IF	CITATIONS
1	GABAB-Receptor activation alters the firing pattern of dopamine neurons in the rat substantia nigra. <i>Synapse</i> , 1993, 15, 229-238.	0.6	94
2	Tonic Activation of NMDA Receptors Causes Spontaneous Burst Discharge of Rat Midbrain Dopamine Neurons <i>In Vivo</i> . <i>European Journal of Neuroscience</i> , 1993, 5, 137-144.	1.2	325
3	Apamin increases NMDA-induced burst-firing of rat mesencephalic dopamine neurons. <i>Brain Research</i> , 1993, 630, 341-344.	1.1	103
4	Neurotransmitter regulation of dopamine neurons in the ventral tegmental area. <i>Brain Research Reviews</i> , 1993, 18, 75-113.	9.1	679
5	Spontaneous firing of nigrostriatal dopaminergic neurons in split-brain rats. <i>Neuroscience Letters</i> , 1993, 162, 1-4.	1.0	19
6	MK-801 prevents alterations in the mesoaccumbens dopamine system associated with behavioral sensitization to amphetamine. <i>Journal of Neuroscience</i> , 1994, 14, 1735-1745.	1.7	192
7	The subthalamo-nigral pathway regulates movement and concomitant acetylcholinesterase release from the substantia nigra. <i>Journal of Neural Transmission</i> , 1994, 98, 23-37.	1.4	9
8	The role of excitatory amino acids in experimental models of Parkinson's disease. <i>Journal of Neural Transmission Parkinson's Disease and Dementia Section</i> , 1994, 8, 39-71.	1.2	87
9	Excitatory amino acid-induced excitation of dopamine-containing neurons in the rat substantia nigra: Modulation by kynurenic acid. <i>Synapse</i> , 1994, 16, 219-230.	0.6	29
10	Pharmacologically induced cessation of burst activity in nigral dopamine neurons: Significance for the terminal dopamine efflux. <i>Synapse</i> , 1994, 17, 217-224.	0.6	58
11	Organization of N-methyl-D-aspartate glutamate receptor gene expression in the basal ganglia of the rat. <i>Journal of Comparative Neurology</i> , 1994, 343, 1-16.	0.9	358
12	Dopamine receptors: Molecular biology, biochemistry and behavioural aspects. , 1994, 64, 291-370.		400
13	Postnatal development of mesoaccumbens dopamine neurons in the rat: electrophysiological studies. <i>Developmental Brain Research</i> , 1994, 79, 19-28.	2.1	16
14	Effect of dopamine and baclofen on N-methyl-d-aspartate-induced burst firing in rat ventral tegmental neurons. <i>Neuroscience</i> , 1994, 58, 201-206.	1.1	58
15	Dopaminergic and glutamatergic blocking drugs differentially regulate glutamic acid decarboxylase mRNA in mouse brain. <i>Molecular Brain Research</i> , 1994, 21, 293-302.	2.5	49
16	D1 receptors modulate glutamate transmission in the ventral tegmental area. <i>Journal of Neuroscience</i> , 1995, 15, 5379-5388.	1.7	219
17	Chronic administration of (+)-amphetamine alters the reactivity of midbrain dopaminergic neurons to prefrontal cortex stimulation in the rat. <i>Brain Research</i> , 1995, 674, 63-74.	1.1	58
18	Behavioral and neurochemical actions of the strychnine-insensitive glycine receptor antagonist, 7-chlorokynurenate, in rats. <i>European Journal of Pharmacology</i> , 1995, 280, 37-45.	1.7	13

#	ARTICLE	IF	CITATIONS
19	Effects of the enantiomers of (±)-HA-966 on dopamine neurons: an electrophysiological study of a chiral molecule. <i>European Journal of Pharmacology</i> , 1995, 285, 79-88.	1.7	9
20	Interactions between dopamine and excitatory amino acids in behavioral sensitization to psychostimulants. <i>Drug and Alcohol Dependence</i> , 1995, 37, 95-100.	1.6	227
21	Evidence for N-methyl-d-aspartate and AMPA subtypes of the glutamate receptor on substantia nigra dopamine neurons: Possible preferential role for N-methyl-d-aspartate receptors. <i>Neuroscience</i> , 1995, 67, 373-381.	1.1	105
22	Burst stimulation of the medial forebrain bundle selectively increases Fos-like immunoreactivity in the limbic forebrain of the rat. <i>Neuroscience</i> , 1996, 72, 141-156.	1.1	72
23	The messenger RNAs for the N-methyl- d-aspartate receptor subunits show region-specific expression of different subunit composition in the human brain. <i>Neuroscience</i> , 1996, 73, 429-447.	1.1	95
24	N-Methyl-d-aspartate receptors mediate a slow excitatory postsynaptic potential in the rat midbrain dopaminergic neurons. <i>Neuroscience</i> , 1996, 74, 785-792.	1.1	20
25	The burst-like firing of spinal neurons in rats with peripheral inflammation is reduced by an antagonist of N-methyl-d-aspartate. <i>Neuroscience</i> , 1996, 74, 1077-1086.	1.1	8
26	The pharmacology of mesolimbic dopamine neurons: a dual-probe microdialysis study in the ventral tegmental area and nucleus accumbens of the rat brain. <i>Journal of Neuroscience</i> , 1996, 16, 2605-2611.	1.7	332
27	Behavioral and Neurochemical Recovery from Partial 6-Hydroxydopamine Lesions of the Substantia Nigra Is Blocked by Daily Treatment with Glutamate Receptor Antagonists MK-801 and CPP. <i>Journal of Neuroscience</i> , 1996, 16, 5216-5224.	1.7	23
28	Preferential occupation of mineralocorticoid receptors by corticosterone enhances glutamate-induced burst firing in rat midbrain dopaminergic neurons. <i>Brain Research</i> , 1996, 737, 146-154.	1.1	53
29	A pharmacological analysis of the burst events induced in midbrain dopaminergic neurons by electrical stimulation of the prefrontal cortex in the rat. <i>Journal of Neural Transmission</i> , 1996, 103, 523-540.	1.4	41
30	Antagonism of NMDA receptors but not AMPA/kainate receptors blocks bursting in dopaminergic neurons induced by electrical stimulation of the prefrontal cortex. <i>Journal of Neural Transmission</i> , 1996, 103, 889-904.	1.4	87
31	Mechanisms of action of atypical antipsychotic drugs: a critical analysis. <i>Psychopharmacology</i> , 1996, 124, 2-34.	1.5	379
32	Synaptic innervation of midbrain dopaminergic neurons by glutamate-enriched terminals in the squirrel monkey. , 1996, 364, 231-253.		110
33	Glutamatergic inputs from the pedunculopontine nucleus to midbrain dopaminergic neurons in primates:Phaseolus vulgaris-leucoagglutinin anterograde labeling combined with postembedding glutamate and GABA immunohistochemistry. , 1996, 364, 254-266.		234
34	The depletion of brain serotonin levels by para-chlorophenylalanine administration significantly alters the activity of midbrain dopamine cells in rats: An extracellular single cell recording study. , 1996, 22, 46-53.		19
35	Stimulation of the prefrontal cortex in the rat induces patterns of activity in midbrain dopaminergic neurons which resemble natural burst events. , 1996, 22, 195-208.		158
36	Presymptomatic revelation of experimental Parkinsonism. <i>NeuroReport</i> , 1997, 8, 435-438.	0.6	28

#	ARTICLE	IF	CITATIONS
37	Burst firing in midbrain dopaminergic neurons. <i>Brain Research Reviews</i> , 1997, 25, 312-334.	9.1	430
38	Spontaneous bursting activity of dopaminergic neurons in midbrain slices from immature rats: role of N-methyl-d-aspartate receptors. <i>Neuroscience</i> , 1997, 77, 1029-1036.	1.1	38
39	Compensatory effects of glutamatergic inputs to the substantia nigra pars compacta in experimental Parkinsonism. <i>Neuroscience</i> , 1997, 81, 399-404.	1.1	60
40	AMPA and NMDA Glutamate Receptor Subunits in Midbrain Dopaminergic Neurons in the Squirrel Monkey: An Immunohistochemical and <i>In Situ</i> Hybridization Study. <i>Journal of Neuroscience</i> , 1997, 17, 1377-1396.	1.7	97
41	Effects of acute and repeated administration of N-methyl-d-aspartate (NMDA) into the ventral tegmental area: locomotor activating effects of NMDA and cocaine. <i>Brain Research</i> , 1997, 769, 225-232.	1.1	15
42	Modulation of dopamine neuronal activity by glutamate receptor subtypes. <i>Neuroscience and Biobehavioral Reviews</i> , 1997, 21, 511-518.	2.9	83
43	Behavioural pharmacology of glutamate receptors in the basal ganglia. <i>Neuroscience and Biobehavioral Reviews</i> , 1997, 21, 381-392.	2.9	104
44	Inhibition of dopamine re-uptake: Significance for nigral dopamine neuron activity. , 1997, 25, 215-226.		20
45	Competitive NMDA receptor antagonists differentially affect dopamine cell firing pattern. , 1997, 25, 234-242.		11
46	Metabotropic glutamate receptor-mediated inhibition and excitation of substantia nigra dopamine neurons. , 1997, 26, 184-193.		31
47	Alterations in excitatory amino acid-mediated regulation of midbrain dopaminergic neurones induced by chronic psychostimulant administration and stress: relevance to behavioural sensitization and drug addiction. <i>Addiction Biology</i> , 1998, 3, 109-135.	1.4	36
48	Expression of N-Methyl-D-Aspartate receptor subunit mRNA in the human brain: Mesencephalic dopaminergic neurons. , 1998, 390, 91-101.		38
49	N-methyl-D-aspartate receptor blockade attenuates D1 dopamine receptor modulation of neuronal activity in rat substantia nigra. , 1998, 30, 18-29.		13
50	Dissociated dopaminergic neurons from substantia nigra zona compacta in young rats lack functional NMDA receptors. <i>Pflugers Archiv European Journal of Physiology</i> , 1998, 435, 699-704.	1.3	12
51	Rewarding effects elicited by the microinjection of either AMPA or NMDA glutamatergic antagonists into the ventral tegmental area revealed by an intracranial self-administration paradigm in mice. <i>European Journal of Neuroscience</i> , 1998, 10, 1394-1402.	1.2	29
52	The role of excitatory amino acids in behavioral sensitization to psychomotor stimulants. <i>Progress in Neurobiology</i> , 1998, 54, 679-720.	2.8	889
53	Compensatory mechanisms in experimental and human Parkinsonism: towards a dynamic approach. <i>Progress in Neurobiology</i> , 1998, 55, 93-116.	2.8	193
54	Nitric oxide facilitates N-methyl-d-aspartate-induced burst firing in dopamine neurons from rat midbrain slices. <i>Neuroscience Letters</i> , 1998, 255, 131-134.	1.0	23

#	ARTICLE	IF	CITATIONS
55	Subthalamic nucleus-mediated excitotoxicity in parkinson's disease: A target for neuroprotection. <i>Annals of Neurology</i> , 1998, 44, S175-88.	2.8	344
56	L-Type Calcium Channels Mediate a Slow Excitatory Synaptic Transmission in Rat Midbrain Dopaminergic Neurons. <i>Journal of Neuroscience</i> , 1998, 18, 6693-6703.	1.7	75
57	Regulation of Action Potential Size and Excitability in Substantia Nigra Compacta Neurons: Sensitivity to 4-Aminopyridine. <i>Journal of Neurophysiology</i> , 1999, 82, 2903-2913.	0.9	22
58	Calcium Dynamics Underlying Pacemaker-Like and Burst Firing Oscillations in Midbrain Dopaminergic Neurons: A Computational Study. <i>Journal of Neurophysiology</i> , 1999, 82, 2249-2261.	0.9	102
59	Subthalamic Stimulation-Induced Synaptic Responses in Substantia Nigra Pars Compacta Dopaminergic Neurons In Vitro. <i>Journal of Neurophysiology</i> , 1999, 82, 925-933.	0.9	106
60	Presynaptic inhibition preferentially reduces the NMDA receptor-mediated component of transmission in rat midbrain dopamine neurons. <i>British Journal of Pharmacology</i> , 1999, 127, 1422-1430.	2.7	23
61	Sodium dynamics underlying burst firing and putative mechanisms for the regulation of the firing pattern in midbrain dopamine neurons: a computational approach. , 1999, 6, 49-69.		63
62	Mesolimbic NMDA receptors are implicated in the expression of conditioned morphine reward. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1999, 359, 288-294.	1.4	59
63	Regulation of substantia nigra pars reticulata neuronal activity by excitatory amino acids. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1999, 360, 402-412.	1.4	9
64	GABAA receptor stimulation blocks NMDA-induced bursting of dopaminergic neurons in vitro by decreasing input resistance. <i>Brain Research</i> , 1999, 832, 145-151.	1.1	62
65	Involvement of $I_f$ receptors in the modulation of the glutamatergic/NMDA neurotransmission in the dopaminergic systems. <i>European Journal of Pharmacology</i> , 1999, 368, 183-196.	1.7	45
66	Interaction between dopamine and glutamate receptors following treatment with NMDA receptor antagonists. <i>European Journal of Pharmacology</i> , 1999, 386, 155-163.	1.7	4
67	The Rewarding Properties of NMDA and MK-801 (Dizocilpine) as Indexed by the Conditioned Place Preference Paradigm. <i>Pharmacology Biochemistry and Behavior</i> , 1999, 64, 591-595.	1.3	26
68	Afferent modulation of dopamine neuron firing patterns. <i>Current Opinion in Neurobiology</i> , 1999, 9, 690-697.	2.0	210
69	GABAA and GABAB antagonists differentially affect the firing pattern of substantia nigra dopaminergic neurons in vivo. , 1999, 32, 165-176.		132
70	MK-801 interaction with the 5-HT transporter: a real-time study in brain slices using fast cyclic voltammetry. , 1999, 32, 212-224.		20
71	Acute and chronic administration of the selective sigma1 receptor agonist SA4503 significantly alters the activity of midbrain dopamine neurons in rats: An in vivo electrophysiological study. <i>Synapse</i> , 1999, 33, 129-140.	0.6	31
72	Glutamatergic inputs to midbrain dopaminergic neurons in primates. <i>Parkinsonism and Related Disorders</i> , 1999, 5, 193-201.	1.1	19

#	ARTICLE	IF	CITATIONS
73	Immunohistochemical localization of N-methyl-d-aspartate and $\hat{L}$ -amino-3-hydroxy-5-methyl-4-isoxazolepropionate receptor subunits in the substantia nigra pars compacta of the rat. <i>Neuroscience</i> , 1999, 89, 209-220.	1.1	50
74	Gabaergic control of rat substantia nigra dopaminergic neurons: role of globus pallidus and substantia nigra pars reticulata. <i>Neuroscience</i> , 1999, 89, 813-825.	1.1	119
75	Stimulation of the pedunclopontine tegmental nucleus in the rat produces burst firing in A9 dopaminergic neurons. <i>Neuroscience</i> , 1999, 92, 245-254.	1.1	116
76	Pertussis toxin treatment differentially affects cholinergic and dopaminergic receptor stimulation of midbrain dopaminergic neurons. <i>Neuropharmacology</i> , 1999, 38, 1903-1912.	2.0	12
77	Projections from the Rat Prefrontal Cortex to the Ventral Tegmental Area: Target Specificity in the Synaptic Associations with Mesoaccumbens and Mesocortical Neurons. <i>Journal of Neuroscience</i> , 2000, 20, 3864-3873.	1.7	772
78	Synaptic localization of ionotropic glutamate receptors in the rat substantia nigra. <i>Neuroscience</i> , 2000, 101, 1037-1051.	1.1	64
79	Excitation of nigral dopamine neurons by the GABAA receptor agonist muscimol is mediated via release of glutamate. <i>Life Sciences</i> , 2000, 67, 1901-1911.	2.0	13
80	Modulation of amphetamine-induced striatal dopamine release by ketamine in humans: implications for schizophrenia. <i>Biological Psychiatry</i> , 2000, 48, 627-640.	0.7	356
81	Pharmacology and behavioral pharmacology of the mesocortical dopamine system. <i>Progress in Neurobiology</i> , 2001, 63, 241-320.	2.8	406
82	Blockade of D1 Dopamine Receptors in the Ventral Tegmental Area Decreases Cocaine Reward: Possible Role for Dendritically Released Dopamine. <i>Journal of Neuroscience</i> , 2001, 21, 5841-5846.	1.7	85
83	Pharmacological elevation of endogenous kynurenic acid levels activates nigral dopamine neurons. <i>Amino Acids</i> , 2001, 20, 353-362.	1.2	60
84	Intracerebroventricular administration of NMDA-R1 antisense oligodeoxynucleotide significantly alters the activity of ventral tegmental area dopamine neurons: An electrophysiological study. <i>Synapse</i> , 2001, 40, 275-281.	0.6	1
85	The significance of action potential bursting in the brain reward circuit. <i>Neurochemistry International</i> , 2002, 41, 333-340.	1.9	156
86	In vivo modulation of ventral tegmental area dopamine and glutamate efflux by local GABAB receptors is altered after repeated amphetamine treatment. <i>Neuroscience</i> , 2002, 109, 585-595.	1.1	67
87	Intrinsic membrane properties and synaptic inputs regulating the firing activity of the dopamine neurons. <i>Behavioural Brain Research</i> , 2002, 130, 149-169.	1.2	85
88	Activation of Ventral Tegmental Area Cells by the Bed Nucleus of the Stria Terminalis: A Novel Excitatory Amino Acid Input to Midbrain Dopamine Neurons. <i>Journal of Neuroscience</i> , 2002, 22, 5173-5187.	1.7	249
89	GABA B receptor-mediated modulation of the firing pattern of ventral tegmental area dopamine neurons in vivo. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2002, 365, 173-180.	1.4	101
90	Target-Specific Glutamatergic Regulation of Dopamine Neurons in the Ventral Tegmental Area. <i>Journal of Neurochemistry</i> , 2002, 75, 1775-1778.	2.1	81

#	ARTICLE	IF	CITATIONS
91	Synaptic regulation of somatodendritic dopamine release by glutamate and GABA differs between substantia nigra and ventral tegmental area. <i>Journal of Neurochemistry</i> , 2002, 81, 158-169.	2.1	47
92	Increased phasic activity of dopaminergic neurones in the rat ventral tegmental area following pharmacologically elevated levels of endogenous kynurenic acid. <i>Acta Physiologica Scandinavica</i> , 2002, 175, 45-53.	2.3	73
93	Excitatory and inhibitory responses of dopamine neurons in the ventral tegmental area to nicotine. <i>Synapse</i> , 2002, 43, 227-237.	0.6	71
94	Differential regulation of somatodendritic and nerve terminal dopamine release by serotonergic innervation of substantia nigra. <i>Journal of Neurochemistry</i> , 2003, 84, 576-584.	2.1	34
95	The anaesthetic agent propofol interacts with GABAB-receptors: an electrophysiological study in rat. <i>Life Sciences</i> , 2003, 72, 2793-2801.	2.0	31
96	Critical Role for Ventral Tegmental Glutamate in Preference for a Cocaine-Conditioned Environment. <i>Neuropsychopharmacology</i> , 2003, 28, 73-76.	2.8	140
97	Rationale for and use of NMDA receptor antagonists in Parkinson's disease. , 2004, 102, 155-174.		204
98	Glutamate-associated plasticity in the ventral tegmental area is necessary for conditioning environmental stimuli with morphine. <i>Neuroscience</i> , 2004, 129, 841-847.	1.1	127
99	Both Kappa and Mu Opioid Agonists Inhibit Glutamatergic Input to Ventral Tegmental Area Neurons. <i>Journal of Neurophysiology</i> , 2005, 93, 3086-3093.	0.9	83
100	Orexin A in the VTA Is Critical for the Induction of Synaptic Plasticity and Behavioral Sensitization to Cocaine. <i>Neuron</i> , 2006, 49, 589-601.	3.8	651
101	Transient High-Frequency Firing in a Coupled-Oscillator Model of the Mesencephalic Dopaminergic Neuron. <i>Journal of Neurophysiology</i> , 2006, 95, 932-947.	0.9	84
102	An Increase in AMPA and a Decrease in SK Conductance Increase Burst Firing by Different Mechanisms in a Model of a Dopamine Neuron In Vivo. <i>Journal of Neurophysiology</i> , 2006, 96, 2549-2563.	0.9	68
103	Effects of COX-1 and COX-2 inhibitors on the firing of rat midbrain dopaminergic neurons—Possible involvement of endogenous kynurenic acid. <i>Synapse</i> , 2006, 59, 290-298.	0.6	58
104	Comparison of VTA Dopamine Neuron Activity in Lines of Rats Selectively Bred to Prefer or Avoid Alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 2006, 30, 991-997.	1.4	20
105	Comparison of Cocaine- and Methamphetamine-Evoked Dopamine and Glutamate Overflow in Somatodendritic and Terminal Field Regions of the Rat Brain during Acute, Chronic, and Early Withdrawal Conditions. <i>Annals of the New York Academy of Sciences</i> , 2001, 937, 93-120.	1.8	124
106	The laterodorsal tegmentum is essential for burst firing of ventral tegmental area dopamine neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 5167-5172.	3.3	292
107	Endocannabinoid Signaling in Midbrain Dopamine Neurons: More than Physiology?. <i>Current Neuropharmacology</i> , 2007, 5, 268-277.	1.4	41
108	Synaptic Activation of Dendritic AMPA and NMDA Receptors Generates Transient High-Frequency Firing in Substantia Nigra Dopamine Neurons In Vitro. <i>Journal of Neurophysiology</i> , 2007, 97, 2837-2850.	0.9	59

#	ARTICLE	IF	CITATIONS
109	Regulation of firing of dopaminergic neurons and control of goal-directed behaviors. Trends in Neurosciences, 2007, 30, 220-227.	4.2	883
110	Glutamate synaptic inputs to ventral tegmental area neurons in the rat derive primarily from subcortical sources. Neuroscience, 2007, 146, 1259-1274.	1.1	103
111	The Dopamine System and the Pathophysiology of Schizophrenia: A Basic Science Perspective. International Review of Neurobiology, 2007, 78, 41-68.	0.9	75
112	GABAergic control of substantia nigra dopaminergic neurons. Progress in Brain Research, 2007, 160, 189-208.	0.9	191
113	Dopaminergic Reward Pathways and Effects of Stress. , 2007, , 41-83.		16
114	Pharmacologic mechanisms of serotonergic regulation of dopamine neurotransmission. , 2007, 113, 296-320.		506
115	Physiology of the normal and dopamine-depleted basal ganglia: Insights into levodopa pharmacotherapy. Movement Disorders, 2008, 23, S560-S569.	2.2	51
116	Electroosmotic Flow and Its Contribution to Iontophoretic Delivery. Analytical Chemistry, 2008, 80, 8635-8641.	3.2	37
117	Alterations in nigral NMDA and GABAA receptor control of the striatal dopamine level after repetitive exposures to nitrogen narcosis. Experimental Neurology, 2008, 212, 63-70.	2.0	9
118	An Intrinsic Neuronal Oscillator Underlies Dopaminergic Neuron Bursting. Journal of Neuroscience, 2009, 29, 15888-15897.	1.7	88
119	“To learn, you must pay attention.” Molecular insights into teachers' wisdom. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7267-7268.	3.3	4
120	Synaptic Overflow of Dopamine in the Nucleus Accumbens Arises from Neuronal Activity in the Ventral Tegmental Area. Journal of Neuroscience, 2009, 29, 1735-1742.	1.7	201
121	Disruption of NMDAR-dependent burst firing by dopamine neurons provides selective assessment of phasic dopamine-dependent behavior. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7281-7288.	3.3	360
122	Chronic, systemic treatment with a metabotropic glutamate receptor 5 antagonist in 6-hydroxydopamine partially lesioned rats reverses abnormal firing of dopaminergic neurons. Brain Research, 2009, 1286, 192-200.	1.1	14
123	Comparison of Nitrogen Narcosis and Helium Pressure Effects on Striatal Amino Acids: A Microdialysis Study in Rats. Neurochemical Research, 2009, 34, 835-844.	1.6	16
124	Basal Ganglia Control of Substantia Nigra Dopaminergic Neurons. , 2009, , 71-90.		30
125	3.4 Ion Channels and Regulation of Dopamine Neuron Activity. , 2009, , 118-138.		2
126	A two-compartment phenomenological model of a dopaminergic neuron. Biophysics (Russian) Tj ETQq1 1 0.784314 rgBT /Overlock 101	0.2	3



#	ARTICLE	IF	CITATIONS
127	Neurophysiology of Substantia Nigra Dopamine Neurons. Handbook of Behavioral Neuroscience, 2010, , 275-296.	0.7	1
128	Glutamatergic and Nonglutamatergic Neurons of the Ventral Tegmental Area Establish Local Synaptic Contacts with Dopaminergic and Nondopaminergic Neurons. Journal of Neuroscience, 2010, 30, 218-229.	1.7	202
129	IP <sub>3</sub> Receptor Sensitization during <i>In Vivo</i> Amphetamine Experience Enhances NMDA Receptor Plasticity in Dopamine Neurons of the Ventral Tegmental Area. Journal of Neuroscience, 2010, 30, 6689-6699.	1.7	38
130	Ethanol Action on Dopaminergic Neurons in the Ventral Tegmental Area. International Review of Neurobiology, 2010, 91, 235-288.	0.9	113
131	A Dynamic Role for GABA Receptors on the Firing Pattern of Midbrain Dopaminergic Neurons. Journal of Neurophysiology, 2010, 104, 403-413.	0.9	118
132	Acute and chronic cocaine differentially alter the subcellular distribution of AMPA GluR1 subunits in region-specific neurons within the mouse ventral tegmental area. Neuroscience, 2010, 169, 559-573.	1.1	13
133	The endocannabinoid system and nondrug rewarding behaviours. Experimental Neurology, 2010, 224, 23-36.	2.0	78
134	Activation of dopamine neurons is critical for aversive conditioning and prevention of generalized anxiety. Nature Neuroscience, 2011, 14, 620-626.	7.1	210
135	NMDA Receptors in Dopaminergic Neurons Are Crucial for Habit Learning. Neuron, 2011, 72, 1055-1066.	3.8	99
136	Dynamic regulation of midbrain dopamine neuron activity: intrinsic, synaptic, and plasticity mechanisms. Neuroscience, 2011, 198, 95-111.	1.1	128
138	Disinhibition Bursting of Dopaminergic Neurons. Frontiers in Systems Neuroscience, 2011, 5, 25.	1.2	32
139	Rapid Dopamine Signaling Differentially Modulates Distinct Microcircuits within the Nucleus Accumbens during Sucrose-Directed Behavior. Journal of Neuroscience, 2011, 31, 13860-13869.	1.7	56
140	High-frequency, short-latency disinhibition bursting of midbrain dopaminergic neurons. Journal of Neurophysiology, 2011, 105, 2501-2511.	0.9	35
142	Cocaine and Nicotine Research Illustrates a Range of Hypocretin Mechanisms in Addiction. Vitamins and Hormones, 2012, 89, 291-313.	0.7	8
143	Decreased Sensitivity of <i>NMDA</i> Receptors on Dopaminergic Neurons from the Posterior Ventral Tegmental Area Following Chronic Nondependent Alcohol Consumption. Alcoholism: Clinical and Experimental Research, 2012, 36, 1710-1719.	1.4	11
144	Behavioral and Neurotransmitter Specific Roles for the Ventral Tegmental Area in Reinforcement Seeking and Intake. Alcoholism: Clinical and Experimental Research, 2012, 36, 1659-1668.	1.4	21
145	Activation of VTA GABA Neurons Disrupts Reward Consumption. Neuron, 2012, 73, 1184-1194.	3.8	505
146	Detection of bursts and pauses in spike trains. Journal of Neuroscience Methods, 2012, 211, 145-158.	1.3	43

#	ARTICLE	IF	CITATIONS
147	Hypocretin modulation of drug-induced synaptic plasticity. <i>Progress in Brain Research</i> , 2012, 198, 123-131.	0.9	34
148	Bursting as a source of non-linear determinism in the firing patterns of nigral dopamine neurons. <i>European Journal of Neuroscience</i> , 2012, 36, 3214-3223.	1.2	6
149	Ventral tegmental area $\alpha 2$ nicotinic acetylcholine receptors modulate phasic dopamine release in the nucleus accumbens core. <i>Psychopharmacology</i> , 2013, 229, 73-82.	1.5	34
150	Differential role of ventral tegmental area acetylcholine and N-methyl-d-aspartate receptors in cocaine-seeking. <i>Neuropharmacology</i> , 2013, 75, 9-18.	2.0	41
151	VTA GABA neurons modulate specific learning behaviors through the control of dopamine and cholinergic systems. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 8.	1.0	113
152	Microinjections of a dopamine D1 receptor antagonist into the ventral tegmental area block the expression of cocaine conditioned place preference in rats. <i>Behavioural Brain Research</i> , 2014, 272, 279-285.	1.2	22
153	Differential Modulation of Reinforcement Learning by D2 Dopamine and NMDA Glutamate Receptor Antagonism. <i>Journal of Neuroscience</i> , 2014, 34, 13151-13162.	1.7	60
154	Mathematical analysis of depolarization block mediated by slow inactivation of fast sodium channels in midbrain dopamine neurons. <i>Journal of Neurophysiology</i> , 2014, 112, 2779-2790.	0.9	24
155	Firing Modes of Dopamine Neurons Drive Bidirectional GIRK Channel Plasticity. <i>Journal of Neuroscience</i> , 2014, 34, 5107-5114.	1.7	33
156	Dopamine and reward seeking: the role of ventral tegmental area. <i>Reviews in the Neurosciences</i> , 2014, 25, 621-30.	1.4	55
157	Habit learning and memory in mammals: Behavioral and neural characteristics. <i>Neurobiology of Learning and Memory</i> , 2014, 114, 198-208.	1.0	51
158	Excitatory drive onto dopaminergic neurons in the rostral linear nucleus is enhanced by norepinephrine in an $\alpha 1$ adrenergic receptor-dependent manner. <i>Neuropharmacology</i> , 2014, 86, 116-124.	2.0	11
159	Characterization of Solute Distribution Following Iontophoresis from a Micropipet. <i>Analytical Chemistry</i> , 2014, 86, 9909-9916.	3.2	14
160	Generating bursts (and pauses) in the dopamine midbrain neurons. <i>Neuroscience</i> , 2014, 282, 109-121.	1.1	135
161	Dopamine regulates distinctively the activity patterns of striatal output neurons in advanced parkinsonian primates. <i>Journal of Neurophysiology</i> , 2015, 113, 1533-1544.	0.9	43
162	A Mathematical Model of a Midbrain Dopamine Neuron Identifies Two Slow Variables Likely Responsible for Bursts Evoked by SK Channel Antagonists and Terminated by Depolarization Block. <i>Journal of Mathematical Neuroscience</i> , 2015, 5, 5.	2.4	9
163	Tonic Firing Rate Controls Dendritic $Ca^{2+}$ Signaling and Synaptic Gain in Substantia Nigra Dopamine Neurons. <i>Journal of Neuroscience</i> , 2015, 35, 5823-5836.	1.7	54
164	Regulation of dopamine system responsivity and its adaptive and pathological response to stress. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20142516.	1.2	131

#	ARTICLE	IF	CITATIONS
165	Neuronal activity of the prefrontal cortex is reduced in rats selectively bred for deficient sensorimotor gating. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 56, 174-184.	2.5	19
167	Neurophysiology of Substantia Nigra Dopamine Neurons: Modulation by GABA and Glutamate. <i>Handbook of Behavioral Neuroscience</i> , 2016, , 335-360.	0.7	15
168	Synergy of AMPA and NMDA Receptor Currents in Dopaminergic Neurons: A Modeling Study. <i>Frontiers in Computational Neuroscience</i> , 2016, 10, 48.	1.2	13
169	Hypocretin/Orexin and Plastic Adaptations Associated with Drug Abuse. <i>Current Topics in Behavioral Neurosciences</i> , 2016, 33, 283-304.	0.8	12
170	Implications of cellular models of dopamine neurons for disease. <i>Journal of Neurophysiology</i> , 2016, 116, 2815-2830.	0.9	14
171	Effects of Ketamine and Ketamine Metabolites on Evoked Striatal Dopamine Release, Dopamine Receptors, and Monoamine Transporters. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 359, 159-170.	1.3	89
172	Loss of NMDA receptors in dopamine neurons leads to the development of affective disorder-like symptoms in mice. <i>Scientific Reports</i> , 2016, 6, 37171.	1.6	20
173	Contribution of synchronized GABAergic neurons to dopaminergic neuron firing and bursting. <i>Journal of Neurophysiology</i> , 2016, 116, 1900-1923.	0.9	14
174	N-methyl-d-aspartate receptors in the ventral tegmental area mediate the excitatory influence of Pavlovian stimuli on instrumental performance. <i>Brain Structure and Function</i> , 2016, 221, 4399-4409.	1.2	0
176	Somatic and neuritic spines on tyrosine hydroxylase-immunopositive cells of rat retina. <i>Journal of Comparative Neurology</i> , 2017, 525, 1707-1730.	0.9	7
177	Super-resolution microscopy reveals functional organization of dopamine transporters into cholesterol and neuronal activity-dependent nanodomains. <i>Nature Communications</i> , 2017, 8, 740.	5.8	73
178	Pedunculopontine glutamatergic neurons control spike patterning in substantia nigra dopaminergic neurons. <i>ELife</i> , 2017, 6, .	2.8	30
179	Delta-tetrahydrocannabinol potentiates fear memory salience through functional modulation of mesolimbic dopaminergic activity states. <i>European Journal of Neuroscience</i> , 2018, 47, 1385-1400.	1.2	10
180	Ablation of NMDA receptors in dopamine neurons disrupts attribution of incentive salience to reward-paired stimuli. <i>Behavioural Brain Research</i> , 2019, 363, 77-82.	1.2	4
181	Dynamical ventral tegmental area circuit mechanisms of alcohol-dependent dopamine release. <i>European Journal of Neuroscience</i> , 2019, 50, 2282-2296.	1.2	15
182	Deep brain stimulation of the thalamic centromedian-parafascicular nucleus improves behavioural and neuronal traits in a rat model of Tourette. <i>Behavioural Brain Research</i> , 2020, 378, 112251.	1.2	12
183	Effects of dopamine and serotonin synthesis inhibitors on the ketamine-, d-amphetamine-, and cocaine-induced locomotor activity of preweanling and adolescent rats: sex differences. <i>Behavioural Brain Research</i> , 2020, 379, 112302.	1.2	15
184	NMDA receptor membrane dynamics tunes the firing pattern of midbrain dopaminergic neurons. <i>Journal of Physiology</i> , 2021, 599, 2933-2951.	1.3	6

#	ARTICLE	IF	CITATIONS
186	Burst Firing Induced by N-Methyl-D-Aspartate Requires Activation of an Electrogenic Sodium Pump in Rat Dopamine Neurons. <i>Advances in Behavioral Biology</i> , 1994, , 255-261.	0.2	1
187	Glutamate-Dopamine Balance in the Striatum: Pre- and Post-Synaptic Interactions. <i>Advances in Behavioral Biology</i> , 1994, , 475-489.	0.2	10
188	Basic Neurophysiology of Antipsychotic Drug Action. <i>Handbook of Experimental Pharmacology</i> , 1996, , 163-202.	0.9	6
189	Electrophysiological Pharmacology of Mesencephalic Dopaminergic Neurons. <i>Handbook of Experimental Pharmacology</i> , 2002, , 1-61.	0.9	13
190	MK801-induced locomotor activity in preweanling and adolescent male and female rats: role of the dopamine and serotonin systems. <i>Psychopharmacology</i> , 2020, 237, 2469-2483.	1.5	6
191	Astrocytic Kynurenines as Modulators of Dopaminergic Function in the Rat Basal Ganglia. , 1994, , 365-379.		2
192	Ionotropic Glutamate Receptors in the Basal Ganglia. <i>Frontiers in Neuroscience</i> , 2011, , 31-54.	0.0	2
193	Selective Effects of the Loss of NMDA or mGluR5 Receptors in the Reward System on Adaptive Decision-Making. <i>ENeuro</i> , 2018, 5, ENEURO.0331-18.2018.	0.9	11
194	GABAA receptor-mediated inhibition of rat substantia nigra dopaminergic neurons by pars reticulata projection neurons. <i>Journal of Neuroscience</i> , 1995, 15, 3092-3103.	1.7	324
195	10.6 Dopamine Modulation of Forebrain Pathways and the Pathophysiology of Psychiatric Disorders. , 2009, , 590-598.		0
196	4.3 Postnatal Maturation of Dopamine Actions in the Prefrontal Cortex. , 2009, , 177-186.		2
197	Effects of Orexin/Hypocretin on Ventral Tegmental Area Dopamine Neurons: An Emerging Role in Addiction. , 2011, , 241-251.		0
198	Parkinson-Krankheit: Pathophysiologie und pathogenetische Faktoren. , 1999, , 3-34.		0
201	Distinct Temporal Structure of Nicotinic ACh Receptor Activation Determines Responses of VTA Neurons to Endogenous ACh and Nicotine. <i>ENeuro</i> , 2020, 7, ENEURO.0418-19.2020.	0.9	3
204	Proximal dendritic localization of NALCN channels underlies tonic and burst firing in nigral dopaminergic neurons. <i>Journal of Physiology</i> , 2023, 601, 171-193.	1.3	3