

A comparison of root and shoot competition between sp

Weed Research

32, 45-55

DOI: [10.1111/j.1365-3180.1992.tb01861.x](https://doi.org/10.1111/j.1365-3180.1992.tb01861.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Effects of nitrogen fertilizer and emergence date on root and shoot competition between wheat and blackgrass. Weed Research, 1992, 32, 175-182.	1.7	20
2	A study of root and shoot interactions between cereals and peas in mixtures. Journal of Agricultural Science, 1993, 120, 13-24.	1.3	47
3	Comparison of Green Foxtail (<i>Setaria viridis</i>) and Wild Oat (<i>Avena fatua</i>) Growth, Development, and Competitiveness under Three Temperature Regimes. Weed Science, 1993, 41, 369-378.	1.5	23
4	Spring Wheat (<i>Triticum aestivum</i>) Growth and Yield as Influenced by Duration of Wild Oat (<i>Avena</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 0.9 17	0.9	17
5	Inter- and intraspecific competition of fat-hen (<i>Chenopodium album</i> L.) and groundsel (<i>Senecio</i>) Tj ETQq0 0 0 rgBT /Overlock 1.7 10 Tf 50 50	1.7	10
6	The response of four spring-sown combinable arable crops to weed competition. Weed Research, 1994, 34, 137-146.	1.7	40
7	Simulation of competition between barley and wild oats under different managements and climates. Ecological Modelling, 1994, 71, 269-287.	2.5	27
8	Losses in grain yield of winter crops from <i>Lolium rigidum</i> competition depend on crop species, cultivar and season. Weed Research, 1995, 35, 503-509.	1.7	123
9	A comparison of the dynamics of root growth and biomass partitioning in wild oat (<i>Avena fatua</i> L.) and spring wheat. Weed Research, 1995, 35, 57-66.	1.7	3
10	Comparative Analysis of Three Cruciferous Weeds: Growth, Development, and Competitiveness. Weed Science, 1995, 43, 75-80.	1.5	10
11	Approaches for Improving Crop Competitiveness Through the Manipulation of Fertilization Strategies. Weed Science, 1995, 43, 491-497.	1.5	233
13	Competition in a Global Change Environment: The Importance of Different Plant Traits for Competitive Success. Journal of Biogeography, 1995, 22, 297.	3.0	23
14	Dog mustard (<i>Erucastrum gallicum</i>) response to crop competition. Weed Science, 1997, 45, 397-403.	1.5	3
15	The effect of seed dormancy on percentage and rate of germination in <i>Polygonum persicaria</i> , and its relevance for crop-weed interaction. Annals of Applied Biology, 1998, 132, 289-299.	2.5	6
16	Competition between safflower and weeds as influenced by crop genotype and sowing time. Weed Research, 1998, 38, 247-255.	1.7	20
17	Competition between barley and <i>Lolium rigidum</i> for nitrate. Weed Research, 1998, 38, 453-460.	1.7	26
18	Determination of allelochemicals in spring cereal cultivars of different competitiveness. Weed Science, 1999, 47, 498-504.	1.5	77
19	Competitive attributes of <i>A. sativa</i> , <i>T. aestivum</i> , and <i>H. vulgare</i> are conserved in no-till cropping systems. Weed Science, 1999, 47, 712-719.	1.5	9

#	ARTICLE	IF	CITATIONS
20	The relative importance of root and shoot competition between water-seeded rice and <i>Echinochloa phyllopogon</i> . <i>Weed Research</i> , 1999, 39, 181-190.	1.7	46
21	Improving grasslands: the influence of soil moisture and nitrogen fertilization on the establishment of seedlings. <i>Journal of Applied Ecology</i> , 1999, 36, 263-270.	4.0	26
22	Interference between <i>Avena sterilis</i> , <i>Phalaris minor</i> and five barley cultivars. <i>Weed Research</i> , 2000, 40, 549-559.	1.7	40
23	Advances in weed management strategies. <i>Field Crops Research</i> , 2000, 67, 95-104.	5.1	49
24	Enhancing the competitive ability of crops. , 2001, , 269-321.		88
25	Competição por recursos do solo entre ervas daninhas e culturas. <i>Ciencia Rural</i> , 2001, 31, 707-714.	0.5	32
26	Wheat- <i>Lolium multiflorum</i> competence: effect of nitrogen application onto Argentinean varieties aggressivity. <i>Cereal Research Communications</i> , 2001, 29, 451-458.	1.6	3
27	Title is missing!. <i>Plant Ecology</i> , 2001, 152, 119-136.	1.6	83
28	Influence of nitrogen on competition between winter cereals and sterile oat. <i>Weed Science</i> , 2001, 49, 77-82.	1.5	52
29	Influence of nitrogen on competition between purple nutsedge, maize and soybean. <i>International Journal of Pest Management</i> , 2002, 48, 73-79.	1.8	11
30	Residual effects of crop rotation and weed management on a wheat test crop and weeds. <i>Weed Science</i> , 2002, 50, 101-111.	1.5	8
31	Estimating giant foxtail cohort productivity in soybean based on weed density, leaf area, or volume. <i>Weed Science</i> , 2002, 50, 72-78.	1.5	19
32	Effect of nitrogen fertilization timing on the demographic processes of wild oat (<i>Avena fatua</i>) in barley (<i>Hordeum vulgare</i>). <i>Weed Science</i> , 2002, 50, 616-621.	1.5	8
33	Recruitment and competitive interaction between ramets and seedlings in a perennial medicinal herb, <i>Centella asiatica</i> . <i>Basic and Applied Ecology</i> , 2002, 3, 65-76.	2.7	16
34	Variation Between Barley Cultivars in Early Response to Weed Competition. <i>Journal of Agronomy and Crop Science</i> , 2002, 188, 176-184.	3.5	54
35	Nitrogen effect on competition between winter cereals and littleseed canarygrass. <i>Phytoparasitica</i> , 2003, 31, 252-264.	1.2	7
36	Shoot and Root Competition in a <i>Lolium multiflorum</i> -Wheat Association. <i>Biological Agriculture and Horticulture</i> , 2003, 21, 15-33.	1.0	5
37	Above- and belowground interference of purple and yellow nutsedge (<i>Cyperus</i> spp.) with tomato. <i>Weed Science</i> , 2003, 51, 181-185.	1.5	38

#	ARTICLE	IF	CITATIONS
38	Influência de cultivares de arroz e épocas da adubação nitrogenada nas relações de interferência da cultura com cultivar simulador de infestação de arroz-vermelho. Planta Daninha, 2004, 22, 185-193.	0.5	7
40	Application method of nitrogen fertilizer affects weed growth and competition with winter wheat. Weed Biology and Management, 2004, 4, 103-113.	1.4	26
41	Spring wheat seed size and seeding rate effects on yield loss due to wild oat (<i>Avena fatua</i>) interference. Weed Science, 2004, 52, 133-141.	1.5	53
42	Weed Biology and Management. , 2004, , .		4
43	Competitiveness of Rice Cultivars as a Tool for Crop-Based Weed Management. , 2004, , 517-537.		18
44	Variable crop plant establishment contributes to differences in competitiveness with wild oat among cereal varieties. Canadian Journal of Plant Science, 2005, 85, 771-776.	0.9	26
45	Nitrogen Fertilizer, Manure, and Compost Effects on Weed Growth and Competition with Spring Wheat. Agronomy Journal, 2005, 97, 1612-1621.	1.8	44
46	Wild Mustard (<i>Sinapis arvensis</i> L.) Competition with Three Winter Cereals as Affected by Nitrogen Supply. Journal of Agronomy and Crop Science, 2005, 191, 241-248.	3.5	21
47	Fertilizer, manure and compost effects on weed growth and competition with winter wheat in western Canada. Crop Protection, 2005, 24, 971-980.	2.1	84
48	Barley (<i>Hordeum vulgare</i>) and Wild Oat (<i>Avena fatua</i>) Competition Is Affected by Crop and Weed Density ¹ . Weed Technology, 2005, 19, 790-795.	0.9	35
49	Competitive interactions between chick-pea genotypes and weeds. Weed Research, 2006, 46, 335-344.	1.7	31
50	Competitive ability of wheat in conventional and organic management systems: A review of the literature. Canadian Journal of Plant Science, 2006, 86, 333-343.	0.9	105
51	The ability of 29 barley cultivars to compete and withstand competition. Weed Science, 2006, 54, 783-792.	1.5	69
52	Response of Corn (<i>Zea mays</i>) and Weeds to Planting Pattern and Herbicide Use. Biological Agriculture and Horticulture, 2006, 24, 117-134.	1.0	1
53	Spatial pattern effect on corn (<i>Zea mays</i>) weeds competition in the humid Pampas of Argentina. International Journal of Pest Management, 2007, 53, 195-206.	1.8	16
54	Cultivar and Seeding Rate Effects on the Competitive Ability of Spring Cereals Grown under Organic Production in Northern Canada. Agronomy Journal, 2007, 99, 1199-1207.	1.8	53
55	Integrated approaches to managing weeds in spring-sown crops in western Canada. Crop Protection, 2007, 26, 390-398.	2.1	57
56	The competitive interactions between winter barley and <i>Avena sterilis</i> are site-specific. Weed Research, 2008, 48, 38-47.	1.7	6

#	ARTICLE	IF	CITATIONS
57	PHYTOTOXICITY OF 10 WINTER BARLEY VARIETIES AND THEIR COMPETITIVE ABILITY AGAINST COMMON POPPY AND IVY-LEAVED SPEEDWELL. <i>Experimental Agriculture</i> , 2008, 44, 385-397.	0.9	14
58	Nitrogen Fertilizer Rate Effects on Weed Competitiveness is Species Dependent. <i>Weed Science</i> , 2008, 56, 743-747.	1.5	110
59	Above- and below-ground competition between barley, wheat, lupin and vetch in a cereal and legume intercropping system. <i>Grass and Forage Science</i> , 2009, 64, 401-412.	2.9	79
60	Weed suppression ability of three winter wheat varieties at different row spacing under organic farming conditions. <i>Weed Research</i> , 2009, 49, 526-533.	1.7	64
61	Grain yield increase in cereal variety mixtures: A meta-analysis of field trials. <i>Field Crops Research</i> , 2009, 114, 361-373.	5.1	161
62	Barley and Rigid Ryegrass (<i>Lolium rigidum</i>) Competition is Influenced by Crop Cultivar and Density. <i>Weed Technology</i> , 2009, 23, 40-48.	0.9	44
63	Weed communities of transgenic glyphosate-tolerant soyabean crops in ex-pasture land in the southern Mesopotamic Pampas of Argentina. <i>Weed Research</i> , 2010, 50, 320-330.	1.7	17
64	Nitrogen Use Efficiency and Nitrogen Fertilizer Recovery of Durum Wheat Genotypes as Affected by Interspecific Competition. <i>Agronomy Journal</i> , 2010, 102, 707-715.	1.8	58
65	Wide Row Spacing and Rigid Ryegrass (<i>Lolium rigidum</i>) Competition Can Decrease Barley Yield. <i>Weed Technology</i> , 2010, 24, 310-318.	0.9	1
66	Competitive interactions of fifty barley cultivars with <i>Avena sterilis</i> and <i>Asperugo procumbens</i> . <i>Field Crops Research</i> , 2010, 117, 90-100.	5.1	10
67	Effects of Changes in Flax (<i>Linum usitatissimum</i> L.) Density and Interseeding with Red Clover (<i>Trifolium pratense</i> L.) on the Competitive Ability of Flax Against Brassica Weeds. <i>Agroecology and Sustainable Food Systems</i> , 2011, 35, 914-926.	0.9	7
68	Factores biológicos que determinan la competencia de <i>Commelina erecta</i> con otras malezas en sistemas de cultivo. <i>Planta Daninha</i> , 2011, 29, 97-106.	0.5	6
69	Growth, gas exchange and competitive ability of <i>Sorghum halepense</i> populations under different soil water availability. <i>Canadian Journal of Plant Science</i> , 2011, 91, 1011-1025.	0.9	13
70	Inter-plant competition for resources in maize crops grown under contrasting nitrogen supply and density: Variability in plant and ear growth. <i>Field Crops Research</i> , 2011, 121, 373-380.	5.1	122
71	Leaf gas exchange and competitive ability of <i>Zea mays</i> and <i>Sorghum halepense</i> as affected by water competition. <i>Acta Agronomica Hungarica: an International Multidisciplinary Journal in Agricultural Science</i> , 2012, 60, 231-246.	0.2	1
72	The Biology of Canadian Weeds. 27. <i>Avena fatua</i> L. (updated). <i>Canadian Journal of Plant Science</i> , 2012, 92, 1329-1357.	0.9	73
73	Italian ryegrass (<i>Lolium multiflorum</i> Lam.) density and N fertilization on wheat (<i>Triticum aestivum</i> L.) yield in Argentina. <i>Crop Protection</i> , 2012, 32, 36-40.	2.1	23
74	A mathematical model for the evaluation of cooperation and competition effects in intercrops. <i>European Journal of Agronomy</i> , 2013, 51, 9-17.	4.1	16

#	ARTICLE	IF	CITATIONS
75	Breeding Cereal Crops for Enhanced Weed Suppression: Optimizing Allelopathy and Competitive Ability. <i>Journal of Chemical Ecology</i> , 2013, 39, 213-231.	1.8	112
76	Root and shoot competition: a meta-analysis. <i>Journal of Ecology</i> , 2013, 101, 1298-1312.	4.0	119
77	Response of Corn and Redroot Pigweed to Nitrogen Fertilizer in Different Irrigation Regimes. <i>Agronomy Journal</i> , 2013, 105, 1107-1118.	1.8	4
78	The Morphological Features and Canopy Parameters as Factors Affecting the Competition Between Winter Wheat Varieties and Weeds. <i>Journal of Plant Protection Research</i> , 2013, 53, 203-209.	1.0	2
79	Weed suppression ability of six soybean [<i>Glycine max</i> (L.) Merr.] varieties under natural weed development conditions. <i>Acta Agronomica Hungarica: an International Multidisciplinary Journal in Agricultural Science</i> , 2013, 61, 43-53.	0.2	6
80	The Suitability of Different Winter and Spring Wheat Varieties for Cultivation in Organic Farming. , 2014, , .		1
81	Root discrimination of closely related crop and weed species using FT MIR-ATR spectroscopy. <i>Frontiers in Plant Science</i> , 2015, 6, 765.	3.6	24
82	A review of the potential for competitive cereal cultivars as a tool in integrated weed management. <i>Weed Research</i> , 2015, 55, 239-248.	1.7	161
83	Effects of nitrogen on the growth and competition between seedlings of two temperate forest tree species. <i>Scandinavian Journal of Forest Research</i> , 2015, , 1-7.	1.4	1
84	Biology and management of <i>Avena fatua</i> and <i>Avena ludoviciana</i> : two noxious weed species of agro-ecosystems. <i>Environmental Science and Pollution Research</i> , 2017, 24, 19465-19479.	5.3	27
85	Modelling of low input herbicide strategies for the control of wild oat in intensive winter wheat cropping systems. <i>Field Crops Research</i> , 2017, 201, 1-9.	5.1	4
86	Competitive ability of five common weed species in competition with soybean. <i>International Journal of Pest Management</i> , 2017, 63, 30-36.	1.8	26
87	Differences for traits associated with early N acquisition in a grain legume and early complementarity in grain legume-cereal mixtures. <i>AoB PLANTS</i> , 2018, 10, p1001.	2.3	10
88	<i>Avena fatua</i> L. escapes and delayed emergence in wheat (<i>Triticum aestivum</i> L.) crops of Argentina. <i>Crop Protection</i> , 2018, 103, 30-38.	2.1	7
89	Weed Control Through Crop Plant Manipulations. , 2018, , 73-96.		11
90	The combined effects of false seedbed technique, post-emergence chemical control and cultivar on weed management and yield of barley in Greece. <i>Phytoparasitica</i> , 2020, 48, 131-143.	1.2	23
91	Estimations and projections of <i>Avena fatua</i> dynamics under multiple management scenarios in crop fields using simplified longitudinal monitoring. <i>PLoS ONE</i> , 2021, 16, e0245217.	2.5	6
93	Interspecific interactions regulate plant reproductive allometry in cereal-legume intercropping systems. <i>Journal of Applied Ecology</i> , 2021, 58, 2579-2589.	4.0	6

#	ARTICLE	IF	CITATIONS
94	Crop Competitiveness. SpringerBriefs in Agriculture, 2014, , 9-20.	0.9	2
95	Weed Suppression and Tolerance in Winter Oats. Weed Technology, 2017, 31, 740-751.	0.9	10
96	Ecological risks of transgenic virus-resistant crops. , 2001, , 125-142.		3
97	Características de plantas de arroz e a habilidade competitiva com plantas daninhas. Planta Daninha, 2003, 21, 165-174.	0.5	23
98	Alocação de matéria seca e capacidade competitiva de cultivares de milho com plantas daninhas. Planta Daninha, 2011, 29, 373-382.	0.5	15
99	Effects of different densities of wild oat (<i>Avena fatua</i> L.) and nitrogen rates on oilseed rape (<i>Brassica</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	1.6	4
100	Competition between <i>Avena sterilis</i> ssp. <i>sterilis</i> and wheat in South Western Spain. Spanish Journal of Agricultural Research, 2011, 9, 862.	0.6	8
101	The Influence of interaction between spring wheat and spring barley on accumulation of nitrogen, phosphorus and potassium in plants. Annales Univesitatis Mariae Curie-Skłodowska Sectio E Agricultura, 2009, 64, .	0.1	0
102	The intensity of competitive interactions between spring wheat (<i>Triticum aestivum</i> L. emend. Fiori et.) Tj ETQq0 0 0 rgBT /Overlock 10 T Agrobotanica, 2012, 61, 195-203.	1.0	4
103	Changes in spring wheat (<i>Triticum aestivum</i> ssp. <i>vulgare</i> L.) and persian clover (<i>Trifolium resupinatum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	1.0	3
104	<i>Avena fatua</i> L.: Wild oat. Acta Herbologica, 2017, 26, 75-86.	0.4	0
105	Intercropping organic field peas with barley, oats and mustard improves weed control but has variable effects on grain yield and net returns. Canadian Journal of Plant Science, 0, , .	0.9	1
106	Wpływ oddziaływań, pomiędzy pszenicą... a zmianami jarym na akumulację w roślinach azotu, fosforu i potasu. Agronomy Science, 2009, 64, 93-106.	0.3	0
108	Negative relationship between topsoil root production and grain yield in oat and barley. Agriculture, Ecosystems and Environment, 2023, 349, 108467.	5.3	0