

CITATION REPORT

List of articles citing

Leaf fracture toughness and sclerophylly: their correlations and ecological implications

DOI: 10.1111/j.1469-8137.1992.tb01131.x
New Phytologist, 1992, 121, 597-610.

Source: <https://exaly.com/paper-pdf/23528429/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
272	A Quantitative Analysis of Leaf Form in Woody Plants from the World's Major Broadleaved Forest Types. <i>Journal of Biogeography</i> , 1994 , 21, 413	4.1	55
271	Mineral nutrient status of coastal hill dipterocarp forest and adinandra belukar in Singapore: analysis of soil, leaves and litter. 1994 , 10, 559-577		55
270	Root disturbance of common ash, <i>Fraxinus excelsior</i> (Oleaceae), leads to reduced foliar toughness and increased feeding by a folivorous weevil, <i>Stereonychus fraxini</i> (Coleoptera, Curculionidae). 1994 , 19, 344-348		8
269	Categorisation of food items relevant to oral processing. 1994 , 197-218		13
268	Effects of flooding and trampling on the performance of river foreland species of <i>Rumex</i> and <i>Plantago</i> . 1995 , 44, 225-245		9
267	Foliar Defences and Habitat Adversity of Three Woody Plant Communities in Singapore. 1995 , 9, 279		20
266	A Comparative Study of the Fracture Properties of Five Grasses. 1995 , 9, 269		84
265	Vegetation Analysis, Leaf Structure and Nutrient Status of a Malaysian Health Community. 1995 , 27, 2		7
264	Structured Interspecific Determinants of Specific Leaf Area in 34 Species of Herbaceous Angiosperms. 1995 , 9, 312		123
263	Leaf Carbon and Nutrient Assimilation and Conservation in Species of Differing Successional Status in an Oligotrophic Amazonian Forest. 1995 , 9, 65		148
262	Das Blattadersystem der Angiospermen: Form und Evolution. 1995 , 82, 441-451		21
261	HERBIVORY AND THE MECHANICS OF FRACTURE IN PLANTS. 1996 , 71, 401-413		62
260	What Makes a Leaf Tough and How This Affects the Pattern of <i>Castanopsis fissa</i> Leaf Consumption by Caterpillars. 1996 , 10, 668		146
259	Sun-shade adaptability of the red mangrove, <i>Rhizophora mangle</i> (Rhizophoraceae): Changes through ontogeny at several levels of biological organization. 1996 , 83, 1131-1143		56
258	Measurement of the shear and tensile fracture properties of leaves of pasture grasses. 1996 , 47, 587		21
257	Evidence of a Causal Connection between Anti-Herbivore Defence and the Decomposition Rate of Leaves. 1996 , 77, 489		232
256	The Ecology of Plant/insect Interactions: Implications of Digestive Strategy for Feeding by Phytophagous Insects. 1996 , 75, 133		53

255	A portable fracture toughness tester for biological materials. 1996 , 7, 954-962		115
254	The toughness of secondary cell wall and woody tissue. 1997 , 352, 341-352		39
253	Growth and Development of the Biological Control Agent Bagous hydrillaeas Influenced by Hydrilla (Hydrilla verticillata) Stem Quality. 1997 , 8, 52-57		23
252	Wind and trees Reply from A.R. Ennos. 1997 , 12, 277		1
251	Functional leaf attributes predict litter decomposition rate in herbaceous plants. <i>New Phytologist</i> , 1997 , 135, 109-114	9.8	263
250	Ranking the fracture toughness of thin mammalian soft tissues using the scissors cutting test. 1997 , 30, 91-4		96
249	Mandibular Morphology of the Doucs and Snub-nosed Monkeys in Relation to Diet. 1998 , 105-128		12
248	Colour cues for leaf food selection by long-tailed macaques (<i>Macaca fascicularis</i>) with a new suggestion for the evolution of trichromatic colour vision. 1998 , 69, 139-52		122
247	Leaf morphology, leaf chemical composition and stem xylem characteristics in two Pistacia (<i>Anacardiaceae</i>) species along a climatic gradient. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 1998 , 193, 195-202	1.9	38
246	Tansley Review No. 104. <i>New Phytologist</i> , 1999 , 142, 373-417	9.8	300
245	A comparison of specific leaf area, chemical composition and leaf construction costs of field plants from 15 habitats differing in productivity. <i>New Phytologist</i> , 1999 , 143, 163-176	9.8	263
244	Leaf structure and defence control litter decomposition rate across species and life forms in regional floras on two continents. <i>New Phytologist</i> , 1999 , 143, 191-200	9.8	385
243	Leaf structure and specific leaf mass: the alpine desert plants of the Eastern Pamirs, Tadjikistan. <i>New Phytologist</i> , 1999 , 143, 131-142	9.8	84
242	Methods of assessing leaf-fracture properties. <i>New Phytologist</i> , 1999 , 144, 369-383	9.8	96
241	Compensatory responses of <i>Samea multiplicalis</i> larvae when fed leaves of different fertilization levels of the aquatic weed <i>Pistia stratiotes</i> . 1999 , 92, 205-216		28
240	Growth Analysis and Reproductive Allocation of Japanese Forbs and Grasses in Relation to Organ Toughness under Trampling. <i>Plant Biology</i> , 1999 , 1, 445-452	3.7	17
239	Processing of riparian and wetland plant litter in the River Murray, South Australia. <i>Hydrobiologia</i> , 1999 , 411, 53-64	2.4	22
238	EVOLUTIONARY DIVERGENCES IN LEAF STRUCTURE AND CHEMISTRY, COMPARING RAINFALL AND SOIL NUTRIENT GRADIENTS. <i>Ecological Monographs</i> , 1999 , 69, 569-588	9	280

237	Insect Herbivory on European Tall-Shrub Species: The Need to Distinguish Leaves before and after Unfolding or Unrolling, and the Advantage of Longitudinal Sampling. 1999 , 87, 561		15
236	Which common indices of sclerophylly best reflect differences in leaf structure?. 1999 , 6, 471-474		40
235	Photosynthesis and water-relation traits of the summer annual C4 grasses, <i>Eleusine indica</i> and <i>Digitaria adscendens</i> , with contrasting trampling tolerance. 2000 , 15, 165-174		3
234	Chemistry and toughness predict leaf litter decomposition rates over a wide spectrum of functional types and taxa in central Argentina. 2000 , 218/2, 21-30		269
233	Autumn leaf colours as indicators of decomposition rate in sycamore (<i>Acer pseudoplatanus</i> L.). 2000 , 225, 33-38		13
232	Leaf structure and anatomy as related to leaf mass per area variation in seedlings of a wide range of woody plant species and types. <i>Oecologia</i> , 2000 , 124, 476-486	2.9	195
231	Characterising sclerophylly: some mechanical properties of leaves from heath and forest. <i>Oecologia</i> , 2000 , 123, 158-167	2.9	78
230	References. 2000 , 289-326		
229	Growth dynamics and leaf quality of the stinging trees <i>Dendrocnide moroides</i> and <i>Dendrocnide cordifolia</i> (Family Urticaceae) in Australian tropical rainforest: implications for herbivores. 2000 , 48, 191		7
228	Sclerophylly: Evolutionary advantage or mere epiphenomenon?. 2000 , 134, 247-259		61
227	Relationships between sclerophylly, leaf biomechanical properties and leaf anatomy in some Australian heath and forest species. 2000 , 134, 261-277		36
226	Mechanical Defences to Herbivory. <i>Annals of Botany</i> , 2000 , 86, 913-920	4.1	291
225	Methods in Ecosystem Science. 2000 ,		34
224	Aphid fitness on 13 grass species: a test of plant defence theory. 2000 , 77, 1783-1789		1
223	Biology of mangroves and mangrove Ecosystems. 2001 , 40, 81-251		828
222	Specific leaf weight as an indicator of juvenile leaf toughness in Tasmanian bluegum (<i>Eucalyptus globulus</i> ssp. <i>globulus</i>): implications for insect defoliation. 2001 , 64, 32-37		41
221	Evolution and Function of Leaf Venation Architecture: A Review. <i>Annals of Botany</i> , 2001 , 87, 553-566	4.1	334
220	Effects of elevated CO ₂ on the foliar chemistry of seedlings of two rainforest trees from north-east Australia: Implications for folivorous marsupials. 2001 , 26, 165-172		52

219	Measurement of leaf biomechanical properties in studies of herbivory: Opportunities, problems and procedures. 2001 , 26, 535-546		81
218	Relationships between leaf lifespan and structural defences in a low-nutrient, sclerophyll flora. 2001 , 15, 351-359		190
217	Larval gregariousness and neonate establishment of the eucalypt-feeding beetle <i>Chrysophtharta agricola</i> (Coleoptera: Chrysomelidae: Paropsini). 2001 , 94, 358-364		54
216	Patterns and correlates of interspecific variation in foliar insect herbivory and pathogen attack in Brazilian cerrado. 2001 , 17, 127-148		87
215	A TEST OF THE C3/C4 HYPOTHESIS WITH TWO GRASS MINERS. 2001 , 82, 410-421		4
214	A Test of the C3 - C4 Hypothesis with Two Grass Miners. 2001 , 82, 410		26
213	Sustained high levels of foliar herbivory of the mangrove <i>Rhizophora stylosa</i> by a moth larva <i>Doratifera stenosa</i> (Limacodidae) in north-eastern Australia. 2002 , 10, 403-419		14
212	Masticatory form and function in the African apes. <i>American Journal of Physical Anthropology</i> , 2002 , 117, 133-56	2.5	132
211	Oviposition preference and neonate performance of <i>Mnesampela privata</i> in relation to heterophyly in <i>Eucalyptus dunnii</i> and <i>E. globulus</i> . 2002 , 4, 245-253		34
210	Toughness is less important than chemical composition of <i>Arbutus</i> leaves in food selection by <i>Poecilimon</i> species. <i>New Phytologist</i> , 2002 , 154, 399-407	9.8	29
209	Leaves at low versus high rainfall: coordination of structure, lifespan and physiology. <i>New Phytologist</i> , 2002 , 155, 403-416	9.8	283
208	Changes in mesophyll anatomy and sink-source relationships during leaf development in <i>Quercus glauca</i> , an evergreen tree showing delayed leaf greening. 2003 , 26, 745-755		42
207	Characterizing sclerophyly: the mechanical properties of a diverse range of leaf types. <i>New Phytologist</i> , 2003 , 160, 81-99	9.8	116
206	A handbook of protocols for standardised and easy measurement of plant functional traits worldwide. 2003 , 51, 335		2483
205	Nutrient balancing in grasshoppers: behavioural and physiological correlates of dietary breadth. 2003 , 206, 1669-81		206
204	Impact of successive drought and re-watering cycles on growth and specific leaf area of two <i>Populus x canadensis</i> (Moench) clones, 'Dorskamp' and 'Luisa_Avanzo'. 2003 , 23, 1225-35		108
203	Mechanics and chemistry of rain forest leaves: canopy and understorey compared. 2003 , 54, 2007-14		56
202	Leaf biomechanics, morphology, and anatomy of the deciduous mesophyte <i>Prunus serrulata</i> (Rosaceae) and the evergreen sclerophyllous shrub <i>Heteromeles arbutifolia</i> (Rosaceae). 2003 , 90, 72-7		42

201	Sward structural resistance and biting effort in grazing ruminants. 2003 , 52, 145-160		21
200	Organ structure, function, and behavior. 2004 , 97-98		
199	Plant mechanics and primate dental adaptations: an overview. 2004 , 193-205		2
198	Preface. 2004 , ix-xiv		
197	The basic structure of the mammalian mouth. 2004 , 13-54		
196	How the mouth operates. 2004 , 55-86		1
195	Tooth shape. 2004 , 87-132		3
194	Tooth size. 2004 , 133-180		
193	Tooth wear. 2004 , 181-201		
192	C3 grasses have higher nutritional quality than C4 grasses under ambient and elevated atmospheric CO ₂ . 2004 , 10, 1565-1575		117
191	Effects of elevated atmospheric CO ₂ on the nutritional ecology of C3 and C4 grass-feeding caterpillars. <i>Oecologia</i> , 2004 , 140, 86-95	2.9	37
190	Significance of color, calories, and climate to the visual ecology of catarrhines. 2004 , 62, 189-207		53
189	Gender and tooth wear effects on diets of grazing goats. 2005 , 57, 105-114		14
188	The effect of pregnancy and lactation on diet composition and dietary preference of goats in a desert rangeland. 2005 , 58, 79-85		19
187	Is palatability of a root-hemiparasitic plant influenced by its host species?. <i>Oecologia</i> , 2005 , 146, 227-33	2.9	18
186	Leaf Mechanical Properties in Sclerophyll Woodland and Shrubland on Contrasting Soils. 2005 , 276, 95-113		40
185	Leaf Hydraulics and Its Implications in Plant Structure and Function. 2005 , 93-114		40
184	Developmental Strategy or Immediate Responses in Leaf Traits of Tropical Tree Species?. 2005 , 166, 41-48		22

183	The importance of being red when young: anthocyanins and the protection of young leaves of <i>Quercus coccifera</i> from insect herbivory and excess light. 2006 , 26, 613-21		207
182	The growth-defense trade-off and habitat specialization by plants in Amazonian forests. 2006 , 87, S150-62		338
181	Alternative designs and the evolution of functional diversity. 2006 , 167, 55-66		155
180	Lack of an induced response following fire and herbivory of two chemotypes of <i>Melaleuca quinquenervia</i> and its effect on two biological control agents. 2006 , 39, 154-161		6
179	Processes Driving Ontogenetic Succession of Galls in a Canopy Tree1. 2006 , 38, 514-521		31
178	Sclerophylly in <i>Qualea Parviflora</i> (Vochysiaceae): Influence of Herbivory, Mineral Nutrients, and Water Status. <i>Plant Ecology</i> , 2006 , 187, 153-162	1.7	19
177	Changes in resource concentration and defence during leaf development in a tough-leaved (<i>Nothofagus moorei</i>) and soft-leaved (<i>Toona ciliata</i>) species. <i>Oecologia</i> , 2006 , 148, 583-92	2.9	29
176	Functional consequences of stenophylly for leaf productivity: comparison of the anatomy and physiology of a rheophyte, <i>Farfugium japonicum</i> var. <i>luchuense</i> , and a related non-rheophyte, <i>F. japonicum</i> (Asteraceae). 2006 , 119, 645-56		17
175	A holistic tree seedling model for the investigation of functional trait diversity. 2006 , 193, 141-181		23
174	Mechanical defenses in leaves eaten by Costa Rican howling monkeys (<i>Alouatta palliata</i>). <i>American Journal of Physical Anthropology</i> , 2006 , 129, 99-104	2.5	61
173	Sclerophylly in two contrasting tropical environments: low nutrients vs. low rainfall. 2006 , 93, 1601-14		43
172	Plant biomechanics in an ecological context. 2006 , 93, 1546-65		200
171	Plant structural traits and their role in anti-herbivore defence. 2007 , 8, 157-178		496
170	Leaf biomechanical properties and the densities of herbivorous insect guilds. 2007 , 21, 246-255		68
169	Colonization Strategies of Two Liana Species in a Tropical Dry Forest Canopy. 2007 , 39, 393-399		17
168	Ecological distribution of homobaric and heterobaric leaves in tree species of Malaysian lowland tropical rainforest. 2007 , 94, 764-75		51
167	Novel way of measuring the fracture toughness of leaves and other thin films using a single inclined razor blade. <i>New Phytologist</i> , 2008 , 177, 830-837	9.8	20
166	Texture measurement of cabbages using an acoustical vibration method. 2008 , 50, 176-181		28

165	Tropical Forests. I. Physiognomy and Functional Structure. 2008 , 51-101		
164	The Ecology of Browsing and Grazing. <i>Ecological Studies</i> , 2008 ,	1.1	45
163	Leaf herbivory and decomposability in a Malaysian tropical rain forest. 2008 , 89, 2645-56		98
162	In tropical lowland rain forests monocots have tougher leaves than dicots, and include a new kind of tough leaf. <i>Annals of Botany</i> , 2008 , 101, 1363-77	4.1	35
161	Effects of light and nutrient availability on leaf mechanical properties of <i>Plantago major</i> : a conceptual approach. <i>Annals of Botany</i> , 2008 , 101, 727-36	4.1	78
160	In situ variation in leaf anatomy and morphology of <i>Andira legalis</i> (Leguminosae) in two neighbouring but contrasting light environments in a Brazilian sandy coastal plain. 2009 , 23, 267-273		11
159	Litter quality and decomposability of species from a Mediterranean succession depend on leaf traits but not on nitrogen supply. <i>Annals of Botany</i> , 2009 , 104, 1151-61	4.1	68
158	Evolution of lamina anatomy in the palm family (Arecaceae). 2009 , 96, 1462-86		36
157	Correlations between leaf toughness and phenolics among species in contrasting environments of Australia and New Caledonia. <i>Annals of Botany</i> , 2009 , 103, 757-67	4.1	55
156	Effects of elevated temperature, elevated CO ₂ and fertilization on quality and subsequent decomposition of silver birch leaf litter. 2009 , 41, 2414-2421		10
155	Cost-benefit relationships in sclerophyllous leaves of the Banale vegetation in the Amazon region. <i>Trees - Structure and Function</i> , 2009 , 23, 429-437	2.6	7
154	Effects of exotic invasive trees on nitrogen cycling: a case study in Central Spain. <i>Biological Invasions</i> , 2009 , 11, 1973-1986	2.7	62
153	Gross vs. net income: How plant toughness affects performance of an insect herbivore. 2009 , 90, 3393-405		103
152	Leaf traits capture the effects of land use changes and climate on litter decomposability of grasslands across Europe. 2009 , 90, 598-611		208
151	Toughness, particle size and chemical composition of meadow fescue (<i>Festuca pratensis</i> Hud.) herbage as affected by time of day. 2009 , 151, 330-336		12
150	Comparison of leaf decomposition and macroinvertebrate colonization between exotic and native trees in a freshwater ecosystem. 2010 , 25, 647-653		39
149	Tissue-level leaf toughness, but not lamina thickness, predicts sapling leaf lifespan and shade tolerance of tropical tree species. <i>New Phytologist</i> , 2010 , 186, 708-21	9.8	188
148	Leaf characteristics, wood anatomy and hydraulic properties in tree species from contrasting habitats within upper Rio Negro forests in the Amazon region. 2010 , 26, 215-226		12

147	The effects of thinning and burning treatments on within-canopy variation of leaf traits in hardwood forests of southern Ohio. <i>Forest Ecology and Management</i> , 2010 , 260, 1065-1075	3.9	7
146	Variation in <i>Arundo donax</i> stem and leaf strength: Implications for herbivory. 2010 , 93, 75-82		5
145	What makes a leaf tough? Patterns of correlated evolution between leaf toughness traits and demographic rates among 197 shade-tolerant woody species in a neotropical forest. 2011 , 177, 800-11		65
144	Experiments on Mechanical Properties of Sugarcane Leaf Sheath. 2011 ,		
143	Global patterns of leaf mechanical properties. 2011 , 14, 301-12		314
142	Tensile fracture properties of seven tropical grasses at different phenological stages. 2011 , 66, 551-559		9
141	Putting plant resistance traits on the map: a test of the idea that plants are better defended at lower latitudes. <i>New Phytologist</i> , 2011 , 191, 777-788	9.8	126
140	Ecological barriers to gene flow between riparian and forest species of <i>Ainsliaea</i> (Asteraceae). 2011 , 65, 335-49		19
139	Design of a biomimetic skin for an octopus-inspired robot [Part I: Characterising octopus skin. 2011 , 8, 288-296		8
138	Design of a biomimetic skin for an octopus-inspired robot [Part II: Development of the skin artefact. 2011 , 8, 297-304		8
137	Correlation between the leaf turnover rate and anti-herbivore defence strategy (balance between ant and non-ant defences) amongst ten species of <i>Macaranga</i> (Euphorbiaceae). <i>Plant Ecology</i> , 2011 , 212, 143-155	1.7	13
136	The relationship between leaf water repellency and leaf traits in three distinct biogeographical regions. <i>Plant Ecology</i> , 2011 , 212, 1913-1926	1.7	17
135	Herbivore resistance of invasive <i>Fallopia</i> species and their hybrids. <i>Oecologia</i> , 2011 , 167, 1041-52	2.9	16
134	Behavioral plasticity of a grass-feeding caterpillar in response to spiny- or smooth-edged leaf blades. 2011 , 5, 339-349		7
133	Opinion: prospects for improving photosynthesis by altering leaf anatomy. 2012 , 197, 92-101		73
132	Interactions in tropical reforestation [How plant defence and polycultures can reduce growth-limiting herbivory. 2012 , 15, 338-348		5
131	Developing skin analogues for a robotic octopus. 2012 , 9, 385-390		1
130	A meta-analytical review of the effects of elevated CO ₂ on plant-arthropod interactions highlights the importance of interacting environmental and biological variables. <i>New Phytologist</i> , 2012 , 194, 321-336	9.8	283

129	Lingual tactile acuity and food texture preferences among children and their mothers. 2012 , 26, 58-66		30
128	Effects of leaf herbivory on the bromeliad <i>Aechmea blanchetiana</i> : a study of selective feeding by the scraper <i>Acentroptera pulchella</i> . 2012 , 26, 944-952		6
127	Measuring the Toughness of Primate Foods and its Ecological Value. 2012 , 33, 598-610		36
126	Ontogenetic changes in leaf traits of tropical rainforest trees differing in juvenile light requirement. <i>Oecologia</i> , 2012 , 169, 33-45	2.9	31
125	Can plant resistance to specialist herbivores be explained by plant chemistry or resource use strategy?. <i>Oecologia</i> , 2012 , 168, 1043-55	2.9	13
124	Is foliar flammability of woody species related to time since fire and herbivory in northwest Patagonia, Argentina?. 2012 , 23, 931-941		29
123	Texture, composition and anatomy of spinach leaves in relation to nitrogen fertilization. 2013 , 93, 227-37		27
122	Fertilisation residues alter leaf scleromorphy in an evergreen savannah shrub (<i>Maprounea brasiliensis</i> , Euphorbiaceae). 2013 , 61, 266		6
121	Exploring variation in leaf mass per area (LMA) from leaf to cell: an anatomical analysis of 26 woody species. 2013 , 100, 1969-80		69
120	Ecological variation in leaf biomechanics and its scaling with tissue structure across three mediterranean-climate plant communities. 2013 , 27, 544-554		27
119	Leaf venation: structure, function, development, evolution, ecology and applications in the past, present and future. <i>New Phytologist</i> , 2013 , 198, 983-1000	9.8	407
118	New handbook for standardised measurement of plant functional traits worldwide. 2013 , 61, 167		1983
117	Red young leaves have less mechanical defence than green young leaves. 2013 , 122, 1035-1041		18
116	Correlations between physical and chemical defences in plants: tradeoffs, syndromes, or just many different ways to skin a herbivorous cat?. <i>New Phytologist</i> , 2013 , 198, 252-263	9.8	94
115	Leaf life span spectrum of tropical woody seedlings: effects of light and ontogeny and consequences for survival. <i>Annals of Botany</i> , 2013 , 112, 685-99	4.1	37
114	Sclerophylly in mangrove tree species from South Brazil. 2013 , 84, 1159-1166		6
113	Mechanical Properties of the Leaf Sheath of Sugarcane. 2013 , 801-812		
112	Elevated volatile concentrations in high-nutrient plants: do insect herbivores pay a high price for good food?. 2014 , 39, 480-491		16

111	Effects of experimental sedimentation on the phenological dynamics and leaf traits of replanted mangroves at Gazi bay, Kenya. <i>Ecology and Evolution</i> , 2014 , 4, 3187-200	2.8	13
110	Plant trait digestibility relationships across management and climate gradients in permanent grasslands. 2014 , 51, 1207-1217		42
109	Effects of dietary fracture toughness and dental wear on chewing efficiency in geladas (Theropithecus gelada). <i>American Journal of Physical Anthropology</i> , 2014 , 155, 17-32	2.5	54
108	Leaf litter depth as an important factor inhibiting seedling establishment of an exotic palm in tropical secondary forest patches. <i>Biological Invasions</i> , 2014 , 16, 381-392	2.7	8
107	Gap effects on leaf traits of tropical rainforest trees differing in juvenile light requirement. <i>Oecologia</i> , 2014 , 175, 37-50	2.9	9
106	Plant traits predict inter- and intraspecific variation in susceptibility to herbivory in a hyperdiverse Neotropical rain forest tree community. <i>Journal of Ecology</i> , 2014 , 102, 939-952	6	46
105	Drought enhances folivory by shifting foliar metabolomes in Quercus ilex trees. <i>New Phytologist</i> , 2014 , 202, 874-885	9.8	65
104	Neotropical Insect Galls. 2014 ,		21
103	Plant herbivory responses through changes in leaf quality have no effect on subsequent leaf-litter decomposition in a neotropical rain forest tree community. <i>New Phytologist</i> , 2015 , 207, 817-29	9.8	19
102	Which leaf mechanical traits correlate with insect herbivory among feeding guilds?. <i>Annals of Botany</i> , 2016 , 117, 349-61	4.1	42
101	Mechanical Properties of the Chitin-Calcium-Phosphate Clam Shrimp Carapace (Branchiopoda: Spinicaudata): Implications for Taphonomy and Fossilization. 2015 , 35, 123-131		16
100	Moreau's Paradox Reversed, or Why Insectivorous Birds Reach High Densities in Savanna Trees. 2015 , 103, 123-144		12
99	Leaf mechanics and herbivory defence: How tough tissue along the leaf body deters growing insect herbivores. 2015 , 40, 300-308		18
98	Seasonal leaf dimorphism in <i>Potentilla argentea</i> L. var. <i>tenuiloba</i> (Jord.) Sw. (Rosaceae). 2015 , 74, 53-70		4
97	The Ecology and Natural History of Foliar Bacteria with a Focus on Tropical Forests and Agroecosystems. 2015 , 81, 105-149		31
96	Globally, functional traits are weak predictors of juvenile tree growth, and we do not know why. <i>Journal of Ecology</i> , 2015 , 103, 978-989	6	99
95	Seed size and the evolution of leaf defences. <i>Journal of Ecology</i> , 2015 , 103, 1057-1068	6	7
94	Specific Leaf Area and Specific Leaf Weight in Small Grain Crops Wheat, Rye, Barley, and Oats Differ at Various Growth Stages and NPK Source. 2015 , 38, 1694-1708		16

93	Leaf Mass per Area (LMA) and Its Relationship with Leaf Structure and Anatomy in 34 Mediterranean Woody Species along a Water Availability Gradient. 2016 , 11, e0148788		110
92	Variation in Plant Response to Herbivory Underscored by Functional Traits. 2016 , 11, e0166714		11
91	Dietary selection by goats and the implications for range management in the Chihuahuan Desert: a review. 2016 , 38, 331		14
90	Leaf traits in Chilean matorral: sclerophylly within, among, and beyond matorral, and its environmental determinants. <i>Ecology and Evolution</i> , 2016 , 6, 1430-46	2.8	8
89	Tradeoffs between forage quality and soil fertility: Lessons from Himalayan rangelands. 2016 , 234, 31-39		21
88	Novel developments in field mechanics. 2016 , 98, 5-17		12
87	Symposium on food properties and primates. 2016 , 98, 1-4		
86	Food mechanical properties and dietary ecology. <i>American Journal of Physical Anthropology</i> , 2016 , 159, S79-104	2.5	42
85	Primate dietary ecology in the context of food mechanical properties. 2016 , 98, 103-118		27
84	Ploidy level in the genus <i>Leucanthemum</i> correlates with resistance to a specialist herbivore. <i>Ecosphere</i> , 2016 , 7, e01460	3.1	8
83	Apparent Overinvestment in Leaf Venation Relaxes Leaf Morphological Constraints on Photosynthesis in Arid Habitats. 2016 , 172, 2286-2299		27
82	Membrane-plate transition in leaves as an influence on dietary selectivity and tooth form. 2016 , 98, 18-26		2
81	Leaf density explains variation in leaf mass per area in rice between cultivars and nitrogen treatments. <i>Annals of Botany</i> , 2016 , 117, 963-71	4.1	27
80	How does leaf litter chemistry influence its decomposition and colonization by shredder Chironomidae (Diptera) larvae in a tropical stream?. <i>Hydrobiologia</i> , 2016 , 771, 119-130	2.4	14
79	Mechanisms linking fungal conditioning of leaf litter to detritivore feeding activity. 2016 , 93, 119-130		11
78	Food Preference in Relation to Resource Toughness and Protein Level in a Pond Dwelling Tadpole. 2017 , 51, 47-51		2
77	Physiological and structural tradeoffs underlying the leaf economics spectrum. <i>New Phytologist</i> , 2017 , 214, 1447-1463	9.8	222
76	Significance of the localization of phosphorus among tissues on a cross-section of leaf lamina of Bornean tree species for phosphorus-use efficiency. 2017 , 33, 237-240		7

75	Bundle sheath extensions are linked to water relations but not to mechanical and structural properties of leaves. <i>Trees - Structure and Function</i> , 2017 , 31, 1227-1237	2.6	9
74	Leaf water storage increases with salinity and aridity in the mangrove <i>Avicennia marina</i> : integration of leaf structure, osmotic adjustment and access to multiple water sources. 2017 , 40, 1576-1591		40
73	Toughness of the Virunga mountain gorilla (<i>Gorilla beringei beringei</i>) diet across an altitudinal gradient. 2017 , 79, e22661		7
72	Shade tolerance and herbivory are associated with RGR of tree species via different functional traits. <i>Plant Biology</i> , 2017 , 19, 413-419	3.7	18
71	Relationships among leaf functional traits, litter traits, and mass loss during early phases of leaf litter decomposition in 12 woody plant species. <i>Oecologia</i> , 2017 , 185, 305-316	2.9	28
70	Oaks Under Mediterranean-Type Climates: Functional Response to Summer Aridity. <i>Tree Physiology</i> , 2017 , 137-193		9
69	Installation of Silvopastoral Systems with Poplar in the Delta of the Paraná River, Argentina. 2017 , 529-563		
68	Dataset of "true mangroves" plant species traits. <i>Biodiversity Data Journal</i> , 2017 , e22089	1.8	11
67	Structural and defensive roles of angiosperm leaf venation network reticulation across an Andes-Amazon elevation gradient. <i>Journal of Ecology</i> , 2018 , 106, 1683-1699	6	8
66	Nitrogen addition and ecosystem functioning: Both species abundances and traits alter community structure and function. <i>Ecosphere</i> , 2018 , 9, e02087	3.1	19
65	Habitat-fishery linkages in two major south-eastern Australian estuaries show that the C4 saltmarsh plant <i>Sporobolus virginicus</i> is a significant contributor to fisheries productivity. <i>Hydrobiologia</i> , 2018 , 811, 221-238	2.4	30
64	Why Does Not the Leaf Weight-Area Allometry of Bamboos Follow the 3/2-Power Law?. <i>Frontiers in Plant Science</i> , 2018 , 9, 583	6.2	20
63	Roles of major and minor vein in leaf water deficit tolerance and structural properties in 11 temperate deciduous woody species. <i>Trees - Structure and Function</i> , 2018 , 32, 1573-1582	2.6	9
62	Ontogenetic trajectories of direct and indirect defenses of myrmecophytic plants colonized either by mutualistic or opportunistic ant species. <i>Oecologia</i> , 2019 , 190, 857-865	2.9	4
61	Secondary metabolites have more influence than morphophysiological traits on litter decomposability across genotypes of <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2019 , 224, 1532-1543	9.8	1
60	Leaf mechanical strength and photosynthetic capacity vary independently across 57 subtropical forest species with contrasting light requirements. <i>New Phytologist</i> , 2019 , 223, 607-618	9.8	19
59	Dental microwear textures and dietary preferences of extant rhinoceroses (<i>Perissodactyla</i> , Mammalia). <i>Mammal Research</i> , 2019 , 64, 397-409	1.8	7
58	Texture-microstructure relationship of leafy vegetables during postharvest storage. <i>Acta Horticulturae</i> , 2019 , 169-178	0.3	2

57	Nutritive value and morphological characteristics of Momba grass managed with different rotational grazing strategies. <i>Journal of Agricultural Science</i> , 2019 , 157, 592-598	1	7
56	Competition for epidermal space in the evolution of leaves with high physiological rates. <i>New Phytologist</i> , 2019 , 221, 628-639	9.8	11
55	Shredder Chironomid Diets Are Influenced by Decomposition Rates of Different Leaf Litter Species. <i>Neotropical Entomology</i> , 2019 , 48, 38-49	1.2	4
54	Variation in chewing efficiency of Yakushima Japanese macaque (<i>Macaca fuscata yakui</i>). <i>American Journal of Physical Anthropology</i> , 2020 , 171, 110-119	2.5	1
53	Linking vein properties to leaf biomechanics across 58 woody species from a subtropical forest. <i>Plant Biology</i> , 2020 , 22, 212-220	3.7	3
52	Dramatic altitudinal variations in leaf mass per area of two plant growth forms at extreme heights. <i>Ecological Indicators</i> , 2020 , 110, 105890	5.8	9
51	Growth and functional traits of <i>Julbernardia globiflora</i> (Benth) resprouts and seedlings in response to fire frequency and herbivory in miombo woodlands. <i>South African Journal of Botany</i> , 2020 , 135, 476-483	2.9	1
50	Linking functional traits to multiscale statistics of leaf venation networks. <i>New Phytologist</i> , 2020 , 228, 1796-1810	9.8	6
49	High leaf mass per area genotypes invest more leaf mass to cell wall and show a low mesophyll conductance. <i>AoB PLANTS</i> , 2020 , 12, plaa028	2.9	3
48	Vein Distribution on the Deformation Behavior and Fracture Mechanisms of Typical Plant Leaves by Quasi In Situ Tensile Test under a Digital Microscope. <i>Applied Bionics and Biomechanics</i> , 2020 , 2020, 8792143	1.6	2
47	Revisiting the Functional Basis of Sclerophylly Within the Leaf Economics Spectrum of Oaks: Different Roads to Rome. <i>Current Forestry Reports</i> , 2020 , 6, 260-281	8	6
46	Relationships between Foliar Fungal Endophyte Communities and Ecophysiological Traits of CAM and C3 Epiphytic Bromeliads in a Neotropical Rainforest. <i>Diversity</i> , 2020 , 12, 378	2.5	2
45	The global distribution of grass functional traits within grassy biomes. <i>Journal of Biogeography</i> , 2020 , 47, 553-565	4.1	5
44	Leaf cuticle analyses: implications for the existence of cutan/non-ester cutin and its biosynthetic origin. <i>Annals of Botany</i> , 2020 , 126, 141-162	4.1	11
43	Quantifying leaf optical properties with spectral invariants theory. <i>Remote Sensing of Environment</i> , 2021 , 253, 112131	13.2	4
42	Macroevolution of defense syndromes in <i>Ficus</i> (Moraceae). <i>Ecological Monographs</i> , 2021 , 91,	9	3
41	Crab-driven processing does not explain leaf litter-deposition in mangrove crab burrows. <i>Ecology and Evolution</i> , 2021 , 11, 8856-8862	2.8	2
40	Invisible red in young leaves: Anthocyanin likely plays a defensive role in some other way beyond visual warning. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2021 , 280, 151833	1.9	0

39	How do soil resources affect herbivory in tropical plants along environmental gradients? A test using contrasting congeneric species. <i>Plant Ecology</i> , 2021 , 222, 1281-1295	1.7	0
38	CULTIVAR EFFECTS OF PERENNIAL RYEGRASS ON HERBAGE INTAKE BY GRAZING DAIRY COWS. 45-62		1
37	Herbivory in Terrestrial Ecosystems. 2000 , 151-157		14
36	Mechanisms and Adaptation of Plants to Environmental Stress: A Case of Woody Species. 2014 , 1-24		4
35	The Comparative Feeding Behaviour of Large Browsing and Grazing Herbivores. <i>Ecological Studies</i> , 2008 , 117-148	1.1	23
34	Measurement of Leaf Litter Decomposition. <i>Modern Methods of Plant Analysis</i> , 1999 , 181-207		3
33	Leaf Herbivory and Defenses of Dipterocarp Seedlings in the Pasoh Forest Reserve. 2003 , 495-505		1
32	Bottom-Up Effects on Gall Distribution. 2014 , 99-113		6
31	Dental Functional Morphology: How Teeth Work. 2004 ,		365
30	The evolution of the mammalian dentition. 2004 , 202-256		3
29	Leaf anatomical plasticity of <i>Brachypodium pinnatum</i> (L.) Beauv. growing in contrasting microenvironments in a semiarid loess forest-steppe vegetation mosaic. <i>Community Ecology</i> , 2005 , 6, 49-56	1.2	4
28	Functional Traits of Terrestrial Plants in the Intertidal: A Review on Mangrove Trees. <i>Biological Bulletin</i> , 2021 , 241, 123-139	1.5	1
27	Leaf Dmage and Traits of Dipterocarp Seedings in a Lowland Rain Forest in Peninsular Malaysia.. <i>Tropics</i> , 2000 , 9, 237-243	0.9	1
26	References. 2002 , 303-350		
25	Mechanical properties and their measurement: material properties made easy. 2004 , 257-282		
24	References. 2004 , 305-345		
23	How to get excited about teeth. 2004 , 1-12		
22	Notes. 2004 , 292-304		

21 Properties of teeth and potential foods. **2004**, 283-291

20 Flickart. **2004**, xv-xvi

19 References. **2009**, 375-406

18 Tropical Forests. **1997**, 37-138

17 Defensive Response of *Corchorus olitorius* in Relation to Infestation of *Anomis sabulifera*. *Journal of Entomology*, **2018**, 16, 23-29 0.3

16 OBV (obscure vein), a CH zinc finger transcription factor, positively regulates chloroplast development and bundle sheath extension formation in tomato (*Solanum lycopersicum*) leaf veins. *Horticulture Research*, **2021**, 8, 230 7.7 1

15 The green thorns of *Ulex europaeus* play both defensive and photosynthetic roles: consequences for predictions of the enemy release hypothesis. *Biological Invasions*, 1 2.7

14 Warming Responses of Leaf Morphology Are Highly Variable among Tropical Tree Species. *Forests*, **2022**, 13, 219 2.8 1

13 Hard and tough: the coordination between leaf mechanical resistance and drought tolerance. *Flora: Morphology, Distribution, Functional Ecology of Plants*, **2022**, 288, 152023 1.9 0

12 Reconstruction of phyllotaxis at the example of digitized red mangrove (*Rhizophora mangle*) and application to light interception simulation. *In Silico Plants*, **2022**, 4, 3.2

11 Drought reduces the growth and health of tropical rainforest understory plants. *Forest Ecology and Management*, **2022**, 511, 120128 3.9 0

10 Table_1.xlsx. **2018**,

9 Ants associate with microlepidoptera galleries in leaves of *Acrostichum danaeifolium* Langsd. & Fisch.. *Revista Brasileira De Entomologia*, **2022**, 66, 0.9

8 Links between leaf anatomy and leaf mass per area of herbaceous species across slope aspects in an eastern Tibetan subalpine meadow. *Ecology and Evolution*, **2022**, 12, 2.8 0

7 Stem Hydraulic Traits are Decoupled from Leaf Ecophysiological Traits in Mangroves in Southern Philippines. 0

6 Disentangling leaf structural and material properties in relation to their anatomical and chemical compositional traits in oaks (*Quercus*L.). 0

5 Leaf toughness increases with tree height and is associated with internal leaf structure and photosynthetic traits in a tropical rain forest. 5, 0

4 Temporal shifts in the explanatory power and relative importance of litter traits in regulating litter decomposition. **2022**, 9, 100072 0

- 3 An integrated leaf trait analysis of two Paleogene leaf floras. 11, e15140
- 2 Disentangling leaf structural and material properties in relationship to their anatomical and chemical compositional traits in oaks (*Quercus*L.).
- 1 Seed Priming with Single-Walled Carbon Nanotubes Grafted with Pluronic P85 Preserves the Functional and Structural Characteristics of Pea Plants. **2023**, 13, 1332