

# NMR Spectroscopy in the structural elucidation of oligo

Phytochemistry

31, 3307-3330

DOI: 10.1016/0031-9422(92)83678-r

Citation Report

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | NMR of carotenoids: novel experimental techniques. <i>Pure and Applied Chemistry</i> , 1991, 63, 59-70.  | 0.9 | 19        |
| 2  | Structure establishment by two-dimensional NMR spectroscopy of the product obtained in the reaction of MCPBA and himachalol and revised <sup>1</sup> H NMR assignments for himachalol. <i>Magnetic Resonance in Chemistry</i> , 1992, 30, 1079-1083. | 1.1 | 1         |
| 3  | Sequential Analysis of Oligosaccharide Structures by Selective NMR Techniques. <sup>1</sup> D Multistep-relayed COSY-ROESY. <i>Liebigs Annalen Der Chemie</i> , 1993, 1993, 751-753.   | 0.8 | 5         |
| 4  | Squarroside a, a biologically active triterpene saponin from <i>Acanthophyllum squarrosum</i> . <i>Phytochemistry</i> , 1993, 34, 489-495.   | 1.4 | 36        |
| 5  | Acylated flavonol glycosides from cabbage leaves. <i>Phytochemistry</i> , 1993, 34, 539-544.   | 1.4 | 83        |
| 6  | Norisoprenoids from <i>Centaurea aspera</i> and <i>C. salmantica</i> . <i>Phytochemistry</i> , 1993, 34, 733-736.  | 1.4 | 21        |
| 7  | Lanosterol and 27-norlanosterol oligosaccharides from the bulbs of <i>Chionodoxa gigantea</i> . <i>Phytochemistry</i> , 1993, 34, 791-797.   | 1.4 | 18        |
| 8  | Structure of a novel 22-homo-23-norcholestane trisaccharide from <i>Ornithogalum saundersiae</i> . <i>Tetrahedron Letters</i> , 1993, 34, 6073-6076.   | 0.7 | 25        |
| 9  | The glycolipid of <i>Halobacterium trapanicum</i> . <i>Lipids and Lipid Metabolism</i> , 1993, 1210, 35-40.  | 2.6 | 15        |
| 10 | Agapanthussaponins A-D, New Potent cAMP Phosphodiesterase Inhibitors from the Underground Parts of <i>Agapanthus inapertus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1993, 41, 1784-1789.  | 0.6 | 37        |
| 11 | Purification of Toxic Saponins from <i>Nartheicum asiaticum</i> Maxim... <i>Journal of Veterinary Medical Science</i> , 1993, 55, 401-407.   | 0.3 | 8         |
| 12 | Dracoside, a New Steroidal Saponin from <i>Helleborus purpurascens</i> . <i>Natural Product Research</i> , 1994, 4, 29-33.   | 0.4 | 12        |
| 13 | Polysaccharides of <i>Pleurotus ostreatus</i> : Isolation and structure of pleuran, an alkali-insoluble $\beta$ -D-glucan. <i>Carbohydrate Polymers</i> , 1994, 24, 107-111.   | 5.1 | 82        |
| 14 | Isoswertijaponin 2'-O- $\beta$ -arabinopyranoside and other flavone-C-glycosides from the Antarctic grass <i>Deschampsia antarctica</i> . <i>Phytochemistry</i> , 1994, 36, 1323-1326.   | 1.4 | 28        |
| 15 | Triterpenoid saponins from <i>Ardisia crenata</i> . <i>Phytochemistry</i> , 1994, 37, 1389-1396.   | 1.4 | 63        |
| 16 | Glucoindole alkaloids from bark of two <i>Sickingia</i> species. <i>Phytochemistry</i> , 1994, 37, 1471-1475.  | 1.4 | 12        |
| 17 | A dihydroisocoumarin glucoside from <i>Aloe hildebrandtii</i> . <i>Phytochemistry</i> , 1994, 35, 1163-1166.   | 1.4 | 23        |
| 18 | Caffeic Acid Glycoside Esters from <i>Gratiola officinalis</i> L. <i>Liebigs Annalen Der Chemie</i> , 1994, 1994, 1113-1115.   | 0.8 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Composition of <i>Pereskia guamacho</i> gum exudates. <i>Biochemical Systematics and Ecology</i> , 1994, 22, 291-295.   | 0.6 | 8         |
| 20 | Chemical Structure of the Core Region of <i>Escherichia coli</i> J-5 Lipopolysaccharide. <i>FEBS Journal</i> , 1994, 224, 751-760.  | 0.2 | 56        |
| 21 | Nucleophilic catalysis of glycoside hydrolysis. The hydrolysis of 4-nitrophenyl $\beta$ - and $\beta$ -D-glucopyranoside tetraphosphates. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1994, , 2085-2090.                            | 0.9 | 3         |
| 22 | Three New Furostanol Saponins from the Bulbs of <i>Ipheion uniflorum</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 1116-1122.  | 0.6 | 13        |
| 23 | Saponins from Vietnamese Ginseng, <i>Panax vietnamensis</i> HA et GRUSHV. Collected in Central Vietnam. II. <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 115-122.  | 0.6 | 99        |
| 24 | Triterpenoid Saponins from <i>Ardisia crenata</i> and Their Inhibitory Activity on cAMP Phosphodiesterase.. <i>Chemical and Pharmaceutical Bulletin</i> , 1994, 42, 2309-2314.  | 0.6 | 31        |
| 25 | Brodioside B, a Novel (20R,22S)-Spirostanol Tetrasaccharide from <i>Brodiaea californica</i> Tubers. <i>Chemistry Letters</i> , 1994, 23, 805-808.  | 0.7 | 1         |
| 26 | Malonylated Anthocyanins from Bulbs of Red Onion, <i>Allium cepa</i> L.. <i>Bioscience, Biotechnology and Biochemistry</i> , 1994, 58, 1324-1325.   | 0.6 | 47        |
| 27 | Structures of Toxic Steroidal Saponins from <i>Nartheccium asiaticum</i> Maxim.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 1162-1166.   | 0.6 | 12        |
| 28 | Three New Cholestane Bisdesmosides from <i>Nolina recurvata</i> Stems and Their Inhibitory Activity on cAMP Phosphodiesterase and Na <sup>+</sup> /K <sup>+</sup> ATPase.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 1180-1185.           | 0.6 | 20        |
| 29 | A novel 16,23-epoxy-5-BETA.-cholestane glycoside with potent inhibitory activity on proliferation of human peripheral blood lymphocytes from <i>Ornithogalum saundersiae</i> bulbs.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 1257-1259. | 0.6 | 22        |
| 30 | Structures of Steroidal Saponins from the Tubers of <i>Brodiaea californica</i> and Their Inhibitory Activity on Tumor Promoter-Induced Phospholipid Metabolism.. <i>Chemical and Pharmaceutical Bulletin</i> , 1995, 43, 971-976.                      | 0.6 | 19        |
| 31 | NMR spectroscopy of steroidal sapogenins and steroidal saponins: An update. <i>Magnetic Resonance in Chemistry</i> , 1995, 33, 923-953.   | 1.1 | 105       |
| 32 | Recurvosides A - E, new polyhydroxylated steroidal saponins from <i>Nolina recurvata</i> stems. <i>Tetrahedron</i> , 1995, 51, 2281-2292.   | 1.0 | 30        |
| 33 | A xanthone C-glycoside from <i>Iris nigricans</i> . <i>Phytochemistry</i> , 1995, 38, 729-731.  | 1.4 | 26        |
| 34 | Steroidal saponins from the bulbs of <i>Triteleia lactea</i> and their inhibitory activity on cyclic AMP phosphodiesterase. <i>Phytochemistry</i> , 1995, 38, 1279-1286.  | 1.4 | 54        |
| 35 | Anacardoside from the seeds of <i>Semecarpus anacardium</i> . <i>Phytochemistry</i> , 1995, 39, 405-407.  | 1.4 | 28        |
| 36 | NMR chemical shift correlations in 16, 17-dihydroxy-kauranoids: Implication for stereochemical assignments. <i>Phytochemistry</i> , 1995, 39, 929-930.  | 1.4 | 18        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Steroidal saponins from the tubers of <i>Dichelostemma multiflorum</i> and their inhibitory activity on cyclic-amp phosphodiesterase. <i>Phytochemistry</i> , 1995, 39, 1103-1110.                                       | 1.4 | 24        |
| 38 | Steroidal glycosides from <i>Allium macleanii</i> and <i>A. senescens</i> , and their inhibitory activity on tumour promoter-induced phospholipid metabolism of hela cells. <i>Phytochemistry</i> , 1995, 40, 521-525.   | 1.4 | 49        |
| 39 | Pregnane glycosides from fruits of <i>Balanites aegyptiaca</i> . <i>Phytochemistry</i> , 1995, 40, 1773-1775.  | 1.4 | 27        |
| 40 | Isolation and synthesis of $\hat{1}^2$ -miroside an antifungal furanone glucoside from <i>Prumnopitys ferruginea</i> . <i>Tetrahedron</i> , 1995, 51, 7287-7300.   | 1.0 | 21        |
| 41 | Herniaria Saponin A, A Novel Saponin from <i>Herniaria Fontanesii</i> . <i>Natural Product Research</i> , 1995, 6, 233-240.  | 0.4 | 14        |
| 42 | Studies on Tomato Glycosides. <i>ACS Symposium Series</i> , 1995, , 164-181.   | 0.5 | 5         |
| 43 | Structure of a Novel Oligosaccharide-Mycosporine-Amino Acid Ultraviolet A/B Sunscreen Pigment from the Terrestrial Cyanobacterium <i>Nostoc commune</i> . <i>Journal of Biological Chemistry</i> , 1995, 270, 8536-8539. | 1.6 | 146       |
| 44 | Structure and Biological Activity of Triterpenoids and Aromatic Compounds from Medicinal Plants. <i>Studies in Natural Products Chemistry</i> , 1995, , 113-152.   | 0.8 | 4         |
| 45 | Structure Elucidation of Three Triterpene Glycosides from the Trunk of <i>Argania spinosa</i> . <i>Journal of Natural Products</i> , 1996, 59, 193-195.  | 1.5 | 24        |
| 46 | Antifungal and Molluscicidal Saponins from <i>Serjania salzmanniana</i> . <i>Journal of Natural Products</i> , 1996, 59, 431-435.  | 1.5 | 65        |
| 47 | Sarcodictyin A and Two Novel Diterpenoid Glycosides, Eleuthosides A and B, from the Soft Coral <i>Eleutherobia aurea</i> . <i>Journal of Natural Products</i> , 1996, 59, 873-875.                                       | 1.5 | 68        |
| 48 | Sindurool and Nephthoside: A New Tetraprenyltoluquinols from the Soft Coral <i>Sinularia dura</i> and <i>Nephtheasp.</i> . <i>Journal of Natural Products</i> , 1996, 59, 262-266.                                       | 1.5 | 29        |
| 49 | Studies on the Constituents of <i>Cyclanthera pedata</i> (Caigua) Seeds: Isolation and Characterization of Six New Cucurbitacin Glycosides. <i>Journal of Agricultural and Food Chemistry</i> , 1996, 44, 2020-2025.     | 2.4 | 19        |
| 50 | Triterpenoids from <i>Adina rubella</i> . <i>Journal of Natural Products</i> , 1996, 59, 304-307.  | 1.5 | 29        |
| 51 | Four New Triterpene Glycosides from <i>Schefflera bodinieri</i> Roots. <i>Journal of Natural Products</i> , 1996, 59, 1043-1046.   | 1.5 | 10        |
| 52 | A Systematic NMR Approach for the Determination of the Molecular Structure of Steroidal Saponins. <i>Advances in Experimental Medicine and Biology</i> , 1996, 405, 299-315.   | 0.8 | 13        |
| 53 | Carbohydrate Structure and Dynamics from NMR. , 1996, , 313-344.   |     | 4         |
| 54 | A New Furostanol Saponin with Six Sugars from the Bulbs of <i>Allium sphaerosephalon</i> Structural Elucidation by Modern NMR Techniques. <i>Chemistry Letters</i> , 1996, 25, 431-432.                                  | 0.7 | 9         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Nuclear Magnetic Resonance Spectroscopic Approaches for the Determination of Interglycosidic Linkage and Sequence in Oligosaccharides. , 1996, 7, 113-130.   |     | 18        |
| 56 | Structural characterisation of xyloglucan secreted by suspension-cultured cells of <i>Nicotiana plumbaginifolia</i> . <i>Carbohydrate Research</i> , 1996, 293, 147-172.   | 1.1 | 80        |
| 57 | Three new glycolipids from a Red Sea sponge of the genus <i>Erylus</i> . <i>Tetrahedron</i> , 1996, 52, 7921-7928.   | 1.0 | 21        |
| 58 | Detailed FAB-mass spectrometry and high resolution NMR investigations of tricolorins A-E, individual oligosaccharides from the resins of <i>Ipomoea tricolor</i> (Convolvulaceae). <i>Tetrahedron</i> , 1996, 52, 13063-13080. | 1.0 | 49        |
| 59 | Three novel rearranged cholestane glycosides from <i>Ornithogalum saundersiae</i> bulbs and their cytostatic activities on leukemia HL-60 and MOLT-4 cells. <i>Tetrahedron Letters</i> , 1996, 37, 1245-1248.                  | 0.7 | 24        |
| 60 | Chemical and spectroscopic studies of the gum polysaccharide from <i>Acacia macracantha</i> . <i>Carbohydrate Polymers</i> , 1996, 29, 247-252.  | 5.1 | 25        |
| 61 | Scrokoelzside A, A triterpene glycoside from <i>Scrophularia koelzii</i> . <i>Phytochemistry</i> , 1996, 41, 879-882.  | 1.4 | 16        |
| 62 | An acylated isorhamnetin glycoside from <i>Herniaria fontanesii</i> . <i>Phytochemistry</i> , 1996, 41, 989-990.   | 1.4 | 11        |
| 63 | A pyrroline glucoside ester and steroidal saponins from <i>Lilium martagon</i> . <i>Phytochemistry</i> , 1996, 41, 1225-1230.  | 1.4 | 34        |
| 64 | Steroidal saponins from the underground parts of <i>Chlorophytum comosum</i> and their inhibitory activity on tumour promoter-induced phospholipids metabolism of hela cells. <i>Phytochemistry</i> , 1996, 41, 1405-1410.     | 1.4 | 45        |
| 65 | Strictosidine glucosidase from suspension cultured cells of <i>Tabernaemontana divaricata</i> . <i>Phytochemistry</i> , 1996, 41, 1451-1456.   | 1.4 | 16        |
| 66 | The glycosidic precursor of (Z)-5-ethylidene-2(5H)-furanone in <i>Halocarpus biformis</i> juvenile foliage. <i>Phytochemistry</i> , 1996, 42, 453-459.   | 1.4 | 17        |
| 67 | Steroidal saponins from <i>Hosta longipes</i> and their inhibitory activity on tumour promoter-induced phospholipid metabolism of HeLa Cells. <i>Phytochemistry</i> , 1996, 42, 1065-1070.                                     | 1.4 | 37        |
| 68 | Matesaponin 5, a highly polar saponin from <i>Ilex paraguariensis</i> . <i>Phytochemistry</i> , 1996, 42, 1119-1122.   | 1.4 | 42        |
| 69 | 27-nor-triterpenoid glycosides from <i>Adina rubella</i> . <i>Phytochemistry</i> , 1996, 42, 1391-1393.  | 1.4 | 8         |
| 70 | Aliphatic and aromatic glycosides from the cell cultures of <i>Lycopersicon esculentum</i> . <i>Phytochemistry</i> , 1996, 42, 1031-1034.  | 1.4 | 67        |
| 71 | Steroidal saponins from <i>Nolina recurvata</i> stems and their inhibitory activity on cyclic AMP phosphodiesterase. <i>Phytochemistry</i> , 1996, 42, 1609-1615.  | 1.4 | 59        |
| 72 | Steroidal glycosides from <i>Tribulus terrestris</i> . <i>Phytochemistry</i> , 1996, 42, 1677-1681.  | 1.4 | 64        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Aferoside A, a steroidal saponin from <i>Costus afer</i> . <i>Phytochemistry</i> , 1996, 43, 665-668.  | 1.4 | 18        |
| 74 | Isoflavenes from the roots of <i>Cicer judaicum</i> . <i>Phytochemistry</i> , 1996, 43, 695-700.   | 1.4 | 34        |
| 75 | Steroidal saponins from <i>Sansevieria trifasciata</i> . <i>Phytochemistry</i> , 1996, 43, 1325-1331.  | 1.4 | 50        |
| 76 | Hydroxycinnamoyl ester glycosides and saponins from flowers of <i>Verbascum phlomoides</i> . <i>Phytochemistry</i> , 1996, 43, 1281-1284.  | 1.4 | 33        |
| 77 | Triterpene glycosides from <i>Schefflera bodinieri</i> roots. <i>Phytochemistry</i> , 1996, 43, 1313-1318.   | 1.4 | 6         |
| 78 | Triterpenoids and a triterpene glycoside from <i>Schefflera bodinieri</i> leaves. <i>Phytochemistry</i> , 1996, 43, 1307-1311.   | 1.4 | 8         |
| 79 | Structural analysis of carrageenans from Burmese and Thai samples of <i>Catenella nipae</i> Zanardini. <i>Carbohydrate Research</i> , 1996, 285, 81-98.  | 1.1 | 39        |
| 80 | New Saponins from <i>Mussaenda pubescens</i> . <i>Natural Product Research</i> , 1996, 8, 119-126.   | 0.4 | 8         |
| 81 | Bioactive Polyacetylenes from <i>Bidens pilosa</i> . <i>Planta Medica</i> , 1996, 62, 355-357.   | 0.7 | 48        |
| 82 | Antineoplastic Agents II: Four Furostanol Glycosides from Rhizomes of <i>Dioscorea collettiivar.hypoglauca</i> . <i>Planta Medica</i> , 1997, 63, 161-165.   | 0.7 | 92        |
| 83 | Bioconversion of Salicylamide by Cell Suspension Cultures of <i>Solanum mammosum</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 1997, 45, 555-557.   | 0.6 | 11        |
| 84 | Further Metabolic Studies of Indole and Sugar Derivatives Using the Staurosporine Producer <i>Streptomyces staurosporeus</i> €. <i>Journal of Natural Products</i> , 1997, 60, 230-235.                                      | 1.5 | 19        |
| 85 | Proteoglycans and Related Components in Plant Cells. <i>International Review of Cytology</i> , 1997, 174, 195-291.   | 6.2 | 354       |
| 86 | New Hemiterpene Glycosides in <i>Vitis vinifera</i> Wine. <i>Journal of Natural Products</i> , 1997, 60, 1326-1327.  | 1.5 | 6         |
| 87 | New Acylated Sulfoglycolipids and Digalactolipids and Related Known Glycolipids from Cyanobacteria with a Potential To Inhibit the Reverse Transcriptase of HIV-1. <i>Journal of Natural Products</i> , 1997, 60, 1251-1260. | 1.5 | 125       |
| 88 | Three New Oleanane Saponins from <i>Zanha africana</i> . <i>Journal of Natural Products</i> , 1997, 60, 191-194.   | 1.5 | 10        |
| 89 | Pregnane Glycosides. <i>Progress in the Chemistry of Organic Natural Products</i> , 1997, 71, 169-325.   | 0.8 | 28        |
| 90 | Brodiosaponins A-F, Six New Polyhydroxylated Steroidal Saponins from the Tubers of <i>Brodiaea californica</i> . <i>Journal of Natural Products</i> , 1997, 60, 592-597.   | 1.5 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Quantification and Characterization of Anthocyanins in Balaton Tart Cherries. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 2556-2560.  | 2.4 | 75        |
| 92  | Membrane lipids of <i>Rhodospseudomonas viridis</i> . <i>Lipids and Lipid Metabolism</i> , 1997, 1347, 151-163.   | 2.6 | 28        |
| 93  | Chemistry and functional distribution of sulfoglycolipids. <i>Progress in Lipid Research</i> , 1997, 36, 245-319.   | 5.3 | 273       |
| 94  | Structural and Serological Characterisation of the O-Antigenic Polysaccharide of the Lipopolysaccharide from <i>Acinetobacter Junii</i> Strain 65. <i>FEBS Journal</i> , 1997, 245, 477-481.        | 0.2 | 31        |
| 95  | Isolation and structural characterization of new glyclipid ester type dimers from the resin of <i>Ipomoea tricolor</i> (Convolvulaceae). <i>Tetrahedron</i> , 1997, 53, 9007-9022.                  | 1.0 | 48        |
| 96  | Novel cholestane glycosides from the bulbs of <i>Ornithogalum saundersiae</i> and their cytostatic activity on leukemia HL-60 and MOLT-4 cells. <i>Tetrahedron</i> , 1997, 53, 11549-11562.         | 1.0 | 67        |
| 97  | Annphenone, a phenolic acetophenone from <i>Artemisia annua</i> . <i>Phytochemistry</i> , 1997, 44, 555-557.  | 1.4 | 23        |
| 98  | Pregnane glycosides from <i>Sansevieria trifasciata</i> . <i>Phytochemistry</i> , 1997, 44, 107-111.  | 1.4 | 33        |
| 99  | Leonticins D-H, five triterpene saponins from <i>Leontice kiangnanensis</i> . <i>Phytochemistry</i> , 1997, 44, 497-504.  | 1.4 | 25        |
| 100 | Steroidal glycosides from the underground parts of <i>Hosta plantaginea</i> var. <i>japonica</i> and their cytostatic activity on leukaemia HL-60 cells. <i>Phytochemistry</i> , 1997, 44, 305-310. | 1.4 | 32        |
| 101 | Two quinoline alkaloids from the caribbean cyanobacterium <i>Lyngbya majuscula</i> . <i>Phytochemistry</i> , 1997, 45, 1087-1090.   | 1.4 | 31        |
| 102 | Triterpenes and triterpenoid saponins from <i>Mussaenda pubescens</i> . <i>Phytochemistry</i> , 1997, 45, 1073-1078.  | 1.4 | 37        |
| 103 | Sitosterol sucroside from the suckers of <i>Mentha arvensis</i> . <i>Phytochemistry</i> , 1997, 45, 1295-1296.  | 1.4 | 5         |
| 104 | Hydroxycinnamic acid esters from broccoli florets. <i>Phytochemistry</i> , 1997, 45, 1683-1687.   | 1.4 | 51        |
| 105 | A triterpene glycoside from <i>Scrophularia koelzii</i> . <i>Phytochemistry</i> , 1997, 45, 1717-1719.  | 1.4 | 12        |
| 106 | Five tetrahydroisoquinoline-monoterpene glycosides with a disaccharide moiety from <i>Alangium lamarckii</i> . <i>Phytochemistry</i> , 1997, 46, 1225-1229.   | 1.4 | 13        |
| 107 | A stilbene xyloside from <i>Holodiscus discolor</i> bark. <i>Phytochemistry</i> , 1997, 46, 175-176.  | 1.4 | 12        |
| 108 | Structural characterisation of galactoglucomannan secreted by suspension-cultured cells of <i>Nicotiana glauca</i> . <i>Carbohydrate Research</i> , 1997, 303, 79-92.                               | 1.1 | 76        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Autocatalytic oxidation of primary hydroxyl functions in glucans with nitrogen oxides. Carbohydrate Research, 1997, 304, 117-123.   | 1.1 | 25        |
| 110 | Composition and content of flavonol glycosides in broccoli florets ( <i>Brassica olearacea</i> ) and their fate during cooking. Journal of the Science of Food and Agriculture, 1998, 77, 468-472.  | 1.7 | 127       |
| 111 | The molecular characterization of the polysaccharide gum from <i>Laguncularia racemosa</i> . Carbohydrate Polymers, 1998, 35, 205-213.  | 5.1 | 11        |
| 112 | A phloracetophenone glucoside from <i>Rhododendron ferrugineum</i> . Phytochemistry, 1998, 47, 87-88.   | 1.4 | 28        |
| 113 | Saponins from the stem bark of <i>Filicium decipiens</i> . Phytochemistry, 1998, 47, 441-449.   | 1.4 | 31        |
| 114 | An 8-hydroxylated external flavone and its 8-O-glucoside from <i>Becium grandiflorum</i> . Phytochemistry, 1998, 47, 779-782.   | 1.4 | 23        |
| 115 | A triterpenoid saponin from <i>Cyclamen coum</i> . Phytochemistry, 1998, 48, 881-884.   | 1.4 | 15        |
| 116 | A furostanol saponin from fruits of <i>Balanites aegyptiaca</i> . Phytochemistry, 1998, 48, 755-757.  | 1.4 | 37        |
| 117 | Ascaulitoxin, a phytotoxic bis-amino acid N-glucoside from <i>Ascochyta caulina</i> . Phytochemistry, 1998, 48, 1131-1137.  | 1.4 | 42        |
| 118 | Flavonoid cellobiosides from <i>Salvia uliginosa</i> . Phytochemistry, 1998, 48, 389-393.   | 1.4 | 37        |
| 119 | Dihydroflavonol glycosides from <i>rhododendron ferrugineum</i> . Phytochemistry, 1998, 49, 1431-1433.  | 1.4 | 37        |
| 120 | A cyanogenic glycoside from <i>Passiflora edulis</i> fruits. Phytochemistry, 1998, 49, 757-759.   | 1.4 | 28        |
| 121 | Hopane-type saponins from <i>Polycarpon succulentum</i> II. Phytochemistry, 1998, 48, 1415-1421.  | 1.4 | 7         |
| 122 | Synthesis of cardenolide glycosides and putative biosynthetic precursors of cardenolide glycosides. Steroids, 1998, 63, 44-49.  | 0.8 | 18        |
| 123 | Flavonol Glycosides from the Seed Coat of a New Manteca-Type Dry Bean ( <i>Phaseolus vulgaris</i> L.). Journal of Agricultural and Food Chemistry, 1998, 46, 2906-2910.   | 2.4 | 64        |
| 124 | Isolation and Structure Elucidation of New PKC $\pm$ Inhibitors from <i>Pinus flexilis</i> . Journal of Natural Products, 1998, 61, 1407-1409.  | 1.5 | 30        |
| 125 | Aculeoside B, a New Bisdesmosidic Spirostanol Saponin from the Underground Parts of <i>Ruscus aculeatus</i> . Journal of Natural Products, 1998, 61, 1279-1282.   | 1.5 | 19        |
| 126 | Restoration of the Activity of Active-Site Mutants of the Hyperthermophilic $\beta$ -Glycosidase from <i>Sulfolobus solfataricus</i> : A Dependence of the Mechanism on the Action of External Nucleophiles. Biochemistry, 1998, 37, 17262-17270. | 1.2 | 110       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Alkaline Degradation of Oligosaccharides Coupled with Matrix-Assisted Laser Desorption/Ionization Fourier Transform Mass Spectrometry: A Method for Sequencing Oligosaccharides. <i>Analytical Chemistry</i> , 1998, 70, 663-672.  | 3.2 | 86        |
| 128 | Multiple-Stage Tandem Mass Spectrometry for Structural Characterization of Saponins. <i>Analytical Chemistry</i> , 1998, 70, 4401-4409.  | 3.2 | 55        |
| 129 | Elucidation of the Structure and Conformation of Red Radish ( <i>Raphanus sativus</i> ) Anthocyanins Using One- and Two-Dimensional Nuclear Magnetic Resonance Techniques. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 4858-4863.  | 2.4 | 76        |
| 130 | Two Acylated Diarylheptanoid Glycosides from Red Alder Bark. <i>Journal of Natural Products</i> , 1998, 61, 1292-1294.   | 1.5 | 20        |
| 131 | Two New Isoflavones from <i>Ceiba pentandra</i> and Their Effect on Cyclooxygenase-Catalyzed Prostaglandin Biosynthesis. <i>Journal of Natural Products</i> , 1998, 61, 8-12.  | 1.5 | 42        |
| 132 | Antioxidant Flavonoid Glycosides from <i>Daphniphyllum calycinum</i> 1. <i>Journal of Natural Products</i> , 1998, 61, 706-708.  | 1.5 | 103       |
| 133 | Triterpenoid Saponins from <i>Aster auriculatus</i> . <i>Journal of Asian Natural Products Research</i> , 1998, 1, 1-14.   | 0.7 | 6         |
| 134 | Xanthenes from <i>Halenia corniculata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 1998, 46, 1827-1828.   | 0.6 | 7         |
| 135 | Synthesis of Disaccharides Related to the O-Specific Side Chains from <i>E. coli</i> O126 & O128 Lipopolysaccharides. <i>Journal of Carbohydrate Chemistry</i> , 1999, 18, 87-97.  | 0.4 | 4         |
| 136 | Isolation and characterization of linear poly lactosamines containing one and two site-specifically positioned Lewis x determinants: WGA agarose chromatography in fractionation of mixtures generated by random, partial enzymatic alpha3-fucosylation of pure poly lactosamines. <i>Glycobiology</i> , 1999, 9, 517-526. | 1.3 | 12        |
| 137 | Antineoplastic Agents III: Steroidal Glycosides from <i>Solanum nigrum</i> . <i>Planta Medica</i> , 1999, 65, 035-038.   | 0.7 | 103       |
| 138 | A New Chromene Glucoside from <i>Ageratum conyzoides</i> . <i>Planta Medica</i> , 1999, 65, 171-172.   | 0.7 | 11        |
| 139 | Structure Elucidation of Glycan of Glycoconjugate LbGp3 Isolated from the Fruit of <i>Lycium barbarum</i> . <i>Journal of Asian Natural Products Research</i> , 1999, 1, 259-267.  | 0.7 | 38        |
| 140 | Bisdesmosidic pregnane glycosides from <i>Caralluma lasiantha</i> 1 Part VIII in the series 'Studies on the C-21 steroids from Asclepiadaceous plants', For part VII see Luo, Lin, Cordell, Xue & Johnson, 1993.1. <i>Phytochemistry</i> , 1999, 50, 485-491.  | 1.4 | 33        |
| 141 | C- and O-Glycosyl- $\beta$ -hydroxydihydrochalcones from <i>Eysenhardtia polystachya</i> . <i>Phytochemistry</i> , 1999, 50, 681-687.  | 1.4 | 35        |
| 142 | Biotransformation of o- and p-aminobenzoic acids and N-acetyl p-aminobenzoic acid by cell suspension cultures of <i>Solanum mammosum</i> . <i>Phytochemistry</i> , 1999, 51, 615-620.  | 1.4 | 24        |
| 143 | $\beta$ -Carboline glucoalkaloids from <i>Strychnos meliodora</i> . <i>Phytochemistry</i> , 1999, 51, 1171-1176.   | 1.4 | 23        |
| 144 | A new C-glycosyl xanthone isolated from <i>Davallia solida</i> . <i>Phytochemistry</i> , 1999, 52, 1677-1679.  | 1.4 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Saponins and polar compounds from <i>Trifolium resupinatum</i> . <i>Phytochemistry</i> , 1999, 51, 1065-1067.   | 1.4 | 28        |
| 146 | A saponin with anti-ulcerogenic effect from the flowers of <i>Spartium junceum</i> . <i>Phytochemistry</i> , 1999, 51, 903-908.   | 1.4 | 39        |
| 147 | Chemical composition and production of exopolysaccharides from representative members of heterocystous and non-heterocystous cyanobacteria. <i>Phytochemistry</i> , 1999, 52, 639-647.                      | 1.4 | 154       |
| 148 | An acetylated anthocyanin from the blue petals of <i>Salvia uliginosa</i> . <i>Phytochemistry</i> , 1999, 52, 517-521.  | 1.4 | 14        |
| 149 | Flavonoid glucuronides from <i>Picria fel-terrae</i> . <i>Phytochemistry</i> , 1999, 52, 1701-1703.   | 1.4 | 13        |
| 150 | Ultrasonic depolymerization of the chitin-glucan isolated from <i>Aspergillus niger</i> . <i>Reactive and Functional Polymers</i> , 1999, 42, 265-271.  | 2.0 | 14        |
| 151 | Separation and structural analysis of saponins in a bark extract from <i>Quillaja saponaria</i> Molina. <i>Carbohydrate Research</i> , 1999, 320, 70-81.  | 1.1 | 65        |
| 152 | Chemical and immunochemical studies of the O-antigen from enteropathogenic <i>Escherichia coli</i> O158 lipopolysaccharide. <i>Carbohydrate Research</i> , 1999, 322, 219-227.                              | 1.1 | 22        |
| 153 | Separation and structural analysis of some saponins from <i>Quillaja saponaria</i> Molina. <i>Carbohydrate Research</i> , 1999, 323, 87-97.   | 1.1 | 25        |
| 154 | Synthesis of homo- and hetero-oligosaccharides by Thai rosewood $\beta$ -glucosidase. <i>Biotechnology Letters</i> , 1999, 21, 947-951.   | 1.1 | 16        |
| 155 | Phenolic Glycosides from <i>Dirca palustris</i> . <i>Journal of Natural Products</i> , 1999, 62, 1558-1561.   | 1.5 | 26        |
| 156 | Characterization of a biosurfactant, mannosylerythritol lipid produced from <i>Candida</i> sp. SY16. <i>Applied Microbiology and Biotechnology</i> , 1999, 52, 713-721.                                     | 1.7 | 97        |
| 157 | Structural elucidation of glycosides from <i>Solanum amygdalifolium</i> . , 1999, 10, 194-197.  |     | 3         |
| 158 | Studies on the Constituents of <i>Cyclanthera pedata</i> Fruits: Isolation and Structure Elucidation of New Triterpenoid Saponins. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 4512-4519. | 2.4 | 17        |
| 159 | Arabinogalactan-proteins in the Multiple Domains of the Plant Cell Surface. <i>Advances in Botanical Research</i> , 1999, 30, 207-289.  | 0.5 | 60        |
| 160 | Four New Diarylheptanoid Glycosides From <i>Alnus Rubra</i> Bark. <i>Natural Product Research</i> , 1999, 13, 75-80.  | 0.4 | 16        |
| 161 | Triterpene Saponins and Lignans from the Roots of <i>Pulsatilla chinensis</i> and Their Cytotoxic Activity against HL-60 Cells. <i>Journal of Natural Products</i> , 1999, 62, 1279-1283.                   | 1.5 | 75        |
| 162 | Antineoplastic steroidal saponins from rhizomes of <i>Dioscorea collettii</i> var. <i>Hypoglauca</i> . <i>Studies in Plant Science</i> , 1999, , 220-229.   | 0.5 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | A New Pregnane Glycoside from <i>Dioscorea collettiivar.hypoglauca</i> . <i>Journal of Natural Products</i> , 1999, 62, 299-301.  | 1.5 | 54        |
| 164 | A Cytotoxic Triterpene Saponin from the Root Bark of <i>Aralia dasycphylla</i> . <i>Journal of Natural Products</i> , 1999, 62, 1030-1032.                                    | 1.5 | 21        |
| 165 | Activity of Triterpenoid Glycosides from the Root Bark of <i>Mussaenda macrophylla</i> against Two Oral Pathogens. <i>Journal of Natural Products</i> , 1999, 62, 1379-1384.  | 1.5 | 54        |
| 166 | Flavonol Glycosides from the Seed Coat of a New Manteca-Type Dry Bean ( <i>Phaseolus vulgaris</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 352-352. | 2.4 | 16        |
| 167 | Microbial Transformation of Sampangine. <i>Journal of Natural Products</i> , 1999, 62, 988-992.   | 1.5 | 40        |
| 168 | First Total Synthesis of an Exceptionally Potent Antitumor Saponin, OSW-1. <i>Journal of Organic Chemistry</i> , 1999, 64, 202-208.   | 1.7 | 141       |
| 169 | Tryptophan glycoconjugates in food and human urine*. <i>Biochemical Journal</i> , 1999, 343, 11.  | 1.7 | 16        |
| 170 | Triterpenoid saponins from <i>Aster auriculatus</i> . <i>Studies in Plant Science</i> , 1999, 6, 155-162.   | 0.5 | 1         |
| 171 | Tryptophan glycoconjugates in food and human urine. <i>Biochemical Journal</i> , 1999, 343, 11-19.  | 1.7 | 66        |
| 172 | Use of Nuclear Magnetic Resonance Spectroscopy in Evaluation of Ganglioside Structure, Conformation, and Dynamics. <i>Methods in Enzymology</i> , 2000, 312, 247-272.         | 0.4 | 22        |
| 173 | Microbial models of mammalian metabolism. Sampangines. <i>Studies in Natural Products Chemistry</i> , 2000, 23, 3-49.   | 0.8 | 3         |
| 174 | Ardisimamillosides C-F, Four New Triterpenoid Saponins from <i>Ardisia mamillata</i> .. <i>Chemical and Pharmaceutical Bulletin</i> , 2000, 48, 1413-1417.                    | 0.6 | 19        |
| 175 | Ion trap multiple-stage tandem mass spectrometry as a pre-NMR tool in the structure elucidation of saponins. <i>Phytochemical Analysis</i> , 2000, 11, 190-198.               | 1.2 | 18        |
| 176 | A New Flavonoid from <i>Limonium axillare</i> . <i>Archiv Der Pharmazie</i> , 2000, 333, 275-277.   | 2.1 | 19        |
| 177 | Transglycosylation reactions with a crude culture filtrate from <i>Thermoascus aurantiacus</i> . <i>Carbohydrate Research</i> , 2000, 327, 483-487.                           | 1.1 | 5         |
| 178 | Novel acetylated triterpenoid saponins in a chromatographic fraction from <i>Quillaja saponaria</i> Molina. <i>Carbohydrate Research</i> , 2000, 329, 817-829.                | 1.1 | 35        |
| 179 | Preparation of a sulfated linear (1 $\rightarrow$ 4)- $\beta$ -D-galactan with variable degrees of sulfation. <i>Carbohydrate Polymers</i> , 2000, 41, 185-190.               | 5.1 | 45        |
| 180 | Triterpenoid saponins containing an acetylated branched D-fucosyl residue from <i>Quillaja saponaria</i> Molina. <i>Phytochemistry</i> , 2000, 53, 861-868.                   | 1.4 | 40        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Monoterpene and pregnane glucosides from <i>Solenostemma argel</i> . <i>Phytochemistry</i> , 2000, 53, 937-940.  | 1.4  | 34        |
| 182 | Sequence specific analysis of the heterogeneous glycan chain from peanut peroxidase by 1 H-NMR spectroscopy. <i>Phytochemistry</i> , 2000, 53, 135-144.                                    | 1.4  | 10        |
| 183 | Minor diarylheptanoid glycosides of <i>Alnus rubra</i> bark. <i>Phytochemistry</i> , 2000, 53, 971-973.  | 1.4  | 25        |
| 184 | 6-Hydroxyluteolin-7-O-(1- $\beta$ -D-rhamnoside) from <i>Vriesea sanguinolenta</i> Cogn. and Marchal (Bromeliaceae). <i>Phytochemistry</i> , 2000, 53, 965-969.                            | 1.4  | 15        |
| 185 | Benzophenone glycosides from <i>Gnidia involucreta</i> . <i>Phytochemistry</i> , 2000, 54, 883-889.  | 1.4  | 57        |
| 186 | Steroidal saponins from the leaves of <i>Cestrum sendtnerianum</i> . <i>Phytochemistry</i> , 2000, 55, 715-720.  | 1.4  | 27        |
| 187 | Characterization of some O-acetylated saponins from <i>Quillaja saponaria</i> Molina. <i>Phytochemistry</i> , 2000, 54, 615-623.   | 1.4  | 37        |
| 188 | Triterpenoid saponins from <i>Ardisia mamillata</i> . <i>Phytochemistry</i> , 2000, 54, 817-822.   | 1.4  | 30        |
| 189 | Structural studies of triterpenoid saponins with new acyl components from <i>Quillaja saponaria</i> Molina. <i>Phytochemistry</i> , 2000, 55, 419-428.                                     | 1.4  | 49        |
| 190 | Structural studies of the glycopeptides of B-chain of cinnamomin—a type II ribosome-inactivating protein by nuclear magnetic resonance. <i>Glycoconjugate Journal</i> , 2000, 17, 749-759. | 1.4  | 9         |
| 191 | Two-dimensional NMR Spectroscopy and Structures of Six Lipid A Species from <i>Rhizobium etli</i> CE3. <i>Journal of Biological Chemistry</i> , 2000, 275, 28017-28027.                    | 1.6  | 77        |
| 192 | Synthesis of a Di- and a Trisaccharide Related to the Repeating Unit of <i>E. coli</i> O128 Lipopolysaccharide. <i>Journal of Carbohydrate Chemistry</i> , 2000, 19, 243-251.              | 0.4  | 0         |
| 193 | Carbohydrate Structural Determination by NMR Spectroscopy: A Modern Methods and Limitations. <i>Chemical Reviews</i> , 2000, 100, 4589-4614.   | 23.0 | 656       |
| 194 | Inverting character of $\beta$ -glucuronidase A from <i>Aspergillus tubingensis</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2000, 1474, 360-364.                       | 1.1  | 44        |
| 195 | A New Isoflavone Glucoside from <i>Pterocarpus santalinus</i> . <i>Journal of Asian Natural Products Research</i> , 2000, 2, 219-223.  | 0.7  | 16        |
| 196 | Retamatrioside, a New Flavonol Triglycoside from <i>Retamasphaerocarpa</i> . <i>Journal of Natural Products</i> , 2000, 63, 248-250.   | 1.5  | 11        |
| 197 | Stilbene Glycoside Sulfates from <i>Polygonum cuspidatum</i> . <i>Journal of Natural Products</i> , 2000, 63, 1373-1376.   | 1.5  | 61        |
| 198 | New Lanostanoids of <i>Ganoderma sngae</i> . <i>Journal of Natural Products</i> , 2000, 63, 514-516.   | 1.5  | 49        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | New Lignan Glycosides with Potent Antiinflammatory Effect, Isolated from <i>Justicia cilata</i> . <i>Journal of Natural Products</i> , 2000, 63, 1560-1562.   | 1.5 | 64        |
| 200 | Cytotoxic Saponins from Bulbs of <i>Allium porrum</i> L. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 3455-3462.   | 2.4 | 68        |
| 201 | Flavonol Glycosides and Novel Iridoid Glycoside from the Leaves of <i>Morinda citrifolia</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 4478-4481.   | 2.4 | 68        |
| 202 | Three New Acylated Triterpene Saponins from <i>Acanthophyllum squarrosum</i> . <i>Journal of Natural Products</i> , 2001, 64, 920-924.  | 1.5 | 14        |
| 203 | Flavonol Glycosides and Steroidal Saponins from the Leaves of <i>Cestrum nocturnum</i> and Their Cytotoxicity. <i>Journal of Natural Products</i> , 2001, 64, 17-22.  | 1.5 | 49        |
| 204 | Two New Chlorinated Naphthalene Glycosides from <i>Rumex patientia</i> . <i>Journal of Natural Products</i> , 2001, 64, 688-690.  | 1.5 | 16        |
| 205 | Isolation and Characterization of Novel Benzoates, Cinnamates, Flavonoids, and Lignans from Riesling Wine and Screening for Antioxidant Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 2788-2798.                | 2.4 | 291       |
| 206 | Cytotoxic Constituents of the Fruits of <i>Cananga odorata</i> . <i>Journal of Natural Products</i> , 2001, 64, 616-619.  | 1.5 | 84        |
| 207 | Two Novel Flavonoid Glycosides from <i>Crataegus Pinnatifida</i> . <i>Journal of Asian Natural Products Research</i> , 2001, 3, 77-82.  | 0.7 | 18        |
| 208 | Saponin Glycosides from <i>Osteospermum vaillantii</i> . <i>Pharmaceutical Biology</i> , 2001, 39, 440-444.   | 1.3 | 4         |
| 209 | A New Unusual Iridoid with Inhibition of Activator Protein-1 (AP-1) from the Leaves of <i>Morinda citrifolia</i> L. <i>Organic Letters</i> , 2001, 3, 1307-1309.  | 2.4 | 28        |
| 210 | Seven New Sesquiterpene Glycosides from the Root Bark of <i>Dictamnus dasycarpus</i> . <i>Journal of Natural Products</i> , 2001, 64, 935-938.  | 1.5 | 40        |
| 211 | Iridoid Glycosides from the Leaves of <i>Morinda citrifolia</i> . <i>Journal of Natural Products</i> , 2001, 64, 799-800.   | 1.5 | 37        |
| 212 | Studies on the Constituents of <i>Cyclanthera pedata</i> Fruits: Isolation and Structure Elucidation of New Flavonoid Glycosides and Their Antioxidant Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 5156-5160. | 2.4 | 24        |
| 213 | Triterpene Saponins from <i>Tupidanthus calyptratus</i> . <i>Journal of Natural Products</i> , 2001, 64, 750-753.   | 1.5 | 12        |
| 214 | Four New Steroidal Saponins from the Seeds of <i>Allium tuberosum</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 1475-1478.  | 2.4 | 29        |
| 215 | Latifoliosides I and J, Two New Triterpenoid Saponins from the Bark of <i>Ilex latifolia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 239-241.   | 0.6 | 19        |
| 216 | Latifoliosides K and L, Two New Triterpenoid Saponins from the Bark of <i>Ilex latifolia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2001, 49, 765-767.   | 0.6 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Limnantheoside C (20-Hydroxyecdysone 3-O-β-D-glucopyranosyl- [1→3]-β-D-xylopyranoside), a Phytoecdysteroid from Seeds of <i>Limnanthes alba</i> (Limnathaceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2001, 56, 988-994. | 0.6 | 11        |
| 218 | Reactions of tryptophan with carbohydrates: Identification of pentose-derived tryptophan glycoconjugates in food. <i>European Food Research and Technology</i> , 2001, 213, 439-447.  | 1.6 | 3         |
| 219 | The first synthesis of tetraglucosyl glucitol having phytoalexin-elicitor activity in rice cells based on a sequential glycosylation strategy. <i>Tetrahedron Letters</i> , 2001, 42, 9191-9194.  | 0.7 | 13        |
| 220 | Ecdysteroids and bufadienolides from <i>Helleborus torquatus</i> (Ranunculaceae). <i>Phytochemistry</i> , 2001, 57, 401-407.  | 1.4 | 34        |
| 221 | Natural and synthetic benzophenones: interaction with the cytosolic binding domain of P-glycoprotein. <i>Phytochemistry</i> , 2001, 57, 553-557.  | 1.4 | 32        |
| 222 | Penicillosides A-C, C-15 oxypregnane glycosides from <i>Caralluma penicillata</i> . <i>Phytochemistry</i> , 2001, 57, 1213-1217.  | 1.4 | 35        |
| 223 | Flavonoid ketohexosefuranosides from the leaves of <i>Crataegus pinnatifida</i> Bge. var. <i>major</i> N.E.Br.. <i>Phytochemistry</i> , 2001, 57, 1249-1253.  | 1.4 | 55        |
| 224 | Isoflavonoid glycosides from <i>Dalbergia sissoo</i> . <i>Phytochemistry</i> , 2001, 57, 1263-1268.   | 1.4 | 36        |
| 225 | Characterisation of a sugar fraction from <i>Sarcocephalus latifolius</i> stem bark extract. <i>Carbohydrate Polymers</i> , 2001, 45, 155-160.  | 5.1 | 9         |
| 226 | A malonylated anthocyanin and flavonols in blue <i>Meconopsis</i> flowers. <i>Phytochemistry</i> , 2001, 56, 373-376.   | 1.4 | 43        |
| 227 | Polyphenolic compounds from <i>Geranium pratense</i> and their free radical scavenging activities. <i>Phytochemistry</i> , 2001, 56, 189-193.   | 1.4 | 47        |
| 228 | Citrifolinin , a new unusual iridoid with inhibition of Activator Protein-1 (AP-1) from the leaves of noni ( <i>Morinda citrifolia</i> L.). <i>Tetrahedron Letters</i> , 2001, 42, 1823-1825.   | 0.7 | 27        |
| 229 | Novel stilbenes isolated from the root bark of <i>Ekebergia benguelensis</i> . <i>Tetrahedron Letters</i> , 2001, 42, 3685-3688.  | 0.7 | 25        |
| 230 | Lipase-catalyzed regioselective acylation of diosgenyl saponins. <i>Tetrahedron Letters</i> , 2001, 42, 5513-5516.  | 0.7 | 20        |
| 231 | Securiosides A and B, novel acylated triterpene bisdesmosides with selective cytotoxic activity against M-CSF-stimulated macrophages. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001, 11, 371-374.  | 1.0 | 22        |
| 232 | Structural characterization of the glycan part of glycoconjugate LbGp2 from <i>Lycium barbarum</i> L.. <i>Carbohydrate Research</i> , 2001, 331, 95-99.   | 1.1 | 100       |
| 233 | Structural revision of isovalertatins M03, M13, and M23 isolated from the culture of <i>Streptomyces luteogriseus</i> . <i>Carbohydrate Research</i> , 2001, 331, 69-75.  | 1.1 | 13        |
| 234 | Two butylated amino oligosaccharides isolated from the culture filtrate of <i>Streptomyces luteogriseus</i> . <i>Carbohydrate Research</i> , 2001, 335, 127-132.  | 1.1 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Structure of epiglucan, a highly side-chain/branched (1 $\alpha$ '3;1 $\alpha$ '6)- $\beta$ -D-glucan from the micro fungus <i>Epicoccum nigrum</i> Ehrenb. ex Schlecht. <i>Carbohydrate Research</i> , 2001, 331, 163-171.     | 1.1 | 67        |
| 236 | Structural features of the polysaccharide gum from <i>Acacia glomerosa</i> . <i>Food Hydrocolloids</i> , 2001, 15, 461-467.   | 5.6 | 27        |
| 237 | Two new fatty acid glucosides from the root bark of <i>Ochna calodendron</i> . <i>F<math>\ddot{A}</math>-toterap<math>\ddot{A}</math>-<math>\ddot{A}</math><math>\phi</math></i> , 2001, 72, 732-736.                           | 1.1 | 6         |
| 238 | A new stilbene glycoside from <i>Elephantorrhiza goetzei</i> . <i>F<math>\ddot{A}</math>-toterap<math>\ddot{A}</math>-<math>\ddot{A}</math><math>\phi</math></i> , 2001, 72, 649-655.   | 1.1 | 21        |
| 239 | New steroids from <i>Solenostemma argel</i> leaves. <i>F<math>\ddot{A}</math>-toterap<math>\ddot{A}</math>-<math>\ddot{A}</math><math>\phi</math></i> , 2001, 72, 747-755.  | 1.1 | 23        |
| 240 | Accumulation of a Polyisoprene-linked Amino Sugar in Polymyxin-resistant <i>Salmonella typhimurium</i> and <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 43132-43144.                           | 1.6 | 127       |
| 241 | Two New Triterpenoid Saponins from <i>Aralia subcapitata</i> . <i>Natural Product Research</i> , 2001, 15, 157-161.   | 0.4 | 5         |
| 242 | Xanthones and Other Constituents of <i>Trema orientalis</i> . <i>Pharmaceutical Biology</i> , 2001, 39, 202-205.  | 1.3 | 17        |
| 243 | DGD2, an Arabidopsis Gene Encoding a UDP-Galactose-dependent Digalactosyldiacylglycerol Synthase Is Expressed during Growth under Phosphate-limiting Conditions. <i>Journal of Biological Chemistry</i> , 2002, 277, 1166-1173. | 1.6 | 169       |
| 244 | Oxidative Decarboxylation of UDP-Glucuronic Acid in Extracts of Polymyxin-resistant <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2002, 277, 2886-2896.  | 1.6 | 101       |
| 245 | A Retrospective Look at the Cationic Peanut Peroxidase Structure. <i>Critical Reviews in Biotechnology</i> , 2002, 22, 335-354.   | 5.1 | 14        |
| 246 | Cytotoxic Terpenoid and Immunosuppressive Phenolic Glycosides from the Root Bark of <i>Dictamnus dasycarpus</i> . <i>Planta Medica</i> , 2002, 68, 425-429.   | 0.7 | 42        |
| 247 | New Oxypregnane Glycosides from <i>Caralluma penicillata</i> . <i>Planta Medica</i> , 2002, 68, 430-434.  | 0.7 | 31        |
| 248 | Fatty Acid Esters of Triterpenoids and Steroid Glycosides from <i>Gambeya africana</i> . <i>Planta Medica</i> , 2002, 68, 822-826.  | 0.7 | 23        |
| 249 | New Triterpenoids from the Leaves of <i>Abrus Precatorius</i> . <i>Natural Product Research</i> , 2002, 16, 261-266.  | 0.4 | 21        |
| 250 | A Novel Polyoxygenated Spirostanol Trisdesmoside from the Rhizomes of <i>Helleborus orientalis</i> . <i>Chemistry Letters</i> , 2002, 31, 772-773.  | 0.7 | 14        |
| 251 | Novel .ALPHA.-Glucosidase Inhibitors, CKD-711 and CKD-711a Produced by <i>Streptomyces</i> sp. CK-4416. I. Taxonomy, Fermentation and Isolation.. <i>Journal of Antibiotics</i> , 2002, 55, 457-461.                            | 1.0 | 8         |
| 252 | Novel .ALPHA.-Glucosidase Inhibitors, CKD-711 and CKD-711a Produced by <i>Streptomyces</i> sp. CK-4416. III. Physico-chemical Properties and Structure Elucidation.. <i>Journal of Antibiotics</i> , 2002, 55, 467-471.         | 1.0 | 9         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Flavanone and Flavonol Glycosides from the Leaves of <i>Thevetia peruviana</i> and Their HIV-1 Reverse Transcriptase and HIV-1 Integrase Inhibitory Activities.. <i>Chemical and Pharmaceutical Bulletin</i> , 2002, 50, 630-635. | 0.6 | 73        |
| 254 | New Prenylated Benzoic Acid and Other Constituents from Almond Hulls ( <i>Prunus amygdalus</i> Batsch). <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 607-609.  | 2.4 | 106       |
| 255 | Steroidal and Pregnane Glycosides from the Rhizomes of <i>Taccachantrieri</i> . <i>Journal of Natural Products</i> , 2002, 65, 1293-1298.   | 1.5 | 55        |
| 256 | Lemnaflavoside, a New Diterpene Glycoside from the Soft Coral <i>Lemnalia flava</i> . <i>Journal of Natural Products</i> , 2002, 65, 1672-1674.   | 1.5 | 15        |
| 257 | Four new isoflavones from <i>Ampelopsis grossedentata</i> . <i>Journal of Asian Natural Products Research</i> , 2002, 4, 303-308.   | 0.7 | 17        |
| 258 | Secondary metabolites of genus <i>Astragalus</i> : Structure and biological activity. <i>Studies in Natural Products Chemistry</i> , 2002, 27, 443-545.   | 0.8 | 54        |
| 259 | Sphingolipid and Other Constituents from Almond Nuts ( <i>Prunus amygdalus</i> Batsch). <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 4709-4712.  | 2.4 | 56        |
| 260 | Antioxidative Phenolic Compounds Isolated from Almond Skins ( <i>Prunus amygdalus</i> Batsch). <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 2459-2463.   | 2.4 | 247       |
| 261 | Spirostanol Pentaglycosides from the Underground Parts of <i>Polianthes tuberosa</i> . <i>Journal of Natural Products</i> , 2002, 65, 1424-1428.  | 1.5 | 15        |
| 262 | Phenolic and Flavone C-Glycosides from <i>Scleranthus uncinatus</i> . <i>Pharmaceutical Biology</i> , 2002, 40, 369-373.  | 1.3 | 8         |
| 263 | Effect of Î²-Glycosidase Activity of <i>Oenococcus oeni</i> on the Glycosylated Flavor Precursors of Tannat Wine during Malolactic Fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 2344-2349.         | 2.4 | 107       |
| 264 | New Phenylpropanoid Glucosides from <i>Eucalyptus maculata</i> . <i>Molecules</i> , 2002, 7, 75-80.   | 1.7 | 15        |
| 265 | Dimeric Stilbene Glycosides from <i>Polygonum cuspidatum</i> . <i>European Journal of Organic Chemistry</i> , 2002, 2002, 564-568.  | 1.2 | 28        |
| 266 | Phytochemical constituents of <i>Cirsium setidens</i> Nakai and their cytotoxicity against human cancer cell lines. <i>Archives of Pharmacal Research</i> , 2002, 25, 628-635.  | 2.7 | 55        |
| 267 | In vitro antioxidant activity of some selected <i>Prunus</i> species in Korea. <i>Archives of Pharmacal Research</i> , 2002, 25, 865-872.   | 2.7 | 71        |
| 268 | Lucilianosides A and B, two novel tetranor-lanostane hexaglycosides from the bulbs of <i>Chionodoxa luciliae</i> . <i>Tetrahedron</i> , 2002, 58, 6735-6740.  | 1.0 | 23        |
| 269 | Bioactive steroidal alkaloid glycosides from <i>Solanum aculeastrum</i> . <i>Phytochemistry</i> , 2002, 59, 79-84.  | 1.4 | 77        |
| 270 | Isoflavone glycosides from <i>Derris scandens</i> . <i>Phytochemistry</i> , 2002, 60, 827-834.  | 1.4 | 27        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | Spirostanol saponins from the rhizomes of <i>Tacca chantrieri</i> and their cytotoxic activity. <i>Phytochemistry</i> , 2002, 61, 73-78.   | 1.4 | 45        |
| 272 | Flavonoid glycosides from <i>Salvia moorcroftiana</i> Wall.. <i>Carbohydrate Research</i> , 2002, 337, 403-407.  | 1.1 | 26        |
| 273 | Carbohydrates from <i>Detarium microcarpum</i> bark extract. <i>Carbohydrate Research</i> , 2002, 337, 1663-1666.  | 1.1 | 22        |
| 274 | Antioxidant principles of <i>Nelumbo nucifera</i> stamens. <i>Archives of Pharmacal Research</i> , 2003, 26, 279-285.  | 2.7 | 102       |
| 275 | Structural Revision of Sulfated Polysaccharide B-1 Isolated from a Marine <i>Pseudomonas</i> Species and Its Cytotoxic Activity Against Human Cancer Cell Lines. <i>Marine Biotechnology</i> , 2003, 5, 13-19.                               | 1.1 | 48        |
| 276 | Furostanol saponins from <i>Tribulus terrestris</i> . <i>FÃ-toterapÃ-Ãç</i> , 2003, 74, 583-591.   | 1.1 | 79        |
| 277 | Novel Polyoxygenated Spirostanol Glycosides from the Rhizomes of <i>Helleborus orientalis</i> . <i>Helvetica Chimica Acta</i> , 2003, 86, 398-407.   | 1.0 | 23        |
| 278 | New Glycosides from <i>Salvia moorcroftiana</i> (Lamiaceae). <i>Helvetica Chimica Acta</i> , 2003, 86, 2021-2027.  | 1.0 | 3         |
| 279 | <sup>1</sup> H and <sup>13</sup> C NMR signal assignments of carboxyl-linked glucosides of bile acids. <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 260-264.   | 1.1 | 6         |
| 280 | A simple method for preparation of d-rhamnose. <i>Carbohydrate Research</i> , 2003, 338, 109-112.  | 1.1 | 10        |
| 281 | An unusual diterpene glycoside from the nuts of almond ( <i>Prunus amygdalus</i> Batsch). <i>Tetrahedron Letters</i> , 2003, 44, 1199-1202.  | 0.7 | 13        |
| 282 | Parallel synthesis of multi-branched oligosaccharides related to elicitor active pentasaccharide in rice cell based on orthogonal deprotection and glycosylation strategy. <i>Tetrahedron Letters</i> , 2003, 44, 3053-3057.                 | 0.7 | 33        |
| 283 | Antimicrobial activity of pentacyclic triterpenes isolated from African Combretaceae. <i>Phytochemistry</i> , 2003, 63, 81-88.   | 1.4 | 118       |
| 284 | Lanosterol and tetranorlanosterol glycosides from the bulbs of <i>Muscari paradoxum</i> . <i>Phytochemistry</i> , 2003, 64, 1351-1359.   | 1.4 | 16        |
| 285 | Enterolosaponins A and B, novel triterpene bisdesmosides from <i>Enterolobium contortisiliquum</i> , and evaluation for their macrophage-oriented cytotoxic activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 623-627. | 1.0 | 30        |
| 286 | Structural features of a pectic arabinogalactan with immunological activity from the leaves of <i>Diospyros kaki</i> . <i>Carbohydrate Research</i> , 2003, 338, 1291-1297.  | 1.1 | 72        |
| 287 | Bufadienolide and Spirostanol Glycosides from the Rhizomes of <i>Helleborus orientalis</i> . <i>Journal of Natural Products</i> , 2003, 66, 236-241.   | 1.5 | 69        |
| 288 | Terminoside A, a new triterpene glycoside from the bark of <i>Terminalia arjuna</i> inhibits nitric oxide production in murine macrophages. <i>Journal of Asian Natural Products Research</i> , 2003, 5, 137-142.                            | 0.7 | 36        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Eranthisaponins A and B, Two New Bisdesmosidic Triterpene Saponins from the Tubers of <i>Eranthis cilicica</i> . <i>Journal of Natural Products</i> , 2003, 66, 879-882.  | 1.5 | 21        |
| 290 | Bulbinelonesides A-E, Phenylanthraquinone Glycosides from the Roots of <i>Bulbinella floribunda</i> . <i>Journal of Natural Products</i> , 2003, 66, 894-897.   | 1.5 | 24        |
| 291 | Characterization of immunomodulatory polysaccharides from <i>Salvia officinalis</i> L.. <i>International Journal of Biological Macromolecules</i> , 2003, 33, 113-119.  | 3.6 | 51        |
| 292 | Structure determination, apoptosis induction, and telomerase inhibition of CFP-2, a novel lichenin from <i>Cladonia furcata</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2003, 1622, 99-108.           | 1.1 | 39        |
| 293 | Complex C-Glycosyl Flavonoid Phytoalexins from <i>Cucumis sativus</i> . <i>Journal of Natural Products</i> , 2003, 66, 1280-1283.   | 1.5 | 99        |
| 294 | Saponins and Flavonoids of <i>Allium triquetrum</i> . <i>Journal of Natural Products</i> , 2003, 66, 1405-1411.   | 1.5 | 55        |
| 295 | Albiziahexoside: A Potential Source of Bioactive Saponin from the Leaves of <i>Albizia Lebbeck</i> . <i>Natural Product Research</i> , 2003, 17, 329-335.   | 1.0 | 18        |
| 296 | A Mannosyl Transferase Required for Lipopolysaccharide Inner Core Assembly in <i>Rhizobium leguminosarum</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 16356-16364.   | 1.6 | 14        |
| 297 | Origin of Lipid A Species Modified with 4-Amino-4-deoxy-L-arabinose in Polymyxin-resistant Mutants of <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 24731-24739.                          | 1.6 | 106       |
| 298 | Oligosaccharides in Food and Agriculture. <i>ACS Symposium Series</i> , 2003, , 1-14.   | 0.5 | 8         |
| 299 | Estrogenic and Acetylcholinesterase-Enhancement Activity of a New Isoflavone, 7,2,4-Trihydroxyisoflavone-4-O-D-Glucopyranoside from <i>Crotalaria Sessiliflora</i> . <i>Cytotechnology</i> , 2003, 43, 127-134.           | 0.7 | 7         |
| 300 | New Cytotoxic Oleanane Saponins from the Infructescences of <i>Polyscias amplifolia</i> from the Madagascar Rainforest. <i>Planta Medica</i> , 2003, 69, 440-444.   | 0.7 | 42        |
| 301 | Two New Pregnane Glycosides from <i>Dioscorea futschauensis</i> R. KUNTH. <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 1089-1091.  | 0.6 | 35        |
| 302 | Glycosides of <i>Atractylodes japonica</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 152-157.   | 0.6 | 42        |
| 303 | Water-Soluble Constituents of Coriander.. <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 32-39.  | 0.6 | 76        |
| 304 | Ardisiamillosides G and H, Two New Triterpenoid Saponins from <i>Ardisia mamillata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 875-877.   | 0.6 | 19        |
| 305 | Norlanostane and Lanostane Glycosides from the Bulbs of <i>Chionodoxa luciliae</i> and Their Cytotoxic Activity.. <i>Chemical and Pharmaceutical Bulletin</i> , 2003, 51, 92-95.  | 0.6 | 7         |
| 306 | Scropolioside-D2 and Harpagoside-B: Two New Iridoid Glycosides from <i>Scrophularia deserti</i> and Their Antidiabetic and Antiinflammatory Activity.. <i>Biological and Pharmaceutical Bulletin</i> , 2003, 26, 462-467. | 0.6 | 61        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Metabolic Discrimination of <i>Catharanthus roseus</i> Leaves Infected by <i>Phytoplasma</i> Using <sup>1</sup> H-NMR Spectroscopy and Multivariate Data Analysis. <i>Plant Physiology</i> , 2004, 135, 2398-2410.  | 2.3 | 242       |
| 308 | Oxidation and Transamination of the 3-Position of UDP-N-Acetylglucosamine by Enzymes from <i>Acidithiobacillus ferrooxidans</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 25400-25410.  | 1.6 | 47        |
| 309 | A Methylated Phosphate Group and Four Amide-linked Acyl Chains in <i>Leptospira interrogans</i> Lipid A. <i>Journal of Biological Chemistry</i> , 2004, 279, 25420-25429.   | 1.6 | 141       |
| 310 | Constituents from leaves of <i>Quillaja brasiliensis</i> . <i>Natural Product Research</i> , 2004, 18, 153-157.   | 1.0 | 27        |
| 311 | A new coumarin glucoside, coumarins and alkaloids from <i>Ruta corsica</i> roots. <i>F-terap</i> , 2004, 75, 242-244.   | 1.1 | 9         |
| 312 | Peroxidase stability related to its calcium and glycans. <i>Phytochemistry Reviews</i> , 2004, 3, 19-28.  | 3.1 | 17        |
| 313 | Induction of 3-O-d-ribofuranosyl adenosine during compatible, but not during incompatible, interactions of <i>Arabidopsis thaliana</i> or <i>Lycopersicon esculentum</i> with <i>Pseudomonas syringae</i> pathovar tomato. <i>Planta</i> , 2004, 218, 668-672.              | 1.6 | 11        |
| 314 | Identification of elongating <sup>1</sup> /2-1,4-galactosyltransferase activity in mung bean ( <i>Vigna radiata</i> ) hypocotyls using 2-aminobenzaminated 1,4-linked <sup>1</sup> /2-d-galactooligosaccharides as acceptor substrates. <i>Planta</i> , 2004, 219, 310-318. | 1.6 | 23        |
| 315 | A sphingolipid and tyrosinase inhibitors from the fruiting body of <i>Phellinus linteus</i> . <i>Archives of Pharmacal Research</i> , 2004, 27, 742-750.  | 2.7 | 55        |
| 316 | Biologically active compounds from <i>Limonium Gmelinii</i> and <i>L. Popovii</i> I. <i>Chemistry of Natural Compounds</i> , 2004, 40, 465-471.   | 0.2 | 32        |
| 317 | Analysis of flavonoids from <i>Cyclanthera pedata</i> fruits by liquid chromatography/electrospray mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004, 34, 295-304.   | 1.4 | 33        |
| 318 | Activity of <i>Ricinus communis</i> (Euphorbiaceae) and ricinine against the leaf-cutting ant <i>Atta sexdens rubropilosa</i> (Hymenoptera: Formicidae) and the symbiotic fungus <i>Leucoagaricus gongylophorus</i> . <i>Pest Management Science</i> , 2004, 60, 933-938.   | 1.7 | 74        |
| 319 | Contortisiliosides A-G: Isolation of Seven New Triterpene Bisdesmosides from <i>Enterolobium contortisiliquum</i> and Their Cytotoxic Activity. <i>Helvetica Chimica Acta</i> , 2004, 87, 851-865.  | 1.0 | 33        |
| 320 | Complete <sup>1</sup> H and <sup>13</sup> C NMR assignments for two new monodesmoside saponins from <i>Pentaclethra macroloba</i> (Willd.) Kuntze. <i>Magnetic Resonance in Chemistry</i> , 2004, 42, 695-699.  | 1.1 | 9         |
| 321 | N, <sup>1</sup> -d-Glucopyranosyl vincosamide, a light regulated indole alkaloid from the shoots of <i>Psychotria leiocarpa</i> . <i>Phytochemistry</i> , 2004, 65, 449-454.  | 1.4 | 59        |
| 322 | Polyhydroxypregnane glycosides from <i>Oxystelma esculentum</i> var. <i>alpini</i> . <i>Phytochemistry</i> , 2004, 65, 975-980.   | 1.4 | 22        |
| 323 | Water-soluble polysaccharides from <i>Salvia officinalis</i> L. possessing immunomodulatory activity. <i>Phytochemistry</i> , 2004, 65, 1983-1992.  | 1.4 | 50        |
| 324 | Steroidal saponins from the aerial parts of <i>Tribulus pentandrus</i> Forssk. <i>Phytochemistry</i> , 2004, 65, 2935-2945.   | 1.4 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 325 | Saponins and acylated saponins from <i>Dizygotheca kerchoviana</i> . <i>Phytochemistry</i> , 2004, 65, 3089-3095.   | 1.4 | 19        |
| 326 | Characterization and Investigation of Substrate Specificity of the Sugar Aminotransferase WecE from <i>E. coli</i> K12. <i>Chemistry and Biology</i> , 2004, 11, 915-925.                       | 6.2 | 49        |
| 327 | Structural studies of water-soluble polysaccharides of an edible mushroom, <i>Termitomyces eurhizus</i> . A reinvestigation. <i>Carbohydrate Research</i> , 2004, 339, 1135-1140.               | 1.1 | 54        |
| 328 | Structural investigation of a water-soluble glucan from an edible mushroom, <i>Astraeus hygrometricus</i> . <i>Carbohydrate Research</i> , 2004, 339, 2249-2254.                                | 1.1 | 89        |
| 329 | 27-Norlanostane Glycosides from the Bulbs of <i>Muscari paradoxum</i> . <i>Journal of Natural Products</i> , 2004, 67, 2099-2103.   | 1.5 | 8         |
| 330 | Triterpene Saponins from the Roots of <i>Clematis chinensis</i> . <i>Journal of Natural Products</i> , 2004, 67, 1511-1516.   | 1.5 | 107       |
| 331 | A New Glucosyl Feruloyl Quinic Acid as a Potential Marker for Roots and Rhizomes of <i>Goldenseal</i> , <i>Hydrastis canadensis</i> . <i>Journal of Natural Products</i> , 2004, 67, 1818-1822. | 1.5 | 23        |
| 332 | Estrogens and Congeners from Spent Hops ( <i>Humulus lupulus</i> ). <i>Journal of Natural Products</i> , 2004, 67, 2024-2032.   | 1.5 | 116       |
| 333 | Metabolomic Differentiation of <i>Cannabis sativa</i> Cultivars Using <sup>1</sup> H NMR Spectroscopy and Principal Component Analysis. <i>Journal of Natural Products</i> , 2004, 67, 953-957. | 1.5 | 171       |
| 334 | Two New Monoterpene Glycosides and Trypanocidal Terpenoids from <i>Dracocephalum kotschyi</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1249-1250.                              | 0.6 | 75        |
| 335 | Taccasterosides A-C, Novel C28-Sterol Oligoglucosides from the Rhizomes of <i>Tacca chantrieri</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2004, 52, 1396-1398.                         | 0.6 | 21        |
| 336 | Novel Phenolic Glycoside Dimer and Trimer from the Whole Herb of <i>Pyrola rotundifolia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005, 53, 1051-1053.                                | 0.6 | 15        |
| 337 | Haemolytic acylated triterpenoid saponins from <i>Harpullia austro-caledonica</i> . <i>Phytochemistry</i> , 2005, 66, 825-835.  | 1.4 | 47        |
| 338 | Comparative phytochemical analysis of four Mexican <i>Nymphaea</i> species. <i>Phytochemistry</i> , 2005, 66, 921-927.  | 1.4 | 16        |
| 339 | A sugar ester and an iridoid glycoside from <i>Scrophularia ningpoensis</i> . <i>Phytochemistry</i> , 2005, 66, 1186-1191.  | 1.4 | 79        |
| 340 | Phenolic glycosides and ionone glycoside from the stem of <i>Sargentodoxa cuneata</i> . <i>Phytochemistry</i> , 2005, 66, 2752-2758.  | 1.4 | 41        |
| 341 | Structural features and immunological activity of a polysaccharide from <i>Dioscorea opposita</i> Thunb roots. <i>Carbohydrate Polymers</i> , 2005, 61, 125-131.                                | 5.1 | 218       |
| 342 | Structural investigation of a polysaccharide (Fr. II) isolated from the aqueous extract of an edible mushroom, <i>Pleurotus sajor-caju</i> . <i>Carbohydrate Research</i> , 2005, 340, 629-636. | 1.1 | 68        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 343 | Type I arabinogalactan contains $\beta$ -D-Galp-(1 $\rightarrow$ 3)- $\beta$ -D-Galp structural elements. Carbohydrate Research, 2005, 340, 2135-2143.  | 1.1 | 59        |
| 344 | Chemical synthesis of 24- $\beta$ -D-galactopyranosides of bile acids: a new type of bile acid conjugates in human urine. Chemistry and Physics of Lipids, 2005, 134, 141-150.  | 1.5 | 10        |
| 345 | Phytochemical Studies on <i>Stemona</i> Plants: Isolation of Stemofoline Alkaloids. Journal of Natural Products, 2005, 68, 1763-1767.   | 1.5 | 31        |
| 346 | Comparing metabolomes: the chemical consequences of hybridization in plants. New Phytologist, 2005, 167, 613-622.   | 3.5 | 54        |
| 347 | 1D- and 2D-NMR spectroscopy studies of the polysaccharide gum from <i>Spondias purpurea</i> var. <i>lutea</i> . Food Hydrocolloids, 2005, 19, 37-43.  | 5.6 | 35        |
| 348 | Microbial transformation of methyl protodioscin by <i>Cunninghamella elegans</i> . Journal of Molecular Catalysis B: Enzymatic, 2005, 35, 33-40.  | 1.8 | 14        |
| 349 | Nematicidal sphingolipids from the freshwater fungus <i>Paraniesslia</i> sp. YMF1.01400. European Journal of Lipid Science and Technology, 2005, 107, 779-785.  | 1.0 | 16        |
| 350 | Strategies and Tools for Structure Determination of Natural Products Using Modern Methods of NMR Spectroscopy. Chemistry and Biodiversity, 2005, 2, 147-177.  | 1.0 | 64        |
| 351 | Chemical analysis of a new (1 $\rightarrow$ 3)-, (1 $\rightarrow$ 6)-branched glucan from an edible mushroom, <i>Pleurotus florida</i> . Carbohydrate Research, 2005, 340, 2533-2539.   | 1.1 | 127       |
| 352 | Enzymic transfer of $\beta$ -L-arabinopyranosyl residues to exogenous 1,4-linked $\beta$ -D-galacto-oligosaccharides using solubilized mung bean ( <i>Vigna radiata</i> ) hypocotyl microsomes and UDP- $\beta$ -L-arabinopyranose. Planta, 2005, 221, 953-963. | 1.6 | 17        |
| 353 | Chemical Constituents from the Hulls of <i>Oryza sativa</i> with Cytotoxic Activity. Chemistry of Natural Compounds, 2005, 41, 182-189.   | 0.2 | 32        |
| 354 | Bioactive Saponins from <i>Allium</i> and <i>Aster</i> Plants. Phytochemistry Reviews, 2005, 4, 95-110.   | 3.1 | 61        |
| 355 | On-line identification of unstable iridoids from <i>Jamesbrittenia fodina</i> by HPLC-MS and HPLC-NMR. Phytochemical Analysis, 2005, 16, 429-439.   | 1.2 | 31        |
| 356 | Biochemical Characterization of the <i>Campylobacter jejuni</i> Cj1294, a Novel UDP-4-keto-6-deoxy-GlcNAc Aminotransferase That Generates UDP-4-amino-4,6-dideoxy-GalNAc. Journal of Biological Chemistry, 2005, 280, 20902-20908.                              | 1.6 | 34        |
| 357 | Lignans from <i>Trachelospermum jasminoides</i> . Planta Medica, 2005, 71, 93-95.   | 0.7 | 23        |
| 358 | Structure-Activity Relationships for Saponins from <i>Allium hirtifolium</i> and <i>Allium elburzense</i> and their Antispasmodic Activity. Planta Medica, 2005, 71, 1010-1018.   | 0.7 | 43        |
| 359 | A new xyloside from <i>Chenopodium album</i> . Natural Product Research, 2005, 19, 87-90.   | 1.0 | 10        |
| 360 | Two New Compounds from the Galls of <i>Quercus infectoria</i> . with Nitric Oxide and Superoxide Inhibiting Ability. Pharmaceutical Biology, 2005, 43, 317-323.   | 1.3 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | A Formyltransferase Required for Polymyxin Resistance in <i>Escherichia coli</i> and the Modification of Lipid A with 4-Amino-4-deoxy-L-arabinose. <i>Journal of Biological Chemistry</i> , 2005, 280, 14154-14167.           | 1.6 | 160       |
| 362 | E-Cinnamic Acid Derivatives and Phenolics from Chilean Strawberry Fruits, <i>Fragaria chiloensis</i> ssp. <i>chiloensis</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 8512-8518.                        | 2.4 | 46        |
| 363 | Furocoumarin Glycosides from the Leaves of <i>Ficus ruficaulis</i> Merr. var. <i>antaoensis</i> . <i>Journal of Natural Products</i> , 2005, 68, 11-13.   | 1.5 | 25        |
| 364 | Alkaloids from <i>Alangium javanicum</i> and <i>Alangium grisolleoides</i> that Mediate Cu <sup>2+</sup> -Dependent DNA Strand Scission. <i>Journal of Natural Products</i> , 2005, 68, 1147-1152.                            | 1.5 | 24        |
| 365 | Chemical constituents of <i>Bacopa Procumbens</i> . <i>Natural Product Research</i> , 2005, 19, 131-136.  | 1.0 | 11        |
| 366 | Stepâ€Gradient CCC Separation of Phenylpropanoid and Iridoid Glycosides from Roots of <i>Stachytarpheta cayennensis</i> (Rich.) Vahl. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2005, 28, 2053-2060. | 0.5 | 27        |
| 367 | Bioactive Constituents from <i>Boswellia papyrifera</i> . <i>Journal of Natural Products</i> , 2005, 68, 189-193.   | 1.5 | 57        |
| 368 | A Dihydroflavonol Glucoside from <i>Commiphora africana</i> that Mediates DNA Strand Scission. <i>Journal of Natural Products</i> , 2005, 68, 115-117.  | 1.5 | 16        |
| 369 | Characterization and immunostimulatory activity of an (1â†6)- $\alpha$ -D-glucan from the root of <i>Ipomoea batatas</i> . <i>International Immunopharmacology</i> , 2005, 5, 1436-1445.                                      | 1.7 | 96        |
| 370 | Maackiain 3-O-(6â€2-O-malonyl- $\beta$ -D-glucopyranoside) from <i>Oudneya africana</i> , a powerful inhibitor of porcine kidney acylase I. <i>Biochimie</i> , 2005, 87, 507-512.   | 1.3 | 9         |
| 371 | New glycosides of the campesterol derivative from the rhizomes of <i>Tacca chantrieri</i> . <i>Steroids</i> , 2005, 70, 257-265.  | 0.8 | 24        |
| 372 | Antispasmodic Saponins from Bulbs of Red Onion, <i>Allium cepa</i> L. Var. <i>Tropea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 935-940.   | 2.4 | 77        |
| 373 | Pursaethosides Aâ€E, Triterpene Saponins from <i>Entada pursaetha</i> . <i>Journal of Natural Products</i> , 2005, 68, 1185-1190.   | 1.5 | 37        |
| 374 | Delphinidin 3-O-(2-O- $\beta$ -D-Glucopyranosyl- $\beta$ -L-arabinopyranoside): A Novel Anthocyanin Identified in Beluga Black Lentils. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 4932-4937.              | 2.4 | 34        |
| 375 | Gracilarioside and Gracilamides from the Red Alga <i>Gracilaria asiatica</i> . <i>Journal of Natural Products</i> , 2006, 69, 1488-1491.  | 1.5 | 41        |
| 376 | Xanthone Glycosides from the Roots of <i>Pteris Multifida</i> . <i>Journal of the Chinese Chemical Society</i> , 2006, 53, 459-464.   | 0.8 | 3         |
| 377 | Structure and assembly of epiglucan, the extracellular (1â†3;1â†6)- $\beta$ -glucan produced by the fungus <i>Epicoccum nigrum</i> strain F19. <i>Carbohydrate Research</i> , 2006, 341, 365-373.                             | 1.1 | 17        |
| 378 | Structure and Biosynthesis of Free Lipid A Molecules That Replace Lipopolysaccharide in <i>Francisella tularensis</i> subsp. <i>novicida</i> . <i>Biochemistry</i> , 2006, 45, 14427-14440.                                   | 1.2 | 112       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 379 | Antibacterial and Antioxidant Activities of Quercetin Oxidation Products from Yellow Onion ( <i>Allium</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5  | 2.4 | 234       |
| 380 | Pregnane Glycosides from <i>Leptadenia pyrotechnica</i> . <i>Journal of Natural Products</i> , 2006, 69, 625-635.   | 1.5 | 37        |
| 381 | 14,15-Secopregnane Derivatives from the Leaves of <i>Solenostemma argel</i> . <i>Journal of Natural Products</i> , 2006, 69, 50-54.   | 1.5 | 20        |
| 382 | Isolation and Identification of Select Oligosaccharides from Commercially Produced Total Invert Sugar with a Proposed Mechanism for Their Formation. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 2754-2760. | 2.4 | 11        |
| 383 | Microbial metabolism of methyl protodioscin by <i>Aspergillus niger</i> cultureâ€™A new androstenedione producing way from steroid. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2006, 100, 87-94.          | 1.2 | 21        |
| 384 | Steroidal saponins from roots of <i>Asparagus officinalis</i> . <i>Steroids</i> , 2006, 71, 171-176.  | 0.8 | 58        |
| 385 | Smooth Muscle Relaxant Triterpenoid Glycosides from <i>Rubus idaeus</i> (Raspberry) Leaves. <i>Natural Product Communications</i> , 2006, 1, 1934578X0600100.   | 0.2 | 0         |
| 386 | Flavonol Triglycosides from the Leaves of <i>Silphium Albiflorum</i> . <i>Natural Product Communications</i> , 2006, 1, 1934578X0600101.  | 0.2 | 3         |
| 387 | <i>Science and Technology (Ghana)</i> , 2006, 26, 47.   | 0.4 | 1         |
| 388 | Pregnane Glycosides. <i>Natural Product Communications</i> , 2006, 1, 1934578X0600100.  | 0.2 | 10        |
| 389 | Two New Glycosides from the Soft Coral <i>Sinularia firma</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 1650-1652.  | 0.6 | 13        |
| 390 | A Cytotoxic Saponin from <i>Albizia julibrissin</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 1211-1212.  | 0.6 | 26        |
| 391 | Two New Triterpenoid Saponins Isolated from <i>Polygala japonica</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2006, 54, 1739-1742.   | 0.6 | 15        |
| 392 | Bioconversion of methyl protodioscin by <i>Penicillium melinii</i> cells. <i>Enzyme and Microbial Technology</i> , 2006, 38, 400-406.   | 1.6 | 12        |
| 393 | Glycosidation of lupane-type triterpenoids as potent in vitro cytotoxic agents. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 6713-6725.  | 1.4 | 135       |
| 394 | Structure of an anti-tumor polysaccharide from <i>Angelica sinensis</i> (Oliv.) Diels. <i>Carbohydrate Polymers</i> , 2006, 66, 149-159.  | 5.1 | 114       |
| 395 | Isolation and structural characterization of an immunostimulating polysaccharide from <i>Fuzi</i> , <i>Aconitum carmichaeli</i> . <i>Carbohydrate Research</i> , 2006, 341, 485-491.  | 1.1 | 121       |
| 396 | Structural elucidation of a novel fucogalactan that contains 3-O-methyl rhamnose isolated from the fruiting bodies of the fungus, <i>Hericium erinaceus</i> . <i>Carbohydrate Research</i> , 2006, 341, 645-649.              | 1.1 | 50        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Isolation and structural elucidation of a water-soluble polysaccharide (PS-I) of a wild edible mushroom, <i>Termitomyces striatus</i> . <i>Carbohydrate Research</i> , 2006, 341, 878-886.  | 1.1 | 74        |
| 398 | Structural elucidation of a neutral fucogalactan from the mycelium of <i>Coprinus comatus</i> . <i>Carbohydrate Research</i> , 2006, 341, 1130-1134.  | 1.1 | 69        |
| 399 | A water-insoluble (1 $\alpha$ '3)- $\beta$ -D-glucan from the alkaline extract of an edible mushroom <i>Termitomyces eurhizus</i> . <i>Carbohydrate Research</i> , 2006, 341, 2990-2993.  | 1.1 | 42        |
| 400 | A Polysaccharide Isolated from the Medicinal Herb <i>Bletilla striata</i> Induces Endothelial Cells Proliferation and Vascular Endothelial Growth Factor Expression in vitro. <i>Biotechnology Letters</i> , 2006, 28, 539-543.                                   | 1.1 | 98        |
| 401 | Hydroquinone diglycoside acyl esters from the stems of <i>Glycosmis pentaphylla</i> . <i>Phytochemistry</i> , 2006, 67, 486-491.  | 1.4 | 35        |
| 402 | The structure of a polysaccharide from Fraction-II of an edible mushroom, <i>Pleurotus florida</i> . <i>Carbohydrate Research</i> , 2006, 341, 995-1002.  | 1.1 | 63        |
| 403 | Structural analysis of water-soluble glucans from the root of <i>Angelica sinensis</i> (Oliv.) Diels. <i>Carbohydrate Research</i> , 2006, 341, 1870-1877.  | 1.1 | 78        |
| 404 | Complete assignment of $^1\text{H}$ and $^{13}\text{C}$ NMR spectra of <i>Gigartina skottsbergii</i> $\beta$ -carrageenan using carrabiose oligosaccharides prepared by enzymatic hydrolysis. <i>Carbohydrate Research</i> , 2006, 341, 1859-1869.                | 1.1 | 53        |
| 405 | Nuclear magnetic resonance spectroscopy of 3 $\beta$ ,7 $\beta$ -dihydroxy-5-cholen-24-oic acid multi-conjugates: unusual bile acid metabolites in human urine. <i>Chemistry and Physics of Lipids</i> , 2006, 140, 48-54.  | 1.5 | 3         |
| 406 | Protective effects of an acidic polysaccharide isolated from fruiting bodies of <i>Ganoderma lucidum</i> against murine hepatic injury induced by <i>Propionibacterium acnes</i> and lipopolysaccharide. <i>Journal of Natural Medicines</i> , 2006, 60, 295-302. | 1.1 | 10        |
| 407 | Structural elucidation of the polysaccharide from <i>Sterculia apetala</i> gum by a combination of chemical methods and NMR spectroscopy. <i>Food Hydrocolloids</i> , 2006, 20, 908-913.  | 5.6 | 29        |
| 408 | Tuberosides A, B, and C, Novel Triterpenoid Saponins from the Hypoglucaemic Fraction of <i>Ullucus tuberosus</i> . <i>Liebigs Annalen</i> , 2006, 1996, 781-784.  | 0.8 | 0         |
| 409 | Cj1121c, a Novel UDP-4-keto-6-deoxy-GlcNAc C-4 Aminotransferase Essential for Protein Glycosylation and Virulence in <i>Campylobacter jejuni</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 27733-27743.   | 1.6 | 32        |
| 410 | Anti HIV-1 Flavonoid Glycosides from <i>Ochna integerrima</i> . <i>Planta Medica</i> , 2007, 73, 683-688.   | 0.7 | 47        |
| 411 | A new acylated flavone glycoside from the fruits of <i>Stocksia brauhica</i> . <i>Journal of Asian Natural Products Research</i> , 2007, 9, 299-305.  | 0.7 | 5         |
| 412 | Two new triterpenoid saponins from <i>Ardisia crenata</i> . <i>Journal of Asian Natural Products Research</i> , 2007, 9, 119-127.   | 0.7 | 17        |
| 413 | Triterpene Glycosides from the Stems of <i>Akebia quinata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1319-1324.  | 0.6 | 27        |
| 415 | New Glycosides from the Rhizomes of <i>Tacca chantrieri</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 273-279.  | 0.6 | 18        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 416 | Phenolic Compounds from <i>Elsholtzia Bodinieri</i> Van't. Journal of the Chinese Chemical Society, 2007, 54, 1189-1194.  | 0.8 | 14        |
| 417 | A new steroid glycoside and furochromones from <i>Cyperus rotundus</i> L.. Natural Product Research, 2007, 21, 343-350.   | 1.0 | 64        |
| 418 | A New Furospirostanol Saponin, Ophiofurospiside B from <i>Ophiopogon japonicus</i> (Thunb.) Ker-Gawl. Chemical Research in Chinese Universities, 2007, 23, 742-744.   | 1.3 | 3         |
| 419 | Compositional Investigation of Phenolic Polymers Isolated from <i>Vitis vinifera</i> L. Cv. Pinot Noir during Fermentation. Journal of Agricultural and Food Chemistry, 2007, 55, 5670-5680.                                      | 2.4 | 48        |
| 420 | Two new triterpenoid saponins from <i>Pulsatilla cernua</i> (Thunb.) Bercht. et Opiz. Journal of Asian Natural Products Research, 2007, 9, 705-711.   | 0.7 | 14        |
| 421 | Biologically Active Triterpenoid Saponins from <i>Ardisia japonica</i> . Journal of Natural Products, 2007, 70, 179-187.  | 1.5 | 61        |
| 422 | Sulfur-Containing Spiroketal Glycosides from <i>Breynia fruticosa</i> . Journal of Natural Products, 2007, 70, 824-829.   | 1.5 | 47        |
| 423 | A Straight-Chain Alcohol Glycoside, with Smooth Muscle Relaxant Activity, from <i>Rubus idaeus</i> (Raspberry) Leaves. Natural Product Communications, 2007, 2, 1934578X0700200.  | 0.2 | 2         |
| 424 | Characterization of the fraction components using 1D TOCSY and 1D ROESY experiments. Four new spirostane saponins from <i>Agave brittoniana</i> Trel. spp. <i>Brachypus</i> . Magnetic Resonance in Chemistry, 2007, 45, 615-620. | 1.1 | 20        |
| 425 | Synthesis and structure-activity relationship study of cytotoxic germanicane- and lupane-type 3 $\beta$ -O-monodesmosidic saponins starting from betulin. Bioorganic and Medicinal Chemistry, 2007, 15, 6144-6157.                | 1.4 | 107       |
| 426 | Purification, characterization and biological activity on hepatocytes of a polysaccharide from <i>Flammulina velutipes</i> mycelium. Carbohydrate Polymers, 2007, 70, 291-297.  | 5.1 | 78        |
| 427 | Structural characterization and antioxidant activity of a polysaccharide from the fruiting bodies of cultured <i>Cordyceps militaris</i> . Carbohydrate Polymers, 2007, 70, 430-436.  | 5.1 | 151       |
| 428 | Structural investigation of a heteroglycan isolated from the fruit bodies of an ectomycorrhizal fungus <i>Astraeus hygrometricus</i> . Carbohydrate Research, 2007, 342, 982-987.   | 1.1 | 14        |
| 429 | A water-soluble glucan isolated from an edible mushroom <i>Termitomyces microcarpus</i> . Carbohydrate Research, 2007, 342, 2484-2489.  | 1.1 | 32        |
| 430 | Structural analysis of a water-soluble glucan (Fr.I) of an edible mushroom, <i>Pleurotus sajor-caju</i> . Carbohydrate Research, 2007, 342, 2670-2675.  | 1.1 | 46        |
| 431 | Sulfated xylomannans isolated from red seaweeds <i>Chondrophycus papillosus</i> and <i>C. flagelliferus</i> (Ceramiales) from Brazil. Carbohydrate Research, 2007, 342, 2766-2775.  | 1.1 | 30        |
| 432 | Structural investigation of a novel fucoglucogalactan isolated from the fruiting bodies of the fungus <i>Hericium erinaceus</i> . Food Chemistry, 2007, 104, 451-456.   | 4.2 | 42        |
| 433 | A new iridoid glycoside from <i>Gardenia jasminoides</i> . Chinese Chemical Letters, 2007, 18, 1221-1223.   | 4.8 | 18        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 434 | Comparison of flavonoid profiles of <i>Agauria salicifolia</i> (Ericaceae) by liquid chromatography-UV diode array detection and electro-spray ionisation mass spectrometry. <i>Journal of Chromatography A</i> , 2007, 1160, 13-20. | 1.8 | 35        |
| 435 | Antifungal activity in triterpene glycosides from the sea cucumber <i>Actinopyga lecanora</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 4387-4391.   | 1.0 | 52        |
| 436 | Acylated pregnane glycosides from <i>Caralluma russeliana</i> . <i>Phytochemistry</i> , 2007, 68, 1459-1463.   | 1.4 | 44        |
| 437 | Triterpenoid Saponins from <i>Pulsatilla cernua</i> (Thunb.) Bercht. et Opiz.. <i>Journal of Integrative Plant Biology</i> , 2007, 49, 202-206.  | 4.1 | 8         |
| 438 | Sesquiterpene lactones and other constituents from <i>Matricaria chamomilla</i> L.. <i>Biochemical Systematics and Ecology</i> , 2007, 35, 533-538.  | 0.6 | 12        |
| 439 | Antioxidant constituents and a new triterpenoid glycoside from <i>Flos Lonicerae</i> . <i>Archives of Pharmacal Research</i> , 2007, 30, 1-7.  | 2.7 | 105       |
| 440 | Structural elucidation of a 3-O-methyl-d-galactose-containing neutral polysaccharide from the fruiting bodies of <i>Phellinus igniarius</i> . <i>Carbohydrate Research</i> , 2007, 342, 1063-1070.                                   | 1.1 | 68        |
| 441 | Structural investigation of a heteropolysaccharide isolated from the pods (fruits) of <i>Moringa oleifera</i> (Sajina). <i>Carbohydrate Research</i> , 2007, 342, 2380-2389.   | 1.1 | 39        |
| 442 | Determination of the structure and molecular weights of the exopolysaccharide produced by <i>Lactobacillus acidophilus</i> 5e2 when grown on different carbon feeds. <i>Carbohydrate Research</i> , 2008, 343, 301-307.              | 1.1 | 29        |
| 443 | Steroidal glycosides from the underground parts of <i>Trillium erectum</i> and their cytotoxic activity. <i>Phytochemistry</i> , 2008, 69, 2724-2730.  | 1.4 | 54        |
| 444 | Helikauranoside A, a New Bioactive Diterpene. <i>Journal of Chemical Ecology</i> , 2008, 34, 65-69.  | 0.9 | 30        |
| 445 | Flavonoid glucuronides with anti-leukaemic activity from <i>Polygonum amphibium</i> L.. <i>Phytochemical Analysis</i> , 2008, 19, 506-513.   | 1.2 | 20        |
| 446 | Rapid Identification of Common Hexapyranose Monosaccharide Units by a Simple TOCSY Matching Approach. <i>Chemistry - A European Journal</i> , 2008, 14, 8869-8878.   | 1.7 | 32        |
| 447 | Phenylpropanoid Esters of Rhamnose from <i>Buddleja asiatica</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 1299-1304.  | 1.0 | 5         |
| 448 | Clintoniosides A-C, New Polyhydroxylated Spirostanol Glycosides from the Rhizomes of <i>Clintonia udensis</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 2097-2106.   | 1.0 | 14        |
| 449 | Furostane-Type Steroidal Saponins from the Roots of <i>Chlorophytum borivilianum</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 2262-2269.  | 1.0 | 22        |
| 450 | E/Z-Thesinine-O-4- $\beta$ -rhamnoside, pyrrolizidine conjugates produced by grasses (Poaceae). <i>Phytochemistry</i> , 2008, 69, 1927-1932.   | 1.4 | 27        |
| 451 | A triterpenoidal saponin and sphingolipids from <i>Pteleopsis hylodendron</i> . <i>Phytochemistry</i> , 2008, 69, 2400-2405.   | 1.4 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 452 | Polyhydroxyoleanane-type triterpenoids from <i>Combretum molle</i> and their anti-inflammatory activity. <i>Phytochemistry Letters</i> , 2008, 1, 183-187.  | 0.6 | 35        |
| 453 | Isolation and antimalarial activity of new morphinan alkaloids on <i>Plasmodium yoelii</i> liver stage. <i>Biorganic and Medicinal Chemistry</i> , 2008, 16, 6186-6192.   | 1.4 | 32        |
| 454 | Structure and bioactivity of the polysaccharides in medicinal plant <i>Dendrobium huoshanense</i> . <i>Biorganic and Medicinal Chemistry</i> , 2008, 16, 6054-6068.   | 1.4 | 148       |
| 455 | Structural studies of a methyl galacturonosyl-methoxyxylan isolated from the stem of <i>Lagenaria siceraria</i> (Lau). <i>Carbohydrate Research</i> , 2008, 343, 341-349.   | 1.1 | 19        |
| 456 | A new kaempferol triglycoside from <i>Fagonia taeckholmiana</i> : cytotoxic activity of its extracts. <i>Carbohydrate Research</i> , 2008, 343, 155-158.  | 1.1 | 16        |
| 457 | FT-IR spectra of alginic acid block fractions in three species of brown seaweeds. <i>Carbohydrate Research</i> , 2008, 343, 308-316.  | 1.1 | 351       |
| 458 | Isolation and characterization of a heteroglycan from the fruits of <i>Astraeus hygrometricus</i> . <i>Carbohydrate Research</i> , 2008, 343, 817-824.  | 1.1 | 25        |
| 459 | Structural elucidation of the polysaccharide moiety of a glycopeptide (GLPCW-II) from <i>Ganoderma lucidum</i> fruiting bodies. <i>Carbohydrate Research</i> , 2008, 343, 746-752.  | 1.1 | 69        |
| 460 | The structure and conformation of a water-insoluble (1 $\rightarrow$ 3)-, (1 $\rightarrow$ 6)- $\beta$ -D-glucan from the fruiting bodies of <i>Pleurotus florida</i> . <i>Carbohydrate Research</i> , 2008, 343, 982-987.                | 1.1 | 114       |
| 461 | Structural investigation of a polysaccharide (Fr. I) isolated from the aqueous extract of an edible mushroom, <i>Volvariella diplasia</i> . <i>Carbohydrate Research</i> , 2008, 343, 1071-1078.  | 1.1 | 42        |
| 462 | Structural analysis of a polysaccharide isolated from the aqueous extract of an edible mushroom, <i>Pleurotus sajor-caju</i> , cultivar Black Japan. <i>Carbohydrate Research</i> , 2008, 343, 1108-1113.                                 | 1.1 | 43        |
| 463 | Chemical analysis of a new fucoglucan isolated from an edible mushroom, <i>Termitomyces robustus</i> . <i>Carbohydrate Research</i> , 2008, 343, 1062-1070.   | 1.1 | 28        |
| 464 | Isolation and structural characterization of a novel oligosaccharide from the rhamnogalacturonan of <i>Gossypium hirsutum</i> L.. <i>Carbohydrate Research</i> , 2008, 343, 1041-1049.  | 1.1 | 26        |
| 465 | Structural assignment of a heteropolysaccharide isolated from the gum of <i>Cochlospermum religiosum</i> (Katira gum). <i>Carbohydrate Research</i> , 2008, 343, 1222-1231.   | 1.1 | 45        |
| 466 | NMR and MALDI-TOFMS analysis of a heteroglycan isolated from hot water extract of edible mushroom, <i>Volvariella bombycina</i> . <i>Carbohydrate Research</i> , 2008, 343, 2258-2265.  | 1.1 | 23        |
| 467 | NMR and MALDI-TOF analysis of a water-soluble glucan from an edible mushroom, <i>Volvariella diplasia</i> . <i>Carbohydrate Research</i> , 2008, 343, 2834-2840.  | 1.1 | 26        |
| 468 | Structural characterization of a water-soluble $\beta$ -(1 $\rightarrow$ 6)-linked D-glucan isolated from the hot water extract of an edible mushroom, <i>Agaricus bitorquatus</i> . <i>Carbohydrate Research</i> , 2008, 343, 3120-3122. | 1.1 | 16        |
| 469 | A new glycoside from <i>Polygala tenuifolia</i> Willd. <i>Chinese Chemical Letters</i> , 2008, 19, 817-820.   | 4.8 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 470 | Two new steroidal glucosides from <i>Ophiopogon japonicus</i> (L.f.) Ker-Gawl. Chinese Chemical Letters, 2008, 19, 825-828.  | 4.8 | 14        |
| 471 | Stryphnosides A-F, six new triterpene glycosides from the pericarps of <i>Stryphnodendron fissuratum</i> . Tetrahedron, 2008, 64, 1474-1481.   | 1.0 | 26        |
| 472 | Synthesis of two natural betulinic acid saponins containing $\beta$ -D-rhamnopyranosyl-(1 $\rightarrow$ 2)- $\beta$ -D-arabinopyranose and their analogues. Tetrahedron, 2008, 64, 7386-7399.  | 1.0 | 45        |
| 473 | Separation of flavanone enantiomers and flavanone glucoside diastereomers from <i>Balanophora involucreta</i> Hook. f. by capillary electrophoresis and reversed-phase high-performance liquid chromatography on a C18 column. Journal of Chromatography A, 2008, 1185, 117-129. | 1.8 | 42        |
| 474 | New structural features of <i>Spondias purpurea</i> gum exudate. Food Hydrocolloids, 2008, 22, 1310-1314.  | 5.6 | 11        |
| 475 | Antioxidant and Hepatoprotective Effects of <i>Cyathea phalerata</i> Mart. (Cyatheaceae). Basic and Clinical Pharmacology and Toxicology, 2008, 103, 17-24.  | 1.2 | 21        |
| 476 | Morphological, physico-chemical and structural characterization of gum kondagogu ( <i>Cochlospermum gossypium</i> ): A tree gum from India. Food Hydrocolloids, 2008, 22, 899-915.   | 5.6 | 137       |
| 477 | A pyrrole derivative from <i>Paeonia suffruticosa</i> . Natural Product Research, 2008, 22, 1614-1619.   | 1.0 | 9         |
| 478 | Cytotoxic triterpenoid saponins from the roots of <i>Ardisia crenata</i> . Journal of Asian Natural Products Research, 2008, 10, 833-839.  | 0.7 | 26        |
| 479 | Soil Quality Effects on <i>Chenopodium album</i> Flavonoid Content and Antioxidant Potential. Journal of Agricultural and Food Chemistry, 2008, 56, 5050-5056.   | 2.4 | 40        |
| 480 | A novel triterpenoid saponin from <i>Polygala tenuifolia</i> Willd.. Journal of Asian Natural Products Research, 2008, 10, 803-806.  | 0.7 | 6         |
| 481 | Flavonol Caffeoylglycosides as $\beta$ -Glucosidase Inhibitors from <i>Spiraea cantoniensis</i> Flower. Journal of Agricultural and Food Chemistry, 2008, 56, 4367-4371.   | 2.4 | 58        |
| 482 | Preparative Enzymatic Synthesis of Glucuronides of Zearalenone and Five of Its Metabolites. Journal of Agricultural and Food Chemistry, 2008, 56, 4032-4038.   | 2.4 | 26        |
| 483 | Steroidal Saponins. Progress in the Chemistry of Organic Natural Products, 2008, 89, 45-141.   | 0.8 | 31        |
| 484 | Phenolic and Terpenoid Constituents from the Sri Lankan Medicinal Plant <i>Osbeckia aspera</i> . Pharmaceutical Biology, 2008, 46, 154-161.  | 1.3 | 14        |
| 485 | Fructose-amino acid conjugate and other constituents from <i>Cyperus rotundus</i> L.. Natural Product Research, 2008, 22, 1487-1497.   | 1.0 | 39        |
| 486 | Antioxidant and Chemopreventive Properties of Polyphenolic Compounds Derived from Greek Legume Plant Extracts. Journal of Agricultural and Food Chemistry, 2008, 56, 6967-6976.  | 2.4 | 33        |
| 487 | Isoflavonoid Glycosides from the Roots of <i>Baphia bancoensis</i> . Journal of Natural Products, 2008, 71, 2073-2076.   | 1.5 | 23        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 488 | Inhibitory Effect of Macabarterin, a Polyoxygenated Ellagitannin from <i>Macaranga barteri</i> , on Human Neutrophil Respiratory Burst Activity. <i>Journal of Natural Products</i> , 2008, 71, 1906-1910.           | 1.5 | 24        |
| 489 | New $\beta$ -pyrrolidinonoids and glycosides from <i>Euphorbia humifusa</i> . <i>Journal of Asian Natural Products Research</i> , 2008, 10, 531-539.   | 0.7 | 18        |
| 490 | Studies on the phenylethanoid glycosides with anti-complement activity from <i>Paulownia tomentosa</i> var. <i>tomentosa</i> wood. <i>Journal of Asian Natural Products Research</i> , 2008, 10, 1003-1008.          | 0.7 | 21        |
| 491 | Two new lignan glycosides from <i>Trachelospermum lucidum</i> (D. Don) Schum. <i>Journal of Asian Natural Products Research</i> , 2008, 10, 285-288.   | 0.7 | 9         |
| 492 | Pregnane glycosides and steroid saponins from <i>Smilax bockii</i> Warb. and their NGF-potentiating activity. <i>Natural Product Research</i> , 2008, 22, 884-889.   | 1.0 | 8         |
| 493 | Two new furostanol saponins from <i>Tribulus terrestris</i> L. <i>Journal of Asian Natural Products Research</i> , 2008, 10, 419-423.  | 0.7 | 14        |
| 494 | A novel steroidal glycoside, ophiourosposide A from <i>Ophiopogon japonicus</i> (Thunb.) Ker-Gawl. <i>Journal of Asian Natural Products Research</i> , 2008, 10, 415-418.  | 0.7 | 11        |
| 495 | Tyrosinase Inhibitors and Sesquiterpene Diglycosides from <i>Guioa villosa</i> . <i>Planta Medica</i> , 2008, 74, 55-60.   | 0.7 | 20        |
| 496 | Two new norbisabolane sesquiterpenoid glycosides from <i>Glochidion coccineum</i> . <i>Journal of Asian Natural Products Research</i> , 2008, 10, 1-5.   | 0.7 | 12        |
| 497 | NMR Applications for Polymer Characterisation. , 2008, , 157-180.  |     | 5         |
| 498 | Chemical Constituents from the Leaves of <i>Manglietia phuthoensis</i> and Their Effects on Osteoblastic MC3T3-E1 Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1270-1275.                          | 0.6 | 30        |
| 499 | $\beta$ -Glucosidase Inhibitors Ellagic Acid Derivatives with Immunoinhibitory Properties from <i>Terminalia superba</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 847-850.                          | 0.6 | 29        |
| 500 | Structural Determination and DPPH Radical-Scavenging Activity of Two Acylated Flavonoid Tetraglycosides in Oolong Tea ( <i>Camellia sinensis</i> ). <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 851-853. | 0.6 | 30        |
| 501 | Cytotoxic Steroidal Saponins from the Flowers of <i>Allium leucanthum</i> . <i>Molecules</i> , 2008, 13, 2925-2934.  | 1.7 | 33        |
| 502 | Bioactive Pentacyclic Triterpenes from the Stems of <i>Combretum laxum</i> . <i>Molecules</i> , 2008, 13, 2717-2728.   | 1.7 | 84        |
| 503 | Triterpene Bisdesmosides from the Stems of <i>Akebia Quinata</i> . <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.   | 0.2 | 1         |
| 504 | A Protein Containing Glucan from an Edible Mushroom, <i>Termitomyces Microcarpus</i> (var). <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.  | 0.2 | 6         |
| 505 | A New $\beta$ -D-Glucopyranosyl 2-Oxo-urs-12-en-28-oate from the Cameroonian Plant <i>Combretum bracteatum</i> . <i>Natural Product Communications</i> , 2009, 4, 1934578X0900401.                                   | 0.2 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 506 | Structural Characterization of Dietary Fiber of Green Chalcumra ( <i>Benincasa Hispida</i> ) Fruit by NMR Spectroscopic Analysis. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.                              | 0.2 | 2         |
| 507 | Friedelin: A bacterial resistance modulator from <i>Paulinia Pinnata L.</i> . <i>Journal of Science and Technology (Ghana)</i> , 2009, 29, .   | 0.4 | 4         |
| 508 | Structural Analysis of a Bioactive Polysaccharide, PISP1, from the Medicinal Mushroom <i>Phellinus igniarius</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 134-139.  | 0.6 | 35        |
| 509 | Citronamides A and B, Tetrapeptides from the Australian Sponge <i>Citronia astra</i> . <i>Journal of Natural Products</i> , 2009, 72, 764-768.   | 1.5 | 26        |
| 510 | Steroidal Saponins from the Rhizome of <i>Paris polyphylla</i> and Their Cytotoxic Activities. <i>Planta Medica</i> , 2009, 75, 356-363.   | 0.7 | 97        |
| 511 | Two new furostanol saponins from <i>Tribulus terrestris L.</i> . <i>Fä-toterapÄ-t</i> , 2009, 80, 354-357.   | 1.1 | 16        |
| 512 | Purification and structural elucidation of a novel fucoglucan from the fruiting bodies of <i>Phellinus baumii</i> . <i>Journal of the Science of Food and Agriculture</i> , 2009, 89, 343-348.                                   | 1.7 | 8         |
| 513 | Cellular reactive oxygen species inhibitory constituents of <i>Hypericum thasium</i> Griseb. <i>Phytochemistry</i> , 2009, 70, 244-249.  | 1.4 | 25        |
| 514 | Synthesis and cytotoxicity evaluation of natural $\beta$ -bisabolol $\beta$ -d-fucopyranoside and analogues. <i>Phytochemistry</i> , 2009, 70, 228-236.  | 1.4 | 36        |
| 515 | Enzymatically derived aldouronic acids from <i>Eucalyptus globulus</i> glucuronoxylan. <i>Carbohydrate Polymers</i> , 2009, 78, 247-252.   | 5.1 | 16        |
| 516 | Structural characterization of a heteropolysaccharide isolated from hot water extract of the stems of <i>Amaranthus tricolor</i> Linn. ( <i>Amaranthus gangeticus L.</i> ). <i>Carbohydrate Research</i> , 2009, 344, 2412-2416. | 1.1 | 15        |
| 517 | New isoflavone glycosides from <i>Iris spuria L.</i> (Calizona) cultivated in Egypt. <i>Journal of Natural Medicines</i> , 2009, 63, 91-95.  | 1.1 | 25        |
| 518 | New anthracene glycosides from <i>Rhodomyrtus tomentosa</i> stimulate osteoblastic differentiation of MC3T3-E1 cells. <i>Archives of Pharmacal Research</i> , 2009, 32, 515-520.   | 2.7 | 20        |
| 519 | Kaempferol glycosides with antioxidant activity from <i>Brassica juncea</i> . <i>Archives of Pharmacal Research</i> , 2009, 32, 1379-1384.   | 2.7 | 36        |
| 520 | Structural investigation of a novel water-soluble heteropolysaccharide from the fruiting bodies of <i>Phellinus baumii</i> . <i>Food Chemistry</i> , 2009, 114, 391-395.   | 4.2 | 58        |
| 521 | Antihyperglycemic activity of phenylpropanoyl esters of catechol glycoside and its dimers from <i>Dodecadenia grandiflora</i> . <i>Phytochemistry</i> , 2009, 70, 1448-1455.   | 1.4 | 27        |
| 522 | A flavonoid with cytotoxic activity and other constituents from <i>Centaurea africana</i> . <i>Phytochemistry Letters</i> , 2009, 2, 114-118.  | 0.6 | 29        |
| 523 | Stilbene glucosides from the bulbs of <i>Iris tingitana</i> . <i>Phytochemistry Letters</i> , 2009, 2, 148-151.  | 0.6 | 16        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 524 | Structure of the oligosaccharides isolated from <i>Dalbergia sissoo</i> Roxb. leaf polysaccharide. <i>Carbohydrate Polymers</i> , 2009, 78, 520-525.   | 5.1 | 16        |
| 525 | Structural identification and cytotoxic activity of a polysaccharide from the fruits of <i>Lagenaria siceraria</i> (Lau). <i>Carbohydrate Research</i> , 2009, 344, 693-698.   | 1.1 | 36        |
| 526 | Structural investigation of a heteropolysaccharide isolated from the green fruits of <i>Capsicum annum</i> . <i>Carbohydrate Research</i> , 2009, 344, 1130-1135.  | 1.1 | 11        |
| 527 | Structural studies of a heteropolysaccharide (PS-I) isolated from hot water extract of fruits of <i>Psidium guajava</i> (Guava). <i>Carbohydrate Research</i> , 2009, 344, 1365-1370.  | 1.1 | 25        |
| 528 | Structural characterization of an O-linked tetrasaccharide from <i>Pseudomonas syringae</i> pv. <i>tabaci</i> flagellin. <i>Carbohydrate Research</i> , 2009, 344, 2250-2254.  | 1.1 | 8         |
| 529 | Chemical analysis of a polysaccharide of unripe (green) tomato ( <i>Lycopersicon esculentum</i> ). <i>Carbohydrate Research</i> , 2009, 344, 2188-2194.  | 1.1 | 35        |
| 530 | Structural analysis of an immunoenhancing heteropolysaccharide isolated from the green (unripe) fruits of <i>Solenum melongena</i> (Brinjal). <i>Carbohydrate Research</i> , 2009, 344, 2357-2363.                           | 1.1 | 10        |
| 531 | Structural studies of an immunoenhancing water-soluble glucan isolated from hot water extract of an edible mushroom, <i>Pleurotus florida</i> , cultivar Assam Florida. <i>Carbohydrate Research</i> , 2009, 344, 2596-2601. | 1.1 | 61        |
| 532 | Isolation and characterization of a heteropolysaccharide from the corm of <i>Amorphophallus campanulatus</i> . <i>Carbohydrate Research</i> , 2009, 344, 2581-2585.  | 1.1 | 37        |
| 533 | Synthesis and Cytotoxicity of Bidesmosidic Betulin and Betulinic Acid Saponins. <i>Journal of Natural Products</i> , 2009, 72, 72-81.  | 1.5 | 80        |
| 534 | Identification of Undecaprenyl Phosphate- $\beta$ -Galactosamine in <i>Francisella novicida</i> and Its Function in Lipid A Modification. <i>Biochemistry</i> , 2009, 48, 1162-1172.   | 1.2 | 55        |
| 535 | Two novel furostanol saponins from <i>Ophiopogon japonicus</i> . <i>Journal of Asian Natural Products Research</i> , 2009, 11, 824-831.  | 0.7 | 12        |
| 536 | Steroidal Glycosides from <i>Agave utahensis</i> and Their Cytotoxic Activity. <i>Journal of Natural Products</i> , 2009, 72, 1399-1404.   | 1.5 | 39        |
| 537 | Ypsilandrosides C-G, five new spirostanol saponins from <i>Ypsilandra thibetica</i> . <i>Steroids</i> , 2009, 74, 950-955.   | 0.8 | 28        |
| 538 | A New Triterpenoid Saponin from Flower Buds of <i>Lonicera dasystyla</i> . <i>Chinese Journal of Natural Medicines</i> , 2009, 7, 405-408.   | 0.7 | 0         |
| 539 | Cytotoxic Spirostane-Type Saponins from the Roots of <i>Chlorophytum borivilianum</i> . <i>Journal of Natural Products</i> , 2009, 72, 177-181.  | 1.5 | 47        |
| 540 | Two new steroidal glucosides from <i>Tribulus terrestris</i> L.. <i>Journal of Asian Natural Products Research</i> , 2009, 11, 548-553.  | 0.7 | 9         |
| 541 | BenzophenoneO-glycosides from <i>Hypericum elegans</i> . <i>Natural Product Research</i> , 2009, 23, 1176-1180.  | 1.0 | 12        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 542 | Chemical composition of the stem bark and leaves of <i>Ficus pandurata</i> Hance. <i>Natural Product Research</i> , 2009, 23, 1218-1230.  | 1.0 | 48        |
| 543 | Steroidal Glycosides from <i>Furcraea foetida</i> and Their Cytotoxic Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1161-1166.  | 0.6 | 15        |
| 544 | Flavonoid and a Rare Benzophenone Glycoside from the Leaves of <i>Aquilaria sinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 134-137.   | 0.6 | 70        |
| 545 | Triterpene Glycosides from the Whole Plant of <i>Anemone hupehensis</i> var. <i>japonica</i> and Their Cytotoxic Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1425-1430.   | 0.6 | 43        |
| 546 | New Neolignan Component from <i>Camellia amplexicaulis</i> and Effects on Osteoblast Differentiation. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 65-68.  | 0.6 | 13        |
| 547 | Chemical constituents from <i>Astragalus annularis</i> Forssk. and <i>A. trimestris</i> L., Fabaceae. <i>Revista Brasileira De Farmacognosia</i> , 2010, 20, 860-865.   | 0.6 | 22        |
| 548 | New Neolignans and a Phenylpropanoid Glycoside from Twigs of <i>Milium mollis</i> . <i>Molecules</i> , 2010, 15, 639-648.   | 1.7 | 21        |
| 549 | A (1 $\rightarrow$ 6)- $\beta$ -glucan from a somatic hybrid of <i>Pleurotus florida</i> and <i>Volvariella volvacea</i> : isolation, characterization, and study of immunoenhancing properties. <i>Carbohydrate Research</i> , 2010, 345, 974-978. | 1.1 | 29        |
| 550 | Chemical analysis of an immunoenhancing water-soluble polysaccharide of an edible mushroom, <i>Pleurotus florida</i> blue variant. <i>Carbohydrate Research</i> , 2010, 345, 2736-2741.   | 1.1 | 37        |
| 551 | Glycosides from <i>Breynia fruticosa</i> and <i>Breynia rostrata</i> . <i>Phytochemistry</i> , 2010, 71, 325-331.   | 1.4 | 17        |
| 552 | O-Methylated mannogalactan from the microalga <i>Coccomyxa mucigena</i> , symbiotic partner of the lichenized fungus <i>Peltigera aphthosa</i> . <i>Phytochemistry</i> , 2010, 71, 1162-1167.   | 1.4 | 11        |
| 553 | Acylated flavonol pentaglycosides from <i>Baphia nitida</i> leaves. <i>Phytochemistry Letters</i> , 2010, 3, 70-74.   | 0.6 | 26        |
| 554 | A new alloside from <i>Neocheiropteris palmatopedata</i> . <i>Chemistry of Natural Compounds</i> , 2010, 46, 173-175.   | 0.2 | 7         |
| 555 | Flavonoids from the leaves of <i>Actinidia kolomikta</i> . <i>Chemistry of Natural Compounds</i> , 2010, 46, 205-208.   | 0.2 | 19        |
| 556 | Furostanol Glycosides from leaves of the Chinese plant <i>Tribulus terrestris</i> . <i>Chemistry of Natural Compounds</i> , 2010, 46, 242-245.  | 0.2 | 6         |
| 557 | Reversing $\beta$ -lactam antibiotic resistance of <i>Staphylococcus aureus</i> with galangin from <i>Alpinia officinarum</i> Hance and synergism with ceftazidime. <i>Phytomedicine</i> , 2010, 18, 40-45.   | 2.3 | 95        |
| 558 | Osmoregulated trehalose-derived oligosaccharides in <i>Sinorhizobium meliloti</i> . <i>FEBS Letters</i> , 2010, 584, 3661-3666.   | 1.3 | 5         |
| 559 | Inverting character of family GH115 $\alpha$ -glucuronidases. <i>FEBS Letters</i> , 2010, 584, 4063-4068.   | 1.3 | 23        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 560 | Steroidal saponins from the leaves of <i>Agave macroacantha</i> . <i>FĀ-toterapĀ-Āċ</i> , 2010, 81, 371-374.   | 1.1 | 32        |
| 561 | Two new benzophenone glycosides from the fruit of <i>Psidium guajava</i> L.. <i>FĀ-toterapĀ-Āċ</i> , 2010, 81, 532-535.  | 1.1 | 25        |
| 562 | Isolation and structural elucidation of a polysaccharide with radiation-protective activity from <i>Spirulina platensis</i> . <i>Chinese Journal of Chemistry</i> , 2010, 14, 279-285.   | 2.6 | 4         |
| 563 | Triterpenoid Saponins from <i>Vaccaria segetalis</i> . <i>Chinese Journal of Chemistry</i> , 2010, 19, 606-611.  | 2.6 | 9         |
| 564 | Studies on chemistry and immunoĀmodulating mechanism of a glycoconjugate from <i>Lycium barbarum</i> L.. <i>Chinese Journal of Chemistry</i> , 2001, 19, 1190-1197.  | 2.6 | 49        |
| 565 | Structure elucidation of new acacic acid-type saponins from <i>Albizia coriaria</i> . <i>Magnetic Resonance in Chemistry</i> , 2010, 48, 829-836.  | 1.1 | 22        |
| 566 | Rheediinosides A and B, two antiproliferative and antioxidant triterpene saponins from <i>Entada rheedii</i> . <i>Phytochemistry</i> , 2010, 71, 254-261.  | 1.4 | 59        |
| 567 | Cytotoxic triterpenoid saponins from the stem bark of <i>Antonia ovata</i> . <i>Phytochemistry</i> , 2010, 71, 429-434.  | 1.4 | 9         |
| 568 | Isolation and evaluation of kaempferol glycosides from the fern <i>Neochiropteris palmatopedata</i> . <i>Phytochemistry</i> , 2010, 71, 641-647.   | 1.4 | 32        |
| 569 | Dimeric antioxidant and cytotoxic triterpenoid saponins from <i>Terminalia ivorensis</i> A. Chev.. <i>Phytochemistry</i> , 2010, 71, 2108-2115.  | 1.4 | 61        |
| 570 | New alkamide and ent-kaurane diterpenoid derivatives from <i>Senecio erectitoides</i> (Asteraceae). <i>Phytochemistry Letters</i> , 2010, 3, 201-206.  | 0.6 | 8         |
| 571 | Secondary metabolites from <i>Calotropis procera</i> (Aiton). <i>Phytochemistry Letters</i> , 2010, 3, 212-216.  | 0.6 | 47        |
| 572 | Phenolic compounds from the leaves of <i>Cyclocarya paliurus</i> (Batal.) Ijinskaja and their inhibitory activity against PTP1B. <i>Food Chemistry</i> , 2010, 119, 1491-1496.   | 4.2 | 78        |
| 573 | Structural characterization of an immunoenhancing heteroglycan isolated from an aqueous extract of an edible mushroom, <i>Lentinus squarrosulus</i> (Mont.) Singer. <i>Carbohydrate Research</i> , 2010, 345, 2542-2549.               | 1.1 | 61        |
| 574 | Two new furostanol saponins from <i>Tribulus terrestris</i> L.. <i>Chinese Chemical Letters</i> , 2010, 21, 580-583.   | 4.8 | 3         |
| 575 | Structural elucidation of an exopolysaccharide from mycelial fermentation of a <i>Tolyposcladium</i> sp. fungus isolated from wild <i>Cordyceps sinensis</i> . <i>Carbohydrate Polymers</i> , 2010, 79, 125-130.                       | 5.1 | 100       |
| 576 | Structural characterization of an immunoenhancing heteropolysaccharide isolated from hot water extract of the fresh leaves of <i>Catharanthus rosea</i> . <i>Carbohydrate Polymers</i> , 2010, 81, 584-591.                            | 5.1 | 20        |
| 577 | Structural investigation of an exopolysaccharide substituted with a lactyl ether group produced by <i>Raoultella terrigena</i> Ez-555-6 isolated in the Chernobyl exclusion zone. <i>Carbohydrate Research</i> , 2010, 345, 1163-1173. | 1.1 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 578 | Glucans from the alkaline extract of an edible mushroom, <i>Pleurotus florida</i> , cv Assam Florida: isolation, purification, and characterization. <i>Carbohydrate Research</i> , 2010, 345, 2157-2163.  | 1.1 | 28        |
| 579 | Chemical analysis of new water-soluble (1 $\rightarrow$ 6)-, (1 $\rightarrow$ 4)- $\beta$ -D-glucan and water-insoluble (1 $\rightarrow$ 3)-, (1 $\rightarrow$ 4)- $\beta$ -D-glucan (Calocyban) from alkaline extract of an edible mushroom, <i>Calocybe indica</i> (Dudh Chattu). <i>Carbohydrate Research</i> , 2010, 345, 2657-2663. | 1.1 | 42        |
| 580 | Structural features and hypoglycaemic effects of <i>Cynomorium songaricum</i> polysaccharides on STZ-induced rats. <i>Food Chemistry</i> , 2010, 120, 443-451.   | 4.2 | 37        |
| 581 | ISOLATION, PURIFICATION AND STRUCTURAL CHARACTERIZATION OF A NOVEL WATER-SOLUBLE GLUCAN FROM THE FRUITING BODIES OF <i>PELLINUS BAUMII</i> PILÁT. <i>Journal of Food Biochemistry</i> , 2010, 34, 1205-1215.   | 1.2 | 10        |
| 582 | A New Triterpenoid Saponin from <i>Pulsatilla cernua</i> . <i>Molecules</i> , 2010, 15, 1891-1897.   | 1.7 | 10        |
| 583 | Antioxidant and antibacterial activity of extracts, fractions and isolated substances from the flowers of <i>Acacia podalyriifolia</i> A. Cunn. ex G. Don. <i>Brazilian Journal of Pharmaceutical Sciences</i> , 2010, 46, 715-722.  | 1.2 | 18        |
| 584 | A phosphoethanolamine-modified glycosyl diradylglycerol in the polar lipids of <i>Clostridium tetani</i> . <i>Journal of Lipid Research</i> , 2010, 51, 1953-1961.   | 2.0 | 30        |
| 585 | Two new glycosides from <i>Breynia vitis-idaea</i> . <i>Journal of Asian Natural Products Research</i> , 2010, 12, 535-541.  | 0.7 | 10        |
| 586 | Chemical constituents of <i>Trachelospermum jasminoides</i> . <i>Natural Product Research</i> , 2010, 24, 1248-1252.   | 1.0 | 8         |
| 587 | Glucosylation of Steroidal Saponins by Cyclodextrin Glucanotransferase. <i>Planta Medica</i> , 2010, 76, 1724-1731.  | 0.7 | 18        |
| 588 | Antiaryl Cinnamate and Africanoside, a Cinnamoyl Triterpene and a Hydroperoxy-cardenolide from the Stem Bark of <i>Antiaris africana</i> . <i>Planta Medica</i> , 2010, 76, 1717-1723.   | 0.7 | 11        |
| 589 | Antiprotozoal Steroidal Saponins from the Marine Sponge <i>Pandaros acanthifolium</i> . <i>Journal of Natural Products</i> , 2010, 73, 1404-1410.  | 1.5 | 68        |
| 590 | Antioxidant and Anti-inflammatory Phenylpropanoid Derivatives from <i>Calamus quiquesetinervius</i> . <i>Journal of Natural Products</i> , 2010, 73, 1482-1488.  | 1.5 | 45        |
| 591 | Potential Physiological Functions of Acceptor Products of Dextranase with Cellobiose as an Inhibitor of Mutanase and Fungal Cell Synthase. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 11493-11500.  | 2.4 | 3         |
| 592 | Spirostanol tetraglycosides from <i>Ypsilandra thibetica</i> . <i>Steroids</i> , 2010, 75, 982-987.  | 0.8 | 19        |
| 593 | Purification, Characterization and Immuno-Modulating Properties of Polysaccharides Isolated from <i>Flammulina velutipes</i> Mycelium. <i>The American Journal of Chinese Medicine</i> , 2010, 38, 191-204.  | 1.5 | 30        |
| 594 | Flavonol glycosides with $\beta$ -D-aldohexoses from <i>Rhododendron irroratum</i> . <i>Natural Product Research</i> , 2010, 24, 920-925.  | 1.0 | 10        |
| 595 | Two new furostanol saponins from the seeds of <i>Trigonella foenum-graecum</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 611-617.  | 0.7 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 596 | Identification of Antioxidative Flavonols and Anthocyanins in <i>Sicana odorifera</i> Fruit Peel. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 975-983.   | 2.4 | 40        |
| 597 | Antiproliferative Triterpenes from the Leaves and Twigs of <i>Juglans sinensis</i> on HSC-T6 Cells. <i>Journal of Natural Products</i> , 2011, 74, 751-756.  | 1.5 | 28        |
| 598 | A Versatile Method for Functionalizing Surfaces with Bioactive Glycans. <i>Bioconjugate Chemistry</i> , 2011, 22, 50-57.   | 1.8 | 43        |
| 599 | Cinnamyl alcohols and methyl esters of fatty acids from <i>Wedelia prostrata</i> callus cultures. <i>Natural Product Research</i> , 2011, 25, 45-52.   | 1.0 | 2         |
| 600 | Pseudonocardians A-C, New Diazaanthraquinone Derivatives from a Deep-Sea Actinomycete <i>Pseudonocardia</i> sp. SCSIO 01299. <i>Marine Drugs</i> , 2011, 9, 1428-1439.   | 2.2 | 72        |
| 601 | Quercetin and Kaempferol 3-O-[[1-Rhamnopyranosyl-(1 $\rightarrow$ 2)-1 $\rightarrow$ -arabinopyranoside]-7-O-1 $\rightarrow$ -rhamnopyranoside] from <i>Anthyllis hermanniae</i> : Structure Determination and Conformational Studies. <i>Journal of Natural Products</i> , 2011, 74, 1939-1945.                               | 1.5 | 24        |
| 602 | Bioactive Compounds from the Fern <i>Lepisorus contortus</i> . <i>Journal of Natural Products</i> , 2011, 74, 129-136.   | 1.5 | 34        |
| 603 | Structural characterization and study of immunoenhancing and antioxidant property of a novel polysaccharide isolated from the aqueous extract of a somatic hybrid mushroom of <i>Pleurotus florida</i> and <i>Calocybe indica</i> variety APK2. <i>International Journal of Biological Macromolecules</i> , 2011, 48, 304-310. | 3.6 | 49        |
| 604 | Chemical analysis and study of immunoenhancing and antioxidant property of a glucan isolated from an alkaline extract of a somatic hybrid mushroom of <i>Pleurotus florida</i> and <i>Calocybe indica</i> variety APK2. <i>International Journal of Biological Macromolecules</i> , 2011, 49, 555-560.                         | 3.6 | 15        |
| 605 | Cytotoxic and haemolytic steroidal glycosides from the Caribbean sponge <i>Pandaros acanthifolium</i> . <i>Steroids</i> , 2011, 76, 1389-1396.   | 0.8 | 15        |
| 606 | Lecythomycin, a New Macrolactone Glycoside from the Endophytic Fungus <i>Lecythophora</i> sp. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.  | 0.2 | 2         |
| 607 | Two New Sesquiterpene Lactones from <i>Ixeris sonchifolia</i> . <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.  | 0.2 | 2         |
| 608 | Three Steroids with Unique Structural Feature of 5.BETA.-Spirostan-1.BETA.,3.BETA.,17.ALPHA.-trihydroxyl from <i>Reineckia carnea</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 53-56.   | 0.6 | 13        |
| 609 | Larrealignans A and B, Novel Lignan Glycosides from the Aerial Parts of <i>Larrea tridentata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 1467-1470.  | 0.6 | 7         |
| 610 | Three New Flavonoid Glycosides, Byzantionoside B 6'-O-Sulfate and Xyloglucoside of (Z)-Hex-3-en-1-ol from <i>Ruellia patula</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 725-729.   | 0.6 | 6         |
| 611 | STRUCTURAL ELUCIDATION OF A NEUTRAL WATER-SOLUBLE 1,6-D-GLUCAN FROM THE FUNGUS OF <i>HERICIUM ERINACEUS</i> . <i>Journal of Food Biochemistry</i> , 2011, 35, 1680-1685.   | 1.2 | 11        |
| 612 | Does aposymbiotically cultivated fungus <i>Ramalina</i> produce isolichenan?. <i>FEMS Microbiology Letters</i> , 2011, 321, 50-57.   | 0.7 | 7         |
| 613 | Novel glycosylated mycosporine-like amino acids with radical scavenging activity from the cyanobacterium <i>Nostoc commune</i> . <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2011, 105, 81-89.  | 1.7 | 80        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 614 | Cytotoxic activity of withanolides isolated from Tunisian <i>Datura metel</i> L.. <i>Phytochemistry</i> , 2011, 72, 2031-2036.  | 1.4 | 38        |
| 615 | Seven new triterpene glycosides from the pericarps of <i>Stryphnodendron fissuratum</i> . <i>Phytochemistry Letters</i> , 2011, 4, 259-266.   | 0.6 | 11        |
| 616 | Triterpenoid saponins from corms of <i>Crocus sativus</i> : Localization, extraction and characterization. <i>Industrial Crops and Products</i> , 2011, 34, 1401-1409.  | 2.5 | 27        |
| 617 | New studies on gum ghatti ( <i>Anogeissus latifolia</i> ) Part III: Structure characterization of a globular polysaccharide fraction by 1D, 2D NMR spectroscopy and methylation analysis. <i>Food Hydrocolloids</i> , 2011, 25, 1999-2007.                  | 5.6 | 63        |
| 618 | Isolation and characterization of an immunoenhancing glucan from alkaline extract of an edible mushroom, <i>Lentinus squarrosulus</i> (Mont.) Singer. <i>Carbohydrate Research</i> , 2011, 346, 2039-2044.  | 1.1 | 33        |
| 619 | Structural characterization and study of immunoenhancing properties of heteroglycan isolated from a somatic hybrid mushroom (PflöVv1aFB) of <i>Pleurotus florida</i> and <i>Volvariella volvacea</i> . <i>Carbohydrate Research</i> , 2011, 346, 1967-1972. | 1.1 | 25        |
| 620 | Structural characterization of an immunoenhancing cytotoxic heteroglycan isolated from an edible mushroom <i>Calocybe indica</i> var. APK2. <i>Carbohydrate Research</i> , 2011, 346, 2237-2243.  | 1.1 | 32        |
| 621 | Structural determination of the O-specific polysaccharide from <i>Aeromonas hydrophila</i> strain A19 (serogroup O:14) with S-layer. <i>Carbohydrate Research</i> , 2011, 346, 2519-2522.   | 1.1 | 7         |
| 622 | Isolation and characterization of polysaccharides of a hybrid mushroom (backcross mating between) Tj ETQq0 0 0 rBT /Overlock 10 Tf  | 1.1 | 21        |
| 623 | Isolation and structural confirmation of the oligosaccharides containing $\hat{\pm}$ -d-fructofuranoside linkages isolated from fermented beverage of plant extracts. <i>Carbohydrate Research</i> , 2011, 346, 2633-2637.                                  | 1.1 | 11        |
| 624 | Cytotoxic and antioxidant triterpene saponins from <i>Butyrospermum parkii</i> (Sapotaceae). <i>Carbohydrate Research</i> , 2011, 346, 2699-2704.   | 1.1 | 47        |
| 625 | Antioxidative phenolic compounds from the whole plant of <i>Juncus diastrophanthus</i> . <i>Journal of the Korean Society for Applied Biological Chemistry</i> , 2011, 54, 685-692.   | 0.9 | 8         |
| 626 | Acid epimerization of 20-keto pregnane glycosides is determined by 2D-NMR spectroscopy. <i>Journal of Biomolecular NMR</i> , 2011, 50, 91-97.   | 1.6 | 10        |
| 627 | Structural analysis of an arabinan isolated from alkaline extract of the endosperm of seeds of <i>Caesalpinia bonduc</i> (Nata Karanja). <i>Carbohydrate Polymers</i> , 2011, 84, 471-476.  | 5.1 | 30        |
| 628 | Physiochemical properties and antitumor activities of two $\hat{\pm}$ -glucans isolated from hot water and alkaline extracts of <i>Cordyceps</i> (Cs-HK1) fungal mycelia. <i>Carbohydrate Polymers</i> , 2011, 85, 753-758.                                 | 5.1 | 60        |
| 629 | Structural characterization of a heteropolysaccharide isolated from the rhizomes of <i>Curcuma zedoaria</i> (Sati). <i>Carbohydrate Polymers</i> , 2011, 86, 1252-1259.   | 5.1 | 7         |
| 630 | A heteropolysaccharide from aqueous extract of an edible mushroom, <i>Pleurotus ostreatus</i> cultivar: structural and biological studies. <i>Carbohydrate Research</i> , 2011, 346, 366-372.   | 1.1 | 51        |
| 631 | A bioactive flavonoid from <i>Pavetta crassipes</i> K. Schum. <i>Organic and Medicinal Chemistry Letters</i> , 2011, 1, 14.   | 2.0 | 37        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 632 | Ypsilactosides A and B, Two New C22-Steroidal Lactone Glycosides from <i>Ypsilandra thibetica</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 92-97.  | 1.0 | 10        |
| 633 | Three New Triterpenoid Saponins from <i>Ardisia crenata</i> . <i>Helvetica Chimica Acta</i> , 2011, 94, 693-702.  | 1.0 | 11        |
| 634 | New Triterpenoid and Ergostane Glycosides from the Leaves of <i>Hydrocotyle umbellata</i> L.. <i>Helvetica Chimica Acta</i> , 2011, 94, 1850-1859.  | 1.0 | 10        |
| 635 | A reoptimized GROMOS force field for hexopyranose-based carbohydrates accounting for the relative free energies of ring conformers, anomers, epimers, hydroxymethyl rotamers, and glycosidic linkage conformers. <i>Journal of Computational Chemistry</i> , 2011, 32, 998-1032.                    | 1.5 | 147       |
| 636 | A new triterpenoid saponin from the roots of <i>Ardisia crenata</i> . <i>Chinese Chemical Letters</i> , 2011, 22, 957-960.  | 4.8 | 11        |
| 637 | Novel lignans from the stems and leaves of <i>Trachelospermum jasminoides</i> . <i>Chinese Chemical Letters</i> , 2011, 22, 1075-1077.  | 4.8 | 8         |
| 638 | Elucidation of the structure of a bioactive hydrophilic polysaccharide from <i>Cordyceps sinensis</i> by methylation analysis and NMR spectroscopy. <i>Carbohydrate Polymers</i> , 2011, 84, 894-899.   | 5.1 | 112       |
| 639 | Arabinoxylan from <i>Canna edulis</i> Ker by-product and its enzymatic activities. <i>Carbohydrate Polymers</i> , 2011, 84, 656-661.  | 5.1 | 5         |
| 640 | Structure characterization of high molecular weight heteropolysaccharide isolated from <i>Artemisia sphaerocephala</i> Krasch seed. <i>Carbohydrate Polymers</i> , 2011, 86, 742-746.   | 5.1 | 37        |
| 641 | Terpenoids and hexenes from the leaves of <i>Crataegus pinnatifida</i> . <i>Food Chemistry</i> , 2011, 129, 933-939.  | 4.2 | 32        |
| 642 | Bio-assay guided isolation and identification of $\beta$ -glucosidase inhibitors from the leaves of <i>Aquilaria sinensis</i> . <i>Phytochemistry</i> , 2011, 72, 242-247.  | 1.4 | 142       |
| 643 | Steroidal saponins from the leaves of <i>Beaucarnea recurvata</i> . <i>Phytochemistry</i> , 2011, 72, 946-951.  | 1.4 | 13        |
| 644 | Phenolic constituents of the inflorescences of <i>Sorbus torminalis</i> (L.) Crantz. <i>Phytochemistry Letters</i> , 2011, 4, 151-157.  | 0.6 | 26        |
| 645 | Acanthifoliosides, minor steroidal saponins from the Caribbean sponge <i>Pandaros acanthifolium</i> . <i>Tetrahedron</i> , 2011, 67, 1011-1018.   | 1.0 | 23        |
| 646 | Pregnane steroidal glycosides and their cytostatic activities. <i>Glycobiology</i> , 2011, 21, 619-624.   | 1.3 | 3         |
| 647 | Spirostanol Saponins Derivated from the Seeds of <i>Trigonella foenum-graecum</i> by $\beta$ -Glucosidase Hydrolysis and Their Inhibitory Effects on Rat Platelet Aggregation. <i>Planta Medica</i> , 2012, 78, 276-285.  | 0.7 | 18        |
| 648 | Structural Studies of an Antioxidant, Immunoenhancing Polysaccharide Isolated from the Kernel of <i>Trapa bispinosa</i> Fruit. <i>Journal of Carbohydrate Chemistry</i> , 2012, 31, 686-701.  | 0.4 | 4         |
| 649 | Localization and structural analysis of a conserved pyruvylated epitope in <i>Bacillus anthracis</i> secondary cell wall polysaccharides and characterization of the galactose-deficient wall polysaccharide from avirulent <i>B. anthracis</i> CDC 684. <i>Glycobiology</i> , 2012, 22, 1103-1117. | 1.3 | 42        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 650 | PLANT GLYCOLIPIDS: STRUCTURE, ISOLATION AND ANALYSIS. , 2012, , 211-332.   |     | 8         |
| 651 | Isolation of Antithrombotic Phenolic Compounds from the Leaves of <i>Crataegus pinnatifida</i> . <i>Planta Medica</i> , 2012, 78, 1967-1971.   | 0.7 | 18        |
| 652 | Two new rhamnopyranosides of neolignans from <i>Sanguisorba officinalis</i> . <i>Journal of Asian Natural Products Research</i> , 2012, 14, 171-175.   | 0.7 | 12        |
| 653 | Anti- <i>Helicobacter pylori</i> Activity of the Methanolic Extract of <i>Geum iranicum</i> and its Main Compounds. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2012, 67, 172-180.            | 0.6 | 20        |
| 655 | Eastern Blotting Analysis and Isolation of Two New Dammarane-Type Saponins from American Ginseng. <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 1329-1333.   | 0.6 | 13        |
| 656 | Novel Targeted Liposomes Deliver siRNA to Hepatocellular Carcinoma Cells <i>in vitro</i> . <i>Chemical Biology and Drug Design</i> , 2012, 80, 647-656.  | 1.5 | 12        |
| 657 | One new diphenylmethane glycoside from the leaves of <i>Psidium guajava</i> L.. <i>Natural Product Research</i> , 2012, 26, 1971-1975.   | 1.0 | 17        |
| 658 | Two oleananes from <i>Ammannia auriculata</i> Willd.. <i>Natural Product Research</i> , 2012, 26, 1328-1333.   | 1.0 | 6         |
| 659 | Two new phenylpropanoid glycosides from <i>Sanguisorba officinalis</i> . <i>Chinese Chemical Letters</i> , 2012, 23, 1243-1246.  | 4.8 | 1         |
| 660 | Structure and antioxidant activity of polysaccharide POJ-U1a extracted by ultrasound from <i>Ophiopogon japonicus</i> . <i>FÃ-toterapÃ-Ãç</i> , 2012, 83, 1576-1584.   | 1.1 | 58        |
| 661 | N-glycoproteomics: mass spectrometry-based glycosylation site annotation. <i>Biological Chemistry</i> , 2012, 393, 249-258.  | 1.2 | 32        |
| 662 | Hepatoprotective and Free Radical Scavenging Activities of Extracts and a Major Compound Isolated from the Leaves of <i>Cineraria abyssinica</i> Sch. Bip. exA. Rich.. <i>Pharmacognosy Journal</i> , 2012, 4, 40-46.        | 0.3 | 13        |
| 663 | Bioactive polar natural compounds from garlic and onions. <i>Phytochemistry Reviews</i> , 2012, 11, 179-196.   | 3.1 | 39        |
| 664 | Glucans of <i>Pleurotus florida</i> blue variant: Isolation, purification, characterization and immunological studies. <i>International Journal of Biological Macromolecules</i> , 2012, 50, 591-597.                        | 3.6 | 21        |
| 665 | Structural elucidation and bioactivity of a novel exopolysaccharide from endophytic <i>Fusarium solani</i> SD5. <i>Carbohydrate Polymers</i> , 2012, 90, 683-689.  | 5.1 | 54        |
| 666 | Isolation and characterization of the immunostimulating $\beta$ -glucans of an edible mushroom <i>Termitomyces robustus</i> var.. <i>Carbohydrate Research</i> , 2012, 357, 83-89.   | 1.1 | 52        |
| 667 | Structural characterization and study of immunoenhancing properties of a glucan isolated from a hybrid mushroom of <i>Pleurotus florida</i> and <i>Lentinula edodes</i> . <i>Carbohydrate Research</i> , 2012, 358, 110-115. | 1.1 | 38        |
| 668 | Two new triterpenoids from <i>Psidium guajava</i> . <i>Chinese Chemical Letters</i> , 2012, 23, 827-830.   | 4.8 | 16        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 669 | Glucomanan and branched (1 → 3)(1 → 6) β <sup>2</sup> -glucan from the aposymbiotically grown <i>Physcia kalbii</i> mycobiont. <i>Phytochemistry</i> , 2012, 84, 88-93.  | 1.4 | 9         |
| 670 | New Constituents from the Rhizomes of Egyptian <i>Iris germanica</i> L.. <i>Molecules</i> , 2012, 17, 2587-2598.   | 1.7 | 67        |
| 671 | Structural elucidation of rhamnogalacturonans from flaxseed hulls. <i>Carbohydrate Research</i> , 2012, 362, 47-55.  | 1.1 | 62        |
| 672 | Structural analysis of immunostimulating sulfated polysaccharides from <i>Ulva pertusa</i> . <i>Carbohydrate Research</i> , 2012, 361, 141-147.  | 1.1 | 67        |
| 673 | Structural and immunological studies of hetero polysaccharide isolated from the alkaline extract of <i>Tricholoma crassum</i> (Berk.) Sacc. <i>Carbohydrate Research</i> , 2012, 362, 1-7.   | 1.1 | 32        |
| 674 | Glucan from hot aqueous extract of an ectomycorrhizal edible mushroom, <i>Russula albonigra</i> (Krombh.) Fr.: structural characterization and study of immunoenhancing properties. <i>Carbohydrate Research</i> , 2012, 363, 43-50.   | 1.1 | 25        |
| 675 | Steroidal saponins from the tuber of <i>Ophiopogon japonicus</i> . <i>Steroids</i> , 2012, 77, 1298-1305.  | 0.8 | 20        |
| 676 | Ceramide, cerebroside and triterpenoid saponin from the bark of aerial roots of <i>Ficus elastica</i> (Moraceae). <i>Phytochemistry</i> , 2012, 83, 95-103.  | 1.4 | 28        |
| 677 | Three new benzophenone glycosides with MAO-A inhibitory activity from <i>Hypericum thasium</i> Griseb.. <i>Phytochemistry Letters</i> , 2012, 5, 700-704.  | 0.6 | 14        |
| 678 | Linear Ion Trap MS <sup>n</sup> of Enzymatically Synthesized <sup>13</sup> C-Labeled Fructans Revealing Differentiating Fragmentation Patterns of β <sup>2</sup> (1-2) and β <sup>2</sup> (1-6) Fructans and Providing a Tool for Oligosaccharide Identification in Complex Mixtures. <i>Analytical Chemistry</i> , 2012, 84, 1540-1548. | 3.2 | 29        |
| 679 | Elegant Chemistry to Directly Anchor Intact Saccharides on Solid Surfaces Used for the Fabrication of Bioactivity-Conserved Saccharide Microarrays. <i>Bioconjugate Chemistry</i> , 2012, 23, 1300-1308.   | 1.8 | 25        |
| 680 | Structural Characterization of an Arabinogalactan-Protein from the Fruits of <i>Lycium ruthenicum</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 9424-9429.   | 2.4 | 62        |
| 681 | Physicochemical Characterization of a Low-Molecular-Weight Fructooligosaccharide from Chinese Cangshan Garlic ( <i>Allium sativum</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 9462-9467.  | 2.4 | 14        |
| 682 | Proteoglycans from <i>Boswellia serrata</i> Roxb. and <i>B. carteri</i> Birdw. and identification of a proteolytic plant basic secretory protein. <i>Glycobiology</i> , 2012, 22, 1424-1439.   | 1.3 | 27        |
| 683 | Structural Features and Healthy Properties of Polysaccharides Occurring in Mushrooms. <i>Agriculture (Switzerland)</i> , 2012, 2, 452-471.   | 1.4 | 85        |
| 684 | Molecular Properties of Water-Unextractable Proteoglycans from <i>Hypsizygus marmoreus</i> and Their in Vitro Immunomodulatory Activities. <i>Molecules</i> , 2012, 17, 207-226.   | 1.7 | 11        |
| 685 | Ardisikivuoside, A New Triterpenoid Saponin from <i>Ardisia Kivuensis</i> (Myrsinaceae). <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.   | 0.2 | 2         |
| 686 | Phytochemicals of the Chinese Herbal Medicine <i>Tacca chantrieri</i> Rhizomes. , 2012, , .  |     | 0         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 687 | Rapid isolation of new furostanol saponins from fenugreek seeds based on ultra-performance liquid chromatography coupled with a hybrid quadrupole time-of-flight tandem mass spectrometry. <i>Journal of Separation Science</i> , 2012, 35, 1538-1550.                | 1.3 | 18        |
| 688 | Structure elucidation and complete NMR spectral assignments of glucosylated saponins of cantalaponin I. <i>Magnetic Resonance in Chemistry</i> , 2012, 50, 79-83.   | 1.1 | 4         |
| 689 | New Triterpenoid Saponins from the Rhizomes of <i>Anemone amurensis</i> . <i>Chinese Journal of Chemistry</i> , 2012, 30, 1249-1254.  | 2.6 | 6         |
| 690 | Synergistic activity and mode of action of flavonoids isolated from smaller galangal and amoxicillin combinations against amoxicillin-resistant <i>Escherichia coli</i> . <i>Journal of Applied Microbiology</i> , 2012, 112, 55-64.                                  | 1.4 | 62        |
| 691 | Structural characterization of a sulfated glucan isolated from the aqueous extract of <i>Hedysarum polybotrys</i> Hand.-Mazz. <i>Carbohydrate Polymers</i> , 2012, 87, 160-169.   | 5.1 | 23        |
| 692 | Structure elucidation of an immunoenhancing pectic polysaccharide isolated from aqueous extract of pods of green bean ( <i>Phaseolus vulgaris</i> L.). <i>Carbohydrate Polymers</i> , 2012, 87, 2169-2175.  | 5.1 | 46        |
| 693 | Structure of a water-soluble heteropolysaccharide from fruiting bodies of <i>Hericium erinaceus</i> . <i>Carbohydrate Polymers</i> , 2012, 88, 558-561.   | 5.1 | 24        |
| 694 | Structural characterisation of a novel bioactive polysaccharide from <i>Ganoderma atrum</i> . <i>Carbohydrate Polymers</i> , 2012, 88, 1047-1054.   | 5.1 | 107       |
| 695 | Structural characterization of a low-molecular-weight heteropolysaccharide (glucomannan) isolated from <i>Artemisia sphaerocephala</i> Krasch. <i>Carbohydrate Research</i> , 2012, 350, 31-39.   | 1.1 | 73        |
| 696 | Chemical analysis of an immunostimulating (1 $\rightarrow$ 4)-, (1 $\rightarrow$ 6)-branched glucan from an edible mushroom, <i>Calocybe indica</i> . <i>Carbohydrate Research</i> , 2012, 347, 172-177.  | 1.1 | 34        |
| 697 | Glucans from alkaline extract of a hybrid mushroom (backcross mating between PfloVv12 and Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34) properties. <i>Carbohydrate Research</i> , 2012, 347, 107-113.   | 1.1 | 19        |
| 698 | Isolation, purification and structural characterization of an acetylated heteroglycan from the unripe fruits of <i>Manilkara zapota</i> L.. <i>Carbohydrate Research</i> , 2012, 354, 74-78.  | 1.1 | 10        |
| 699 | Heteroglycan from an alkaline extract of a somatic hybrid mushroom (PfloVv1aFB) of <i>Pleurotus florida</i> and <i>Volvariella volvacea</i> : structural characterization and study of immunoenhancing properties. <i>Carbohydrate Research</i> , 2012, 354, 110-115. | 1.1 | 15        |
| 700 | Steroidal and pregnane glycosides from <i>Ypsilandra thibetica</i> . <i>Natural Products and Bioprospecting</i> , 2012, 2, 11-15.   | 2.0 | 6         |
| 701 | A heteropolysaccharide from an edible hybrid mushroom pfl 1p: structural and immunostimulating studies. <i>Carbohydrate Research</i> , 2013, 374, 89-95.  | 1.1 | 12        |
| 702 | A $\beta$ -glucan from the alkaline extract of a somatic hybrid (PfloVv5FB) of <i>Pleurotus florida</i> and <i>Volvariella volvacea</i> : structural characterization and study of immunoactivation. <i>Carbohydrate Research</i> , 2013, 370, 13-18.                 | 1.1 | 12        |
| 703 | A new isoflavone from <i>Blepharis ciliaris</i> of an Egyptian origin. <i>Medicinal Chemistry Research</i> , 2013, 22, 2346-2350.   | 1.1 | 12        |
| 704 | A heteroglycan from the mycelia of <i>Pleurotus ostreatus</i> : structure determination and study of antioxidant properties. <i>Carbohydrate Research</i> , 2013, 368, 16-21.   | 1.1 | 45        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 705 | Polyacetylenes from the leaves of <i>Vernonia scorpioides</i> (Asteraceae) and their antiproliferative and antiherpetic activities. <i>Phytochemistry</i> , 2013, 95, 375-383.  | 1.4 | 27        |
| 706 | Phytochemical constituents of Mongolian traditional medicinal plants, <i>Chamaerhodos erecta</i> and <i>C. altaica</i> , and its constituents prevents the extracellular matrix degradation factors. <i>Journal of Natural Medicines</i> , 2013, 67, 867-875. | 1.1 | 14        |
| 707 | Plant-derived juvenile hormone III analogues and other sesquiterpenes from the stem bark of <i>Cananga latifolia</i> . <i>Phytochemistry</i> , 2013, 94, 277-283.   | 1.4 | 12        |
| 708 | Structural elucidation of an immunoenhancing heteroglycan isolated from <i>Russula albonigra</i> (Krombh.) Fr.. <i>Carbohydrate Polymers</i> , 2013, 94, 918-926.   | 5.1 | 26        |
| 709 | Structural characterization of an immunoenhancing heteroglycan of a hybrid mushroom (pfls1h) of <i>Pleurotus florida</i> and <i>Lentinus squarrosulus</i> (Mont.) Singer. <i>Carbohydrate Research</i> , 2013, 371, 45-51.                                    | 1.1 | 13        |
| 710 | Neuroprotective Benzyl Benzoate Glycosides from <i>Disporum viridescens</i> Roots in HT22 Hippocampal Neuronal Cells. <i>Journal of Natural Products</i> , 2013, 76, 2291-2297.   | 1.5 | 6         |
| 711 | Exploring potential new gum source <i>Aegle marmelos</i> for food and pharmaceuticals: Physical, chemical and functional performance. <i>Industrial Crops and Products</i> , 2013, 45, 312-318.   | 2.5 | 40        |
| 712 | Phenolic compounds from <i>Trifolium echinatum</i> Bieb. and investigation of their tyrosinase inhibitory and antioxidant activities. <i>Phytochemistry</i> , 2013, 96, 305-311.  | 1.4 | 35        |
| 713 | Structural characteristics and hypoglycemic activity of polysaccharides from <i>Coprinus comatus</i> . <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2013, 2, 164-169.   | 1.5 | 30        |
| 714 | Sulfation of <i>Aegle marmelos</i> gum: Synthesis, physico-chemical and functional characterization. <i>Carbohydrate Polymers</i> , 2013, 92, 1660-1668.  | 5.1 | 35        |
| 715 | Spirostane, furostane and cholestane saponins from Persian leek with antifungal activity. <i>Food Chemistry</i> , 2013, 141, 1512-1521.   | 4.2 | 28        |
| 716 | Pectic polysaccharide from immature onion stick ( <i>Allium cepa</i> ): Structural and immunological investigation. <i>Carbohydrate Polymers</i> , 2013, 92, 345-352.   | 5.1 | 19        |
| 717 | Steroidal saponins from the flowers of <i>Dioscorea bulbifera</i> var. <i>sativa</i> . <i>Phytochemistry</i> , 2013, 95, 341-350.   | 1.4 | 28        |
| 718 | Anti-inflammatory guaiane-type sesquiterpenes from the fruits of <i>Pittosporum undulatum</i> . <i>Phytochemistry</i> , 2013, 95, 308-314.  | 1.4 | 25        |
| 719 | Two New Compounds from <i>Saussurea graminea</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 819-821.   | 0.2 | 2         |
| 720 | An immunostimulating water insoluble $\beta$ -glucan of an edible hybrid mushroom: Isolation and characterization. <i>FÄ-toterapÄ-Äç</i> , 2013, 84, 15-21.   | 1.1 | 13        |
| 721 | Flavonoid glycosides and triterpenoids from <i>Atractylis flava</i> . <i>Phytochemistry Letters</i> , 2013, 6, 9-13.  | 0.6 | 16        |
| 722 | Evolvosides CÄ“E, flavonol-4-O-triglycosides from <i>Evolvulus alsinoides</i> and their anti-stress activity. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 1116-1122.  | 1.4 | 19        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 723 | Polysaccharides from green and black teas and their protective effect against murine sepsis. <i>Food Research International</i> , 2013, 53, 780-785.  | 2.9 | 44        |
| 724 | C22-steroidal lactone glycosides from stems and leaves of <i>Paris polyphylla</i> var. <i>yunnanensis</i> . <i>FÄ-toterapÄ-Äç</i> , 2013, 84, 248-251.  | 1.1 | 29        |
| 725 | Two new tryptophan derivatives from the seed kernels of <i>Entada rheedei</i> : Effects on cell viability and HIV infectivity. <i>FÄ-toterapÄ-Äç</i> , 2013, 87, 37-42.   | 1.1 | 19        |
| 726 | Structure characterization of a fucose-containing exopolysaccharide produced by <i>Enterobacter cloacae</i> Z0206. <i>Carbohydrate Polymers</i> , 2013, 92, 503-509.  | 5.1 | 21        |
| 727 | Structural elucidation of a novel mannogalactan isolated from the fruiting bodies of <i>Pleurotus geesteranus</i> . <i>Carbohydrate Polymers</i> , 2013, 92, 236-240.   | 5.1 | 39        |
| 728 | Stimulation of lymphocyte proliferation by oyster glycogen sulfated at C-6 position. <i>Carbohydrate Polymers</i> , 2013, 94, 301-308.  | 5.1 | 36        |
| 729 | Lanostane-type triterpenoid and steroid from the stem bark of <i>Klainedoxa gabonensis</i> . <i>FÄ-toterapÄ-Äç</i> , 2013, 86, 108-114.   | 1.1 | 10        |
| 730 | Structural studies of an immunostimulating gluco-arabinan from seeds of <i>Caesalpinia bonduc</i> . <i>Carbohydrate Polymers</i> , 2013, 92, 704-711.   | 5.1 | 16        |
| 731 | Structural characterization of a biologically active glucan isolated from a hybrid mushroom strain pfl1v of <i>Pleurotus florida</i> and <i>Lentinula edodes</i> . <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2013, 2, 73-83. | 1.5 | 4         |
| 732 | A glucan from an ectomycorrhizal edible mushroom <i>Tricholoma crassum</i> (Berk.) Sacc.: isolation, characterization, and biological studies. <i>Carbohydrate Research</i> , 2013, 367, 33-40.                                       | 1.1 | 24        |
| 733 | A new arabinoxylan from green leaves of <i>Litsea glutinosa</i> (Lauraeae): Structural and biological studies. <i>Carbohydrate Polymers</i> , 2013, 92, 1243-1248.  | 5.1 | 37        |
| 734 | Structural studies of an immunoenhancing glucan of an ectomycorrhizal fungus <i>Ramaria botrytis</i> . <i>Carbohydrate Research</i> , 2013, 374, 59-66.   | 1.1 | 30        |
| 735 | Cardenolide glycosides from root of <i>Streptocaulon juvenas</i> . <i>Phytochemistry</i> , 2013, 88, 105-111.   | 1.4 | 21        |
| 736 | Ulososides and Urabosides â€” Triterpenoid Saponins from the Caribbean Marine Sponge <i>Ectyoplasia ferox</i> . <i>Molecules</i> , 2013, 18, 2598-2610.   | 1.7 | 12        |
| 737 | Structure and antiviral activity of arabinogalactan with (1â†’6)-Î²-d-galactan core from <i>Stevia rebaudiana</i> leaves. <i>Carbohydrate Polymers</i> , 2013, 94, 179-184.   | 5.1 | 53        |
| 738 | Structural characterization and immunostimulatory activity of a novel protein-bound polysaccharide produced by <i>Hirsutella sinensis</i> Liu, Guo, Yu & Zeng. <i>Food Chemistry</i> , 2013, 141, 946-953.                            | 4.2 | 57        |
| 739 | Structural elucidation of a biologically active heteroglycan isolated from a hybrid mushroom of <i>Pleurotus florida</i> and <i>Lentinula edodes</i> . <i>Carbohydrate Research</i> , 2013, 368, 22-28.                               | 1.1 | 15        |
| 740 | Antioxidant capacity, antimicrobial activity and triterpenes isolated from <i>Jatropha isabellei</i> Arg.. <i>Natural Product Research</i> , 2013, 27, 1049-1059.   | 1.0 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 741 | Structural characterization of an immunoenhancing glucan isolated from a mushroom <i>Macrolepiota dolichaula</i> . <i>International Journal of Biological Macromolecules</i> , 2013, 61, 89-96.                                   | 3.6 | 17        |
| 742 | Structural study of an immunoenhancing polysaccharide isolated from an edible hybrid mushroom of <i>Pleurotus florida</i> and <i>Lentinula edodes</i> . <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2013, 1, 72-80.        | 1.5 | 17        |
| 743 | Structure and immunology of a heteroglycan from somatic hybrid mushroom of <i>Pleurotus florida</i> and <i>Calocybe indica</i> var. APK2. <i>International Journal of Biological Macromolecules</i> , 2013, 52, 312-318.          | 3.6 | 16        |
| 744 | Glucan of a somatic hybrid mushroom, pfls1h: structural characterization and study of immunological activities. <i>International Journal of Biological Macromolecules</i> , 2013, 53, 127-132.                                    | 3.6 | 26        |
| 745 | Isolation and structural characterization of a polysaccharide LRP4-A from <i>Lycium ruthenicum</i> Murr.. <i>Carbohydrate Research</i> , 2013, 365, 20-25.  | 1.1 | 58        |
| 746 | Antioxidant and Tyrosinase Inhibitory Activities of Flavonoids from <i>Trifolium nigrescens</i> Subsp. <i>petrisavi</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 12598-12603.                              | 2.4 | 46        |
| 747 | Purification, chemical characterization, and antioxidant activity of a polysaccharide from the fruiting bodies of sanghuang mushroom ( <i>Phellinus baumii</i> PilÅt). <i>Food Science and Biotechnology</i> , 2013, 22, 301-307. | 1.2 | 32        |
| 748 | Enzyme-Assisted Synthesis and Structural Characterization of the 3-, 8-, and 15-Glucuronides of Deoxynivalenol. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 2006-2012.  | 2.4 | 51        |
| 749 | Metabolome Classification of <i>Brassica napus</i> L. Organs via UPLC-MS and Their Antioxidant Potential. <i>Phytochemical Analysis</i> , 2013, 24, 277-287.  | 1.2 | 57        |
| 750 | Dibenzoyl and Isoflavonoid Glycosides from <i>Sophora flavescens</i> : Inhibition of the Cytotoxic Effect of d-Galactosamine on Human Hepatocyte HL-7702. <i>Journal of Natural Products</i> , 2013, 76, 2337-2345.               | 1.5 | 34        |
| 751 | Two new furostanol saponins from <i>Aspidistra typica</i> . <i>Journal of Asian Natural Products Research</i> , 2013, 15, 525-531.  | 0.7 | 15        |
| 752 | Cytotoxic Cardiac Glycosides from the Roots of <i>Streptocaulon juvenas</i> . <i>Planta Medica</i> , 2013, 79, 157-162.   | 0.7 | 4         |
| 753 | Intermolecular Interactions between Eosin Y and Caffeine Using <sup>1</sup> H-NMR Spectroscopy. <i>International Journal of Spectroscopy</i> , 2013, 2013, 1-6.   | 1.4 | 10        |
| 754 | Two new furostanol saponins from the fibrous root of <i>Ophiopogon japonicus</i> . <i>Journal of Asian Natural Products Research</i> , 2013, 15, 1230-1236.   | 0.7 | 7         |
| 755 | Changes in the mobile phase composition on a stepwise counter-current chromatography elution for the isolation of flavonoids from <i>Siparuna glycyarpa</i> . <i>Journal of Separation Science</i> , 2013, 36, 2253-2259.         | 1.3 | 18        |
| 756 | New kaurene diterpenoid glycosides from fenugreek seeds. <i>Natural Product Research</i> , 2013, 27, 1202-1207.   | 1.0 | 7         |
| 757 | 2,4-Diacetylquercitrin, a Novel Advanced Glycation End-Product Formation and Aldose Reductase Inhibitor from <i>Melastoma sanguineum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2013, 61, 662-665.                       | 0.6 | 19        |
| 758 | Phenolics in the <i>Tussilago farfara</i> leaves. <i>Herba Polonica</i> , 2013, 59, 35-43.  | 0.2 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 759 | Extraction, Structure and Bioactivities of the Polysaccharides from Fructus corni. Recent Patents on Food, Nutrition & Agriculture, 2013, 5, 57-61.   | 0.5 | 27        |
| 760 | Glycosylated Porphyrin-334 and Palythine-Threonine from the Terrestrial Cyanobacterium Nostoc commune. Marine Drugs, 2013, 11, 3124-3154.   | 2.2 | 57        |
| 761 | Minor Triterpene Saponins from Underground Parts of Lysimachia thysiflora: Structure elucidation, LC-ESI-MS/MS Quantification, and Biological Activity. Natural Product Communications, 2013, 8, 1934578X1300801. | 0.2 | 1         |
| 762 | Physico-chemical and structural characterization of mucilage isolated from seeds of Diospyros melonoxylon Roxb.. Brazilian Journal of Pharmaceutical Sciences, 2014, 50, 713-725.                                 | 1.2 | 34        |
| 763 | Novel arabinan and galactan oligosaccharides from dicotyledonous plants. Frontiers in Chemistry, 2014, 2, 100.  | 1.8 | 41        |
| 764 | Two New Acylated Flavonol Glycosides from the Seeds of Lepidium sativum. Molecules, 2014, 19, 11341-11349.  | 1.7 | 15        |
| 765 | Active Components with Inhibitory Activities on IFN- $\beta$ /STAT1 and IL-6/STAT3 Signaling Pathways from Caulis Trachelospermi. Molecules, 2014, 19, 11560-11571.   | 1.7 | 16        |
| 766 | A new acylated luteolin glycoside from Curcuma Longa L. and free radical scavenging potential of its extracts. Journal of Medicinal Plants Research, 2014, 8, 1-5.  | 0.2 | 6         |
| 767 | Extraction, separation and identification of compounds from leaves of Solanum elaeagnifolium Cav. (Solanaceae). International Current Pharmaceutical Journal, 2014, 3, 234-239.                                   | 0.2 | 8         |
| 768 | A New Cycloartane Glucoside from Rhizophora stylosa. Natural Product Communications, 2014, 9, 1934578X1400900.  | 0.2 | 6         |
| 770 | Flavonoids with acetylated branched glycans and bioactivity of <i>Tipuana tipu</i> (Benth.) Kuntze leaf extract. Natural Product Research, 2014, 28, 257-264.   | 1.0 | 1         |
| 771 | Chemical Constituents with Free-Radical- Scavenging Activity from the Leaves of Lantana montevidensis (Spreng.) Briq.. Pharmacognosy Journal, 2014, 6, 27-31.   | 0.3 | 3         |
| 772 | Antioxidant and Tyrosinase Inhibitory Effects of Neolignan Glycosides from Crataegus pinnatifida Seeds. Planta Medica, 2014, 80, 1732-1738.   | 0.7 | 20        |
| 773 | Structural characterization and antioxidant activity of a heteropolysaccharide isolated from <i>Hedysarum polybotrys</i> . Journal of Asian Natural Products Research, 2014, 16, 677-684.                         | 0.7 | 8         |
| 774 | Leptocarposide: a new triterpenoid glycoside from <i>Ludwigia leptocarpa</i> (Onagraceae). Magnetic Resonance in Chemistry, 2014, 52, 32-36.  | 1.1 | 9         |
| 775 | Active ingredients from natural botanicals in the treatment of obesity. Obesity Reviews, 2014, 15, 957-967.   | 3.1 | 105       |
| 776 | Rapid Chemical Characterisation of Stilbenes in the Root Bark of Norway Spruce by Off-line HPLC/DAD-NMR. Phytochemical Analysis, 2014, 25, 529-536.   | 1.2 | 32        |
| 777 | Five new benzophenone glycosides from the leaves of Aquilaria sinensis (Lour.) Gilg. Chinese Chemical Letters, 2014, 25, 1573-1576.   | 4.8 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 778 | Anti-Trypanosomal Activity of Diarylheptanoids Isolated from the Bark of <i>Alnus japonica</i> . The American Journal of Chinese Medicine, 2014, 42, 1245-1260.  | 1.5 | 12        |
| 779 | Flavone Composition and Antihypercholesterolemic and Antihyperglycemic Activities of <i>Chrysanthemum coronarium</i> L.. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2014, 69, 199-208.   | 0.6 | 18        |
| 780 | New oleanane saponins from <i>Schefflera kwangsiensis</i> . Phytochemistry Letters, 2014, 10, 268-271.   | 0.6 | 14        |
| 781 | <i>Manilkara zapota</i> (Linn.) Seeds: A Potential Source of Natural Gum. ISRN Pharmaceuticals, 2014, 2014, 1-10.  | 1.0 | 7         |
| 782 | Antioxidant and immunostimulant $\beta$ -glucan from edible mushroom <i>Russula albonigra</i> (Krombh.) Fr.. Carbohydrate Polymers, 2014, 99, 774-782.   | 5.1 | 77        |
| 783 | Structural investigation of a polysaccharide (DMB) purified from <i>Dioscorea nipponica</i> Makino. Carbohydrate Polymers, 2014, 103, 261-266.   | 5.1 | 14        |
| 784 | Exopolysaccharides from lactic acid bacteria: Structural analysis, molecular weight effect on immunomodulation. International Journal of Biological Macromolecules, 2014, 68, 233-240.   | 3.6 | 96        |
| 785 | A new glucomannan from <i>Bletilla striata</i> : Structural and anti-fibrosis effects. <i>FĀ-toterapĀ-Āç</i> , 2014, 92, 72-78.  | 1.1 | 83        |
| 786 | A new phenylethanoid glycoside with antioxidant and anti-HBV activity from <i>Tarphochlamys affinis</i> . Archives of Pharmacal Research, 2014, 37, 600-605.   | 2.7 | 8         |
| 787 | A theoretical and experimental study to unequivocal structural assignment of tetrahydroquinoline derivatives. Structural Chemistry, 2014, 25, 327-337.   | 1.0 | 9         |
| 788 | New anti-inflammatory flavonoids from <i>Cadaba glandulosa</i> Forssk. Archives of Pharmacal Research, 2014, 37, 459-466.  | 2.7 | 20        |
| 789 | New finding of nalbuphine metabolites in men: NMR spectroscopy and UPLC-MS/MS spectrometry assays in a pilot human study. Metabolomics, 2014, 10, 709-718.   | 1.4 | 14        |
| 790 | Isolation, characterization of syringin, phenylpropanoid glycoside from <i>Musa paradisiaca</i> tepal extract and evaluation of its antidiabetic effect in streptozotocin-induced diabetic rats. Biomedicine and Preventive Nutrition, 2014, 4, 105-111. | 0.9 | 34        |
| 791 | New flavone C-glycosides from leaves of <i>Sarcotheca griffithii</i> (Hook F) Hallier F. Phytochemistry Letters, 2014, 9, 26-32.   | 0.6 | 9         |
| 792 | Pyrronazols, Metabolites from the Myxobacteria <i>Nannocystis pusilla</i> and <i>N. exedens</i> , Are Unusual Chlorinated Pyrone-Oxazole-Pyrroles. Journal of Natural Products, 2014, 77, 320-326.   | 1.5 | 41        |
| 793 | Profiling of carbohydrate mixtures at unprecedented resolution using high-precision $^{13}\text{C}$ chemical shift measurements and a reference library. Analyst, The, 2014, 139, 401-406.   | 1.7 | 28        |
| 794 | Steroidal saponins from the leaves of <i>Cordyline fruticosa</i> (L.) A. Chev. and their cytotoxic and antimicrobial activity. Phytochemistry Letters, 2014, 7, 62-68.   | 0.6 | 48        |
| 795 | Characterization of an immunologically active pectin from the fruits of <i>Lycium ruthenicum</i> . International Journal of Biological Macromolecules, 2014, 64, 69-75.  | 3.6 | 54        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 796 | Structural and immunological studies of an exopolysaccharide from <i>Acinetobacter junii</i> BB1A. <i>Carbohydrate Polymers</i> , 2014, 101, 188-195.  | 5.1 | 23        |
| 797 | New oleanane-type triterpenoid saponins isolated from the seeds of <i>Celosia argentea</i> . <i>Journal of Asian Natural Products Research</i> , 2014, 16, 240-247.  | 0.7 | 11        |
| 798 | Steroidal Glycosides from the Fruits of <i>Tribulus terrestris</i> . <i>Chemistry of Natural Compounds</i> , 2014, 50, 483-488.  | 0.2 | 5         |
| 799 | Antiradical Activity of Flavonoids from the Algerian Native Plant: <i>Centaurea microcarpa</i> Coss. et Dur.. <i>Journal of Biologically Active Products From Nature</i> , 2014, 4, 249-253.   | 0.1 | 5         |
| 800 | Structure and Biosynthetic Assembly of Gulmirecins, Macrolide Antibiotics from the Predatory Bacterium <i>Pyxidicoccus fallax</i> . <i>Chemistry - A European Journal</i> , 2014, 20, 15933-15940.   | 1.7 | 36        |
| 801 | Proceraside A, a new cardiac glycoside from the root barks of <i>Calotropis procera</i> with <i>in vitro</i> anticancer effects. <i>Natural Product Research</i> , 2014, 28, 1322-1327.  | 1.0 | 27        |
| 802 | One new flavonoid xyloside and one new natural triterpene rhamnoside from the leaves of <i>Syzygium grande</i> . <i>Phytochemistry Letters</i> , 2014, 10, 86-90.  | 0.6 | 25        |
| 803 | A partially methylated mannogalactan from hybrid mushroom pfl 1p: purification, structural characterization, and study of immunoactivation. <i>Carbohydrate Research</i> , 2014, 395, 1-8.   | 1.1 | 26        |
| 804 | Studies on chemical constituents of <i>Ophiopogon japonicus</i> . <i>Journal of Asian Natural Products Research</i> , 2014, 16, 982-990.   | 0.7 | 6         |
| 805 | Isolation of $\beta$ -glucosidase inhibitors including a new flavonol glycoside from <i>Dendrobium devonianum</i> . <i>Natural Product Research</i> , 2014, 28, 1900-1905.   | 1.0 | 46        |
| 806 | Heteroglycan of an edible mushroom <i>Entoloma lividoalbum</i> : Structural characterization and study of its protective role for human lymphocytes. <i>Carbohydrate Polymers</i> , 2014, 114, 157-165.                                      | 5.1 | 24        |
| 807 | Evaluation of antioxidant activity of new constituents from the fruits of <i>Lycium chinense</i> . <i>Medicinal Chemistry Research</i> , 2014, 23, 3852-3860.  | 1.1 | 4         |
| 808 | Two New Steroidal Glycosides from <i>Solanum surattense</i> . <i>Chemistry of Natural Compounds</i> , 2014, 49, 1091-1094.   | 0.2 | 5         |
| 809 | A new flavonol glycoside from the medicinal halophyte <i>Suaeda fruticosa</i> . <i>Natural Product Research</i> , 2014, 28, 960-966.   | 1.0 | 11        |
| 810 | Steroidal saponins from <i>Tribulus terrestris</i> . <i>Phytochemistry</i> , 2014, 107, 182-189.   | 1.4 | 34        |
| 811 | Disciformycins A and B: 12-Membered Macrolide Glycoside Antibiotics from the Myxobacterium <i>Pyxidicoccus fallax</i> Active against Multiresistant Staphylococci. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 13588-13591. | 7.2 | 46        |
| 812 | Structural elucidation of an asparagine-linked oligosaccharide from the hyperthermophilic archaeon, <i>Pyrococcus furiosus</i> . <i>Carbohydrate Research</i> , 2014, 387, 30-36.  | 1.1 | 19        |
| 813 | Glucuronoarabinoxylan from coconut palm gum exudate: Chemical structure and gastroprotective effect. <i>Carbohydrate Polymers</i> , 2014, 107, 65-71.  | 5.1 | 22        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 814 | Two new steroidal saponins from the rhizomes of <i>Dioscorea zingiberensis</i> . <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 142-147.  | 0.7 | 13        |
| 815 | Longipetalosides A-C, new steroidal saponins from <i>Tribulus longipetalus</i> . <i>Steroids</i> , 2014, 83, 45-51.  | 0.8 | 7         |
| 816 | Isolation and characterization of extracellular polysaccharide Thelebolan produced by a newly isolated psychrophilic Antarctic fungus <i>Thelebolus</i> . <i>Carbohydrate Polymers</i> , 2014, 104, 204-212. | 5.1 | 33        |
| 817 | Structure elucidation and antioxidant properties of a soluble $\beta$ -D-glucan from mushroom <i>Entoloma lividoalbum</i> . <i>International Journal of Biological Macromolecules</i> , 2014, 63, 140-149.   | 3.6 | 50        |
| 818 | Antibacterial prenylbenzoic acid derivatives from <i>Anodendron formicinum</i> . <i>F<math>\ddot{A}</math>-totera p<math>\ddot{A}</math>-<math>\ddot{A}</math></i> , 2014, 92, 238-243.                      | 1.1 | 19        |
| 819 | Constituents from <i>Bupleurum montanum</i> (Coss. & Dur.) (Apiaceae). <i>Arabian Journal of Chemistry</i> , 2014, 7, 1065-1069.   | 2.3 | 17        |
| 820 | Water-insoluble glucans from the edible fungus <i>Ramaria botrytis</i> . <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2014, 3, 52-58.  | 1.5 | 29        |
| 821 | New triterpenoid saponins from the aerial parts of <i>Schefflera kwangsiensis</i> . <i>Carbohydrate Research</i> , 2014, 385, 65-71.   | 1.1 | 13        |
| 822 | Structural differences and conformational characterization of five bioactive polysaccharides from <i>Lentinus edodes</i> . <i>Food Research International</i> , 2014, 62, 223-232.                           | 2.9 | 121       |
| 823 | Chemical constituents from the stems of <i>Gymnema sylvestre</i> . <i>Chinese Journal of Natural Medicines</i> , 2014, 12, 300-304.  | 0.7 | 8         |
| 824 | Neoglycosylation and neoglycorandomization: enabling tools for the discovery of novel glycosylated bioactive probes and early stage leads. <i>MedChemComm</i> , 2014, 5, 1036-1047.                          | 3.5 | 44        |
| 825 | New Thiophene and Flavonoid from <i>Tagetes minuta</i> Leaves Growing in Saudi Arabia. <i>Molecules</i> , 2014, 19, 2819-2828.   | 1.7 | 32        |
| 826 | Triterpene Glycosides from the Stems and Leaves of <i>Lonicera japonica</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2014, 62, 92-96.   | 0.6 | 12        |
| 827 | Polysaccharides from Mushrooms: A Natural Source of Bioactive Carbohydrates. , 2014, , 168-189.  |     | 0         |
| 828 | Agave Fiber Structure Complexity and Its Impact on Health. , 2014, , 64-93.  |     | 1         |
| 830 | Conformations of cationized linear oligosaccharides revealed by FTMS combined with in $\ddot{E}$ SI H/D exchange. <i>Journal of Mass Spectrometry</i> , 2015, 50, 1150-1156.                                 | 0.7 | 30        |
| 831 | Novel Steroidal Glycosides from the Bulbs of <i>Lilium pumilum</i> . <i>Molecules</i> , 2015, 20, 16255-16265.   | 1.7 | 18        |
| 832 | Structure Elucidation of the Metabolites of 2', 3', 5'-Tri-O-Acetyl-N6-(3-Hydroxyphenyl) Adenosine in Rat Urine by HPLC-DAD, ESI-MS and Off-Line Microprobe NMR. <i>PLoS ONE</i> , 2015, 10, e0127583.       | 1.1 | 6         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 833 | New Flavonol Glycoside from the Leaves of <i>Ventilago africana</i> . <i>Natural Product Communications</i> , 2015, 10, 1934578X1501001.   | 0.2 | 2         |
| 834 | New flavonoid glycosides and other chemical constituents from <i>Clerodendrum phlomidis</i> leaves: isolation and characterisation. <i>Natural Product Research</i> , 2015, 29, 1850-1856.           | 1.0 | 9         |
| 835 | Structural elucidation and biological studies of a novel exopolysaccharide from <i>Klebsiella pneumoniae</i> PB12. <i>International Journal of Biological Macromolecules</i> , 2015, 79, 413-422.    | 3.6 | 9         |
| 836 | An endophytic <i>Coniochaeta velutina</i> producing broad spectrum antimycotics. <i>Journal of Microbiology</i> , 2015, 53, 390-397.   | 1.3 | 13        |
| 837 | Iridoids and other constituents from <i>Cyperus rotundus</i> L. rhizomes. <i>Bulletin of Faculty of Pharmacy, Cairo University</i> , 2015, 53, 5-9.  | 0.2 | 14        |
| 838 | Studies on antioxidative and immunostimulating fucogalactan of the edible mushroom <i>Macrolepiota dolichaula</i> . <i>Carbohydrate Research</i> , 2015, 413, 22-29.                                 | 1.1 | 28        |
| 839 | Triterpenoid saponins and C-glycosyl flavones from stem bark of <i>Erythrina abyssinica</i> Lam and their cytotoxic effects.. <i>Phytochemistry Letters</i> , 2015, 13, 59-67.                       | 0.6 | 17        |
| 840 | Enzymatic synthesis of 3-aminopropyl-1-O- $\beta$ -D-galactopyranoside catalyzed by <i>Aspergillus oryzae</i> $\beta$ -galactosidase. <i>Biocatalysis and Biotransformation</i> , 2015, 33, 197-207. | 1.1 | 4         |
| 841 | An immune-enhancing water-soluble $\beta$ -glucan from <i>Chlorella vulgaris</i> and structural characteristics. <i>Food Science and Biotechnology</i> , 2015, 24, 1933-1941.                        | 1.2 | 59        |
| 842 | Blepharisides A and B, new flavonol glycosides from <i>Blepharis ciliaris</i> growing in Saudi Arabia. <i>Phytochemistry Letters</i> , 2015, 11, 177-182.  | 0.6 | 18        |
| 843 | New pregnane glycoside derivative from <i>Caralluma retrospiciens</i> (Ehrenb). <i>Natural Product Research</i> , 2015, 29, 1426-1431.   | 1.0 | 9         |
| 844 | <i>Listeria monocytogenes</i> exopolysaccharide: origin, structure, biosynthetic machinery and cAMP-dependent regulation. <i>Molecular Microbiology</i> , 2015, 96, 728-743.                         | 1.2 | 80        |
| 845 | Calotroposides H-N, new cytotoxic oxypregnane oligoglycosides from the root bark of <i>Calotropis procera</i> . <i>Steroids</i> , 2015, 96, 63-72.   | 0.8 | 22        |
| 846 | Structural, immunological, and antioxidant studies of $\beta$ -glucan from edible mushroom <i>Entoloma lividoalbum</i> . <i>Carbohydrate Polymers</i> , 2015, 123, 350-358.                          | 5.1 | 60        |
| 847 | New acylated flavonol glycosides from the aerial parts of <i>Gouania longipetala</i> . <i>Phytochemistry Letters</i> , 2015, 11, 306-310.  | 0.6 | 12        |
| 848 | Current Status and New Challenges in Glycoscience: Overview. , 2015, , 11-14.  |     | 2         |
| 849 | Heteroglycan of an edible mushroom <i>Termitomyces clypeatus</i> : structure elucidation and antioxidant properties. <i>Carbohydrate Research</i> , 2015, 413, 30-36.                                | 1.1 | 28        |
| 850 | Phytochemical screening of flavonoids with their antioxidant activities from rapeseed ( <i>Brassica</i> ) Tj ETQq1 1 0.784314 rgBT /Qverlock 10  | 0.6 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 851 | Amhipaniculosides Aâ€“D, triterpenoid glycosides, and amhipaniculoside E, an aliphatic alcohol glycoside from the leaves of <i>Amphilophium paniculatum</i> . <i>Phytochemistry</i> , 2015, 115, 261-268. | 1.4 | 12        |
| 852 | Two new triterpene rhamnosides from <i>Euphorbia dracunculoides</i> Lam.. <i>Phytochemistry Letters</i> , 2015, 12, 168-172.  | 0.6 | 9         |
| 853 | Purification and characterization of a novel glycoprotein from <i>Streptomyces</i> sp. ZX01. <i>International Journal of Biological Macromolecules</i> , 2015, 78, 195-201.                               | 3.6 | 34        |
| 854 | New structural features of <i>Acacia tortuosa</i> gum exudate. <i>Food Chemistry</i> , 2015, 182, 105-110.  | 4.2 | 8         |
| 855 | Two new triterpenoid estersaponins and biological activities of <i>Pittosporum tobira</i> â€“ <i>Variegata</i> â€™ (Thunb.) W. T. Aiton leaves. <i>FÃ–toterapÃ–Ã–</i> , 2015, 106, 272-279.               | 1.1 | 17        |
| 856 | Protecting group-free immobilization of glycans for affinity chromatography using glycosylsulfonohydrazide donors. <i>Carbohydrate Research</i> , 2015, 417, 109-116.                                     | 1.1 | 8         |
| 857 | Four new triterpenes and triterpene glycosides from the leaves of <i>Ilex latifolia</i> and their inhibitory activity on triglyceride accumulation. <i>FÃ–toterapÃ–Ã–</i> , 2015, 106, 141-146.           | 1.1 | 12        |
| 858 | A water soluble Î²-glucan of an edible mushroom <i>Termitomyces heimii</i> : Structural and biological investigation. <i>Carbohydrate Polymers</i> , 2015, 134, 375-384.                                  | 5.1 | 34        |
| 859 | New oleanane-type saponins: Leptocarposide B-D, from <i>Ludwigia leptocarpa</i> (Onagraceae). <i>Phytochemistry Letters</i> , 2015, 14, 159-164.  | 0.6 | 7         |
| 860 | Structural elucidation of an asparagine-linked oligosaccharide from the hyperthermophilic archaeon, <i>Archaeoglobus fulgidus</i> . <i>Carbohydrate Research</i> , 2015, 413, 55-62.                      | 1.1 | 15        |
| 861 | New Benzophenone and Diphenylmethane Glycosides from <i>Psidium littorale</i> . <i>Chemistry of Natural Compounds</i> , 2015, 51, 865-869.  | 0.2 | 3         |
| 862 | <i>Teucrium polium</i> Phenylethanol and Iridoid Glycoside Characterization and Flavonoid Inhibition of Biofilm-Forming <i>Staphylococcus aureus</i>. <i>Journal of Natural Products</i> , 2015, 78, 2-9. | 1.5 | 35        |
| 863 | Minor cytotoxic cardenolide glycosides from the root of <i>Streptocaulon juvenas</i> . <i>Steroids</i> , 2015, 93, 39-46.   | 0.8 | 5         |
| 864 | Monoterpenes and flavones from the leaves of <i>Crataegus pinnatifida</i> with anticoagulant activities. <i>Journal of Functional Foods</i> , 2015, 12, 237-245.  | 1.6 | 30        |
| 865 | Selective glycosylation of steroidal saponins by <i>Arthrobacter nitroguajacolicus</i> . <i>Carbohydrate Research</i> , 2015, 402, 71-76.   | 1.1 | 5         |
| 866 | Native and structurally modified gum arabic: Exploring the effect of the gum's microstructure in obtaining electroactive nanoparticles. <i>Carbohydrate Polymers</i> , 2015, 119, 35-43.                  | 5.1 | 14        |
| 867 | Anti-inflammatory and antitumor phenylpropanoid sucrosides from the seeds of <i>Raphanus sativus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 96-99.                               | 1.0 | 32        |
| 868 | Two new flavonol glycosides from <i>Dimocarpus longan</i> leaves. <i>Natural Product Research</i> , 2015, 29, 163-168.  | 1.0 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 869 | Pectic polysaccharide from the green fruits of <i>Momordica charantia</i> (Karela): structural characterization and study of immunoenhancing and antioxidant properties. <i>Carbohydrate Research</i> , 2015, 401, 24-31.         | 1.1 | 60        |
| 870 | Structural features and antitumor activity of a novel polysaccharide from alkaline extract of <i>Phellinus linteus</i> mycelia. <i>Carbohydrate Polymers</i> , 2015, 115, 472-477.  | 5.1 | 65        |
| 871 | Discussion and Analysis of <i>Flammulina velutipes</i> Polysaccharides Compositions, Molecular Weight and Monosaccharide Composition. <i>Advance Journal of Food Science and Technology</i> , 2016, 12, 326-330.                  | 0.1 | 0         |
| 872 | Apigenin glycoside: an antioxidant isolated from <i>Alchornea coelophylla</i> pax & k. Hoffm. (euphorbiaceae) leaf extract. <i>Universitas Scientiarum</i> , 2016, 21, 245.   | 0.2 | 5         |
| 873 | Furostanol and Spirostanol Saponins from <i>Tribulus terrestris</i> . <i>Molecules</i> , 2016, 21, 429.   | 1.7 | 19        |
| 874 | Steroidal Saponins from the Rhizomes of <i>Aspidistra typica</i> . <i>PLoS ONE</i> , 2016, 11, e0150595.  | 1.1 | 25        |
| 875 | Novel $\alpha$ -L-Fucosidases from a Soil Metagenome for Production of Fucosylated Human Milk Oligosaccharides. <i>PLoS ONE</i> , 2016, 11, e0147438.   | 1.1 | 58        |
| 876 | Biological Activities of Oleanolic Acid Derivatives from <i>Calendula officinalis</i> Seeds. <i>Phytotherapy Research</i> , 2016, 30, 835-841.  | 2.8 | 8         |
| 877 | Isolation and characterization of antioxidant polysaccharides (PKCP-D <sub>70</sub> -2-a and) Tj ETQqO O O rgBT /Overlock 10 Tf 50 42   | 1.7 | 14        |
| 878 | Novel structural features of the immunocompetent ceramide phospho-inositol glycan core from <i>Trichomonas vaginalis</i> . <i>Carbohydrate Research</i> , 2016, 419, 51-59.   | 1.1 | 6         |
| 879 | New triterpene and new flavone glucoside from <i>Rhynchospora corymbosa</i> (Cyperaceae) with their antimicrobial, tyrosinase and butyrylcholinesterase inhibitory activities. <i>Phytochemistry Letters</i> , 2016, 16, 121-128. | 0.6 | 27        |
| 880 | Structural characterization of a branched (1 $\rightarrow$ 6)- $\alpha$ -mannan and $\beta$ -glucans isolated from the fruiting bodies of <i>Cantharellus cibarius</i> . <i>Carbohydrate Polymers</i> , 2016, 146, 197-207.       | 5.1 | 43        |
| 881 | Structure and antioxidative property of a polysaccharide from an ammonium oxalate extract of <i>Phellinus linteus</i> . <i>International Journal of Biological Macromolecules</i> , 2016, 91, 92-99.                              | 3.6 | 26        |
| 882 | Tagenols A and B: New lipoxygenase inhibitor flavonols from <i>Tagetes minuta</i> . <i>Phytochemistry Letters</i> , 2016, 16, 141-145.  | 0.6 | 13        |
| 883 | Structural Characterization and Antioxidant Activity of a Novel Alkaline-Soluble Polysaccharide from <i>Patrinia villosa</i> . <i>Chemistry of Natural Compounds</i> , 2016, 52, 384-387.   | 0.2 | 1         |
| 884 | Structural elucidation of polysaccharide containing 3-O-methyl galactose from fruiting bodies of <i>Pleurotus citrinopileatus</i> . <i>Carbohydrate Research</i> , 2016, 434, 72-76.  | 1.1 | 17        |
| 885 | Triterpenoids from the leaves of <i>Alphitonia xerocarpus</i> Baill and their biological activity. <i>Phytochemistry</i> , 2016, 129, 45-57.  | 1.4 | 11        |
| 886 | Sequence analysis of the pyruvylated galactan sulfate-derived oligosaccharides by negative-ion electrospray tandem mass spectrometry. <i>Carbohydrate Research</i> , 2016, 433, 80-88.  | 1.1 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 887 | Structural characterization of a novel neutral polysaccharide from <i>Lentinus giganteus</i> and its antitumor activity through inducing apoptosis. <i>Carbohydrate Polymers</i> , 2016, 154, 231-240.            | 5.1 | 95        |
| 888 | Chemical constituents from <i>Gazania linearis</i> cultivated in Egypt. <i>Bulletin of Faculty of Pharmacy, Cairo University</i> , 2016, 54, 257-261.   | 0.2 | 1         |
| 889 | Structural characteristics and antioxidant activity in vivo of a polysaccharide isolated from <i>Phellinus linteus</i> mycelia. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 65, 110-117. | 2.7 | 28        |
| 890 | Trifasciatosides Aâ€“J, Steroidal Saponins from &lt;i>Sansevieria trifasciata&lt;/i>; <i>Chemical and Pharmaceutical Bulletin</i> , 2016, 64, 1347-1355.  | 0.6 | 25        |
| 891 | Spiralosides Aâ€“C, Three New C27-Steroidal Glycoalkaloids from the Fruits of <i>Solanum spirale</i> . <i>Natural Products and Bioprospecting</i> , 2016, 6, 225-231.   | 2.0 | 4         |
| 892 | Saponins and Flavonoids from an Infusion of <i>Herniaria hirsuta</i> . <i>Planta Medica</i> , 2016, 82, 1576-1583.  | 0.7 | 9         |
| 893 | Ypsiyunnosides Aâ€“E, Five New Cholesterol Glycosides from <i>Ypsilandra yunnanensis</i> . <i>Natural Products and Bioprospecting</i> , 2016, 6, 173-182.   | 2.0 | 8         |
| 894 | Chiroptical characterization of homopolymeric block fractions in alginates. <i>Carbohydrate Polymers</i> , 2016, 146, 90-101.   | 5.1 | 13        |
| 895 | Phenolic constituents of leaves from <i>Persea caerulea</i> Ruiz & Pav; Mez (Lauraceae). <i>Biochemical Systematics and Ecology</i> , 2016, 67, 53-57.  | 0.6 | 7         |
| 896 | Zebiriosides A-L, oleanane saponins from the roots of <i>Dendrobangia boliviana</i> . <i>Phytochemistry</i> , 2016, 130, 262-272.   | 1.4 | 5         |
| 897 | Chemical constituents from <i>Melicope pteleifolia</i> leaves. <i>Phytochemistry</i> , 2016, 130, 291-300.  | 1.4 | 26        |
| 898 | Structural confirmation of novel oligosaccharides isolated from sugar beet molasses. <i>Food Chemistry</i> , 2016, 202, 284-290.  | 4.2 | 5         |
| 899 | Structural characterization of sulfated arabinans extracted from <i>Cladophora glomerata</i> and their macrophage activation. <i>Bioscience, Biotechnology and Biochemistry</i> , 2016, 80, 972-982.              | 0.6 | 27        |
| 900 | Isolation, structural characterization, and immunological activity of a polysaccharide LRLP4-A from the leaves of <i>Lycium ruthenicum</i> . <i>Journal of Carbohydrate Chemistry</i> , 2016, 35, 40-56.          | 0.4 | 10        |
| 901 | Structural analysis of novel kestose isomers isolated from sugar beet molasses. <i>Carbohydrate Research</i> , 2016, 424, 1-7.  | 1.1 | 6         |
| 902 | Three new triterpenoid saponins from the roots of <i>Ardisia crenata</i> and their cytotoxic activities. <i>Natural Product Research</i> , 2016, 30, 2694-2703.   | 1.0 | 17        |
| 903 | Production, purification and structural study of an exopolysaccharide from <i>Lactobacillus plantarum</i> BC-25. <i>Carbohydrate Polymers</i> , 2016, 144, 205-214.   | 5.1 | 89        |
| 904 | Antioxidant C-glycosylflavones of <i>Drymaria cordata</i> (Linn.) Willd. <i>Archives of Pharmacal Research</i> , 2016, 39, 43-50.   | 2.7 | 7         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 905 | Antibacterial and cytotoxic triterpenoids from the roots of <i>Combretum racemosum</i> . <i>FÃ-toterapÃ-Ãç</i> , 2016, 110, 89-95.  | 1.1 | 31        |
| 906 | Studies on water soluble polysaccharides from <i>Pithecellobium dulce</i> (Roxb.) Benth. seeds. <i>Carbohydrate Polymers</i> , 2016, 138, 215-221.  | 5.1 | 50        |
| 907 | Production and structural elucidation of exopolysaccharide from endophytic <i>Pestalotiopsis</i> sp. BC55. <i>International Journal of Biological Macromolecules</i> , 2016, 82, 182-191.                     | 3.6 | 37        |
| 908 | Two new simple iridoids from the ant-plant <i>Myrmecodia tuberosa</i> and their antimicrobial effects. <i>Natural Product Research</i> , 2016, 30, 2071-2076.   | 1.0 | 9         |
| 909 | Structure characterization of exopolysaccharides from <i>Lactobacillus casei</i> LC2W from skim milk. <i>Food Hydrocolloids</i> , 2016, 56, 134-143.  | 5.6 | 42        |
| 910 | Two new isoflavone 7-O- $\beta$ -D-glucopyranosyl-4-anhydro-5,6-didehydroglucuronides from <i>Streptomyces</i> sp. LZ35 <sup>TM</sup> gdmAl. <i>Natural Product Research</i> , 2016, 30, 180-184.             | 1.0 | 2         |
| 911 | RK-144171, a new benadrostin derivative produced by <i>Streptomyces</i> sp. RK88-1441. <i>Journal of Antibiotics</i> , 2017, 70, 102-104.   | 1.0 | 2         |
| 912 | New constituents triterpene ester and sugar derivatives from <i>Panax ginseng</i> Meyer and their evaluation of antioxidant activities. <i>Saudi Pharmaceutical Journal</i> , 2017, 25, 801-812.              | 1.2 | 6         |
| 913 | Triterpene saponins from the roots of <i>Acacia albida</i> Del. (Mimosaceae). <i>Phytochemistry</i> , 2017, 136, 31-38.   | 1.4 | 14        |
| 914 | Three new flavonoid glycosides from the aerial parts of <i>Graptophyllum grandulosum</i> Turill. <i>Journal of Natural Products</i> , 2017, 80, 1087-1095.  | 1.7 | 2         |
| 915 | The extraction and characterisation of a polysaccharide from <i>Moniliophthora perniciosa</i> CCMB 0257. <i>Natural Product Research</i> , 2017, 31, 1647-1654.   | 1.0 | 5         |
| 916 | Structural characterization and immuno-enhancing activity of a highly branched water-soluble $\beta$ -glucan from the spores of <i>Ganoderma lucidum</i> . <i>Carbohydrate Polymers</i> , 2017, 167, 337-344. | 5.1 | 84        |
| 917 | Novel triterpenoid derivatives from <i>Eucomis bicolor</i> Bak. (Hyacinthaceae: Hyacinthoideae). <i>RSC Advances</i> , 2017, 7, 15416-15427.  | 1.7 | 2         |
| 918 | $\beta$ -Glucosidase Inhibitory and Cytotoxic Taxane Diterpenoids from the Stem Bark of <i>Taxus wallichiana</i> . <i>Journal of Natural Products</i> , 2017, 80, 1087-1095.                                  | 1.5 | 37        |
| 919 | Homo-aro-cholestane, furostane and spirostane saponins from the tubers of <i>Ophiopogon japonicus</i> . <i>Phytochemistry</i> , 2017, 136, 125-132.   | 1.4 | 19        |
| 920 | Two new triterpenoid saponins from the leaves of <i>Bupleurum lancifolium</i> (Apiaceae). <i>Natural Product Research</i> , 2017, 31, 2286-2293.  | 1.0 | 5         |
| 921 | Structural characterization and immunomodulatory activity of a water soluble polysaccharide isolated from <i>Botrychium ternatum</i> . <i>Carbohydrate Polymers</i> , 2017, 171, 136-142.                     | 5.1 | 48        |
| 922 | Structural characterization and evaluation of prebiotic activity of oil palm kernel cake mannanoligosaccharides. <i>Food Chemistry</i> , 2017, 234, 348-355.  | 4.2 | 34        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 923 | Heteroglycan of an edible mushroom <i>Pleurotus cystidiosus</i> : Structural characterization and study of biological activities. <i>International Journal of Biological Macromolecules</i> , 2017, 95, 833-842.                            | 3.6 | 16        |
| 924 | Structural elucidation of a water-soluble polysaccharide isolated from <i>Balangu shirazi</i> ( <i>Lallemantia</i> ) Tj ETQq1 1 0.784314 rgBT /Overlo   | 5.6 | 55        |
| 925 | New flavonol glycoside from <i>Scabiosa proliferata</i> L. aerial parts with <i>in vitro</i> antioxidant and cytotoxic activities. <i>Natural Product Research</i> , 2017, 31, 2865-2874.   | 1.0 | 15        |
| 926 | Biosynthesis of natural and non-natural genistein glycosides. <i>RSC Advances</i> , 2017, 7, 16217-16231.   | 1.7 | 11        |
| 927 | Structural characterization of immunostimulating protein-sulfated fucan complex extracted from the body wall of a sea cucumber, <i>Stichopus japonicus</i> . <i>International Journal of Biological Macromolecules</i> , 2017, 99, 539-548. | 3.6 | 22        |
| 928 | Structural elucidation and immunostimulating property of a novel polysaccharide extracted from an edible mushroom <i>Lentinus fusipes</i> . <i>Carbohydrate Polymers</i> , 2017, 157, 1657-1665.  | 5.1 | 33        |
| 929 | Termiglaucescin, a new polyhydroxy triterpene glucoside from <i>Terminalia glaucescens</i> with antioxidant and anti-inflammatory potential. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2017, 72, 203-208.  | 0.6 | 4         |
| 930 | Purification, characterization and bioactivity determination of a novel polysaccharide from pumpkin ( <i>Cucurbita moschata</i> ) seeds. <i>Food Hydrocolloids</i> , 2017, 66, 357-364.   | 5.6 | 85        |
| 931 | A novel phloroglucinol and two new phenolic glycosides from <i>Psidium littorale</i> . <i>Journal of Asian Natural Products Research</i> , 2017, 19, 854-861.   | 0.7 | 3         |
| 932 | Phytochemical Investigations of Three <i>Rhodocodon</i> (Hyacinthaceae Ssensu APG II) Species. <i>Journal of Natural Products</i> , 2017, 80, 30-37.  | 1.5 | 11        |
| 933 | Antifungal activity of sterols and dipsacus saponins isolated from <i>Dipsacus asper</i> roots against phytopathogenic fungi. <i>Pesticide Biochemistry and Physiology</i> , 2017, 141, 103-108.  | 1.6 | 34        |
| 934 | Structural characterization and antioxidant activity of a glucan from <i>Meripilus giganteus</i> . <i>Carbohydrate Polymers</i> , 2017, 157, 1237-1245.   | 5.1 | 34        |
| 935 | Isolation and Structural Characterization of Echinocystic Acid Triterpenoid Saponins from the Australian Medicinal and Food Plant <i>Acacia ligulata</i> . <i>Journal of Natural Products</i> , 2017, 80, 2692-2698.                        | 1.5 | 15        |
| 936 | Sapofectosid " Ensuring non-toxic and effective DNA and RNA delivery. <i>International Journal of Pharmaceutics</i> , 2017, 534, 195-205.   | 2.6 | 9         |
| 937 | New triterpene saponins from the roots of <i>Acacia macrostachya</i> (Mimosaceae). <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 2261-2267.   | 0.6 | 6         |
| 938 | Purification, structural characterization and bioactivity evaluation of a novel proteoglycan produced by <i>Corbicula fluminea</i> . <i>Carbohydrate Polymers</i> , 2017, 176, 11-18.   | 5.1 | 23        |
| 939 | Isolation, purification and structural characterization of a new water-soluble polysaccharide from <i>Eremurus stenophyllus</i> (boiss. & buhse) baker roots. <i>Carbohydrate Polymers</i> , 2017, 178, 386-393.                            | 5.1 | 55        |
| 940 | Flavonoid glycosides isolated from <i>Epimedium brevicornum</i> and their estrogen biosynthesis-promoting effects. <i>Scientific Reports</i> , 2017, 7, 7760.   | 1.6 | 21        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 941 | Triterpenoid saponins and other glycosides from the stems and bark of <i>Jaffrea xerocarpa</i> and their biological activity. <i>Phytochemistry</i> , 2017, 141, 121-130.  | 1.4 | 12        |
| 942 | New heterocyclic compounds from <i>Ranunculus ternatus</i> Thunb.. <i>Bioorganic Chemistry</i> , 2017, 74, 10-14.  | 2.0 | 7         |
| 943 | Structural elucidation of the main water-soluble polysaccharide from <i>Rubus anatolicus</i> roots. <i>Carbohydrate Polymers</i> , 2017, 175, 610-617.   | 5.1 | 28        |
| 944 | Pendulaosides A and B. Two acylated triterpenoid saponins from <i>Harpullia pendula</i> seed extract. <i>Phytochemistry Letters</i> , 2017, 21, 278-282.   | 0.6 | 2         |
| 945 | Occurrence of myo-inositol and alkyl-substituted polysaccharide in the prey-trapping mucilage of <i>Drosera capensis</i> . <i>Die Naturwissenschaften</i> , 2017, 104, 83.   | 0.6 | 10        |
| 946 | Antigenotoxic properties of <i>Paliurus spina-christi</i> Mill fruits and their active compounds. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 229.   | 3.7 | 21        |
| 947 | New polyhydroxytriterpenoid derivatives from fruits of <i>Terminalia chebula</i> Retz. and their $\alpha$ -glucosidase and $\alpha$ -amylase inhibitory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 34-39. | 1.0 | 20        |
| 948 | Polysaccharide of an edible truffle <i>Tuber rufum</i> : Structural studies and effects on human lymphocytes. <i>International Journal of Biological Macromolecules</i> , 2017, 95, 1037-1048.   | 3.6 | 18        |
| 949 | Two new triterpenoid saponins from the leaves of <i>Impatiens parviflora</i> DC. and their cytotoxic activity. <i>Industrial Crops and Products</i> , 2017, 96, 71-79.   | 2.5 | 22        |
| 950 | Structural Analysis of Two Bioactive Components of an Edible Mushroom, <i>Termitomyces microcarpus</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701201.  | 0.2 | 4         |
| 951 | Bioactive Benzofuran Derivatives from <i>Cortex Mori Radicis</i> , and Their Neuroprotective and Analgesic Activities Mediated by mGluR1. <i>Molecules</i> , 2017, 22, 236.  | 1.7 | 29        |
| 952 | Characteristics of fucose-containing polysaccharides from submerged fermentation of <i>Agaricus blazei</i> Murill. <i>Journal of Food and Drug Analysis</i> , 2018, 26, 678-687.   | 0.9 | 21        |
| 953 | Carboxymethylcellulose from bleached organosolv fibers of <i>Eucalyptus nitens</i> : synthesis and physicochemical characterization. <i>Cellulose</i> , 2018, 25, 2901-2914.   | 2.4 | 26        |
| 954 | Purification and structural elucidation of a water-soluble polysaccharide from the fruiting bodies of the <i>Grifola frondosa</i> . <i>International Journal of Biological Macromolecules</i> , 2018, 115, 221-226.                    | 3.6 | 41        |
| 955 | Aspidsaponins A–D, Four new steroidal saponins from the rhizomes of <i>Aspidistra elatior</i> Blume and their cytotoxicity. <i>Phytochemistry Letters</i> , 2018, 25, 126-131.   | 0.6 | 14        |
| 956 | Antiviral effect of polyphenol rich plant extracts on herpes simplex virus type 1. <i>Food Science and Human Wellness</i> , 2018, 7, 91-101.   | 2.2 | 57        |
| 957 | Purification, structural elucidation, and anti-inflammatory activity of xylosyl galactofucan from <i>Armillaria mellea</i> . <i>International Journal of Biological Macromolecules</i> , 2018, 114, 584-591.                           | 3.6 | 12        |
| 958 | Structural characterization of bioactive heteropolysaccharides from the medicinal fungus <i>Inonotus obliquus</i> (Chaga). <i>Carbohydrate Polymers</i> , 2018, 185, 27-40.  | 5.1 | 48        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 959 | Complex Glucomannan From <i>Ganoderma atrum</i> . , 2018, , 205-294.   |     | 0         |
| 960 | Two new bis-iridoids isolated from <i>Scabiosa stellata</i> and their antibacterial, antioxidant, anti-tyrosinase and cytotoxic activities. <i>FÄ-toterapÄ-Äç</i> , 2018, 125, 41-48.  | 1.1 | 29        |
| 961 | Bioactive steroidal alkaloids from the fruits of <i>Solanum nigrum</i> . <i>Phytochemistry</i> , 2018, 147, 125-131.   | 1.4 | 47        |
| 962 | Isolation of Flavonoids and Flavonoid Glycosides from <i>Myrsine africana</i> and Their Inhibitory Activities against Mushroom Tyrosinase. <i>Journal of Natural Products</i> , 2018, 81, 49-56.                                     | 1.5 | 39        |
| 963 | Isolation and chemical characteristics of rhamnose enriched polysaccharide from <i>Grateloupia lithophila</i> . <i>Carbohydrate Polymers</i> , 2018, 195, 486-494.   | 5.1 | 42        |
| 964 | Discovery and description of a new serogroup 7 <i>Streptococcus pneumoniae</i> serotype, 7D, and structural analysis of 7C and 7D. <i>Carbohydrate Research</i> , 2018, 463, 24-31.  | 1.1 | 21        |
| 965 | Hyfraxins A and B, cytotoxic ergostane-type steroid and lanostane triterpenoid glycosides from the invasive ash dieback ascomycete <i>Hymenoscyphus fraxineus</i> . <i>Steroids</i> , 2018, 135, 92-97.                              | 0.8 | 20        |
| 966 | Structure and conformation characterization of galactomannan from seeds of <i>Cassia obtusifolia</i> . <i>Food Hydrocolloids</i> , 2018, 76, 67-77.  | 5.6 | 48        |
| 967 | Two new monoterpenoid glycosides from the fresh rhizome of Tongling White Ginger ( <i>Zingiber</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5   | 1.0 | 14        |
| 968 | Structural characterization of a new water-soluble polysaccharide isolated from <i>Acanthophyllum acerosum</i> roots and its antioxidant activity. <i>International Journal of Biological Macromolecules</i> , 2018, 107, 1227-1234. | 3.6 | 25        |
| 969 | Studies on structure and antioxidant properties of a heteroglycan isolated from wild edible mushroom <i>Lentinus sajor-caju</i> . <i>International Journal of Biological Macromolecules</i> , 2018, 107, 322-331.                    | 3.6 | 9         |
| 970 | Triterpenoidal saponins from the fruits of <i>Gleditsia caspica</i> with proapoptotic properties. <i>Phytochemistry</i> , 2018, 145, 168-178.  | 1.4 | 26        |
| 971 | Chemical constituents from <i>Sambucus williamsii</i> Hance fruits and hepatoprotective effects in mouse hepatocytes. <i>Natural Product Research</i> , 2018, 32, 2008-2016.   | 1.0 | 16        |
| 972 | Bioactive Phenolic Compounds from the Roots of Danshen ( <i>Salvia miltiorrhiza</i> ). <i>Natural Product Communications</i> , 2018, 13, 1934578X1801301.  | 0.2 | 2         |
| 973 | Sequential Biotransformation of Antcin K by <i>Bacillus subtilis</i> ATCC 6633. <i>Catalysts</i> , 2018, 8, 349.   | 1.6 | 7         |
| 974 | 1D & 2D and Solid-State NMR. <i>Springer Briefs in Molecular Science</i> , 2018, , 53-63.  | 0.1 | 2         |
| 976 | Enzyme Assisted Extraction, Purification and Structure Analysis of the Polysaccharides from Naked Pumpkin Seeds. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1866.  | 1.3 | 15        |
| 977 | A New Flavonol Glycoside from <i>Tristemma hirtum</i> (Melastomataceae). <i>Natural Product Sciences</i> , 2018, 24, 213.  | 0.2 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 978 | Chemical identification of a sulfated glucan from <i>Antrrodia cinnamomea</i> and its anti-cancer functions via inhibition of EGFR and mTOR activity. <i>Carbohydrate Polymers</i> , 2018, 202, 536-544.                              | 5.1 | 18        |
| 979 | Anti-Inflammatory and Skin-Moisturizing Effects of a Flavonoid Glycoside Extracted from the Aquatic Plant <i>Nymphoides indica</i> in Human Keratinocytes. <i>Molecules</i> , 2018, 23, 2342.   | 1.7 | 22        |
| 981 | Structural characterization of the surface-associated heteropolysaccharide of <i>Lactobacillus plantarum</i> TMW 1.1478 and genetic analysis of its putative biosynthesis cluster. <i>Carbohydrate Polymers</i> , 2018, 202, 236-245. | 5.1 | 22        |
| 982 | Extraction, purification, and structure characterization of polysaccharides from <i>Crassostrea rivularis</i> . <i>Food Science and Nutrition</i> , 2018, 6, 1621-1628.   | 1.5 | 10        |
| 983 | Selenized polysaccharides – Biosynthesis and structural analysis. <i>Carbohydrate Polymers</i> , 2018, 198, 407-417.  | 5.1 | 54        |
| 984 | Two new oleanane-type saponins from <i>Elaeocarpus hainanensis</i> Oliv. growing in Vietnam. <i>Phytochemistry Letters</i> , 2018, 27, 174-177.   | 0.6 | 6         |
| 985 | Plant derived triterpenes from <i>Gypsophila elegans</i> M.Bieb. enable non-toxic delivery of gene loaded nanoplexes. <i>Journal of Biotechnology</i> , 2018, 284, 131-139.   | 1.9 | 6         |
| 986 | Exopolysaccharides from Marine and Marine Extremophilic Bacteria: Structures, Properties, Ecological Roles and Applications. <i>Marine Drugs</i> , 2018, 16, 69.  | 2.2 | 156       |
| 987 | Phenolic Compounds from <i>Belamcanda chinensis</i> Seeds. <i>Molecules</i> , 2018, 23, 580.  | 1.7 | 8         |
| 988 | Structural Dynamics and Catalytic Properties of a Multimodular Xanthanase. <i>ACS Catalysis</i> , 2018, 8, 6021-6034.   | 5.5 | 12        |
| 989 | Lipoxygenase inhibitors flavonoids from <i>Cyperus rotundus</i> aerial parts. <i>Revista Brasileira De Farmacognosia</i> , 2018, 28, 320-324.   | 0.6 | 23        |
| 990 | Sphingobactan, a new $\beta$ -mannan exopolysaccharide from Arctic <i>Sphingobacterium</i> sp. IITKGP-BTPF3 capable of biological response modification. <i>International Immunopharmacology</i> , 2018, 60, 84-95.                   | 1.7 | 21        |
| 991 | Structural characterization and rheological properties of $\beta$ -D-glucan from hull-less barley ( <i>Hordeum</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5  | 2.4 | 48        |
| 992 | Inhibition of <i>Leishmania amazonensis</i> arginase by fucogalactan isolated from <i>Agrocybe aegerita</i> mushroom. <i>Carbohydrate Polymers</i> , 2018, 201, 532-538.  | 5.1 | 12        |
| 993 | Chemical Structure and Composition of Major Glycans Covalently Linked to Therapeutic Monoclonal Antibodies by Middle-Down Nuclear Magnetic Resonance. <i>Analytical Chemistry</i> , 2018, 90, 11016-11024.                            | 3.2 | 28        |
| 994 | Chemical structure and anti-inflammatory effect of polysaccharide extracted from <i>Morinda citrifolia</i> Linn (Noni). <i>Carbohydrate Polymers</i> , 2018, 197, 515-523.  | 5.1 | 69        |
| 995 | Structural, Biosynthetic, and Serological Cross-Reactive Elucidation of Capsular Polysaccharides from <i>Streptococcus pneumoniae</i> Serogroup 16. <i>Journal of Bacteriology</i> , 2019, 201, .                                     | 1.0 | 6         |
| 996 | Seven new veratramine-type alkaloids with potent analgesic effect from <i>Veratrum taliense</i> . <i>Journal of Ethnopharmacology</i> , 2019, 244, 112137.  | 2.0 | 21        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 997  | Secondary metabolites from <i>Spiranthes sinensis</i> (Orchidaceae). <i>Biochemical Systematics and Ecology</i> , 2019, 86, 103910.  | 0.6 | 1         |
| 998  | Analytical Methods and Advances to Evaluate Dietary Fiber. , 2019, , 165-197.  |     | 1         |
| 999  | Shear induced molecular changes of exopolysaccharides from lactic acid bacteria. <i>Food Hydrocolloids</i> , 2019, 97, 105181.   | 5.6 | 19        |
| 1000 | Structural elucidation and immunomodulatory activity of a Î²-D-glucan prepared by freeze-thawing from <i>Hericium erinaceus</i> . <i>Carbohydrate Polymers</i> , 2019, 222, 114996.  | 5.1 | 36        |
| 1001 | Chemical structure and biological properties of a polysaccharide isolated from <i>Pleurotus sajor-caju</i> . <i>RSC Advances</i> , 2019, 9, 20472-20482.   | 1.7 | 21        |
| 1002 | Anti-Influenza a virus of a new oligosaccharide citric acid derivative isolated from <i>Vigna angularis</i> (ohwi et ohashi. var. Dainagon) Seeds. <i>Journal of Carbohydrate Chemistry</i> , 2019, 38, 234-245.                                 | 0.4 | 4         |
| 1003 | The outer membrane glycolipids of bacteria from cold environments: isolation, characterization, and biological activity. <i>FEMS Microbiology Ecology</i> , 2019, 95, .  | 1.3 | 7         |
| 1004 | Two Novel Polysaccharides in <i>Psoralea corylifolia</i> L and anti-A549 Lung Cancer Cells Activity In Vitro. <i>Molecules</i> , 2019, 24, 3733.   | 1.7 | 10        |
| 1005 | Aspidsaponins E-H, Four new steroidal saponins from the rhizomes of <i>Aspidistra elatior</i> Blume and their anti-inflammatory activity. <i>Phytochemistry Letters</i> , 2019, 34, 68-73.   | 0.6 | 5         |
| 1006 | Phytochemical Study of Stem and Leaf of <i>Clausena lansium</i> . <i>Molecules</i> , 2019, 24, 3124.   | 1.7 | 15        |
| 1007 | Seven new flavonoid glycosides from the roots of <i>Glycyrrhiza uralensis</i> and their biological activities. <i>Carbohydrate Research</i> , 2019, 485, 107820.   | 1.1 | 11        |
| 1008 | Structure elucidation of a bioactive fucomannogalactan from the edible mushroom <i>Hypsizygus marmoreus</i> . <i>Carbohydrate Polymers</i> , 2019, 225, 115203.  | 5.1 | 33        |
| 1009 | Chemical Constituents From the Vietnamese Medicinal Plant <i>Anemone chapaensis</i> and Their Cytotoxic Activity. <i>Natural Product Communications</i> , 2019, 14, 1934578X1987099.   | 0.2 | 0         |
| 1010 | Eight new triterpenoid saponins with antioxidant activity from the roots of <i>Glycyrrhiza uralensis</i> Fisch. <i>FÄ-toterapÄ-Äç</i> , 2019, 133, 186-192.  | 1.1 | 33        |
| 1011 | A water-soluble polysaccharide from the roots of <i>Eremurus spectabilis</i> M. B. subsp. <i>spectabilis</i> : Extraction, purification and structural features. <i>International Journal of Biological Macromolecules</i> , 2019, 128, 648-654. | 3.6 | 20        |
| 1012 | Structural studies of a water insoluble Î²-glucan from <i>Pleurotus djamor</i> and its cytotoxic effect against PA1, ovarian carcinoma cells. <i>Carbohydrate Polymers</i> , 2019, 222, 114990.  | 5.1 | 24        |
| 1013 | Phenolic constituents with neuroprotective activities from <i>Hypericum wightianum</i> . <i>Phytochemistry</i> , 2019, 165, 112049.  | 1.4 | 14        |
| 1014 | Optimization extraction, structural features and antitumor activity of polysaccharides from <i>Z. jujuba</i> cv. Ruoqiangzao seeds. <i>International Journal of Biological Macromolecules</i> , 2019, 135, 1151-1161.                            | 3.6 | 54        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1015 | Ipomeolides A and B, Resin Glycosides from <i>Ipomoea pes-caprae</i> and Combination Therapy of Ipomeolide A with Doxorubicin. <i>Journal of Natural Products</i> , 2019, 82, 1292-1300.  | 1.5 | 12        |
| 1016 | Studies on structural properties and immune-enhancing activities of glycomannans from <i>Schizophyllum commune</i> . <i>Carbohydrate Polymers</i> , 2019, 218, 37-45.   | 5.1 | 45        |
| 1017 | Structural characterization and anti-inflammatory effect in hepatocytes of a galactoglucan from <i>Antrodia camphorata</i> mycelium. <i>RSC Advances</i> , 2019, 9, 7664-7672.  | 1.7 | 5         |
| 1018 | Enzymatic synthesis and polymerisation of $\beta$ -mannosyl acrylates produced from renewable hemicellulosic glycans. <i>Green Chemistry</i> , 2019, 21, 2104-2118.   | 4.6 | 14        |
| 1019 | Phenylalkanoid Glycosides (Non-Salicinoids) from Wood Chips of <i>Salix triandra</i> – dasyclados Hybrid Willow. <i>Molecules</i> , 2019, 24, 1152.   | 1.7 | 13        |
| 1020 | Justicialosides A and B, two new flavone glycosides from the leaves of <i>Ruspolia hypocrateriformis</i> (Vahl) Milne-Redh. (Acanthaceae). <i>Phytochemistry Letters</i> , 2019, 31, 101-103.   | 0.6 | 4         |
| 1021 | Structural and antioxidant studies of a new arabinoxylan from green stem <i>Andrographis paniculata</i> (Kalmegh). <i>Carbohydrate Polymers</i> , 2019, 212, 297-303.   | 5.1 | 24        |
| 1022 | Carbohydrate isomer resolution via multi-site derivatization cyclic ion mobility-mass spectrometry. <i>Analyst</i> , 2019, 144, 7220-7226.  | 1.7 | 21        |
| 1023 | Novel Flavonoid Glycosides of Quercetin from Leaves and Flowers of <i>Gaiadendron punctatum</i> G. Don. (Violeta de Campo), used by the Saraguro Community in Southern Ecuador, Inhibit $\beta$ -Glucosidase Enzyme. <i>Molecules</i> , 2019, 24, 4267.                     | 1.7 | 13        |
| 1024 | Isolation and structural characterization of a polysaccharide derived from a local gum: Zedo ( <i>Amygdalus scoparia</i> Spach). <i>Food Hydrocolloids</i> , 2019, 87, 915-924.   | 5.6 | 28        |
| 1025 | Purification and characterization of four benzophenone derivatives from <i>Mangifera indica</i> L. leaves and their antioxidant, immunosuppressive and $\beta$ -glucosidase inhibitory activities. <i>Journal of Functional Foods</i> , 2019, 52, 709-714.                  | 1.6 | 26        |
| 1026 | The edible mushroom <i>Albatrellus ovinus</i> contains a $\beta$ -l-fuco- $\beta$ -d-galactan, $\beta$ -d-glucan, a branched (1 $\rightarrow$ 6)- $\beta$ -d-glucan and a branched (1 $\rightarrow$ 3)- $\beta$ -d-glucan. <i>Carbohydrate Research</i> , 2019, 471, 28-38. | 1.1 | 23        |
| 1027 | The core structure characterization and of ginseng neutral polysaccharide with the immune-enhancing activity. <i>International Journal of Biological Macromolecules</i> , 2019, 123, 713-722.   | 3.6 | 66        |
| 1028 | <i>Centaurea microcarpa</i> Coss. & Dur. (Asteraceae) extracts: New cyanogenic glucoside and other constituents. <i>Natural Product Research</i> , 2019, 33, 3070-3076.   | 1.0 | 7         |
| 1029 | Isolation, molecular characterization and antioxidant activity of a water-soluble polysaccharide extracted from the fruiting body of <i>Termitomyces albuminosus</i> (Berk.) Heim. <i>International Journal of Biological Macromolecules</i> , 2019, 122, 115-126.          | 3.6 | 23        |
| 1030 | Studies on polysaccharides from leaf skin of <i>Aloe barbadensis</i> Miller: Part II. Structural characteristics and molecular properties of two lower molecular weight fractions. <i>Food Hydrocolloids</i> , 2019, 86, 50-61.   | 5.6 | 36        |
| 1031 | Comprehensive structural analysis of cis- and trans-tiliroside and quercetrin from <i>Malvastrum coromandelianum</i> and their antioxidant activities. <i>Arabian Journal of Chemistry</i> , 2020, 13, 1720-1730.   | 2.3 | 17        |
| 1032 | A new phenolic compound from <i>Phedimus middendorffianus</i> with antiproliferative activity. <i>Natural Product Research</i> , 2020, 34, 1663-1668.   | 1.0 | 5         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1033 | Narciclasine-4-O-β-D-xylopyranoside, a new narciclasine glycoside from <i>Zephyranthes minuta</i> . <i>Natural Product Research</i> , 2020, 34, 233-240.  | 1.0 | 8         |
| 1034 | Structural and technological characterization of rropy exopolysaccharides produced by <i>Lactobacillus plantarum</i> strains isolated from Tarhana. <i>Food Science and Biotechnology</i> , 2020, 29, 121-129.                                | 1.2 | 20        |
| 1035 | Oligosaccharide and glucose esters from the roots of <i>Polygala arillata</i> . <i>Natural Product Research</i> , 2020, 34, 2900-2906.  | 1.0 | 5         |
| 1036 | New Oleanane-type glycosides and secoiridoid glucoside from <i>Aptandra zenkeri</i> . <i>Natural Product Research</i> , 2020, 34, 2157-2166.  | 1.0 | 2         |
| 1037 | Purification, characterization, and functional properties of a novel glycoprotein from tartary buckwheat ( <i>Fagopyrum tartaricum</i> ) seed. <i>Food Chemistry</i> , 2020, 309, 125671.   | 4.2 | 24        |
| 1038 | Reinvestigation of <i>Herniaria glabra</i> L. saponins and their biological activity. <i>Phytochemistry</i> , 2020, 169, 112162.  | 1.4 | 11        |
| 1039 | Recent progress in the research of yam mucilage polysaccharides: Isolation, structure and bioactivities. <i>International Journal of Biological Macromolecules</i> , 2020, 155, 1262-1269.  | 3.6 | 66        |
| 1040 | Structure characterization of soluble dietary fiber fractions from mushroom <i>Lentinula edodes</i> (Berk.) Pegler and the effects on fermentation and human gut microbiota in vitro. <i>Food Research International</i> , 2020, 129, 108870. | 2.9 | 42        |
| 1041 | Two new meroterpenoids from the aerial parts of <i>Ampelopsis cantoniensis</i> (Vitaceae). <i>Journal of Asian Natural Products Research</i> , 2020, 22, 1152-1158.   | 0.7 | 4         |
| 1042 | Cytotoxic and larvicidal activities of <i>Stemona</i> alkaloids from the aerial parts and roots of <i>Stemona curtisii</i> Hook.f.. <i>Natural Product Research</i> , 2021, 35, 4311-4316.  | 1.0 | 5         |
| 1043 | New antimicrobial terpenoids and phloroglucinol glucosides from <i>Syzygium szemaoense</i> . <i>Bioorganic Chemistry</i> , 2020, 103, 104242.   | 2.0 | 17        |
| 1044 | Sulfation, structural analysis, and anticoagulant bioactivity of ginger polysaccharides. <i>Journal of Food Science</i> , 2020, 85, 2427-2434.  | 1.5 | 19        |
| 1045 | Cytotoxic steroidal glycosides from the underground parts of <i>Hosta ventricosa</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 825-836.   | 0.7 | 2         |
| 1046 | A new homo-aro-cholestane glycoside from the rhizome of <i>Paris polyphylla</i> var. <i>chinensis</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 1107-1114.  | 0.7 | 4         |
| 1047 | 2D Assignment and quantitative analysis of cellulose and oxidized celluloses using solution-state NMR spectroscopy. <i>Cellulose</i> , 2020, 27, 7929-7953.   | 2.4 | 34        |
| 1048 | Structural Characterization of an Exopolysaccharide Isolated from <i>Enterococcus faecalis</i> , and Study on its Antioxidant Activity, and Cytotoxicity Against HeLa Cells. <i>Current Microbiology</i> , 2020, 77, 3125-3135.               | 1.0 | 14        |
| 1049 | Steroidal glycosides, homoisoflavanones and cinnamic acid derivatives from <i>Polygonatum odoratum</i> and their inhibitory effects against influenza A virus. <i>FÄ-toterapÄ-Äç</i> , 2020, 146, 104689.                                     | 1.1 | 11        |
| 1050 | Evaluating the Utility of Permethyated Polysaccharide Solution NMR Data for Characterization of Insoluble Plant Cell Wall Polysaccharides. <i>Analytical Chemistry</i> , 2020, 92, 13221-13228.   | 3.2 | 14        |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1051 | New benzophenones and a dihydroflavanonol from <i>Garcinia mangostana</i> pericarps and their antioxidant and cytotoxic activities. <i>Phytochemistry Letters</i> , 2020, 39, 43-48.  | 0.6 | 12        |
| 1052 | Chemical Constituents of the Leaves of <i>Campanula takesimana</i> (Korean Bellflower) and Their Inhibitory Effects on LPS-induced PGE2 Production. <i>Plants</i> , 2020, 9, 1232.  | 1.6 | 6         |
| 1053 | Furostanol Saponins from <i>Trillium tschonoskii</i> Promote the Expansion of Human Cord Blood Hematopoietic Stem and Progenitor Cells. <i>Journal of Natural Products</i> , 2020, 83, 2567-2577.   | 1.5 | 7         |
| 1054 | Decoding the Capability of <i>Lactobacillus plantarum</i> W1 Isolated from Soybean Whey in Producing an Exopolysaccharide. <i>ACS Omega</i> , 2020, 5, 33387-33394.   | 1.6 | 7         |
| 1055 | Iridoid glycosides from the Tunisian <i>Citharexylum spinosum</i> L.: Isolation, structure elucidation, biological evaluation, molecular docking and SAR analysis. <i>Industrial Crops and Products</i> , 2020, 151, 112440.                      | 2.5 | 7         |
| 1056 | Antiviral Activities of Compounds Isolated from <i>Pinus densiflora</i> (Pine Tree) against the Influenza A Virus. <i>Biomolecules</i> , 2020, 10, 711.   | 1.8 | 21        |
| 1057 | Evaluation of collagenase, elastase and tyrosinase inhibitory activities of <i>Cotinus coggygria</i> Scop. through in vitro and in silico approaches. <i>South African Journal of Botany</i> , 2020, 132, 277-288.                                | 1.2 | 17        |
| 1058 | Matrix metalloproteinase inhibitor and sunscreen effective compounds from <i>Rumex crispus</i> L.: isolation, identification, bioactivity and molecular docking study. <i>Phytochemical Analysis</i> , 2020, 31, 818-834.                         | 1.2 | 10        |
| 1059 | Methylation in combination with temperature programming enables rapid identification of polysaccharides by ambient micro-fabrication glow discharge plasma (MFGDP) desorption ionization mass spectrometry. <i>Talanta</i> , 2020, 218, 121156.   | 2.9 | 6         |
| 1060 | Chemical constituents of the fruits of <i>Gambeya lacourtiana</i> (Sapotaceae). <i>Phytochemistry Letters</i> , 2020, 38, 84-89.  | 0.6 | 3         |
| 1061 | Chemical constituents of leaves of <i>Passiflora Incarnata</i> Linn. (Passifloraceae). <i>Vietnam Journal of Chemistry</i> , 2020, 58, 168-172.   | 0.7 | 1         |
| 1062 | Macrophage-stimulating activities of a novel low molecular weight saccharide fragment prepared from ascophyllan with alginate lyase. <i>Journal of Functional Foods</i> , 2020, 67, 103839.   | 1.6 | 9         |
| 1063 | Three new steroidal saponins from <i>Aspidistra letreae</i> plants and their cytotoxic activities. <i>Journal of Natural Medicines</i> , 2020, 74, 591-598.   | 1.1 | 15        |
| 1064 | Mucoadhesive <i>Bletilla striata</i> Polysaccharide-Based Artificial Tears to Relieve Symptoms and Inflammation in Rabbit with Dry Eyes Syndrome. <i>Polymers</i> , 2020, 12, 1465.   | 2.0 | 18        |
| 1065 | Extraction, structural elucidation and immunostimulating properties of water-soluble polysaccharides from wheat bran. <i>Journal of Food Biochemistry</i> , 2020, 44, e13364.   | 1.2 | 4         |
| 1066 | A new water-soluble polysaccharide from <i>Echinops pungens</i> Trautv roots. Part I. Isolation, purification, characterization and antioxidant activity. <i>International Journal of Biological Macromolecules</i> , 2020, 161, 909-916.         | 3.6 | 21        |
| 1067 | Novel Exopolysaccharide Produced from Fermented Bamboo Shoot-Isolated <i>Lactobacillus Fermentum</i> . <i>Polymers</i> , 2020, 12, 1531.  | 2.0 | 8         |
| 1068 | Comprehensive structural analysis of a set of various branched glucans by standard methylation analysis, <sup>1</sup> H NMR spectroscopy, ESI-mass spectrometry, and capillary electrophoresis. <i>Carbohydrate Research</i> , 2020, 489, 107933. | 1.1 | 7         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1069 | Characteristics and bioactive properties of mannoooligosaccharides derived from agro-waste mannans. <i>International Journal of Biological Macromolecules</i> , 2020, 149, 931-940.  | 3.6 | 52        |
| 1070 | Optimization and characterization of pullulan produced by a newly identified strain of <i>Aureobasidium pullulans</i> . <i>International Journal of Biological Macromolecules</i> , 2020, 152, 305-313.  | 3.6 | 63        |
| 1071 | A new glucopyranoside from the leaves of <i>Microsorium fortunei</i> . <i>Natural Product Research</i> , 2020, 35, 1-6.  | 1.0 | 1         |
| 1072 | Production and molecular structure of heteropolysaccharides from two lactic acid bacteria. <i>Carbohydrate Polymers</i> , 2020, 236, 116019.   | 5.1 | 24        |
| 1073 | Characterization of two types of polysaccharides from <i>Eremurus hissaricus</i> roots growing in Tajikistan. <i>Food Hydrocolloids</i> , 2020, 105, 105768.   | 5.6 | 34        |
| 1074 | Structural characterization of a heteroglycan from an edible mushroom <i>Termitomyces heimii</i> . <i>International Journal of Biological Macromolecules</i> , 2020, 151, 305-311.   | 3.6 | 18        |
| 1075 | Structural characterization of an acid polysaccharide from <i>Pinellia ternata</i> and its induction effect on apoptosis of Hep G2 cells. <i>International Journal of Biological Macromolecules</i> , 2020, 153, 451-460.  | 3.6 | 32        |
| 1076 | Structural characterization of a low-molecular-weight polysaccharide from <i>Angelica pubescens</i> Maxim. f. <i>biserrata</i> Shan et Yuan root and evaluation of its antioxidant activity. <i>Carbohydrate Polymers</i> , 2020, 236, 116047.                     | 5.1 | 60        |
| 1077 | Triterpene saponins from <i>Silene gallica</i> collected in North-Eastern Algeria. <i>Phytochemistry</i> , 2020, 172, 112274.  | 1.4 | 10        |
| 1078 | Structural characteristics, antioxidant properties and antiaging activities of galactan produced by <i>Mentha haplocalyx</i> Briq. <i>Carbohydrate Polymers</i> , 2020, 234, 115936.   | 5.1 | 20        |
| 1079 | Steroidal saponins from <i>Trillium tschonoskii</i> rhizomes and their cytotoxicity against HepG2 cells. <i>Steroids</i> , 2020, 156, 108587.  | 0.8 | 12        |
| 1080 | Flavonoids from Inflorescences of <i>Synurus Deltoides</i> . <i>Chemistry of Natural Compounds</i> , 2020, 56, 343-344.  | 0.2 | 2         |
| 1081 | Assessing Chemical Mechanisms Underlying the Effects of Sunflower Pollen on a Gut Pathogen in Bumble Bees. <i>Journal of Chemical Ecology</i> , 2020, 46, 649-658.   | 0.9 | 23        |
| 1082 | Isolation and structural characterization of a novel polysaccharide from <i>Herichium erinaceus</i> fruiting bodies and its arrest of cell cycle at S-phase in colon cancer cells. <i>International Journal of Biological Macromolecules</i> , 2020, 157, 288-295. | 3.6 | 32        |
| 1083 | Comparison on structure, chain conformation, and antioxidant activity of polysaccharides extracted from <i>Liriodendron radix</i> with hot water and ultrasound. <i>Journal of Carbohydrate Chemistry</i> , 2020, 39, 145-162.                                     | 0.4 | 6         |
| 1084 | Structural characterization and immunomodulatory activity of a new polysaccharide isolated from the radix of <i>Platycodon grandiflorum</i> . <i>International Journal of Food Science and Technology</i> , 2021, 56, 2662-2674.                                   | 1.3 | 10        |
| 1085 | Vinapraesorediosic acids D and E from the lichen <i>Parmotrema praesorediosum</i> (Nyl.) Hale. <i>Phytochemistry Letters</i> , 2021, 41, 61-64.  | 0.6 | 4         |
| 1086 | Chemical compounds with a neuroprotective effect from the seeds of <i>Celosia argentea</i> L.. <i>Food and Function</i> , 2021, 12, 83-96.   | 2.1 | 6         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1087 | Microbial biosurfactant research: time to improve the rigour in the reporting of synthesis, functional characterization and process development. <i>Microbial Biotechnology</i> , 2021, 14, 147-170.                                       | 2.0 | 61        |
| 1088 | Structural features and antioxidant activity of a new galactoglucan from edible mushroom <i>Pleurotus djamor</i> . <i>International Journal of Biological Macromolecules</i> , 2021, 168, 743-749.   | 3.6 | 40        |
| 1089 | Fractionation, physicochemical and structural characterization of polysaccharides from barley water-soluble fiber. <i>Food Hydrocolloids</i> , 2021, 113, 106539.  | 5.6 | 13        |
| 1090 | Structure and biological properties of exopolysaccharide isolated from <i>Citrobacter freundii</i> . <i>International Journal of Biological Macromolecules</i> , 2021, 168, 537-549.   | 3.6 | 17        |
| 1091 | A new cardenolide glycoside from the roots of <i>Streptocaulon juvenas</i> (lour.) merr. (Asclepiadaceae). <i>Natural Product Research</i> , 2021, 35, 1192-1198.  | 1.0 | 3         |
| 1092 | Steroidal glycosides from the underground parts of <i>Hosta ventricosa</i> and their anti-inflammatory activities in mice. <i>Natural Product Research</i> , 2021, 35, 1766-1774.  | 1.0 | 5         |
| 1093 | Structural Analysis of Using. <i>Methods in Molecular Biology</i> , 2021, 2295, 249-272.   | 0.4 | 0         |
| 1094 | Bluemomycin, a new naphthoquinone derivative from <i>Streptomyces</i> sp. with antimicrobial and cytotoxic properties. <i>Biotechnology Letters</i> , 2021, 43, 1005-1018.   | 1.1 | 9         |
| 1095 | Effects of the polysaccharides extracted from Chinese yam ( <i>Dioscorea opposita</i> Thunb.) on cancer-related fatigue in mice. <i>Food and Function</i> , 2021, 12, 10602-10614.   | 2.1 | 12        |
| 1096 | Structural studies of immunomodulatory (1 $\rightarrow$ 3)-, (1 $\rightarrow$ 4)- $\beta$ -glucan from an edible mushroom <i>Polyporus gramocephalus</i> . <i>International Journal of Biological Macromolecules</i> , 2021, 168, 649-655. | 3.6 | 14        |
| 1097 | Structural sequencing and anti-inflammatory, anti-lung cancer activities of 1,4- $\beta$ -2-sulfomalonoglucan in <i>Antrodia cinnamomea</i> . <i>International Journal of Biological Macromolecules</i> , 2021, 170, 307-316.              | 3.6 | 6         |
| 1098 | 4,6-Di-O-Benzylidene group-directed preparation of 2-deoxy-2-azido- $\beta$ -d-galactopyranosides promoted by 3-O-TBDPS. <i>Carbohydrate Research</i> , 2021, 500, 108237.   | 1.1 | 0         |
| 1099 | Isolation and characterization of a novel flavanone glycoside from an endemic plant <i>Haplanthodes neilgherryensis</i> . <i>Journal of Asian Natural Products Research</i> , 2022, 24, 96-101.  | 0.7 | 2         |
| 1100 | Minor immunosuppressive spiroorthoester group-containing pregnane glycosides from the root barks of <i>Periploca sepium</i> . <i>Bioorganic Chemistry</i> , 2021, 108, 104641.   | 2.0 | 3         |
| 1101 | BIOACTIVE SAPONINS FROM PANAX BIPINNATIFIDUS SEEM. GROWING IN VIETNAM. <i>Science and Technology</i> , 2021, 58, 228.  | 0.1 | 0         |
| 1102 | Structures and Bioactivities of Steroidal Saponins Isolated from the Genera <i>Dracaena</i> and <i>Sansevieria</i> . <i>Molecules</i> , 2021, 26, 1916.  | 1.7 | 13        |
| 1103 | FLAVONOIDS OF THE EAST ASIAN SPECIES <i>SERRATULA MANSBURICA</i> KITAG.. <i>Khimiya Rastitel'nogo Syr'ya</i> , 2021, , 167-173.  | 0.0 | 1         |
| 1104 | The antitumor role of a newly discovered $\beta$ -d-glucan from <i>Holotrichia diomphalia</i> Bates as a selective blocker of aldolase A. <i>Carbohydrate Polymers</i> , 2021, 255, 117532.  | 5.1 | 9         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1105 | First report on phytochemical investigation, antioxidant and antidiabetic activities of <i>Helianthemum getulum</i> . <i>Natural Product Research</i> , 2022, 36, 2806-2813.  | 1.0 | 4         |
| 1106 | Purification, in-depth structure analysis and antioxidant stress activity of a novel pectin-type polysaccharide from <i>Ziziphus Jujuba</i> cv. Muzaoresidue. <i>Journal of Functional Foods</i> , 2021, 80, 104439.                      | 1.6 | 19        |
| 1107 | Chemical structure of a novel heteroglycan polysaccharide isolated from the biomass of <i>Ophiocordyceps Sobolifera</i> . <i>Journal of Molecular Structure</i> , 2021, 1232, 129986.   | 1.8 | 6         |
| 1108 | A review of NMR analysis in polysaccharide structure and conformation: Progress, challenge and perspective. <i>Food Research International</i> , 2021, 143, 110290.   | 2.9 | 145       |
| 1109 | Chemical constituents from <i>Baphia leptobotrys</i> Harms (Fabaceae) and their chemophenetic significance. <i>Biochemical Systematics and Ecology</i> , 2021, 96, 104260.  | 0.6 | 6         |
| 1110 | Utilizing relative ordered structure theory to guide polysaccharide purification for structural characterization. <i>Food Hydrocolloids</i> , 2021, 115, 106603.  | 5.6 | 26        |
| 1111 | Synthesis of branched cyclodextrins using activated carbon as a catalyst. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2021, 101, 91-99.   | 0.9 | 0         |
| 1112 | Isolation and characterization of triterpenoid saponins from leaves of <i>Aralia nudicaulis</i> L. <i>Phytochemistry Letters</i> , 2021, 43, 184-189.   | 0.6 | 2         |
| 1113 | Structural characterization and pro-angiogenic property of a polysaccharide isolated from red seaweed <i>Bangia fusco-purpurea</i> . <i>International Journal of Biological Macromolecules</i> , 2021, 181, 705-717.                      | 3.6 | 12        |
| 1114 | Structure and chain conformation of bioactive $\beta$ -D-glucan purified from water extracts of <i>Ganoderma lucidum</i> unbroken spores. <i>International Journal of Biological Macromolecules</i> , 2021, 180, 484-493.                 | 3.6 | 18        |
| 1115 | Structure elucidation of arabinogalactoglucon isolated from <i>Sedum sarmentosum</i> Bunge and its inhibition on hepatocellular carcinoma cells in vitro. <i>International Journal of Biological Macromolecules</i> , 2021, 180, 152-160. | 3.6 | 13        |
| 1116 | Extraction and Characterization of Hemicelluloses from a Softwood Acid Sulfite Pulp. <i>Polymers</i> , 2021, 13, 2044.  | 2.0 | 12        |
| 1117 | Structural characterization and evaluation the elicitors activity of polysaccharides from <i>Chrysanthemum indicum</i> . <i>Carbohydrate Polymers</i> , 2021, 263, 117994.  | 5.1 | 18        |
| 1118 | The Chemical, Structural, and Biological Properties of Crude Polysaccharides from Sweet Tea ( <i>Lithocarpus litseifolius</i> (Hance) Chun) Based on Different Extraction Technologies. <i>Foods</i> , 2021, 10, 1779.                    | 1.9 | 21        |
| 1119 | Structure and composition of blueberry fiber pectin and xyloglucan that bind anthocyanins during fruit puree processing. <i>Food Hydrocolloids</i> , 2021, 116, 106572.   | 5.6 | 19        |
| 1120 | UHPLC-(ESI)-HRMS and NMR-Based Metabolomics Approach to Access the Seasonality of <i>Byrsonima intermedia</i> and <i>Serjania marginata</i> From Brazilian Cerrado Flora Diversity. <i>Frontiers in Chemistry</i> , 2021, 9, 710025.      | 1.8 | 10        |
| 1121 | Five distinct fucan sulfates from sea cucumber <i>Pattalus mollis</i> : Purification, structural characterization and anticoagulant activities. <i>International Journal of Biological Macromolecules</i> , 2021, 186, 535-543.           | 3.6 | 17        |
| 1122 | New dihydroxycucurbitacin D's from the Namib desert endemic plant <i>Acanthosicyos horridus</i> (Nara). <i>FÄ-toterapÄ-tÄt</i> , 2021, 155, 105041.   | 1.1 | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1123 | Structural Characteristics of Crude Polysaccharides from 12 Selected Chinese Teas, and Their Antioxidant and Anti-Diabetic Activities. <i>Antioxidants</i> , 2021, 10, 1562.   | 2.2 | 29        |
| 1124 | Purification, structural elucidation and immunostimulatory effect of a new protein-polysaccharide conjugate produced by <i>Nervilia fordii</i> . <i>Journal of Carbohydrate Chemistry</i> , 2021, 40, 226-242.               | 0.4 | 0         |
| 1125 | Full NMR assignment, revised structure and biosynthetic analysis for the capsular polysaccharide from <i>Streptococcus Pneumoniae</i> serotype 15F. <i>Carbohydrate Research</i> , 2021, 508, 108418.                        | 1.1 | 1         |
| 1126 | Modification and enhanced anti-inflammatory activity by Bifidobacterial fermentation of an exopolysaccharide from a medicinal fungus Cs-HK1. <i>International Journal of Biological Macromolecules</i> , 2021, 188, 586-594. | 3.6 | 6         |
| 1127 | Isolation and characterization of phellodendronoside A, a new isoquinoline alkaloid glycoside with anti-inflammatory activity from <i>Phellodendron chinense</i> Schneid. <i>FÄ-toterapÄ-Äç</i> , 2021, 154, 105021.         | 1.1 | 11        |
| 1128 | Structural characterization of novel arabinoxylan and galactoarabinan from citron with potential antitumor and immunostimulatory activities. <i>Carbohydrate Polymers</i> , 2021, 269, 118331.                               | 5.1 | 15        |
| 1129 | Structural studies of a mannoglucan from <i>Cremastra appendiculata</i> (Orchidaceae) by chemical and enzymatic methods. <i>Carbohydrate Polymers</i> , 2021, 272, 118524.   | 5.1 | 16        |
| 1130 | Isolation and evaluation of virucidal activities of flavanone glycosides and rosmarinic acid derivatives from <i>Dracocephalum</i> spp. against feline calicivirus. <i>Phytochemistry</i> , 2021, 191, 112896.               | 1.4 | 9         |
| 1131 | Structure features, selenylation modification, and improved anti-tumor activity of a polysaccharide from <i>Eriobotrya japonica</i> . <i>Carbohydrate Polymers</i> , 2021, 273, 118496.                                      | 5.1 | 44        |
| 1132 | New steroidal glycosides from the roots of <i>Asparagus cochinchinensis</i> . <i>Journal of Asian Natural Products Research</i> , 2021, 23, 205-216.   | 0.7 | 6         |
| 1133 | Ethnobotany, Pharmacology and Phytochemical Investigations of the Seeds of <i>Pentaclethra macrophylla</i> Benth (Mimosaceae). <i>Advances in Biological Chemistry</i> , 2021, 11, 126-141.                                  | 0.2 | 3         |
| 1134 | <i>Campylobacter</i> . , 2006, , 63-90.  |     | 2         |
| 1135 | Macrochaetosides A and B, new rare sesquiterpene glycosides from <i>Echinops macrochaetus</i> and their cytotoxic activity. <i>Phytochemistry Letters</i> , 2019, 30, 88-92.   | 0.6 | 9         |
| 1136 | Effect of $\beta$ -irradiation on the structure and antioxidant activity of polysaccharide isolated from the fruiting bodies of <i>Morchella sextelata</i> . <i>Bioscience Reports</i> , 2020, 40, .                         | 1.1 | 18        |
| 1137 | Characterization Of An Ursane Triterpenoid From <i>Centella Asiatica</i> With Growth Inhibitory Activity Against <i>Spilarctia Obliqua</i> . <i>Pharmaceutical Biology</i> , 2000, 38, 262-267.                              | 1.3 | 8         |
| 1138 | Water-soluble non-starch polysaccharides of root and tuber crops: extraction, characteristics, properties, bioactivities, and applications. <i>Critical Reviews in Food Science and Nutrition</i> , 2022, 62, 2309-2341.     | 5.4 | 17        |
| 1139 | A new C-glycosyl flavone and a new neolignan glycoside from <i>Passiflora edulis</i> Sims peel. <i>Natural Product Research</i> , 2018, 32, 2312-2318.   | 1.0 | 24        |
| 1140 | Analysis of Anthocyanins in Biological Samples. , 2013, , 115-140.   |     | 1         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1141 | Field Survey of <i>Glycyrrhiza</i> Plants in Central Asia (5). Chemical Characterization of <i>G. bucharica</i> Collected in Tajikistan. Chemical and Pharmaceutical Bulletin, 2019, 67, 534-539.  | 0.6 | 14        |
| 1142 | Bacterial Fucose-Rich Polysaccharide Stabilizes MAPK-Mediated Nrf2/Keap1 Signaling by Directly Scavenging Reactive Oxygen Species during Hydrogen Peroxide-Induced Apoptosis of Human Lung Fibroblast Cells. PLoS ONE, 2014, 9, e113663. | 1.1 | 39        |
| 1143 | Contribution to the study of <i>Himatanthus sucuuba</i> : latex macromolecule, microelements and carbohydrates. Acta Amazonica, 2003, 33, 105-110.   | 0.3 | 9         |
| 1144 | Constituintes quÃamicos da casca de <i>Ochroma lagopus swartz</i> (Bombacaceae). Ectetica Quimica, 1998, 23, 45-57.  | 0.2 | 5         |
| 1146 | Acylated Flavone Glycosides from the Roots of <i>Saussurea lappa</i> and Their Antifungal Activity. Molecules, 2007, 12, 328-344.  | 1.7 | 47        |
| 1147 | A Novel Pectic Polysaccharide of Jujube Pomace: Structural Analysis and Intracellular Antioxidant Activities. Antioxidants, 2020, 9, 127.  | 2.2 | 20        |
| 1148 | RAW264.7 Cell Activating Glucomannans Extracted from Rhizome of <i>Polygonatum sibiricum</i> . Preventive Nutrition and Food Science, 2016, 21, 245-254.   | 0.7 | 38        |
| 1149 | Two New Fungal Metabolites from an Epiphytic Fungus <i>Paraphaeosphaeria</i> Species. Bulletin of the Korean Chemical Society, 2006, 27, 779-782.  | 1.0 | 4         |
| 1150 | Three Sesquiterpene Glycosides from <i>Elsholtzia bodinieri</i> . Bulletin of the Korean Chemical Society, 2007, 28, 467-470.  | 1.0 | 8         |
| 1151 | Triterpenoid Saponins from <i>Elsholtzia bodinieri</i> . Bulletin of the Korean Chemical Society, 2007, 28, 1519-1522.   | 1.0 | 8         |
| 1152 | A New Neolignan Glycoside from <i>Pteris multifida</i> Poir. Bulletin of the Korean Chemical Society, 2008, 29, 1250-1252.   | 1.0 | 7         |
| 1153 | A New Glycoside of Resveratrol Dimer from Stem Bark of <i>Vitis vinifera</i> . Bulletin of the Korean Chemical Society, 2010, 31, 3448-3450.   | 1.0 | 13        |
| 1154 | Isolation and Identification of Novel Tri- and Tetra-saccharides Synthesized by <i>Thermoanaerobacter brockii</i> Kojibiose Phosphorylase. Journal of Applied Glycoscience (1999), 2007, 54, 195-200.                                    | 0.3 | 7         |
| 1155 | Radical scavenging activities of the leaf extracts and a flavonoid glycoside isolated from <i>Cineraria abyssinica</i> Sch. Bip. Exa. Rich. Journal of Applied Pharmaceutical Science, 2012, , 44-49.                                    | 0.7 | 15        |
| 1156 | Structural characteristics, anti-proliferative and immunomodulatory activities of a purified polysaccharide from <i>Lactarius volemus</i> Fr.. International Journal of Biological Macromolecules, 2021, 192, 967-977.                   | 3.6 | 18        |
| 1157 | Characterization of an exopolysaccharide (EPS-3A) produced by <i>Streptococcus thermophilus</i> ZJUIDS-2-01 isolated from traditional yak yogurt. International Journal of Biological Macromolecules, 2021, 192, 1331-1343.              | 3.6 | 17        |
| 1158 | Overview of Current Status and New Challenges in Glycoscience. , 2014, , 1-4.  |     | 0         |
| 1159 | Extraction, Structure, and Bioactivities of the from Fructus. , 2014, , 1-21.  |     | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1160 | Structural Investigation of a Mucopolysaccharide from a Marine <i>Pseudomonas</i> WAK-1 Strain. <i>Fisheries Science</i> , 1997, 63, 983-988.   | 0.7 | 1         |
| 1161 | Extraction, Structure, and Bioactivities of the Polysaccharides Polysaccharides from Fructus. , 2015, , 1585-1607.  |     | 0         |
| 1162 | In vitro Repression of Cyclooxygenase, Acetylcholinesterase Activities and Bacterial Growth by Trans-phytol and a Glycolipid from the Leaves of <i>Homalomena sagittifolia</i> . <i>Research Journal of Medicinal Plant</i> , 2016, 10, 320-329.  | 0.3 | 4         |
| 1164 | FLAVONOIDS OF <i>SERRATULA KOMAROVII</i> ILJIN (FAMILY ASTERACEAE). <i>Khimiya Rastitel'nogo Syr'ya</i> , 2020, , 141-148.  | 0.0 | 0         |
| 1166 | FEATURES OF THE COMPOSITION OF FLAVONOIDS IN THE CROWNED SAW-WORT ( <i>SERRATULA CORONATA</i> ) Tj ETQg0 0 0 rgBT /Overlo   | 0.0 | 8         |
| 1167 | Natural Products with Analgesic Effect from Herbs and Nutraceuticals Used in Traditional Chinese Medicines. <i>Current Molecular Medicine</i> , 2020, 20, 461-483.  | 0.6 | 4         |
| 1168 | Screening for the Active Anti-Inflammatory and Antioxidant Polyphenols of <i>Gaultheria procumbens</i> and Their Application for Standardisation: From Identification through Cellular Studies to Quantitative Determination. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11532. | 1.8 | 8         |
| 1169 | A new acetylated triterpene saponin from <i>Agrostemma githago</i> L. modulates gene delivery efficiently and shows a high cellular tolerance. <i>International Journal of Pharmaceutics</i> , 2020, 589, 119822.   | 2.6 | 5         |
| 1170 | Tryptophan glycoconjugates in food and human urine. <i>Biochemical Journal</i> , 1999, 343 Pt 1, 11-9.  | 1.7 | 13        |
| 1171 | Structure of Lipopolysaccharide from <i>Is Low Molecular Weight and Offers Insight into Liberibacter Biology</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, .   | 1.8 | 1         |
| 1172 | Production, characterization, and prebiotic activity of oligosaccharides from konjac glucomannan by <i>Bacillus amyloliquefaciens</i> WX-1. <i>Journal of Functional Foods</i> , 2022, 88, 104872.  | 1.6 | 9         |
| 1173 | Structure of Lipopolysaccharide from <i>Liberibacter crescens</i> <i>Is Low Molecular Weight and Offers Insight into Candidatus Liberibacter Biology</i> . <i>International Journal of Molecular Sciences</i> , 2021, 22, 11240.  | 1.8 | 6         |
| 1174 | Ultrasonic extraction, structural characterization, and antioxidant activity of oligosaccharides from red yeast rice. <i>Food Science and Nutrition</i> , 2022, 10, 204-217.  | 1.5 | 6         |
| 1175 | Structure and pro-inflammatory activities of bran polysaccharides from a novel wheat kernel. <i>Journal of Food Biochemistry</i> , 2021, , e14008.  | 1.2 | 0         |
| 1176 | Capsular polysaccharide from a fish-gut bacterium induces/promotes apoptosis of colon cancer cells in vitro through Caspases' pathway activation. <i>Carbohydrate Polymers</i> , 2022, 278, 118908.   | 5.1 | 10        |
| 1177 | Liquid-state NMR spectroscopy for complex carbohydrate structural analysis: A hitchhiker's guide. <i>Carbohydrate Polymers</i> , 2022, 277, 118885.   | 5.1 | 49        |
| 1178 | A hexasaccharide from capsular polysaccharide of carbapenem-resistant <i>Klebsiella pneumoniae</i> KN2 is a ligand of Toll-like receptor 4. <i>Carbohydrate Polymers</i> , 2022, 278, 118944.   | 5.1 | 2         |
| 1179 | Purification, structural characterization and antioxidant activity of a new arabinogalactan from <i>Dorema ammoniacum</i> gum. <i>International Journal of Biological Macromolecules</i> , 2022, 194, 1019-1028.  | 3.6 | 8         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1180 | Structural elucidation of the fucose containing polysaccharide of <i>Paenibacillus polymyxa</i> DSM 365. <i>Carbohydrate Polymers</i> , 2022, 278, 118951.   | 5.1 | 15        |
| 1181 | Biosynthesis of exopolysaccharide and structural characterization by <i>Lactocaseibacillus paracasei</i> ZY-1 isolated from Tibetan kefir. <i>Food Chemistry Molecular Sciences</i> , 2021, 3, 100054.   | 0.9 | 7         |
| 1182 | Charantoside L, A New Cucurbitane-Type Glycoside from <i>Momordica charantia</i> L. with $\alpha$ -D-Glucosidase Inhibitory Activities. <i>Natural Product Communications</i> , 2022, 17, 1934578X2110689.   | 0.2 | 0         |
| 1183 | Parisvaniosides A-E, five new steroidal saponins from <i>Paris vaniotii</i> . <i>Steroids</i> , 2022, 177, 108949.   | 0.8 | 1         |
| 1184 | Complete Characterization of the O-Antigen from the LPS of <i>Aeromonas bivalvium</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 1204.   | 1.8 | 3         |
| 1185 | Carrageenan oligosaccharides: A comprehensive review of preparation, isolation, purification, structure, biological activities and applications. <i>Algal Research</i> , 2022, 61, 102593.   | 2.4 | 70        |
| 1186 | Inhibitory effects of a low-molecular-weight sulfated fucose-containing saccharide on $\alpha$ -amylase and $\alpha$ -glucosidase prepared from ascophyllan. <i>Food and Function</i> , 2022, 13, 1119-1132.   | 2.1 | 9         |
| 1187 | Structural analysis and immunomodulatory activity of a homopolysaccharide isolated from <i>Parabacteroides distasonis</i> . <i>Arabian Journal of Chemistry</i> , 2022, 15, 103755.  | 2.3 | 4         |
| 1188 | Steroidal saponins from <i>Trillium tschonoskii</i> rhizome repress cancer stemness and proliferation of intrahepatic cholangiocarcinoma. <i>Bioorganic Chemistry</i> , 2022, 121, 105679.   | 2.0 | 1         |
| 1189 | A dinorcassane-type diterpene and a steroidal saponin from <i>Distemonanthus benthamianus</i> Baill. (Caesalpinaceae). <i>Phytochemistry Letters</i> , 2022, 48, 62-67.  | 0.6 | 3         |
| 1190 | Multifunctional properties of polysaccharides produced by halophilic bacteria and their new applications in biotechnology. , 2022, , 41-70.  |     | 1         |
| 1191 | ROESY and $^{13}\text{C}$ NMR to distinguish between $\alpha$ -D- and $\beta$ -D-rhamnose in the $\alpha$ -D-Man $\alpha$ -(1 $\rightarrow$ 4)- $\beta$ -D-Rha $\alpha$ -(1 $\rightarrow$ 3) repeating motif. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 2964-2980. | 1.5 | 4         |
| 1192 | New Alpha-Amylase Inhibitory Metabolites from Pericarps of <i>Garcinia mangostana</i> . <i>Life</i> , 2022, 12, 384.   | 1.1 | 13        |
| 1193 | Structural Characterization of Mannoglucan Isolated from <i>Ophiocordyceps sobolifera</i> and Its Antioxidant Activities. <i>ACS Omega</i> , 2022, 7, 9397-9405.   | 1.6 | 7         |
| 1194 | Defensing against oxidative stress in <i>Caenorhabditis elegans</i> of a polysaccharide LFP-05S from <i>Lycii fructus</i> . <i>Carbohydrate Polymers</i> , 2022, 289, 119433.  | 5.1 | 25        |
| 1195 | Structure Elucidation of Triterpenoid Saponins Found in an Immunoadjuvant Preparation of <i>Quillaja brasiliensis</i> Using Mass Spectrometry and $^1\text{H}$ and $^{13}\text{C}$ NMR Spectroscopy. <i>Molecules</i> , 2022, 27, 2402.  | 1.7 | 4         |
| 1196 | Parisfargosides A-E, five new cholestane glycosides from the rhizomes of <i>Paris fargesii</i> . <i>F<math>\ddot{A}</math>-totera<math>\ddot{A}</math>-<math>\ddot{A}</math></i> , 2022, 158, 105174.  | 1.1 | 4         |
| 1197 | Carboxymethylation modification, characterization, antioxidant activity and anti-LVC ability of <i>Sargassum fusiforme</i> polysaccharide. <i>Carbohydrate Research</i> , 2022, 515, 108555.   | 1.1 | 13        |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1198 | Revisiting the structure of arabinogalactan from <i>Lycium barbarum</i> and the impact of its side chain on anti-ageing activity. <i>Carbohydrate Polymers</i> , 2022, 286, 119282.   | 5.1 | 20        |
| 1199 | Conjugate of structurally reassigned pneumococcal serotype 31 polysaccharide with CRM197 elicited potent immune response. <i>Carbohydrate Polymers</i> , 2022, 289, 119414.   | 5.1 | 7         |
| 1200 | Structure characterization, antioxidant capacity, rheological characteristics and expression of biosynthetic genes of exopolysaccharides produced by <i>Lactococcus lactis</i> subsp. <i>lactis</i> IMAU11823. <i>Food Chemistry</i> , 2022, 384, 132566. | 4.2 | 15        |
| 1201 | Flavonoids from <i>Serratula komarovii</i> Iljin (the Asteraceae Family). <i>Russian Journal of Bioorganic Chemistry</i> , 2021, 47, 1418-1423.   | 0.3 | 3         |
| 1202 | Development of 1,3-acetonedicarboxylate-derived glucoside amphiphiles (ACAs) for membrane protein study. <i>Chemical Science</i> , 2022, 13, 5750-5759.   | 3.7 | 5         |
| 1204 | Structural characterization of <i>Poria cocos</i> oligosaccharides and their effects on the hepatic metabolome in high-fat diet-fed mice. <i>Food and Function</i> , 2022, 13, 6813-6829.   | 2.1 | 7         |
| 1205 | Two glycoproteins from medicinal insect <i>Periplaneta americana</i> (L.) promote diabetic wound healing via macrophage polarization modulation. <i>International Journal of Biological Macromolecules</i> , 2022, 209, 2130-2141.                        | 3.6 | 8         |
| 1206 | Physicochemical Properties and Anticoagulant Activity of Purified Heteropolysaccharides from <i>Laminaria japonica</i> . <i>Molecules</i> , 2022, 27, 3027.   | 1.7 | 7         |
| 1207 | Production and Characterization of Exopolysaccharide From Newly Isolated Marine Probiotic <i>Lactiplantibacillus plantarum</i> E16 With in vitro Wound Healing Activity. <i>Frontiers in Microbiology</i> , 2022, 13, .                                   | 1.5 | 21        |
| 1208 | Ypsilandrosides U-Y, five new steroidal saponins from <i>Ypsilandra thibetica</i> . <i>Natural Products and Bioprospecting</i> , 2022, 12, 17.  | 2.0 | 2         |
| 1209 | Isolation, Structural Elucidation, Antioxidant and Hypoglycemic Activity of Polysaccharides of <i>Brassica rapa</i> L. <i>Molecules</i> , 2022, 27, 3002.   | 1.7 | 6         |
| 1210 | Structural Characterization and Anti-breast Cancer Activity in vitro of a Novel Polysaccharide From <i>Cymbopogon citratus</i> . <i>Frontiers in Nutrition</i> , 2022, 9, .   | 1.6 | 1         |
| 1211 | Bis-iridoids and other constituents from <i>Scabiosa semipapposa</i> . <i>Phytochemistry Letters</i> , 2022, 49, 202-210.   | 0.6 | 0         |
| 1212 | A xylan from the fresh leaves of <i>Piper betle</i> : Structural characterization and studies of bioactive properties. <i>Carbohydrate Polymers</i> , 2022, 291, 119570.  | 5.1 | 4         |
| 1213 | Intramolecular copigmentation in malvidin-3-O-(6-O-p-coumaryl)-glucoside: Insights from experimental and theoretical study. <i>Food Chemistry</i> , 2022, 391, 133255.  | 4.2 | 1         |
| 1214 | Antioxidant activity-guided isolation of flavonoids from <i>Silene gallica</i> aerial parts. <i>Phytochemistry Letters</i> , 2022, 50, 61-66.   | 0.6 | 5         |
| 1215 | Ent-abetane diterpenoid lactone glycosides and a phenolic glycoside from <i>Phlogacanthus pulcherrimus</i> T. Anderson with cytotoxic and cancer chemopreventive activities. <i>Phytochemistry</i> , 2022, 201, 113261.                                   | 1.4 | 2         |
| 1216 | Steroidal alkaloids from <i>Solanum nigrum</i> and their cytotoxic activities. <i>Phytochemistry</i> , 2022, 202, 113317.   | 1.4 | 7         |



| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1217 | Anti-cancer Potential of Polysaccharide Extracted From <i>Polygonatum sibiricum</i> on HepG2 Cells via Cell Cycle Arrest and Apoptosis. <i>Frontiers in Nutrition</i> , 0, 9, .  | 1.6 | 3         |
| 1218 | A new spirostanol steroid and a new spirostanol steroidal saponin from <i>Aspidistra triradiata</i> and their cytotoxic activities. <i>Natural Product Research</i> , 2023, 37, 3595-3604.   | 1.0 | 1         |
| 1219 | Constituents of <i>Desmodium salicifolium</i> (Poir.) DC (Fabaceae) with antifungal activity. <i>Phytochemistry Letters</i> , 2022, 50, 100-105.   | 0.6 | 5         |
| 1220 | Lepiginosides A-D: three new triterpenoid saponins and a new farnesyl glycoside from the stembarks of <i>Lepisanthes rubiginosa</i> (roxb.) leenh. <i>Natural Product Research</i> , 0, , 1-6.   | 1.0 | 1         |
| 1221 | Structural characterization and antitumor activity of a polysaccharide extracted from <i>Perilla frutescens</i> var. <i>frutescens</i> . <i>Industrial Crops and Products</i> , 2022, 187, 115334.   | 2.5 | 8         |
| 1222 | Antimicrobial and Cytotoxic Activities of Constituents from the Fruit of <i>Albizia lebbek</i> L. Benth (Fabaceae). <i>Molecules</i> , 2022, 27, 4823.   | 1.7 | 1         |
| 1223 | Structural characterization and hepatoprotective activity of exopolysaccharide from <i>Bacillus velezensis</i> . <i>Journal of the Science of Food and Agriculture</i> , 2023, 103, 738-749.   | 1.7 | 5         |
| 1224 | Unusual ring B-seco isosteroidal alkaloid, yibeiglycoalkaloids from <i>Fritillaria pallidiflora</i> schrenk. <i>Phytochemistry</i> , 2022, 203, 113351.  | 1.4 | 1         |
| 1225 | Biological activities and structural characterization of sulfated polysaccharide extracted from a newly Mediterranean Sea record <i>Grateloupia gibbesii</i> Harvey. <i>Biocatalysis and Agricultural Biotechnology</i> , 2022, 45, 102487.              | 1.5 | 4         |
| 1226 | Deaminative-cleaved <i>S. monotuberculatus</i> fucosylated glycosaminoglycan: Structural elucidation and anticoagulant activity. <i>Carbohydrate Polymers</i> , 2022, 298, 120072.   | 5.1 | 7         |
| 1227 | Isolation, structure elucidation, and biological activity of polysaccharides from <i>Saussurea involucreata</i> . <i>International Journal of Biological Macromolecules</i> , 2022, 222, 154-166.  | 3.6 | 18        |
| 1228 | High-efficiency decomposition of eggshell membrane by a keratinase from <i>Meiothermus taiwanensis</i> . <i>Scientific Reports</i> , 2022, 12, .   | 1.6 | 2         |
| 1229 | Optimization of enzyme-assisted extraction of albedo extract obtained from watermelon rind ( <i>Citrullus lanatus</i> ) and its use in the enrichment of nutrients and bioactive compounds in watermelon juices. <i>JSFA Reports</i> , 2022, 2, 480-489. | 0.2 | 0         |
| 1230 | <i>Lentinula edodes</i> , a Novel Source of Polysaccharides with Antioxidant Power. <i>Antioxidants</i> , 2022, 11, 1770.  | 2.2 | 5         |
| 1231 | Two new flavone glycosides from the leaves of <i>Ochna afzelii</i> Oliv. (Ochnaceae). <i>Natural Product Research</i> , 2024, 38, 447-457.   | 1.0 | 0         |
| 1232 | An Immunological Polysaccharide from <i>Tremella fuciformis</i> : Essential Role of Acetylation in Immunomodulation. <i>International Journal of Molecular Sciences</i> , 2022, 23, 10392.   | 1.8 | 6         |
| 1233 | Steroidal saponin components and their cancer cell cytotoxicity from <i>Paris rugosa</i> . <i>Phytochemistry</i> , 2022, 204, 113452.  | 1.4 | 3         |
| 1234 | Discovery of steroidal alkaloid glycosides from the bulbs of <i>Fritillaria unibracteata</i> with anti-inflammatory activities using an in vivo zebrafish model. <i>Phytochemistry</i> , 2022, 204, 113437.  | 1.4 | 2         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1235 | Multi-method biophysical analysis in discovery, identification, and in-depth characterization of surface-active compounds. <i>Frontiers in Marine Science</i> , 0, 9, .  | 1.2 | 8         |
| 1236 | New 8-prenylated quercetin glycosides from the flowers of <i>Epimedium acuminatum</i> and their testosterone production-promoting activities. <i>Frontiers in Chemistry</i> , 0, 10, .   | 1.8 | 3         |
| 1237 | Guideline for the extraction, isolation, purification, and structural characterization of polysaccharides from natural resources. <i>EFood</i> , 2022, 3, .  | 1.7 | 12        |
| 1238 | Monoterpenoid glycosides from <i>Paeonia lactiflora</i> Pall. And their chemotaxonomic significance. <i>Biochemical Systematics and Ecology</i> , 2022, 105, 104540.   | 0.6 | 2         |
| 1239 | Isolation, structural elucidation, and bioactivity of cholestane derivatives from <i>Ypsilandra thibetica</i> . <i>New Journal of Chemistry</i> , 2022, 47, 324-332.   | 1.4 | 1         |
| 1240 | Chemical constituents and antioxidant capacities of <i>Asparagus africanus</i> Lam.. <i>Phytochemistry Letters</i> , 2023, 53, 22-30.  | 0.6 | 2         |
| 1241 | Distinctive carbohydrate profiles of black ginseng revealed by IM-MS combined with PMP labeling and multivariate data analysis. <i>Current Research in Food Science</i> , 2022, 5, 2243-2250.  | 2.7 | 0         |
| 1242 | New furofuran and tetrahydrofuran lignans from the flower buds of <i>Magnolia biondii</i> Pamp and their antiallergic effects. <i>Natural Product Research</i> , 2023, 37, 3083-3092.  | 1.0 | 1         |
| 1243 | Natural glycosidic antioxidants from <i>Cynanchum atratum</i> roots. <i>Carbohydrate Research</i> , 2023, 523, 108729.   | 1.1 | 1         |
| 1244 | Isolation of melanoidins from heat-moisture treated ginseng and its inhibitory effect on choline metabolism. <i>Journal of Functional Foods</i> , 2023, 100, 105370.   | 1.6 | 2         |
| 1245 | Anticancer and Antioxidant Activity of Water-Soluble Polysaccharides from <i>Ganoderma aff. australe</i> against Human Osteosarcoma Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 14807.   | 1.8 | 5         |
| 1246 | Bioactive Arylnaphthalide Lignans from <i>Justicia depauperata</i> . <i>Journal of Natural Products</i> , 2022, 85, 2731-2739.   | 1.5 | 2         |
| 1248 | Phytochemical Characterization of <i>Phytosia crocifolia</i> , a Monotypic Representative of Greek Flora. <i>Planta Medica</i> , 0, , .  | 0.7 | 0         |
| 1249 | Antibacterial constituents of <i>Rumex nepalensis</i> spreng and its emodin derivatives. <i>Natural Product Research</i> , 0, , 1-12.  | 1.0 | 0         |
| 1250 | Flavonoids of the East Asian Species <i>Serratula manshurica</i> Kitag.. <i>Russian Journal of Bioorganic Chemistry</i> , 2022, 48, 1514-1518.   | 0.3 | 0         |
| 1251 | Plant cell wall polysaccharides: Methodologies for compositional, structural, and physicochemical characterization. , 2023, , 1-37.  |     | 0         |
| 1252 | <i>Sargassum filipendula</i> , a Source of Bioactive Compounds with Antioxidant and Matrix Metalloproteinases Inhibition Activities In Vitro with Potential Dermocosmetic Application. <i>Antioxidants</i> , 2023, 12, 876.                                  | 2.2 | 3         |
| 1253 | A polysaccharide from <i>Codonopsis pilosula</i> roots attenuates carbon tetrachloride-induced liver fibrosis via modulation of TLR4/NF- $\kappa$ B and TGF- $\beta$ 1/Smad3 signaling pathway. <i>International Immunopharmacology</i> , 2023, 119, 110180. | 1.7 | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1254 | Structural characteristics of a novel <i>Bletilla striata</i> polysaccharide and its activities for the alleviation of liver fibrosis. <i>Carbohydrate Polymers</i> , 2023, 313, 120781.              | 5.1 | 8         |
| 1255 | New diterpenoids and phenolic amides from <i>Icacina mannii</i> Oliv.. <i>FÄ-toterapÄÄ</i> , 2023, 167, 105487.  | 1.1 | 0         |
| 1256 | Structure and potential anti-fatigue mechanism of polysaccharides from <i>Bupleurum chinense</i> DC. <i>Carbohydrate Polymers</i> , 2023, 306, 120608.  | 5.1 | 12        |
| 1257 | Medicinal mushrooms <i>Ophiocordyceps sinensis</i> and <i>Cordyceps militaris</i> . <i>Ceska A Slovenska Farmacie</i> , 2022, 71, 259-265.  | 0.3 | 1         |
| 1258 | Medicinal mushrooms <i>Ophiocordyceps sinensis</i> and <i>Cordyceps militaris</i> . <i>Ceska A Slovenska Farmacie</i> , 2022, 71, 259-265.  | 0.3 | 0         |
| 1259 | Biosurfactants Produced by Yeasts: Fermentation, Screening, Recovery, Purification, Characterization, and Applications. <i>Fermentation</i> , 2023, 9, 207.   | 1.4 | 3         |
| 1260 | Understanding the Seasonal Effect of Metabolite Production in <i>Terminalia catappa</i> L. Leaves through a Concatenated MS- and NMR-Based Metabolomics Approach. <i>Metabolites</i> , 2023, 13, 349. | 1.3 | 0         |
| 1261 | A New Iridoid from the Leaves of <i>Morinda officinalis</i> . <i>Chemistry of Natural Compounds</i> , 0, , .  | 0.2 | 0         |
| 1262 | Seven new pentasaccharides from the roots of <i>Rehmannia glutinosa</i> . <i>Journal of Asian Natural Products Research</i> , 2024, 26, 280-292.  | 0.7 | 0         |
| 1263 | Bioguided Fractionation and Isolation of an Antiplasmodial Saponin from the Roots of <i>Nauclea xanthoxylon</i> (A.Chev.) AubrÄv. (Rubiaceae). <i>Chemistry and Biodiversity</i> , 2023, 20, .       | 1.0 | 0         |
| 1264 | Flavonol-Glycoside and Rare Triterpenoid Derivatives Isolated from Leaves of <i>Combretum glutinosum</i> Perr. Ex Dc. with In Vitro Cytotoxic Activity. <i>Separations</i> , 2023, 10, 209.           | 1.1 | 0         |
| 1265 | Quadrangulosides AÄF: new pregnane glycosides from <i>Caralluma quadrangula</i> . <i>RSC Advances</i> , 2023, 13, 11800-11806.   | 1.7 | 0         |
| 1266 | Neuroprotective flavonoids from <i>Epimedium brevicornu</i> by inhibition of ferroptosis. <i>Phytochemistry Letters</i> , 2023, 55, 80-87.  | 0.6 | 2         |