

CITATION REPORT

List of articles citing

A Barycentremetric study of the sagittal shape of spine and pelvis: the conditions required for an economic standing position

DOI: 10.1007/bf02368136

Annals of Biomedical Engineering, 1992, 20, 451-62.

Source: <https://exaly.com/paper-pdf/23611918/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
610	Study of the course of the incidence angle during growth. 1997 , 6, 163-7		131
609	Stability of the human spine in neutral postures. 1997 , 6, 45-53		89
608	A noninvasive anthropometric technique for measuring kyphosis and lordosis: an application for idiopathic scoliosis. 2000 , 25, 1689-94		73
607	Radiographic markers in spondyloptosis: implications for spondylolisthesis progression. 2002 , 27, 2021-5		73
606	Measurements of lumbopelvic lordosis using the pelvic radius technique as it correlates with sagittal spinal balance and sacral translation. 2002 , 2, 421-9		39
605	Variability of the spine and pelvis location with respect to the gravity line: a three-dimensional stereoradiographic study using a force platform. 2003 , 25, 424-33		83
604	Escoliosis idiopática del adulto. 2003 , 36, 1-25		
603	Principles of Spine Biomechanics for Radiology, Clinical Examination, Rehabilitation and Surgery. 2003 , 16, 633-655		
602	Pelvic lordosis and alignment in spondylolisthesis. 2003 , 28, 151-60		109
601	Sagittal plane analysis of the spine and pelvis in adolescent idiopathic scoliosis according to the coronal curve type. 2003 , 28, 1404-9		155
600	A Comparative Analysis of Sagittal Spinal Balance in 100 Asymptomatic Young and Older Aged Volunteers. 2003 , 10, 327		15
599	Evaluation of a functional position for lateral radiograph acquisition in adolescent idiopathic scoliosis. 2004 , 29, 2284-9		149
598	Composante sagittale de la statique rachidienne. 2004 , 71, 105-119		50
597	Que faire devant une scoliose d'évolution rapide à l'âge moyen de la vie ?. 2004 , 71, 265-276		1
596	Comment examiner un trouble de la statique rachidienne ?. 2004 , 71, 137-144		3
595	Radiographic and balance characteristics for patient with osteoporotic vertebral fracture. 2004 , 27, 377-383		4
594	Escoliosis idiopática. Estrategia diagnóstica, fisiopatología y análisis de la deformación. 2004 , 37, 1-22		

593	Scoliose idiopathique. Stratégie diagnostique, physiopathologie et analyse de la déformation. 2004 , 1, 17-44	5
592	Sagittal alignment of the spine and pelvis during growth. 2004 , 29, 1642-7	294
591	Pelvic lordosis and pelvic incidence: the relationship of pelvic parameters to sagittal spinal profile. 2004 , 15, 150-153	8
590	Spondylolisthesis, pelvic incidence, and spinopelvic balance: a correlation study. 2004 , 29, 2049-54	270
589	Spinopelvic alignment in patients with osteoarthritis of the hip: a radiographic comparison to patients with low back pain. 2005 , 30, 1650-7	126
588	The importance of spino-pelvic balance in L5-s1 developmental spondylolisthesis: a review of pertinent radiologic measurements. 2005 , 30, S27-34	191
587	A variability study of computerized sagittal spinopelvic radiologic measurements of trunk balance. 2005 , 18, 66-71	56
586	The effect of single-level, total disc arthroplasty on sagittal balance parameters: a prospective study. 2005 , 14, 480-6	61
585	Anatomical reliability of two fundamental radiological and clinical pelvic parameters: incidence and thickness. 2005 , 15, 197-204	39
584	[Sagittal balance of the spine and degenerative spondylolisthesis]. 2005 , 91, 615-26	20
583	[Unfavorable influence of the dynamic neutralization system on sagittal balance of the spine]. 2005 , 91, 542-50	13
582	Radiographic analysis of the sagittal alignment and balance of the spine in asymptomatic subjects. 2005 , 87, 260-7	578
581	[Pedicicle closing-wedge osteotomy for the treatment of fixed sagittal imbalance]. 2006 , 92, 257-65	10
580	Equilibrio sagital y su aplicaci3n en patolog3as de columna vertebral. 2006 , 50, 447-453	5
579	Equilibrio sagital y su aplicaci3n en patolog3as de columna vertebral. 2006 , 50, 447-453	
578	Le bassin, interface articulaire entre rachis et membres inf3rieurs: analyse par le logiciel DE-VISU. 2006 , 5, 583-595	12
577	Gravity line analysis in adult volunteers: age-related correlation with spinal parameters, pelvic parameters, and foot position. 2006 , 31, E959-67	323
576	Scoliose idiopathique. Stratégie diagnostique, physiopathologie et analyse de la déformation. 2006 , 1, 1-21	0

575	Scoliose idiopathique de l'adulte. 2006 , 1, 1-24	
574	Three-dimensional spinal and pelvic alignment in an asymptomatic population. 2006 , 31, E507-12	37
573	Three-dimensional study of pelvic asymmetry on anatomical specimens and its clinical perspectives. 2006 , 208, 21-33	65
572	Validation of new clinical quantitative analysis software applicable in spine orthopaedic studies. 2006 , 15, 982-91	200
571 ¹	Sagittal alignment of spine and pelvis regulated by pelvic incidence: standard values and prediction of lordosis. 2006 , 15, 415-22	483
570 ^o	Intra and inter-observer reliability of determining degree of pelvic incidence in high-grade spondylolisthesis using a computer assisted method. 2006 , 15, 1449-53	44
569	A proposal for a surgical classification of pediatric lumbosacral spondylolisthesis based on current literature. 2006 , 15, 1425-35	62
568	Spinal and pelvic parameters in Marfan's syndrome and their relevance to surgical planning. 2006 , 88, 515-9	10
567	A novel approach to sagittal balance restoration following iatrogenic sacral fracture and resulting sacral kyphotic deformity. Technical note. 2007 , 6, 368-72	25
566	Scoliosis correction objectives in adolescent idiopathic scoliosis. 2007 , 27, 775-81	51
565	Lumbar facet orientation in spondylolysis: a skeletal study. 2007 , 32, E176-80	54
564	Sacral orientation revisited. 2007 , 32, E397-404	23
563	Traumatismes récents du rachis thoracolombaire. Techniques chirurgicales. 2007 , 2, 1-16	2
562	Analysis of sagittal alignment in thoracic and thoracolumbar curves in adolescent idiopathic scoliosis: how do these two curve types differ?. 2007 , 32, 1355-9	82
561 ¹	Dynamic balance control of humanoids for multiple grasps and non coplanar frictional contacts. 2007 ,	31
560	Rachis neurologique de profil, IMC marchant ou d'ambulant. 2007 , 28, 123-132	
559	Operative management of adult high-grade lumbosacral spondylolisthesis. 2007 , 18, 249-54	17
558	Lumbar Disc Replacement for Junctional Decomensation After Fusion Surgery: Clinical and Radiological Outcome at an Average Follow-Up of 33 Months. 2007 , 1, 85-92	2

557	Hip Spine Relationships: Application to Total Hip Arthroplasty. 2007 , 17, 91-104	99
556	Orientation of the human sacrum: anthropological perspectives and methodological approaches. 2007 , 133, 967-77	46
555	Adjustment of pelvispinal parameters preserves the constant gravity line position. 2007 , 31, 253-8	22
554	Sagittal spinopelvic balance in normal children and adolescents. 2007 , 16, 227-34	242
553	Is there a sagittal imbalance of the spine in isthmic spondylolisthesis? A correlation study. 2007 , 16, 1641-9	87
552	Gravitational forces and sagittal shape of the spine. Clinical estimation of their relations. 2008 , 32, 809-16	53
551	Intra- and inter-observer reliability of determining radiographic sagittal parameters of the spine and pelvis using a manual and a computer-assisted methods. 2008 , 17, 1373-9	57
550	The sagittal balance of the spine in children and adolescents with osteogenesis imperfecta. 2008 , 17, 1697-704	18
549	The outcome of walking in stable neuromuscular deficiencies. 1997 , 39, 253-8	3
548	Is Degenerative Spondylolisthesis a Contraindication for Total Disc Replacement? Kineflex Lumbar Disc Replacement in 7 Patients With 24-Month Follow-up. 2008 , 2, 92-100	2
547	[Pelvic incidence reliability in spine sagittal balance]. 2008 , 94, 321-6	11
546	[Study of the postural profile and spinal static for menopausal-women with chronic low back pain]. 2008 , 51, 619-29	2
545	[Plain radiographs of the spine: static and relationships between spine and pelvis]. 2008 , 89, 654-63; quiz 664-6	12
544	[Extension reserve of the hip in relation to the spine: Comparative study of two radiographic methods]. 2008 , 94, 771-6	14
543	[Dynamic stabilisation and compression without fusion using Dynesys for the treatment of degenerative lumbar spondylolisthesis: a prospective series of 25 cases]. 2008 , 94, 619-27	9
542	[Two key descriptors of the sacro-acetabular relationships: the angles of sacral and acetabular incidence]. 2008 , 94, 327-35	6
541	Morphologic parameters of sacropelvic anatomy affecting spinal pathology. 2008 , 19, 388-396	
540	Influence of sacral morphology in developmental spondylolisthesis. 2008 , 33, 2185-91	27

539	Correlation of pelvic parameters with isthmic spondylolisthesis. 2009 , 3, 21-6	24
538	Sagittal Imbalance. 2009 , 16, 142	4
537	Lumbosacral lordosis in fetal spine: genetic or mechanic parameter. 2009 , 18, 1342-8	19
536	Prévention primaire des troubles de la statique pelvienne: contribution de l'angle d'incidence pelvienne. 2009 , 4, 97-105	
535	Traumatismos recientes de la columna toracolumbar. Técnicas quirúrgicas. 2009 , 1, 1-15	
534	Intérêt prédictif du test du corset hémibermuda dans la prise en charge chirurgicale des lomboradiculalgies d'origine rachidienne dégénérative. Résultats d'une étude prospective portant sur 83 patients. 2009 , 95, 146-152	
533	Perineal descent predicted by a pelvic bone factor: the pelvic incidence angle. 2009 , 52, 119-26	10
532	Differences in male and female spino-pelvic alignment in asymptomatic young adults: a three-dimensional analysis using upright low-dose digital biplanar X-rays. 2009 , 34, E826-32	112
531	Sacral orientation and spondylolysis. 2009 , 34, E906-10	14
530	Prolapsus ghital: analyse anatomoclinique et place de l'utérus dans la statique pelvipinéale de la femme. 2009 , 4, 1-6	1
529	Intrasacral rod fixation for pediatric long spinal fusion: results of a prospective study with a minimum 5-year follow-up. 2009 , 29, 594-601	17
528	Variations in pelvic and other sagittal spinal parameters as a function of race in adolescent idiopathic scoliosis. 2010 , 35, E374-7	59
527	A variability study of computerized sagittal sacral radiologic measures. 2010 , 35, 71-5	12
526	Correlation of pelvic orientation with adult scoliosis. 2010 , 23, 461-6	22
525	Optimal Standing Radiographic Positioning in Patients with Sagittal Imbalance. 2010 , 17, 198	4
524	Middle Pleistocene lower back and pelvis from an aged human individual from the Sima de los Huesos site, Spain. 2010 , 107, 18386-91	104
523	[Scoliosis and disability]. 2010 , 91, 1360-70	1
522	Spondylolisth�sis de haut grade chez lâenfant: le concept de la double instabilit�et son corollaire la vis sacrolombaire sur mesure. 2011 , 97, 167-174	

521	Classification et prise en charge du spondylolisth�sis lombosacr�chez les jeunes athl�tes. 2011 , 28, 90-98	1
520	High-grade child spondylolisthesis: a custom-made canulated screw to treat the so-called double instability. 2011 , 97, 179-85	12
519	Changes in Sagittal Spinopelvic Parameters according to Pelvic Incidence in Asymptomatic Old Korean Men. 2011 , 18, 223	4
518	Postoperative changes in pelvic parameters and sagittal balance in adult isthmic spondylolisthesis. 2011 , 68, 355-63; discussion 362-3	14
517	Normal patterns of sagittal alignment of the spine in young adults radiological analysis in a Korean population. 2011 , 36, E1648-54	105
516	Following spinal deformity surgery patients into older age. 2011 , 7, 619-632	
515	Sagittal parameters of the spine: biomechanical approach. 2011 , 20 Suppl 5, 578-85	225
514	Pediatric sagittal alignment. 2011 , 20 Suppl 5, 586-90	84
513	Standardized way for imaging of the sagittal spinal balance. 2011 , 20 Suppl 5, 602-8	86
512	Biomechanical analysis of the spino-pelvic organization and adaptation in pathology. 2011 , 20 Suppl 5, 609-18	374
511	Sagittal balance parameters influence indications for lumbar disc arthroplasty or ALIF. 2011 , 20 Suppl 5, 647-62	41
510	Hip-spine relations and sagittal balance clinical consequences. 2011 , 20 Suppl 5, 686-98	183
509	Equilibrium of the human body and the gravity line: the basics. 2011 , 20 Suppl 5, 558-63	155
508	Pelvic parameters: origin and significance. 2011 , 20 Suppl 5, 564-71	201
507	Scoliose du sujet « m�r ». Aspects m�dicaux. 2011 , 78, 54-59	
506	Predicting ideal spinopelvic balance in adult spinal deformity. 2011 , 15, 82-91	26
505	Relationship between sacral pelvic incidence and acetabular orientation. 2011 , 21, 87-97	31
504	Radiographic analysis of spondylolisthesis and sagittal spinopelvic deformity. 2012 , 20, 194-205	30

- 503 Differences in pelvic parameters among Mexican, Caucasian, and Asian populations. **2012**, 16, 516-9 38
- 502 Sagittal spinopelvic parameters in children with achondroplasia: identification of 2 distinct groups. **2012**, 17, 57-60 8
- 501 L'équilibre lombo-pelvi-fémoral en vue de profil, debout et assis. **2012**, 101-119
- 500 Reprise tardive sur chirurgie du rachis. **2012**, 7, 1-12
- 499 Impact of magnitude and percentage of global sagittal plane correction on health-related quality of life at 2-years follow-up. **2012**, 71, 341-8; discussion 348 117
- 498 Analysis of pelvic incidence from 3-dimensional images of a normal population. **2012**, 37, E479-85 37
- 497 Comparison of sagittal spinopelvic alignment in Chinese adolescents with and without idiopathic thoracic scoliosis. **2012**, 37, E714-20 59
- 496 A review of methods for evaluating the quantitative parameters of sagittal pelvic alignment. **2012**, 12, 433-46 101
- 495 Radiological analysis of lumbar degenerative kyphosis in relation to pelvic incidence. **2012**, 12, 1045-51 27
- 494 Sagittal spine posture assessment: feasibility of a protocol based on intersegmental moments. **2012**, 98, 109-13 15
- 493 Analyse de posture sagittale du rachis : étude de faisabilité d'un protocole fondé sur les moments intersegmentaires. **2012**, 98, 104-109
- 492 Reintervenciones tardías de cirugías raquídeas. **2012**, 4, 1-12
- 491 Sacral dome resection and single-stage posterior reduction in the treatment of high-grade high dysplastic spondylolisthesis in adolescents and young adults. **2012**, 21 Suppl 6, S785-91 29
- 490 Comparative study of spinopelvic sagittal alignment between patients with and without degenerative spondylolisthesis. **2012**, 21, 2181-7 75
- 489 Espondilolistesis êtmica lumbosacra del adulto: laminoartrectomâ y fusiñ in situ. **2012**, 11, 140-144
- 488 Sacro-femoral-pubic angle: a coronal parameter to estimate pelvic tilt. **2012**, 21, 719-24 30
- 487 Treatment of kyphotic deformities in adults: our experience. **2012**, 21 Suppl 1, S100-7 12
- 486 Technical note: Shape variability induced by reassembly of human pelvic bones. **2012**, 148, 139-47 15

485	Relationship between thoracic hypokyphosis, lumbar lordosis and sagittal pelvic parameters in adolescent idiopathic scoliosis. 2013 , 22, 2414-20	54
484	The analysis of spinopelvic parameters and stability following long fusions with S1, S2 or iliac fixation. 2013 , 37, 1973-80	9
483	Selection of fusion levels in adults with spinal deformity: an update. 2013 , 13, 464-74	19
482	Coxometrie fonctionnelle en 3D en position debout avec systēme EOS, comparaison sujets sains et coxarthrosiques. 2013 , 56, e366-e367	
481	Lumbosacral arthrodesis for neuromuscular scoliosis using a simplified Jackson technique. 2013 , 99, 845-51	1
480	Evaluation of pelvic morphology in the sagittal plane. 2013 , 13, 1500-9	22
479	Pre- and post-operative sagittal balance in idiopathic scoliosis: a comparison over the ages of two cohorts of 132 adolescents and 52 adults. 2013 , 22 Suppl 2, S203-15	101
478	Fonctional coxometry. Comparative study between Healthy and hip arthrosis subjects studied by EOS system. 2013 , 56, e368	
477	Arthrodiēse lombo-sacrēe dans les scolioses neuromusculaires par une technique de Jackson simplifiēe. 2013 , 99, 702-708	
476	[Pelvic floor rehabilitation for female urinary incontinence: mechanisms of action]. 2013 , 23, 491-501	11
475	Lumbar-pelvic-femoral balance on sitting and standing lateral radiographs. 2013 , 99, S87-103	105
474	Morphotype de la pubalgie chez le joueur de rugby et prvention. 2013 , 30, 31-35	
473	Round and angular kyphosis in paediatric patients. 2013 , 99, S140-9	9
472	How is sagittal balance acquired during bipedal gait acquisition? Comparison of neonatal and adult pelves in three dimensions. Evolutionary implications. 2013 , 65, 209-22	48
471	Increased pelvic incidence may lead to arthritis and sagittal orientation of the facet joints at the lower lumbar spine. 2013 , 13, 34	34
470	Sagittal balance in adolescent idiopathic scoliosis: radiographic study of spino-pelvic compensation after surgery. 2013 , 22 Suppl 6, S859-67	43
469	Assessment of normal sagittal alignment of the spine and pelvis in children and adolescents. 2013 , 2013, 842624	21
468	Radiographical spinopelvic parameters and disability in the setting of adult spinal deformity: a prospective multicenter analysis. 2013 , 38, E803-12	584

467	Joint laxity negatively correlates with lumbar disc degeneration in young adults. 2013 , 38, E1541-7	2
466	Comparative study of lumbopelvic sagittal alignment between patients with and without sacroiliac joint pain after lumbar interbody fusion. 2013 , 38, E1334-41	22
465	Analysis of spinopelvic sagittal alignment in patients with thoracic and thoracolumbar angular kyphosis. 2013 , 38, E813-8	16
464	Sagittal sacropelvic morphology and balance in patients with sacroiliac joint pain following lumbar fusion surgery. 2013 , 54, 201-6	15
463	Comparison of Sagittal Spinopelvic Alignment between Lumbar Degenerative Spondylolisthesis and Degenerative Spinal Stenosis. 2014 , 55, 331-6	23
462	Changes of Spinopelvic Parameter using Iliac Screw In Surgical Correction of Sagittal Imbalance Patients. 2014 , 21, 63	
461	Thoracolumbar Injuries in Pediatric Athletes. 2014 , 1-37	
460	Correlation of pelvic incidence with cam and pincer lesions. 2014 , 42, 2649-53	46
459	Pelvic incidence: a predictive factor for three-dimensional acetabular orientation-a preliminary study. 2014 , 2014, 594650	25
458	Three-dimensional spinopelvic relative alignment in adolescent idiopathic scoliosis. 2014 , 39, 564-70	32
457	Brief communication: Lumbar lordosis in extinct hominins: implications of the pelvic incidence. 2014 , 154, 307-14	26
456	The radiographic parameters for the prediction of spondylolysis and spondylolisthesis. 2014 , 26, 219-224	2
455	Is the sacro-femoral-pubic angle predictive for pelvic tilt in adolescent idiopathic scoliosis patients?. 2014 , 27, E176-80	6
454	Influence of pelvic rotation on pelvic incidence, pelvic tilt, and sacral slope. 2014 , 39, E1276-83	31
453	Influence of the posterior lumbar interbody fusion on the sagittal spino-pelvic parameters in isthmic L5-S1 spondylolisthesis. 2014 , 27, E20-5	15
452	Radiographic spinopelvic parameters in skeletally mature patients with Scheuermann disease. 2014 , 39, E1080-5	18
451	Can pelvic tilt be predicated by the sacrofemoral-pubic angel in patients with thoracolumbar kyphosis secondary to ankylosing spondylitis?. 2014 , 39, E1347-52	6
450	Individual and contextual characteristics as determinants of sagittal standing posture: a population-based study of adults. 2014 , 14, 2373-83	29

449	Simple prediction method of lumbar lordosis for planning of lumbar corrective surgery: radiological analysis in a Korean population. 2014 , 23, 192-7	32
448	The relevance of sacral and sacro-pelvic morphology in developmental lumbosacral spondylolisthesis: are they equally important?. 2014 , 23, 157-62	6
447	The relationship between spinopelvic parameters and clinical symptoms of severe isthmic spondylolisthesis: a prospective study of 64 patients. 2014 , 23, 560-8	19
446	The characteristics of spinopelvic sagittal alignment in patients with lumbar disc degenerative diseases. 2014 , 23, 569-75	56
445	Influence of age and sagittal balance of the spine on the value of the pelvic incidence. 2014 , 23, 1394-9	52
444	Técnicas de osteotomâ vertebral. 2014 , 6, 1-10	
443	Characteristics of the pelvic axial rotation in adolescent idiopathic scoliosis: a comparison between major thoracic curve and major thoracolumbar/lumbar curve. 2014 , 14, 1873-8	6
442	Isokinetic trunk muscle performance in pre-teens and teens with and without back pain. 2014 , 57, 38-54	11
441	Spinopelvic Balance. 2014 , 2,	4
440	Hilus pulmonis as the center of gravity for AS thoracolumbar kyphosis. 2014 , 23, 2743-50	13
439	A comparative analysis of sagittal spinopelvic alignment between young and old men without localized disc degeneration. 2014 , 23, 1400-6	33
438	Circumferential fusion using a custom-made screw in the management of high-grade spondylolisthesis. 2014 , 23 Suppl 4, S457-62	11
437	Biomechanical loading of the sacrum in adolescent idiopathic scoliosis. 2014 , 29, 296-303	14
436	Sacrum pubic incidence and sacrum pubic posterior angle: two morphologic radiological parameters in assessing pelvic sagittal alignment in human adults. 2014 , 23, 1427-32	6
435	Clinical outcomes, radiologic kinematics, and effects on sagittal balance of the 6 df LP-ESP lumbar disc prosthesis. 2014 , 14, 1914-20	15
434	Changes in spino-pelvic alignment after surgical treatment of isthmic spondylolisthesis. 2014 , 48, 21-9	5
433	Is it possible to evaluate the parameters of cervical sagittal alignment on cervical computed tomographic scans?. 2014 , 39, E630-6	52
432	Sagittal alignment of spine and pelvis in asymptomatic adults: norms in Chinese populations. 2014 , 39, E1-6	101

431	Sagittal standing posture, back pain, and quality of life among adults from the general population: a sex-specific association. 2014 , 39, E782-94	30
430	A history of spine biomechanics. Focus on 20th century progress. 2015 , 118 Suppl 1, 80-92	5
429	Effects of body mass index, mesenteric and abdominal subcutaneous adipose tissue on the spinopelvic parameters. 2015 , 127, 935-41	2
428	Comparison of radiological spino-pelvic sagittal parameters in skiers and non-athletes. 2015 , 10, 162	9
427	The Relationship Between Osteoarthritis of the Lumbar Facet Joints and Lumbosacropelvic Morphology. 2015 , 40, E1058-62	14
426	Spondylolisthesis, Sacro-Pelvic Morphology, and Orientation in Young Gymnasts. 2015 , 28, E358-64	6
425	Pelvic Incidence and Acetabular Version in Slipped Capital Femoral Epiphysis. 2015 , 35, 565-70	27
424	Estimation of the Ideal Lumbar Lordosis to Be Restored From Spinal Fusion Surgery: A Predictive Formula for Chinese Population. 2015 , 40, 1001-5	22
423	Quantitative evaluation of the lumbosacral sagittal alignment in degenerative lumbar spinal stenosis. 2015 , 9, 68	4
422	Postural spinal balance defined by net intersegmental moments: Results of a biomechanical approach and experimental errors measurement. 2015 , 6, 983-90	8
421	Current strategies for the restoration of adequate lordosis during lumbar fusion. 2015 , 6, 117-26	73
420	Restoration of the spinopelvic sagittal balance in isthmic spondylolisthesis: posterior lumbar interbody fusion may be better than posterolateral fusion. 2015 , 15, 1527-35	21
419	Clinical and Radiographic Evaluation. 2015 , 11-23	
418	Sagittal Balance in Adolescent Idiopathic Scoliosis: A Radiographic Study of Spinopelvic Compensation After Selective Posterior Fusion of Thoracolumbar/Lumbar (Lenke 5C) Curves. 2015 , 94, e1995	12
417	Characteristics of sagittal spine-pelvis-leg alignment in patients with severe hip osteoarthritis. 2015 , 24, 1228-36	50
416	Intraoperative determination of lumbar prosthesis endplate lordotic angulation to improve motion. 2015 , 101, 109-13	6
415	Plateau lordos des prothèses totales de disque lombaire : détermination peropératoire et restauration fonctionnelle. 2015 , 101, 79-83	
414	Healthy vs. osteoarthritic hips: a comparison of hip, pelvis and femoral parameters and relationships using the EOS [®] system. 2015 , 30, 195-204	21

413	Evaluation of demographic factors affecting predictability of the sacro-femoral-pubic angle in healthy adolescents. 2015 , 226, 163-8	2
412	Pelvic incidence-lumbar lordosis mismatch predisposes to adjacent segment disease after lumbar spinal fusion. 2015 , 24, 1251-8	154
411	Pelvic incidence and pelvic tilt measurements using femoral heads or acetabular domes to identify centers of the hips: comparison of two methods. 2015 , 24, 1259-64	8
410	Insufficient restoration of lumbar lordosis and FBI index following pedicle subtraction osteotomy is an indicator of likely mechanical complication. 2015 , 24 Suppl 1, S112-20	18
409	Arthrode lombaire postfieure trans-foraminale mini-invasive chez la personne gè de plus de 70 ans : morbidit; rsultats cliniques et radiologiques ^ 1 an dne sfie prospective de 30 cas. 2015 , 101, S24-S28	
408	Recruitment of compensatory mechanisms in sagittal spinal malalignment is age and regional deformity dependent: a full-standing axis analysis of key radiographical parameters. 2015 , 40, 642-9	124
407	Comparison of radiographic sagittal spinopelvic alignment between skeletally immature and skeletally mature individuals with Scheuermann's disease. 2015 , 24, 1237-43	9
406	Reproducibility and repeatability of a new computerized software for sagittal spinopelvic and scoliosis curvature radiologic measurements: Keops(). 2015 , 24, 1574-81	60
405	Three-dimensional vertebral wedging and pelvic asymmetries in the early stages of adolescent idiopathic scoliosis. 2015 , 15, 477-86	11
404	Sagittal spinopelvic alignment in 654 degenerative spondylolisthesis. 2015 , 24, 1219-27	56
403	The reliability of sagittal pelvic parameters: the effect of lumbosacral instrumentation and measurement experience. 2015 , 40, E253-8	21
402	Lxe conduits auditifs externes (CAE)tes de fmur (TF) fment essentiel dans lvaluation de lquilibre sagittal. 2015 , 99, 108-109	
401	Progressive restoration of spinal sagittal balance after surgical correction of lumbosacral spondylolisthesis before skeletal maturity. 2015 , 22, 294-300	7
400	A new sagittal parameter to estimate pelvic tilt using the iliac cortical density line and iliac tilt: a retrospective X-ray measurement study. 2015 , 10, 115	2
399	Clinical Evaluation of Adult Patient with Spondylolisthesis. 2015 , 43-57	
398	Thoracolumbar Injuries in Pediatric Athletes: Diagnosis, Treatment, Rehabilitation, and Prevention. 2015 , 2671-2700	
397	Anatomy and Biomechanics Relevant to Spondylolisthesis. 2015 , 17-23	
396	Minimally invasive posterior transforaminal lumbar interbody fusion: One-year postoperative morbidity, clinical and radiological results of a prospective multicenter study of 182 cases. 2015 , 101, S241-5	15

395	Arthrode la lombaire postieure trans-foraminale par technique mini-invasive : morbidit, rultats cliniques et radiologiques ^1an d'one s'ie multicentrique prospective de 182cas. 2015 , 101, S66-S71	
394	Sagittal alignment of the spine: What do you need to know?. 2015 , 139, 295-301	99
393	Factors determining cervical spine sagittal balance in asymptomatic adults: correlation with spinopelvic balance and thoracic inlet alignment. 2015 , 15, 705-12	127
392	The effect of growing rod lengthening technique on the sagittal spinal and the spinopelvic parameters. 2015 , 24, 1148-57	25
391	Differences of Sagittal Lumbosacral Parameters between Patients with Lumbar Spondylolysis and Normal Adults. 2016 , 129, 1166-70	11
390	Radiologic Findings of Pelvic Parameters Related to Sagittal Balance. 2016 , 23, 197	2
389	Radiological Evaluation and Classification of Adult Spinal Deformity. 2016 , 51, 1	4
388	INFLUENCE OF THE SAGITTAL BALANCE ON THE CLINICAL OUTCOME IN SPINAL FUSION. 2016 , 15, 52-56	3
387	Spino-Pelvic Parameters in Adult Spinal Deformities. 2016 , 51, 9	3
386	Basic Pelvic Parameters Associated with Lumbar Degenerative Disease: Review Article. 2016 , 23, 239	1
385	Sagittal spino-pelvic adjustment in severe Lenke 1 hypokyphotic adolescent idiopathic scoliosis patients. 2016 , 25, 3162-3169	4
384	Effect of growing rod on sagittal and spinopelvic parameters in early-onset scoliosis patients. 2016 , 25, 263-6	0
383	Low Pelvic Incidence Is Associated With Proximal Junctional Kyphosis in Patients Treated With Growing Rods. 2016 , 41, 792-7	15
382	Pelvic-Spinal Analysis and the Impact of Onabotulinum toxin A Injections on Spinal Balance in one Child With Cerebral Palsy. 2016 , 3, 2329048X16679075	
381	Sagittal alignment of the spine-pelvis-lower extremity axis in patients with severe knee osteoarthritis: A radiographic study. 2016 , 5, 198-205	24
380	Decreasing pelvic incidence is associated with greater risk of cam morphology. 2016 , 5, 387-92	23
379	[Surgical correction of post-vertebroplasty kyphosis by pedicle subtraction osteotomy. Regarding three cases]. 2016 , 62, 321-326	0
378	Impact of surgical correction of a U-shaped sacral fracture on sagittal spino-pelvic alignment: Regarding one case. 2016 , 62, 344-348	3

377	Sagittal malalignment has a significant association with postoperative leg pain in adult spinal deformity patients. 2016 , 25, 2442-51	15
376	Update on pathology and surgical treatment for adult spinal deformity. 2016 , 21, 116-23	26
375	Clinical and radiological outcomes of lumbar posterior subtraction osteotomies are correlated to pelvic incidence and FBI index : Prospective series of 63 cases. 2016 , 25, 2657-67	13
374	Transdiscal screw versus pedicle screw fixation for high-grade L5-S1 isthmic spondylolisthesis in patients younger than 60 years: a case-control study. 2016 , 25, 1806-12	14
373	Influence of lower limbs discrepancy and pelvic coronal rotation on pelvic incidence, pelvic tilt and sacral slope. 2016 , 25, 3622-3629	12
372	Correlation and Reliability of Cervical Sagittal Alignment Parameters between Lateral Cervical Radiograph and Lateral Whole-Body EOS Stereoradiograph. 2016 , 6, 548-54	17
371	Normative values of spino-pelvic sagittal alignment, balance, age, and health-related quality of life in a cohort of healthy adult subjects. 2016 , 25, 3675-3686	108
370	MR Imaging and Radiographic Imaging of Degenerative Spine Disorders and Spine Alignment. 2016 , 24, 515-22	2
369	Grayscale inversion radiographic view provided improved intra- and inter-observer reliabilities in measuring spinopelvic parameters in asymptomatic adult population. 2016 , 17, 411	5
368	The Spinopelvic Geometry in Different Lenke Curve Types of Adolescent Idiopathic Scoliosis. 2016 , 4, 425-431	5
367	Sagittal spinopelvic parameters in 2-level lumbar degenerative spondylolisthesis: A retrospective study. 2016 , 95, e5417	10
366	Epidemiology and associated radiographic spinopelvic parameters of symptomatic degenerative lumbar scoliosis: are radiographic spinopelvic parameters associated with the presence of symptoms or decreased quality of life in degenerative lumbar scoliosis?. 2016 , 25, 2514-9	11
365	Variations in Occipitocervical and Cervicothoracic Alignment Parameters Based on Age: A Prospective Study of Asymptomatic Volunteers Using Full-Body Radiographs. 2016 , 41, 1837-1844	50
364	Radiographic Restoration of Sagittal Spinopelvic Alignment After Posterior Lumbar Interbody Fusion in Degenerative Spondylolisthesis. 2016 , 29, E87-92	21
363	Double-level degenerative spondylolisthesis: what is different in the sagittal plane?. 2016 , 25, 2546-52	8
362	Global sagittal axis: a step toward full-body assessment of sagittal plane deformity in the human body. 2016 , 25, 494-499	41
361	Optimum pelvic incidence minus lumbar lordosis value can be determined by individual pelvic incidence. 2016 , 25, 3638-3643	48
360	Bilateral Pars Defects at the L4 Vertebra Result in Increased Degeneration When Compared With Those at L5: An Anatomic Study. 2016 , 474, 571-7	6

359	A Comprehensive Analysis of the SRS-Schwab Adult Spinal Deformity Classification and Confounding Variables: A Prospective, Non-US Cross-sectional Study in 292 Patients. 2016 , 41, E589-97	24
358	Pelvic incidence: an anatomic investigation of 880 cadaveric specimens. 2016 , 25, 3589-3595	41
357	Role of pelvic translation and lower-extremity compensation to maintain gravity line position in spinal deformity. 2016 , 24, 436-46	71
356	Radiological analysis of upper lumbar disc herniation and spinopelvic sagittal alignment. 2016 , 25, 1382-1388	17
355	Normative values for the L5 incidence in a subgroup of transitional anomalies extracted from 147 asymptomatic subjects. 2016 , 25, 3602-3607	9
354	Fundamental biomechanics of the spine--What we have learned in the past 25 years and future directions. 2016 , 49, 817-832	68
353	Importance of the spinopelvic factors on the pelvic inclination from standing to sitting before total hip arthroplasty. 2016 , 25, 3699-3706	40
352	The Impact of Lumbar Spine Disease and Deformity on Total Hip Arthroplasty Outcomes. 2016 , 47, 19-28	28
351	Correlation between pelvic tilt and the sacro-femoral-pubic angle in patients with adolescent idiopathic scoliosis, patients with congenital scoliosis, and healthy individuals. 2016 , 25, 394-400	6
350	A Japanese Stretching Intervention Can Modify Lumbar Lordosis Curvature. 2017 , 30, 297-300	5
349	Does Sagittal Spinopelvic Configuration Influence Vertebral Fracture Type or Localization in Trauma Patients?: A Retrospective Radiologic Analysis. 2017 , 30, E265-E269	1
348	What is the Risk of Developing Proximal Junctional Kyphosis During Growth Friendly Treatments for Early-onset Scoliosis?. 2017 , 37, 86-91	31
347	Spinopelvic sagittal imbalance as a risk factor for adjacent-segment disease after single-segment posterior lumbar interbody fusion. 2017 , 26, 435-440	62
346	Appareillage et kinésithérapie : scoliose de l'enfant et maladie de Scheuermann. 2017 , 84, 47-59	
345	Standing sagittal alignment of the whole axial skeleton with reference to the gravity line in humans. 2017 , 230, 619-630	64
344	Risk factors for adjacent segment degeneration after iliac screw fixation in lumbar degenerative kyphoscoliosis. 2017 , 25, 2309499016684727	2
343	Influence of a variation in the position of the arms on the sagittal connection of the gravity line with the spinal structures. 2017 , 26, 2828-2833	5
342	Pelvic posture and kinematics in femoroacetabular impingement: a systematic review. 2017 , 18, 187-196	23

341	Assessment of stability during gait in patients with spinal deformity-A preliminary analysis using the dynamic stability margin. 2017 , 55, 37-42	7
340	The influence of spine-hip relations on total hip replacement: A systematic review. 2017 , 103, 559-568	83
339	The relationship between changes of cervical sagittal alignment after anterior cervical discectomy and fusion and spino-pelvic sagittal alignment under rousouly classification: a four-year follow-up study. 2017 , 18, 87	3
338	Influence of patient rotational malpositioning on pelvic parameters assessed on lateral radiographs. 2017 , 72, 794.e11-794.e17	1
337	How Did the Pelvis and Vertebral Column Become a Functional Unit during the Transition from Occasional to Permanent Bipedalism?. 2017 , 300, 912-931	18
336	Evolution of Spinopelvic Alignment in Hominins. 2017 , 300, 900-911	35
335	Defining the Role of the Lower Limbs in Compensating for Sagittal Malalignment. 2017 , 42, E1282-E1288	14
334	The association between whole body sagittal balance and risk of falls among elderly patients seeking treatment for back pain. 2017 , 6, 337-344	13
333	Spine-hip relations add understandings to the pathophysiology of femoro-acetabular impingement: A systematic review. 2017 , 103, 549-557	29
332	Noninvasive Optoelectronic Assessment of Induced Sagittal Imbalance Using the Vicon System. 2017 , 102, 425-433	4
331	The odyssey of sagittal pelvic morphology during human evolution: a perspective on different Hominoidea. 2017 , 17, 1202-1206	10
330	Sagittal spinopelvic alignment predicts hip function after total hip arthroplasty. 2017 , 52, 293-300	22
329	Posterolateral fusion versus Dynesys dynamic stabilization: Retrospective study at a minimum 5.5years' follow-up. 2017 , 103, 1241-1244	5
328	Incomplete burst fractures of the thoracolumbar spine: a review of literature. 2017 , 26, 3187-3198	17
327	Global Alignment and Proportion (GAP) Score: Development and Validation of a New Method of Analyzing Spinopelvic Alignment to Predict Mechanical Complications After Adult Spinal Deformity Surgery. 2017 , 99, 1661-1672	199
326	Align the Spine-It's Not Just the Pelvis!: Commentary on an article by Caglar Yilgor, MD, et al.: "Global Alignment and Proportion (GAP) Score. Development and Validation of a New Method of Analyzing Spinopelvic Alignment to Predict Mechanical Complications After Adult Spinal Deformity Surgery". 2017 , 99, e104	2
325	Artrodesis intersomática vertebral lumbar. 2017 , 9, 1-20	
324	Analysis of Spino-pelvic Sagittal Alignment in Young Chinese Patients with Lumbar Disc Herniation. 2017 , 9, 271-276	15

323	Kinematic analysis of the relationship between Modic changes and sagittal balance parameters in the cervical spine. 2017 , 96, e7699	10
322	Tratamiento quirúrgico de la espondilolistesis por lisis istmica. Niño y adulto. 2017 , 50, 1-14	
321	Radiological analysis for thoracolumbar disc herniation in spinopelvic sagittal alignment: A retrospective study. 2017 , 96, e6593	2
320	Relative lumbar lordosis and lordosis distribution index: individualized pelvic incidence-based proportional parameters that quantify lumbar lordosis more precisely than the concept of pelvic incidence minus lumbar lordosis. 2017 , 43, E5	44
319	Reviewer's comment concerning "Influence of a variation in the position of the arms on the sagittal connection of the gravity line with the spinal structures" (by J. Legaye and G. Duval-Beaupere, Eur Spine J; 2017: doi:10.1007/s00586-017-4961-6). 2017 , 26, 2834	
318	Reliability of Sagittal Spinopelvic Alignment Measurements After Total Hip Arthroplasty. 2017 , 30, E909-E914	3
317	Effect of sacral slope on the biomechanical behavior of the low lumbar spine. 2017 , 13, 2203-2210	5
316	Are sagittal spinopelvic radiographic parameters significantly associated with quality of life of adult spinal deformity patients? Multivariate linear regression analyses for pre-operative and short-term post-operative health-related quality of life. 2017 , 26, 2176-2186	49
315	T9 versus T10 as the upper instrumented vertebra for correction of adult deformity-rationale and recommendations. 2017 , 17, 615-621	12
314	Appareillage et kinésithérapie des scolioses de l'adulte. 2017 , 84, 39-45	1
313	Comparison of MRI-defined back muscles volume between patients with ankylosing spondylitis and control patients with chronic back pain: age and spinopelvic alignment matched study. 2017 , 26, 528-537	11
312	Changes in Pelvic Incidence, Pelvic Tilt, and Sacral Slope in Situations of Pelvic Rotation. 2017 , 30, E923-E930	4
311	Arthroscopie postfolatfale versus stabilisation dynamique par DYNESYS : étude rétrospective ^5,5 ans de recul minimum. 2017 , 103, 906-910	
310	Enfermedad de Scheuermann. 2017 , 50, 1-13	
309	A Pilot Study on the Effect of Outpatient Schroth Exercises on Thoracolumbar and Lumbar Curves in Adult Scoliosis Patients. 2017 ,	0
308	Pelvic Incidence Can Be Changed not only by Age and Sex, but also by Posture Used during Imaging. 2017 , 14, 77-83	14
307	Relationship Between Pelvic Tilt and Lumbar Disc Degeneration. 2017 , 24, 176	
306	Description of the sagittal alignment of the degenerative human spine. 2018 , 27, 489-496	43

305	Relative pelvic version: an individualized pelvic incidence-based proportional parameter that quantifies pelvic version more precisely than pelvic tilt. 2018 , 18, 1787-1797	8
304	Radiographic Measurements of Spinal Alignment: Which Are Clinically Relevant?. 2018 , 19, 1-7	2
303	Postoperative Status of Global Sagittal Alignment With Compensation in Adult Spinal Deformity. 2018 , 43, 1631-1637	2
302	Analysis of cervical sagittal alignment variations after lumbar pedicle subtraction osteotomy for severe imbalance: study of 59 cases. 2018 , 27, 16-24	1
301	[What is actually adult spinal deformity? : Development, classification, and indications for surgical treatment]. 2018 , 47, 276-287	2
300	Spino-pelvic radiological parameters in normal Indian population. 2018 , 4, 14	9
299	High values of pelvic incidence: A possible risk factor for zigoapophyseal facet arthrosis in young. 2018 , 15, 333-336	2
298	Invariance of head-pelvis alignment and compensatory mechanisms for asymptomatic adults older than 49 years. 2018 , 27, 458-466	47
297	Differences in Fundamental Sagittal Pelvic Parameters Based on Age, Sex, and Race. 2018 , 31, E109-E114	16
296	The prevalence of lumbar spondylolysis in young children: a retrospective analysis using CT. 2018 , 27, 1067-1072	13
295	Radiologically defining horizontal gaze using EOS imaging-a prospective study of healthy subjects and a retrospective audit. 2018 , 18, 954-961	7
294	Lumbosacral stress and age may contribute to increased pelvic incidence: an analysis of 1625 adults. 2018 , 27, 482-488	15
293	The Berbeo-Sardi Angle (BSA): An Innovative Method to Effectively Estimate Pelvic Retroversion in Anteroposterior Radiographs-A Correlation With Traditional Parameters. 2018 , 6, 105-111	1
292	Pelvic incidence and hip disorders. 2018 , 89, 66-70	14
291	Factors influencing spinal sagittal balance, bone mineral density, and Oswestry Disability Index outcome measures in patients with rheumatoid arthritis. 2018 , 27, 406-415	7
290	The mechanism in junctional failure of thoraco-lumbar fusions. Part I: Biomechanical analysis of mechanisms responsible of vertebral overstress and description of the cervical inclination angle (CIA). 2018 , 27, 129-138	14
289	Is anatomic acetabular orientation related to pelvic morphology? CT analysis of 150 healthy pelvises. 2018 , 104, 347-351	9
288	Analysis of Spinopelvic Parameters with L5 as the New Sacrum after Fusion in High-Grade Spondylolisthesis: A Possible Explanation for Satisfactory Results with Fusion. 2018 , 12, 103-111	1

287	Normal values for sagittal spinal alignment: a study of Brazilian subjects. 2018 , 73, e647	10
286	Difference in whole spinal alignment between supine and standing positions in patients with adult spinal deformity using a new comparison method with slot-scanning three-dimensional X-ray imager and computed tomography through digital reconstructed radiography. 2018 , 19, 437	18
285	The preoperative predictors for subsequent degeneration in L5-S1 disc after long fusion arthrodesis terminating at L5 in patients with adult scoliosis: focus on spinopelvic parameters. 2018 , 13, 285	1
284	[Childbirth pelvic floor trauma: Anatomy, physiology, pathophysiology and special situations ² -CNGOF perineal prevention and protection in obstetrics guidelines]. 2018 , 46, 900-912	0
283	Correlation analysis of sagittal alignment and skeletal muscle mass in patients with spinal degenerative disease. 2018 , 8, 15492	10
282	Influence de la position debout, assise ou couchè sur la relation entre la lordose lombaire et les paramètres pelviens. Une étude préliminaire. 2018 , 104, 399-402	
281	Jack-knife Posture After Correction Surgery for Degenerative Sagittal Imbalance-Does Spinopelvic Parameter Always Matter in Preventing Stooping Posture?. 2018 , 6, 771-780	7
280	Effect of PLIF and TLIF on sagittal spinopelvic balance of patients with degenerative spondylolisthesis. 2018 , 52, 272-276	2
279	Relationship between spinal sagittal alignment and acetabular coverage: a patient-matched control study. 2018 , 138, 1495-1499	22
278	Spinopelvic Parameters: Lumbar Lordosis, Pelvic Incidence, Pelvic Tilt, and Sacral Slope: What Does a Spine Surgeon Need to Know to Plan a Lumbar Deformity Correction?. 2018 , 29, 323-329	26
277	The pelvic radius technique in the assessment of spinopelvic sagittal alignment of degenerative spondylolisthesis and lumbar spinal stenosis. 2018 , 23, 902-907	1
276	Spine-hip relations in patients with hip osteoarthritis. 2018 , 3, 39-44	22
275	Influence of posture on relationships between pelvic parameters and lumbar lordosis: Comparison of the standing, seated, and supine positions. A preliminary study. 2018 , 104, 565-568	23
274	Correlations between the sagittal plane parameters of the spine and pelvis and lumbar disc degeneration. 2018 , 13, 137	10
273	Comparison of combined posterior and anterior spondylodesis versus hybrid stabilization in unstable burst fractures at the thoracolumbar spine in patients between 60 and 70 years of age. 2018 , 138, 1407-1414	5
272	Can pelvic tilt be restored by spinal osteotomy in ankylosing spondylitis patients with thoracolumbar kyphosis? A minimum follow-up of 2 years. 2018 , 13, 172	3
271	L'orientation acétabulaire anatomique est-elle liée à la morphologie du bassin? Résultats d'une analyse tomographique de 150 bassins sains. 2018 , 104, 237-242	
270	Sagittal classification in adolescent idiopathic scoliosis: original description and therapeutic implications. 2018 , 27, 2192-2202	36

269	Sagittal Spinal Alignment in Adult Spinal Deformity: An Overview of Current Concepts and a Critical Analysis Review. 2018 , 6, e2	29
268	Correlation between the sagittal spinopelvic alignment and degenerative lumbar spondylolisthesis: a retrospective study. 2018 , 19, 151	10
267	Relationship between sagittal radiographic parameters and disability in patients with spinal disease using 3D standing analysis. 2018 , 104, 1017-1023	5
266	Relationship Between Lumbar Lordosis and Pelvic Incidence in the Adolescent Patient: Normal Cohort Analysis and Literature Comparison. 2018 , 6, 529-536	12
265	Spinopelvic Alignment in Subjects With Down Syndrome. 2018 , 31, E322-E328	1
264	Sagittal Imbalance. 2018 , 379-391	
263	The effects of rotation on radiological parameters in the spine. 2019 , 60, 338-346	2
262	Influence of total hip arthroplasty on sagittal lumbar-pelvic balance: Evaluation of radiographic parameters. 2019 , 54, 657-664	2
261	Revision strategy and follow-up for implant failure in a case of combined anterior and posterior reconstruction after three-level en bloc vertebral body replacement and replacement of the aorta for chondrosarcoma of the thoracic spine. 2019 , 28, 13-17	2
260	Three-dimensional pelvic incidence is much higher in (thoraco)lumbar scoliosis than in controls. 2019 , 28, 544-550	5
259	Long fusion to the pelvis with S2-alar-iliac screws can induce changes in pelvic incidence in adult spinal deformity patients: analysis of predictive factors in a retrospective cohort. 2019 , 28, 138-145	10
258	Lumbar lordosis does not correlate with pelvic incidence in the cases with the lordosis apex located at L3 or above. 2019 , 28, 1948-1954	12
257	Spinal Pathologies in Fossil Hominins. 2019 , 213-245	7
256	The Spine of Early Pleistocene Homo. 2019 , 153-183	3
255	How to Build a 3D Model of a Fossil Hominin Vertebral Spine Based on Osseous Material. 2019 , 341-359	1
254	Physiological variations in the sagittal spine alignment in an asymptomatic elderly population. 2019 , 19, 1840-1849	18
253	Three-dimensional analysis of acetabular cup orientation and an evaluation of the relationship with pelvic sagittal parameters. 2019 , 27, 2309499019861225	1
252	Sagittal balance of the spine. 2019 , 28, 1889-1905	114

251	The Influence of Pelvic Tilt on the Anteversion Angle of the Acetabular Prosthesis. 2019 , 11, 762-769	11
250	A passion for the spine : Tribute to Jürgen Harms on his 75th birthday. 2019 , 48, 1048-1056	1
249	The correlation between sagittal spinopelvic alignment and degree of lumbar degenerative spondylolisthesis. 2019 , 24, 969-973	3
248	Changes in sagittal alignment after surgical excision of thoracic spinal cord tumors in adults. 2019 , 57, 380-387	4
247	Évaluation objective de la statique sagittale du rachis. 2019 , 49, 259	
246	Effect of thoracic and pelvic anteroposterior diameters on spinal sagittal alignment. 2019 , 27, 2309499019875639	
245	Cervical spine alignment following surgery for adolescent idiopathic scoliosis (AIS): a pre-to-post analysis of 81 patients. 2019 , 19, 7	9
244	Failure to maintain segmental lordosis during TLIF for one-level degenerative spondylolisthesis negatively affects clinical outcome 5 years postoperatively: a prospective cohort of 57 patients. 2019 , 28, 745-750	4
243	Pelvic incidence measurement using a computed tomography data-based three-dimensional pelvic model. 2019 , 14, 13	5
242	Sagittal spinal parameters after en bloc resection of mobile spine tumors. 2019 , 19, 1606-1612	5
241	Correlation between the distance from the pubic symphysis to the sacrum with pelvic incidence. 2019 , 29, 564-567	
240	Characteristics and correlation analysis of spino-pelvic sagittal parameters in elderly patients with lumbar degenerative disease. 2019 , 14, 127	4
239	Compensation of Respiratory-Related Postural Perturbation Is Achieved by Maintenance of Head-to-Pelvis Alignment in Healthy Humans. 2019 , 10, 441	9
238	Spinal Balance/Alignment - Clinical Relevance and Biomechanics. 2019 ,	12
237	Effect of Spine-Pelvis Relationship in Total Hip Arthroplasty. 2019 , 31, 4-10	10
236	Predictive formula of ideal lumbar lordosis and lower lumbar lordosis determined by individual pelvic incidence in asymptomatic elderly population. 2019 , 28, 1906-1913	11
235	Characteristics of Spinopelvic Sagittal Alignment in Lumbar Degenerative Disease. 2019 , 126, e417-e421	10
234	Validity of a Smartphone Application (Sagittalmeter Pro) for the Measurement of Sagittal Balance Parameters. 2019 , 126, e8-e15	4

233	Dependence of lumbar loads on spinopelvic sagittal alignment: An evaluation based on musculoskeletal modeling. 2019 , 14, e0207997	17
232	Fully automated radiological analysis of spinal disorders and deformities: a deep learning approach. 2019 , 28, 951-960	51
231	Can C2-6 Cobb Angle Replace C2-7 Cobb Angle?: An Analysis of Cervical Kinetic Magnetic Resonance Images and X-rays. 2019 , 44, 240-245	9
230	Classification of Adult Spinal Deformity: Review of Current Concepts and Future Directions. 2019 , 3, 17-26	6
229	Sagittal Alignment With Downward Slope of the Lower Lumbar Motion Segment Influences Its Modes of Failure in Direct Compression: A Mechanical and Microstructural Investigation. 2019 , 44, 1118-1128	4
228	[Biomechanical aspects of preoperative planning: What is really important?]. 2019 , 48, 44-49	1
227	The Effect and Safety of Polymethylmethacrylate-Augmented Sacral Pedicle Screws Applied in Osteoporotic Spine with Lumbosacral Degenerative Disease: A 2-Year Follow-up of 25 Patients. 2019 , 121, e404-e410	6
226	Sagittal alignment assessment after short-segment lumbar fusion for degenerative disc disease. 2019 , 43, 891-898	10
225	Improvement in Back and Leg Pain and Disability Following Adult Spinal Deformity Surgery: Study of 324 Patients With 2-year Follow-up and the Impact of Surgery on Patient-reported Outcomes. 2019 , 44, 263-269	8
224	Hip-spine syndrome: cross-sectional-study of spinal alignment in patients with coxalgia. 2019 , 29, 21-25	9
223	Correction of the spine with magnetically controlled growing rods in early onset scoliosis : A pre-to-post analysis of 21 patients with 1-year follow-up. 2020 , 49, 1086-1097	4
222	Relative position of sacral base in the pelvis and its correlation with spino-pelvic parameters. 2020 , 29, 446-454	2
221	Custom-made trabecular titanium implants for the treatment of lumbar degenerative discopathy via ALIF/XLIF techniques: rationale for use and preliminary results. 2020 , 29, 314-320	4
220	Pelvic Incidence: Computed Tomography Study Evaluating Correlation with Sagittal Sacropelvic Parameters. 2020 , 33, 237-244	6
219	Correlation between the apex of lumbar lordosis and pelvic incidence in asymptomatic adult. 2020 , 29, 420-427	14
218	Classifications in Brief: The Spinal Deformity Study Group Classification of Lumbosacral Spondylolisthesis. 2020 , 478, 681-684	2
217	Pathomechanisms and Predisposing Factors for Degenerative Lumbar Spondylolisthesis: A Narrative Review. 2020 , 8, e2000068	0
216	Correction surgery for adult spinal deformity improves not only spinopelvic alignment but also the three-dimensional alignment of the lower extremities. 2020 , 25, 946-952	2

215	Surgical implications of the hip-spine relationship in total hip arthroplasty. 2020 , 12, 8656	6
214	PI and T9-SPI: New Predictive Factors for Increased Kyphosis of the Thoracolumbar Junction in Thoracolumbar/Lumbar Adolescent Idiopathic Scoliosis. 2020 , 8, 520086	
213	Can pelvic incidence change after spinal deformity correction to the pelvis with S2-alar-iliac screws?. 2021 , 30, 2486-2494	2
212	Use of the sagittal Cobb* angle to guide the rod bending in the treatment of thoracolumbar fractures: a retrospective clinical study. 2020 , 15, 574	2
211	Correlation and Differences in Lumbopelvic Sagittal Alignment Parameters Between Lumbar Radiographs and Magnetic Resonance Images. 2022 , 12, 79-84	3
210	Straighter low lumbar curvature in isthmic spondylolisthesis at L4. 2020 , 21, 483	
209	Examination of the changes in lower extremities related to progression of adult spinal deformity: a longitudinal study of over 22 years. 2020 , 10, 11605	2
208	Etiology and clinical manifestations of double-level versus single-level lumbar degenerative spondylolisthesis. 2020 , 25, 812-819	1
207	High Pelvic Incidence Is Associated with Disease Progression in Nontraumatic Osteonecrosis of the Femoral Head. 2020 , 478, 1870-1876	5
206	Following total hip arthroplasty: femoral head component diameter of 32 mm or larger is associated with lower risk of dislocation in patients with a prior lumbar fusion. 2020 , 102-B, 1003-1009	4
205	Staying ahead of the curve: the use of spinopelvic parameters to predict curve progression and bracing success in adolescent idiopathic scoliosis. 2020 , 8, 1213-1222	4
204	Unravelling the knee-hip-spine trilemma from the CHECK study. 2020 , 102-B, 1261-1267	4
203	Compensatory Mechanism of Maintaining the Sagittal Balance in Degenerative Lumbar Scoliosis Patients with Different Pelvic Incidence. 2020 , 12, 1685-1692	1
202	[Biomechanical compensatory mechanisms of hips and spine : The essentials for spine and hip surgeons]. 2020 , 49, 870-876	0
201	Sagittal spinopelvic changes after posterior spinal fusion in adolescent idiopathic scoliosis. 2020 , 14, 544-553	2
200	The Effects of Pelvic Incidence in the Functional Anatomy of the Hip Joint. 2020 , 102, 991-999	11
199	An analysis of the interactions between the spine, pelvis, and lower limbs in asymptomatic adults with limited pelvic compensation. 2020 , 10, 999-1007	4
198	Outcomes of stand-alone anterior lumbar interbody fusion of L5-S1 using a novel implant with anterior plate fixation. 2020 , 20, 1618-1628	5

197	Lumbopelvic parameters can be used to predict thoracic kyphosis in adolescents. 2020 , 29, 2281-2286	9
196	Impact of pelvic incidence on lumbar osteophyte formation and disc degeneration in middle-aged and elderly people in a prospective cross-sectional cohort. 2020 , 29, 2262-2271	3
195	Frontal and sagittal imbalance in patients with adolescent idiopathic deformity. 2020 , 8, 29	7
194	Prevalence of sleep disturbance in patients with lumbar spinal stenosis and analysis of the risk factors. 2020 , 20, 1239-1247	2
193	Clinical results and functional outcomes after three-column osteotomy at L5 or the sacrum in adult spinal deformity. 2020 , 29, 821-830	3
192	Degeneration of three or more lumbar discs significantly decreases lumbar spine/hip ROM ratio during position change from standing to sitting in AVN patients before THA. 2020 , 21, 39	4
191	Different acute behaviors of pelvic incidence after long fusion to sacrum between elderly patients with severe and minor sagittal deformity: a retrospective radiographic study on 102 cases. 2020 , 29, 1379-1387	3
190	The characteristics of the whole pelvic morphology in slipped capital femoral epiphysis: A retrospective observational study. 2020 , 99, e19600	0
189	In the Relationship Between Change in Kyphosis and Change in Lordosis: Which Drives Which?. 2021 , 11, 541-548	0
188	Sagittal balance of the spine. 2021 , 107, 102769	7
187	The effect of lumbar facet joint injection levels on spinopelvic parameters and functional outcome. 2021 , 34, 103-109	0
186	Do spino-pelvic parameters play a role in development of chronic low backache: A prospective analysis. 2021 , 4, 105	0
185	Reduction of spondylolisthesis and sagittal balance correction by anterior lumbar interbody fusion (ALIF). 2021 , 45, 997-1001	0
184	The impact of spino-pelvic parameters on pathogenesis of lumbar disc herniation. 2021 , 1	1
183	Radiographic study of peak velocity of pelvic incidence in adolescent idiopathic scoliosis.. 2022 , 12, 1130-1138	0
182	Surgical management of high-grade spondylolisthesis: Current recommendations. 2021 , 4, 65	0
181	Virtual reconstruction of the Kebara 2 Neanderthal pelvis. 2021 , 151, 102922	2
180	Surgical Planning for Adult Spinal Deformity: Anticipated Sagittal Alignment Corrections According to the Surgical Level. 2021 , 2192568220988504	2

179	Sacral incidence to pubis: a novel and alternative morphologic radiological parameter to pelvic incidence in assessing spinopelvic sagittal alignment. 2021 , 22, 214	0
178	A Novel Classification of 3D Rib Cage Deformity in Subjects With Adolescent Idiopathic Scoliosis. 2021 , 34, 331-341	1
177	Toward understanding the underlying mechanisms of pelvic tilt reserve in adult spinal deformity: the role of the 3D hip orientation. 2021 , 30, 2495-2503	1
176	Extreme lateral interbody fusion (XLIF) in a consecutive series of 72 patients. 2021 , 21, 587-597	0
175	Association between fatty infiltration of paraspinal muscle, sagittal spinopelvic alignment and stenosis grade in patients with degenerative lumbar spinal stenosis.. 2021 , 5, 100054	0
174	At What Point Should the Thoracolumbar Region Be Addressed in Patients Undergoing Corrective Cervical Deformity Surgery?. 2021 , 46, E1113-E1118	
173	COMPARATIVE ANALYSIS OF CERVICAL SAGITTAL BALANCE WITH RADIOGRAPHS IN DIFFERENT POSTURES. 2021 , 20, 20-25	
172	Global sagittal alignment after surgery of right thoracic idiopathic scoliosis in adolescents and adults with and without thoracic hypokyphosis. 2021 , 11, 6294	2
171	Sacropelvic Parameters and L5 Spondylolysis: Computed Tomography Analysis. 2021 ,	0
170	Effect of lumbar laminectomy on spinal sagittal alignment: a systematic review. 2021 , 30, 2413-2426	3
169	What is the pelvic tilt in acetabular dysplasia and does it change following peri-acetabular osteotomy?. 2020 , 7, 777-785	4
168	Deep learning approach for automatic landmark detection and alignment analysis in whole-spine lateral radiographs. 2021 , 11, 7618	10
167	No linear correlation between pelvic incidence and acetabular orientation: Retrospective observational study. 2021 , 100, e25445	0
166	Computed tomography study of the relationship between pelvic incidence and bony contribution to lumbar lordosis in children. 2021 , 34, 934-940	1
165	Rachis et vieillissement : examen clinique, classification, traitement médical. 2021 , 205, 461-473	
164	A Novel Perspective for Analyzing Craniocervical Sagittal Balance and Horizontal Gaze. 2021 , 149, e924-e930	1
163	Influence of lumbosacral transitional vertebrae on spinopelvic parameters using biplanar slot scanning full body stereoradiography-analysis of 291 healthy volunteers. 2021 ,	0
162	Défioration de la colonne vertébrale et vieillissement. Renseignements fournis par l'imagerie. 2021 , 205, 451-460	

- 161 A Longitudinal Study of Lumbar Sagittal Change in Middle-Aged Healthy Volunteers. **2021**, 5, 160-164
- 160 Validity of the EOS-determined pelvic parameters and orientation with pelvic positional variation: a phantom study. **2021**, 11, 10468 1
- 159 Global sagittal angle and spinopelvic sagittal alignment: a step toward investigation of sagittal plane deformity in upper lumbar disc herniation. **2021**, 1-5
- 158 The accuracy in determining pelvic tilt from anteroposterior pelvic radiographs in patients awaiting hip arthroplasty. **2021**, 1
- 157 Computational modelling of the scoliotic spine: A literature review. **2021**, 37, e3503 3
- 156 Multivariate analysis of the relationship between gluteal muscle contracture and coxa valga. **2021**, 22, 561 0
- 155 ANALYSIS OF CERVICAL SAGITTAL PARAMETERS IN PATIENTS WITH RHEUMATOID ARTHRITIS. **2021**, 20, 94-97
- 154 Different Types of Double-Level Degenerative Lumbar Spondylolisthesis: What Is Different in the Sagittal Plane?. **2021**, 150, e127-e134 0
- 153 Assessment of sagittal spinopelvic parameters in a Taiwanese population with spondylolysis by the EOS imaging system: a retrospective radiological analysis. **2021**, 22, 553
- 152 Prevalence and Characteristics of Spinal Sagittal Malalignment in Patients with Osteoporosis. **2021**, 10,
- 151 Sagittale Balance: eine Frage der Geometrie. **2021**, 24, 46-53
- 150 Correlation between thoracolumbar disc degeneration and anatomical spinopelvic parameters in supine position on MRI. **2021**, 16, e0252385 0
- 149 Transiency of postoperative cervical kyphosis seen after surgical correction of sagittal malalignment in adult spinal deformity patients. **2021**, 16, e0254381
- 148 Analysis of apex and transitional vertebra of the spine according to pelvic incidence using orientation and position parameters. **2021**, 30, 2514-2519 1
- 147 The role of sagittal pelvic morphology in the development of adult degenerative scoliosis. **2021**, 30, 2467-2472
- 146 Long-term efficacy and safety of bone cement-augmented pedicle screw fixation for stage III Křmmell disease. **2021**, 11, 13647 2
- 145 Balance, barycentremetry and external shape analysis in idiopathic scoliosis: What can the physician expect from it?. **2021**, 94, 33-40 1
- 144 Pelvic incidence and pelvic tilt can be calculated using either the femoral heads or acetabular domes in patients with hip osteoarthritis. **2021**, 103-B, 1345-1350 1

143	Motion characteristics of the lower lumbar spine in individuals with different pelvic incidence: An in vivo biomechanical study. 2021 , 88, 105419	
142	Mid- and Long-Term Follow-Up Efficacy Analysis of 3D-Printed Interbody Fusion Cages for Anterior Cervical Discectomy and Fusion. 2021 , 13, 1969-1978	0
141	Lordosis Distribution Index in Short-Segment Lumbar Spine Fusion - Can Ideal Lordosis Reduce Revision Surgery and Iatrogenic Deformity?. 2021 , 18, 543-553	2
140	Clinical and radiologic outcomes of stand-alone anterior lumbar interbody fusion at L4-L5. 2021 , 26, 101312	
139	Full-Length Spine Plain Radiographs. 2022 , 135-141	
138	Anatomy and Physiology/Biology of Bone. 2022 , 1-16	
137	Grundprinzipien der funktionellen Anatomie und Biomechanik des Haltungs- und Bewegungsorgans. 2021 , 21-36	
136	Sagittal balance, a useful tool for neurosurgeons?. 2014 , 41, 23-45	5
135	The Importance of Restoring the Sagittal Balance in Small and Large Stabilization Procedures of the Spine. 2016 , 603-625	1
134	Funktionelle Anatomie und Biomechanik des Hüftgelenks. 2020 , 1-11	1
133	Sagittal Profile of Normal Spine Changes in Spondylolisthesis. 2002 , 21-32	7
132	The Management of Thoracolumbar Kyphotic Deformity in Ankylosing Spondylitis. 2015 , 149-162	1
131	Biomécanique du rachis: Spine biomechanics. 2007 , 8-18	6
130	Arthrodeses rachidiennes avec instrumentation dynamique. 2007 , 100-109	2
129	Complications des prothèses de disque intervertébrales. 2007 , 179-192	1
128	The Prevalence of Abnormal Spinopelvic Relationships in Patients Presenting for Primary Total Hip Arthroplasty. 2020 , 6, 381-385	6
127	Deep Learning Automates Measurement of Spinopelvic Parameters on Lateral Lumbar Radiographs. 2021 , 46, E671-E678	6
126	The Effect of Postural Pelvic Dynamics on the Three-dimensional Orientation of the Acetabular Cup in THA Is Patient Specific. 2021 , 479, 561-571	10

125	Compensation for standing posture by whole-body sagittal alignment in relation to health-related quality of life. 2020 , 102-B, 1359-1367	6
124	The Influence of Mechanic Factors in Disc Degeneration Disease as a Determinant for Surgical Indication. 2020 , 17, 215-220	3
123	Restoring lumbar lordosis: a systematic review of controlled trials utilizing Chiropractic Bio Physics (CBP) non-surgical approach to increasing lumbar lordosis in the treatment of low back disorders. 2020 , 32, 601-610	6
122	Spinopelvic sagittal balance: what does the radiologist need to know?. 2020 , 53, 175-184	5
121	SAGITTAL BALANCE IN ADOLESCENT IDIOPATHIC SCOLIOSIS. 2019 , 18, 182-186	2
120	RADIOGRAPHIC ANALYSIS OF THE SAGITTAL ALIGNMENT AND BALANCE OF THE SPINE IN ASYMPTOMATIC SUBJECTS. 2005 , 87, 260-267	209
119	The Effect of Bracing on Spinopelvic Rotation and Psychosocial Parameters in Adolescents with Idiopathic Scoliosis. 2019 , 13, 1028-1035	4
118	Influence of comorbid knee osteoarthritis on surgical outcome and sagittal spinopelvic/lower-extremity alignment in elderly patients with degenerative lumbar spondylolisthesis undergoing transforaminal lumbar interbody fusion. 2020 , 1-9	1
117	Difference of Sagittal Spinopelvic Alignments between Degenerative Spondylolisthesis and Isthmic Spondylolisthesis. 2013 , 53, 96-101	29
116	Spinopelvic parameters in patients with lumbar degenerative disc disease, spondylolisthesis, and failed back syndrome: Comparison vis-à-vis normal asymptomatic population and treatment implications. 2019 , 10, 167-171	4
115	Influence of Distal Fusion Level on Sagittal Spinopelvic and Spinal Parameters in the Surgical Management of Adolescent Idiopathic Scoliosis. 2018 , 12, 147-155	2
114	Factors Associated with the Symptoms of Young Adults with L5 Spondylolysis. 2018 , 12, 476-483	5
113	Sacral Orientation in Hominin Evolution. 2013 , 03, 133-141	9
112	A Flat Sagittal Spinal Alignment Is Common among Young Patients with Lumbar Disc Herniation. 2016 , 06, 294-304	1
111	The sagittal pelvic thickness: a determining parameter for the regulation of the sagittal spinopelvic balance. 2013 , 2013, 364068	2
110	The Hip-Spine Connection: How to Differentiate Hip Conditions From Spine Pathology. 2021 , 44, e699-e706	0
109	What are the significant factors associated with adjacent segment disease in short-segment lumbar spinal fusion? A retrospective cohort analysis of cases with at least 2 years of follow-up at a single center, 2005-2015. 2021 , 17, 51-57	
108	Hip-Spine Relationships: A New Concept to Analyse THP Dysfunction and Instability. 2004 , 139-148	

- 107 Spinal Instability and Imbalance: Definition, Clinical Manifestations, and Biomechanics. **2004**, 405-434
- 106 MECHANISM OF VERTICAL POSTURE FORMATION AND PARAMETERS OF SAGITTAL SPINOPELVIC BALANCE IN PATIENTS WITH CHRONIC LOW BACK PAIN AND SCIATICA. **2006**, 061-069 3
- 105 Lumbar disc replacement for junctional decompensation after fusion surgery: clinical and radiological outcome at an average follow-up of 33 months. **2007**, 1, 85-92 1
- 104 Dynamic Balance Control Following Disturbance of Virtual Humans. **2007**, 734-744 1
- 103 Is Degenerative Spondylolisthesis a Contraindication for Total Disc Replacement? Kineflex Lumbar Disc Replacement in 7 Patients With 24-Month Follow-up. **2008**, 2, 92-100 1
- 102 The Management of Spondylolysis and Spondylolisthesis. **2010**, 137-145
- 101 Maladie de Scheuermann. **2011**, 155-178
- 100 Le bassin tridimensionnel dynamique en évolution dans le complexe lombo-pelvi-fémoral. **2011**, 17-38
- 99 Statique pelvirachidienne normale et pathologique. Évaluation actuelle. **2011**, 37-53
- 98 Cyphoses régulières et angulaires chez l'enfant: Pediatric regular and angular kyphosis. **2012**, 161-172
- 97 Posttraumatische Fehlstellungen und Anschlussinstabilitäten. **2013**, 287-322
- 96 Spinal Deformity: Presentation, Treatment and Return to Sport. **2014**, 151-159
- 95 Spinal Osteotomy Indications and Techniques. **2014**, 609-624
- 94 Anterior Column Realignment (ACR): Minimally Invasive Surgery for the Treatment of Adult Sagittal Plane Deformity. **2014**, 335-346
- 93 Lumbopelvic parameters and the extent of lumbar fusion. **2015**, 6, 164
- 92 Bipédie, équilibre sagittal pelvi-rachidien et développement cranio-facial. **2015**, 49, 21-34
- 91 Role of the Pelvis in the Diagnosis and Management of L5-S1 Spondylolisthesis. **2015**, 107-118
- 90 Hip-spine Syndrome and its Significance in Complex Treatment of Patients with Combination of Degenerative Dystrophic Pathology of Hip Joint and Spine (literature review). **2015**, 76-82 1

- 89 Hip-spine Syndrome and its Significance in Complex Treatment of Patients with Combination of Degenerative Dystrophic Pathology of Hip Joint and Spine (literature review). **2015**, 22, 76-82
- 88 Biomécanique du disque lombaire normal et pathologique. **2015**, 199, 1335-1343 1
- 87 Surgical Treatment of Lumbar Spondylolisthesis Due to Isthmic Lysis. **2016**, 547-572 1
- 86 The Importance of Sagittal Balance for the Treatment of Lumbar Degenerative Disk Disease. **2016**, 703-724
- 85 Spine Injections for Persistent Lumbar and Radicular Pain After Lumbar Spine Surgery. **2016**, 525-574
- 84 The Behavior and Balance of Our Upright Spine is Defined by Spino-Pelvic Parameters. **2016**, 627-644
- 83 Radiographic Parameters of Adult Lumbar Scoliosis. **2017**, 23-30
- 82 Ingélt des membres inférieurs aprs prothse de hanche de premiére intention. **2017**, 211-220
- 81 Bibliographie. **2017**, 95-98
- 80 Equilibrio sagital de la columna vertebral: descripci3n y aplicaciones. **2018**, 51, 1-14
- 79 Biomechanical aspects of spinal sagittal balance in achondroplasia patients during Ilizarov limb lengthening. **2018**, 15, 7-14
- 78 Changes in the spino-pelvic balance after hip replacement in patients with congenital hip dislocation. **2018**, 15, 80-86 2
- 77 Clinical and radiological aspects of the sagittal balance of the spine in children with achondroplasia. **2018**, 6, 6-12 2
- 76 Automated Measurement of Pelvic Incidence from X-Ray Images. **2019**, 146-152 1
- 75 Surgery Planning in AS Thoracolumbar Kyphosis. **2019**, 53-74
- 74 Anterior Column Realignment (ACR): Minimally Invasive Surgery for the Treatment of Adult Sagittal Plane Deformity. **2019**, 477-490
- 73 Extended L5 pedicle subtraction osteotomy for neglected sacropelvic dissociation injury: case report. **2019**, 31, 35-39 2
- 72 BODY BALANCE DISORDERS IN SPINE DEFORMATIONS AND HIP JOINTS INSTABILITY. **2020**, 24, 89-95

71	Evaluation of spinopelvic parameters in lumbar prolapsed intervertebral disc. 2020 , 30, 253-262	0
70	Pelvic parameters directly influence ideal S2 alar-iliac (S2AI) screw trajectory.. 2020 , 2, 100014	0
69	How does sagittal spinopelvic alignment of lumbar multisegmental spondylolysis differ from monosegmental spondylolysis?. 2020 , 1-8	2
68	Analysis of the Relationship Between Modic Change and Spinopelvic Parameters in the Sagittal Plane. 2020 , 26, e919667	1
67	L'quilibre sagittal du rachis. 2020 , 185-194	
66	Comparison of pelvic incidence measurement using lateral x-ray, standard ct versus ct with 3d reconstruction. 2021 , 1	0
65	The Joe-Lin Operative Classification System for Pediatric Lumbosacral Spondylolysis and Spondylolisthesis. 2020 , 142, e18-e31	0
64	Automatic Characterization of Pelvic and Sacral Measures from 200 Subjects. 2020 , 102, e130	0
63	How do spinopelvic parameters influence patient-reported outcome measurements after lumbar decompression?. 2020 , 20, 1610-1617	1
62	Radiological analysis of degenerative lumbar scoliosis in relation to pelvic incidence. 2015 , 8, 22345-51	4
61	Beware of the Film Findings!: Low Back Pain Patients and Healthy Volunteers Have A Similar X-Ray Appearance. 2017 , 114, 61-65	
60	A challenge on Orthopedic Sciences: The Influence of Spinal Disease and Deformities on Total Hip Arthroplasty: A Review on Literature. 2018 , 6, 346-352	4
59	Postoperative alterations of sagittal cervical alignment and risk factors for cervical kyphosis in 124 Lenke 1 adolescent idiopathic scoliosis patients. 2021 , 22, 1001	0
58	Can Abnormal Spinopelvic Relationships be Identified by Anteroposterior Pelvic Radiographs?. 2021 ,	
57	Parameters of sagittal balance in view of studies on patients suffering from rheumatoid arthritis with cervical spine instability.. 2021 , 59, 411-419	1
56	Gravity center estimation for evaluation of standing whole body compensation using virtual barycentremetry based on biplanar slot-scanning stereoradiography - validation by simultaneous force plate measurement.. 2022 , 23, 22	1
55	Current concepts in hip-spine relationships: making them practical for total hip arthroplasty.. 2022 , 7, 59-69	1
54	Étude stabilométrique statique et dynamique sur plateforme de force des déséquilibres pelvirachidiens sagittaux antérieurs. 2022 ,	

- 53 The Reliability of CT Scan Measurements of Pelvic Incidence in the Evaluation of Adult Spondylolisthesis.. **2022**, 14, e21696
- 52 Analysis of measurement changes in pelvic incidence according to pelvic rotation using a three-dimensional model.. **2022**, 23, 110
- 51 The Impact of Spinopelvic Parameters on Hip Degeneration After Spinal Fusion.. **2022**, 1
- 50 Sagittal spinopelvic alignment in tethered cord syndrome and split cord malformation.. **2022**, 1-6
- 49 A retrospective comparative study of postoperative sagittal balance in isthmic L5-S1 spondylolisthesis using single segment or two-segment pedicle screw fixation.. **2022**, 23, 145 0
- 48 Biomechanics of the spine. **2022**, 265-283
- 47 Assessment of Quality of Life for Scheuermannâs Kyphosis Patients with Cobbâs Angle 50°â55° Treated Conservatively or Surgically in North Jordan: A Prospective Comparative Study. 14,
- 46 Do Age-Related Variations Of Sagittal Alignment Rely On SpinoPelvic Organization? An Observational Study Of 1540 Subjects.. **2022**, 21925682221074660 1
- 45 Pelvic thickness, sex, ethnicity, and age affect pelvic incidence in healthy volunteers of Multi-Ethnic Alignment Normative Study (MEANS) database.. **2022**, 1 0
- 44 Correlation Between Different Sagittal Parameters in Patients With Degenerative Kyphosis.. **2022**, 15, 847857
- 43 Reintervenciones tardâas de cirugâas raquâideas. **2022**, 14, 1-10
- 42 Decreased muscle mass and strength affected spinal sagittal malalignment.. **2022**, 0
- 41 Spinal-pelvic sagittal parameters in patients with gluteal muscle contracture: an imaging study.. **2022**, 10, e13093 0
- 40 Variation of Global Sagittal Alignment Parameters According to Gender, Pelvic Incidence, and Age.. **2022**, 1
- 39 Correction of the pelvic incidence using a bilateral extending pelvic osteotomy: a proof of concept study.. **2022**, 1
- 38 Static and dynamic stabilometric force platform study of spinopelvic anterior sagittal imbalance.. **2021**, 103195 0
- 37 Scheuermannâs disease surgery. Major problems: non-systematic literature review (part II). **2021**, 18, 28-40
- 36 Sagittal balance: from theory to clinical practice. **2021**, 6, 1193-1202 1

- 35 &i>Cone of Economy with the Chain of Balance&/i> -Historical Perspective and Proof of Concept. **2022**,
- 34 The Association Between Sagittal Spinopelvic Alignment and Persistent Low Back Pain After Posterior Lumbar Interbody Fusion for Treatment of Mild L5-S1 Spondylolisthesis: A Retrospective Study.. **2022**, 15, 4807-4816
- 33 Influence of Sagittal Lumbopelvic Morphotypes on the Range of Motion of Human Lumbar Spine: An In Vitro Cadaveric Study. **2022**, 9, 224
- 32 The Functional Mechanics of the Acetabular Component in Total Hip Arthroplasty. **2022**,
- 31 Imaging of Thoracolumbar Spine Traumas. **2022**, 110343
- 30 Modifications of the locomotor system in habitually quadrupedal humans.
- 29 Proximal Junctional Kyphosis in Modern Spine Surgery: Why is it so Common?. **2022**,
- 28 Spinal alignment. **2022**, 365-375
- 27 Effects of Lumbar Stabilization Exercise Program with Proprioceptive Stimulation in 20s Female Low Back Pain Patient. **2022**, 11, 198-206
- 26 A fresh look at spinal alignment and deformities: Automated analysis of a large database of 9832 biplanar radiographs. 10,
- 25 A Influência dos nódulos de Schmorl no equilíbrio sagital de adultos jovens.
- 24 Biomechanical responses of human lumbar spine and pelvis according to the Roussouly classification. **2022**, 17, e0266954
- 23 Biomechanical comparative analysis of effects of dynamic and rigid fusion on lumbar motion with different sagittal parameters: An in vitro study. 10,
- 22 Current Evidence for Spinopelvic Characteristics Influencing Total Hip Arthroplasty Dislocation Risk. **2022**, 10,
- 21 Introduction of a Novel âSegmentation Lineâ to Analyze the Variations in Segmental Lordosis, Location of the Lumbar Apex, and Their Correlation with Spinopelvic Parameters in Asymptomatic Adults. **2022**, 16, 502-509
- 20 Stress analysis of the lower lumbar spine three-joint complex according to different pelvic incidences.
- 19 The Impact of Upper Instrumented Vertebra Orientation on Proximal Junctional Kyphosis-A Novel and Fixed Parameter, Fused Spinopelvic Angle. Publish Ahead of Print,
- 18 Sagittal Parameters of Spine-Pelvis-Hip Joints in Patients with Lumbar Spinal Stenosis.

- 17 Is There an Association Between Femoral Head Collapse and Acetabular Coverage in Patients With Osteonecrosis?. **2022**, Publish Ahead of Print,
- 16 Lumbo-pelvino-azetabulíes Alignment áGrundlagen und klinische Konsequenzen.
- 15 Errors in the radiographic measurement of pelvic incidence.
- 14 Biomechanics as a Basis for Clinical Decision Support Systems in the Surgery of the Spine-pelvic Complex. **2022**, 99-126
- 13 The age-specific normative values of standing whole-body sagittal alignment parameters in healthy adults: based on international multicenter data.
- 12 Effect of sagittal screw angle and distance of screw apex to superior endplate on adjacent segment disease after posterolateral lumbar fusion: a retrospective study. **2022**, 17,
- 11 Revisiting prediction of collapse in hip osteonecrosis with artificial intelligence and machine learning: a new approach for quantifying and ranking the contribution and association of factors for collapse.
- 10 Lack of correlation between hip osteoarthritis and anatomical spinopelvic parameters obtained in supine position on MRI. **2022**,
- 9 Analysis of sagittal spinal alignment at the adolescent age: for furniture design. 1-17
- 8 Impact of Spino-Pelvic Parameters on the Prediction of Lumbar and Thoraco-Lumbar Segment Angles in the Supine Position. **2022**, 12, 2081
- 7 Commentary on áClinical Impact and Correlations of Odontoid Parameters Following Multilevel Posterior Cervical Fusion Surgeryâ2022, 19, 921-923
- 6 Unravelling the hip-spine dilemma from the CHECK-cohort: Is sagittal pelvic morphology linked to radiographic signs of femoroacetabular impingement?. 112070002211456
- 5 Sagittal Plane Deformity Considerations in the Elderly. **2023**, 283-296
- 4 Wide anatomical variability of PI normative values within an asymptomatic population: a systematic review.
- 3 HipâSpine Syndrome: A Focus on the Pelvic Incidence in Hip Disorders. **2023**, 12, 2034
- 2 Spinal Sagittal Alignment Changes During Childhood. Publish Ahead of Print,
- 1 Reducing measurement errors of pelvic incidence in patients with hip osteoarthritis.