

Impedance spectroscopy

Annals of Biomedical Engineering

20, 289-305

DOI: [10.1007/bf02368532](https://doi.org/10.1007/bf02368532)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Analysis of Immittance Spectroscopy Data: Model Comparisons, Universality?, and Estimation of Distributions of Activation Energies. Materials Research Society Symposia Proceedings, 1995, 411, 71.	0.1	2
2	The electrical characteristics of human skin in vivo. Pharmaceutical Research, 1995, 12, 1605-1613.	1.7	77
3	Deconvolved electrical impedance spectra track distinct cell morphology changes. IEEE Transactions on Biomedical Engineering, 1996, 43, 607-618.	2.5	30
4	Problems in equivalent circuit modelling of the electrical properties of biological tissues. Bioelectrochemistry, 1996, 40, 147-152.	1.0	58
5	Evaluation of the electrode-amplifier noise in high resolution biological signal acquisition. , 0, , .		1
6	Intracellular resistance correlates with initial stage of frost hardening in willow (<i>Salix viminalis</i>). Physiologia Plantarum, 1997, 101, 627-634.	2.6	25
7	Non-invasive, <i>in-vivo</i> electrical impedance of EMT-6 tumours during hyperthermia: Correlation with morphology and tumour-growth-delay. International Journal of Hyperthermia, 1997, 13, 1-20.	1.1	24
8	Information in full and reduced data sets of electrical impedance spectra from various skin conditions, compared using a holographic neural network. Medical and Biological Engineering and Computing, 1997, 35, 415-419.	1.6	24
9	On-line control of cellular adhesion with impedance measurements using interdigitated electrode structures. Medical and Biological Engineering and Computing, 1998, 36, 365-370.	1.6	99
10	The discrimination of excised cancerous breast tissue samples using impedance spectroscopy. Bioelectrochemistry, 1998, 45, 161-167.	1.0	21
11	Methods of information extraction from impedance spectra of biological tissue, in particular skin and oral mucosa—a critical review and suggestions for the future. Bioelectrochemistry, 1998, 45, 157-160.	1.0	25
12	Patient-instrument connection errors in bioelectrical impedance measurement. Physiological Measurement, 1998, 19, 285-296.	1.2	25
13	Monitoring relative fluid balance alterations in haemodialysis of diabetic patients by electrical impedance. Physiological Measurement, 1998, 19, 35-52.	1.2	7
14	Electrical models for bioimpedance measurements. , 0, , .		1
15	Nonlinear curve fitting for bioelectrical impedance data analysis: a minimum ellipsoid volume method. Physiological Measurement, 1999, 20, N1-N9.	1.2	2
16	A Review of Parameters for the Bioelectrical Characterization of Breast Tissue. Annals of the New York Academy of Sciences, 1999, 873, 30-41.	1.8	137
17	The electrical impedance spectroscopy of Scots pine (<i>Pinus sylvestris</i> L.) shoots in relation to cold acclimation. Journal of Experimental Botany, 2000, 51, 2095-2107.	2.4	92
18	Physiological changes in <i>Pinus sylvestris</i> needles during early spring under sub-arctic conditions. Forest Ecology and Management, 2000, 135, 217-228.	1.4	16

#	ARTICLE	IF	CITATIONS
19	Adsorption kinetics of 2-methyl-2-butanol on bismuth single crystal planes. Journal of Electroanalytical Chemistry, 2001, 515, 17-32.	1.9	29
20	Characterization of micromachined spiked biopotential electrodes. IEEE Transactions on Biomedical Engineering, 2002, 49, 597-604.	2.5	128
21	Analysis of impedance spectra of the Bi single crystal planes in solutions of LiClO ₄ in ethanol. Journal of Electroanalytical Chemistry, 2002, 533, 107-112.	1.9	10
22	Electrochemical properties of diamond-like carbon electrodes prepared by the pulsed laser deposition method. Journal of Solid State Electrochemistry, 2003, 7, 421-434.	1.2	7
23	Adsorption kinetics of dodecyl sulfate anions on the bismuth plane. Journal of Electroanalytical Chemistry, 2003, 553, 1-19.	1.9	27
24	Comments on 'Bioelectrical parameters of the whole human body obtained through bioelectrical impedance analysis'. Bioelectromagnetics, 2004, 25, 69-71.	0.9	4
25	Impedance characteristics of iodide ions adsorption on Bi single crystal planes in ethanol. Journal of Electroanalytical Chemistry, 2004, 565, 211-218.	1.9	20
26	A study of intra-cochlear electrodes and tissue interface by electrochemical impedance methods in vivo. Biomaterials, 2004, 25, 3813-3828.	5.7	79
27	Complex impedance spectroscopy for monitoring tissue responses to inserted neural implants. Journal of Neural Engineering, 2007, 4, 410-423.	1.8	353
28	Non-linear response of an electrode-electrolyte interface impedance with the frequency. Chaos, Solitons and Fractals, 2007, 31, 327-335.	2.5	14
29	Adsorption of camphor and 2,2'-bipyridine on Bi(111) electrode surface. Electrochimica Acta, 2008, 53, 4035-4045.	2.6	17
30	Effects of pH and fluoride concentration on the corrosion of titanium. Journal of Biomedical Materials Research - Part A, 2008, 86A, 149-159.	2.1	37
31	Electrochemical characterization of <i>Geobacter sulfurreducens</i> cells immobilized on graphite paper electrodes. Biotechnology and Bioengineering, 2008, 99, 1065-1073.	1.7	205
32	Adsorption of sodium dodecyl sulfate on the bismuth (111), (001) and planes. Journal of Electroanalytical Chemistry, 2008, 613, 80-96.	1.9	4
33	Mechanistic study of the reduction of copper oxides in alkaline solutions by electrochemical impedance spectroscopy. Electrochimica Acta, 2008, 53, 3493-3499.	2.6	24
34	A Comparative Analysis of Iridium Oxide Nanowires in Electrical Detection of Biochemical Reactions. Materials Research Society Symposia Proceedings, 2008, 1095, 82201.	0.1	0
35	Electrical detection of the temperature induced melting transition of a DNA hairpin covalently attached to gold interdigitated microelectrodes. Nucleic Acids Research, 2008, 36, e98-e98.	6.5	24
36	Nanomonitors: electrical immunoassays for protein biomarker profiling. Nanomedicine, 2008, 3, 423-436.	1.7	35

#	ARTICLE	IF	CITATIONS
37	Electric properties of AgPbAsSe ₃ at pressures up to 45 ÅGPa. High Pressure Research, 2009, 29, 261-266.	0.4	6
38	Organic-based sensor for chemical detection in aqueous solution. Applied Physics Letters, 2009, 95, .	1.5	35
39	<i>In vivo</i> impedance spectroscopy of deep brain stimulation electrodes. Journal of Neural Engineering, 2009, 6, 046001.	1.8	194
40	Introduction of a muscular bidirectional electrical anisotropy index to quantify the structural modifications during aging in raw meat. Measurement Science and Technology, 2009, 20, 075702.	1.4	10
42	Electrical stimulation of human embryonic stem cells: Cardiac differentiation and the generation of reactive oxygen species. Experimental Cell Research, 2009, 315, 3611-3619.	1.2	234
43	An investigation on dielectric properties of major constituents of grape must using electrochemical impedance spectroscopy. European Food Research and Technology, 2009, 229, 887-897.	1.6	14
44	Iridium oxide nanomonitors: Clinical diagnostic devices for health monitoring systems. Biosensors and Bioelectronics, 2009, 24, 3078-3083.	5.3	28
45	Modeling for electrical characteristics of solid oxide fuel cell based on fractional calculus. , 2009, , .		1
46	Dielectric and transport properties of carbon nanotube-CdS nanostructures embedded in polyvinyl alcohol matrix. Journal of Applied Physics, 2009, 105, .	1.1	29
47	Electrooptic effect of water in electric double layer at interface of GaN electrode. Optical Review, 2010, 17, 352-356.	1.2	13
48	Monitoring of E. coli immobilization on modified gold electrode: A new bacteria-based glucose sensor. Biotechnology and Bioprocess Engineering, 2010, 15, 220-228.	1.4	13
49	Frequency and Temperature Dependences of Dielectric Dispersion and Electrical Properties of Polyvinylidene Fluoride/Expanded Graphite Composites. Journal of Nanomaterials, 2010, 2010, 1-10.	1.5	21
50	Characterization of a vertically aligned silica nanospring-based sensor by alternating current impedance spectroscopy. Journal of Micromechanics and Microengineering, 2010, 20, 095005.	1.5	7
51	Phase Stability Control of Interstitial Oxide Ion Conductivity in the La _{1+x} Sr _{1-x} Ga ₃ O _{7+x/2} Melilite Family. Chemistry of Materials, 2010, 22, 2510-2516.	3.2	51
52	Measurement bench for Impedance Tomography during hemostasis process in whole blood. , 2011, , .		8
53	Oxide ion conduction anisotropy deconvoluted in polycrystalline apatite-type lanthanum silicates. Journal of Materials Chemistry, 2011, 21, 2940.	6.7	23
54	Electrical resistance response evaluation of semiconducting single-walled carbon nanotube film for X-ray sensing. , 2011, , .		1
56	Cycling behaviour of Li/Li ₄ Ti ₅ O ₁₂ cells studied by electrochemical impedance spectroscopy. Physical Chemistry Chemical Physics, 2011, 13, 6234.	1.3	70

#	ARTICLE	IF	CITATIONS
57	Impedance Characteristics and Polarization Behavior of a Microbial Fuel Cell in Response to Short-Term Changes in Medium pH. <i>Environmental Science & Technology</i> , 2011, 45, 9069-9074.	4.6	104
58	The voltage-dependent electrochemical impedance spectroscopy of CoCrMo medical alloy using time-domain techniques: Generalized Cauchy-Lorentz, and KWW-Randles functions describing non-ideal interfacial behaviour. <i>Corrosion Science</i> , 2011, 53, 582-588.	3.0	37
59	Poly[2-methoxy-5-(2'-ethylhexyloxy)-(p-phenylenevinylene)] (MEH-PPV) synthesized via a modified Gilch method and the electrical conductivities of MEH-PPV/MCMB films. , 2011, , .		3
60	Electrical characterization and modelling of top-emitting PIN-OLEDs. <i>Journal of the Society for Information Display</i> , 2011, 19, 360-367.	0.8	3
61	Nonlinear Impedance of Whole Cells Near an Electrode as a Probe of Mitochondrial Activity. <i>Biosensors</i> , 2011, 1, 46-57.	2.3	5
62	Membrane potential and impedance studies of polyaniline composite membranes: Effects of membrane morphology. <i>Journal of Membrane Science</i> , 2011, 385-386, 67-75.	4.1	17
63	Electrochemical impedance measurements for evaluation of the different components of a complete solid oxide fuel cell associating La _{0.58} Sr _{0.4} Co _{0.2} Fe _{0.8} O ₃ as cathode, BaIn _{0.3} Ti _{0.7} O _{2.85} as electrolyte and BaIn _{0.3} Ti _{0.7} O _{2.85} -Ni cermet as anode. <i>Journal of Power Sources</i> , 2011, 196, 10576-10583.	4.0	6
64	A layer-by-layer self-assembled Fe ₂ O ₃ nanorod-based composite multilayer film on ITO anode in microbial fuel cell. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2011, 390, 56-61.	2.3	53
65	Impedance characteristics and electrical modelling of multi-walled carbon nanotube/silicone rubber composites. <i>Composites Science and Technology</i> , 2011, 72, 36-40.	3.8	18
66	Analysis of the willow root system by electrical impedance spectroscopy. <i>Journal of Experimental Botany</i> , 2011, 62, 351-358.	2.4	57
67	Reducing error and measurement time in impedance spectroscopy using model based optimal experimental design. <i>Electrochimica Acta</i> , 2011, 56, 5416-5434.	2.6	51
68	Impedance spectroscopy of undoped and Cr-doped ZnO gas sensors under different oxygen concentrations. <i>Applied Surface Science</i> , 2011, 257, 8993-8997.	3.1	53
69	Network modeling for studying the effect of support structure on internal concentration polarization during forward osmosis: Model development and theoretical analysis with FEM. <i>Journal of Membrane Science</i> , 2011, 379, 307-321.	4.1	77
70	Electrochemical monitoring of Chlorhexidine Digluconate effect on polyelectrolyte immobilized bacteria and kinetic cell adhesion. <i>Journal of Biotechnology</i> , 2011, 151, 114-121.	1.9	7
71	RFID sensors as the common sensing platform for single-use biopharmaceutical manufacturing. <i>Measurement Science and Technology</i> , 2011, 22, 082001.	1.4	26
72	Low-Cost Oil Quality Sensor Based on Changes in Complex Permittivity. <i>Sensors</i> , 2011, 11, 10675-10690.	2.1	42
73	Robust feature extraction from impedimetric signals using wavelet packet decomposition with application to cytotoxicity testing. <i>IET Science, Measurement and Technology</i> , 2012, 6, 456.	0.9	5
74	Impedance Analysis on the Percolation Mechanism of the Nickel/Calcium Copper Titanate/Polyvinylidene Fluoride Composite. <i>Materials Science Forum</i> , 0, 722, 61-70.	0.3	0

#	ARTICLE	IF	CITATIONS
75	Electrical Impedance Spectroscopy on flowing blood to predict white thrombus formation in artificial microchannels. , 2012, , .		10
76	Enhancement of the Coulomb Counter Estimator by the on-board Vehicle Determination of Battery Initial State of Charge. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2012, 45, 621-626.	0.4	7
77	Evaluation of Microstructural Evolution of Nanostructured Yttria-stabilized Zirconia During Sintering Using Impedance Spectroscopy. Journal of Thermal Spray Technology, 2012, 21, 1076-1082.	1.6	2
78	Insights into the Role of Interphasial Morphology on the Electrochemical Performance of Lithium Electrodes. Journal of the Electrochemical Society, 2012, 159, A873-A886.	1.3	36
79	Microfluidic housing system: a useful tool for the analysis of dye-sensitized solar cell components. Applied Physics A: Materials Science and Processing, 2012, 109, 377-383.	1.1	19
80	Facile Synthesis and Electrochemical Performance of LiFePO ₄ /C Composites Using Fe ²⁺ P Waste Slag. Industrial & Engineering Chemistry Research, 2012, 51, 7923-7931.	1.8	32
81	Impedance spectroscopy failure diagnosis of a DFIG-based wind turbine. , 2012, , .		3
82	Discerning specific gas sensing at room temperature by ultrathin SnO ₂ films using impedance approach. Sensors and Actuators B: Chemical, 2012, 173, 781-788.	4.0	24
83	Study of field driven electroluminescence in colloidal quantum dot solids. Journal of Applied Physics, 2012, 111, .	1.1	38
84	Impedance Spectroscopy Study of LiTaO ₃ Powder Synthesized via Sol-Gel Method. Advanced Materials Research, 0, 545, 275-278.	0.3	2
85	The effect of force and electrode material on electrode-to-skin impedance. , 2012, , .		13
86	Persistent photoexcitation effect on the poly(3-hexylthiophene) film: Impedance measurement and modeling. Synthetic Metals, 2012, 162, 460-465.	2.1	30
87	Graphene for impedimetric biosensing. TrAC - Trends in Analytical Chemistry, 2012, 37, 12-21.	5.8	140
88	Relationship between electrode polarization and electrical actuation of dielectric PVC gel actuators. Soft Matter, 2012, 8, 3694.	1.2	17
89	Conductivity and electrical modulus studies of La _{2-x} Nd _x Mo _{1.7} W _{0.3} O ₉ oxygen ion conductor. Ionics, 2012, 18, 747-757.	1.2	8
90	Estimation of the lead-acid battery initial state of charge with experimental validation. , 2012, , .		5
92	The influence of an intermediate layer on the composition stability of a polymeric ion-selective membrane. Electrochimica Acta, 2012, 85, 104-109.	2.6	11
93	Electrochemical impedance spectroscopy of Li ₄ Ti ₅ O ₁₂ and LiCoO ₂ based half-cells and Li ₄ Ti ₅ O ₁₂ /LiCoO ₂ cells: Internal interfaces and influence of state-of-charge and cycle number. Solid State Ionics, 2012, 226, 15-23.	1.3	29

#	ARTICLE	IF	CITATIONS
94	Ceramics for fusion reactors: The role of the lithium orthosilicate as breeder. <i>Physica B: Condensed Matter</i> , 2012, 407, 4431-4435.	1.3	19
95	Role of geometric parameters in electrical measurements of insulating thin films deposited on a conductive substrate. <i>Measurement Science and Technology</i> , 2012, 23, 035602.	1.4	6
96	Correlating mechanical and electrical properties of filler-loaded polyurethane fluoroelastomers: The influence of carbon black. <i>Polymer Engineering and Science</i> , 2012, 52, 2543-2551.	1.5	5
97	Electrochemical Impedance Spectroscopy. , 2012, , 205-223.		12
98	Impedance spectroscopy of Ba ₄ Ti ₁₃ O ₃₀ film prepared by laser chemical vapor deposition. <i>Journal of Electroceramics</i> , 2012, 28, 197-201.	0.8	2
99	Impedance Spectroscopy of Dielectric BaTi ₅ O ₁₁ Film Prepared by Laser Chemical Vapor Deposition Method. <i>Journal of Electronic Materials</i> , 2012, 41, 689-694.	1.0	5
100	The use of semiconducting single-walled carbon nanotube films to measure X-ray dose. <i>Carbon</i> , 2012, 50, 2197-2201.	5.4	9
101	Effect of Ho substitution on the ionic conductivity of La ₂ Mo _{1.7} W _{0.3} O ₉ oxygen ion conductor. <i>Solid State Sciences</i> , 2012, 14, 387-393.	1.5	13
102	Effect of electrode material on impedance spectra of metal-polyethylene structures with carbon nanotubes. <i>Physics of the Solid State</i> , 2012, 54, 844-848.	0.2	3
103	Multivariate analysis of the dielectric response of materials modeled using networks of resistors and capacitors. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2013, 20, 995-1008.	1.8	14
104	Modified PVA moiety with PbO as humidity sensor. <i>Composite Interfaces</i> , 2013, 20, 331-341.	1.3	10
105	Enhancement of electron lifetime in dye-sensitized solar cells using anodically grown TiO ₂ nanotube/nanoparticle composite photoanodes. <i>Microelectronic Engineering</i> , 2013, 111, 137-142.	1.1	29
106	The capacitance-voltage measurement of the screen-printed silicon solar cells with electrochemically etched nanostructured porous silicon antireflection coating. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 1395-1404.	1.1	2
107	The electrochemical studies of the corrosion resistance behaviour of hydroxyapatite coatings on stainless steel fabricated by electrophoretic deposition. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 1123-1129.	2.9	21
108	Characterization of forward osmosis membranes by electrochemical impedance spectroscopy. <i>Desalination</i> , 2013, 312, 45-51.	4.0	52
109	Extraordinary high dielectric constant, electrical and magnetic properties of ferrite nanoparticles at room temperature. <i>Journal of Nanoparticle Research</i> , 2013, 15, 1.	0.8	43
110	Magneto-induced microstructure characterization of magnetorheological plastomers using impedance spectroscopy. <i>Soft Matter</i> , 2013, 9, 7701.	1.2	24
111	Multilayered hollow polyelectrolyte capsules improved performances in microbial fuel cells (MFCs). <i>Polymer</i> , 2013, 54, 292-296.	1.8	6

#	ARTICLE	IF	CITATIONS
112	A new diagnostic tool for the percolating carbon network in the polymer matrix. <i>Polymer</i> , 2013, 54, 999-1003.	1.8	9
113	Dielectric, magnetoelectric and magnetodielectric properties in CMFO-SBN composites. <i>Ceramics International</i> , 2013, 39, 2331-2341.	2.3	21
114	A statistical perspective on oxygen diffusion and surface exchange experiments: Sensitivity analysis, parameter estimation and robust optimal experimental design. <i>Solid State Ionics</i> , 2013, 232, 97-105.	1.3	10
115	Electroanalysis using modified hierarchical nanoporous carbon materials. <i>Faraday Discussions</i> , 2013, 164, 147.	1.6	13
116	Electric conductivity analysis and dielectric relaxation behavior of the hybrid polyvanadate (H ₃ N(CH ₂) ₃ NH ₃)[V ₄ O ₁₀]. <i>Materials Research Bulletin</i> , 2013, 48, 1978-1983.	2.7	40
117	Suppressed lithium dendrite growth in lithium batteries using ionic liquid electrolytes: Investigation by electrochemical impedance spectroscopy, scanning electron microscopy, and in situ ⁷ Li nuclear magnetic resonance spectroscopy. <i>Journal of Power Sources</i> , 2013, 228, 237-243.	4.0	137
118	Dielectric Properties of Polymers at Low Temperatures. , 2013, , 161-179.		0
119	Intrinsic electronic switching time in ultrathin epitaxial vanadium dioxide thin film. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	39
120	Low temperature solution-processed ZnO nanorod arrays with application to liquid ethanol sensors. <i>Sensors and Actuators A: Physical</i> , 2013, 189, 307-312.	2.0	46
121	First Pseudohalogen Polymer Electrolyte for Dye-Sensitized Solar Cells Promising for <i>In Situ</i> Photopolymerization. <i>Journal of Physical Chemistry C</i> , 2013, 117, 20421-20430.	1.5	71
122	Complex Impedance Spectra of Polymerâ€Derived Silicon Oxycarbides. <i>Journal of the American Ceramic Society</i> , 2013, 96, 1363-1365.	1.9	29
123	Thermal impedance spectroscopy for Li-ion batteries with an IR temperature sensor system. , 2013, , .		2
124	Structural characterization and complex impedance studies on fast ion conducting mixed system (SbI ₃) x â€“(Ag ₂ CrO ₄) _{1âˆ”x} . <i>Bulletin of Materials Science</i> , 2013, 36, 1297-1306.	0.8	3
125	Conductivity and Timeâ€Temperature Correspondence in Polar Viscoelastic Liquids. <i>Macromolecules</i> , 2013, 46, 3167-3175.	2.2	4
126	Pneumatochemical Immittance Spectroscopy for Hydrogen Storage Kinetics. <i>Journal of Physical Chemistry C</i> , 2013, 117, 19786-19808.	1.5	3
127	Influences of Stacking Architectures of TiO ₂ Nanoparticle Layers on Characteristics of Dye-Sensitized Solar Cells. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-12.	1.5	3
128	A battery-based constant current source (Bb-CCS) for biomedical applications. , 2013, , .		11
129	The effect of substrate pore size on the network interconnectivity and electrical properties of dropcasted multiwalled carbon nanotube thin films. <i>Journal of Materials Research</i> , 2013, 28, 1617-1624.	1.2	12

#	ARTICLE	IF	CITATIONS
130	Improved Cole parameter extraction based on the least absolute deviation method. Physiological Measurement, 2013, 34, 1239-1252.	1.2	35
131	Dry and flexible elastomer electrodes outperform similar hydrogel and Ag/AgCl electrodes. , 2013, , .		4
132	Impedance spectroscopy of ions at liquid-liquid interfaces. Physical Review E, 2013, 88, 052312.	0.8	3
133	Combined Electro-Optical Imaging for the Time Evolution of White Thrombus Growth in Artificial Capillaries. IEEE Transactions on Instrumentation and Measurement, 2013, 62, 2954-2959.	2.4	6
134	Protein Aggregation Measurement through Electrical Impedance Spectroscopy. Journal of Physics: Conference Series, 2013, 459, 012049.	0.3	4
135	Fast TiO ₂ Sensitization Using the Semisquaric Acid as Anchoring Group. International Journal of Photoenergy, 2013, 2013, 1-8.	1.4	4
136	Carbon Nano-Onion Ultracapacitor Model. Materials Research Society Symposia Proceedings, 2013, 1541, 81801.	0.1	0
137	Economic evaluation and design of control mechanisms to determine the concentration of juices. Agricultural Economics (Czech Republic), 2014, 60, 539-545.	0.4	0
138	Bioelectrical Impedance Methods for Noninvasive Health Monitoring: A Review. Journal of Medical Engineering, 2014, 2014, 1-28.	1.1	252
139	Impedance Analysis of Gellan Gum - Poly(vinyl pyrrolidone) Membranes. Molecular Crystals and Liquid Crystals, 2014, 604, 84-95.	0.4	9
140	Properties of passive nano films on zircaloy-4 affected by defects induced by hydrogen permeation. Chinese Physics B, 2014, 23, 088106.	0.7	3
141	Atomic layer deposition of lithium phosphates as solid-state electrolytes for all-solid-state microbatteries. Nanotechnology, 2014, 25, 504007.	1.3	87
142	Bio-Mimetic Sensors Based on Molecularly Imprinted Membranes. Sensors, 2014, 14, 13863-13912.	2.1	89
143	Electrochemical Impedance Spectra of Dye-Sensitized Solar Cells: Fundamentals and Spreadsheet Calculation. International Journal of Photoenergy, 2014, 2014, 1-17.	1.4	151
144	Realization of digital LCR meter. , 2014, , .		7
145	Experimental study on dielectric properties of yeast cells in micro channel by impedance spectroscopy. , 2014, , .		3
146	LED dynamic electro-optical responses and light-fidelity-application optimization. Applied Optics, 2014, 53, 7195.	2.1	5
147	Interpreting impedance spectra of organic photovoltaic cells”Extracting charge transit and recombination rates. Journal of Applied Physics, 2014, 116, 124513.	1.1	17

#	ARTICLE	IF	CITATIONS
148	The dynamic behavior of thin-film ionic transition metal complex-based light-emitting electrochemical cells. <i>Journal of Applied Physics</i> , 2014, 116, .	1.1	28
149	Quasi-Solid Semi-Interpenetrating Polymer Networks as Electrolytes: Part III. Probing the Mechanism of Ionic Charge Transport Employing Temperature-Step Electrochemical Impedance Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2014, 118, 20807-20818.	1.5	6
150	Carrier transport properties of nanocrystalline Er ₃ N@C ₈₀ . <i>Journal of Applied Physics</i> , 2014, 116, 034301.	1.1	3
151	General equivalent circuit derived from capacitance and impedance measurements performed on epitaxial ferroelectric thin films. <i>Journal of Applied Physics</i> , 2014, 116, 044108.	1.1	9
152	Origin of \hat{I}_1 and \hat{I}_2 relaxations of Nafion. <i>Physical Review E</i> , 2014, 89, 052601.	0.8	17
155	Enhanced Sensitivity Using Microfluidic, Interdigitated Microelectrode Based Capacitance Glucose Sensor Measured at 4 MHz. <i>Journal of the Electrochemical Society</i> , 2014, 161, B102-B105.	1.3	13
156	Impedance spectroscopy analysis of the tunnelling conduction mechanism in piezoresistive composites. <i>Journal Physics D: Applied Physics</i> , 2014, 47, 345306.	1.3	20
157	Optical and dielectric sensors based on antimicrobial peptides for microorganism diagnosis. <i>Frontiers in Microbiology</i> , 2014, 5, 443.	1.5	23
158	Coral-shaped ZnO nanostructures for dye-sensitized solar cell photoanodes. <i>Progress in Photovoltaics: Research and Applications</i> , 2014, 22, 189-197.	4.4	34
159	Impedance frequency response measurements with multiharmonic stimulus and estimation algorithms in embedded systems. <i>Measurement: Journal of the International Measurement Confederation</i> , 2014, 48, 173-182.	2.5	7
160	Impedance spectroscopy on copper phthalocyanine diodes with surface-induced molecular orientation. <i>Organic Electronics</i> , 2014, 15, 1724-1730.	1.4	20
161	Method for equivalent circuit determination for electrochemical impedance spectroscopy data of protein adsorption on solid surfaces. <i>Electrochimica Acta</i> , 2014, 129, 290-299.	2.6	54
162	Assessment of carbon steel microbiologically induced corrosion by electrical impedance spectroscopy. <i>Journal of Solid State Electrochemistry</i> , 2014, 18, 389-398.	1.2	18
163	Analysis of junction properties of gold-zinc oxide nanorods-based Schottky diode by means of frequency dependent electrical characterization on textile. <i>Journal of Materials Science</i> , 2014, 49, 3434-3441.	1.7	22
164	Investigation of Wear and Corrosion of a High-Carbon Stellite Alloy for Hip Implants. <i>Journal of Materials Engineering and Performance</i> , 2014, 23, 1223-1230.	1.2	15
165	Through-Vial Impedance Spectroscopy of the Mechanisms of Annealing in the Freeze-Drying of Maltodextrin: The Impact of Annealing Hold Time and Temperature on the Primary Drying Rate. <i>Journal of Pharmaceutical Sciences</i> , 2014, 103, 1799-1810.	1.6	13
166	Reliability studies of highly sensitive and specific multi-gas sensor based on nanocrystalline SnO ₂ film. <i>Sensors and Actuators B: Chemical</i> , 2014, 193, 484-491.	4.0	33
167	Electrochemical corrosion performance of Cr and Al alloy steels using a J55 carbon steel as base alloy. <i>Corrosion Science</i> , 2014, 85, 270-279.	3.0	71

#	ARTICLE	IF	CITATIONS
168	Studies on thin film based flexible gold electrode arrays for resistivity imaging in electrical impedance tomography. Measurement: Journal of the International Measurement Confederation, 2014, 47, 264-286.	2.5	17
169	An impedimetric ammonia sensor based on nanostructured Fe_2O_3 . Journal of Materials Chemistry A, 2014, 2, 394-401.	5.2	34
170	Electrochemical Characterization of Liquid Phase Exfoliated Two-Dimensional Layers of Molybdenum Disulfide. ACS Applied Materials & Interfaces, 2014, 6, 2125-2130.	4.0	121
171	Structural mapping: how to study the genetic architecture of a phenotypic trait through its formation mechanism. Briefings in Bioinformatics, 2014, 15, 43-53.	3.2	4
172	Nanochannel-based electrochemical sensor for the detection of pharmaceutical contaminants in water. Environmental Sciences: Processes and Impacts, 2014, 16, 135-140.	1.7	31
173	Electrical impedance analysis of potato tissues during drying. Journal of Food Engineering, 2014, 121, 24-31.	2.7	109
174	Increased conductivities of Cr doped $\text{Al}_2\text{xCr}_x\text{O}_3$ powders due to band gap narrowing. Physica B: Condensed Matter, 2014, 437, 32-35.	1.3	13
175	Galvanostatic deposition of polypyrrole in the presence of tartaric acid for electrochemical supercapacitor. Electrochimica Acta, 2014, 147, 545-556.	2.6	28
176	Polymer-Nanocomposite Brush-like Architectures as an All-Solid Electrolyte Matrix. ACS Nano, 2014, 8, 11409-11424.	7.3	34
177	Varistor and Magnetic Properties of Nickel Copper Zinc Niobium Ferrite Doped with Bi_2O_3 . Journal of the American Ceramic Society, 2014, 97, 3918-3925.	1.9	11
178	Oxygen vacancy-related dielectric relaxation and electrical conductivity in La-doped $\text{Ba}(\text{Zr}_{0.9}\text{Ti}_{0.1})\text{O}_3$ ceramics. Journal of Materials Science: Materials in Electronics, 2014, 25, 4058-4065.	1.1	62
179	Selective Packaging of Ferricyanide within Thermoresponsive Microgels. Journal of Physical Chemistry C, 2014, 118, 26199-26211.	1.5	38
180	Impedance spectroscopy investigation of liquid crystals doped with ionic surfactants. Physics of the Solid State, 2014, 56, 1455-1462.	0.2	13
181	Investigation of hole-injection in Fe-NPD using capacitance and impedance spectroscopy techniques with F4TCNQ as hole-injection layer: Initial studies. Superlattices and Microstructures, 2014, 76, 385-393.	1.4	11
182	Elucidation of mechanisms of interaction of a multifunctional peptide Pa-MAP with lipid membranes. Biochimica Et Biophysica Acta - Biomembranes, 2014, 1838, 2899-2909.	1.4	10
183	Effect of poling on nanodomains and nanoscale structure in A-site disordered lead-free piezoelectric $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$. Journal of Materials Chemistry C, 2014, 2, 8423-8431.	2.7	75
184	Modeling the impedance response of mixed-conducting thin film electrodes. Physical Chemistry Chemical Physics, 2014, 16, 11573.	1.3	28
185	Ion conducting cholesterol appended pyridinium bisamide-based gel for the selective detection of Ag^+ and Cl^- ions. RSC Advances, 2014, 4, 3732-3737.	1.7	63

#	ARTICLE	IF	CITATIONS
186	Electrical characterization of nanocrystal solids. Journal of Materials Chemistry C, 2014, 2, 3172-3184.	2.7	22
188	Electrochemical impedance behavior of mortar subjected to a sulfate environment – A comparison with chloride exposure models. Construction and Building Materials, 2014, 68, 650-658.	3.2	32
189	Effect of thermal annealing on the ac impedance of Co(75)/Al ₂ O ₃ (2.3)/Co(5.0)/Al ₂ O ₃ (2.3)/Co(50) double-barrier MTJs. Current Applied Physics, 2014, 14, 1389-1395.	1.1	1
190	Li ⁺ Battery Based on Highly Efficient Sb-Doped Tin Oxide Supported Ru Nanoparticles. Advanced Materials, 2014, 26, 4659-4664.	11.1	133
191	Universal ac conduction in large area atomic layers of CVD-grown MoS ₂ . Physical Review B, 2014, 89, .	1.1	27
192	Characterization of a graphene oxide membrane fuel cell. Journal of Power Sources, 2014, 272, 239-247.	4.0	93
193	Optimal Regularization in Distribution of Relaxation Times applied to Electrochemical Impedance Spectroscopy: Ridge and Lasso Regression Methods - A Theoretical and Experimental Study. Electrochimica Acta, 2014, 147, 470-482.	2.6	218
194	Temperature and frequency dependent electrical properties of NiCuZn ferrite with CuO-rich grain boundary segregation. Journal of Alloys and Compounds, 2014, 595, 206-212.	2.8	12
195	Simultaneous bioelectricity generation and decolorization of methyl orange in a two-chambered microbial fuel cell and bacterial diversity. Environmental Science and Pollution Research, 2014, 21, 11531-11540.	2.7	19
196	Transport properties of carriers through nanocrystalline Lu ₃ N@C ₈₀ /Au interface. Japanese Journal of Applied Physics, 2014, 53, 035102.	0.8	1
197	Impedimetric detection of alcohol vapours using nanostructured zinc ferrite. Talanta, 2014, 129, 545-551.	2.9	15
198	Electrochemical impedance measurement and modeling analysis of the carbonation behavior for cementitious materials. Construction and Building Materials, 2014, 54, 558-565.	3.2	77
199	Characterisation tools development for PEM electrolyzers. International Journal of Hydrogen Energy, 2014, 39, 14212-14221.	3.8	59
200	Impedance analysis of 0.5Ba(Zr _{0.2} Ti _{0.8})O ₃ –0.5(Ba _{0.7} Ca _{0.3})TiO ₃ ceramics consolidated from micro-granules. Ceramics International, 2014, 40, 10593-10600.	2.3	92
201	Assessing the identifiability in isotope exchange depth profiling measurements. Solid State Ionics, 2014, 262, 897-900.	1.3	1
202	Synthesis and Characterization of Solid Polymer Electrolyte based on Activated Carbon for Solid State Capacitor. Electrochimica Acta, 2014, 137, 497-503.	2.6	81
203	Advanced Stellite alloys with improved metal-on-metal bearing for hip implants. Materials & Design, 2014, 60, 424-432.	5.1	14
204	Electrical Impedance Spectroscopy for Electro-Mechanical Characterization of Conductive Fabrics. Sensors, 2014, 14, 9738-9754.	2.1	28

#	ARTICLE	IF	CITATIONS
205	Quality Control Issues Related to Assessment of Body Composition. Food and Nutrition Bulletin, 2014, 35, S79-S85.	0.5	9
206	Complex Impedance Measurement System for the Frequency Range from 5 kHz to 100 kHz. Key Engineering Materials, 2015, 644, 133-136.	0.4	5
207	Analysis of Immittance Spectra: Finding Unambiguous Electrical Equivalent Circuits to Represent the Underlying Physics. Physical Review Applied, 2015, 4, .	1.5	1
208	Magnetically tunable alternating current electrical properties of x La _{0.7} Sr _{0.3} MnO ₃ (1- x) ErMnO ₃ ($x=0.1, 0.3, \text{ and } 0.5$) multiferroic nanocomposite. Journal of Applied Physics, 2015, 118, .	1.1	33
209	Spatial concentration distribution analysis of cells in electrode-multilayered microchannel by dielectric property measurement. Biomicrofluidics, 2015, 9, 044129.	1.2	21
210	Dielectric Properties and Relaxation Behavior of High Density Polyethylene (HDPE). Applied Mechanics and Materials, 0, 799-800, 1319-1324.	0.2	3
211	Ion Distributions at Electrified Water-Organic Interfaces: PB-PMF Calculations and Impedance Spectroscopy Measurements. Journal of the Electrochemical Society, 2015, 162, H890-H897.	1.3	11
212	Electrochemical Impedance Spectroscopic Analysis of Sensitization-Based Solar Cells. Israel Journal of Chemistry, 2015, 55, 990-1001.	1.0	45
213	Binder-free porous PEDOT electrodes for flexible supercapacitors. Journal of Applied Polymer Science, 2015, 132, .	1.3	28
214	Electrochemical Stability and Bioactivity Evaluation of Ti6Al4V Surface Coated with Thin Oxide by EIS for Biomedical Applications. Materials Research, 2015, 18, 602-607.	0.6	14
215	Corrosion behavior of Cr modified HRB400 steel rebar in simulated concrete pore solution. Construction and Building Materials, 2015, 93, 884-890.	3.2	100
216	Capacitance Measurement of SiO ₂ @BSA Core-Shell Nanoparticles Using AC Impedance Spectroscopy. Journal of the Electrochemical Society, 2015, 162, G48-G53.	1.3	6
217	Electrical behaviour of ceramic breeder blankets in pebble form after \hat{I}^3 -radiation. Nuclear Materials and Energy, 2015, 3-4, 1-5.	0.6	2
218	One-pot sonochemical synthesis of CdS nanoparticles: photocatalytic and electrical properties. International Journal of Industrial Chemistry, 2015, 6, 261-271.	3.1	49
219	Laser-based surface preparation of composite laminates leads to improved electrodes for electrical measurements. Applied Surface Science, 2015, 359, 388-397.	3.1	18
220	Proposal for monitoring the health status of a diabetic patient by using impedance spectroscopy measurement. , 2015, , .		0
221	Electrochemical impedance spectroscopy for in situ monitoring of early zeolite formation. , 2015, , .		1
222	The effect of \hat{I}^3 -radiation in Li ₄ SiO ₄ ceramic breeder blankets. Fusion Engineering and Design, 2015, 90, 73-78.	1.0	11

#	ARTICLE	IF	CITATIONS
223	Corrosion behavior of WC-Co hardmetals in the oil-in-water emulsions containing sulfate reducing Citrobacter sp.. Corrosion Science, 2015, 94, 48-60.	3.0	28
224	Electrochemical characterization of gelatinized starch dispersions: Voltammetry and electrochemical impedance spectroscopy on platinum surface. Carbohydrate Polymers, 2015, 124, 8-16.	5.1	11
225	Relationship between electrical and rheological properties of sewage sludge – Impact of temperature. Water Research, 2015, 73, 1-8.	5.3	14
226	Solution-blended polyethersulfone-graphite hybrid composites. Journal of Thermoplastic Composite Materials, 2015, 28, 835-848.	2.6	8
227	Electrochemical Study of Corrosion Behavior of Wrought Stellite Alloys in Sodium Chloride and Green Death Solutions. Journal of Materials Engineering and Performance, 2015, 24, 3579-3587.	1.2	6
228	Characterization of coplanar electrode structures for microfluidic-based impedance spectroscopy. Sensors and Actuators B: Chemical, 2015, 218, 261-270.	4.0	13
229	Lab-on-Spoon – a 3-D integrated hand-held multi-sensor system for low-cost food quality, safety, and processing monitoring in assisted-living systems. Journal of Sensors and Sensor Systems, 2015, 4, 63-75.	0.6	9
230	Impedance spectroscopic studies on microwave synthesized NaPO ₃ V ₂ O ₅ glasses containing SO_4^{2-} ions. Journal of Alloys and Compounds, 2015, 648, 622-628.	2.8	11
231	Dielectric relaxation and electrical conductivity in Ca ₅ Nb ₄ TiO ₁₇ ceramics. Ceramics International, 2015, 41, 9923-9930.	2.3	13
232	Effects of hot water treatment on electrical properties, cell membrane structure and texture of potato tubers. Journal of Food Engineering, 2015, 162, 56-62.	2.7	43
233	Electrochemical Impedance Spectroscopy of Transparent Polycrystalline Magnesium Aluminate (MgAl ₂ O ₄) Spinel. Journal of the American Ceramic Society, 2015, 98, 2130-2138.	1.9	23
234	Mechanical and electrical properties of low SWNT content 3YTZP composites. Journal of the European Ceramic Society, 2015, 35, 2351-2359.	2.8	11
235	Analysis of Electrochemical Impedance Spectroscopy Data Using the Distribution of Relaxation Times: A Bayesian and Hierarchical Bayesian Approach. Electrochimica Acta, 2015, 167, 439-454.	2.6	297
236	Annealed SnO ₂ thin films: Structural, electrical and their magnetic properties. Thin Solid Films, 2015, 589, 57-65.	0.8	88
237	Improvement of impedance spectroscopy methods: resonance analysis of samples. Measurement Science and Technology, 2015, 26, 065601.	1.4	3
238	Development of label-free impedimetric platform based on new conductive polyaniline polymer and three-dimensional interdigitated electrode array for biosensor applications. Electrochimica Acta, 2015, 173, 59-66.	2.6	19
239	Temperature and pressure dependence of electrical conductivity in synthetic anorthite. Solid State Ionics, 2015, 276, 136-141.	1.3	22
240	Studies of phase transition and impedance behavior of Ba(Zr,Ti) _{0.98} (Nb _{0.02}) ₂ O ₁₀ ceramic. Journal of Applied Physics, 2015, 118, 155002.	1.5	36

#	ARTICLE	IF	CITATIONS
241	Sr ²⁺ -Gd ³⁺ co-doped CeO ₂ : A cost-effective variant for IT-SOFC electrolytes. <i>Ceramics International</i> , 2015, 41, 9122-9130.	2.3	28
242	Fast impedance measurements at very low frequencies using curve fitting algorithms. <i>Measurement Science and Technology</i> , 2015, 26, 065002.	1.4	5
243	Conductivity studies on microwave synthesized glasses. <i>Bulletin of Materials Science</i> , 2015, 38, 985-993.	0.8	0
244	Dielectric properties and impedance characteristics of BaO-Cr ₂ O ₃ -Sb ₂ O ₅ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 6712-6717.	1.1	3
245	Review-Development of Diagnostic Process for Commercially Available Batteries, Especially Lithium Ion Battery, by Electrochemical Impedance Spectroscopy. <i>Journal of the Electrochemical Society</i> , 2015, 162, A2529-A2537.	1.3	128
246	Electrochemical and impedance characterization of Microbial Fuel Cells based on 2D and 3D anodic electrodes working with seawater microorganisms under continuous operation. <i>Bioresource Technology</i> , 2015, 195, 139-146.	4.8	56
247	Electrical and rheological properties of sewage sludge - Impact of the solid content. <i>Water Research</i> , 2015, 82, 25-36.	5.3	20
248	Rothmannia longiflora extract as corrosion inhibitor for mild steel in acidic media. <i>International Journal of Industrial Chemistry</i> , 2015, 6, 273-284.	3.1	14
249	Assessment of the electrochemical effects of pulsed electric fields in a biological cell suspension. <i>Bioelectrochemistry</i> , 2015, 106, 249-257.	2.4	33
250	Flexible, transparent, high dielectric and photoconductive thin films using ZnO nanosheets-multi-walled carbon nanotube-polymer nanocomposites. <i>Journal of Alloys and Compounds</i> , 2015, 651, 82-90.	2.8	19
251	A novel and large area suitable water-based ink for the deposition of cobalt sulfide films for solar energy conversion with iodine-free electrolytes. <i>Solar Energy</i> , 2015, 122, 87-96.	2.9	11
252	Specific innovative semi-transparent solar cell for indoor and outdoor LiFi applications. <i>Applied Optics</i> , 2015, 54, 8062.	2.1	12
253	Synthesis, crystal structure and electrical properties of N,N-dimethylanilinium trichloridostannate (II): (C ₈ H ₁₂ N)SnCl ₃ . <i>Journal of Molecular Structure</i> , 2015, 1102, 71-80.	1.8	20
254	Ionic conductivity of Dion-Jacobson type oxide LiLaTa ₂ O ₇ and oxynitride LiLaTa ₂ O ₆ . ₁₅ N _{0.57} measured by impedance spectroscopy. <i>Ceramics International</i> , 2015, 41, 3318-3323.	2.3	12
255	Online monitoring of emulsion polymerization using electrical impedance spectroscopy. <i>Polymer International</i> , 2015, 64, 66-75.	1.6	10
256	Electrochemical Impedance Spectroscopic Analysis of ZnS Nanorod Fabricated Using Butterfly Wings as Biotemplate. <i>Acta Metallurgica Sinica (English Letters)</i> , 2015, 28, 103-109.	1.5	17
257	Dielectric and thermal response of poly[(vinylidene chloride)-co-(acrylonitrile)]/poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.6	20
258	Synthesis, solid-state characterization and dielectric properties of a trichlorostannate(II) complex. <i>Polyhedron</i> , 2015, 87, 424-432.	1.0	22

#	ARTICLE	IF	CITATIONS
259	Enhancement of photoconversion efficiency in dye-sensitized solar cells exploiting pulsed laser deposited niobium pentoxide blocking layers. <i>Thin Solid Films</i> , 2015, 574, 38-42.	0.8	18
260	Toward quasi-solid state Dye-sensitized Solar Cells: Effect of Al_2O_3 nanoparticle dispersion into liquid electrolyte. <i>Solar Energy</i> , 2015, 111, 125-134.	2.9	24
261	Investigations on electrical conductivity and dielectric properties of Na doped ZnO synthesized from sol gel method. <i>Journal of Alloys and Compounds</i> , 2015, 622, 687-694.	2.8	118
262	Vanadium oxide nanourchins: Hydrothermal synthesis, characterization, frequency dependent electrical properties. <i>Ceramics International</i> , 2015, 41, 1391-1399.	2.3	12
263	Loss Mechanisms in High Efficiency Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2016, 6, 1501742.	10.2	37
264	Electrochemical corrosion behaviors of the X90 linepipe steel in NS4 solution. <i>Natural Gas Industry B</i> , 2016, 3, 346-351.	1.4	14
265	Phase field modeling of intercalation kinetics: a finite interface dissipation approach. <i>MRS Communications</i> , 2016, 6, 270-282.	0.8	0
266	Dielectric characterization of multiferroic magnetoelectric double-perovskite $\text{Y}(\text{Ni}_{0.5}\text{Mn}_{0.5})\text{O}_3$ thin films. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	7
267	Phase transition, dielectric relaxation and piezoelectric properties of bismuth doped $\text{La}_2\text{Ti}_2\text{O}_7$ ceramics. <i>Ceramics International</i> , 2016, 42, 11453-11458.	2.3	15
268	Nanostructured Mn_xO_y for oxygen reduction reaction (ORR) catalysts. <i>Applied Surface Science</i> , 2016, 388, 631-639.	3.1	42
269	A Study of the Efficiency Enhancement of the Gel Electrolyte-based SnO_2 Dye-sensitized Solar Cells Through the Use of Thin Insulating Layers. <i>Electrochimica Acta</i> , 2016, 210, 138-146.	2.6	9
270	Electrical properties of phase formation in LiNbO_3 films grown by radio-frequency magnetron sputtering method. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 7979-7986.	1.1	3
271	Tunable Mixed Ionic/Electronic Conductivity and Permittivity of Graphene Oxide Paper for Electrochemical Energy Conversion. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 11466-11475.	4.0	44
272	Functional Interfaces for Transparent Organic Electronic Devices: Consistent Description of Charge Injection by Combining In Situ XPS and Current Voltage Measurements with Self-Consistent Modeling. <i>Journal of Physical Chemistry C</i> , 2016, 120, 10466-10475.	1.5	2
273	Thickness-, Composition-, and Magnetic-Field-Dependent Complex Impedance Spectroscopy of Granular-Type-Barrier $\text{Co}/\text{Co-Al}_2\text{O}_3/\text{Co}$ MTJs. <i>Journal of Electronic Materials</i> , 2016, 45, 3200-3207.	1.0	0
274	Fatigue properties and impedance analysis of potassium sodium niobate-strontium titanate transparent ceramics. <i>Applied Physics A: Materials Science and Processing</i> , 2016, 122, 1.	1.1	10
275	A mathematical model for electrical impedance spectroscopy of zwitterionic hydrogels. <i>Soft Matter</i> , 2016, 12, 7028-7037.	1.2	10
276	An impedimetric biosensor based on a composite of graphene nanosheets and polyaniline as a suitable platform for prostate cancer sensing. <i>Analytical Methods</i> , 2016, 8, 7507-7515.	1.3	21

#	ARTICLE	IF	CITATIONS
277	Peculiarities of the dielectric response of the silver-modified-zeolite porous microstructure. <i>Superlattices and Microstructures</i> , 2016, 98, 295-305.	1.4	5
278	Universality of the electrical transport in granular metals. <i>Scientific Reports</i> , 2016, 6, 29676.	1.6	32
279	Simple measuring system for impedance spectroscopy analysis of fluids. , 2016, , .		2
280	A highly oriented poly(3,4-ethylenedioxythiophene) film: Facile synthesis and application for supercapacitor. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	3
281	Effect of MnO ₂ on structural and electrical characteristics of Ba _{0.5} Sr _{0.5} TiO ₃ . <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 947-955.	1.1	5
282	Electrical impedance spectroscopy (EIS)-based evaluation of biological tissue phantoms to study multifrequency electrical impedance tomography (Mf-EIT) systems. <i>Journal of Visualization</i> , 2016, 19, 691-713.	1.1	48
283	Studying the Variations of Complex Electrical Bio-Impedance of Plant Tissues During Boiling. <i>Procedia Technology</i> , 2016, 23, 248-255.	1.1	9
284	Sodium ion transport in polymorphic scandium NASICON analog Na ₃ Sc ₂ (PO ₄) ₃ with new dielectric spectroscopy approach for current-constriction effects. <i>Solid State Ionics</i> , 2016, 289, 55-71.	1.3	21
285	Effect of Crystallization Temperature on Electrical Properties of Er ³⁺ /Yb ³⁺ -SrO.TiO ₂ Borosilicate Glass. <i>International Journal of Applied Glass Science</i> , 2016, 7, 319-327.	1.0	0
286	Use of lithium iodide and tetrapropylammonium iodide in gel electrolytes for improved performance of quasi-solid-state dye-sensitized solar cells: Recording an efficiency of 6.40%. <i>Electrochimica Acta</i> , 2016, 191, 1037-1043.	2.6	22
287	Inverse effects of supporting electrolytes on the electrocatalytic nitrate reduction activities in a Pt Nafion Pt-Cu-type reactor assembly. <i>RSC Advances</i> , 2016, 6, 11609-11617.	1.7	14
288	Biopolymer-Polyaniline Composite for a Wide Range Ammonia Gas Sensor. <i>IEEE Sensors Journal</i> , 2016, 16, 4318-4325.	2.4	29
289	Synthesis, characterization, luminescence and electrical conductivity of the metal ions (M) doped KAl _{0.33} W _{1.67} O ₆ . <i>Journal of Solid State Chemistry</i> , 2016, 233, 342-351.	1.4	5
290	Impact of blanching and freeze-thaw pretreatment on drying rate of carrot roots in relation to changes in cell membrane function and cell wall structure. <i>LWT - Food Science and Technology</i> , 2016, 71, 40-46.	2.5	85
291	Dielectric Study on the Alignment or Orientation of N(4-n-heptyloxy benzylidene)4-n-butylaniline and the Anomalous Dielectric Behavior in the Smectic G Phase. <i>Molecular Crystals and Liquid Crystals</i> , 2016, 626, 130-140.	0.4	2
292	Deconvolution of Four Transmission-Line-Model Impedances in Ni-YSZ/YSZ/LSM Solid Oxide Cells and Mechanistic Insights. <i>Electrochimica Acta</i> , 2016, 188, 240-253.	2.6	23
293	Synthesis, structural characteristics and dielectric properties of a new K ₂ NiF ₄ -type phase Sr ₂ Mn _{0.5} Ti _{0.5} O ₄ . <i>Journal of Alloys and Compounds</i> , 2016, 670, 105-112.	2.8	8
294	Sintering, microstructure and electrical properties of 0.4(Bi _{0.5} K _{0.5})TiO ₃ -0.6BiFeO ₃ lead-free piezoelectric ceramics. <i>Journal of the Korean Physical Society</i> , 2016, 68, 59-67.	0.3	2

#	ARTICLE	IF	CITATIONS
295	Dielectric, complex impedance and electrical conductivity studies of the multiferroic Sr ₂ FeSi ₂ O ₇ -crystallized glass-ceramics. <i>Journal of Alloys and Compounds</i> , 2016, 672, 64-71.	2.8	30
296	Diagnosis and detection of phosphorus nutrition level for <i>Solanum lycopersicum</i> based on electrical impedance spectroscopy. <i>Biosystems Engineering</i> , 2016, 143, 108-118.	1.9	34
297	Microwave-Assisted Synthesis of Reduced Graphene Oxide/SnO ₂ Nanocomposite for Oxygen Reduction Reaction in Microbial Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 4633-4643.	4.0	103
298	Capacitance Evaluation of Inorganic Core-Shell Nanoparticles with Different Shell Layers Using SPM-Combined Impedance Spectroscopy. <i>Journal of the Electrochemical Society</i> , 2016, 163, H9-H14.	1.3	1
299	Growth and characteristics of PbS/polyvinyl alcohol nanocomposites for flexible high dielectric thin film applications. <i>Thin Solid Films</i> , 2016, 598, 243-251.	0.8	14
300	Characterization of carbonation behavior of fly ash blended cement materials by the electrochemical impedance spectroscopy method. <i>Cement and Concrete Composites</i> , 2016, 65, 118-127.	4.6	80
301	Effect of post-growth annealing on the structural, optical and electrical properties of V ₂ O ₅ nanorods and its fabrication, characterization of V ₂ O ₅ /p-Si junction diode. <i>Materials Science in Semiconductor Processing</i> , 2016, 41, 497-507.	1.9	62
302	Review on concentrating solar power plants and new developments in high temperature thermal energy storage technologies. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 53, 1411-1432.	8.2	698
303	The influence of inhibit avoid water defect responses by heat pretreatment on hot air drying rate of spinach. <i>Journal of Food Engineering</i> , 2016, 168, 113-118.	2.7	28
304	Macromolecule-based platforms for developing tailor-made formulations for scale inhibition. <i>Environmental Science: Water Research and Technology</i> , 2016, 2, 71-84.	1.2	23
305	Effect of air-dehydration pretreatment before freezing on the electrical impedance characteristics and texture of carrots. <i>Journal of Food Engineering</i> , 2016, 169, 114-121.	2.7	57
306	Electronic and ionic conductivity studies on microwave synthesized glasses containing transition metal ions. <i>Journal of Materials Research and Technology</i> , 2017, 6, 7-12.	2.6	26
307	Novel ĩ-conjugated iron oxide/reduced graphene oxide nanocomposites for high performance electrochemical supercapacitors. <i>RSC Advances</i> , 2017, 7, 327-335.	1.7	30
308	A Metamaterial-Inspired Wideband Microwave Interferometry Sensor for Dielectric Spectroscopy of Liquid Chemicals. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017, 65, 2558-2571.	2.9	69
309	Electrical impedance spectroscopy for measuring the impedance response of carbon-fiber-reinforced polymer composite laminates. <i>Composite Structures</i> , 2017, 168, 510-521.	3.1	31
310	Dielectric relaxation and localized electron hopping in colossal dielectric (Nb,In)-doped TiO ₂ rutile nanoceramics. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 8568-8574.	1.3	46
311	Effect of dehydration on the electrical conductivity of phyllite at high temperatures and pressures. <i>Mineralogy and Petrology</i> , 2017, 111, 853-863.	0.4	14
312	Unipolar resistive switching in cobalt titanate thin films. <i>Europhysics Letters</i> , 2017, 117, 37003.	0.7	5

#	ARTICLE	IF	CITATIONS
313	Density of states and impedance behaviour of transition metal substituted SrBi ₂ Nb ₂ O ₉ ferroelectric nanoceramics prepared by chemical process. Journal of Materials Science: Materials in Electronics, 2017, 28, 7844-7853.	1.1	3
314	Influence of annealing environment on magnetic and ferroelectric properties of chemical solution derived nanocrystalline Bi _{3.15} La _{0.85} Ti ₃ O ₁₂ thin films. Journal of Materials Science: Materials in Electronics, 2017, 28, 12646-12651.	1.1	2
315	Charge transport in LiNbO ₃ -based heterostructures. Journal of Nonlinear Optical Physics and Materials, 2017, 26, 1750011.	1.1	10
316	Mg-ion conducting blend polymer electrolyte based on poly(vinyl alcohol)-poly (acrylonitrile) with magnesium perchlorate. Solid State Ionics, 2017, 308, 90-100.	1.3	99
317	Electrical impedance spectroscopic study of mandarin orange during ripening. Journal of Food Measurement and Characterization, 2017, 11, 1654-1664.	1.6	29
318	Electrochemical impedance studies of Na/MnO ₂ primary cells. Journal of Electroanalytical Chemistry, 2017, 799, 134-141.	1.9	2
319	Electrochemical impedance spectroscopy: Fundamentals and application in dye-sensitized solar cells. Renewable and Sustainable Energy Reviews, 2017, 79, 814-829.	8.2	212
320	Anodically-grown TiO ₂ nanotubes: Effect of the crystallization on the catalytic activity toward the oxygen reduction reaction. Applied Surface Science, 2017, 412, 447-454.	3.1	18
321	Temperature and frequency dependence of AC electrical properties of Zn and Ni doped CoFe ₂ O ₄ nanocrystals. Philosophical Magazine, 2017, 97, 1628-1645.	0.7	29
322	Synthesis, crystal structure and electrical properties of (C ₅ H ₁₃ NCl) ₂ SnCl ₆ . Phase Transitions, 2017, 90, 1034-1048.	0.6	4
323	Crystal structure, electrical transport and phase transition in 2-methoxyanilinium hexachlorido stannate(IV) hydrate. Journal of Molecular Structure, 2017, 1134, 180-189.	1.8	7
324	Effect of deposition rate on the charge transport in Vanadyl-phthalocyanine thin films. Synthetic Metals, 2017, 224, 63-71.	2.1	14
325	Thermal inactivation kinetics of pectin methylesterase and the impact of thermal treatment on the texture, electrical impedance characteristics and cell wall structure of Japanese radish (Raphanus) Tj ETQqO 0 0 rgB2.7. Overlock 10 Tf 50		
326	Small biomolecule sensors based on an innovative MoS ₂ -rGO heterostructure modified electrode platform: a binder-free approach. Dalton Transactions, 2017, 46, 15848-15858.	1.6	49
327	Influence of the Oxide Content in the Catalytic Power of Raney Nickel in Hydrogen Generation. Analytical Letters, 2017, 50, 2386-2401.	1.0	18
328	Tungsten bronze Li ⁺ conductor Li Sr _{1-x} Ta ₂ O ₆ (0 < x < 0.31) prepared by solid state ion exchange. Journal of Alloys and Compounds, 2017, 726, 913-921.	2.8	2
329	Synthesis, structural and spectroscopic features, and investigation of bioactive nature of a novel organic-inorganic hybrid material 1H-1,2,4-triazole-4-ium trioxonitrate. Journal of Molecular Structure, 2017, 1150, 242-257.	1.8	48
330	The reactivity of Ti ₁₀ Zr alloy in biological and electrochemical systems in the presence of chitosan. RSC Advances, 2017, 7, 13919-13927.	1.7	4

#	ARTICLE	IF	CITATIONS
331	Atomic Layer Deposited Lithium Silicates as Solid-State Electrolytes for All-Solid-State Batteries. ACS Applied Materials & Interfaces, 2017, 9, 31786-31793.	4.0	58
332	Designing of a Microelectrode Sensor-Based Label Free Milk Adulteration Testing System. IEEE Sensors Journal, 2017, 17, 6050-6055.	2.4	13
333	High stability and ac-conductivity of cubic fluorite-Bi ₂ O ₃ films synthesized by magnetron sputtering. Solid State Ionics, 2017, 309, 100-109.	1.3	9
334	Heterocyclic Corrosion Inhibitors for J55 Steel in a Sweet Corrosive Medium. ACS Omega, 2017, 2, 8177-8186.	1.6	63
335	Electrical characterization, phase transition and vibrational spectroscopic investigations of a new organic-inorganic material (C ₇ H ₁₀ NO)SnCl ₃ . Journal of Solid State Chemistry, 2017, 254, 109-118.	1.4	5
336	Thermal analysis, AC conductivity and dielectric relaxation in Bis(2-methoxyanilinium) hexabromidostannate(IV) dihydrate: (C ₇ H ₁₀ NO) ₂ SnBr ₆ ·2H ₂ O. Journal of Materials Science: Materials in Electronics, 2017, 28, 15835-15845.	1.1	1
337	Investigation of conventional ITO/MoO ₃ /P3HT:PC 61 BM/Ca/Al bulk heterojunction polymer solar cells through impedance spectroscopy in view of power conversion efficiency improvements. Materials Letters, 2017, 206, 185-188.	1.3	2
338	High-temperature dielectric and impedance spectroscopy of Ca ₂ NaNb ₃ O ₁₀ ceramic. Journal of Materials Science: Materials in Electronics, 2017, 28, 13673-13677.	1.1	0
339	Structural and high temperature conduction studies of (Na _{0.46} Bi _{0.46} Ba _{0.08}) (MnxTi _{1-x} O ₃) ⁺ CuO lead-free piezoelectric ceramics. Journal of Materials Science: Materials in Electronics, 2017, 28, 15009-15020.	1.1	5
340	Effects of Solvents on the Electrochemical Performance of LiFePO ₄ /C Composite Electrodes. ChemElectroChem, 2017, 4, 376-385.	1.7	6
341	Experimental Probes for Ion Dynamics. Topics in Applied Physics, 2017, , 61-88.	0.4	0
342	Ammonia gas sensor based on the frequency-dependent impedance characteristics of ultrathin polyaniline films. Sensors and Actuators A: Physical, 2017, 253, 156-164.	2.0	23
343	Evaluation of electrical and other physical properties of heated sweet potato. Journal of Food Process Engineering, 2017, 40, e12490.	1.5	9
344	Dielectric Property Conduction Mechanism and Thermal Analysis of Cu _{1.09} Ni _{0.91} (HSeO ₃) ₂ Cl ₂ ·4H ₂ O Compound. Journal of Superconductivity and Novel Magnetism, 2017, 30, 603-613.	0.8	0
345	Laplace transform impedance analysis in the two-phase coexistence reaction of spinel Li _{1-x} Mn ₂ O ₄ positive electrode. Journal of Solid State Electrochemistry, 2017, 21, 1137-1143.	1.2	3
346	Effect of short time heating on the mechanical fracture and electrical impedance properties of spinach (Spinacia oleracea L.). Journal of Food Engineering, 2017, 194, 9-14.	2.7	43
347	Digital LCR meter using arduino. , 2017, , .		3
348	Photoelectrochemical Properties of Pb ₃ Nb ₄ O ₁₃ as a New Photoanode Material. Journal of the Electrochemical Society, 2017, 164, H1047-H1052.	1.3	2

#	ARTICLE	IF	CITATIONS
351	Dual sensor for simultaneous measurement of electrical impedance and temperature during ice formation process. , 2017, , .		0
352	Dielectric Spectroscopy. , 2017, , 237-299.		21
353	Biocompatibility and Corrosion Protection Behaviour of Hydroxyapatite Sol-Gel-Derived Coatings on Ti6Al4V Alloy. Materials, 2017, 10, 94.	1.3	63
354	Mild Steel Corrosion Inhibition by Benzotriazole in 0.5M Sulfuric Acid Solution on Rough and Smooth Surfaces. International Journal of Electrochemical Science, 2017, , 8708-8732.	0.5	5
355	Dynamics of Current, Charge and Mass. Computational and Mathematical Biophysics, 2017, 5, 78-115.	0.6	11
356	Electrochemical Corrosion Behavior of TC11 Alloy in Sulfate Solution at High Temperature and High Pressure. International Journal of Electrochemical Science, 2017, , 5704-5722.	0.5	4
357	Electrochemical characterization of PVA/SA nanofibers obtained by electrospinning processing. Surface and Interface Analysis, 2018, 50, 1012-1017.	0.8	13
358	Ionic conduction in sodium azide under high pressure: Experimental and theoretical approaches. Applied Physics Letters, 2018, 112, 173903.	1.5	12
359	2,4,6-Trimercaptotriazine incorporated gold nanoparticle modified electrode for anodic stripping voltammetric determination of Hg(II). Applied Surface Science, 2018, 448, 444-454.	3.1	21
360	Tamarind seed polysaccharide biopolymer membrane for lithium-ion conducting battery. Ionics, 2018, 24, 3793-3803.	1.2	33
361	Electrochemical behaviour of dental amalgam in natural, artificial saliva and in 0.90% NaCl solution. Corrosion Science, 2018, 133, 217-230.	3.0	5
362	Pyridine coupled mono and bisbenzimidazoles as supramolecular gelators: selective metal ion sensing and ionic conductivity. Materials Chemistry Frontiers, 2018, 2, 385-395.	3.2	34
363	Effect of variation of different nanofillers on structural, electrical, dielectric, and transport properties of blend polymer nanocomposites. Ionics, 2018, 24, 2295-2319.	1.2	83
364	Bias dependent conduction and relaxation mechanism study of Cu ₅ FeS ₄ film and its significance in signal transport network. Journal of Materials Science: Materials in Electronics, 2018, 29, 5014-5024.	1.1	37
365	Structural, microstructural and electrochemical properties of dispersed-type polymer nanocomposite films. Journal Physics D: Applied Physics, 2018, 51, 045504.	1.3	55
366	Measuring Proton Currents of Bioinspired Materials with Metallic Contacts. ACS Applied Materials & Interfaces, 2018, 10, 1933-1938.	4.0	17
367	Threshold estimation for least-squares fitting in impedance spectroscopy. Measurement: Journal of the International Measurement Confederation, 2018, 124, 479-485.	2.5	4
368	A review on electrical characterization techniques performed to study the device performance of quantum dot sensitized solar cells. Solar Energy, 2018, 159, 682-696.	2.9	36

#	ARTICLE	IF	CITATIONS
369	Design and development of microcontroller based instrumentation for studying complex bioelectrical impedance of fruits using electrical impedance spectroscopy. Journal of Food Process Engineering, 2018, 41, e12640.	1.5	10
370	Fractional models in electrical impedance spectroscopy data for glucose detection. Biomedical Signal Processing and Control, 2018, 40, 180-191.	3.5	6
371	Determination of the health state of fuel cell vehicle for a clean transportation. Journal of Cleaner Production, 2018, 171, 1510-1519.	4.6	24
372	Zonal selectivity by sensitivity modulation in linear tetrapolar impedance sensors. Sensors and Actuators B: Chemical, 2018, 255, 1268-1275.	4.0	2
373	Understanding methods of preparation and characterization of pore-filling polymer composites for proton exchange membranes: a beginner's guide. Reviews in Chemical Engineering, 2018, 34, 455-479.	2.3	29
374	Magnetoelectric coupling and AC electrical properties of $x\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3 \text{--} (1-x)\text{HoMnO}_3$ ($x = 0.1, 0.3$) T_j ETQq_1 1.0784314 rg BT	2.0	3
375	Lead free $x\text{NiFe}_{2-x}\text{O}_4$ $(1-x)\text{ErMnO}_3$ ($x = 0.1, 0.3$) T_j ETQq_0 0.0 rg B magnetodielectric properties. Ferroelectrics, 2018, 536, 77-90.	0.3	5
376	Food Packaging Interactions in Metal Cans. , 2018, , .		3
377	Control of the State of Primary Alkaline Zn--MnO_2 Cells Using the Electrochemical Impedance Spectroscopy Method. Surface Engineering and Applied Electrochemistry, 2018, 54, 614-622.	0.3	8
378	Photoelectrochemically Active $\text{Ni--Adsorbing Ultrathin TiO}_2$ Layers for Water-Splitting Applications Prepared by Pyrolysis of Oleic Acid on Iron Oxide Nanoparticle Surfaces under Nitrogen Environment. Advanced Materials Interfaces, 2019, 6, 1801286.	1.9	16
379	Electrospun Poly(ethylene-co-vinyl alcohol)/Graphene Nanoplatelets Composites of Interest in Intelligent Food Packaging Applications. Nanomaterials, 2018, 8, 745.	1.9	33
380	Relationship Between the Diode Ideality Factor and the Carrier Recombination Resistance in Organic Solar Cells. IEEE Journal of Photovoltaics, 2018, 8, 1701-1709.	1.5	43
381	Application and Simplification of Cell-Based Equivalent Circuit Model Analysis of Electrical Impedance for Assessment of Drop Shock Bruising in Japanese Pear Tissues. Food and Bioprocess Technology, 2018, 11, 2125-2129.	2.6	25
382	On the electrical conductivity of alginate hydrogels. International Journal of Energy Production and Management, 2018, 5, 293-301.	1.9	32
383	Responses of phytonutrients and tissue condition in persimmon and cucumber to postharvest UV-C irradiation. Postharvest Biology and Technology, 2018, 145, 33-40.	2.9	36
384	Role of Ce^{3+} valence state and surface oxygen vacancies on enhanced electrochemical performance of single step solvothermally synthesized CeO_2 nanoparticles. Electrochimica Acta, 2018, 284, 709-720.	2.6	81
385	Electrical property investigations and microstructure characterization of a nuclear borosilicate glass ceramic. Journal of Nuclear Materials, 2018, 510, 27-37.	1.3	8
386	Optimization of the Perturbation Amplitude for EIS Measurements Using a Total Harmonic Distortion Based Method. Journal of the Electrochemical Society, 2018, 165, E488-E497.	1.3	14

#	ARTICLE	IF	CITATIONS
387	Practical On-Board Measurement of Lithium Ion Battery Impedance Based on Distributed Voltage and Current Sampling. <i>Energies</i> , 2018, 11, 64.	1.6	26
388	Electrochemical impedance spectroscopy as a tool to investigate the electroreduction of carbon dioxide: A short review. <i>Journal of CO2 Utilization</i> , 2018, 27, 22-31.	3.3	49
389	Detection of Cell Morphological Changes of Ischemic Rabbit Liver Tissue Using Bioimpedance Spectroscopy. <i>IEEE Transactions on Nanobioscience</i> , 2018, 17, 402-408.	2.2	6
390	Tutorial: Organic field-effect transistors: Materials, structure and operation. <i>Journal of Applied Physics</i> , 2018, 124, .	1.1	129
391	Bias voltage effect on the dielectric properties of organic-inorganic blend SiNWs elaborated via metal assisted chemical etching. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 18051-18058.	1.1	6
392	A technical review of various bioelectric impedance methods for health monitoring. , 2018, , .		4
393	Influence of samarium and iron substitution on structural and electrical properties of barium zirconate titanate solid solutions. <i>Journal of Asian Ceramic Societies</i> , 2019, 7, 284-297.	1.0	6
394	Proton Conductivity through Polybenzimidazole Composite Membranes Containing Silica Nanofiber Mats. <i>Polymers</i> , 2019, 11, 1182.	2.0	24
395	Structural, electrical and energy storage properties of Ba ₂ O ₂ Nb ₂ O ₅ WO ₃ P ₂ O ₅ glass ceramics system. <i>Materials Research Express</i> , 2019, 6, 115203.		12
396	Biotechnical Properties of Poly(HEMA-co-HPMA) Hydrogels Are Governed by Distribution among Water States. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 4994-5004.	2.6	14
397	Quantitative estimation of soda ash as an adulterant in aqueous sucrose solution by employing electrical impedance and capacitance spectroscopy. <i>Measurement: Journal of the International Measurement Confederation</i> , 2019, 148, 106937.	2.5	7
398	Investigation of Complex Impedance and Modulus Properties of La or/and Ca Doped BaTiO ₃ . <i>Materials Today: Proceedings</i> , 2019, 13, 1238-1247.	0.9	5
399	Electrical impedance measurement on plants: a review with some insights to other fields. <i>Theoretical and Experimental Plant Physiology</i> , 2019, 31, 359-375.	1.1	54
400	Cultivar differences in electrical and mechanical property changes and tolerance in apples due to high hydrostatic pressure treatment. <i>Postharvest Biology and Technology</i> , 2019, 156, 110947.	2.9	11
401	Electrochemical inhibition bacterial sensor array for detection of water pollutants: artificial neural network (ANN) approach. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 7659-7668.	1.9	27
402	Quantum dots for solar cell applications. , 2019, , 377-415.		4
403	Development of Novel and Highly Specific ssDNA-Aptamer-Based Electrochemical Biosensor for Rapid Detection of Mercury (II) and Lead (II) Ions in Water. <i>Chemosensors</i> , 2019, 7, 27.	1.8	46
404	Eco-friendly biopolymer electrolyte, pectin with magnesium nitrate salt, for application in electrochemical devices. <i>Journal of Solid State Electrochemistry</i> , 2019, 23, 2181-2193.	1.2	38

#	ARTICLE	IF	CITATIONS
405	Effect of rare earth Yb on microstructure and corrosion resistance of ADC12 aluminum alloy. <i>Intermetallics</i> , 2019, 110, 106487.	1.8	40
406	Pulse electrodeposited nickel with structure directing agents as an electrocatalyst for oxidation of glycerol. <i>New Journal of Chemistry</i> , 2019, 43, 8352-8362.	1.4	18
407	Simple impedimetric sensor for rapid lipase activity quantification. <i>Talanta</i> , 2019, 203, 161-167.	2.9	8
408	Effects of mild heating treatment on texture degradation and peroxidase inactivation of carrot under pasteurization conditions. <i>Journal of Food Engineering</i> , 2019, 257, 19-25.	2.7	12
409	Corrosion Inhibition of Mild Steel by Poly(butylene succinate)-L-histidine Extended with 1,6-diisocyanatohexane Polymer Composite in 1 M HCl. <i>International Journal of Corrosion</i> , 2019, 2019, 1-12.	0.6	46
410	A tungsten oxideâ€“lutetium bisphthalocyanine nâ€“pâ€“n heterojunction: from nanomaterials to a new transducer for chemo-sensing. <i>Journal of Materials Chemistry C</i> , 2019, 7, 6448-6455.	2.7	15
411	A proton transfer compound template phenylethylamine: Synthesis, a collective experimental and theoretical investigations. <i>Journal of Molecular Structure</i> , 2019, 1191, 183-196.	1.8	50
412	Magnetic Manipulation of Blood Conductivity with Superparamagnetic Iron Oxide-Loaded Erythrocytes. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 11194-11201.	4.0	7
413	Dielectric behavior and FTIR studies of xanthan gum-based solid polymer electrolytes. <i>Electrochimica Acta</i> , 2019, 305, 232-239.	2.6	85
414	Analog Integrated Current Drivers for Bioimpedance Applications: A Review. <i>Sensors</i> , 2019, 19, 756.	2.1	9
415	The use of complex impedance spectroscopy measurements for improving strain sensor performance. <i>Sensors and Actuators A: Physical</i> , 2019, 293, 101-107.	2.0	4
416	Electrochemical Biosensors for Cancer Detection Using Different Biomarkers. , 2019, , .		5
417	Impact of ice crystal development on electrical impedance characteristics and mechanical property of green asparagus stems. <i>Journal of Food Engineering</i> , 2019, 256, 46-52.	2.7	29
418	Couple effect of hydrostatic pressure and dissolved oxygen on corrosion behaviour of low-alloy high strength steel in 3.5 wt-% NaCl solution. <i>Corrosion Engineering Science and Technology</i> , 2019, 54, 330-338.	0.7	4
419	Influence of rhodamine 6G dye on the properties of potassium acid phthalate single crystals. <i>Applied Physics A: Materials Science and Processing</i> , 2019, 125, 1.	1.1	4
420	Photoelectrochemical impedance spectroscopy sensor for cloxacillin based on tetrabutylammonium octamolybdate. <i>Journal of Solid State Electrochemistry</i> , 2019, 23, 3329-3341.	1.2	14
421	Experimental and theoretical insights into the corrosion inhibition activity of novel Schiff bases for aluminum alloy in acidic medium. <i>RSC Advances</i> , 2019, 9, 36455-36470.	1.7	15
422	Electrochemical Impedance Spectroscopy Based Biosensors: Mechanistic Principles, Analytical Examples and Challenges towards Commercialization for Assays of Protein Cancer Biomarkers. <i>ChemElectroChem</i> , 2019, 6, 989-1003.	1.7	114

#	ARTICLE	IF	CITATIONS
423	Effects of prefreezing on the drying characteristics, structural formation and mechanical properties of microwave-vacuum dried apple. <i>Journal of Food Engineering</i> , 2019, 244, 170-177.	2.7	52
424	Perovskite lead-free dielectrics for energy storage applications. <i>Progress in Materials Science</i> , 2019, 102, 72-108.	16.0	1,137
425	Impedance-Based Detection of Bacteria. <i>Chemical Reviews</i> , 2019, 119, 700-726.	23.0	217
426	Structural and dielectric properties of BaTi _{0.5} (Co _{0.33} Mo _{0.17})O ₃ perovskite ceramic. <i>Journal of Alloys and Compounds</i> , 2019, 781, 936-944.	2.8	17
427	Nanomaterial-based optical and electrochemical techniques for detection of methicillin-resistant <i>Staphylococcus aureus</i> : a review. <i>Mikrochimica Acta</i> , 2019, 186, 114.	2.5	48
428	Preparation of high dielectric constant of lanthanum strontium nickelate oxide-resin composites for application in fingerprint recognition. <i>Composites Part B: Engineering</i> , 2019, 160, 321-328.	5.9	6
429	The photoelectrochemical properties of Sn ₂ Nb ₂ O ₇ photoanode. <i>Journal of Alloys and Compounds</i> , 2019, 773, 1033-1039.	2.8	5
430	Functional Nanomaterials and Nanostructures Enhancing Electrochemical Biosensors and Lab-on-a-Chip Performances: Recent Progress, Applications, and Future Perspective. <i>Chemical Reviews</i> , 2019, 119, 120-194.	23.0	436
431	A study of the corrosion of stainless steel 304L coated with a 190Ånm-thick manganese layer and annealed with nitrogen flux in a 0.4-mole solution of H ₂ SO ₄ at different temperatures. <i>Journal of Theoretical and Applied Physics</i> , 2020, 14, 21-35.	1.4	8
432	Aging time effect of Ammi visnaga (L.) lam essential oil on the chemical composition and corrosion inhibition of brass in 3% NaCl medium. <i>Experimental and theoretical studies. Materials Today: Proceedings</i> , 2020, 22, 83-88.	0.9	17
433	Tetrazole-based organoselenium bi-functionalized corrosion inhibitors during oil well acidizing: Experimental, computational studies, and SRB bioassay. <i>Journal of Molecular Liquids</i> , 2020, 298, 111980.	2.3	59
434	Versatile model for the contact region of organic thin-film transistors. <i>Organic Electronics</i> , 2020, 77, 105523.	1.4	4
435	Electrical impedance estimation for pork tissues during chilled storage. <i>Meat Science</i> , 2020, 161, 108014.	2.7	15
436	Biosensor nanoengineering: Design, operation, and implementation for biomolecular analysis. <i>Sensors International</i> , 2020, 1, 100040.	4.9	205
437	Tutorial: guidelines for standardized performance tests for electrodes intended for neural interfaces and bioelectronics. <i>Nature Protocols</i> , 2020, 15, 3557-3578.	5.5	142
438	Toward design of cation transport in solid-state battery electrolytes: Structure-dynamics relationships. <i>Current Opinion in Solid State and Materials Science</i> , 2020, 24, 100875.	5.6	27
439	Monitoring corrosion fatigue crack formation on drill steel using electrochemical impedance spectroscopy: Experiment and modeling. <i>Corrosion Science</i> , 2020, 175, 108880.	3.0	10
440	Dielectric, impedance and excitation performance of Aurivillius oxides: Bi ₄ Pb ₂ Zr ₂ TiFeNbO ₁₈ . <i>Materials Today Chemistry</i> , 2020, 17, 100325.	1.7	2

#	ARTICLE	IF	CITATIONS
441	A detailed in-vitro study of Retinal pigment epithelium's growth as seen from the perspective of impedance spectroscopy analysis. <i>Biosensors and Bioelectronics</i> , 2020, 167, 112469.	5.3	4
442	Bioimpedance analysis of vascular tissue and fluid flow in human and plant body: A review. <i>Biosystems Engineering</i> , 2020, 197, 170-187.	1.9	21
443	Comprehensive electrochemical impedance spectroscopy study of Si-Based anodes using distribution of relaxation times analysis. <i>Journal of Power Sources</i> , 2020, 479, 229083.	4.0	42
444	Choice of impedance parameter of strawberry tissue for detection of fungal diseases. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020, 548, 032005.	0.2	10
445	Colossal relative permittivity and low dielectric loss in BaFe _{0.5} Nb _{0.5} O ₃ ceramics prepared by spark plasma sintering. <i>Results in Physics</i> , 2020, 19, 103607.	2.0	3
446	Sensing the electrical properties of roots: A review. <i>Vadose Zone Journal</i> , 2020, 19, e20082.	1.3	35
447	Evaluation of DC and AC conducting properties of poly (diaminonaphthalene) conjugated polymer doped in poly (vinyl alcohol) films. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	0
448	Detection of plasmonic behavior in colloidal indium tin oxide films by impedance spectroscopy. <i>MRS Communications</i> , 2020, 10, 278-285.	0.8	3
449	Identification of Potential Green Inhibitors Extracted from <i>Thymbra capitata</i> (L.) Cav. for the Corrosion of Brass in 3% NaCl Solution: Experimental, SEM-EDX Analysis, DFT Computation and Monte Carlo Simulation Studies. <i>Journal of Bio- and Tribo-Corrosion</i> , 2020, 6, 1.	1.2	24
450	Highly conducting solid electrolyte films based on PVA and iron alum: Synthesis, characterization and electrical properties. <i>Journal of Science: Advanced Materials and Devices</i> , 2020, 5, 400-408.	1.5	4
451	3D printed deformable sensors. <i>Science Advances</i> , 2020, 6, eaba5575.	4.7	118
452	Virtual corrosion testing on stainless steel AISI 304 welded pipe with Hydroxyethyl Cellulose in 3.5% NaCl solution and turbulent flow. <i>Materials Research Express</i> , 2020, 7, 066519.	0.8	3
453	Anomalous current-voltage and impedance behaviour in doped Poly 3-methylthiophene devices. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 295301.	1.3	4
454	Technology of electrochemical impedance spectroscopy for an energy-sustainable society. <i>Current Opinion in Electrochemistry</i> , 2020, 20, 66-77.	2.5	34
455	Investigation of the lithium-ion depletion in the silicon-silicon carbide anode/electrolyte interface in lithium-ion battery via electrochemical impedance spectroscopy. <i>Journal of Electroanalytical Chemistry</i> , 2020, 873, 114385.	1.9	10
456	A generic impedance modeling technique. <i>AEU - International Journal of Electronics and Communications</i> , 2020, 123, 153301.	1.7	7
457	Stimuli-Responsive Colloidal Assembly Consisting of Imogolite, Inorganic Nanotube. <i>Journal of Fiber Science and Technology</i> , 2020, 76, 1-22.	0.2	2
458	Biferrocenyl Schiff bases as efficient corrosion inhibitors for an aluminium alloy in HCl solution: a combined experimental and theoretical study. <i>RSC Advances</i> , 2020, 10, 7585-7599.	1.7	37

#	ARTICLE	IF	CITATIONS
459	Charge and Electrical Double Layer Formation in a Nonpolar Solvent Using a Nonionic Surfactant. <i>Langmuir</i> , 2020, 36, 5156-5164.	1.6	8
460	Impedance spectroscopy study of the retinal pigment epithelium: Application to the monitoring of blue light exposure effect on A2E-loaded in-vitro cell cultures. <i>Biosensors and Bioelectronics</i> , 2020, 161, 112180.	5.3	6
461	Electrochemical Biosensors for Determination of Colorectal Tumor Biomarkers. <i>Micromachines</i> , 2020, 11, 411.	1.4	45
462	Corrosion and Mott-Schottky probe of chromium nitride coatings exposed to saline solution for engineering and biomedical applications. , 2020, , 239-265.		10
463	Investigation of Room Temperature Protonic Conduction of Perovskite Humidity Sensors. <i>IEEE Sensors Journal</i> , 2021, 21, 9657-9666.	2.4	16
464	Evaluation of the effect of dose change of Fe ₃ O ₄ nanoparticles on electrochemical biosensor compatibility using hydrogels as an experimental living organism model. <i>Journal of Molecular Liquids</i> , 2021, 322, 114574.	2.3	20
465	Transport properties in molten carbonates: self-diffusion and conductivity measurements at high temperature. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 15059-15065.	3.8	9
466	Impedance spectroscopy of short multiwalled carbon nanotube networks deposited on a paper substrate: tracking the evolution of in-plane and thru-plane electronic properties. <i>Journal of Materials Science</i> , 2021, 56, 3256-3267.	1.7	3
467	A review of modeling, acquisition, and application of lithium-ion battery impedance for onboard battery management. <i>ETransportation</i> , 2021, 7, 100093.	6.8	206
468	Facile development of cost effective and greener for all solid-state supercapacitor on paper substrate. <i>Journal of Energy Storage</i> , 2021, 33, 102107.	3.9	9
469	Stability of plasma-enhanced atomic layer deposited barrier films in biological solutions. <i>Engineering Reports</i> , 2021, 3, e12303.	0.9	1
470	Impedance Spectroscopy. <i>Progress in Optical Science and Photonics</i> , 2021, , 515-540.	0.3	4
471	Photoelectrochemical properties of TiO ₂ /g-C ₃ N ₄ composited electrodes fabricated by a co-electrodeposited method. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 145104.	1.3	4
472	Sensory analysis using electronic tongues. , 2021, , 323-343.		5
473	SEI Formation on Sodium Metal Electrodes in Superconcentrated Ionic Liquid Electrolytes and the Effect of Additive Water. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 5706-5720.	4.0	34
474	Microstructure, microhardness and corrosion resistance of laser cladding Al ₂ O ₃ @Ni composite coating on 304 stainless steel. <i>Journal of Materials Science</i> , 2021, 56, 8209-8224.	1.7	12
475	Maxwell Equations without a Polarization Field, Using a Paradigm from Biophysics. <i>Entropy</i> , 2021, 23, 172.	1.1	6
476	Multiscale modeling shows that dielectric differences make Na ⁺ channels faster than K ⁺ channels. <i>Journal of General Physiology</i> , 2021, 153, .	0.9	11

#	ARTICLE	IF	CITATIONS
477	A Brief History and Introduction to Admittance/Impedance Measurements. ACS Symposium Series, 2021, , 61-76.	0.5	0
478	Structural and Electrical Properties of Magnesium-Doped CoFe ₂ O ₄ . Powder Metallurgy and Metal Ceramics, 2021, 59, 507-514.	0.4	5
479	Electrical Impedance Spectroscopy (EIS) for Photovoltaic Materials: Possibilities and Challenges. IOP Conference Series: Materials Science and Engineering, 0, 955, 012076.	0.3	0
480	Charge Transport Mechanisms in the Silver-Modified Zeolite Porous Microstructure. Advances in Material Research and Technology, 2021, , 175-209.	0.3	0
481	<sc>One-step</sc> synthesis of hierarchical structured nickel copper sulfide nanorods with improved electrochemical supercapacitor properties. International Journal of Energy Research, 2021, 45, 9983-9998.	2.2	34
482	Structural evolution, dielectric relaxation and modulus spectroscopic studies in Dy substituted NBT-BT ferroelectric ceramics. Journal of Materials Science: Materials in Electronics, 2021, 32, 8628-8647.	1.1	13
483	Effect of contact resistance in organic field-effect transistors. Nano Select, 2021, 2, 1661-1681.	1.9	18
484	Platinum dissolution and tissue response following long-term electrical stimulation at high charge densities. Journal of Neural Engineering, 2021, 18, 036021.	1.8	27
485	Electrochemical behaviour of some commercial stainless steel alloys in simulated body fluid electrolytes. Anti-Corrosion Methods and Materials, 2021, 68, 167-181.	0.6	1
486	Extending the double-dispersion Cole-Cole-Davidson and Havriliak-Negami electrochemical impedance spectroscopy models. European Biophysics Journal, 2021, 50, 915-926.	1.2	7
487	Development of a Typical Distribution Function of Relaxation Times Model for Polymer Electrolyte Membrane Fuel Cells and Quantifying the Resistance to Proton Conduction within the Catalyst Layer. Journal of Physical Chemistry C, 2021, 125, 11867-11874.	1.5	20
488	Evaluation of the fuel cell performances of TiO ₂ /PAN electrospun carbon-based electrodes. Turkish Journal of Chemistry, 2021, 45, 661-672.	0.5	1
489	Synthesis and characterization of Dextran, poly (vinyl alcohol) blend biopolymer electrolytes with NH ₄ ⁺ NO ₃ ⁻ , for electrochemical applications. International Journal of Green Energy, 2022, 19, 314-330.	2.1	12
490	Mesoscale Confinement Effects and Emergent Quantum Interference in Titania Antidot Thin Films. ACS Nano, 2021, 15, 12935-12944.	7.3	1
491	Effect of Nb substitution on the structural, dielectric and modulus character of Ba _{0.97} La _{0.02} TiO ₃ ceramics. Inorganic Chemistry Communication, 2021, 129, 108628.	1.8	17
492	Microstructure and Performance Characterization of a Novel Cobalt High-Entropy Alloy. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2021, 52, 4066-4089.	1.1	6
493	Espectroscopia de impedancia el�ctrica, una herramienta para aplicaciones biotecnol�gicas con Lactobacillus casei ATCC 393. Revista Colombiana De Biotecnolog�a, 2021, 23, 55-61.	0.5	0
494	Analysis of Electrochemical Impedance Spectroscopy on Zinc-Air Batteries Using the Distribution of Relaxation Times. Batteries, 2021, 7, 56.	2.1	8

#	ARTICLE	IF	CITATIONS
495	Evaluation of heating uniformity and quality attributes during vacuum microwave thawing of frozen apples. <i>LWT - Food Science and Technology</i> , 2021, 150, 111997.	2.5	12
496	Electrochemical impedance spectroscopy and ultrasound for monitoring expansive reactions and their interactions on cement composites. <i>Construction and Building Materials</i> , 2021, 305, 124726.	3.2	10
497	The effects of N ₂ atmosphere annealing on the physical properties of BiFe _{0.5} Mn _{0.5} O ₃ ceramic. <i>Journal of Alloys and Compounds</i> , 2021, 877, 160323.	2.8	5
498	Determination of the effects of the production process for the calcite doped hydrogels on electronic circuit applications. <i>Physica B: Condensed Matter</i> , 2021, 621, 413282.	1.3	6
499	Postharvest freezing process assessment of the blueberry structure in three acts: Bioimpedance, color, and granulometry analysis. <i>LWT - Food Science and Technology</i> , 2021, 151, 112237.	2.5	7
500	Structural and impedance spectroscopic study of Zn-substituted Ba ₅ CaTi ₂ Nb ₈ O ₃₀ tetragonal tungsten bronze ceramics. <i>Journal of Alloys and Compounds</i> , 2021, 882, 160716.	2.8	29
501	Sm ³⁺ -BiFeO ₃ nano catalyst: A synergetic effect of Sm ³⁺ on enhanced multiferroic properties and photocatalysis. <i>Journal of Alloys and Compounds</i> , 2022, 891, 161896.	2.8	15
502	Investigation of Microstructure and Corrosion of TiNbTaZrMo High-Entropy Alloy in the Simulated Body Fluid. <i>Journal of Bionic Engineering</i> , 2021, 18, 118-127.	2.7	6
503	A LabVIEW-Based Resistor-Capacitor Bank Controller for Automatic Signal Generation with a Multifrequency Voltage-Controlled Oscillator (VCO). <i>Lecture Notes in Networks and Systems</i> , 2021, , 271-282.	0.5	0
504	Use of nanoparticles to enhance property of solid polymer electrolytes. , 2021, , 365-382.		0
505	Changes in electrical properties and void distribution of mung bean sprouts during hot water heating. <i>Food Science and Technology Research</i> , 2021, 27, 311-318.	0.3	1
507	Stimulation Electrode Materials and Electrochemical Testing Methods. <i>Biological and Medical Physics Series</i> , 2009, , 191-216.	0.3	7
508	Conducting Polymers in Neural Stimulation Applications. <i>Biological and Medical Physics Series</i> , 2009, , 217-252.	0.3	15
509	Impedance Spectroscopy and Experimental Setup. <i>Smart Sensors, Measurement and Instrumentation</i> , 2016, , 21-37.	0.4	7
510	Electrical Impedance Properties of Deep Brain Stimulation Electrodes during Long-Term In-Vivo Stimulation in the Parkinson Model of the Rat. <i>Communications in Computer and Information Science</i> , 2013, , 287-297.	0.4	11
511	Electrical Properties of Lithium Ferrite Nanoparticles Dispersed in a Styrene-Isoprene-Styrene Copolymer Matrix. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , 2015, , 273-279.	0.5	2
512	EIS study of the corrosion behavior of an organic coating applied on Algerian oil tanker. <i>Metallurgical Research and Technology</i> , 2020, 117, 610.	0.4	1
513	Structural, microstructure, optical, and electrical properties of Ti-doped CaSnO ₃ prepared by Sol-Gel chemical route. <i>Physica Scripta</i> , 2020, 95, 105807.	1.2	16

#	ARTICLE	IF	CITATIONS
515	Impedance Study of Adsorption of Chloride Ions in Ethanol on Bi(001) Single Crystal Plane. Collection of Czechoslovak Chemical Communications, 2003, 68, 1555-1571.	1.0	1
516	SPECTROSCOPIC ADMITTIVITY IMAGING OF BIOLOGICAL TISSUES: CHALLENGES AND FUTURE DIRECTIONS. Journal of the Korean Society for Industrial and Applied Mathematics, 2014, 18, 77-105.	0.0	1
518	Full Parametric Impedance Analysis of Photoelectrochemical Cells: Case of a TiO ₂ Photoanode. Journal of the Korean Ceramic Society, 2018, 55, 244-260.	1.1	11
519	An Electrochemical Enzyme Immunoassay Based on Capacitance Measurement for the Detection of IgG. Bulletin of the Korean Chemical Society, 2011, 32, 1298-1302.	1.0	3
520	Impedance and Thermodynamic Analysis of Bioanode, Abiotic Anode, and Riboflavin-Amended Anode in Microbial Fuel Cells. Bulletin of the Korean Chemical Society, 2012, 33, 3349-3354.	1.0	47
521	Electrical Impedance Spectroscopic Studies on Broiler Chicken Tissue Suitable for the Development of Practical Phantoms in Multifrequency EIT. Journal of Electrical Bioimpedance, 2011, 2, 48-63.	0.5	43
522	A LabVIEW-based electrical bioimpedance spectroscopic data interpreter (LEBISDI) for biological tissue impedance analysis and equivalent circuit modelling. Journal of Electrical Bioimpedance, 2019, 7, 35-54.	0.5	19
523	Dielectric Properties Determination of High Density Polyethylene (HDPE) by Dielectric Spectroscopy. International Journal of Materials Mechanics and Manufacturing, 2015, 3, 121-124.	0.2	5
524	Urea-assisted ion-transport behavior in magnesium ion conducting solid polymer electrolyte membranes intended for magnesium batteries. Chemical Papers, 2022, 76, 827-839.	1.0	3
525	Deciphering non-covalent interactions of 1,3-Benzenedimethanaminium bis(trioxonitrate): Synthesis, empirical and computational study. Journal of Molecular Structure, 2022, 1250, 131720.	1.8	13
527	Technology agnostic frequency characterization methodology for memristors. Scientific Reports, 2021, 11, 20599.	1.6	5
528	Nanostructured Triblock Copolymers with Chemically Complementary Components and their Ionic Conductivity. Journal of Research Updates in Polymer Science, 0, , .	0.3	4
529	Development of an Electro Impedance Spectroscopy device for EDLC super capacitor characterization in a mass production line. Journal of the Korea Academia-Industrial Cooperation Society, 2012, 13, 5647-5654.	0.0	0
530	Anodically Grown TiO ₂ Nanotube Membranes: Synthesis, Characterization, and Application in Dye-Sensitized Solar Cells. , 2015, , 1-23.		0
531	Anodically Grown TiO ₂ Nanotube Membranes: Synthesis, Characterization, and Application in Dye-Sensitized Solar Cells. , 2016, , 1299-1325.		0
532	Evaluation of Freshness of Fresh-cut Lettuce based on Electrical Impedance Analysis. IEEJ Transactions on Fundamentals and Materials, 2016, 136, 613-620.	0.2	0
533	Evaluation of Ezoshika Meat by Using Cole-Cole Plot. IEEJ Transactions on Electronics, Information and Systems, 2018, 138, 906-907.	0.1	1
534	Investigating the Effect of Curing in the Chloride Diffusion Coefficient of Conventional Concrete. Materials Research, 2019, 22, , .	0.6	5

#	ARTICLE	IF	CITATIONS
535	Freshness Evaluation of Ezoshika Meat by Bioelectrical Impedance Analysis. IEEJ Transactions on Electronics, Information and Systems, 2019, 139, 812-813.	0.1	1
536	Features of the production and study of electrophysical characteristics (BeO + TiO ₂)-ceramics by impedance spectroscopy. Novye Ogneupory (new Refractories), 2019, , 55-63.	0.1	1
537	DIELECTRIC PROPERTIES OF BARIUM CRYSTAL GLASS. Ceramics - Silikaty, 2020, , 379-386.	0.2	1
538	Current Progress of Interfacing Organic Semiconducting Materials with Bacteria. Chemical Reviews, 2022, 122, 4791-4825.	23.0	19
539	Impedance Spectroscopy: Concepts and Applications. NATO Science for Peace and Security Series B: Physics and Biophysics, 2020, , 85-93.	0.2	0
540	Bismuth Ferrites: Synthesis Methods and Experimental Techniques. SpringerBriefs in Materials, 2020, , 47-67.	0.1	2
541	Dielectric properties of P3HT/CSA composites for energy storage applications. Physica B: Condensed Matter, 2022, 626, 413508.	1.3	5
542	Excitation Signals for Rapid Battery Impedance Spectroscopy. , 2021, , .		1
543	Electrical impedance spectroscopy (EIS) in plant roots research: a review. Plant Methods, 2021, 17, 118.	1.9	16
544	Silver- κ -Casein-Selective Gelation of Simple Pyridine- κ -Naphthalimide Conjugates with Multiple Applications: Sensing, Drug Delivery, Dye Adsorption and Ion Conductivity. ChemistrySelect, 2021, 6, 11696-11705.	0.7	2
545	Mannich Base as an Efficient Corrosion Inhibitor of AA6061 in 0.5M HCl: Electrochemical, Surface Morphological and Theoretical Investigations. Arabian Journal for Science and Engineering, 0, , 1.	1.7	3
546	Barium Strontium Titanate-Based Humidity Sensors: Microstructure, Surface Morphology, Dopant Influence, and Transduction Mechanism Investigations. ACS Applied Electronic Materials, 2021, 3, 4919-4933.	2.0	5
547	Enhanced dielectric properties of ternary ZnO-based composites for dielectric applications. Applied Physics A: Materials Science and Processing, 2022, 128, 1.	1.1	4
548	MOFs in the time domain. Nature Reviews Chemistry, 2022, 6, 9-30.	13.8	34
549	Synthesis of hierarchical structured Gd doped $\text{Gd}_{1-x}\text{Sb}_x\text{O}_4$ as an advanced nanomaterial for high performance energy storage devices. Heliyon, 2021, 7, e08541.	1.4	34
550	On the dielectric behaviors of $\text{Zn}_{1-x}\text{Fe}_x\text{Mg}_x\text{O}$ ceramics for nonlinear optical and solar cell devices. Applied Physics A: Materials Science and Processing, 2022, 128, 1.	1.1	11
551	Structural evolution and opto-electrical characterization of auto-ignited combustion synthesized LaSmZr ₂ O ₇ ceramic. Solid State Sciences, 2022, 124, 106807.	1.5	2
552	Corrosion inhibition studies of ferrocenyl Schiff bases in a mild acidic medium through experimental methods and DFT calculations. New Journal of Chemistry, 2022, 46, 3925-3938.	1.4	8

#	ARTICLE	IF	CITATIONS
553	Dielectric behaviour of BZT-BCT nano pseudobinary system near TCP-assisted morphotopic phase boundary. <i>Ceramics International</i> , 2022, 48, 12311-12316.	2.3	1
554	Recent Advances in the One-Pot Synthesis of Coumarin Derivatives from Different Starting Materials Using Nanoparticles: A Review. <i>Topics in Catalysis</i> , 0, , 1.	1.3	26
555	Effect of sintering time on electronic properties of strontium hexaferrite. <i>Ceramics International</i> , 2022, 48, 12476-12482.	2.3	3
556	Effects of Graphene Nanoplatelets on the Microstructure, Mechanical Properties, and Corrosion Behavior of Spark Plasma Sintered Al + 20 vol.% (TiC + TiB ₂) Hybrid Composites. <i>Journal of Materials Engineering and Performance</i> , 2022, 31, 3535-3549.	1.2	7
557	The optoelectronic properties and effect of calcium doping on structural and electrical properties of ZO-Ca aerogel nanoparticles. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 6485.	1.1	1
558	Anodic Dissolution Behavior of Al-Y Alloy in LiCl-KCl Eutectic and Its Passivation Inhibited Aided by LiF. <i>Journal of the Electrochemical Society</i> , 2022, 169, 021504.	1.3	1
559	Influence of heat treatment and electrochemical treatment on the properties of PANI electrodeposited on carbon fiber felt. <i>Diamond and Related Materials</i> , 2022, 123, 108867.	1.8	5
560	Effect of chromium substitution on the electrical and magnetic properties of multiferroic yttrium manganite. <i>Physica Scripta</i> , 2022, 97, 035807.	1.2	2
561	Anti-metal Deteriorating and Antiviral Potency of a Novel Polynuclear Schiff base Derived from Anthrone. <i>Oriental Journal of Chemistry</i> , 2022, 38, 44-55.	0.1	1
562	Frequency regulation in alternating current transportation properties for electron correlated rare-earth nickelates heterostructures. <i>Journal of Applied Physics</i> , 2022, 131, 075109.	1.1	1
563	Ion Transport and Segmental Dynamics in Cross-linked Poly(ethylene glycol) Diacrylate-Based Solid-like Polymer Electrolytes. <i>Journal of Physical Chemistry C</i> , 2022, 126, 4799-4806.	1.5	7
564	Removal of Thiol-SAM on a Gold Surface for Re-Use of an Interdigitated Chain-Shaped Electrode. <i>Materials</i> , 2022, 15, 2218.	1.3	4
565	Analysis of the effect of low dye concentration for electrical system applications of reactive red 45 dye loaded hydrogels. <i>Physica B: Condensed Matter</i> , 2022, 633, 413774.	1.3	3
566	Development of molecularly imprinted polymer on ferric oxide nanoparticles modified electrode as electrochemical sensor for detection of human growth hormone. <i>Monatshefte Für Chemie</i> , 2022, 153, 39-48.	0.9	3
567	Computer-aided study of the impedance dispersion of biological tissues. <i>Journal of Physics: Conference Series</i> , 2021, 2142, 012012.	0.3	1
568	Nanoscale Silicon Oxide Reduces Electron Transfer Kinetics of Surface-Bound Ferrocene Monolayers on Silicon. <i>Journal of Physical Chemistry C</i> , 2021, 125, 27763-27770.	1.5	12
569	Dielectric constant of disordered phases of the smallest monoalcohols: Evidence for the hindered plastic crystal phase. <i>Chemical Physics</i> , 2022, 559, 111554.	0.9	2
570	Insight into the Structural and Physical Properties of Semiorganic KHOOD Single Crystal. <i>Chemistry Africa</i> , 0, , 1.	1.2	0

#	ARTICLE	IF	CITATIONS
571	Influence of nickel dopant on impedance, dielectric, and optical properties of ZnO nanoparticles at low temperatures. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 12674-12700.	1.1	4
572	The improved performance of dye-sensitized solar cells using co-sensitization and polymer gel electrolyte. <i>International Journal of Energy Research</i> , 2022, 46, 12974-12987.	2.2	7
573	Blood Coagulation Time Determination by AC Current Phase Shift Measurement. <i>International Journal of Electrochemical Science</i> , 0, , ArticleID:220614.	0.5	0
574	AC impedance spectroscopy of cement - based materials: measurement and interpretation. <i>Cement and Concrete Composites</i> , 2022, 131, 104591.	4.6	30
575	Analysis of 3.4 Ah lithium-sulfur pouch cells by electrochemical impedance spectroscopy. <i>Journal of Energy Chemistry</i> , 2022, 72, 318-325.	7.1	23
576	Preliminary study on parameterization of raw electrical bioimpedance data with 3 frequencies. <i>Scientific Reports</i> , 2022, 12, .	1.6	2
577	Effects of Sr(Co, Nb, Ta)O ₃ addition on the defect structures and electrical properties of ZnO-based varistors. <i>Journal of Materials Chemistry C</i> , 2022, 10, 9644-9654.	2.7	6
578	Investigation on the structural and electrical behavior of bioactive Ca ₁₀ (PO ₄) ₆ (OH) ₂ " K _{0.5} Na _{0.5} NbO ₃ ceramic. <i>Ceramics International</i> , 2022, 48, 29465-29477.	2.3	2
579	Impedance Imaging of Cells and Tissues: Design and Applications. <i>BME Frontiers</i> , 2022, 2022, .	2.2	16
580	Production and Characterisation of Fibre-Reinforced All-Solid-State Electrodes and Separator for the Application in Structural Batteries. <i>Batteries</i> , 2022, 8, 55.	2.1	4
581	Dielectric study of the adsorption of Cetylpyridinium and Phenol onto activated carbon. <i>Microporous and Mesoporous Materials</i> , 2022, 340, 112036.	2.2	1
582	Complex impedance, dielectric constant, electric modulus, and conductivity analysis of Cd doped ZnO nanostructures at high temperatures. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2022, 143, 115353.	1.3	10
583	Disposable Paper-Based Biosensors: Optimizing the Electrochemical Properties of Laser-Induced Graphene. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 31109-31120.	4.0	16
584	Magnetic Metal Oxide-Based Photocatalysts with Integrated Silver for Water Treatment. <i>Materials</i> , 2022, 15, 4629.	1.3	21
585	Scaling behavior of the BaZr _{0.1} Ti _{0.9} O ₃ (BZT) dielectric ceramic at the elevated temperatures (400-600 °C) Tj ETQq0 0 0 rgBT /Overlo 115837.	1.7	6
586	Supercapacitor and battery performances of multi-component nanocomposites: Real circuit and equivalent circuit model analysis. <i>Journal of Energy Storage</i> , 2022, 53, 105093.	3.9	15
587	Role of phosphorus as micro alloying element and its effect on corrosion characteristics of steel rebars in concrete environment. <i>Scientific Reports</i> , 2022, 12, .	1.6	4
588	Electrochemical Behavior of Tetraethylammonium-Hydrogen Sulfate-Based Electrodeposition-Coupled Hafnium Alkoxide Synthesis. <i>Jom</i> , 2022, 74, 3548-3556.	0.9	1

#	ARTICLE	IF	CITATIONS
589	Application of impedance spectroscopy in exploring electrical properties of dielectric materials under high pressure. <i>Journal of Physics Condensed Matter</i> , 2022, 34, 434001.	0.7	4
590	Thermal, structural, morphological, functional group and first cycle charge/discharge study of Co substituted $\text{LiNi}_{1-x}\text{Mg}_x\text{Co}_x\text{O}_2$ ($x = 0.00, 0.02$). <i>Tj ETQ</i> 1 1 0.784314 r	1.7	1
591	Initial state of charge estimation of battery using impedance measurement for electrical vehicle applications. <i>Sustainable Energy Technologies and Assessments</i> , 2022, 53, 102727.	1.7	1
592	Electrochemical investigation of edible oils: Experimentation, electrical signatures, and a supervised learning case study of adulterated peanut oils. <i>Food Chemistry</i> , 2023, 402, 134143.	4.2	3
593	Electrochemical Behaviors of Electrodisolution-Coupled Hafnium Alkoxide Synthesis. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
594	Investigating the Correlation between the Microstructure and Electrical Properties of FeSbO4 Ceramics. <i>Materials</i> , 2022, 15, 6555.	1.3	3
595	Soil Moisture Measuring Techniques and Factors Affecting the Moisture Dynamics: A Comprehensive Review. <i>Sustainability</i> , 2022, 14, 11538.	1.6	24
596	Using pulsed magnetic fields to improve the quality of frozen blueberry: A bio-impedance approach. <i>LWT - Food Science and Technology</i> , 2022, 169, 114039.	2.5	1
597	Influence of sintering temperature on electrical properties of Fe substituted NdCrO3 relaxor perovskite ceramic materials. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2022, 286, 116039.	1.7	0
598	High-frequency phenomena and electrochemical impedance spectroscopy at nanoelectrodes. <i>Current Opinion in Colloid and Interface Science</i> , 2023, 63, 101654.	3.4	3
599	Effects of Quenching on Corrosion and Hardness of Aluminum Alloy 7075-T6. <i>Energies</i> , 2022, 15, 8391.	1.6	1
600	A new approach to time-resolved electrochemical impedance spectroscopy using the Impedance Camera to track fast hydration processes in cement-based materials. <i>Measurement: Journal of the International Measurement Confederation</i> , 2022, 205, 112199.	2.5	6
601	Recycling and characterization of end-of-life solid oxide fuel/electrolyzer ceramic material cell components. <i>Resources, Conservation and Recycling</i> , 2023, 190, 106809.	5.3	3
602	Impedance Measurement Using Wide-Band Signals. , 2022, , .		2
603	Complex impedance spectroscopy for capacitive energy-storage ceramics: a review and prospects. <i>Materials Today Chemistry</i> , 2023, 28, 101353.	1.7	14
604	Self-assembly, physico-chemical characterization, biological, virtual screening, and computational approach of novel 2-amino pyridine derivatives. <i>Journal of Molecular Structure</i> , 2023, 1281, 135049.	1.8	1
605	Analysis of Complex Impedance Spectroscopy, Modulus and dielectric Properties of the $0.65\text{PbMg}_{1/3}\text{Nb}_{2/3}\text{Ti}_{0.35}\text{PbTi}_{0.35}$ Perovskite Single Crystals. <i>EPJ Applied Physics</i> , 0, , .	0.3	0
606	Improvement of active/passive anti-corrosion/weathering properties of epoxy-siloxane structure via cloisite 30B/polyaniline inclusion as new hybrid nanocomposite coatings. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2023, 666, 131297.	2.3	5

#	ARTICLE	IF	CITATIONS
607	State of charge and temperature-dependent impedance spectra regeneration of lithium-ion battery by duplex learning modeling. <i>Journal of Energy Storage</i> , 2023, 64, 107085.	3.9	2
608	Unveiling the high-temperature dielectric relaxation and conduction mechanisms in sol-gel derived LaFeO ₃ modified Sodium Bismuth Titanate ceramics. <i>Journal of Alloys and Compounds</i> , 2023, 941, 169023.	2.8	3
609	An Efficient Multilayer Approach to Model DNA-Based Nanobiosensors. <i>Journal of Physical Chemistry B</i> , 2023, 127, 1513-1525.	1.2	0
610	Electrochemical sensing of analytes in saliva: Challenges, progress, and perspectives. <i>TrAC - Trends in Analytical Chemistry</i> , 2023, 160, 116965.	5.8	13
611	Temperature and field-dependent electrical property and energy density correlations studies in KNN-modified NBT ϵ KBT solid solution ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2023, 34, .	1.1	1
612	State of Health Estimation Methods for Lithium-Ion Batteries. <i>International Journal of Energy Research</i> , 2023, 2023, 1-21.	2.2	13
613	Electrical Modeling and Impedance Spectra of Lithium-Ion Batteries and Supercapacitors. <i>Batteries</i> , 2023, 9, 160.	2.1	1
614	Fabrication, Characterization, and Corrosion Protection of Siloxane Coating on an Oxygen Plasma Pre-treated Silver-Copper Alloy. <i>Journal of Materials Engineering and Performance</i> , 0, , .	1.2	0
615	Facile assembly of flexible quaternary SnO ₂ /SrSnO ₃ /Fe ₃ O ₄ /PVDF nanocomposites with tunable optical, electrical, and magnetic properties for promising magneto-optoelectronic applications. <i>Scientific Reports</i> , 2023, 13, .	1.6	4
616	In-situ electrical monitoring of SiO ₂ /Si structures in low-temperature plasma using impedance spectroscopy. <i>Japanese Journal of Applied Physics</i> , 0, , .	0.8	1
617	Impedimetric study of poly-butyl thiophenebased sensor for detection of VOCs and mixtures. , 2023, , .		1
619	Mechanistic origins of corrosion protection of aluminum alloys by graphene/polyetherimide nanocomposite coatings. <i>Npj Materials Degradation</i> , 2023, 7, .	2.6	2
633	Design, realization and test of a low-cost electrical impedance spectroscopy analyzer for biological samples. , 2023, , .		0
644	A tool providing I-V curve and IS analysis of a PV module embedded in a string. , 2023, , .		0
646	A Distribution of Relaxation Time Approach on Equivalent Circuit Model Parameterization to Analyse Li-ion Battery Degradation. , 2023, , .		3
658	Time domain convolution operation: A student-centric tutorial with experimental validation. <i>AIP Conference Proceedings</i> , 2023, , .	0.3	0
664	Exploring Copper Hexadecafluoro-Phthalocyanine: A Study on Structural, AC Conductivity and Dielectric Properties. <i>Journal of Electronic Materials</i> , 0, , .	1.0	0
665	Effect of Interfacial Bonding Characteristics on Electrical Properties of Natural Fiber Reinforced Polymeric Matrix Composite. <i>Composites Science and Technology</i> , 2024, , 259-290.	0.4	0

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------