

HLA-DR typing by PCR amplification with sequence analysis: an alternative to serological DR typing in clinical practice in cadaveric transplantation

Tissue Antigens

39, 225-235

DOI: [10.1111/j.1399-0039.1992.tb01940.x](https://doi.org/10.1111/j.1399-0039.1992.tb01940.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Identification of the HLA-DRB1*04, -DRB1*07, and -DRB1*09 Alleles by PCR Amplification with sequence-specific primers (PCR-SSP) in 2 hours. <i>Human Immunology</i> , 1992, 34, 64-74.	1.2	112
2	No independent association between a tumor necrosis factor- β promoter region polymorphism and insulin-dependent diabetes mellitus. <i>European Journal of Immunology</i> , 1993, 23, 3050-3053.	1.6	99
3	Polymorphism of the DQA1 promoter region (QAP) and DRB1, QAP, DQA1, DQB1 haplotypes in systemic lupus erythematosus. <i>Immunogenetics</i> , 1993, 38, 421-9.	1.2	34
4	The case for matching MHC genes in human organ transplantation. <i>Nature Genetics</i> , 1993, 5, 210-210.	9.4	7
5	Polymorphic Analysis of the Human MHC-Linked Heat Shock Protein 70 (HSP70-2) and HSP70-Hom Genes in Insulin-Dependent Diabetes Mellitus (IDDM). <i>Scandinavian Journal of Immunology</i> , 1993, 38, 491-495.	1.3	120
6	DR "low-resolution" PCR-SSP typing: a correction and an update. <i>Tissue Antigens</i> , 1993, 41, 55-56.	1.0	49
7	A fast PCR-SSP method for HLA-DQ generic typing. <i>Tissue Antigens</i> , 1993, 41, 102-106.	1.0	19
8	HLA-DQB1 and -DQA1 typing by PCR amplification with sequence-specific primers (PCR-SSP) in 2 hours. <i>Tissue Antigens</i> , 1993, 41, 119-134.	1.0	547
9	HLA matching of unrelated bone marrow transplant pairs: Direct sequencing of <i>in vitro</i> amplified HLA-DRB1 and -DQB1 genes using magnetic beads as solid support. <i>Tissue Antigens</i> , 1993, 41, 155-164.	1.0	58
10	A novel HLA-DRB1*01 allele (DRB1*0104). <i>Tissue Antigens</i> , 1993, 42, 42-44.	1.0	10
11	Defining the common subtypes of HLA A9, A10, A28 and A19 by use of ARMS/PCR. <i>Tissue Antigens</i> , 1993, 42, 91-99.	1.0	11
12	A monoclonal antibody with specificity to the HLA-DR1 and -DR51 antigens. <i>Tissue Antigens</i> , 1993, 42, 100-104.	1.0	0
13	Direct detection of PCR products for HLA class II typing. <i>Tissue Antigens</i> , 1993, 42, 146-149.	1.0	14
14	The MLC assay as a test for HLA-D region compatibility between patients and unrelated donors: Results of a national marrow donor program involving multiple centers. <i>Tissue Antigens</i> , 1993, 42, 465-472.	1.0	14
15	Restriction fragment length polymorphism of HLA-DQ and -DR allogentotypes in normal Southern Chinese. <i>Tissue Antigens</i> , 1993, 42, 502-508.	1.0	9
16	Defining the common subtypes of HLA A9, A10, A28 and A19 by use of ARMS/PCR. <i>Tissue Antigens</i> , 1993, 42, 91-99.	1.0	72
17	A monoclonal antibody with specificity to the HLA-DR1 and -DR51 antigens. <i>Tissue Antigens</i> , 1993, 42, 100-104.	1.0	2
18	HLA DNA Preorgan Retrieval Donor Typing in Renal Transplantation. <i>Vox Sanguinis</i> , 1993, 65, 300-302.	0.7	5

#	ARTICLE	IF	CITATIONS
19	HLA-DQB1 typing by PCR amplification with sequence-specific primers (PCR-SSP): a rapid and simple technique. British Journal of Haematology, 1993, 85, 227-229.	1.2	80
20	AN HLA-DR TYPING PROTOCOL USING GROUP-SPECIFIC PCR-AMPLIFICATION FOLLOWED BY RESTRICTION ENZYME DIGESTS. International Journal of Immunogenetics, 1993, 20, 103-109.	1.2	37
21	A SIMPLE PHOTOMETRIC DETECTION METHOD FOR HLA-DRB1 SPECIFIC PCR-SSP PRODUCTS. International Journal of Immunogenetics, 1993, 20, 123-125.	1.2	6
22	MULTIPLEX ARMS-RFLP: A SIMPLE AND RAPID METHOD FOR HLA-DR4 SUBTYPING. International Journal of Immunogenetics, 1993, 20, 175-187.	1.2	14
24	Molecular diagnostic: issues of utilization, regulation and organization. Clinica Chimica Acta, 1993, 217, 85-103.	0.5	11
26	Allelic typing of the HLA-DR4 group by polymerase chain reaction single-strand conformation polymorphism analysis. Human Immunology, 1993, 37, 69-74.	1.2	11
27	HLA-A locus alleles identified by sequence specific PCR. Lancet, The, 1993, 341, 121-122.	6.3	55
28	Assignment of HLA-DPB alleles by computerized matching based upon sequence data. Human Immunology, 1993, 37, 207-212.	1.2	36
30	Rapid HLA-DR oligotyping by an enzyme-linked immunosorbent assay performed in microtiter trays. Human Immunology, 1993, 38, 148-158.	1.2	22
31	Rapid HLA-DQB typing by eight polymerase chain reaction amplifications with sequence-specific primers (PCR-SSP). Human Immunology, 1993, 37, 201-206.	1.2	85
32	Simultaneous Genotypic and Immunophenotypic Analysis of Interphase Cells for the Detection of Contaminating Maternal Cells in Cord Blood and Their Respective CFU-GM and BFU-E. Stem Cells and Development, 1993, 2, 235-239.	1.0	15
33	A Novel HLA DR17,DQ1, (DQA1-0102/DQB1-0602 Positive), Haplotype Predisposing to Narcolepsy in Caucasians. Sleep, 1993, 16, 764-765.	0.6	26
34	HLA DNA Preorgan Retrieval Donor Typing in Renal Transplantation. Vox Sanguinis, 1993, 65, 300-302.	0.7	2
35	Hlaallele Detection Using Molecular Techniques. Disease Markers, 1993, 11, 145-160.	0.6	6
36	Seeking the perfect match. Medical Journal of Australia, 1993, 159, 696-700.	0.8	1
37	HLA-DR typing for kidney transplants: advantage of polymerase chain reaction with sequence specific primers in a routine hospital laboratory.. Journal of Clinical Pathology, 1994, 47, 609-612.	1.0	4
38	A PCR based method to determine the Kalow allele of the cholinesterase gene: the E1k allele frequency and its significance in the normal population.. Journal of Medical Genetics, 1994, 31, 248-250.	1.5	21
39	A new DRB1 allele (DRB1 * 0811) identified in Native Americans. Immunogenetics, 1994, 40, 314.	1.2	14

#	ARTICLE	IF	CITATIONS
40	The molecular genetics of autoimmune liver disease. <i>Hepatology</i> , 1994, 20, 225-239.	3.6	69
41	Analysis of the HLA-DR gene locus by temperature gradient gel electrophoresis and its application for the rapid selection of unrelated bone marrow donors. <i>Electrophoresis</i> , 1994, 15, 1044-1050.	1.3	9
42	Investigating the genetic basis for ankylosing spondylitis. Linkage studies with the major histocompatibility complex region. <i>Arthritis and Rheumatism</i> , 1994, 37, 1212-1220.	6.7	97
43	CD4+ and CD8+ T cell expansions using selected TCR V and J gene segments at the onset of giant cell arteritis. <i>Arthritis and Rheumatism</i> , 1994, 37, 1221-1227.	6.7	53
44	Advances in DNA-based HLA-typing methods. <i>Trends in Immunology</i> , 1994, 15, 303-307.	7.5	42
45	Presentation of the <i>Plasmodium falciparum</i> antigen Pf155/RESA to human T cells. Variations in responsiveness induced by antigen presenting cells from different but MHC class II identical donors. <i>Immunology Letters</i> , 1994, 43, 59-66.	1.1	7
46	Genetic Susceptibility Markers in Danish Patients with Type 1 (Insulin-Dependent) Diabetes-Evidence for Polygenecity in Man. <i>Autoimmunity</i> , 1994, 19, 169-178.	1.2	57
47	Molecular genetics of MHC class II alleles in Chinese patients with IgA nephropathy. <i>Kidney International</i> , 1994, 46, 185-190.	2.6	17
48	PCR CONTROL FOR HPAâ€1 TYPING BY PCR AMPLIFICATION WITH SEQUENCEâ€SPECIFIC PRIMERS (PCRâ€SSP). <i>British Journal of Haematology</i> , 1994, 86, 894-895.	1.2	7
49	Comparison of serological and DNA HLA-DR typing results for transplantation in Western Europe, Eastern Europe, North America and South America. <i>Transplant International</i> , 1994, 7, 519-521.	0.8	7
50	Multiâ€locus analysis of HLA class II genes in DR2â€positive IDDM haplotypes in Finland. <i>Tissue Antigens</i> , 1994, 43, 1-6.	1.0	21
51	Rapid DNA typing for HLAâ€C using sequenceâ€specific primers (PCRâ€SSP): Identification of serological and nonâ€serologically defined HLAâ€C alleles including several new alleles. <i>Tissue Antigens</i> , 1994, 43, 7-17.	1.0	177
52	Molecular characterization of the HLAâ€DR2LUM haplotype. <i>Tissue Antigens</i> , 1994, 43, 28-33.	1.0	6
53	PCRâ€SSP: A cautionary tale and an update of the Bein primer mixes. <i>Tissue Antigens</i> , 1994, 43, 206-207.	1.0	1
54	HLA class II polymorphism in Thais detected by PCRâ€SSO and PCRâ€RFLP. <i>Tissue Antigens</i> , 1994, 43, 224-228.	1.0	10
55	A novel HLA DR52â€associated DRB1 allele (DRB1*1311). <i>Tissue Antigens</i> , 1994, 43, 271-273.	1.0	6
56	Comprehensive typing of DR52 (DRB3)â€associated DRB1 and DRB3 alleles by PCRâ€RFLP. <i>Tissue Antigens</i> , 1994, 43, 286-294.	1.0	11
57	A simple and economical DRB1 typing procedure combining groupâ€specific amplification, DNA heteroduplex and enzyme restriction analysis. <i>Tissue Antigens</i> , 1994, 43, 295-301.	1.0	17

#	ARTICLE	IF	CITATIONS
58	A novel <i>DRB1</i> allele (<i>DRB1*1415</i>) formed by interallelic crossing over between the <i>DRB1*1404</i> and the <i>DRB1*0802</i> or <i>0804</i> alleles. <i>Tissue Antigens</i> , 1994, 43, 327-329.	1.0	7
59	The <i>DQA1*0104</i> allele is carried by <i>DRB1*1001</i> and <i>DRB1*1401</i> positive haplotypes in Caucasians, Africans and Orientals. <i>Tissue Antigens</i> , 1994, 44, 19-24.	1.0	15
60	Identification of HLA-B*35, B*53, B*18, B*5, B*78, and B*17 alleles by the polymerase chain reaction using sequence-specific primers (PCR-SSP). <i>Tissue Antigens</i> , 1994, 44, 43-46.	1.0	29
61	Role of the mixed lymphocyte culture (MLC) reaction in marrow donor selection: Matching for transplants from related haploidentical donors. <i>Tissue Antigens</i> , 1994, 44, 83-92.	1.0	17
62	Low-resolution DNA typing for HLA-B using sequence-specific primers in allele- or group-specific ARMS/PCR. <i>Tissue Antigens</i> , 1994, 44, 148-154.	1.0	84
63	SSOP typing of the Tenth International Histocompatibility Workshop reference cell lines for HLA-C alleles. <i>Tissue Antigens</i> , 1994, 44, 174-183.	1.0	63
64	Improvements in HLA-C typing using sequence-specific primers (PCR-SSP) including definition of HLA-Cw9 and Cw10 and a new allele HLA-Cw7/8v. <i>Tissue Antigens</i> , 1994, 44, 200-203.	1.0	62
65	HLA class II alleles confer susceptibility to recurrent fetal losses in Danish women. <i>Tissue Antigens</i> , 1994, 44, 225-233.	1.0	53
66	Selection of unrelated bone marrow donors by PCR-SSP typing and subsequent nonradioactive sequence-based typing for HLA DRB1/3/4/5, DQB1, and DPB1 alleles. <i>Tissue Antigens</i> , 1994, 44, 275-284.	1.0	35
67	DETERMINATION OF DRB ALLELES USING PCR AMPLIFICATION AND ALLELE-SPECIFIC PRIMERS. <i>International Journal of Immunogenetics</i> , 1994, 21, 45-58.	1.2	3
68	HLA-DRB AND -DBQ TYPING BY PCR AMPLIFICATION USING SEQUENCE-SPECIFIC PRIMERS (PCR-SSP): ASSESSMENT AFTER 1 YEAR OF ROUTINE USE BY THREE LABORATORIES. <i>International Journal of Immunogenetics</i> , 1994, 21, 105-123.	1.2	14
69	HLA-A LOCUS DNA TYPING OF THE 4AOH CELL PANEL BY ARMS PCR. <i>International Journal of Immunogenetics</i> , 1994, 21, 199-204.	1.2	1
70	RAPID DNA CROSSMATCH ANALYSIS OF HLA CLASS II GENOTYPIC POLYMORPHISMS BY TEMPERATURE GRADIENT GEL ELECTROPHORESIS IN UNRELATED BONE MARROW DONOR SELECTION. <i>International Journal of Immunogenetics</i> , 1994, 21, 313-324.	1.2	4
71	CURRENT KNOWLEDGE ON THE MAJOR HISTOCOMPATIBILITY COMPLEX CLASS II REGION IN NON-HUMAN PRIMATES. <i>International Journal of Immunogenetics</i> , 1994, 21, 391-402.	1.2	14
72	Positive impact of DNA typing on solid organ transplantation. <i>Transplantation Reviews</i> , 1994, 8, 151-173.	1.2	4
73	The HLA-Dw2 haplotype segregates closely with multiple sclerosis in multiplex families. <i>Journal of Neuroimmunology</i> , 1994, 50, 95-100.	1.1	43
74	HLA and atopic dermatitis with high serum IgE Levels. <i>Journal of Allergy and Clinical Immunology</i> , 1994, 94, 575-583.	1.5	15
75	Serologic and nucleotide sequencing analyses of a novel DR52-associated DRB1 allele with the DR β -NJ25™ specificity, designated DRB1*1307. <i>Human Immunology</i> , 1994, 41, 151-159.	1.2	32

#	ARTICLE	IF	CITATIONS
76	A practical approach to HLA-DR genomic typing by heteroduplex analysis and a selective cleavage at position 86. <i>Human Immunology</i> , 1994, 40, 41-50.	1.2	4
77	Microchimerism frequency two to thirty years after cadaveric kidney transplantation. <i>Human Immunology</i> , 1994, 41, 91-95.	1.2	34
78	Peripheral microchimerism in long-term cadaveric-kidney allograft recipients. <i>Lancet, The</i> , 1994, 343, 1468-1469.	6.3	129
79	HLA-DQB1?LOW-RESOLUTION? TYPING BY PCR AMPLIFICATION WITH SEQUENCE-SPECIFIC PRIMERS (PCR-SSP). <i>International Journal of Immunogenetics</i> , 1994, 21, 447-455.	1.2	29
80	Identification of MHC - molecular biology. <i>Transplant Immunology</i> , 1994, 2, 111-115.	0.6	1
81	Semiautomated HLA-DQB1 Typing by fluorescent dye photometry of Amplified DNA on microtiter plates. <i>Human Immunology</i> , 1994, 39, 1-8.	1.2	13
83	Antenatal screening for fetal alloimmune thrombocytopenia: the results of a pilot study. <i>British Journal of Haematology</i> , 1995, 90, 321-325.	1.2	53
84	Prevention of donor-specific T-cell unresponsiveness after buffy-coat-depleted blood transfusion. <i>British Journal of Haematology</i> , 1995, 91, 219-223.	1.2	14
85	Molecular diagnostics in transfusion medicine: the best is yet to come. <i>Transfusion</i> , 1995, 35, 183-185.	0.8	3
86	IMMUNOGENETIC ANALYSIS OF HLA-DR10 HOMOZYGOUS INDIVIDUALS. <i>International Journal of Immunogenetics</i> , 1995, 22, 191-197.	1.2	0
87	RAPID CHARACTERIZATION OF HLA CLASS I ALLELES BY GENE MAPPING USING ARMS PCR. <i>International Journal of Immunogenetics</i> , 1995, 22, 283-287.	1.2	13
88	MATERNAL HLA CLASS II ALLOGENOTYPES ARE MARKERS FOR THE PREDISPOSITION TO FETAL LOSSES IN FAMILIES OF WOMEN WITH UNEXPLAINED RECURRENT FETAL LOSS. <i>International Journal of Immunogenetics</i> , 1995, 22, 323-334.	1.2	20
89	MULTIPLEX ARMS-PCR-RFLP METHOD FOR HIGH-RESOLUTION TYPING OF HLA-DRB1. <i>International Journal of Immunogenetics</i> , 1995, 22, 371-392.	1.2	11
90	THE ROLE OF HLA CLASS II ANTIGENS IN THE INDUCTION OF CYTOTOXIC T LYMPHOCYTES. <i>International Journal of Immunogenetics</i> , 1995, 22, 425-434.	1.2	1
91	POPULATION ANALYSIS OF PROTECTION BY HLA-DR AND DQ GENES FROM INSULIN-DEPENDENT DIABETES MELLITUS IN SWEDISH CHILDREN WITH INSULIN-DEPENDENT DIABETES AND CONTROLS. <i>International Journal of Immunogenetics</i> , 1995, 22, 443-465.	1.2	34
92	Locus-specific amplification of HLA class I genes from genomic DNA: locus-specific sequences in the first and third introns of HLA-A, -B, and -C alleles. <i>Tissue Antigens</i> , 1995, 45, 1-11.	1.0	313
93	Low resolution DNA typing of the HLA-B5 cross-reactive group by nested PCR-SSP. <i>Tissue Antigens</i> , 1995, 45, 27-35.	1.0	18
94	High resolution HLA-DRB1 SSP typing for cadaveric donor transplantation. <i>Tissue Antigens</i> , 1995, 45, 41-48.	1.0	29

#	ARTICLE	IF	CITATIONS
95	Comprehensive, serologically equivalent DNA typing for HLA-B by PCR using sequence-specific primers (PCR-SSP). <i>Tissue Antigens</i> , 1995, 45, 81-90.	1.0	139
96	Comparison of HLA-DRB1 typing by DNA-RFLP, PCR-SSO and PCR-SSP methods and their application in providing matched unrelated donors for bone marrow transplantation. <i>Tissue Antigens</i> , 1995, 45, 103-110.	1.0	56
97	HLA-DRB1*01 subtyping by heteroduplex analysis. <i>Tissue Antigens</i> , 1995, 45, 120-124.	1.0	4
98	A description of a new DR allele, DRB1*1113. <i>Tissue Antigens</i> , 1995, 45, 125-128.	1.0	12
99	Comparison of two HLA-DRB high resolution microtiter plate reverse hybridization typing methods: advantage of a codon-86 valine or glycine PCR segregation. <i>Tissue Antigens</i> , 1995, 45, 129-138.	1.0	6
100	The differentiation of HLA-B*1401 (B64) and B*1402 (B65) by the polymerase chain reaction using sequence-specific primers (PCR-SSP). <i>Tissue Antigens</i> , 1995, 45, 213-215.	1.0	3
101	HLA class II typing and idiopathic IgA nephropathy (IgAN): DQB1*0301, a possible marker of unfavorable outcome. <i>Tissue Antigens</i> , 1995, 45, 246-249.	1.0	26
102	A comprehensive approach for typing the alleles of the HLA-B locus by automated sequencing. <i>Tissue Antigens</i> , 1995, 46, 73-85.	1.0	95
103	Complete subtyping of the HLA-A locus by sequence-specific amplification followed by direct sequencing or single-strand conformation polymorphism analysis. <i>Tissue Antigens</i> , 1995, 46, 86-95.	1.0	62
104	An evaluation of a multicenter study on HLA-DPB1 typing using solid-phase Taq-cycle sequencing chemistry. <i>Tissue Antigens</i> , 1995, 46, 96-103.	1.0	14
105	Polymorphism in the LMP2 and LMP7 genes and adult rheumatoid arthritis: no relationship with disease susceptibility or outcome. <i>Tissue Antigens</i> , 1995, 46, 136-139.	1.0	13
106	The multiple sclerosis- and narcolepsy-associated HLA class II haplotype includes the <i>DRB5*0101</i> allele. <i>Tissue Antigens</i> , 1995, 46, 333-336.	1.0	118
107	A novel <i>DRB1</i> allele (<i>HLA-DRB1*1318</i>) featuring a DR8-associated sequence motif on a DR52 haplotype. <i>Tissue Antigens</i> , 1995, 46, 337-339.	1.0	5
108	Automated, solid-phase sequencing of DRB region genes using T7 sequencing chemistry and dye-labeled primers. <i>Tissue Antigens</i> , 1995, 46, 173-179.	1.0	68
109	Characterization of a new DPB1 allele (DPB1*5701) isolated from a Caucasian individual. <i>Tissue Antigens</i> , 1995, 46, 208-212.	1.0	2
110	HLA and TAP associations in Chinese systemic lupus erythematosus patients. <i>Tissue Antigens</i> , 1995, 46, 213-216.	1.0	13
111	Phototyping: comprehensive DNA typing for HLA-A, B, C, DRB1, DRB3, DRB4, DRB5 & DQB1 by PCR with 144 primer mixes utilizing sequence-specific primers (PCR-SSP). <i>Tissue Antigens</i> , 1995, 46, 355-367.	1.0	1,005
112	A Combination of Two Distinct <i>in vitro</i> Amplification Procedures for DNA Typing of HLA-DRB and -DQB 1 Alleles. <i>Vox Sanguinis</i> , 1995, 69, 328-335.	0.7	12

#	ARTICLE	IF	CITATIONS
113	Simultaneous DNA Typing of Human Platelet Antigens 2, 3 and 4 by an Allele-Specific PCR Method. Vox Sanguinis, 1995, 68, 225-230.	0.7	39
114	A case of unexplained mild Rh (D) haemolytic disease in utero. Transfusion Medicine, 1995, 5, 31-35.	0.5	0
115	HLA-DRB1 compatibility in cadaver kidney transplantation: correlation with graft survival and function. Transplant International, 1995, 8, 91-95.	0.8	7
116	Acute optic neuritis: Myelin basic protein and proteolipid protein antibodies, affinity, and the HLA system. Annals of Neurology, 1995, 38, 943-950.	2.8	26
117	Hla type as a predictor of mixed connective tissue disease differentiation ten-year clinical and immunogenetic followup of 46 patients. Arthritis and Rheumatism, 1995, 38, 259-266.	6.7	97
118	Progress of unrelated bone marrow donor search at the University Hospital of Essen (1991-1994). Annals of Hematology, 1995, 71, 71-75.	0.8	5
119	Correlation of donor antigen-specific hyporeactivity with allogeneic microchimerism in kidney and lung recipients. Pediatric Nephrology, 1995, 9, S35-S39.	0.9	9
120	A novel variant of DR4 (DRB1*0421) identified in a patient with polychondritis. Immunogenetics, 1995, 41, 171.	1.2	11
121	Lack of association between HLA-DQ and -DR genotypes and asthma in southern Chinese patients. Clinical and Experimental Allergy, 1995, 25, 323-331.	1.4	14
122	Positive selection in autoimmunity: Abnormal immune responses to a bacterial dnaJ antigenic determinant in patients with early rheumatoid arthritis. Nature Medicine, 1995, 1, 448-452.	15.2	168
123	Molecular genetics of major histocompatibility complex class II genes in hepatocellular carcinoma. Digestive Diseases and Sciences, 1995, 40, 1542-1546.	1.1	9
124	Histocompatibility testing for bone marrow and solid organ transplantation. Clinical Microbiology Newsletter, 1995, 17, 97-100.	0.4	0
125	No association between HLA DQ and -DR genotypes with nasopharyngeal carcinoma in southern Chinese. Cancer Genetics and Cytogenetics, 1995, 81, 42-45.	1.0	8
126	DNA-based HLA class II postmortem typing: evaluation of different techniques for prospective corneal allografting. Graefe's Archive for Clinical and Experimental Ophthalmology, 1995, 233, 635-641.	1.0	2
127	HLA class II genotyping: two assay systems compared. Clinical Chemistry, 1995, 41, 553-556.	1.5	15
128	Simultaneous DNA Typing of Human Platelet Antigens 2, 3 and 4 by an Allele-Specific PCR Method. Vox Sanguinis, 1995, 68, 225-230.	0.7	41
129	T Cell Proliferative Responses to Glutamic Acid Decarboxylase-65 in IDDM are Negatively Associated with HLA DR3/4. Autoimmunity, 1995, 22, 183-189.	1.2	19
130	HLA typing for DR3 and DR4 using artificial restriction fragment length polymorphism PCR from archival DNA.. Journal of Clinical Pathology, 1995, 48, 33-36.	1.0	8

#	ARTICLE	IF	CITATIONS
131	HLA Typing for Bone Marrow Transplantation. JAMA - Journal of the American Medical Association, 1995, 273, 586.	3.8	22
132	Histocompatibility antigens. Eye, 1995, 9, 173-179.	1.1	7
133	Tumor necrosis factor β -308 alleles in multiple sclerosis and optic neuritis. Journal of Neuroimmunology, 1995, 63, 143-147.	1.1	75
134	Identification of two major HLA-B44 subtypes and a novel B44 sequence (B*4404). Human Immunology, 1995, 42, 54-60.	1.2	23
135	Irregular polymerase chain reaction sequence-specific oligonucleotide hybridization patterns reveal seven new HLA-DRB1 alleles related to DR2, DR3, DR6, DR8, and DR11. Human Immunology, 1995, 42, 15-22.	1.2	16
136	Evolution in HLA-DRB1 and major histocompatibility complex class II haplotypes of Australian aborigines definition of a new DRB1 allele and distribution of DRB 1 gene frequencies. Human Immunology, 1995, 42, 154-160.	1.2	57
137	Extensive Polymorphism of a (CA) _n Microsatellite Located in the HLA-DQA1/DQB1 Class II Region. Human Immunology, 1995, 42, 209-220.	1.2	39
138	A novel HLA-DR13 allele (DRB1*1314) identified by single-strand conformation polymorphism analysis and confirmed by direct sequencing. Human Immunology, 1995, 43, 309-312.	1.2	9
139	Anti-HBV neonatal immunization with recombinant vaccine. Part II. Molecular basis of the impaired alloreactivity. Vaccine, 1995, 13, 555-560.	1.7	23
140	Analysis of disease-associated amino acid epitopes on HLA class II molecules in atopic dermatitis. Journal of Allergy and Clinical Immunology, 1995, 96, 1061-1068.	1.5	31
141	HLA-DR and HLA-DQ are not markers for rapid disease progression in primary sclerosing cholangitis. Gastroenterology, 1995, 108, 870-878.	0.6	95
142	Routine HLA DRB/DQB oligonucleotide typing by a non-radioactive dot-blot micromethod. Journal of Immunological Methods, 1995, 180, 35-43.	0.6	7
143	Autosomal dominant cerebellar ataxia deafness and narcolepsy. Journal of the Neurological Sciences, 1995, 134, 119-129.	0.3	57
144	Effect of Crossmatching on Outcome in Organ Transplantation. Critical Reviews in Clinical Laboratory Sciences, 1995, 32, 345-376.	2.7	11
145	Reduction of cellular rejection and increase in longer-term survival after heart transplantation after HLA-DR matching. Lancet, The, 1995, 346, 1318-1322.	6.3	73
146	Serology versus PCR-SSP in typing for HLA-DR and HLA-DQ: a practical evaluation. Tissue Antigens, 1995, 45, 36-40.	1.0	23
147	Posttransplant donor antigen-specific hyporeactivity in human transplantation. Transplantation Reviews, 1995, 9, 17-28.	1.2	11
148	Peyronie's Disease is Associated with an HLA Class II Antigen, HLA-DQ5, Implying an Autoimmune Etiology. Journal of Urology, 1996, 156, 1330-1334.	0.2	49

#	ARTICLE	IF	CITATIONS
149	Strategies for unambiguous detection of allelic heterozygosity via direct dna sequencing of PCR products: Application to the hla drb1 locus. <i>Molecular Diagnosis and Therapy</i> , 1996, 1, 89-98.	1.3	9
150	Definition of the initial immunologic modifications upon in vitro gliadin challenge in the small intestine of celiac patients. <i>Gastroenterology</i> , 1996, 110, 1368-1378.	0.6	160
151	Gluten-sensitive disease with mild enteropathy. <i>Gastroenterology</i> , 1996, 111, 608-616.	0.6	100
152	Studies of HLA-A and DR locus deletions in human liver cancer cell lines by PCR. <i>European Journal of Cancer</i> , 1996, 32, 371-372.	1.3	1
153	A computerized method to predict the discriminatory properties for class II sequencing based typing. <i>Human Immunology</i> , 1996, 46, 27-34.	1.2	19
154	Association of celiac disease with microsatellite polymorphisms close to the tumor necrosis factor genes. <i>Human Immunology</i> , 1996, 45, 24-31.	1.2	57
155	Homozygous Expression of a Missense Mutation at Nucleotide 385 in the FUT2 Gene Associates with the Le(a+b+) Partial-Secretor Phenotype in an Indonesian Family. <i>Biochemical and Biophysical Research Communications</i> , 1996, 219, 675-678.	1.0	42
156	Reduced frequency of HLA-DQ6 in individuals with a positive direct antiglobulin test. <i>Transfusion</i> , 1996, 36, 979-984.	0.8	13
157	Contribution of genes of the major histocompatibility complex to susceptibility and disease phenotype in inflammatory bowel disease. <i>Lancet</i> , The, 1996, 347, 1212-1217.	6.3	356
158	DR human leukocyte antigens and disease severity in chronic hepatitis C. <i>Journal of Hepatology</i> , 1996, 24, 666-673.	1.8	31
159	Sequence of a new HLA-DR4 allele with an unusual residue at position 88 that does not seem to affect T-cell allo recognition. <i>Human Immunology</i> , 1996, 51, 60-62.	1.2	9
160	A newHLA-DRB1 * 13 allele (DRB1 * 1318) with a shortDRB1*08 sequence. <i>Immunogenetics</i> , 1996, 43, 240-241.	1.2	1
161	Sequencing of a newHLA-DR14 allele (DRB1 * 1422). <i>Immunogenetics</i> , 1996, 43, 248-249.	1.2	2
162	Multivariate Analysis of HLA Loci in Conjunction with a Thyrotropin Receptor Codon 52 Polymorphism in Conferring Risk of Graves' Disease. <i>Thyroid</i> , 1996, 6, 261-265.	2.4	13
163	Hormonal and genetic analysis of a patient with congenital adrenal hyperplasia. <i>Clinical Chemistry</i> , 1996, 42, 1483-1487.	1.5	8
164	Evidence for a graft-versus-tumor effect in a patient treated with marrow ablative chemotherapy and allogeneic bone marrow transplantation for breast cancer. <i>Blood</i> , 1996, 88, 1501-1508.	0.6	256
165	Rapid Typing for Human Platelet Antigen Systems -1, -2, -3 and -5 by PCR Amplification with Sequence-Specific Primers. <i>Vox Sanguinis</i> , 1996, 71, 121-125.	0.7	107
166	Detection of maternal DNA in placental/umbilical cord blood by locus- specific amplification of the noninherited maternal HLA gene. <i>Blood</i> , 1996, 88, 1494-1500.	0.6	80

#	ARTICLE	IF	CITATIONS
167	DNA Sequencing and Screening for Point Mutations in the Human Lewis (FUT3) Gene Enables Molecular Genotyping of the Human Lewis Blood Group System. <i>Vox Sanguinis</i> , 1996, 70, 97-103.	0.7	4
168	HLA-B27 Determination by Polymerase Chain Reaction. <i>Disease Markers</i> , 1996, 12, 247-251.	0.6	4
170	HLA testing: The state of the art of genomic methods in 1996. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 2129-2134.	0.4	1
171	The interaction of a type A retroviral particle and class II human leukocyte antigen susceptibility genes in the pathogenesis of Graves' disease.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996, 81, 2271-2279.	1.8	21
172	Rapid Typing for Human Platelet Antigen Systems -1, -2, -3 and -5 by PCR Amplification with Sequence-Specific Primers. <i>Vox Sanguinis</i> , 1996, 71, 121-125.	0.7	109
173	SINGLE-STRAND CONFORMATION POLYMORPHISM (SSCP) ANALYSIS OF HLA-DRB1*1101. <i>International Journal of Immunogenetics</i> , 1996, 23, 345-352.	0.8	2
174	Role of allogeneic bone marrow transplantation from an HLA-identical sibling or a matched unrelated donor in the treatment of children with juvenile chronic myeloid leukaemia. <i>British Journal of Haematology</i> , 1996, 92, 49-54.	1.2	24
175	New polymorphisms within human TAP2 in the ATP-binding domain and profiles of TAP polymorphism in Japanese.. <i>Major Histocompatibility Complex</i> , 1996, 3, 1-8.	0.2	8
176	A Noninvasive "Swish and Spit" Method for Collecting Nucleated Cells for HLA Typing by PCR in Population Studies. <i>Human Heredity</i> , 1996, 46, 108-111.	0.4	23
177	Frequency of donor cytotoxic T cell precursors does not correlate with occurrence of acute graft-versus-host disease in children transplanted using unrelated donors. <i>Journal of Clinical Immunology</i> , 1996, 16, 107-114.	2.0	11
178	Only weak association between disease severity and HLA-DRB 1 genes in a Swiss population of rheumatoid arthritis patients. <i>Rheumatology International</i> , 1996, 16, 9-13.	1.5	12
179	A new HLA-DRB1 * 13 allele (DRB1 * 1318) with a short DRB1 * 08 sequence. <i>Immunogenetics</i> , 1996, 43, 240-241.	1.2	6
180	A single center evaluation of the Collaborative Transplant Study (CTS) DNA project. <i>Transplant International</i> , 1996, 9, 468-475.	0.8	2
181	Evaluation of the mixed lymphocyte culture (MLC) assay as a method for selecting unrelated donors for marrow transplantation. <i>Tissue Antigens</i> , 1996, 47, 27-36.	1.0	35
182	Complete allele typing of DR2&DRB1 by a combination of PCR&RFLP and PCR&SSP. <i>Tissue Antigens</i> , 1996, 47, 80-84.	1.0	1
183	HLA&A, &B, &C, &DR, &DQ typing in a population group of Senegal: distribution of HLA antigens and HLA&DRB1<i>*</i>13 and DRB1<i>*</i>11 subtyping by PCR using sequence&specific primers (PCR&SSP). <i>Tissue Antigens</i> , 1996, 47, 194-199.		19
184	Detection of the DRB4 null gene, DRB4<i>*</i>0101102N, by PCR&SSP and its distinction from other DRB4 genes. <i>Tissue Antigens</i> , 1996, 47, 245-248.	1.0	9
185	A rapid HLA&DRB1*04 subtyping method using PCR and DNA heteroduplex generators. <i>Tissue Antigens</i> , 1996, 47, 284-292.	1.0	10

#	ARTICLE	IF	CITATIONS
186	Brief communication Characterization of a new HLA*DRB5 allele (DRB5*0105) by PCR-SSP and direct sequencing. <i>Tissue Antigens</i> , 1996, 47, 338-340.	1.0	8
187	A novel Italian haplotype predominates in HLA-B45-positive bone marrow donors: HLA-A2, CW*1601, B45, DRB1*1101, DRB3*0301, DQA1*0102, DQB1*0502. <i>Tissue Antigens</i> , 1996, 47, 341-343.	1.0	0
188	Mechanisms of loss of HLA class I expression on colorectal tumor cells. <i>Tissue Antigens</i> , 1996, 47, 364-371.	1.0	99
189	Comparison of HLA-A antigen typing by serology with two polymerase chain reaction based DNA typing methods: implications for proficiency testing. <i>Tissue Antigens</i> , 1996, 47, 512-518.	1.0	28
190	Brief communication HLA-C genotyping in the Japanese population by the PCR-SSP method. <i>Tissue Antigens</i> , 1996, 48, 55-58.	1.0	20
191	Six newly identified HLA-DRB alleles: DRB1*1121, *1419, *1420, *1421, DRB3*0203 and DRB5*0103. <i>Tissue Antigens</i> , 1996, 48, 80-86.	1.0	11
192	Sequence-specific priming and exonuclease-released fluorescence detection of HLA-DQB1 alleles. <i>Tissue Antigens</i> , 1996, 48, 97-112.	1.0	47
193	Possible HLA association with susceptibility to HTLV-1 tropical spastic paraparesis in Israel in Iranian Jews as compared to HTLV-1-associated myelopathy in Japan. <i>Tissue Antigens</i> , 1996, 48, 136-138.	1.0	1
194	HLA-DPA1 typing by PCR amplification with sequence-specific primers (PCR-SSP) and distribution of DPA1 alleles in Caucasian, African and Oriental populations. <i>Tissue Antigens</i> , 1996, 48, 153-160.	1.0	36
195	Distribution of the HLA-A9 antigen family (A23, A24 and A2403). <i>Tissue Antigens</i> , 1996, 48, 586-588.	1.0	10
196	High resolution HLA-C typing by PCR-SSP: identification of allelic frequencies and linkage disequilibria in 604 unrelated random UK Caucasoids and a comparison with serology. <i>Tissue Antigens</i> , 1996, 48, 680-691.	1.0	105
197	Identification of a new DRB1 allele (DRB1*1325) by PCR-SSP and DNA sequencing. <i>Tissue Antigens</i> , 1996, 48, 714-716.	1.0	6
198	DNA Sequencing and Screening for Point Mutations in the Human Lewis (FUT3) Gene Enables Molecular Genotyping of the Human Lewis Blood Group System. <i>Vox Sanguinis</i> , 1996, 70, 97-103.	0.7	54
199	RECENT ADVANCES IN HLA. <i>Vox Sanguinis</i> , 1996, 70, 89-94.	0.7	2
200	Maternal HLA Class II Alleles Predispose to Pregnancy Losses in Danish Women With Recurrent Spontaneous Abortions and Their Female Relatives. <i>American Journal of Reproductive Immunology</i> , 1996, 35, 239-244.	1.2	19
201	Bone marrow transplantation in children using unrelated donors at Huddinge Hospital. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1996, 85, 327-335.	0.7	23
202	Bone marrow transplantation from partially HLA-matched related donors in adults with leukaemia: The Experience at the University Hospital of Essen, Germany. <i>British Journal of Haematology</i> , 1996, 92, 913-921.	1.2	14
203	Determination of neutrophil antigen gene frequencies in five ethnic groups by polymerase chain reaction with sequence-specific primers. <i>Transfusion</i> , 1996, 36, 895-899.	0.8	85

#	ARTICLE	IF	CITATIONS
204	TNF2, a polymorphism of the tumour necrosis- β gene promoter, is a component of the celiac disease major histocompatibility complex haplotype. <i>European Journal of Immunology</i> , 1996, 26, 2113-2118.	1.6	100
205	Humoral and cellular immune responses to hepatitis B vaccination in hepatitis B surface antigen-carrier children who cleared serum- hepatitis B surface antigen. <i>Hepatology</i> , 1996, 24, 1355-1360.	3.6	18
206	Prenatal and molecular diagnosis of hemophilia B. , 1996, 52, 243-247.		1
207	EDITORIAL. WHOSE TISSUE IS IT ANYWAY?. , 1996, 179, 229-231.		2
208	A new, fast, and simple DNA extraction method for HLA and VNTR genotyping by PCR amplification. , 1996, 10, 125-128.		5
209	Different HLA-DR-DQ haplotypes are associated with cervical intraepithelial neoplasia among human papillomavirus type-16 seropositive and seronegative Swedish women. , 1996, 68, 409-414.		66
210	Oral type II collagen treatment in early rheumatoid arthritis. A double-blind, placebo-controlled, randomized trial. <i>Arthritis and Rheumatism</i> , 1996, 39, 41-51.	6.7	153
211	Unrelated donor bone marrow transplantation to treat severe aplastic anaemia in children and young adults. <i>British Journal of Haematology</i> , 1996, 94, 65-72.	1.2	89
212	Unrelated donor bone marrow transplantation for children with relapsed acute lymphoblastic leukaemia in second complete remission. <i>British Journal of Haematology</i> , 1996, 94, 574-578.	1.2	152
213	Primary pulmonary hypertension: immunogenetic response to high-mobility group (HMG) proteins and histone. <i>Clinical and Experimental Immunology</i> , 1996, 106, 389-395.	1.1	24
214	Investigation of specimen mislabelling in paraffin-embedded tissue using a rapid, allele-specific, PCR-based HLA class II typing method. <i>Histopathology</i> , 1996, 28, 169-174.	1.6	19
215	Lack of evidence of a significant association between HLA-DR, DQ and DP genotypes and atopy in families with HDM allergy. <i>Clinical and Experimental Allergy</i> , 1996, 26, 1142-1149.	1.4	31
216	Fibroblast growth factor receptor 2 mutations in Beare's-Stevenson cutis gyrata syndrome. <i>Nature Genetics</i> , 1996, 13, 492-494.	9.4	181
217	An autosomal screen for genes that predispose to celiac disease in the western counties of Ireland. <i>Nature Genetics</i> , 1996, 14, 329-333.	9.4	173
218	HLA-DR4 May Determine Expression of Actinic Prurigo in British Patients. <i>Journal of Investigative Dermatology</i> , 1996, 106, 362-364.	0.3	61
220	Relationship between Human Leukocyte Antigen Determinants and Courses of Hepatitis B Virus Infection in Caucasian Patients with End-Stage Renal Disease. <i>Scandinavian Journal of Gastroenterology</i> , 1996, 31, 1211-1215.	0.6	13
221	Characterization of Gene Rearrangements and Gene Conversion Events in the 21-Hydroxylase Gene. , 1996, 5, 121-140.		2
222	Primary pulmonary hypertension in HIV infection: an outcome determined by particular HLA class II alleles.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1996, 153, 1299-1301.	2.5	102

#	ARTICLE	IF	CITATIONS
223	Analysis of the T Cell Receptor V β Repertoire in Hashimoto's Thyroiditis: Evidence for the Restricted Accumulation of CD8 ⁺ T Cells in the Absence of CD4 ⁺ T Cell Restriction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 1140-1146.	1.8	12
224	Immunoglobulin G β Antithyroid Peroxidase Antibodies in Hashimoto's Thyroiditis: Epitope-Mapping Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 2639-2644.	1.8	46
225	Increase of HLA-DRB1*0408 and -DQB1*0301 in HLA-B27 positive reactive arthritis. <i>Annals of the Rheumatic Diseases</i> , 1997, 56, 37-40.	0.5	24
226	Genetic analysis of hydatidiform moles in paraffin wax embedded tissue using rapid, sequence specific PCR-based HLA class II typing. <i>Journal of Clinical Pathology</i> , 1997, 50, 288-293.	1.0	9
227	Allogeneic Bone Marrow Transplantation for Hematological Malignancies—Controversies and Recent Advances. <i>Acta Oncologica</i> , 1997, 36, 549-564.	0.8	42
228	Paget Bone Disease Involving Young Adults in 3 Generations of a Korean Family. <i>Medicine (United States)</i> , 1997, 76, 1078-1083.	0.4	28
229	Distinct T cell receptor repertoires in monozygotic twins concordant for coeliac disease. <i>Clinical and Experimental Immunology</i> , 1997, 107, 148-157.	1.1	22
230	Primary pulmonary hypertension, tissue plasminogen activator antibodies, and HLA-DQ7. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 155, 274-278.	2.5	56
231	HLA Class II Genes in Soybean Epidemic Asthma Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 156, 1394-1398.	2.5	34
232	HLA-DR Predicts the Prognosis in Scandinavian Patients with Pulmonary Sarcoidosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 156, 1601-1605.	2.5	250
233	The association of HLA-DRB genes and the shared epitope with rheumatoid arthritis in Pakistan. <i>Rheumatology</i> , 1997, 36, 1184-1188.	0.9	31
234	Linkage analysis of HLA class II Genes in Swedish multiplex families with multiple sclerosis. <i>Neurology</i> , 1997, 48, 758-762.	1.5	31
235	The Effect of HLA-B Allele on the IDDM Risk Defined by DRB1*04 Subtypes and DQB1*0302. <i>Diabetes</i> , 1997, 46, 1888-1892.	0.3	62
236	Origin of Pleural Cells After Lung Transplantation*. <i>Chest</i> , 1997, 112, 426-429.	0.4	6
237	NO LINKAGE OR ASSOCIATION OF A VNTR MARKER IN THE JUNCTION REGION OF THE IMMUNOGLOBULIN HEAVY CHAIN GENES IN MULTIPLE SCLEROSIS. <i>International Journal of Immunogenetics</i> , 1997, 24, 259-264.	1.2	9
238	Current Approaches to Histocompatibility Testing a Short Overview. <i>Acta Clinica Belgica</i> , 1997, 52, 92-98.	0.5	0
239	Nickel contamination of gold salts: link with gold-induced skin rash. <i>Rheumatology</i> , 1997, 36, 1054-1058.	0.9	10
240	HLA-D Types and Serum IgG Responses to Capnocytophaga in Diabetes and Periodontitis. <i>Journal of Dental Research</i> , 1997, 76, 1825-1832.	2.5	21

#	ARTICLE	IF	CITATIONS
241	Temporal and quantitative analysis of chimerism in liver and kidney transplant patients: An enhanced fluorescence detection system allows for more sensitive quantitative detection. <i>Molecular Diagnosis and Therapy</i> , 1997, 2, 187-195.	1.3	3
242	Polymorphism in transporter antigen peptides gene (TAP1) associated with atopy in Tunisians. <i>Journal of Allergy and Clinical Immunology</i> , 1997, 99, 216-223.	1.5	30
243	T-cell receptor V β 2 gene segment expression in diisocyanate-induced occupational asthma. <i>Journal of Allergy and Clinical Immunology</i> , 1997, 99, 245-250.	1.5	58
244	Allelic basis for HLA-encoded susceptibility to type 1 autoimmune hepatitis. <i>Gastroenterology</i> , 1997, 112, 2028-2035.	0.6	257
245	Human leukocyte antigen class ii associations in patients with idiopathic dilated cardiomyopathy. <i>Journal of Cardiac Failure</i> , 1997, 3, 97-103.	0.7	30
246	Prenatal determination of human platelet antigen type 4 by DNA amplification of amniotic fluid cells. <i>Transfusion Science</i> , 1997, 18, 85-89.	0.6	4
247	Assessment of the effects of cadaveric donor bone marrow on chimerism in kidney transplant recipients by the polymerase chain reaction-flow technique. <i>Transplantation Proceedings</i> , 1997, 29, 1219-1221.	0.3	5
248	HLA-DRB1 typing does not prolong cold ischemia time and affects outcome in cadaver kidney transplantation. <i>Transplantation Proceedings</i> , 1997, 29, 1397-1400.	0.3	0
249	Living donor lobar lung transplants and HLA matching: A preliminary report. <i>Transplantation Proceedings</i> , 1997, 29, 1418-1419.	0.3	6
250	Influence of donor/recipient phenotype and degree of HLA mismatch on the development of transplant-associated coronary artery disease in heart transplant patients. <i>Transplantation Proceedings</i> , 1997, 29, 1420-1421.	0.3	4
251	PCR-flow analysis used to detect the levels of chimerism in peripheral blood of bone-marrow infused organ allograft recipients at the time of rejection episodes. <i>Transplantation Proceedings</i> , 1997, 29, 2179-2180.	0.3	4
252	Microchimerism in renal transplant recipients correlates with better HLA-DRB1 matched status. <i>Transplantation Proceedings</i> , 1997, 29, 2290-2293.	0.3	5
253	Histocompatibility in live related donor renal transplantation. <i>Transplantation Proceedings</i> , 1997, 29, 2973-2974.	0.3	1
254	Transplantation with unrelated bone marrow in leukemic patients above 40 years of age. <i>Transplantation Proceedings</i> , 1997, 29, 3145-3146.	0.3	1
255	A three-step allele-level DRB1-DRB3-DR4-DRB5 genotyping assay using polymerase chain reaction with immobilized sequence-specific oligoprobes. <i>Tissue Antigens</i> , 1997, 50, 291-302.	1.0	13
256	Further evidence of the role of HLA-DR4 in the genetic susceptibility to actinic prurigo. <i>Journal of the American Academy of Dermatology</i> , 1997, 36, 935-937.	0.6	63
257	Quality Control for DNA Contamination in Laboratories Using PCR-Based Class II HLA Typing Methods. <i>Human Immunology</i> , 1997, 54, 82-88.	1.2	5
258	A Comparative Study of HLA-DRB Typing by Transcription-Mediated Amplification with the Hybridization Protection Assay (TMA/HPA) versus PCR/SSOP. <i>Human Immunology</i> , 1997, 55, 74-84.	1.2	4

#	ARTICLE	IF	CITATIONS
259	TCRB Clonotypes Are Present in CD4 T Cell Populations Prepared Directly from Rheumatoid Synovium. <i>Human Immunology</i> , 1997, 55, 11-21.	1.2	16
260	First Report of Recombination Between the HLA-DR and HLA-DQ Loci Within a Family. <i>Human Immunology</i> , 1997, 57, 37-43.	1.2	12
261	The Role of HLA in Renal Transplantation. <i>Human Immunology</i> , 1997, 56, 6-16.	1.2	21
262	Superantigen-based immunotherapy: a phase I trial of PNU-214565, a monoclonal antibody-staphylococcal enterotoxin A recombinant fusion protein, in advanced pancreatic and colorectal cancer.. <i>Journal of Clinical Oncology</i> , 1997, 15, 1994-2007.	0.8	76
263	Double-Labeled Fluorescent Probes for 5â€² Nuclease Assays: Purification and Performance Evaluation. <i>BioTechniques</i> , 1997, 22, 1140-1145.	0.8	26
264	Missense Mutations in the Fas Gene Resulting in Autoimmune Lymphoproliferative Syndrome: A Molecular and Immunological Analysis. <i>Blood</i> , 1997, 89, 902-909.	0.6	178
265	Characterization of a New Alloantigen (SH) on the Human Neutrophil FcÎ³ receptor IIIb. <i>Blood</i> , 1997, 89, 1027-1034.	0.6	181
266	Predictors of Long-Term Response to High-Dose Interferon Therapy in Type II Cryoglobulinemia Associated With Hepatitis C Virus Infection. <i>Blood</i> , 1997, 90, 3865-3873.	0.6	129
267	HLA class II genes in Latvian patients with juvenile rheumatoid arthritis. <i>Tissue Antigens</i> , 1997, 49, 56-60.	1.0	6
268	HLAâ€”DRB4 genotyping by PCRâ€”RFLP: diversity in the associations between HLAâ€”DRB4 and DRB1 alleles. <i>Tissue Antigens</i> , 1997, 49, 152-159.	1.0	36
269	TAP polymorphisms in Swedish myasthenia gravis patients. <i>Tissue Antigens</i> , 1997, 49, 176-179.	1.0	12
270	A novel DRB1*13 allele (DRB1*1327) on a DR17, DQ2 haplotype with a DRB1*0301 sequence motif in the 2nd hyperpolymorphic region. <i>Tissue Antigens</i> , 1997, 49, 186-188.	1.0	10
271	Serologic ambiguity and allelic frequency of the HLAâ€”B40 family in the Korean population. <i>Tissue Antigens</i> , 1997, 49, 383-388.	1.0	11
272	HLA class I genotyping by cDNA sequence of a Vietnamese family expressing a weak B46 antigen. <i>Tissue Antigens</i> , 1997, 49, 519-522.	1.0	2
273	HLAâ€”DQB1*0304â€”DRB1*0408 haplotype associated with insulinâ€”dependent diabetes mellitus in populations in the eastern Baltic region. <i>Tissue Antigens</i> , 1997, 49, 532-534.	1.0	8
274	Genomic organization and allelic polymorphism of the human killer cell inhibitory receptor gene KIR 103. <i>Tissue Antigens</i> , 1997, 49, 564-573.	1.0	62
275	Identification and nucleotide sequence of two novel DRB3 alleles, DRB3*0102 and DRB3*010133. <i>Tissue Antigens</i> , 1997, 49, 665-667.	1.0	1
276	The HLAâ€”DQ(Î±1*0102, Î±2*0602) heterodimer may confer susceptibility to multiple sclerosis in the absence of the HLAâ€”DR(Î±1*01, Î±2*1501) heterodimer. <i>Tissue Antigens</i> , 1997, 50, 15-22.	1.0	38

#	ARTICLE	IF	CITATIONS
277	A new HLA-B*44 variant (B44BO [B*4408]) identified by serology. Tissue Antigens, 1997, 50, 32-37.	1.0	14
278	Association of the TNFa2 microsatellite allele with the presence of colorectal cancer. Tissue Antigens, 1997, 50, 47-51.	1.0	13
279	A strong association between HLA-B*5101 and Behçet's disease in Greek patients. Tissue Antigens, 1997, 50, 57-60.	1.0	75
280	Lack of HLA-DR2-associated DRB1 gene in a family. Tissue Antigens, 1997, 50, 85-88.	1.0	2
281	A novel variant of DR11 (DRB1*1128) identified in the family by polymerase chain reaction reverse dot blot. Tissue Antigens, 1997, 50, 94-95.	1.0	3
282	High resolution HLA-C typing by PCR-SSP: identification of allelic frequencies and linkage disequilibria in 604 unrelated random UK Caucasoids and a comparison with serology. Tissue Antigens, 1997, 50, 100-111.	1.0	53
283	Molecular analysis of HLA polymorphism in Khoton Mongolians. Tissue Antigens, 1997, 50, 124-134.	1.0	58
284	High resolution HLA-DRB typing using denaturing gradient gel electrophoresis and direct sequencing. Tissue Antigens, 1997, 50, 170-177.	1.0	39
285	Identification of HLA-B*5108 using polymerase chain reaction with sequence-specific primers or sequence-specific oligonucleotide probes and sequencing. Tissue Antigens, 1997, 50, 202-204.	1.0	6
286	Full length cDNA nucleotide sequence of a serologically undetectable YLLA-DQA1 allele: HLA-DQA1*LA. Tissue Antigens, 1997, 50, 334-339.	1.0	9
287	A 25% error rate in serologic typing of HLA-B homozygotes. Tissue Antigens, 1997, 50, 359-365.	1.0	30
288	Accurate typing of HLA-A antigens and analysis of serological deficiencies. Tissue Antigens, 1997, 50, 380-386.	1.0	30
289	Complete HLA-A DNA typing using the PCR-RFLP method combined with allele group and sequence-specific amplification. Tissue Antigens, 1997, 50, 535-545.	1.0	23
290	HLA polymorphism and probability of finding HLA-matched unrelated marrow donors for Chinese in Taiwan. Tissue Antigens, 1997, 50, 610-619.	1.0	15
291	Fluorotyping of HLA-C: differential detection of amplicons by sequence-specific priming and fluorogenic probing. Tissue Antigens, 1997, 50, 627-638.	1.0	18
292	Molecular typing of HLA class I and class II antigens in Indian kala-azar patients. Tropical Medicine and International Health, 1997, 2, 468-471.	1.0	20
293	HLA-CW*0602 Is a Susceptibility Factor in Type I Psoriasis, and Evidence Ala-73 Is Increased in Male Type I Psoriatics. Journal of Investigative Dermatology, 1997, 109, 183-186.	0.3	73
294	Enhanced discrimination of single nucleotide polymorphisms by artificial mismatch hybridization. Nature Biotechnology, 1997, 15, 331-335.	9.4	134

#	ARTICLE	IF	CITATIONS
295	Increased frequency of HLA-DR4 allele in women with unexplained recurrent spontaneous abortions, detected by the method of PCR-SSP. <i>Journal of Reproductive Immunology</i> , 1997, 32, 273-279.	0.8	17
296	HLA-C and -Bw typing of couples with unexplained recurrent miscarriages. <i>Journal of Reproductive Immunology</i> , 1997, 37, 63-77.	0.8	17
297	Bone marrow transplantation using unrelated donors for haematological malignancies. <i>Medical Oncology</i> , 1997, 14, 11-22.	1.2	19
298	Major histocompatibility complex restriction in tuberculosis susceptibility. <i>Journal of Biosciences</i> , 1997, 22, 47-57.	0.5	3
299	Coding versus intron variability: extremely polymorphic HLA-DRB1 exons are flanked by specific composite microsatellites, even in distant populations. <i>Human Genetics</i> , 1997, 99, 399-406.	1.8	26
300	Antiperinuclear factor - clinical, serological and genetic correlates in Israeli patients with rheumatoid arthritis. <i>Rheumatology International</i> , 1997, 17, 141-143.	1.5	0
301	HLA class II haplotype and sequence analysis support a role for DQ in narcolepsy. <i>Immunogenetics</i> , 1997, 46, 410-417.	1.2	61
302	Two newly identified HLA-DRB1 alleles: DRB1 * 1322 and DRB1 * 1327. <i>Immunogenetics</i> , 1997, 46, 442-443.	1.2	3
303	HLA-DRB1 * 1608 : a new HLA-DRB1 * 16 allele with a short DRB1 * 03 sequence. <i>Immunogenetics</i> , 1997, 46, 444-445.	1.2	2
304	Molecular histocompatibility typing in unrelated donor bone marrow transplantation. <i>Blood Reviews</i> , 1997, 11, 105-117.	2.8	23
305	Anti-D in a D-positive renal transplant patient. <i>Transfusion</i> , 1997, 37, 321-324.	0.8	18
306	Analysis of the Tâ€Cell Receptor VÎ2 Usage in Monozygotic and Dizygotic Twins Living in a Plasmodium falciparum Endemic Area in West Africa. <i>Scandinavian Journal of Immunology</i> , 1997, 45, 541-545.	1.3	7
307	HPA genotyping by PCR sequenceâ€specific priming (PCRâ€SSP): a streamlined method for rapid routine investigations. <i>Transfusion Medicine</i> , 1997, 7, 41-45.	0.5	97
308	Lupus anticoagulants: strong association with the major histocompatibility complex class II and platelet antibodies. <i>British Journal of Haematology</i> , 1997, 98, 342-345.	1.2	25
309	One-tube method for complete HPA-1 genotyping by PCR using sequence-specific primers. <i>British Journal of Haematology</i> , 1997, 99, 968-973.	1.2	5
310	Two novel alleles of the ATCT variable number tandem repeat locus VWF.VNTR I in intron 40 of the von Willebrand factor gene. <i>British Journal of Haematology</i> , 1997, 96, 298-300.	1.2	5
311	Associations between alleles of the major histocompatibility complex and type 1 autoimmune hepatitis. <i>Hepatology</i> , 1997, 25, 317-323.	3.6	255
312	Peripheral blood chimerism following human liver transplantation. <i>Hepatology</i> , 1997, 25, 1233-1236.	3.6	55

#	ARTICLE	IF	CITATIONS
313	Familial hydronephrosis unlinked to the HLA complex. , 1997, 70, 118-120.		7
314	Prenatal diagnosis of congenital adrenal hyperplasia (21-hydroxylase deficiency) in Croatia. American Journal of Medical Genetics Part A, 1997, 72, 302-306.	2.4	4
315	Nested polymerase chain reaction-based HLA class II typing for the unique identification of formalin-fixed and paraffin-embedded tissue. , 1997, 181, 228-234.		9
316	A neuroblastoma cell line derived from a case detected through a mass screening system in Japan. Cancer, 1997, 79, 2036-2044.	2.0	18
317	Polymorphism in the tumor necrosis factor- γ promotor region and in the heat shock protein 70 genes associated with malignant tumors. , 1997, 80, 1489-1496.		98
318	Stimulation of CD8+ T cell responses to MAGE-3 and Melan A/MART-1 by immunization to a polyvalent melanoma vaccine. , 1997, 72, 972-976.		56
319	HLA class I and II profiles of patients presenting with Chagas' disease. Digestive Diseases and Sciences, 1998, 43, 246-252.	1.1	46
320	Immune phenotype of chronic liver disease. Digestive Diseases and Sciences, 1998, 43, 2149-2155.	1.1	63
321	Frequency and significance of phenotypes for alpha1-antitrypsin deficiency in type 1 autoimmune hepatitis. Digestive Diseases and Sciences, 1998, 43, 1725-1731.	1.1	23
322	HLA-DRB and -DQB1 alleles in Polish patients with hepatitis B associated membranous nephropathy. Tissue Antigens, 1998, 52, 130-134.	1.0	12
323	The PCR-SSP Manager computer program: a tool for maintaining sequence alignments and automatically updating the specificities of PCR-SSP primers and primer mixes. Tissue Antigens, 1998, 52, 158-174.	1.0	13
324	HLA-B*27 typing by group-specific hybridization in microtiter plates. Tissue Antigens, 1998, 52, 175-178.	1.0	16
325	Comprehensive HLA-DP typing using polymerase chain reaction with sequence-specific primers and 95 sequence-specific primer mixes. Tissue Antigens, 1998, 51, 51-61.	1.0	35
326	Comparison of serological and molecular typing for HLA-A and -B on cord blood lymphocytes. Tissue Antigens, 1998, 51, 67-71.	1.0	9
327	HLA-DRB1, -DQB1 and -DPB1 polymorphism in the Slovak population. Tissue Antigens, 1998, 51, 574-576.	1.0	17
328	HLA class I phenotype and genotype alterations in cervical carcinomas and derivative cell lines. Tissue Antigens, 1998, 51, 623-636.	1.0	48
329	Indications of immunological tolerance in kidney transplantation. Tissue Antigens, 1998, 51, 637-644.	1.0	26
330	Improvement of HLA class I and class II PCR-SSP typing by using timed-release activity of DNA polymerase. Tissue Antigens, 1998, 51, 645-648.	1.0	1

#	ARTICLE	IF	CITATIONS
331	The nature of polymorphism of the HLAâ€œDRB intron sequences is lineage specific. <i>Tissue Antigens</i> , 1998, 52, 19-26.	1.0	26
332	Typing of HLAâ€œB*15 alleles using sequenceâ€œspecific primers. <i>Tissue Antigens</i> , 1998, 52, 260-269.	1.0	10
333	DLAâ€œDRB1 and DLAâ€œDQB1 histocompatibility typing by PCRâ€œSSCP and sequencing. <i>Tissue Antigens</i> , 1998, 52, 397-401.	1.0	74
334	A reliable and efficient high resolution typing method for HLAâ€œC using sequenceâ€œbased typing. <i>Tissue Antigens</i> , 1998, 52, 558-568.	1.0	49
335	Familial Prostate Cancer in Japan. <i>International Journal of Urology</i> , 1998, 5, 138-145.	0.5	16
336	Familial Prostate Cancer in Four Brothers. <i>International Journal of Urology</i> , 1998, 5, 386-390.	0.5	1
337	Successful resolution of severe graft <i>versus</i> host disease after liver transplantation correlating with disappearance of donor DNA from the peripheral blood. <i>Australian and New Zealand Journal of Medicine</i> , 1998, 28, 830-832.	0.5	17
338	Transplantation with unrelated bone marrow in leukaemic patients above 40 years of age. <i>Bone Marrow Transplantation</i> , 1998, 21, 43-49.	1.3	26
339	Faster neutrophil and platelet engraftment, but no differences in acute GVHD or survival, using peripheral blood stem cells from related and unrelated donors, compared to bone marrow. <i>Bone Marrow Transplantation</i> , 1998, 22, 131-136.	1.3	32
340	A novel strategy for unambiguous DPB1 typing. <i>International Journal of Immunogenetics</i> , 1998, 25, 371-374.	1.2	3
341	Increased reactivity to myelin oligodendrocyte glycoprotein peptides and epitope mapping in HLA DR2(15)+ multiple sclerosis. <i>European Journal of Immunology</i> , 1998, 28, 3329-3335.	1.6	108
342	Rapid method for successful HLA class I and II typing from cadaveric blood for direct matching in cornea transplantation. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 1998, 236, 507-512.	1.0	9
343	HLA typing in the United Kingdom multiple sclerosis genome screen. <i>Neurogenetics</i> , 1998, 2, 24-33.	0.7	57
344	A methodological appraisal of the impact of different classification procedures used in three different phases of the Australian rheumatoid arthritis twin survey. <i>Inflammopharmacology</i> , 1998, 6, 81-89.	1.9	2
345	Serology versus ARMS-PCR in prospective HLA-class I typing for bone marrow transplantation. <i>Annals of Hematology</i> , 1998, 77, 97-100.	0.8	6
346	Neonatal Alloimmune Thrombocytopenia due to Anti-HPA-1b (PLA2) (Zwb). A Case Report and Review. <i>Vox Sanguinis</i> , 1998, 74, 256-259.	0.7	10
347	Rapid Detection of Genetic Mutations Associated with Haemochromatosis. <i>Vox Sanguinis</i> , 1998, 75, 253-256.	0.7	20
348	Angiotensin-converting enzyme gene polymorphism and reversibility of uremic left ventricular hypertrophy following long-term antihypertensive therapy. <i>Kidney International</i> , 1998, 54, 618-626.	2.6	32

#	ARTICLE	IF	CITATIONS
349	Response to interferon therapy: influence of human leucocyte antigen alleles in patients with chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 1998, 5, 249-253.	1.0	31
350	Celtic ancestry, HLA phenotype and increased risk of skin cancer. <i>British Journal of Dermatology</i> , 1998, 138, 627-630.	1.4	13
351	Epidermodysplasia verruciformis-like eruption complicating human immunodeficiency virus infection. <i>British Journal of Dermatology</i> , 1998, 139, 122-127.	1.4	66
352	HLA-DRB1*0701 and DRB1*1401 are associated with genetic susceptibility to psoriasis vulgaris in a Taiwanese population. <i>British Journal of Dermatology</i> , 1998, 139, 978-983.	1.4	26
353	Long-term detection of microchimaerism in peripheral blood after pretransplantation blood transfusion. <i>British Journal of Haematology</i> , 1998, 102, 1004-1009.	1.2	22
354	Selective CD8+ α T cells accumulate in the lungs of patients with allergic asthma after allergen bronchoprovocation. <i>Clinical and Experimental Immunology</i> , 1998, 112, 1-9.	1.1	28
355	Differential regulation of Th1 and Th2 cells by p91-110 and p21-40 peptides of the 16-kD α -crystallin antigen of <i>Mycobacterium tuberculosis</i> . <i>Clinical and Experimental Immunology</i> , 1998, 114, 392-397.	1.1	37
356	Autoimmune responses to the β cell autoantigen, insulin, and the INS VNTR-IDDMM2 locus. <i>Clinical and Experimental Immunology</i> , 1998, 114, 370-376.	1.1	18
357	Determination of a common genetic variant of luteinizing hormone using DNA hybridization and immunoassays. <i>Clinical Endocrinology</i> , 1998, 49, 369-376.	1.2	47
358	Histocompatibility antigen studies in women with recurrent miscarriages and Müllerian uterine anomalies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 78, 73-77.	0.5	2
359	Polymorphisms in IL-1 β and IL-1 receptor antagonist genes are associated with myasthenia gravis. <i>Journal of Neuroimmunology</i> , 1998, 81, 76-81.	1.1	91
360	HLA associations with multiple sclerosis in the Canary Islands. <i>Journal of Neuroimmunology</i> , 1998, 87, 130-135.	1.1	60
361	Intron 2 and exon 3 sequences of HLA-B alleles may be involved in the susceptibility to develop Takayasu arteritis. <i>International Journal of Cardiology</i> , 1998, 66, S135-S138.	0.8	5
362	HLA-DRB1*0405 is the Predominant Allele in Brazilian Patients With Vogt-Koyanagi-Harada Disease. <i>Human Immunology</i> , 1998, 59, 183-188.	1.2	76
363	Genetic and Immunologic Studies of Patients on Procainamide. <i>Human Immunology</i> , 1998, 59, 158-168.	1.2	1
364	HLA-G Polymorphisms and Allele Frequencies in Caucasians. <i>Human Immunology</i> , 1998, 59, 302-312.	1.2	67
365	Analysis of HLA class II and TAP alleles in Japanese patients with psoriasis vulgaris. <i>Human Immunology</i> , 1998, 59, 503-511.	1.2	12
366	Effect of HLA matching on cadaver kidney survival in the north italy transplant program. <i>Transplantation Proceedings</i> , 1998, 30, 1735-1738.	0.3	4

#	ARTICLE	IF	CITATIONS
367	Association between HLA class II alleles and protection from or susceptibility to chronic hepatitis C. <i>Journal of Hepatology</i> , 1998, 28, 1-7.	1.8	90
368	MHC class II sequences of susceptibility and protection in Mexicans with autoimmune hepatitis. <i>Journal of Hepatology</i> , 1998, 28, 985-990.	1.8	128
369	SUSCEPTIBILITY TO IDIOPATHIC AZOOSPERMIA IN JAPANESE MEN IS LINKED TO HLA CLASS I ANTIGEN. <i>Journal of Urology</i> , 1998, 159, 1939-1941.	0.2	15
370	EFFECT OF HLA MATCHING ON OUTCOME OF RELATED AND UNRELATED DONOR TRANSPLANTATION THERAPY FOR CHRONIC MYELOGENOUS LEUKEMIA. <i>Hematology/Oncology Clinics of North America</i> , 1998, 12, 107-121.	0.9	12
371	TAP2 Alleles in Inflammatory Arthritis. <i>Scandinavian Journal of Rheumatology</i> , 1998, 27, 225-229.	0.6	15
372	HLA-Cw*0602 and HIV-associated psoriasis. <i>British Journal of Dermatology</i> , 1998, 139, 527-533.	1.4	41
373	Microchimerism in Organ Transplantation. , 1998, , 285-298.		2
374	New HLA Typing Methods. , 1998, , 143-195.		3
375	External Quality Assessment of Molecular Biology-Based Methods Used in Laboratories of Clinical Chemistry and Human Genetics. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, 231-4.	1.4	12
376	A Comparative Study of Major Histocompatibility Complex and Red Blood Cell Antigen Phenotypes as Risk Factors for Recurrent Urinary Tract Infections in Women. <i>Journal of Infectious Diseases</i> , 1998, 177, 1296-1301.	1.9	23
377	Can collagen type II sustain a methotrexate-induced therapeutic effect in patients with long-standing rheumatoid arthritis? A double-blind, randomized trial. <i>British Journal of Rheumatology</i> , 1998, 37, 1110-1117.	2.5	13
378	HLA-DR Alleles are Associated with IDDM, but not with Impaired Neutrophil Chemotaxis in IDDM. <i>Journal of Dental Research</i> , 1998, 77, 1497-1503.	2.5	26
379	Analysis of T cell receptor V alpha polymorphisms in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 49-51.	0.5	9
380	HLA class I (A, B) and II (DR, DQ) Gene and Haplotype Frequencies in Blood Donors from Wales. <i>Experimental and Clinical Immunogenetics</i> , 1998, 15, 69-83.	1.4	71
381	Studies on associations between human leukocyte antigen (HLA) class II alleles and antiphospholipid antibodies in Danish and Czech women with recurrent miscarriages. <i>Human Reproduction</i> , 1998, 13, 3326-3331.	0.4	36
382	Nonsynonymous Mutations within the Human Immunodeficiency Virus Type 1 p17 Gene Are Clustered to Sequences Binding to the Host Human Leukocyte Antigen Class I Molecules. <i>AIDS Research and Human Retroviruses</i> , 1998, 14, 241-248.	0.5	25
383	Presence of HLA-C-Restricted Cytotoxic T-Lymphocyte Responses in Long-Term Nonprogressors Infected with Human Immunodeficiency Virus. <i>Viral Immunology</i> , 1998, 11, 119-129.	0.6	26
384	Magnetic resonance imaging of the wrist in early rheumatoid arthritis reveals a high prevalence of erosions at four months after symptom onset. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 350-356.	0.5	363

#	ARTICLE	IF	CITATIONS
385	A study of the association of HLA DR, DQ, and complement C4 alleles with systemic lupus erythematosus in Iceland. <i>Annals of the Rheumatic Diseases</i> , 1998, 57, 503-505.	0.5	29
386	The genetics of multiple sclerosis: principles, background and updated results of the United Kingdom systematic genome screen. <i>Brain</i> , 1998, 121, 1869-1887.	3.7	155
387	Allele-unrestricted presentation of lidocaine by HLA-DR molecules to specific alphabeta+ T cell clones. <i>International Immunology</i> , 1998, 10, 507-515.	1.8	61
389	Serological definition of HLA-Cw*08 alleles and gene frequency of Cw*08 in Japanese population.. <i>Major Histocompatibility Complex</i> , 1998, 4, 138-145.	0.2	0
390	Whole blood direct PCR method combined with HLA PCR ⁺ SSP typing. <i>Major Histocompatibility Complex</i> , 1998, 5, 91-95.	0.2	0
391	Molecular Analysis of HLA DRB1 and DQB 1 Polymorphism in Italian Melanoma Patients. <i>Journal of Immunotherapy</i> , 1998, 21, 435-439.	1.2	17
392	The Presence of Anti-Neutrophil Antibodies Reflects Clinical and Genetic Heterogeneity Within Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 1998, 4, 18-26.	0.9	53
393	Time-Resolved Fluorometry Based Sandwich Hybridisation Assay for HLA-DQA1 Typing. <i>Disease Markers</i> , 1998, 14, 9-19.	0.6	28
394	Assessment of the Contribution That Direct Allorecognition Makes to the Progression of Chronic Cardiac Transplant Rejection in Humans. <i>Circulation</i> , 1998, 97, 1257-1263.	1.6	128
395	Evaluation of a Novel Mononuclear Cell Isolation Procedure for Serological HLA Typing. <i>Vaccine Journal</i> , 1998, 5, 808-813.	2.6	44
396	T-Cell Expansions With Conserved T-Cell Receptor β Chain Motifs in the Peripheral Blood of HLA-DRB1*0401 Positive Patients With Necrotizing Vasculitis. <i>Blood</i> , 1998, 92, 3737-3744.	0.6	38
397	Detection of Microchimerism After Allogeneic Blood Transfusion Using Nested Polymerase Chain Reaction Amplification With Sequence-Specific Primers (PCR-SSP): A Cautionary Tale. <i>Blood</i> , 1998, 92, 683-689.	0.6	43
398	Absence of linkage between MHC and a gene involved in susceptibility to human schistosomiasis. <i>Brazilian Journal of Medical and Biological Research</i> , 1998, 31, 665-670.	0.7	9
399	Peripheral Blood Stem Cell Transplantation From Unrelated Donors: A Comparison With Marrow Transplantation. <i>Blood</i> , 1999, 94, 455-464.	0.6	176
400	Nested Polymerase Chain Reaction With Sequence-Specific Primers Typing for HLA-A, -B, and -C Alleles: Detection of Microchimerism in DR-Matched Individuals. <i>Blood</i> , 1999, 94, 1471-1477.	0.6	19
401	Prevalence of β -cell and Thyroid Autoantibody Positivity in Schoolchildren during Three-Year Follow-up. <i>Autoimmunity</i> , 1999, 31, 175-185.	1.2	8
402	A Novel Missense Mutation, GLY424SER, in Brazilian Patients with 21-Hydroxylase Deficiency1. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 2870-2872.	1.8	31
403	Molecular, Serological and Population Studies of the Alleles and Products of HLA-B*41. <i>Experimental and Clinical Immunogenetics</i> , 1999, 16, 139-149.	1.4	5

#	ARTICLE	IF	CITATIONS
404	HLA-A, -B, -C, -DRB1, DRB3, DRB4, DRB5 and DQB1 Polymorphism Detected by PCR-SSP in a Semi-Urban HIV-Positive Ugandan Population. <i>Experimental and Clinical Immunogenetics</i> , 1999, 16, 17-25.	1.4	8
405	HLA Class II Associations With Rheumatic Heart Disease Are More Evident and Consistent Among Clinically Homogeneous Patients. <i>Circulation</i> , 1999, 99, 2784-2790.	1.6	103
406	Atopic Dermatitis and HTLV-1-Associated Myelopathy: Associated or Coincidental Disorders?. <i>Dermatology</i> , 1999, 199, 356-360.	0.9	7
407	A Repeat Polymorphism in Interleukin-4 Gene Is Highly Associated with Specific Clinical Phenotypes of Asthma. <i>International Archives of Allergy and Immunology</i> , 1999, 120, 50-55.	0.9	33
408	Polymerase chain reaction based human leucocyte antigen genotyping for the investigation of suspected gastrointestinal biopsy contamination. <i>Gut</i> , 1999, 45, 259-263.	6.1	10
409	Synergetic effect between interleukin-1 receptor antagonist allele (IL1RN*2) and MHC class II (DR17,DQ2) in determining susceptibility to systemic lupus erythematosus. <i>Lupus</i> , 1999, 8, 103-108.	0.8	55
410	Association of Cervical Artery Dissection With Recent Infection. <i>Archives of Neurology</i> , 1999, 56, 851.	4.9	235
411	HLA alleles determine human T-lymphotropic virus-I (HTLV-I) proviral load and the risk of HTLV-I-associated myelopathy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 3848-3853.	3.3	393
412	Genetic Heterogeneity in Susceptibility To Autoimmune Hepatitis Types 1 and 2. <i>American Journal of Gastroenterology</i> , 1999, 94, 1906-1913.	0.2	133
413	Magnetic resonance imaging of the wrist in early rheumatoid arthritis reveals progression of erosions despite clinical improvement. <i>Annals of the Rheumatic Diseases</i> , 1999, 58, 156-163.	0.5	277
414	Effect of HLA mismatches on the outcome of hematopoietic transplants. <i>Current Opinion in Immunology</i> , 1999, 11, 521-526.	2.4	51
415	Distribution of HLA gene and haplotype frequencies in Taiwan: a comparative study among Min-nan, Hakka, Aborigines and Mainland Chinese. <i>Tissue Antigens</i> , 1999, 53, 51-64.	1.0	90
416	Molecular typing for HLA class I using ARMS-PCR: Further developments following the 12th International Histocompatibility Workshop. <i>Tissue Antigens</i> , 1999, 53, 175-183.	1.0	65
417	Identification of HLA-A*0224: Implications for PCR-SSP HLA typing. <i>Tissue Antigens</i> , 1999, 53, 190-193.	1.0	12
418	HLA-B locus sequence-based typing. <i>Tissue Antigens</i> , 1999, 53, 275-281.	1.0	79
419	Fluorotyping of HLA-DRB by sequence-specific priming and fluorogenic probing. <i>Tissue Antigens</i> , 1999, 53, 301-307.	1.0	18
420	Identification of a novel DRB1-allele (DRB1*0106) by sequence-based typing. <i>Tissue Antigens</i> , 1999, 53, 308-310.	1.0	7
421	HLA class II haplotypes in primary sclerosing cholangitis patients from five European populations. <i>Tissue Antigens</i> , 1999, 53, 459-469.	1.0	151

#	ARTICLE	IF	CITATIONS
422	A DNA-based detection and screening system for identifying HLA class I expression variants by sequence-specific primers. <i>Tissue Antigens</i> , 1999, 53, 498-506.	1.0	16
423	Correction of HLA-Cw*0501 and identification of HLA-Cw*0711. <i>Tissue Antigens</i> , 1999, 53, 510-512.	1.0	2
424	Association of HLA class II alleles with different subgroups of diabetes mellitus in Eastern India identify different associations with IDDM and malnutrition-related diabetes. <i>Tissue Antigens</i> , 1999, 54, 83-87.	1.0	33
425	Identification of DRB alleles in rhesus monkeys using polymerase chain reaction-sequence-specific primers (PCR-SSP) amplification. <i>Tissue Antigens</i> , 1999, 54, 254-263.	1.0	29
426	HLA and tumour necrosis factor (TNF) polymorphisms in ocular Behçet's disease. <i>Tissue Antigens</i> , 1999, 54, 264-272.	1.0	111
427	HLA class I and II typing of the patients with Behçet's disease in Saudi Arabia. <i>Tissue Antigens</i> , 1999, 54, 273-277.	1.0	50
428	A nucleotide deletion in exon 4 is responsible for an HLA-A null allele (A*0105N). <i>Tissue Antigens</i> , 1999, 54, 300-302.	1.0	15
429	High-resolution typing for HLA-DRB1*15 and -DRB1*16 by fluorescence-marked sequence-specific priming (TaqMan assay). <i>Tissue Antigens</i> , 1999, 54, 508-516.	1.0	17
430	Actinic prurigo and polymorphic light eruption: common pathogenesis and the importance of HLA-DR4/DRB1*0407. <i>British Journal of Dermatology</i> , 1999, 140, 232-236.	1.4	104
431	Three different autoimmune bullous diseases in one family: is there a common genetic base?. <i>British Journal of Dermatology</i> , 1999, 140, 322-327.	1.4	9
432	Adult linear IgA disease and chronic bullous disease of childhood: the association with human lymphocyte antigens Cw7, B8, DR3 and tumour necrosis factor influences disease expression. <i>British Journal of Dermatology</i> , 1999, 141, 867-875.	1.4	70
433	A prospective molecular study of chimaerism in patients with haematological malignancies receiving unrelated cord blood or bone marrow transplants: detection of mixed chimaerism predicts graft failure with or without early autologous reconstitution in cor. <i>British Journal of Haematology</i> , 1999, 104, 770-777.	1.2	12
434	Population-based genetic screening for the estimation of Type 1 diabetes mellitus risk in Finland: selective genotyping of markers in the HLA-DQB1, HLA-DQA1 and HLA-DRB1 loci. <i>Diabetic Medicine</i> , 1999, 16, 985-992.	1.2	145
435	Familial Guillain-Barre Syndrome. <i>European Journal of Neurology</i> , 1999, 6, 499-503.	1.7	24
436	Peripheral Blood T-Cell Receptor γ -Chain V-Repertoire in Atopic Dermatitis Patients After In Vitro Exposure to <i>Pityrosporum orbiculare</i> Extract. <i>Scandinavian Journal of Immunology</i> , 1999, 49, 293-301.	1.3	16
437	Transfusion-Associated Graft-versus-Host Disease in an Immunocompetent Patient following Cardiac Surgery. <i>Vox Sanguinis</i> , 1999, 76, 59-63.	0.7	16
438	Bronchoalveolar lavage cells from sarcoidosis patients and healthy controls can efficiently present antigens. <i>Journal of Internal Medicine</i> , 1999, 245, 353-357.	2.7	8
439	Common Human Leukocyte Antigen Alleles in Pemphigus Vulgaris and Pemphigus Foliaceus Italian Patients. <i>Journal of Investigative Dermatology</i> , 1999, 113, 107-110.	0.3	95

#	ARTICLE	IF	CITATIONS
440	PCR confirmation of microchimerism and diagnosis of Graft versus Host Disease after liver transplantation. <i>Transplant International</i> , 1999, 12, 468-470.	0.8	18
441	Lack of Association Between Juvenile Myoclonic Epilepsy and HLA-DR13. <i>Epilepsia</i> , 1999, 40, 117-119.	2.6	11
442	Effect on cytokine release and graft-versus-host disease of different anti-T cell antibodies during conditioning for unrelated haematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 1999, 24, 823-830.	1.3	120
443	A prospective randomized trial of Filgrastim (r-metHuG-CSF) given at different times after unrelated bone marrow transplantation. <i>Bone Marrow Transplantation</i> , 1999, 24, 831-836.	1.3	46
444	Relationship between HLA-DR antigen and HLA-DRB1 alleles and prostate cancer in Japanese men. <i>International Urology and Nephrology</i> , 1999, 31, 343-349.	0.6	6
445	Microchimerism and blocking activity in women with recurrent spontaneous abortion (RSA) after alloimmunization with the partner's lymphocytes. <i>Journal of Reproductive Immunology</i> , 1999, 44, 41-54.	0.8	10
446	Tumour necrosis factor- β polymorphism and secretion in myasthenia gravis. <i>Journal of Neuroimmunology</i> , 1999, 94, 165-171.	1.1	58
447	Microsatellite polymorphisms in the gene promoter of monocyte chemotactic protein-3 and analysis of the association between monocyte chemotactic protein-3 alleles and multiple sclerosis development. <i>Journal of Neuroimmunology</i> , 1999, 95, 195-201.	1.1	24
448	The CTLA-4 gene is associated with multiple sclerosis. <i>Journal of Neuroimmunology</i> , 1999, 97, 182-190.	1.1	130
449	Distributions of HLA-DRB1 /DQB1 alleles and haplotypes in the North-eastern Thai population: indicative of a distinct Thai population with Chinese admixtures in the Central Thais. <i>International Journal of Immunogenetics</i> , 1999, 26, 129-133.	1.2	35
450	Human cytokine gene nucleotide sequence alignments: supplement 1. <i>International Journal of Immunogenetics</i> , 1999, 26, 135-223.	1.2	21
451	Nationwide collaborative study of HLA class II associations with distinct types of juvenile chronic arthritis (JCA) in Greece. <i>International Journal of Immunogenetics</i> , 1999, 26, 299-310.	1.2	24
452	Complex interaction between HLA DR and DQ in conferring risk for childhood type 1 diabetes. <i>International Journal of Immunogenetics</i> , 1999, 26, 361-372.	1.2	71
453	Human platelet antigens: typing by PCR using sequence-specific primers and their distribution in blood donors resident in Wales. <i>International Journal of Immunogenetics</i> , 1999, 26, 393-397.	1.2	24
454	Immune Response Following Fresh Arterial Homograft Replacement for Aortoiliac Graft Infection. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 18, 424-429.	0.8	13
455	The MICA-A9 triplet repeat polymorphism in the transmembrane region confers additional susceptibility to the development of psoriatic arthritis and is independent of the association of Cw*0602 in psoriasis. <i>Arthritis and Rheumatism</i> , 1999, 42, 1010-1016.	6.7	147
456	Genetic risk and protective factors for idiopathic inflammatory myopathy in Koreans and American Whites: A tale of two loci. <i>Arthritis and Rheumatism</i> , 1999, 42, 1285-1290.	6.7	58
457	HLA-DRB1 alleles associated with susceptibility or resistance to rheumatoid arthritis, articular deformities, and disability in Mexican Americans. <i>Arthritis and Rheumatism</i> , 1999, 42, 1329-1338.	6.7	70

#	ARTICLE	IF	CITATIONS
458	An update on HLA association of Mi-2 autoantibodies: The association with a tryptophan at position 9 of the HLA-DR β chain is strong but not absolute. <i>Arthritis and Rheumatism</i> , 1999, 42, 1552-1553.	6.7	7
459	Association of HLA alleles and clinical features in patients with synovitis of recent onset. <i>Arthritis and Rheumatism</i> , 1999, 42, 1696-1705.	6.7	73
460	Persistence of mild, early inflammatory arthritis: The importance of disease duration, rheumatoid factor, and the shared epitope. <i>Arthritis and Rheumatism</i> , 1999, 42, 2184-2188.	6.7	154
461	Influence of HLA-DR on the phenotype of CD4+ T lymphocytes specific for an epitope of the 16-kDa β -crystallin antigen of <i>Mycobacterium tuberculosis</i> . <i>European Journal of Immunology</i> , 1999, 29, 1753-1761.	1.6	46
462	Enhancement of the T cell response to a mycobacterial peptide by conjugation to synthetic branched polypeptide. <i>European Journal of Immunology</i> , 1999, 29, 2788-2796.	1.6	20
463	Molecular prenatal diagnosis of ataxia telangiectasia heterozygosity by direct mutational assays. , 1999, 19, 542-545.		16
464	Goals and Objectives for Molecular Pathology Education in Residency Programs. <i>Journal of Molecular Diagnostics</i> , 1999, 1, 5-15.	1.2	20
465	Adrenal 21-hydroxylase gene mutations in Slovenian hyperandrogenic women: evaluation of corticotrophin stimulation and HLA polymorphisms in screening for carrier status. <i>European Journal of Endocrinology</i> , 1999, 141, 132-139.	1.9	18
466	Detection of microchimerism after blood transfusion and solid organ transplantation: A delicate balance between sensitivity and specificity. <i>Transplantation Reviews</i> , 1999, 13, 98-108.	1.2	1
467	Pars planitis. <i>Ophthalmology</i> , 1999, 106, 594-599.	2.5	157
468	Chromosome 6p-encoded HLA-DR2 determinant discriminates migraine without aura from migraine with aura. <i>Human Immunology</i> , 1999, 60, 69-74.	1.2	26
469	HLA-DQ-associated predisposition to and dominant HLA-DR-associated protection against rheumatoid arthritis. <i>Human Immunology</i> , 1999, 60, 152-158.	1.2	126
470	HLA-C locus alleles in patients with psoriatic arthritis (PsA). <i>Human Immunology</i> , 1999, 60, 259-261.	1.2	79
471	The DRB1 Val86/Val86 genotype associates with multiple sclerosis in Australian patients. <i>Human Immunology</i> , 1999, 60, 715-722.	1.2	18
472	Associations of MHC genes with levels of caries-inducing organisms and caries severity in African-American women. <i>Human Immunology</i> , 1999, 60, 984-989.	1.2	35
473	Association of human leucocyte antigen phenotype with vaccine efficacy in patients receiving vaginal mucosal immunization for recurrent urinary tract infection. <i>Vaccine</i> , 1999, 17, 169-171.	1.7	5
474	Impact of DNA typing on a living-related donor renal transplant program. <i>Transplantation Proceedings</i> , 1999, 31, 3335.	0.3	1
475	Association of HLA-DR and -DQ alleles with idiopathic achalasia. <i>Gastroenterology</i> , 1999, 117, 26-31.	0.6	97

#	ARTICLE	IF	CITATIONS
476	Association of HLA-DR11 with the anaphylactoid reaction caused by nonsteroidal anti-inflammatory drugs. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 103, 685-689.	1.5	57
477	Transplantation of Thymus Tissue in Complete DiGeorge Syndrome. <i>New England Journal of Medicine</i> , 1999, 341, 1180-1189.	13.9	244
478	Cellular and Humoral Immunity against Cow's Milk Proteins in Type 1 Diabetes. <i>Journal of Autoimmunity</i> , 1999, 13, 365-373.	3.0	12
479	DNA typing for HLA class II alleles using dual-labeled fluorogenic probes. <i>Major Histocompatibility Complex</i> , 1999, 6, 105-113.	0.2	1
480	A Peculiar Sequence Motif in the Alpha-1-Domain of the HLA-C Molecule in Psoriasis. <i>Dermatology</i> , 2000, 200, 99-103.	0.9	13
481	HLA-DQ Locus of the Human Leukocyte Antigen Complex and Type 1 Diabetes Mellitus: A HuGE Review. <i>Epidemiologic Reviews</i> , 2000, 22, 218-227.	1.3	103
482	Evidence for major histocompatibility complex-mediated effects on spermatogenesis in humans. <i>Human Reproduction</i> , 2000, 15, 189-196.	0.4	44
483	Human Leukocyte Antigen Class II Alleles in White Brazilian Patients With Celiac Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2000, 31, 391-394.	0.9	15
484	Competition of peptide-MHC class I tetrameric complexes with anti-CD3 provides evidence for specificity of peptide binding to the TCR complex. <i>Cytometry</i> , 2000, 41, 321-328.	1.8	50
485	Association of antiphosphatidylserine/prothrombin autoantibodies with HLA class II genes. <i>Arthritis and Rheumatism</i> , 2000, 43, 683.	6.7	41
486	CD8+,CD57+ T cells from healthy elderly subjects suppress neutrophil development in vitro: Implications for the neutropenia of Felty's and large granular lymphocyte syndromes. <i>Arthritis and Rheumatism</i> , 2000, 43, 834.	6.7	58
487	HLA-DR15 is associated with lower age at onset in multiple sclerosis. <i>Annals of Neurology</i> , 2000, 48, 211-219.	2.8	239
488	Innate production of interleukin-10 and tumor necrosis factor affects the risk of multiple sclerosis. <i>Annals of Neurology</i> , 2000, 48, 641-646.	2.8	47
489	Decreased immunogenicity of recombinant hepatitis B vaccine in chronic hepatitis C. <i>Hepatology</i> , 2000, 31, 230-234.	3.6	139
490	Rapid method for the analysis of peripheral chimerism in suspected graft-versus-host disease after liver transplantation. <i>Liver Transplantation</i> , 2000, 6, 180-184.	1.3	28
491	Immune response to blood transfusion in very-low-birthweight infants. <i>Transfusion</i> , 2000, 40, 25-34.	0.8	41
492	Antineutrophil cytoplasmic antibodies and HLA class II alleles in minocycline-induced lupus-like syndrome. <i>British Journal of Dermatology</i> , 2000, 142, 461-467.	1.4	80
493	HLA-B*57:01 and guttate psoriasis. <i>British Journal of Dermatology</i> , 2000, 143, 1177-1182.	1.4	110

#	ARTICLE	IF	CITATIONS
494	HLA DPB1*0201 allele is negatively associated with immunoglobulin E responsiveness specific for house dust mite allergens in Taiwan. <i>Clinical and Experimental Allergy</i> , 2000, 30, 538-545.	1.4	22
495	Salient features and HLA markers of childhood psoriasis in Kuwait. <i>Clinical and Experimental Dermatology</i> , 2000, 25, 147-151.	0.6	16
496	In vitro T lymphocyte responses to proteinase 3 (PR3) and linear peptides of PR3 in patients with Wegener's granulomatosis (WG). <i>Clinical and Experimental Immunology</i> , 2000, 122, 504-513.	1.1	33
497	Elevated CD40 Ligand Expressing Blood T-Cell Levels in Multiple Sclerosis Are Reversed by Interferon-Beta Treatment. <i>Scandinavian Journal of Immunology</i> , 2000, 51, 312-320.	1.3	51
498	Fine Specificity of Anti-Fibrillin-1 Autoantibodies in Primary Pulmonary Hypertension Syndrome. <i>Scandinavian Journal of Immunology</i> , 2000, 51, 607-611.	1.3	27
499	Platelet-specific antibodies in female blood donors after pregnancy. <i>Transfusion Medicine</i> , 2000, 10, 77-80.	0.5	20
500	Multiple sclerosis: a modifying influence of HLA class I genes in an HLA class II associated autoimmune disease. <i>Tissue Antigens</i> , 2000, 55, 140-148.	1.0	232
501	Molecular analysis of HLA-DRB1, -DQA1 and -DQB1 polymorphism in Turkey. <i>Tissue Antigens</i> , 2000, 55, 171-174.	1.0	41
502	HLA DRB1*1501 and intrathecal inflammation in multiple sclerosis. <i>Tissue Antigens</i> , 2000, 55, 312-318.	1.0	18
503	Identification of two new alleles HLA-DRB1*0312, DRB1*0432 and of a DRB3-negative DRB1*1313-positive haplotype. <i>Tissue Antigens</i> , 2000, 56, 87-89.	1.0	7
504	New HLA-DRB1* nucleotide sequence of Italian origin: HLA-DRB1*13022. <i>Tissue Antigens</i> , 2000, 56, 192-193.	1.0	4
505	Molecular, serological and genetic studies on two new HLA-DRB1 alleles - HLA-DRB1*0704 and HLA-DRB1*1507. <i>Tissue Antigens</i> , 2000, 56, 467-469.	1.0	7
506	Follow-up of chimerism, including T- and B-lymphocytes and granulocytes in children more than one year after allogeneic bone marrow transplantation. <i>Pediatric Transplantation</i> , 2000, 4, 132-139.	0.5	19
507	HLA and β -myosin heavy chain do not influence susceptibility to Chagas' disease cardiomyopathy. <i>Microbes and Infection</i> , 2000, 2, 745-751.	1.0	49
508	Prenatal HLA-matching to determine suitability for allogeneic bone marrow transplantation. <i>Bone Marrow Transplantation</i> , 2000, 25, 579-581.	1.3	8
509	Mixed chimerism in the B cell lineage is a rapid and sensitive indicator of minimal residual disease in bone marrow transplant recipients with pre-B cell acute lymphoblastic leukemia. <i>Bone Marrow Transplantation</i> , 2000, 25, 843-851.	1.3	71
510	Unrelated bone marrow transplantation in children: outcome and a comparison with sibling donor grafting. <i>Bone Marrow Transplantation</i> , 2000, 25, 1059-1065.	1.3	47
511	Comparison of serological and molecular typing for HLA-A and -B on cadaver organ donor lymphocytes. <i>Transplant International</i> , 2000, 13, 453-454.	0.8	1

#	ARTICLE	IF	CITATIONS
512	Factor IX gene sequencing by a simple and sensitive 15-hour procedure for haemophilia B diagnosis: identification of two novel mutations. <i>British Journal of Haematology</i> , 2000, 111, 549-551.	1.2	0
513	Neonatal alloimmune thrombocytopenia due to anti-HPA 1a antibodies; the level of maternal antibodies predicts the severity of thrombocytopenia in the newborn. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000, 107, 691-694.	1.1	83
514	HLA antigen and gene frequencies in Eskimos of East Greenland. <i>International Journal of Immunogenetics</i> , 2000, 27, 93-97.	1.2	11
515	CCR5 Δ 32, matrix metalloproteinase-9 and disease activity in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2000, 102, 98-106.	1.1	154
516	Long PCR detection of the C4A null allele in B8-C4AQ0-C4B1-DR3. <i>Journal of Immunological Methods</i> , 2000, 244, 41-47.	0.6	17
517	HLA class I and class II profiles of patients presenting with Sydenham's chorea. <i>Journal of Neurology</i> , 2000, 247, 122-128.	1.8	79
518	Influence of immunogenetic background on the outcome of recurrent hepatitis C after liver transplantation. <i>Hepatology</i> , 2000, 31, 1345-1350.	3.6	38
519	Acute rejection of hepatic allografts from HLA-DR13 (Allele DRB1*1301)-positive donors. <i>Liver Transplantation</i> , 2000, 6, 728-733.	1.3	10
520	HLA-DRB1 gene polymorphism in patients with dilated cardiomyopathy. <i>Journal of Tongji Medical University</i> , 2000, 20, 141-142.	0.1	8
521	HLA patterns in patients with nasal polyposis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2000, 257, 137-139.	0.8	46
522	Epstein-Barr virus (EBV) load in bone marrow transplant recipients at risk to develop posttransplant lymphoproliferative disease: prophylactic infusion of EBV-specific cytotoxic T cells. <i>Blood</i> , 2000, 95, 807-814.	0.6	315
523	Extensive genetic alterations of the HLA region, including homozygous deletions of HLA class II genes in B-cell lymphomas arising in immune-privileged sites. <i>Blood</i> , 2000, 96, 3569-3577.	0.6	180
524	Microchimerism in bone marrow-derived CD34+ cells of patients after liver transplantation. <i>Blood</i> , 2000, 96, 763-767.	0.6	26
525	COMO ENTENDER A NOMENCLATURA E OS MECANISMOS DE ASSOCIAÇÃO ENTRE OS ANTÁGENOS E OS ALELOS DE HISTOCOMPATIBILIDADE COM AS DOENÇAS. <i>Medicina</i> , 2000, 33, 7.	0.0	5
526	HLA-DRB Genotypes in Japanese Patients with Renal Cell Carcinoma. <i>Oncology</i> , 2000, 59, 57-62.	0.9	6
527	Caracterização molecular de animais da raça Nelore utilizando microssatélites e genes candidatos. <i>Revista Brasileira De Zootecnia</i> , 2000, 29, 1044-1049.	0.3	14
528	Tipificação das especificidades HLA-DR e HLA-DQ. <i>Medicina</i> , 2000, 33, 27-31.	0.0	0
529	Generation of T Cells Specific for the Wild-Type Sequence p53264 ²⁷² Peptide in Cancer Patients: Implications for Immunoselection of Epitope Loss Variants. <i>Journal of Immunology</i> , 2000, 165, 5938-5944.	0.4	83

#	ARTICLE	IF	CITATIONS
530	Low Serum TNF- α Levels in Subjects at Risk for Type 1 Diabetes. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2000, 13, 475-81.	0.4	3
531	In Vitro and In Vivo Induction of a Th Cell Response Toward Peptides of the Melanoma-Associated Glycoprotein 100 Protein Selected by the TEPITOPE Program. <i>Journal of Immunology</i> , 2000, 165, 4731-4741.	0.4	44
532	A repetitive sequence of Epstein-Barr virus nuclear antigen 6 comprises overlapping T cell epitopes which induce HLA-DR-restricted CD4+ T lymphocytes. <i>International Immunology</i> , 2000, 12, 281-293.	1.8	24
533	Analysis of the CDKN2A and CDK4 Genes and HLA-DR and HLA-DQ Alleles in Two Spanish Familial Melanoma Kindreds. <i>Acta Dermato-Venereologica</i> , 2000, 80, 440-442.	0.6	10
534	Molecular evidence for antigen-driven immune responses in cardiac lesions of rheumatic heart disease patients. <i>International Immunology</i> , 2000, 12, 1063-1074.	1.8	68
535	A 1-year follow-up study of dynamic magnetic resonance imaging in early rheumatoid arthritis reveals synovitis to be increased in shared epitope-positive patients and predictive of erosions at 1 year. <i>British Journal of Rheumatology</i> , 2000, 39, 407-416.	2.5	114
536	PCR-SSP TYPING. , 2000, , 149-186.		10
537	Major histocompatibility complex haplotypic associations in Felty's syndrome and large granular lymphocyte syndrome are secondary to allelic association with HLA-DRB1 *0401. <i>British Journal of Rheumatology</i> , 2000, 39, 393-398.	2.5	31
538	Factors Contributing to the Lack of Human Immunodeficiency Virus Type 1 (HIV-1) Transmission in HIV-1-Discordant Partners. <i>Journal of Infectious Diseases</i> , 2000, 182, 123-132.	1.9	55
539	Development of lupus-related side-effects in patients with early RA during sulphasalazine treatment—the role of IL-10 and HLA. <i>Rheumatology</i> , 2000, 39, 886-893.	0.9	50
540	T-cell lines reactive to an immunodominant epitope of the tyrosine phosphatase-like autoantigen IA-2 in type 1 diabetes. <i>Diabetes</i> , 2000, 49, 356-366.	0.3	70
541	HLA and Mooren's ulceration. <i>British Journal of Ophthalmology</i> , 2000, 84, 72-75.	2.1	32
542	Clonal Expansions of Cd8+ T Cells Dominate the T Cell Infiltrate in Active Multiple Sclerosis Lesions as Shown by Micromanipulation and Single Cell Polymerase Chain Reaction. <i>Journal of Experimental Medicine</i> , 2000, 192, 393-404.	4.2	842
543	Multiple Epitopes from the Mycobacterium tuberculosis ESAT-6 Antigen Are Recognized by Antigen-Specific Human T Cell Lines. <i>Clinical Infectious Diseases</i> , 2000, 30, S201-S205.	2.9	91
544	Class II MHC antigens in early rheumatoid arthritis in Bath (UK) and Madrid (Spain). <i>British Journal of Rheumatology</i> , 2000, 39, 844-849.	2.5	29
545	Corneal transplantation: how successful are we?. <i>British Journal of Ophthalmology</i> , 2000, 84, 813-815.	2.1	61
546	Immunogenetic differences between patients with familial and non-familial rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2000, 59, 173-177.	0.5	16
547	Influence of HLA Supertypes on Susceptibility and Resistance to Human Immunodeficiency Virus Type 1 Infection. <i>Journal of Infectious Diseases</i> , 2000, 181, 1581-1589.	1.9	222

#	ARTICLE	IF	CITATIONS
548	Association of HLA-DRB1*1602 and DRB1*1001 with Takayasu arteritis in Colombian mestizos as markers of Amerindian ancestry. <i>International Journal of Cardiology</i> , 2000, 75, S113-S116.	0.8	48
549	HLA-DRB1,3,4,5 and -DQB1 allele frequencies and HLA-DR/DQ linkage disequilibrium of 231 German Caucasoid patients and their corresponding 821 potential unrelated stem cell transplants. <i>Human Immunology</i> , 2000, 61, 605-614.	1.2	25
550	Multiple sclerosis associated amino acids of polymorphic regions relevant for the HLA antigen binding are confined to HLA-DR2. <i>Human Immunology</i> , 2000, 61, 1021-1030.	1.2	22
551	Six Mamu-A locus alleles defined by a polymerase chain reaction sequence specific primer method. <i>Human Immunology</i> , 2000, 61, 1013-1020.	1.2	18
552	Development and validation of a genotyping kit for the eight principal human platelet alloantigen systems. <i>Transfusion Clinique Et Biologique</i> , 2000, 7, 51-62.	0.2	11
553	Humoral Response to Recombinant Hepatitis B Virus Vaccine at Birth: Role of HLA and Beyond. <i>Clinical Immunology</i> , 2000, 97, 234-240.	1.4	77
554	Molecular subtypes of the HLA-DR antigens in pulmonary tuberculosis. <i>International Journal of Infectious Diseases</i> , 2000, 4, 129-133.	1.5	45
555	Rheumatoid arthritis associated autoantibodies in patients with synovitis of recent onset. <i>Arthritis Research and Therapy</i> , 2000, 2, 236-43.	1.6	298
556	Interferon-gamma production in response to in vitro stimulation with collagen type II in rheumatoid arthritis is associated with HLA-DRB1(*)0401 and HLA-DQ8. <i>Arthritis Research</i> , 2000, 2, 75.	2.0	30
557	Allele-Specific HLA-DR Typing by Mass Spectrometry: An Alternative to Hybridization-Based Typing Methods. <i>Analytical Chemistry</i> , 2000, 72, 5233-5238.	3.2	10
558	Rapid method for the analysis of peripheral chimerism in suspected graft-versus-host disease after liver transplantation. <i>Liver Transplantation</i> , 2000, 6, 180-184.	1.3	2
559	Recipient HLA-DR3, tumour necrosis factor- β promoter allele-2 (tumour necrosis factor-2) and cytomegalovirus infection are inter-related risk factors for chronic rejection of liver grafts. <i>Journal of Hepatology</i> , 2001, 34, 711-715.	1.8	30
560	Autoimmune hepatitis in Brazilian patients is not linked to tumor necrosis factor β polymorphisms at position β 308. <i>Journal of Hepatology</i> , 2001, 35, 24-28.	1.8	41
561	Genes of the Class II and Class III Major Histocompatibility Complex Are Associated with Typhoid Fever in Vietnam. <i>Journal of Infectious Diseases</i> , 2001, 183, 261-268.	1.9	95
562	Predominant IL-10 Production in Indirect Alloreactivity Is Not Associated with Rejection. <i>Clinical Immunology</i> , 2001, 101, 315-327.	1.4	5
563	Celiac disease in children with autoimmune thyroid disease. <i>Journal of Pediatrics</i> , 2001, 139, 738-740.	0.9	88
564	A Genomewide Scan for Type 1 Diabetes Susceptibility in Scandinavian Families: Identification of New Loci with Evidence of Interactions. <i>American Journal of Human Genetics</i> , 2001, 69, 1301-1313.	2.6	129
565	Retro-inverso peptide analogues of <i>Trypanosoma cruzi</i> B13 protein epitopes fail to be recognized by human sera and peripheral blood mononuclear cells. <i>Peptides</i> , 2001, 22, 853-860.	1.2	17

#	ARTICLE	IF	CITATIONS
566	Polymorphism in MICA rather than HLA-B/C genes is associated with psoriatic arthritis in the Jewish population. <i>Human Immunology</i> , 2001, 62, 632-638.	1.2	82
567	HLA polymorphism in the murcia population (Spain): in the cradle of the archaeological Iberians. <i>Human Immunology</i> , 2001, 62, 910-921.	1.2	59
568	Human leukocyte antigen class II allele frequencies and haplotype association in Iranian normal population. <i>Human Immunology</i> , 2001, 62, 1234-1238.	1.2	66
569	Family-based association of HLA class II alleles and haplotypes with type I diabetes in Brazilians reveals some characteristics of a highly diversified population. <i>Human Immunology</i> , 2001, 62, 1226-1233.	1.2	19
570	HLA-DRB1*04 alleles in psoriatic arthritis: comparison with rheumatoid arthritis and healthy controls. <i>Human Immunology</i> , 2001, 62, 1239-1244.	1.2	23
571	Localization of central MHC genes influencing type I diabetes. <i>Human Immunology</i> , 2001, 62, 1363-1370.	1.2	36
572	Identification of an association between HLA class II alleles and low antibody levels after measles immunization. <i>Vaccine</i> , 2001, 20, 430-438.	1.7	95
573	GAD65 antibody prevalence and association with thyroid antibodies, HLA-DR in Chinese children with type 1 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2001, 54, 27-32.	1.1	12
574	T-Helper Cell-Response to MHC Class II-Binding Peptides of the Renal Cell Carcinoma-Associated Antigen RAGE-1. <i>Immunobiology</i> , 2001, 203, 743-755.	0.8	18
575	The Relationship between HA-1 Compatibility and the Activation of Helper T Lymphocyte Precursors. <i>Immunobiology</i> , 2001, 203, 699-704.	0.8	0
576	HLA DNA Typing and Transplantation. <i>Immunity</i> , 2001, 14, 347-356.	6.6	137
577	Indirect alloreactivity and cytokine production to HLA-DR peptides in human renal transplantation. <i>Transplantation Proceedings</i> , 2001, 33, 435-436.	0.3	1
578	Determination of a real-time fluorotyping strategy for the HLA-DR locus. <i>Transplantation Proceedings</i> , 2001, 33, 498-499.	0.3	5
579	An allogeneic anti-cancer effect after hematopoietic stem cell transplantation. <i>Transplantation Proceedings</i> , 2001, 33, 1862-1864.	0.3	3
580	Susceptibility to vesicoureteral reflux in Japanese is linked to HLA-DR antigen. <i>Urology</i> , 2001, 58, 1036-1039.	0.5	5
581	Human Leukocyte Antigen Gene Polymorphism and the Histocompatibility Laboratory. <i>Journal of Molecular Diagnostics</i> , 2001, 3, 98-104.	1.2	108
582	The HLA-DR3,DQ2 Heterozygous Genotype is Associated with an Accelerated Progression of Primary Sclerosing Cholangitis. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 886-890.	0.6	37
583	Association of the HLA-DRB1*0301 and HLA-DQA1*0501 Alleles with Graves' Disease in a Population Representing the Gene Contribution from Several Ethnic Backgrounds. <i>Thyroid</i> , 2001, 11, 31-35.	2.4	51

#	ARTICLE	IF	CITATIONS
584	Prevalence of silent celiac disease in patients with autoimmune thyroiditis from Northern Sardinia. <i>Journal of Endocrinological Investigation</i> , 2001, 24, 298-302.	1.8	38
585	Genes of major histocompatibility complex class II influence chronic C hepatitis treatment with interferon in hemodialysis patients. <i>International Journal of Artificial Organs</i> , 2001, 24, 212-214.	0.7	17
586	Plasma Tumor Necrosis Factor $\hat{\pm}$ Levels and the $\hat{\pm}$ 238* A Promoter Polymorphism in Patients with Antiphospholipid Syndrome. <i>Thrombosis and Haemostasis</i> , 2001, 85, 198-203.	1.8	53
587	No Human Leukocyte Antigen-A, -B or -DR Association in Swedish Patients with Hidradenitis Suppurativa. <i>Acta Dermato-Venereologica</i> , 2001, 81, 28-30.	0.6	5
588	Childhood Narcolepsy in North China. <i>Sleep</i> , 2001, 24, 321-324.	0.6	59
589	LONG-TERM OUTCOME OF LUNG TRANSPLANTATION IS PREDICTED BY THE NUMBER OF HLA-DR MISMATCHES. <i>Transplantation</i> , 2001, 71, 368-373.	0.5	60
590	SIX-YEAR CLINICAL EFFECT OF DONOR BONE MARROW INFUSIONS IN RENAL TRANSPLANT PATIENTS1. <i>Transplantation</i> , 2001, 71, 827-835.	0.5	116
591	No difference in graft-versus-host disease, relapse, and survival comparing peripheral stem cells to bone marrow using unrelated donors. <i>Blood</i> , 2001, 98, 1739-1745.	0.6	108
592	Standardized, unrelated donor cord blood transplantation in adults with hematologic malignancies. <i>Blood</i> , 2001, 98, 2332-2338.	0.6	220
593	Rapid Hemophilia A Molecular Diagnosis by a Simple DNA Sequencing Procedure: Identification of 14 Novel Mutations. <i>Thrombosis and Haemostasis</i> , 2001, 85, 580-583.	1.8	65
594	Real time PCR-SSP method for HLA-B alleles using dual-labeled fluorogenic probes. <i>Major Histocompatibility Complex</i> , 2001, 7, 199-210.	0.2	0
595	T cell responses to type 1 diabetes related peptides sharing homologous regions. <i>Journal of Molecular Medicine</i> , 2001, 79, 213-220.	1.7	10
596	TCR \hat{V} 2 repertoire in an Italian longeval population including centenarians.. <i>Age</i> , 2001, 24, 63-70.	3.0	3
597	Genetic susceptibility to MS: a second stage analysis in Canadian MS families. <i>Neurogenetics</i> , 2001, 3, 145-151.	0.7	40
598	HLA-DRB 1 alleles and the susceptibility of Iranian patients with breast cancer. <i>Pathology and Oncology Research</i> , 2001, 7, 39-41.	0.9	24
599	Peripheral blood cell bulk cultures are not suitable for the analysis of the genetic control of T-cell cytokine function. <i>Immunology Letters</i> , 2001, 78, 21-27.	1.1	1
600	The short tandem repeat locus VWF2 in Intron 40 of the von Willebrand factor gene consists of two polymorphic sub-loci. <i>Forensic Science International</i> , 2001, 119, 299-304.	1.3	7
601	Mycosis fungoides: HLA class II associations among Ashkenazi and non-Ashkenazi Jewish patients. <i>British Journal of Dermatology</i> , 2001, 145, 974-980.	1.4	50

#	ARTICLE	IF	CITATIONS
602	Mixed chimaerism is common at the time of acute graft-versus-host disease and disease response in patients receiving non-myeloablative conditioning and allogeneic stem cell transplantation. <i>British Journal of Haematology</i> , 2001, 115, 935-944.	1.2	55
603	Tumour necrosis factor alpha promoter polymorphism at position -308 is not associated with actinic prurigo. <i>Clinical and Experimental Dermatology</i> , 2001, 26, 700-704.	0.6	3
604	Poor immune reconstitution after four or five major HLA antigens mismatched T cell-depleted allogeneic and autologous stem cell transplantation. <i>Clinical and Experimental Immunology</i> , 2001, 123, 162-169.	1.1	8
605	The fine specificity of human T cell lines towards myelin basic protein peptides in southern Italian multiple sclerosis patients. <i>Clinical and Experimental Immunology</i> , 2001, 123, 288-293.	1.1	12
606	Differential responses of CD45+ve T-cell subsets to MBP in multiple sclerosis. <i>Clinical and Experimental Immunology</i> , 2001, 124, 315-322.	1.1	16
607	The use of genotyping to predict the phenotypes of human platelet antigens 1 through 5 and of neutrophil antigens in Taiwan. <i>Transfusion</i> , 2001, 41, 1553-1558.	0.8	23
608	Treatment of severe acute graft-versus-host disease with anti-thymocyte globulin. <i>Clinical Transplantation</i> , 2001, 15, 147-153.	0.8	71
609	Identification of a novel HLA-B allele - HLA-B*4902. <i>Tissue Antigens</i> , 2001, 57, 173-174.	1.0	9
610	HLA-DPB1 typing by polymerase chain reaction amplification with sequence-specific primers. <i>Tissue Antigens</i> , 2001, 57, 287-299.	1.0	17
611	Resolution of cis-trans ambiguities between HLA-DRB1 alleles using single-strand conformation polymorphisms and sequencing. <i>Tissue Antigens</i> , 2001, 57, 300-307.	1.0	12
612	Description of a new HLA-DRB1 allele, DRB1*1139. <i>Tissue Antigens</i> , 2001, 57, 388-389.	1.0	4
613	Report of a new DRB1*13 allele: DRB1*1336. <i>Tissue Antigens</i> , 2001, 57, 548-550.	1.0	0
614	Three newly identified HLA-B alleles: B*5124, B*5306, B*5307 and confirmation of B*0809 and B*5606. <i>Tissue Antigens</i> , 2001, 58, 38-41.	1.0	10
615	Diversity of MICA (PERB11.1) and HLA haplotypes in Northeastern Thais. <i>Tissue Antigens</i> , 2001, 58, 83-89.	1.0	41
616	Prenatal HLA typing of uncultured amniocytes prior to the collection of related allogeneic cord blood. <i>Tissue Antigens</i> , 2001, 58, 103-106.	1.0	4
617	HLA-AB typing by polymerase-chain reaction with sequence-specific primers: more accurate, less errors, and increased resolution compared to serological typing. <i>Tissue Antigens</i> , 2001, 58, 299-307.	1.0	39
618	Polyclonal anti-T-cell globulin as part of the preparative regimen for pediatric allogeneic stem-cell transplantation. <i>Pediatric Transplantation</i> , 2001, 5, 285-292.	0.5	18
619	HLA class II alleles in Chinese patients with hepatocellular carcinoma. <i>Liver</i> , 2001, 21, 143-148.	0.1	22

#	ARTICLE	IF	CITATIONS
620	Genetic variation in the tumor necrosis factor- α promoter region and in the stress protein hsp70-2. <i>Cancer</i> , 2001, 91, 672-678.	2.0	113
621	High-Throughput Genetic Analysis Using Time-Resolved Fluorometry and Closed-Tube Detection. <i>Analytical Biochemistry</i> , 2001, 299, 211-217.	1.1	31
622	A commented dictionary of techniques for genotyping. <i>Electrophoresis</i> , 2001, 22, 1024-1045.	1.3	12
623	Responsiveness of the self-assessed rheumatoid arthritis disease activity index to a flare of disease activity. <i>Arthritis and Rheumatism</i> , 2001, 44, 53-60.	6.7	55
624	HLA haplotype analysis in Finnish patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 315-322.	6.7	28
625	Influence of shared epitope-negative HLA-DRB1 alleles on genetic susceptibility to rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 535-540.	6.7	67
626	Prominent T cell response to a selectively in vivo expressed <i>Borrelia burgdorferi</i> outer surface protein (pG) in patients with Lyme disease. <i>European Journal of Immunology</i> , 2001, 31, 767-776.	1.6	21
627	Determinants of Viral Clearance and Persistence during Acute Hepatitis C Virus Infection. <i>Journal of Experimental Medicine</i> , 2001, 194, 1395-1406.	4.2	1,091
628	Generation of Melanoma-Specific, Cytotoxic CD4+ T Helper 2 Cells: Requirement of both HLA-DR15 and Fas Antigens on Melanomas for Their Lysis by Th2 Cells. <i>Cellular Immunology</i> , 2001, 210, 96-105.	1.4	13
629	Brain glioma and human leukocyte antigens (HLA)--is there an association. <i>Journal of Neuro-Oncology</i> , 2001, 52, 253-261.	1.4	38
630	Transplantation of a fetus with paternal Thy-1+CD34+ cells for chronic granulomatous disease. <i>Bone Marrow Transplantation</i> , 2001, 27, 355-364.	1.3	32
631	IL-10 promoter polymorphisms influence tumour development in cutaneous malignant melanoma. <i>Genes and Immunity</i> , 2001, 2, 25-31.	2.2	138
632	Family study of non-responsiveness to hepatitis B vaccine confirms the importance of HLA class III C4A locus. <i>Genes and Immunity</i> , 2001, 2, 367-372.	2.2	41
633	Genetic variation in the stress protein hsp70-2 gene is highly associated with obesity. <i>International Journal of Obesity</i> , 2001, 25, 462-466.	1.6	37
634	Leukemia lineage-specific chimerism analysis is a sensitive predictor of relapse in patients with acute myeloid leukemia and myelodysplastic syndrome after allogeneic stem cell transplantation. <i>Leukemia</i> , 2001, 15, 1976-1985.	3.3	120
635	Association of a CA repeat polymorphism upstream of the Fas ligand gene with multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2001, 116, 238-241.	1.1	15
636	Autoreactivity, backstimulation and reproducibility in a helper T lymphocyte precursor assay. <i>Journal of Immunological Methods</i> , 2001, 251, 109-121.	0.6	2
637	PCR-RFLP typing detects new HLA-DRB1 alleles: DRB1*13022, DRB1*1336 and DRB1*1435. <i>International Journal of Immunogenetics</i> , 2001, 28, 441-447.	1.2	3

#	ARTICLE	IF	CITATIONS
638	T-Cell Reactivity against Streptococcal Antigens in the Periphery Mirrors Reactivity of Heart-Infiltrating T Lymphocytes in Rheumatic Heart Disease Patients. <i>Infection and Immunity</i> , 2001, 69, 5345-5351.	1.0	93
639	TNF α promoter region gene polymorphisms in carbamazepine-hypersensitive patients. <i>Neurology</i> , 2001, 56, 890-896.	1.5	138
640	Association between HLA-A/-B Antigens and -DRB1 Alleles and Nasopharyngeal Carcinoma in Tunisia. <i>Oncology</i> , 2001, 61, 55-58.	0.9	34
641	Differential Incorporation of CD45, CD80 (B7-1), CD86 (B7-2), and Major Histocompatibility Complex Class I and II Molecules into Human Immunodeficiency Virus Type 1 Virions and Microvesicles: Implications for Viral Pathogenesis and Immune Regulation. <i>Journal of Virology</i> , 2001, 75, 6173-6182.	1.5	149
642	Rudimentary TCR Signaling Triggers Default IL-10 Secretion by Human Th1 Cells. <i>Journal of Immunology</i> , 2001, 167, 4386-4395.	0.4	53
643	Partial Activation and Induction of Apoptosis in CD4+ and CD8+ T Lymphocytes by Conformationally Authentic Noninfectious Human Immunodeficiency Virus Type 1. <i>Journal of Virology</i> , 2001, 75, 1152-1164.	1.5	72
644	A <i>prepro-orexin</i> gene polymorphism is associated with narcolepsy. <i>Neurology</i> , 2001, 56, 115-117.	1.5	59
645	Loss of Direct and Maintenance of Indirect Alloresponses in Renal Allograft Recipients: Implications for the Pathogenesis of Chronic Allograft Nephropathy. <i>Journal of Immunology</i> , 2001, 167, 7199-7206.	0.4	197
646	Alkaline-mediated differential interaction (AMDI): A simple automatable single-nucleotide polymorphism assay. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 2694-2697.	3.3	12
647	HLA class II gene polymorphisms in antiphospholipid syndrome: haplotype analysis in 83 Caucasoid patients. <i>British Journal of Rheumatology</i> , 2001, 40, 31-36.	2.5	46
648	The predictive value of helper T lymphocyte precursor frequencies for graft-versus-host disease and graft-versus-leukaemia effects in allogeneic bone marrow transplantation. <i>Bone Marrow Transplantation</i> , 2001, 27, 949-958.	1.3	12
649	No Human Leukocyte Antigen-A, -B or -DR Association in Swedish Patients with Hidradenitis Suppurativa. <i>Acta Dermato-Venereologica</i> , 2001, 81, 28-30.	0.6	20
650	The HLA-DR3,DQ2 Heterozygous Genotype is Associated with an Accelerated Progression of Primary Sclerosing Cholangitis. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 886-890.	0.6	61
651	Polymorphic light eruption and the HLA DRB1*0301 extended haplotype are independent risk factors for cutaneous lupus erythematosus. <i>Lupus</i> , 2001, 10, 473-479.	0.8	29
652	HLA-DRB1 genes and patients with late onset rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 531-533.	0.5	27
653	Unrelated donor cord blood transplantation in adults with chronic myelogenous leukemia: results in nine patients from a single institution. <i>Bone Marrow Transplantation</i> , 2001, 27, 693-701.	1.3	37
654	HLA-DRB1 Genes and Susceptibility to Rheumatoid Arthritis in Three Ethnic Groups from Malaysia. <i>Autoimmunity</i> , 2002, 35, 235-239.	1.2	37
655	Diabetes Mellitus-Related Autoantibodies in Childhood Autoimmune Hepatitis. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2002, 15, 831-40.	0.4	11

#	ARTICLE	IF	CITATIONS
656	An immunogenetic and molecular basis for differences in outcomes of invasive group A streptococcal infections. <i>Nature Medicine</i> , 2002, 8, 1398-1404.	15.2	339
657	Susceptibility to primary sclerosing cholangitis in Brazil is associated with HLA-DRB1*13 but not with tumour necrosis factor alpha -308 promoter polymorphism. <i>Gut</i> , 2002, 51, 609-610.	6.1	18
658	Evaluation of the Role of MHC Class II Alleles, Haplotypes and Selected Amino Acid Sequences in Primary Sclerosing Cholangitis. <i>Autoimmunity</i> , 2002, 35, 555-564.	1.2	76
659	Autoantibodies Directed Against Ribosomal Proteins in Systemic Lupus Erythematosus and Rheumatoid Arthritis: A Comparative Study. <i>Autoimmunity</i> , 2002, 35, 427-434.	1.2	3
660	Polymorphism in the immunoglobulin VH gene V1-69 affects susceptibility to rheumatoid arthritis in subjects lacking the HLA-DRB1 shared epitope. <i>British Journal of Rheumatology</i> , 2002, 41, 401-410.	2.5	21
661	A multigenerational family with multiple sclerosis. <i>Brain</i> , 2002, 125, 1474-1482.	3.7	29
662	Association between pretransplant Thymoglobulin and reduced non-relapse mortality rate after marrow transplantation from unrelated donors. <i>Bone Marrow Transplantation</i> , 2002, 29, 391-397.	1.3	74
663	Safety and Immunogenicity of ALVAC vCP1452 and Recombinant gp160 in Newly Human Immunodeficiency Virus Type 1-Infected Patients Treated with Prolonged Highly Active Antiretroviral Therapy. <i>Journal of Virology</i> , 2002, 76, 2206-2216.	1.5	80
664	Evidence for additional genetic risk indicators of relapse-onset MS within the HLA region. <i>Neurology</i> , 2002, 59, 549-555.	1.5	54
665	Lung restricted T cell receptor AV2S3+ CD4+ T cell expansions in sarcoidosis patients with a shared HLA-DRbeta chain conformation. <i>Thorax</i> , 2002, 57, 348-352.	2.7	65
666	Influence of HLA polymorphism on persistent remission in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 351-353.	0.5	13
667	Analysis of HLA-DRB1*-A* and -B* alleles in prenatal diagnosis for determination of maternal contamination in fetal DNA. <i>Molecular Human Reproduction</i> , 2002, 8, 586-588.	1.3	3
668	MHC class I chain related gene A (MICA) modulates the development of coeliac disease in patients with the high risk heterodimer DQA1*0501/DQB1*0201. <i>Gut</i> , 2002, 50, 336-340.	6.1	76
669	Impact of molecular histocompatibility typing on outcome of unrelated donor hematopoietic cell transplantation. <i>Current Opinion in Organ Transplantation</i> , 2002, 7, 279-285.	0.8	1
670	Donor-derived circulating endothelial cells after kidney transplantation1. <i>Transplantation</i> , 2002, 74, 1320-1327.	0.5	21
671	Survival benefit of cardiopulmonary bypass support in bilateral lung transplantation for emphysema patients. <i>Transplantation</i> , 2002, 73, 1621-1627.	0.5	26
672	Polymorphisms in cytokine genes do not predict progression to end-stage heart failure in children. <i>Cardiology in the Young</i> , 2002, 12, 461-464.	0.4	4
673	HLA-DRB Alleles and Systemic Lupus Erythematosus in Jamaicans. <i>Southern Medical Journal</i> , 2002, 95, 717-719.	0.3	6

#	ARTICLE	IF	CITATIONS
674	Identification of Enterococci isolated from cow's milk cheese: comparison of the classical methods and the API 20 strep system. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2002, 49, 119-128.	0.4	2
675	Human leukocyte antigen Class II associations in serum antimitochondrial antibodies (AMA)-positive and AMA-negative primary biliary cirrhosis. <i>Journal of Hepatology</i> , 2002, 36, 8-13.	1.8	42
676	PCR-Sequence-Specific Primer Typing of HLA Class I and Class II Alleles. , 2003, 210, 143-172.		33
677	Symposium on "Nutrition in the post-genomic era" Plenary session 4: Genetic variation and diet-related disease. <i>Proceedings of the Nutrition Society</i> , 2002, 61, 447-456.	0.4	71
679	Presence of IgG anti-HLA antibodies in fourteen patients after cryopreserved allogenic heart valve implantation. <i>Transplantation Proceedings</i> , 2002, 34, 643-644.	0.3	4
680	Comparative study of HLA-DR typing by serology and sequence-specific primer analysis in a genetically highly diverse population of kidney transplant recipients. <i>Transplantation Proceedings</i> , 2002, 34, 463-465.	0.3	3
681	Loss or downregulation of HLA class I expression at the allelic level in acute leukemia is infrequent but functionally relevant, and can be restored by interferon. <i>Human Immunology</i> , 2002, 63, 200-210.	1.2	72
682	Functional versus structural matching: can the CTLp test be replaced by HLA allele typing?. <i>Human Immunology</i> , 2002, 63, 176-184.	1.2	46
683	Frequency of functional interleukin-10 promoter polymorphism is different between relapse-onset and primary progressive multiple sclerosis. <i>Human Immunology</i> , 2002, 63, 281-285.	1.2	48
684	A comparison of HLA-DR and -DQ allele and haplotype frequencies in Trinidadian populations of African, South Asian, and mixed ancestry. <i>Human Immunology</i> , 2002, 63, 1045-1054.	1.2	11
685	Human liver allograft acceptance and the "tolerance assay". <i>Human Immunology</i> , 2002, 63, 862-870.	1.2	33
686	First Molecular Characterization of an Unequal Homologous Alu-mediated Recombination Event Responsible for Hemophilia. <i>Thrombosis and Haemostasis</i> , 2002, 88, 12-16.	1.8	27
687	Association of the HLA-DRB1 Gene with Susceptibility to Aortoarteritis in a Chinese Han Population.. <i>Hypertension Research</i> , 2002, 25, 631-634.	1.5	10
688	Analysis of human leukocyte antigens class II-DR in Brazilian children and adolescents with systemic lupus erythematosus. <i>Revista Do Hospital Das Clinicas</i> , 2002, 57, 277-282.	0.5	12
689	Shared epitopes and rheumatoid arthritis: Disease associations in Greece and meta-analysis of Mediterranean European populations. <i>Seminars in Arthritis and Rheumatism</i> , 2002, 31, 361-370.	1.6	32
690	Prenatal T-cell reconstitution after in utero transplantation with fetal liver cells in a patient with X-linked severe combined immunodeficiency. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 475-482.	0.7	93
691	No evidence to support CTLA-4 as a susceptibility gene in MS families: the Canadian Collaborative Study. <i>Journal of Neuroimmunology</i> , 2002, 123, 193-198.	1.1	44
692	Cerebrospinal fluid levels of nitric oxide metabolites predict response to methylprednisolone treatment in multiple sclerosis and optic neuritis. <i>Journal of Neuroimmunology</i> , 2002, 125, 198-203.	1.1	32

#	ARTICLE	IF	CITATIONS
693	Production of IL-1 β and IL-1Ra as risk factors for susceptibility and progression of relapse-onset multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2002, 126, 172-179.	1.1	111
694	MHC polymorphism. <i>Clinical and Applied Immunology Reviews</i> , 2002, 3, 35-46.	0.4	4
695	Analysis of urinary donor-derived DNA in renal transplant recipients with acute rejection. <i>Clinical Transplantation</i> , 2002, 16, 45-50.	0.8	15
696	Microgeographic variation in <i>Caiman latirostris</i> . <i>The Journal of Experimental Zoology</i> , 2002, 294, 387-396.	1.4	35
697	Heterogeneity between men and women in the influence of the HLA-DRB1 shared epitope on the clinical expression of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2002, 46, 1480-1488.	6.7	20
698	HLA-DRB1*01 and macrophagic myofasciitis. <i>Arthritis and Rheumatism</i> , 2002, 46, 2535-2537.	6.7	61
699	Clinical Image: A hungry histiocyte: Lupus-related hemophagocytic syndrome. <i>Arthritis and Rheumatism</i> , 2002, 46, 2537-2537.	6.7	3
700	Mice lacking endogenous major histocompatibility complex class II develop arthritis resembling psoriatic arthritis at an advanced age. <i>Arthritis and Rheumatism</i> , 2002, 46, 2465-2475.	6.7	32
701	Loss of single HLA Class I allospecificities in melanoma cells due to selective genomic abbreviations. <i>International Journal of Cancer</i> , 2002, 99, 82-87.	2.3	18
702	Possible association of HLA-DRB1 gene with the autoantibody against myocardial mitochondria ADP/ATP carrier in dilated cardiomyopathy. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2002, 22, 231-232.	1.0	2
703	HLA-DQB1 alleles and susceptibility to cervical squamous cell carcinoma in Southern Iranian patients. <i>Pathology and Oncology Research</i> , 2002, 8, 58-61.	0.9	22
704	Genetic polymorphism of the human ICOS gene. <i>Immunogenetics</i> , 2002, 53, 1028-1032.	1.2	24
705	Disease Manifestations and HLA Antigens in Psoriatic Arthritis in Northern Sweden. <i>Clinical Rheumatology</i> , 2002, 21, 357-362.	1.0	28
706	HLA-Cw6 specificity and polymorphic residues are associated with susceptibility among Chinese psoriatics in Taiwan. <i>Archives of Dermatological Research</i> , 2002, 294, 214-220.	1.1	27
707	The association between tumor necrosis factor, HLA-DR alleles, and IgE-mediated asthma in Taiwanese adolescents. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002, 57, 831-834.	2.7	34
708	A low prevalence of the C677T mutation in the methylenetetrahydrofolate reductase gene in Asian Indians. <i>Clinical Genetics</i> , 2002, 61, 155-159.	1.0	75
709	Report of recombinations between HLA loci within two families: utility of high resolution typing. <i>Clinical Transplantation</i> , 2002, 16, 329-333.	0.8	4
710	Bone marrow transfusions in cadaver renal allografts: pilot trials with concurrent controls. <i>Clinical Transplantation</i> , 2002, 16, 317-324.	0.8	20

#	ARTICLE	IF	CITATIONS
711	Impact of HLA-compatibilities in patients undergoing liver transplantation for HBV-cirrhosis. <i>Clinical Transplantation</i> , 2002, 16, 122-129.	0.8	13
712	Genetic predispositions for the presence of cryoglobulinemia and serum autoantibodies in Chinese patients with chronic hepatitis C. <i>Tissue Antigens</i> , 2002, 59, 31-37.	1.0	21
713	Identification of a new HLA-B*15 allele, HLA-B*1569. <i>Tissue Antigens</i> , 2002, 59, 151-153.	1.0	4
714	B*27 in molecular diagnostics: Impact of new alleles and polymorphism outside exons 2 and 3. <i>Tissue Antigens</i> , 2002, 60, 25-35.	1.0	26
715	Characterization of a new HLA-DRB3 allele, DRB3*0217, by direct sequencing. <i>Tissue Antigens</i> , 2002, 60, 189-190.	1.0	0
716	Angiotensin-converting enzyme gene polymorphism in relation to HLA-DR in sarcoidosis. <i>Journal of Internal Medicine</i> , 2002, 251, 217-222.	2.7	29
717	Thyroid Function, Autoantibodies, and HLA Tissue Typing in Children with Alopecia Areata. <i>Pediatric Dermatology</i> , 2002, 19, 486-491.	0.5	31
718	An association between human leucocyte antigen alleles and acute and chronic graft-versus-host disease after allogeneic haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 2002, 119, 751-759.	1.2	17
719	Diversity and dynamics of the T-cell response to MBP in DR2+ ve individuals. <i>Clinical and Experimental Immunology</i> , 2002, 128, 538-547.	1.1	24
720	Infectious complications in patients undergoing unrelated donor bone marrow transplantation: experience from a single institution. <i>Clinical Microbiology and Infection</i> , 2002, 8, 725-733.	2.8	29
721	Haplotype associations of the major histocompatibility complex with psoriasis in Northeastern Thais. <i>International Journal of Dermatology</i> , 2002, 41, 330-334.	0.5	31
722	Optimisation of the CT.h4S bioassay for detection of human interleukin-4 secreted by mononuclear cells stimulated by phytohaemagglutinin or by human leukocyte antigen mismatched mixed lymphocyte culture. <i>Immunology Letters</i> , 2002, 84, 29-39.	1.1	3
723	Exploration du SYSTÈME HLA : pratiques et indications. <i>Revue Francaise Des Laboratoires</i> , 2002, 2002, 53-62.	0.0	0
724	The graft-versus-leukaemia effect in haematopoietic stem cell transplantation using unrelated donors. <i>Bone Marrow Transplantation</i> , 2002, 30, 761-768.	1.3	23
725	Polymorphisms in or near tumour necrosis factor (TNF)-gene do not determine levels of endotoxin-induced TNF production. <i>Genes and Immunity</i> , 2002, 3, 25-29.	2.2	50
726	Influence of vascular endothelial growth factor single nucleotide polymorphisms on tumour development in cutaneous malignant melanoma. <i>Genes and Immunity</i> , 2002, 3, 229-232.	2.2	153
727	A male-specific increase in the HLA-DRB4 (DR53) frequency in high-risk and relapsed childhood ALL. <i>Leukemia Research</i> , 2002, 26, 651-656.	0.4	42
728	Role of G Protein β 3 Subunit C825T and HLA Class II Polymorphisms in the Immune Response after HBV Vaccination. <i>Virology</i> , 2002, 297, 245-252.	1.1	32

#	ARTICLE	IF	CITATIONS
729	HLA associations with HBV carriage and proteinuria. <i>Pediatric Nephrology</i> , 2002, 17, 724-729.	0.9	5
730	Mutations in the HLA class II genes leading to loss of expression of HLA-DR and HLA-DQ in diffuse large B-cell lymphoma. <i>Immunogenetics</i> , 2003, 55, 203-209.	1.2	37
731	MICB typing by PCR amplification with sequence specific primers. <i>Immunogenetics</i> , 2003, 54, 850-855.	1.2	25
732	Serum levels of cytokines correlate to donor chimerism and acute graft-vs.-host disease after haematopoietic stem cell transplantation. <i>European Journal of Haematology</i> , 2003, 70, 384-391.	1.1	47
733	A genome-wide screen for linkage disequilibrium in Australian HLA-DRB1*1501 positive multiple sclerosis patients. <i>Journal of Neuroimmunology</i> , 2003, 143, 60-64.	1.1	16
734	Genetic variations and humoral immune responses to myelin oligodendroglia glycoprotein in adult phenotypes of X-linked adrenoleukodystrophy. <i>Journal of Neuroimmunology</i> , 2003, 135, 148-153.	1.1	6
735	HLA system affects the age-at-onset in chronic myeloid leukemia. <i>American Journal of Hematology</i> , 2003, 73, 256-262.	2.0	26
736	Ethnic variation in the clinical manifestations of rheumatoid arthritis: Role of HLA-DRB1 alleles. <i>Arthritis and Rheumatism</i> , 2003, 49, 200-208.	6.7	57
737	HLA typing of aortic tissues from unidentified bodies using hot start polymerase chain reaction sequence specific primers. <i>Legal Medicine</i> , 2003, 5, S191-S193.	0.6	11
738	Transfusion-associated graft vs. host disease after donor-specific leukocyte transfusion before kidney transplantation. <i>Clinical Transplantation</i> , 2003, 17, 477-483.	0.8	4
739	Allelic variation of the inducible costimulator (ICOS) gene: detection of polymorphisms, analysis of the promoter region, and extended haplotype estimation. <i>Tissue Antigens</i> , 2003, 61, 276-285.	1.0	18
740	A novel HLA-DRB1 allele, DRB1*0707. <i>Tissue Antigens</i> , 2003, 61, 259-260.	1.0	4
741	Characterization of two new HLA-B alleles by sequence-based typing: HLA-B*0817 and HLA-B*1311. <i>Tissue Antigens</i> , 2003, 62, 66-71.	1.0	7
742	A new allele, HLA-DRB4*010304. <i>Tissue Antigens</i> , 2003, 62, 76-78.	1.0	0
743	DRB1*1446 allele variations in the group-specific annealing sites of common amplification primers. <i>Tissue Antigens</i> , 2003, 62, 251-255.	1.0	5
744	Roles of HLA-B, HLA-C and HLA-DPA1 incompatibilities in the outcome of unrelated stem-cell transplantation. <i>Tissue Antigens</i> , 2003, 62, 243-250.	1.0	72
745	New HLA haplotype frequency reference standards: High-resolution and large sample typing of HLA DR-DQ haplotypes in a sample of European Americans. <i>Tissue Antigens</i> , 2003, 62, 296-307.	1.0	157
746	Identification of a novel HLA-DRB1 allele: DRB1*1353. <i>Tissue Antigens</i> , 2003, 61, 177-178.	1.0	4

#	ARTICLE	IF	CITATIONS
747	Characterizing cellular immune response to kinetoplastid membrane protein-11 (KMP-11) during <i>Leishmania (Viannia) panamensis</i> infection using dendritic cells (DCs) as antigen presenting cells (APCs). <i>Parasite Immunology</i> , 2003, 25, 199-209.	0.7	15
748	HLA-B*5808, a new HLA-B allele characterized by sequence based typing. <i>Tissue Antigens</i> , 2003, 62, 551-553.	1.0	7
749	Association of a putative regulatory polymorphism in the PD-1 gene with susceptibility to type 1 diabetes. <i>Tissue Antigens</i> , 2003, 62, 492-497.	1.0	207
750	Analysis of major histocompatibility complex and CTLA-4 alleles in Brazilian patients with primary biliary cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2003, 18, 1061-1066.	1.4	39
751	Hepatitis B virus-induced defect of monocyte-derived dendritic cells leads to impaired T helper type 1 response in vitro: mechanisms for viral immune escape. <i>Immunology</i> , 2003, 109, 487-495.	2.0	112
752	<i>Campylobacter jejuni</i> O:19 serotype-associated Guillain-Barré syndrome in a child: the first case reported from Greece. <i>Clinical Microbiology and Infection</i> , 2003, 9, 69-72.	2.8	5
753	Clinicopathological features and HLA tissue typing in pemphigoid gestationis patients in Kuwait. <i>Clinical and Experimental Dermatology</i> , 2003, 28, 301-306.	0.6	12
754	Graft-versus-leukaemia effect in children: chronic GVHD has a significant impact on relapse and survival. <i>Bone Marrow Transplantation</i> , 2003, 31, 175-181.	1.3	61
755	Low-intensity conditioning and hematopoietic stem cell transplantation in patients with renal and colon carcinoma. <i>Bone Marrow Transplantation</i> , 2003, 31, 253-261.	1.3	134
756	A comparison of T-, B- and NK-cell reconstitution following conventional or nonmyeloablative conditioning and transplantation with bone marrow or peripheral blood stem cells from human leucocyte antigen identical sibling donors. <i>Bone Marrow Transplantation</i> , 2003, 32, 65-72.	1.3	57
757	Fractionated TBI correlates with less T cell mixed chimerism but increased risk of relapse compared to busulphan in patients with haematological malignancies after allogeneic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2003, 32, 477-483.	1.3	6
758	A Population- and Family-Based Study of Canadian Families Reveals Association of HLA DRB1*0103 With Colonic Involvement in Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2003, 9, 1-9.	0.9	96
759	A homogeneous high-throughput genotyping method based on competitive hybridization. <i>Clinical Biochemistry</i> , 2003, 36, 633-640.	0.8	34
760	Treatment of Graft-Versus-Host Disease After Liver Transplantation with Basiliximab Followed by Bowel Resection. <i>American Journal of Transplantation</i> , 2003, 3, 1024-1029.	2.6	37
761	Association of HLA class I alleles with psoriasis vulgaris in southeastern Chinese Hans. <i>Journal of Dermatological Science</i> , 2003, 33, 1-6.	1.0	31
762	Multiplex single nucleotide extension: a robust and high throughput method for HLA-A locus typing. <i>Human Immunology</i> , 2003, 64, 1111-1122.	1.2	5
763	Fetal HLA typing in β^2 thalassaemia: implications for haemopoietic stem-cell transplantation. <i>Lancet, The</i> , 2003, 362, 41-42.	6.3	25
764	Familial bipolar disorder and multiple sclerosis: a three-generation HLA family study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 835-839.	2.5	38

#	ARTICLE	IF	CITATIONS
765	Polymorphism of the stress protein HSP70-2 gene is associated with the susceptibility to the nasopharyngeal carcinoma. <i>Cancer Letters</i> , 2003, 193, 75-81.	3.2	71
766	Tumour necrosis factor- $\hat{I}\pm$ gene polymorphisms and Alzheimer's disease. <i>Neuroscience Letters</i> , 2003, 350, 61-65.	1.0	61
767	MHC class II genes in HCV viral clearance of hepatitis C infected Hispanic patients. <i>Human Immunology</i> , 2003, 64, 99-102.	1.2	18
768	A new HLA-DRB allele (DRB1*15014) identified in a Caucasian individual. <i>Human Immunology</i> , 2003, 64, 310-313.	1.2	1
769	A collaborative European search for non-DQA1*05-DQB1*02 celiac disease loci on HLA-DR3 haplotypes: analysis of transmission from homozygous parents. <i>Human Immunology</i> , 2003, 64, 350-358.	1.2	27
770	Hla types in celiac disease patients not carrying the DQA1*05-DQB1*02 (DQ2) heterodimer: results from the european genetics cluster on celiac disease. <i>Human Immunology</i> , 2003, 64, 469-477.	1.2	503
771	Associations between measles antibody levels and the protein structure of class II human leukocyte antigens. <i>Human Immunology</i> , 2003, 64, 696-707.	1.2	5
772	The TNF2 allele is a risk factor to severe aplastic anemia independent of HLA-DR. <i>Human Immunology</i> , 2003, 64, 896-901.	1.2	24
773	Functional categorization of HLA-DRB1 alleles in rheumatoid arthritis: the protective effect. <i>Human Immunology</i> , 2003, 64, 930-935.	1.2	40
774	HLA class II associations with rheumatic heart disease among clinically homogeneous patients in children in Latvia. <i>Arthritis Research</i> , 2003, 5, R340.	2.0	55
775	Cross-Reactivity between Chlamydia trachomatis Heat Shock Protein 10 and Early Pregnancy Factor. <i>Vaccine Journal</i> , 2003, 10, 446-450.	3.2	8
776	Association of Breast Cancer and Polymorphisms of Interleukin-10 and Tumor Necrosis Factor- $\hat{I}\pm$ Genes. <i>Clinical Chemistry</i> , 2003, 49, 1664-1667.	1.5	66
777	Rapid Fluorimetric Method to Detect Total Plasma Malondialdehyde with Mild Derivatization Conditions. <i>Clinical Chemistry</i> , 2003, 49, 690-692.	1.5	59
778	Rheumatoid arthritis susceptibility and interleukin 10: a study of two ethnically diverse populations. <i>British Journal of Rheumatology</i> , 2003, 42, 149-153.	2.5	20
779	HLA-DRB1* Intron-primed Sequencing for Haploid Genotyping. <i>Clinical Chemistry</i> , 2003, 49, 692-694.	1.5	7
780	Twin concordance and sibling recurrence rates in multiple sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 12877-12882.	3.3	433
781	Genetic markers for the efficacy of tumour necrosis factor blocking therapy in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2003, 62, 526-529.	0.5	175
782	Glutathione S-transferases (GSTT1 and GSTM1) gene deletions in Tunisians: susceptibility and prognostic implications in breast carcinoma. <i>British Journal of Cancer</i> , 2003, 89, 1502-1507.	2.9	42

#	ARTICLE	IF	CITATIONS
783	Development of a DNA Vaccine Designed to Induce Cytotoxic T Lymphocyte Responses to Multiple Conserved Epitopes in HIV-1. <i>Journal of Immunology</i> , 2003, 171, 5611-5623.	0.4	97
784	Predictors of radiological progression and changes in hand bone density in early rheumatoid arthritis. <i>British Journal of Rheumatology</i> , 2003, 42, 268-275.	2.5	33
785	T cells from multiple sclerosis patients recognize immunoglobulin G from cerebrospinal fluid. <i>Multiple Sclerosis Journal</i> , 2003, 9, 228-234.	1.4	16
786	Immunogenetic Heterogeneity in Single-System and Multisystem Langerhans Cell Histiocytosis. <i>Pediatric Research</i> , 2003, 54, 30-36.	1.1	22
787	Transforming growth factor- β^2 released by PPD-presenting malignant mesothelioma cells inhibits interferon- β^3 synthesis by an anti-PPD CD4+ T-cell clone. <i>International Journal of Molecular Medicine</i> , 2003, 11, 161.	1.8	3
788	T cell epitopes of type II collagen in HLA-DRB1*0101 or DRB1*0405-positive Japanese patients with rheumatoid arthritis. <i>International Journal of Molecular Medicine</i> , 2003, 11, 331.	1.8	6
789	Antibodies to type II collagen and their association with HLA DR1 alleles in Japanese patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2003, 13, 69-72.	0.9	0
790	Association of glycoprotein B and immediate early-1 genotypes with human leukocyte antigen alleles in renal transplant recipients with cytomegalovirus infection. <i>Transplantation</i> , 2003, 75, 161-165.	0.5	15
791	Liver transplantation followed by adjuvant nonmyeloablative hemopoietic stem cell transplantation for advanced primary liver cancer in humans1. <i>Transplantation</i> , 2003, 75, 1061-1066.	0.5	18
792	Induction of apoptosis in human lymphocytes by human anti-HLA class I antibodies. <i>Transplantation</i> , 2003, 75, 1380-1386.	0.5	4
793	Hematopoietic stem cell transplantation: contrasting the outcome of transplantations from HLA-identical siblings, partially HLA-mismatched related donors, and HLA-matched unrelated donors. <i>Blood</i> , 2003, 102, 1131-1137.	0.6	104
794	A T-cell epitope encoded by a subset of HLA-DPB1 alleles determines nonpermissive mismatches for hematologic stem cell transplantation. <i>Blood</i> , 2003, 103, 1417-1424.	0.6	195
795	A Case of Fulminant Type 1 Diabetes with Transiently Positive Anti-GAD Antibodies. <i>Endocrine Journal</i> , 2003, 50, 225-231.	0.7	16
796	In Silico Prediction of Peptides Binding to Multiple HLA-DR Molecules Accurately Identifies Immunodominant Epitopes from gp43 of <i>Paracoccidioides brasiliensis</i> Frequently Recognized in Primary Peripheral Blood Mononuclear Cell Responses from Sensitized Individuals. <i>Molecular Medicine</i> , 2003, 9, 209-219.	1.9	75
797	ApoB ϵ HVR Polymorphism a Genetic Variation in Indian Subcontinent. <i>International Journal of Human Genetics</i> , 2003, 3, 139-145.	0.1	1
798	Polimorfismo de los alelos de los antígenos de leucocitos humanos HLA-DRB1 y su asociación con la artritis reumatoidea juvenil en una muestra de niños mestizos colombianos.. <i>Biomedica</i> , 2003, 23, 254.	0.3	6
799	Estudo comparativo entre os métodos sorológico e PCR-SSP na determinação das moléculas HLA de classe II. <i>Acta Scientiarum - Health Sciences</i> , 2004, 26, 337.	0.2	2
800	HLA B-27 Subtypes in Turkish Patients with Spondyloarthropathy and Healthy Controls. <i>Disease Markers</i> , 2004, 20, 309-312.	0.6	26

#	ARTICLE	IF	CITATIONS
801	Association of HLA-DM polymorphism with the production of antiphospholipid antibodies. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 1645-1648.	0.5	26
802	An extended genome scan in 442 Canadian multiple sclerosis-affected sibships: a report from the Canadian Collaborative Study Group. <i>Human Molecular Genetics</i> , 2004, 13, 1005-1015.	1.4	52
803	A Study of Promoter and Intronic Markers of Apol/Fas Gene and the Interaction with Fas Ligand in Relapsing Multiple Sclerosis. <i>European Neurology</i> , 2004, 52, 12-17.	0.6	9
804	Renal Transplantation. , 2004, 146, 1-10.		4
805	Cutting Edge: Identification of Hepatitis C Virus-Specific CD8+ T Cells Restricted by Donor HLA Alleles following Liver Transplantation. <i>Journal of Immunology</i> , 2004, 173, 5355-5359.	0.4	51
806	Multispecific T cell response and negative HCV RNA tests during acute HCV infection are early prognostic factors of spontaneous clearance. <i>Cut</i> , 2004, 53, 1673-1681.	6.1	89
807	Analysis of Cytotoxic ï Lymphocyte Antigen-4 (CTLA-4) Exon 1 Polymorphism in Patients with Type I Diabetes Mellitus in a Turkish Population. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2004, 17, 731-5.	0.4	7
808	HLA-DR-DQ haplotypes and genotypes in Finnish patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2004, 63, 1406-1412.	0.5	50
809	Human Leukocyte Antigen Class I Alleles and the Disease Course in Sarcoidosis Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004, 169, 696-702.	2.5	144
810	A study of HLA-DR and -DQ alleles in 588 patients and 562 controls confirms that HLA-DRB1*03 is associated with recurrent miscarriage. <i>Human Reproduction</i> , 2004, 19, 1215-1221.	0.4	81
811	Effect of combined T- and B-cell depletion of allogeneic HLA-mismatched bone marrow graft on the magnitude and kinetics of Epstein-Barr virus load in the peripheral blood of bone marrow transplant recipients. <i>Clinical Transplantation</i> , 2004, 18, 518-524.	0.8	14
812	Five newly identified HLA alleles: A*0310, A*2907, B*4435, Cw*0206, Cw*0506, and confirmation of A*3106, B*3924, Cw*0314, DRB1*0322, and DRB1*1433 alleles. <i>Tissue Antigens</i> , 2004, 63, 80-84.	1.0	9
813	Identification of two new HLA-B alleles, HLA-B*0732 and HLA-B*5809, by sequence-based typing. <i>Tissue Antigens</i> , 2004, 63, 273-278.	1.0	7
814	A novel HLA-DRB1*13 allele (DRB1*1357) identified by polymerase chain reaction with sequence-specific primers and direct sequencing*. <i>Tissue Antigens</i> , 2004, 64, 213-214.	1.0	3
815	Description of a new HLA-DRB1 allele, DRB1*1150. <i>Tissue Antigens</i> , 2004, 64, 298-299.	1.0	4
816	Identification of two new HLA alleles: B*3546* and B*5611*. How reliable are the published HLA-B intron 2 sequences?. <i>Tissue Antigens</i> , 2004, 64, 500-505.	1.0	7
817	Risk factors in pediatric stem cell transplantation for leukemia. <i>Pediatric Transplantation</i> , 2004, 8, 464-474.	0.5	16
818	Normal weight promotes remission and low number of islet antibodies prolong the duration of remission in Type 1 diabetes. <i>Diabetic Medicine</i> , 2004, 21, 447-455.	1.2	39

#	ARTICLE	IF	CITATIONS
819	The impact of thiopurine S-methyltransferase polymorphisms on azathioprine dose 1 year after renal transplantation. <i>Transplant International</i> , 2004, 17, 531-539.	0.8	28
820	HLA-DQA1 and DQB1 alleles are associated with genetic susceptibility to psoriasis vulgaris in Chinese Han. <i>International Journal of Dermatology</i> , 2004, 43, 181-187.	0.5	20
821	Production of interferon- γ by lymphocytes from paroxysmal nocturnal haemoglobinuria patients: relationship with clinical status. <i>British Journal of Haematology</i> , 2004, 124, 685-690.	1.2	8
822	Homozygosity for (12) CA repeats in the first intron of the human IFN- γ gene is significantly associated with the risk of aplastic anaemia in Caucasian population. <i>British Journal of Haematology</i> , 2004, 126, 682-685.	1.2	59
823	Allelic distribution of human leucocyte antigen in historical and recently diagnosed tuberculosis patients in Southern Italy. <i>Immunology</i> , 2004, 111, 318-322.	2.0	21
824	HLA-DQB1 Alleles May Influence the Surface Expression of DQ Molecules in Lymphomononuclear Cells of Type 1 Diabetes Mellitus Patients. <i>Scandinavian Journal of Immunology</i> , 2004, 59, 305-309.	1.3	7
825	HLA typing in Taiwanese patients with oral submucous fibrosis. <i>Journal of Oral Pathology and Medicine</i> , 2004, 33, 191-199.	1.4	21
826	Soluble HLA class I and HLA-DR plasma levels in patients with anterior uveitis. <i>Tissue Antigens</i> , 2004, 63, 369-375.	1.0	14
827	HLA-DQB1, -DQA1, -DRB1 linkage disequilibrium and haplotype diversity in a Mestizo population from Guadalajara, Mexico. <i>Tissue Antigens</i> , 2004, 63, 458-465.	1.0	8
828	HLA-B*1819, a novel HLA-B allele identified by sequence-based typing. <i>Tissue Antigens</i> , 2004, 63, 592-594.	1.0	3
829	HLA allele frequency and clinical outcome in Italian patients with cutaneous melanoma. <i>Tissue Antigens</i> , 2004, 64, 84-87.	1.0	17
830	TCR β polymorphisms and multiple sclerosis. <i>Genes and Immunity</i> , 2004, 5, 337-342.	2.2	15
831	Effect of maternal anti-HPA-1a antibodies and polyclonal IVIG on the activation status of vascular endothelial cells. <i>Clinical and Experimental Immunology</i> , 2004, 137, 216-222.	1.1	20
832	Immune Regulation and Graft Survival in Kidney Transplant Recipients Are Both Enhanced by Human Leukocyte Antigen Matching. <i>American Journal of Transplantation</i> , 2004, 4, 537-543.	2.6	47
833	High Resolution Genetic Typing of the Class II HLA-DRB1 Locus Using Group-Specific Amplification and SSO-Hybridisation in Microplates. <i>Hereditas</i> , 2004, 129, 161-167.	0.5	5
834	Flow-cytometric approach to the prompt laboratory diagnosis of TRALI: a case report. <i>European Journal of Haematology</i> , 2004, 73, 295-299.	1.1	8
835	Cost-effective genotyping of human MBL2 gene mutations using multiplex PCR. <i>Journal of Immunological Methods</i> , 2004, 295, 139-147.	0.6	38
836	Lack of association between the HLA-DRB1 locus and post-streptococcal reactive arthritis and acute rheumatic fever in italian children. <i>Seminars in Arthritis and Rheumatism</i> , 2004, 34, 553-558.	1.6	21

#	ARTICLE	IF	CITATIONS
837	The MICA-A4 triplet repeats polymorphism in the transmembrane region confers additional risk for development of psoriatic arthritis in the Croatian population. <i>International Journal of Immunogenetics</i> , 2004, 31, 93-98.	1.2	25
838	Human leukocyte antigen class II alleles and natural history of HPV 2/27/57-induced common warts. <i>Archives of Dermatological Research</i> , 2004, 296, 105-11.	1.1	14
839	Association of TAP2 gene polymorphisms in Chinese patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2004, 23, 35-39.	1.0	19
840	No allelic variation in genes with high gliadin homology in patients with celiac disease and type 1 diabetes. <i>Immunogenetics</i> , 2004, 56, 375-8.	1.2	6
841	Association of the PD-1.3A allele of the PDCD1 gene in patients with rheumatoid arthritis negative for rheumatoid factor and the shared epitope. <i>Arthritis and Rheumatism</i> , 2004, 50, 1770-1773.	6.7	146
842	A gene-environment interaction between smoking and shared epitope genes in HLA-DR provides a high risk of seropositive rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2004, 50, 3085-3092.	6.7	546
843	Diabetes mellitus in adults: association of HLA DRB1 and DQB1 diabetes risk alleles with GAD65 presence and C-peptide secretion. <i>Immunology Letters</i> , 2004, 95, 229-232.	1.1	4
844	A study of the genetic basis of C4A protein deficiency. Detection of C4A gene deletion by long-range PCR and its associated haplotypes. <i>Scandinavian Journal of Rheumatology</i> , 2004, 33, 417-422.	0.6	5
845	Coeliac disease in The Netherlands. <i>Scandinavian Journal of Gastroenterology</i> , 2004, 39, 359-364.	0.6	46
846	Five-Locus HLA Typing of Hematopoietic Stem Cell Donor Volunteers Using PCR Sequence Specific Primers. <i>Genetic Testing and Molecular Biomarkers</i> , 2004, 8, 301-312.	1.7	24
847	Is HLA class II susceptibility to primary antiphospholipid syndrome different from susceptibility to secondary antiphospholipid syndrome?. <i>Lupus</i> , 2004, 13, 125-131.	0.8	22
848	Primary biliary cirrhosis in monozygotic and dizygotic twins: Genetics, epigenetics, and environment. <i>Gastroenterology</i> , 2004, 127, 485-492.	0.6	447
849	Genetic basis of the latex-fruit syndrome: Association with HLA class II alleles in a Spanish population. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 114, 1070-1076.	1.5	26
850	A putative regulatory polymorphism in PD-1 is associated with nephropathy in a population-based cohort of systemic lupus erythematosus patients. <i>Lupus</i> , 2004, 13, 510-516.	0.8	46
851	Which donor should be chosen for hematopoietic stem cell transplantation among unrelated HLA-A, -B, and -DRB1 genomically identical volunteers?. <i>Biology of Blood and Marrow Transplantation</i> , 2004, 10, 128-134.	2.0	46
852	Graft-versus-host disease is associated with a lower relapse incidence after hematopoietic stem cell transplantation in patients with acute lymphoblastic leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2004, 10, 195-203.	2.0	53
853	Allogeneic stem cell transplantation for nonmalignant disorders using matched unrelated donors. <i>Biology of Blood and Marrow Transplantation</i> , 2004, 10, 877-882.	2.0	19
854	Associations between human leukocyte antigen (HLA) alleles and very high levels of measles antibody following vaccination. <i>Vaccine</i> , 2004, 22, 1914-1920.	1.7	53

#	ARTICLE	IF	CITATIONS
855	Use of ApoB3 hyper variable region in studying mixed chimerism and maternal contamination in North Indian populations. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2004, 11, 183-188.	0.9	4
856	Halo nevus, rather than vitiligo, is a typical dermatologic finding of Turner's syndrome: Clinical, genetic, and immunogenetic study in 72 patients. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, 354-358.	0.6	65
857	T-Cell autoreactivity to Hsp in human transplantation may involve both proinflammatory and regulatory functions. <i>Human Immunology</i> , 2004, 65, 124-134.	1.2	24
858	Role of HLA class II alleles in susceptibility to and protection from localized cutaneous leishmaniasis. <i>Human Immunology</i> , 2004, 65, 255-261.	1.2	30
859	HLA-DRB1 alleles and HLA-DRB1 shared epitopes are markers for juvenile rheumatoid arthritis subgroups in Colombian mestizos. <i>Human Immunology</i> , 2004, 65, 359-365.	1.2	23
860	HLA-B27 genotyping by Fluorescent Resonance Emission Transfer (FRET) probes in real-time PCR. <i>Human Immunology</i> , 2004, 65, 826-838.	1.2	22
861	HLA-B27 in the Greek Cypriot population: Distribution of subtypes in patients with ankylosing spondylitis and other HLA-B27 related diseases. The possible protective role of B*2707. <i>Human Immunology</i> , 2004, 65, 1451-1454.	1.2	50
862	HLA class II haplotypes in Mexican systemic lupus erythematosus patients. <i>Human Immunology</i> , 2004, 65, 1469-1476.	1.2	30
863	HLA class II and antibody responses to circumsporozoite protein repeats of <i>P. vivax</i> (VK210, VK247 and P.) Tj ETQq0.0.0 rgBT/Overlock	0.9	44
864	Polymorphism of stress protein HSP70-2 gene in Tunisians: susceptibility implications in type 2 diabetes and obesity. <i>Diabetes and Metabolism</i> , 2004, 30, 175-180.	1.4	42
865	Unresectable Squamous Cell Carcinoma of Donor Origin Treated With Immunosuppression Withdrawal and Liver Replantation. <i>American Journal of Transplantation</i> , 2004, 4, 278-282.	2.6	16
866	Comparison of Nucleotide Sequence of P2C Region in Diabetogenic and Non-diabetogenic Coxsackie Virus B5 Isolates. <i>Kaohsiung Journal of Medical Sciences</i> , 2004, 20, 525-532.	0.8	1
867	Modes of Action of HLA-DR Susceptibility Specificities in Multiple Sclerosis. <i>American Journal of Human Genetics</i> , 2004, 74, 1321-1322.	2.6	34
868	Apolipoprotein E and cholesteryl ester transfer protein polymorphisms in normal and preeclamptic pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 112, 9-15.	0.5	40
869	Dose Study of Thymoglobulin During Conditioning for Unrelated Donor Allogeneic Stem-Cell Transplantation. <i>Transplantation</i> , 2004, 78, 122-127.	0.5	153
870	Control Of Organ Transplant-Associated Graft-versus-Host Disease By Activated Host Lymphocyte Infusions. <i>Transplantation</i> , 2004, 78, 1774-1779.	0.5	28
871	Enzyme-Linked Immunosorbent Spot Assay for Donor-Reactive Interferon-Gamma-Producing Cells Identifies T-Cell Presensitization and Correlates with Graft Function at 6 and 12 Months in Renal-Transplant Recipients. <i>Transplantation</i> , 2004, 78, 1640-1646.	0.5	136
872	Increased immune transcript levels are correlated with acute graft-versus-host disease and cytomegalovirus response after allogeneic stem cell transplantation. <i>Transplantation</i> , 2004, 77, 195-200.	0.5	9

#	ARTICLE	IF	CITATIONS
873	Monitoring systemic donor lymphocyte macrochimerism to aid the diagnosis of graft-versus-host disease after liver transplantation. <i>Transplantation</i> , 2004, 77, 441-445.	0.5	91
874	Human Leukocyte Antigens as Genetic Markers in Greek Patients With Sporadic Pancreatic Cancer. <i>Pancreas</i> , 2004, 29, 41-44.	0.5	4
875	A rare form of narcolepsy (HLA-DR2???) shows possible association with (functionally relevant) alpha-interferon gene polymorphisms. <i>Psychiatric Genetics</i> , 2004, 14, 47-51.	0.6	10
876	Establishment and Characterization of a Bank of Cytotoxic T Lymphocytes for Immunotherapy of Epstein-Barr Virus-Associated Diseases. <i>Journal of Immunotherapy</i> , 2004, 27, 309-316.	1.2	79
877	The Prevalence, Molecular Analysis and HLA Typing of Late-onset 21-Hydroxylase Deficiency in Turkish Woman with Hirsutism and Polycystic Ovary. <i>Endocrine Journal</i> , 2004, 51, 31-36.	0.7	22
878	HLA Antigens and Post Renal Transplant Lymphoproliferative Disease: HLA-B Matching Is Critical. <i>Transplantation</i> , 2005, 80, 595-599.	0.5	43
879	Increased risk of extensive chronic graft-versus-host disease after allogeneic peripheral blood stem cell transplantation using unrelated donors. <i>Blood</i> , 2005, 105, 548-551.	0.6	70
880	T cell epitope characterization in tandemly repetitive B13 protein. <i>Microbes and Infection</i> , 2005, 7, 1184-1195.	1.0	13
881	Association of Rheumatoid Arthritis with HLA-DR1 and HLA-DR4 in Hungary. <i>Annals of the New York Academy of Sciences</i> , 2005, 1051, 263-270.	1.8	39
882	Optic neuritis, multiple sclerosis and human leukocyte antigen: results of a 4-year follow-up study. <i>European Journal of Neurology</i> , 2005, 12, 25-30.	1.7	24
883	A prospective randomized trial of a prophylactic platelet transfusion trigger of 10 x 10 ⁹ per L versus 30 x 10 ⁹ per L in allogeneic hematopoietic progenitor cell transplant recipients. <i>Transfusion</i> , 2005, 45, 1064-1072.	0.8	95
884	HLA-DRB1 alleles and J α immunization. <i>Transfusion</i> , 2005, 45, 956-959.	0.8	81
885	Molecular monitoring of T-cell chimerism early after allogeneic stem cell transplantation may predict the occurrence of acute GVHD grades II-IV. <i>Clinical Transplantation</i> , 2005, 19, 346-349.	0.8	16
886	New strategies for efficient typing of HLA class-II loci DQB1 and DRB1 by using Pyrosequencing TM . <i>Tissue Antigens</i> , 2005, 65, 67-80.	1.0	15
887	Oligonucleotide microarray for HLA-DRB1 genotyping: preparation and clinical evaluation. <i>Tissue Antigens</i> , 2005, 65, 467-473.	1.0	13
888	Description and characterization of two new HLA alleles, B*4051 and DRB1*1364, identified by sequence-based typing*. <i>Tissue Antigens</i> , 2005, 66, 151-155.	1.0	4
889	Identification of a new HLA-B variant, HLA-B*5615. <i>Tissue Antigens</i> , 2005, 66, 238-239.	1.0	4
890	Low salivary IgA activity to cell-surface antigens of mutans streptococci related to HLA-DRB1*04. <i>Oral Microbiology and Immunology</i> , 2005, 20, 73-81.	2.8	10

#	ARTICLE	IF	CITATIONS
891	Extended family studies for the identification of allogeneic stem cell transplant donors in Jewish and Arabic patients in Israel. <i>Pediatric Transplantation</i> , 2005, 9, 52-55.	0.5	16
892	Association of HLA-DQA1 and DQB1 genes with vitiligo in Chinese Hans. <i>International Journal of Dermatology</i> , 2005, 44, 1022-1027.	0.5	24
893	Identification of paramyosin T cell epitopes associated with human resistance to <i>Schistosoma mansoni</i> reinfection. <i>Clinical and Experimental Immunology</i> , 2005, 142, 050927060953001.	1.1	23
894	Growth hormone deficiency and coeliac disease: an unusual association?. <i>Clinical Endocrinology</i> , 2005, 62, 372-375.	1.2	39
895	Multiple defects of the antigen-processing machinery components in human neuroblastoma: immunotherapeutic implications. <i>Oncogene</i> , 2005, 24, 4634-4644.	2.6	92
896	HLA-DQB1 and cervical cancer in Venezuelan women. <i>Gynecologic Oncology</i> , 2005, 96, 349-354.	0.6	23
897	Positive selection of cytotoxic T lymphocyte escape variants during acute hepatitis C virus infection. <i>European Journal of Immunology</i> , 2005, 35, 2627-2637.	1.6	36
898	Relative contribution of cardiovascular risk factors and rheumatoid arthritis clinical manifestations to atherosclerosis. <i>Arthritis and Rheumatism</i> , 2005, 52, 3413-3423.	6.7	227
899	HLA-DRB1 and -DQB1 alleles and gene polymorphisms of selected cytokines in systemic lupus erythematosus. <i>Rheumatology International</i> , 2005, 26, 1-6.	1.5	56
900	Human T cell epitope mapping of the <i>Schistosoma mansoni</i> 14-kDa fatty acid-binding protein using cells from patients living in areas endemic for schistosomiasis. <i>Microbes and Infection</i> , 2005, 7, 204-212.	1.0	22
901	Locked nucleic acid (LNA) probes in high-throughput genetic analysis: Application to an assay for type 1 diabetes-related HLA-DQB1 alleles. <i>Clinical Biochemistry</i> , 2005, 38, 1015-1022.	0.8	15
902	Detection of reverse transcriptase activity in human melanoma cell lines and identification of a murine leukemia virus contaminant. <i>Archives of Dermatological Research</i> , 2005, 296, 345-352.	1.1	6
903	Study of Survival of Motor Neuron (SMN) and Neuronal Apoptosis Inhibitory Protein (NAIP) gene deletions in SMA patients. <i>Journal of Neurology</i> , 2005, 252, 667-671.	1.8	16
904	Association of HLA-DRB1, DQB1 alleles with chronic urticaria. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2005, 25, 354-356.	1.0	13
905	Use of the TSPY gene for sexing cattle. <i>Genetics and Molecular Biology</i> , 2005, 28, 117-119.	0.6	14
906	Multiplex fluorescent analysis of four short tandem repeats for rapid haemophilia A molecular diagnosis. <i>Thrombosis and Haemostasis</i> , 2005, 94, 1099-1103.	1.8	19
907	Association of HLA Class I and Class II Polymorphisms with Age-Related Macular Degeneration. , 2005, 46, 1726.		64
908	The Genetics Characteristics of HLA Alleles and Haplotypes in the Shanghai Han Population. <i>Current Genomics</i> , 2005, 6, 109-114.	0.7	0

#	ARTICLE	IF	CITATIONS
909	Cytokine Gene Polymorphism in Sympathetic Ophthalmia. , 2005, 46, 4245.		50
910	Ataxia, peripheral neuropathy, and anti-gliadin antibody. Guilt by association?. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 1601-1603.	0.9	24
911	Differences in viral and host genetic risk factors for development of human T-cell lymphotropic virus type 1 (HTLV-1)-associated myelopathy/tropical spastic paraparesis between Iranian and Japanese HTLV-1-infected individuals. Journal of General Virology, 2005, 86, 773-781.	1.3	65
912	Complex interactions among MHC haplotypes in multiple sclerosis: susceptibility and resistance. Human Molecular Genetics, 2005, 14, 2019-2026.	1.4	212
913	Genotype-Phenotype correlation of SMN locus genes in spinal muscular atrophy patients from India. Experimental and Molecular Medicine, 2005, 37, 147-154.	3.2	7
914	Within-host evolution of CD8+TL epitopes encoded by overlapping and non-overlapping reading frames of simian immunodeficiency virus. Bioinformatics, 2005, 21, iii39-iii44.	1.8	14
915	The peroxisome proliferator activated receptor α 2 (PPAR α 2) Pro12Ala variant: lack of association with type 2 diabetes in obese and non obese Tunisian patients. Diabetes and Metabolism, 2005, 31, 119-123.	1.4	28
917	Replication of Putative Candidate-Gene Associations with Rheumatoid Arthritis in >4,000 Samples from North America and Sweden: Association of Susceptibility with PTPN22, CTLA4, and PADI4. American Journal of Human Genetics, 2005, 77, 1044-1060.	2.6	494
918	Analysis of B- and T-cell clonality and HLA class II alleles in patients with idiopathic thrombocytopenic purpura: Correlation with Helicobacter pylori infection and response to eradication treatment. Platelets, 2005, 16, 307-311.	1.1	55
919	Familial mycosis fungoides: Report of 6 kindreds and a study of the HLA system. Journal of the American Academy of Dermatology, 2005, 52, 393-402.	0.6	56
920	Development of a new HLA-DRB real-time PCR typing method. Human Immunology, 2005, 66, 85-91.	1.2	14
921	Does genotype mask the relationship between psychological factors and immune function?. Brain, Behavior, and Immunity, 2005, 19, 147-152.	2.0	8
922	Increased gene expression of chemokine receptors is correlated with acute graft-versus-host disease after allogeneic stem cell transplantation. Biology of Blood and Marrow Transplantation, 2005, 11, 280-287.	2.0	37
923	A functional polymorphism of the tumor necrosis factor receptor-II gene associated with the survival and relapse prediction of breast carcinoma. Cytokine, 2005, 30, 182-187.	1.4	20
924	Association between occupational exposure to mineral oil and rheumatoid arthritis: results from the Swedish EIRA case-control study. Arthritis Research and Therapy, 2005, 7, R1296.	1.6	80
925	Anti-Sa antibodies and antibodies against cyclic citrullinated peptide are not equivalent as predictors of severe outcomes in patients with recent-onset polyarthritis. Arthritis Research, 2005, 7, R592.	2.0	72
926	HLA-DRB1 frequencies of the Comorian population and their genetic affinities with Sub-Saharan African and Indian Oceanian populations. Annals of Human Biology, 2006, 33, 265-278.	0.4	7
927	A linkage study in two families with multiple sclerosis and healthy members with oligoclonal CSF immunopathy. Multiple Sclerosis Journal, 2006, 12, 723-730.	1.4	21

#	ARTICLE	IF	CITATIONS
928	HLA Typing Using Molecular Methods. , 2006, , 485-493.		1
929	Tumor mRNA-Transfected Dendritic Cells Stimulate the Generation of CTL That Recognize Neuroblastoma-Associated Antigens, Kill Tumor Cells: Immunotherapeutic Implications. Neoplasia, 2006, 8, 833-842.	2.3	42
930	HLA-DRB1 Donor-Recipient Mismatch Affects the Outcome of Hepatitis C Disease Recurrence After Liver Transplantation. Gastroenterology, 2006, 130, 695-702.	0.6	29
931	HLA Typing and Its Influence on Organ Transplantation. , 2006, 333, 157-174.		76
932	Sarcoidosis of the thyroid gland associated with hyperthyroidism: Review of the literature and report of two peculiar cases. Journal of Endocrinological Investigation, 2006, 29, 834-839.	1.8	12
933	Inflammatory Cytokines Predominate in Cases of Tumor Regression after Hematopoietic Stem Cell Transplantation for Solid Cancer. Biology of Blood and Marrow Transplantation, 2006, 12, 346-354.	2.0	13
934	A polymorphism in FAS gene promoter associated with increased risk of nasopharyngeal carcinoma and correlated with anti-nuclear autoantibodies induction. Cancer Letters, 2006, 233, 21-27.	3.2	26
935	HLA-associated production of anti-DFS70/LEDGF autoantibodies and systemic autoimmune disease. Journal of Autoimmunity, 2006, 26, 252-257.	3.0	18
936	A genetic explanation for the rising incidence of type 1 diabetes, a polygenic disease. Journal of Autoimmunity, 2006, 27, 174-181.	3.0	45
937	Disease Relevant HLA Class II Alleles Isolated by Genotypic, Haplotypic, and Sequence Analysis in North American Caucasians With Pemphigus Vulgaris. Human Immunology, 2006, 67, 125-139.	1.2	75
938	A Family Based Linkage Analysis of HLA and 5-HTTLPR Gene Polymorphisms in Sardinian Children with Autism Spectrum Disorder. Human Immunology, 2006, 67, 108-117.	1.2	22
939	Real-Time PCR Using Fluorescent Resonance Emission Transfer Probes for HLA-B Typing. Human Immunology, 2006, 67, 374-385.	1.2	10
940	Genetic Variation in IL-8 Associated with Increased Risk and Poor Prognosis of Breast Carcinoma. Human Immunology, 2006, 67, 13-21.	1.2	61
941	Association of HLA-DR, -DQ, and Vitamin D Receptor Alleles and Haplotypes with Tuberculosis in the Venda of South Africa. Human Immunology, 2006, 67, 643-654.	1.2	94
942	Clinical, Serologic, and Genetic Profiles of Patients With Associated Sjögren's Syndrome and Systemic Lupus Erythematosus. Human Immunology, 2006, 67, 924-930.	1.2	42
943	HLA typing associated with hepatitis B E antigen seroconversion in children with chronic hepatitis B virus infection: A long-term prospective sibling cohort study in Taiwan. Journal of Pediatrics, 2006, 148, 647-651.e1.	0.9	18
944	Molecular Mechanisms Associated With Donor-Specific Microchimerism in Peripheral Blood of Brazilian Patients After Liver Transplantation. Transplantation Proceedings, 2006, 38, 1411-1417.	0.3	5
945	Monitoring of Cellular Immunity by Interferon-Gamma Enzyme-Linked Immunosorbent Spot Assay in Kidney Allograft Recipients: Preliminary Results of a Longitudinal Study. Transplantation Proceedings, 2006, 38, 1014-1017.	0.3	16

#	ARTICLE	IF	CITATIONS
946	Modified ELISPOT technique â€” Highly significant inverse correlation of post-Tx donor-reactive IFNÎ³-producing cell frequencies with 6 and 12 months graft function in kidney transplant recipients. <i>Transplant Immunology</i> , 2006, 16, 232-237.	0.6	44
948	Non Classical HLA Genes and Non-HLA Genes in a Population of Infants at Familial Risk of Atopy. <i>Disease Markers</i> , 2006, 22, 111-117.	0.6	1
949	A versatile strategy for preimplantation genetic diagnosis of haemophilia A based on F8-gene sequencing. <i>Thrombosis and Haemostasis</i> , 2006, 96, 839-845.	1.8	10
950	HLA-DRB genotype and specific IgE responses in patients with allergies to penicillins. <i>Chinese Medical Journal</i> , 2006, 119, 458-466.	0.9	24
951	HLAMatchmaker-driven analysis of responses to HLA-typed platelet transfusions in alloimmunized thrombocytopenic patients. <i>Blood</i> , 2006, 107, 1680-1687.	0.6	71
952	Graft rejection after unrelated donor hematopoietic stem cell transplantation for thalassemia is associated with nonpermissive HLA-DPB1 disparity in host-versus-graft direction. <i>Blood</i> , 2006, 107, 2984-2992.	0.6	123
953	Unrelated Versus Related Allogeneic Stem Cell Transplantation After Reduced Intensity Conditioning. <i>Transplantation</i> , 2006, 82, 913-919.	0.5	50
954	Characterization of the novel allele HLA-B*3710+. <i>Tissue Antigens</i> , 2006, 67, 173-174.	1.0	7
955	Identification of a novel HLA-DRB1*11 allele: DRB1*1152. <i>Tissue Antigens</i> , 2006, 67, 180-182.	1.0	8
956	HLA-B27 testing in Thai patients using the PCR-SSP technique. <i>Tissue Antigens</i> , 2006, 67, 233-236.	1.0	5
957	Exon 1-4 sequence analysis of a novel HLA-A allele, HLA-A*2458+. <i>Tissue Antigens</i> , 2006, 68, 177-178.	1.0	4
958	Genetic susceptibility to rheumatic heart disease and streptococcal pharyngitis: association with HLA-DR alleles. <i>Tissue Antigens</i> , 2006, 68, 293-296.	1.0	30
959	MHC haplotypic association in Chinese Han patients with vitiligo. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 941-946.	1.3	27
960	The D category VI type 4 allele is prevalent in the Spanish population. <i>Transfusion</i> , 2006, 46, 616-623.	0.8	18
961	Association of HLA subtype DRB1*0407 in Colombian patients with actinic prurigo. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2006, 22, 55-58.	0.7	27
962	HLA class II polymorphisms in Spanish melanoma patients: homozygosity for HLA-DQA1 locus can be a potential melanoma risk factor. <i>British Journal of Dermatology</i> , 2006, 154, 261-266.	1.4	21
963	HLA Cw*06 is not essential for streptococcal-induced psoriasis. <i>British Journal of Dermatology</i> , 2006, 154, 850-853.	1.4	20
964	HLA-DRB1 polymorphism is associated with Kell immunisation. <i>British Journal of Haematology</i> , 2006, 132, 374-378.	1.2	64

#	ARTICLE	IF	CITATIONS
965	Phylogeography and genetic structure of <i>Hibiscus tiliaceus</i> - speciation of a pantropical plant with sea-drifted seeds. <i>Molecular Ecology</i> , 2006, 15, 2871-2881.	2.0	61
966	Reduced-Intensity Conditioning Followed by Unrelated Umbilical Cord Blood Transplantation for Advanced Hematologic Malignancies: Rapid Engraftment in Bone Marrow. <i>International Journal of Hematology</i> , 2006, 83, 74-79.	0.7	31
967	Clinical symptoms and the odds of human T-cell lymphotropic virus type 1 "associated myelopathy/tropical spastic paraparesis (HAM/TSP) in healthy virus carriers: Application of best-fit logistic regression equation based on host genotype, age, and provirus load. <i>Journal of NeuroVirology</i> , 2006, 12, 171-177.	1.0	14
969	Human leukocyte antigen distribution analysis in North Italian brain Glioma patients: an association with HLA-DRB1*14. <i>Journal of Neuro-Oncology</i> , 2006, 77, 213-217.	1.4	14
970	HLA-DR alleles in patients with post-streptococcal reactive arthritis. <i>Rheumatology International</i> , 2006, 27, 111-113.	1.5	2
971	Tumor necrosis factor promoter gene polymorphism associated with increased susceptibility to non-Hodgkin's lymphomas. <i>European Journal of Haematology</i> , 2006, 78, 061114074547005-???	1.1	24
972	Polymorphism of HLA-DRB1 gene shows no strong association with ulcerative colitis in Chinese patients. <i>International Journal of Immunogenetics</i> , 2006, 33, 37-40.	0.8	10
973	The role of HLA molecules in susceptibility to chronic rheumatic heart disease. <i>International Journal of Immunogenetics</i> , 2006, 33, 41-44.	0.8	22
974	A one-step real-time PCR assay for detection of DQA1*05, DQB1*02 and DQB1*0302 to aid diagnosis of celiac disease. <i>Journal of Immunological Methods</i> , 2006, 316, 125-132.	0.6	14
975	A real-time PCR approach for rapid high resolution subtyping of HLA-DRB1*04. <i>Journal of Immunological Methods</i> , 2006, 317, 64-70.	0.6	23
976	Leptin and leptin receptor polymorphisms are associated with increased risk and poor prognosis of breast carcinoma. <i>BMC Cancer</i> , 2006, 6, 38.	1.1	119
977	A new model for an etiology of rheumatoid arthritis: Smoking may trigger HLA-DR (shared) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Rheumatism, 2006, 54, 38-46.	6.7	1,233
978	Composition of calcifications in children with juvenile dermatomyositis: Association with chronic cutaneous inflammation. <i>Arthritis and Rheumatism</i> , 2006, 54, 3345-3350.	6.7	71
979	HLA-class II haplotype associations with ovarian cancer. <i>International Journal of Cancer</i> , 2006, 119, 2980-2985.	2.3	29
980	Identification of novel consensus CD4 T-cell epitopes from clade B HIV-1 whole genome that are frequently recognized by HIV-1 infected patients. <i>Aids</i> , 2006, 20, 2263-2273.	1.0	49
981	Stable T-cell reactivity after successful tapering of azathioprine in HLA-identical living-related kidney transplant recipients despite minor histocompatibility antigen mismatches. <i>Nephrology Dialysis Transplantation</i> , 2006, 22, 353-361.	0.4	8
982	Helicobacter pylori Infection and Autoimmune Thyroid Disease in Young Patients: The Disadvantage of Carrying the Human Leukocyte Antigen-DRB1*0301 Allele. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 176-179.	1.8	47
983	The Wild-Type Sequence (wt) p5325*35 Peptide Induces HLA-DR7 and HLA-DR11-Restricted CD4+ Th Cells Capable of Enhancing the Ex Vivo Expansion and Function of Anti-wt p53264*272 Peptide CD8+ T Cells. <i>Journal of Immunology</i> , 2006, 177, 6795-6803.	0.4	21

#	ARTICLE	IF	CITATIONS
984	Reduced Th1 response in the lungs of HLA-DRB1*0301 patients with pulmonary sarcoidosis. <i>European Respiratory Journal</i> , 2006, 27, 451-459.	3.1	67
985	MHC class II, tumour necrosis factor β , and lymphotoxin β gene haplotype associations with serological subsets of systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 488-494.	0.5	41
986	Identification of Dialysis Patients with Panel-Reactive Memory T Cells before Kidney Transplantation Using an Allogeneic Cell Bank. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 573-580.	3.0	68
987	Radiological outcome in rheumatoid arthritis is predicted by presence of antibodies against cyclic citrullinated peptide before and at disease onset, and by IgA-RF at disease onset. <i>Annals of the Rheumatic Diseases</i> , 2006, 65, 453-458.	0.5	221
988	Mesenchymal Stem Cells for Treatment of Therapy-Resistant Graft-versus-Host Disease. <i>Transplantation</i> , 2006, 81, 1390-1397.	0.5	1,003
989	Optimized pH Method for DNA Elution from Buccal Cells Collected in Whatman FTA [®] Cards. <i>Genetic Testing and Molecular Biomarkers</i> , 2006, 10, 126-130.	1.7	11
990	Immunization of Stage IV Melanoma Patients with Melan-A/MART-1 and gp100 Peptides plus IFN- γ Results in the Activation of Specific CD8 ⁺ T Cells and Monocyte/Dendritic Cell Precursors. <i>Cancer Research</i> , 2006, 66, 4943-4951.	0.4	108
991	Serum calcium, urine calcium and polymorphisms of the calcium sensing receptor gene. <i>Annals of Clinical Biochemistry</i> , 2006, 43, 503-506.	0.8	17
992	The association between HLA genes and radiological erosions in Malaysian patients with rheumatoid arthritis. <i>Autoimmunity</i> , 2007, 40, 187-190.	1.2	3
993	Genetic and Biological Characterization of Recombinant HIV Type 1 with Env Derived from Long-Term Nonprogressor (LTNP) Viruses. <i>AIDS Research and Human Retroviruses</i> , 2007, 23, 1377-1386.	0.5	4
994	The Inheritance of Resistance Alleles in Multiple Sclerosis. <i>PLoS Genetics</i> , 2007, 3, e150.	1.5	109
995	Rapid HLA-DR Fluorotyping Based on Melting Curve Analysis. <i>Immunological Investigations</i> , 2007, 36, 507-521.	1.0	3
996	Sex-Specific Manifestations of Löfgren's Syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 40-44.	2.5	142
997	Myelin oligodendrocyte glycoprotein antibodies in pathologically proven multiple sclerosis: frequency, stability and clinicopathologic correlations. <i>Multiple Sclerosis Journal</i> , 2007, 13, 7-16.	1.4	43
998	Ex Vivo Analysis of Human T Lymphotropic Virus Type 1-Specific CD4 ⁺ Cells by Use of a Major Histocompatibility Complex Class II Tetramer Composed of a Neurological Disease-Susceptibility Allele and Its Immunodominant Peptide. <i>Journal of Infectious Diseases</i> , 2007, 196, 1761-1772.	1.9	11
999	Achieving Donor-Specific Hyporesponsiveness Is Associated with FOXP3 ⁺ Regulatory T Cell Recruitment in Human Renal Allograft Infiltrates. <i>Journal of Immunology</i> , 2007, 179, 4901-4909.	0.4	143
1000	MHC class I chain-related gene B (MICB) is associated with rheumatoid arthritis susceptibility. <i>Rheumatology</i> , 2007, 46, 426-430.	0.9	35
1001	Multiple sclerosis immunopathic trait and HLA-DR(2)15 as independent risk factors in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2007, 13, 441-445.	1.4	7

#	ARTICLE	IF	CITATIONS
1002	Sequence-Specific Analysis of Microchimerism by Real-Time Quantitative Polymerase Chain Reaction in Same-Sex Nonhuman Primates After Islet and Bone Marrow Transplantation. <i>Transplantation</i> , 2007, 84, 1677-1685.	0.5	3
1003	Re-exposure to Mismatched HLA Class I Is a Significant Risk Factor for Graft Loss: Multivariable Analysis of 259 Kidney Retransplants. <i>Transplantation</i> , 2007, 84, 722-728.	0.5	17
1004	Early Hematopoietic Microchimerism Predicts Clinical Outcome After Kidney Transplantation. <i>Transplantation</i> , 2007, 84, 1103-1111.	0.5	11
1006	Extracorporeal Photopheresis for Steroid Resistant Graft Versus Host Disease in Pediatric Patients. <i>Journal of Pediatric Hematology/Oncology</i> , 2007, 29, 678-687.	0.3	50
1007	Similar Outcome After Unrelated Allogeneic Peripheral Blood Stem Cell Transplantation Compared With Bone Marrow in Children and Adolescents. <i>Transplantation</i> , 2007, 84, 551-554.	0.5	17
1008	Major ABO Blood Group Mismatch Increases the Risk for Graft Failure after Unrelated Donor Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 675-682.	2.0	68
1009	Frequency and Targeted Detection of HLA-DPB1 T Cell Epitope Disparities Relevant in Unrelated Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2007, 13, 1031-1040.	2.0	50
1010	Matrix metalloproteinase-1 (-1607) 1G/2G and -9 (â€“1562) C/T promoter polymorphisms: Susceptibility and prognostic implications in nasopharyngeal carcinomas. <i>Clinica Chimica Acta</i> , 2007, 384, 57-63.	0.5	35
1011	DRB Genotyping in Cynomolgus Monkeys from China Using Polymerase Chain Reaction -Sequence-Specific Primers. <i>Human Immunology</i> , 2007, 68, 135-144.	1.2	10
1013	Association of IL-8 (âˆ“251)T/A polymorphism with susceptibility to and aggressiveness of nasopharyngeal carcinoma. <i>Human Immunology</i> , 2007, 68, 761-769.	1.2	39
1014	High-throughput sequence-based typing strategy for HLA-DRB1 based on real-time polymerase chain reaction. <i>Human Immunology</i> , 2007, 68, 915-917.	1.2	9
1015	Gene-Gene and Gene-Environment Interactions Involving HLA-DRB1, PTPN22, and Smoking in Two Subsets of Rheumatoid Arthritis. <i>American Journal of Human Genetics</i> , 2007, 80, 867-875.	2.6	374
1016	HLA DQ Gene Dosage and Risk and Severity of Celiac Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2007, 5, 1406-1412.	2.4	79
1017	Bone Marrow and Stem Cell Transplantation. <i>Methods in Molecular Medicine</i> , 2007, , .	0.8	1
1018	The role of HLA-DRB1 alleles on susceptibility and outcome of a Portuguese Multiple Sclerosis population. <i>Journal of the Neurological Sciences</i> , 2007, 258, 69-74.	0.3	39
1019	Unusual clinical and immunologic manifestations of transplacentally acquired maternal T cells in severe combined immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 423-428.	1.5	41
1020	Psoriasis in childhood with total remission—chronic disease: Clinical application of HLA class I markers. <i>Journal of Dermatological Science</i> , 2007, 46, 77-78.	1.0	4
1021	HLA-A Confers an HLA-DRB1 Independent Influence on the Risk of Multiple Sclerosis. <i>PLoS ONE</i> , 2007, 2, e664.	1.1	151

#	ARTICLE	IF	CITATIONS
1023	HLA-DRB1 alleles in juvenile-onset systemic lupus erythematosus: renal histologic class correlations. Brazilian Journal of Medical and Biological Research, 2007, 40, 591-597.	0.7	23
1024	Identification of a novel autoantibody directed against small ubiquitin-like modifier activating enzyme in dermatomyositis. Arthritis and Rheumatism, 2007, 56, 3132-3137.	6.7	133
1025	A second major histocompatibility complex susceptibility locus for multiple sclerosis. Annals of Neurology, 2007, 61, 228-236.	2.8	156
1026	Cytokine responses in acute and persistent human parvovirus B19 infection. Clinical and Experimental Immunology, 2007, 147, 419-425.	1.1	25
1027	Stepwise replication identifies a low-producing lymphotoxin-Î± allele as a major risk factor for early-onset leprosy. Nature Genetics, 2007, 39, 517-522.	9.4	152
1028	Fludarabine-based disease-specific conditioning or conventional myeloablative conditioning in hematopoietic stem cell transplantation for treatment of non-malignant diseases. Bone Marrow Transplantation, 2007, 39, 383-388.	1.3	19
1029	Cyclosporine A (CsA) 2-h concentrations vary between patients without correlation to graft-versus-host disease after allogeneic haematopoietic stem cell transplantation. Bone Marrow Transplantation, 2007, 40, 683-689.	1.3	19
1030	Expression of human PTPN22 alleles. Genes and Immunity, 2007, 8, 131-137.	2.2	12
1031	HLA-DRB1*04 and DRB1*10 are associated with resistance and susceptibility, respectively, in Brazilian and Vietnamese leprosy patients. Genes and Immunity, 2007, 8, 320-324.	2.2	62
1032	Transplantation of mesenchymal stem cells to enhance engraftment of hematopoietic stem cells. Leukemia, 2007, 21, 1733-1738.	3.3	406
1033	Tissue repair using allogeneic mesenchymal stem cells for hemorrhagic cystitis, pneumomediastinum and perforated colon. Leukemia, 2007, 21, 2271-2276.	3.3	193
1034	The polymorphism in MUC1 gene in Nelore cattle. Journal of Animal Breeding and Genetics, 2007, 124, 42-46.	0.8	9
1035	Long-term follow-up of peripheral blood stem cell transplantation from mismatched related and unrelated donors. Clinical Transplantation, 2007, 21, 110-116.	0.8	1
1036	HLA-Cw*0740, a new allele mistyped by generic sequencing and identified by allelic separation. Tissue Antigens, 2007, 69, 100-102.	1.0	5
1037	HLA-A*1129, a new allele identified in a cord blood donor. Tissue Antigens, 2007, 69, 611-611.	1.0	4
1038	Islet cell autoantibody levels after the diagnosis of young adult diabetic patients. Diabetic Medicine, 2007, 24, 1221-1228.	1.2	16
1039	Association of HLA-DRB1*13 and TNF-Î± gene polymorphisms with clearance of chronic hepatitis B infection and risk of hepatocellular carcinoma in Thai population. Journal of Viral Hepatitis, 2007, 14, 841-848.	1.0	87
1040	Linear psoriasis in Brazilian children and HLA haplotypes. Journal of the European Academy of Dermatology and Venereology, 2007, 21, 1439-1440.	1.3	9

#	ARTICLE	IF	CITATIONS
1041	Genetic contribution of major histocompatibility complex class II region to type 1 autoimmune hepatitis susceptibility in Venezuela. <i>Liver International</i> , 2007, 27, 1409-1416.	1.9	45
1042	A prospective study on the prevalence and risk factors for neonatal thrombocytopenia and platelet alloimmunization among 9332 unselected Brazilian newborns. <i>Transfusion</i> , 2007, 47, 59-66.	0.8	18
1043	Molecular genetic blood group typing by the use of PCR-SSP technique. <i>Transfusion</i> , 2007, 47, 54S-59S.	0.8	48
1044	Analyses of immunosenescent markers in patients with autoimmune disease. <i>Clinical Immunology</i> , 2007, 123, 209-218.	1.4	132
1045	Characterization of a novel HLA-DRB1*04 allele (DRB1*0460) in the Italian population. <i>International Journal of Immunogenetics</i> , 2007, 34, 1-2.	0.8	6
1046	HLA-DRB1*03 is a susceptibility gene in patients with Graves' disease with and without ophthalmopathy. <i>International Journal of Immunogenetics</i> , 2007, 34, 23-25.	0.8	10
1047	A polymorphism in FAS gene promoter correlated with circulating soluble FAS levels. <i>International Journal of Immunogenetics</i> , 2007, 34, 209-212.	0.8	15
1048	Sex-specific association of the human PTPN22 1858T allele with type 1 diabetes. <i>International Journal of Immunogenetics</i> , 2007, 34, 469-473.	0.8	29
1049	Multiple factors affect the loss of measurable C-peptide over 6 years in newly diagnosed 15- to 35-year-old diabetic subjects. <i>Journal of Diabetes and Its Complications</i> , 2007, 21, 205-213.	1.2	20
1050	Gene-environment interactions in multiple sclerosis: Innate and adaptive immune responses to human endogenous retrovirus and herpesvirus antigens and the lectin complement activation pathway. <i>Journal of Neuroimmunology</i> , 2007, 183, 175-188.	1.1	39
1051	No effect of APOE and PVRL2 on the clinical outcome of multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2007, 186, 156-160.	1.1	8
1052	Association of HLA class II allele and haplotype frequencies with chronic myelogenous leukemia and age-at-onset of the disease. <i>Pathology and Oncology Research</i> , 2007, 13, 47-51.	0.9	14
1053	Molecular typing of major histocompatibility complex class I alleles in the Indian rhesus macaque which restrict SIV CD8+ T cell epitopes. <i>Immunogenetics</i> , 2007, 59, 693-703.	1.2	85
1054	The association of DRB1*04 share epitope alleles and tumor necrosis factor-alpha gene polymorphism (rs863) with susceptibility to rheumatoid arthritis in Thai. <i>Rheumatology International</i> , 2007, 28, 161-165.	1.5	11
1055	Gliadin Peptides Activate Blood Monocytes from Patients with Celiac Disease. <i>Journal of Clinical Immunology</i> , 2007, 27, 201-209.	2.0	88
1056	Polymorphisms of Human Leukocyte Antigen Genes in Korean Children with Kawasaki Disease. <i>Pediatric Cardiology</i> , 2008, 29, 402-408.	0.6	34
1057	Human leukocyte antigen-B*2705 is the predominant subtype in the Korean population with ankylosing spondylitis, unlike in other Asians. <i>Rheumatology International</i> , 2008, 29, 43-46.	1.5	19
1058	Analysis of 45 candidate genes for disease modifying activity in multiple sclerosis. <i>Journal of Neurology</i> , 2008, 255, 1215-1219.	1.8	19

#	ARTICLE	IF	CITATIONS
1059	Macrogeographic genetic variation in broad-snouted caiman (<i>Caiman latirostris</i>). <i>Journal of Experimental Zoology</i> , 2008, 309A, 628-636.	1.2	17
1060	Cytotoxicity and antibody binding by flow cytometry: A single assay to simultaneously assess two parameters. <i>Cytometry Part B - Clinical Cytometry</i> , 2008, 74B, 287-294.	0.7	19
1061	Clinical manifestations and beta cell function in Swedish diabetic children have remained unchanged during the last 25 years. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 472-479.	1.7	31
1062	Association of IL23R, TNFRSF1A, and HLA-DRB1*0103 allele variants with inflammatory bowel disease phenotypes in the Finnish population. <i>Inflammatory Bowel Diseases</i> , 2008, 14, 1118-1124.	0.9	65
1063	A first stage genome-wide screen for regions shared identical-by-descent in hutterite families with multiple sclerosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 467-472.	1.1	4
1064	Promiscuous T cell epitope prediction of <i>Candida albicans</i> secretory aspartyl protease family of proteins. <i>Infection, Genetics and Evolution</i> , 2008, 8, 467-473.	1.0	7
1065	Maternal microchimerism in human fetal tissues. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 325.e1-325.e6.	0.7	55
1066	Periodontal Disease: Papillon-Lévy syndrome: analysis of HLA antigens. <i>Oral Diseases</i> , 2000, 6, 278-281.	1.5	3
1067	No impact of NOD2/CARD15 on outcome after SCT. <i>Bone Marrow Transplantation</i> , 2008, 41, 961-964.	1.3	32
1068	Allogeneic stem cell transplantation: low immunoglobulin levels associated with decreased survival. <i>Bone Marrow Transplantation</i> , 2008, 41, 267-273.	1.3	51
1069	The correlation between cotransplantation of mesenchymal stem cells and higher recurrence rate in hematologic malignancy patients: outcome of a pilot clinical study. <i>Leukemia</i> , 2008, 22, 593-599.	3.3	354
1070	HLA-DR and -DQ alleles in Italian patients with melanoma. <i>Tissue Antigens</i> , 1998, 51, 276-280.	1.0	18
1071	Allele-specific HLA-B*15 typing by PCR-SSP and its application to four distinct ethnic populations. <i>Tissue Antigens</i> , 1998, 51, 293-300.	1.0	10
1072	Characterisation of two novel HLA alleles, HLA-Cw*0429 and HLA-DRB3*0223. <i>Tissue Antigens</i> , 2008, 72, 498-499.	1.0	8
1073	Outcome of haematopoietic stem cell transplantation in patients transplanted with matched unrelated donors <i>vs</i> mismatched donors: a single centre study. <i>Tissue Antigens</i> , 2008, 72, 549-558.	1.0	17
1074	HLA-DR-restricted T cell lines from newly diagnosed type 1 diabetic patients specific for insulinoma and normal islet beta cell proteins: lack of reactivity to glutamic acid decarboxylase. <i>Clinical and Experimental Immunology</i> , 2008, 102, 152-158.	1.1	6
1075	Analysis of regulatory T cell associated forkhead box P3 expression in the lungs of patients with sarcoidosis. <i>Clinical and Experimental Immunology</i> , 2008, 152, 127-137.	1.1	63
1076	Implication of Xenobiotic Metabolizing Enzyme gene (CYP2E1, CYP2C19, CYP2D6, mEH and NAT2) Polymorphisms in Breast Carcinoma. <i>BMC Cancer</i> , 2008, 8, 109.	1.1	46

#	ARTICLE	IF	CITATIONS
1077	Genomic tissue typing and optimal antithymocyte globuline dose using unrelated donors results in similar survival and relapse as HLA-identical siblings in haematopoietic stem-cell transplantation for leukaemia. <i>European Journal of Haematology</i> , 2008, 80, 419-428.	1.1	16
1078	No significant influence of HLA determinants on susceptibility to hepatitis C virus infection in Caucasian patients with end-stage renal disease. <i>Liver</i> , 1996, 16, 384-389.	0.1	10
1079	Interleukin-10 and interferon-gamma gene polymorphisms in patients with nasopharyngeal carcinoma. <i>International Journal of Immunogenetics</i> , 2008, 35, 197-205.	0.8	27
1080	Parental non-inherited HLA resistance alleles do not confer protection against multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2008, 196, 170-172.	1.1	3
1081	Evaluation of two methods for computational HLA haplotypes inference using a real dataset. <i>BMC Bioinformatics</i> , 2008, 9, 68.	1.2	13
1082	Association of HLA-DQA1 and DQB1 alleles with keloids in Chinese Hans. <i>Journal of Dermatological Science</i> , 2008, 52, 108-117.	1.0	33
1083	Strategies and technical challenges in allele level Class II typing in 2578 bone marrow transplantation donor-recipient pairs. <i>Human Immunology</i> , 2008, 69, 227-234.	1.2	2
1084	Human leukocyte antigen class II allele association to disease progression in Iranian patients with chronic lymphocytic leukemia. <i>Human Immunology</i> , 2008, 69, 666-674.	1.2	13
1085	Unrelated Umbilical Cord Blood Transplantation Using a TBI/FLAG Conditioning Regimen for Adults with Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 896-903.	2.0	12
1086	Functional vascular endothelial growth factor -2578 C/A polymorphism in relation to nasopharyngeal carcinoma risk and tumor progression. <i>Clinica Chimica Acta</i> , 2008, 395, 124-129.	0.5	36
1087	Functional IL-18 promoter gene polymorphisms in Tunisian nasopharyngeal carcinoma patients. <i>Cytokine</i> , 2008, 43, 132-137.	1.4	34
1088	Epidemiology and genetic risk of type 1 diabetes among children in Aragon community, Spain. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 112-116.	1.1	7
1089	Comment est-il possible d'un typage HLA? Reanimation: <i>Journal De La Societe De Reanimation De Langue Francaise</i> , 2008, 17, 407-411.	0.1	1
1090	Effective Detection of Human Leukocyte Antigen Risk Alleles in Celiac Disease Using Tag Single Nucleotide Polymorphisms. <i>PLoS ONE</i> , 2008, 3, e2270.	1.1	136
1091	Cannula ejection into the cornea during wound hydration. <i>British Journal of Ophthalmology</i> , 2008, 92, 181-181.	2.1	3
1092	HLA-DR17 and Mooren's ulcer in South India. <i>British Journal of Ophthalmology</i> , 2008, 92, 179-181.	2.1	13
1093	Molecular diagnosis of celiac disease: are we there yet?. <i>Expert Opinion on Medical Diagnostics</i> , 2008, 2, 399-416.	1.6	4
1094	A genome scan in a single pedigree with a high prevalence of multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 158-162.	0.9	21

#	ARTICLE	IF	CITATIONS
1095	<i>HLA-DRB1</i> and multiple sclerosis in Malta. <i>Neurology</i> , 2008, 70, 101-105.	1.5	36
1096	Buried Barrett's Epithelium Following Photodynamic Therapy Shows Reduced Crypt Proliferation and Absence of DNA Content Abnormalities. <i>American Journal of Gastroenterology</i> , 2008, 103, 38-47.	0.2	69
1097	Estimation of the Size of the Alloreactive NK Cell Repertoire: Studies in Individuals Homozygous for the Group A <i>KIR</i> Haplotype. <i>Journal of Immunology</i> , 2008, 181, 6010-6019.	0.4	99
1098	Human CD4+ T Lymphocytes Recognize a Vascular Endothelial Growth Factor Receptor-2â€“Derived Epitope in Association with HLA-DR. <i>Clinical Cancer Research</i> , 2008, 14, 4306-4315.	3.2	6
1099	HLA-DQ3 is a probable risk factor for CMV infection in high-risk kidney transplant patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2673-2678.	0.4	12
1100	PCR-Based Methodology for Molecular Microchimerism Detection and Quantification. <i>Experimental Biology and Medicine</i> , 2008, 233, 1161-1170.	1.1	21
1101	Asymptomatic Human CD4⁺ Cytotoxic T-Cell Epitopes Identified from Herpes Simplex Virus Glycoprotein B. <i>Journal of Virology</i> , 2008, 82, 11792-11802.	1.5	62
1102	The Prevalence of Non-classical Congenital Adrenal Hyperplasia Due to 21-hydroxylase Deficiency in Greek Women with Hirsutism and Polycystic Ovary Syndrome. <i>Endocrine Journal</i> , 2008, 55, 33-39.	0.7	31
1103	Frequency of Concurrent Autoimmune Disorders in Patients With Autoimmune Hepatitis. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 300-305.	1.1	58
1104	Frequencies of Genetic Polymorphisms of TLR4 and CD14 and of HLAâ€“DQ Genotypes in Children With Celiac Disease, Type 1 Diabetes Mellitus, or Both. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008, 47, 283-287.	0.9	31
1105	Case-Control Comparison of At-Home and Hospital Care for Allogeneic Hematopoietic Stem-Cell Transplantation: The Role of Oral Nutrition. <i>Transplantation</i> , 2008, 85, 1000-1007.	0.5	37
1106	Molecular Methods in Immunohematology: Use of the PCR-SSP Technique. , 2008, , 199-208.		0
1107	Seroprevalence of <i>Helicobacter pylori</i> in Central-European uraemic patients and its possible association with presence of HLA-DR12 allele. <i>European Journal of Gastroenterology and Hepatology</i> , 2008, 20, 906-911.	0.8	4
1108	A majority of Brazilian patients with rheumatoid arthritis HLA-DRB1 alleles carry both the HLA-DRB1 shared epitope and anti-citrullinated peptide antibodies. <i>Brazilian Journal of Medical and Biological Research</i> , 2008, 41, 493-499.	0.7	28
1109	A comparison between low intensity and reduced intensity conditioning in allogeneic hematopoietic stem cell transplantation for solid tumors. <i>Haematologica</i> , 2008, 93, 265-272.	1.7	8
1110	Prevalence of eating disorders and eating attacks in narcolepsy. <i>Neuropsychiatric Disease and Treatment</i> , 0, , 257.	1.0	12
1112	HLA Antigens and Alleles. , 0, , 885-897.		1
1113	Lymphocytic Duodenosis and the Spectrum of Celiac Disease. <i>American Journal of Gastroenterology</i> , 2009, 104, 142-148.	0.2	76

#	ARTICLE	IF	CITATIONS
1114	HLA-DR, -DQB Typing of Steroid-Sensitive Idiopathic Nephrotic Syndrome Children in Taiwan. <i>Nephron Clinical Practice</i> , 2009, 112, c57-c64.	2.3	9
1115	Lipoprotein(a) Levels in Obese Portuguese Children and Adolescents: Contribution of the Pentanucleotide Repeat (TTTTA) _n Polymorphism in the Apolipoprotein(a) Gene. <i>JAMA Pediatrics</i> , 2009, 163, 393.	3.6	2
1116	Multiple antibody reactivities to citrullinated antigens in sera from patients with rheumatoid arthritis: association with HLA-DRB1 alleles. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 736-743.	0.5	175
1117	The Convenience of Flow Cytometry for HLA-B*5701 Screening to Prevent Abacavir Hypersensitivity Reactions. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009, 51, 361-362.	0.9	4
1118	Lipid Profile in Portuguese Obese Children and Adolescents. <i>JAMA Pediatrics</i> , 2009, 163, 1030-6.	3.6	11
1119	Parent-of-origin of HLA-DRB1*1501 and age of onset of multiple sclerosis. <i>Journal of Human Genetics</i> , 2009, 54, 547-549.	1.1	19
1120	HLA-DRB1 and month of birth in multiple sclerosis. <i>Neurology</i> , 2009, 73, 2107-2111.	1.5	50
1121	Genetic Variation of Promoter Sequence Modulates XBP1 Expression and Genetic Risk for Vitiligo. <i>PLoS Genetics</i> , 2009, 5, e1000523.	1.5	77
1122	HLA in Portuguese Systemic Lupus Erythematosus Patients and Their Relation to Clinical Features. <i>Annals of the New York Academy of Sciences</i> , 2009, 1173, 575-580.	1.8	23
1123	Alcohol consumption is associated with decreased risk of rheumatoid arthritis: results from two Scandinavian case-control studies. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 222-227.	0.5	166
1124	Genotyping of the platelet-specific alloantigen HPA-5 (Br _a /Br _b) using polymerase chain reaction with sequence-specific primers (PCR-SSP). <i>European Journal of Haematology</i> , 1996, 57, 208-213.	1.1	6
1125	Relationship of polymorphisms located in tumor necrosis factor region and HLA loci among Croatians. <i>American Journal of Human Biology</i> , 2009, 21, 220-223.	0.8	0
1126	Experimental and clinical characteristics in myelodysplastic syndrome patients with or without HLA-DR15 allele. <i>Hematological Oncology</i> , 2010, 28, 98-103.	0.8	7
1127	The DRAA HLA-DR alleles in patients with early polyarthritis: Protection against severe disease and lack of association with rheumatoid arthritis autoantibodies. <i>Arthritis and Rheumatism</i> , 2009, 60, 698-707.	6.7	31
1128	Juvenile dermatomyositis calcifications selectively displayed markers of bone formation. <i>Arthritis and Rheumatism</i> , 2009, 61, 501-508.	6.7	29
1129	Opposing effects of HLA-DRB1*13 alleles on the risk of developing anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 924-930.	6.7	64
1130	No increased occurrence of ischemic heart disease prior to the onset of rheumatoid arthritis: Results from two Swedish population-based rheumatoid arthritis cohorts. <i>Arthritis and Rheumatism</i> , 2009, 60, 2861-2869.	6.7	64
1131	PTGS2 (COX-2) -765 G>A functional promoter polymorphism and its association with risk and lymph node metastasis in nasopharyngeal carcinoma. <i>Molecular Biology Reports</i> , 2009, 36, 193-200.	1.0	23

#	ARTICLE	IF	CITATIONS
1132	HLA Class II (DRB, DQA1 and DQB1) Allele and Haplotype Frequencies in the Patients with Pemphigus Vulgaris. <i>Journal of Clinical Immunology</i> , 2009, 29, 175-179.	2.0	52
1133	HLA-DR and HLA-DQ alleles in patients from the south of Brazil: markers for leprosy susceptibility and resistance. <i>BMC Infectious Diseases</i> , 2009, 9, 134.	1.3	34
1134	An extension to a statistical approach for family based association studies provides insights into genetic risk factors for multiple sclerosis in the HLA-DRB1 gene. <i>BMC Medical Genetics</i> , 2009, 10, 10.	2.1	18
1135	Association between antibody response against cytomegalovirus strain-specific glycoprotein H epitopes and HLA-DR. <i>Microbiology and Immunology</i> , 2009, 53, 412-416.	0.7	6
1136	Immunoglobulin heavy chain variable region gene usage and mutational status of the leukemic B cells in Iranian patients with chronic lymphocytic leukemia. <i>Cancer Science</i> , 2009, 100, 2346-2353.	1.7	29
1137	Allogeneic hematopoietic SCT in patients with non-malignant diseases, and importance of chimerism. <i>Bone Marrow Transplantation</i> , 2009, 44, 757-763.	1.3	39
1138	Allelic distribution and the effect of haplotype combination for HLA type II loci in the celiac disease population of the Valencian community (Spain). <i>Tissue Antigens</i> , 2009, 73, 255-261.	1.0	17
1139	A real-time polymerase chain reaction assay for the rapid identification of the autoimmune disease-associated allele HLA-DQB1*0602. <i>Tissue Antigens</i> , 2009, 73, 335-340.	1.0	14
1140	HLA haplotypes and birth weight variation: is your future going to be light or heavy?. <i>Tissue Antigens</i> , 2009, 74, 156-163.	1.0	14
1141	Positive association of DRB1*04 and DRB1*15 alleles with Fy ^a immunization in a Southern European population. <i>Transfusion</i> , 2009, 49, 2412-2417.	0.8	48
1142	Immunogenetic susceptibility to diabetes mellitus in patients with liver disease. <i>Liver International</i> , 2009, 29, 1543-1551.	1.9	6
1143	HLA-DRB1 and multiple sclerosis in Argentina. <i>European Journal of Neurology</i> , 2009, 16, 427-429.	1.7	24
1144	Familial multiple myeloma. Two more families. <i>Open Medicine (Poland)</i> , 2009, 4, 501-505.	0.6	1
1145	Lymphocyte Recovery Is a Major Determinant of Outcome after Matched Unrelated Myeloablative Transplantation for Myelogenous Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 1108-1115.	2.0	100
1146	Anti-HLA Antibody Profile of Turkish Patients With End-Stage Renal Disease. <i>Transplantation Proceedings</i> , 2009, 41, 3651-3654.	0.3	6
1147	Prospective analysis between the therapy of immunosuppressive medication and allogeneic microchimerism after liver transplantation. <i>Transplant Immunology</i> , 2009, 20, 195-198.	0.6	6
1148	Family-based transmission analysis of HLA genetic markers in Sardinian children with autistic spectrum disorders. <i>Human Immunology</i> , 2009, 70, 184-190.	1.2	27
1149	Rapid high-throughput human leukocyte antigen typing by massively parallel pyrosequencing for high-resolution allele identification. <i>Human Immunology</i> , 2009, 70, 960-964.	1.2	86

#	ARTICLE	IF	CITATIONS
1150	Analysis of variation in the IL7RA and IL2RA genes in atopic dermatitis. <i>Journal of Dermatological Science</i> , 2009, 55, 138-140.	1.0	17
1151	Extensive genetic polymorphism in the haplotype STR-TNF and HLA class I with the onset and evolution of psoriasis vulgaris. <i>Journal of Dermatological Science</i> , 2009, 55, 137-138.	1.0	1
1152	Altered expression of T cell Immunoglobulin-Mucin (TIM) molecules in bronchoalveolar lavage CD4+ T cells in sarcoidosis. <i>Respiratory Research</i> , 2009, 10, 42.	1.4	19
1153	Association of common polymorphisms in known susceptibility genes with rheumatoid arthritis in a Slovak population using osteoarthritis patients as controls. <i>Arthritis Research and Therapy</i> , 2009, 11, R70.	1.6	42
1155	HLA-DQB1* polymorphism and associations with dilated cardiomyopathy, inflammatory dilated cardiomyopathy and myocarditis. <i>Autoimmunity</i> , 2009, 42, 33-40.	1.2	17
1156	Impact of HLA on the Underlying Primary Diseases in Turkish Patients with End-Stage Renal Disease. <i>Renal Failure</i> , 2009, 31, 44-49.	0.8	14
1157	HLA-A*01 is Associated with Late Onset of Alzheimer's Disease in Italian Patients. <i>International Journal of Immunopathology and Pharmacology</i> , 2009, 22, 991-999.	1.0	18
1158	KIR acquisition probabilities are independent of self-HLA class I ligands and increase with cellular KIR expression. <i>Blood</i> , 2009, 114, 95-104.	0.6	93
1159	HLA-DQB1 Subtypes Predict Diabetic Retinopathy in Patients with Type I Diabetes Mellitus. <i>European Journal of Ophthalmology</i> , 2009, 19, 638-645.	0.7	3
1160	Molecular Study of Receptor for Advanced Glycation Endproduct Gene Promoter and Identification of Specific HLA Haplotypes Possibly Involved in Chronic Fatigue Syndrome. <i>International Journal of Immunopathology and Pharmacology</i> , 2009, 22, 745-754.	1.0	32
1161	Risk of Vertical HIV Transmission Combines the B35-Cw4 Disadvantage; and the Pattern of Inheritance; Theories of Progression. <i>Current HIV Research</i> , 2009, 7, 314-319.	0.2	7
1162	ATP-Binding Cassette Subfamily B Member 1 Polymorphisms Do Not Determine Cyclosporin Exposure, Acute Rejection or Nephrotoxicity After Heart Transplantation. <i>Transplantation</i> , 2010, 89, 75-82.	0.5	13
1163	HLA-A, -B, and -DR Zero-Mismatched Kidneys Shipped to the University of Wisconsin, Madison, 1993-2006: Superior Graft Survival Despite Longer Preservation Time. <i>Transplantation</i> , 2010, 90, 312-318.	0.5	9
1164	NK cells expressing inhibitory KIR for non-self ligands remain tolerant in HLA-matched sibling stem cell transplantation. <i>Blood</i> , 2010, 115, 2686-2694.	0.6	79
1165	A method for simple and accurate identification of the multiple sclerosis associated allele HLA-DRB1*1501 in neuroscience research laboratories. <i>Journal of Neuroimmunology</i> , 2010, 225, 143-148.	1.1	4
1166	Two HLA class I genes independently associated with multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2010, 226, 172-176.	1.1	30
1167	Frequent occurrence of conserved extended haplotypes (CEHs) in two Caucasian populations. <i>Molecular Immunology</i> , 2010, 47, 1899-1904.	1.0	14
1168	Combined effects of IL-8 and CXCR2 gene polymorphisms on breast cancer susceptibility and aggressiveness. <i>BMC Cancer</i> , 2010, 10, 283.	1.1	79

#	ARTICLE	IF	CITATIONS
1169	Experience with a Novel Efalizumab-Based Immunosuppressive Regimen to Facilitate Single Donor Islet Cell Transplantation. <i>American Journal of Transplantation</i> , 2010, 10, 2082-2091.	2.6	98
1170	Identification of two new HLA-DRB1 alleles, DRB1*040405 and DRB1*1190. <i>International Journal of Immunogenetics</i> , 2010, 37, 397-398.	0.8	4
1171	Sequence of a novel HLA-B*51 allele in a volunteer haematopoietic stem cell donor. <i>International Journal of Immunogenetics</i> , 2010, 37, 399-400.	0.8	3
1172	High resolution NMR based analysis of serum lipids in Duchenne muscular dystrophy patients and its possible diagnostic significance. <i>NMR in Biomedicine</i> , 2010, 23, 13-22.	1.6	62
1173	Evaluation of the antigenicity of universal epitopes from PvDBPII in individuals exposed to Plasmodium vivax malaria. <i>Microbes and Infection</i> , 2010, 12, 1188-1197.	1.0	5
1174	HLA B27 allele types in homogeneous groups of juvenile idiopathic arthritis patients in Latvia. <i>Pediatric Rheumatology</i> , 2010, 8, 26.	0.9	16
1175	The allele frequencies of HPA 1-16 determined by PCR-SSP in Chinese Cantonese donors. <i>Transfusion Medicine</i> , 2010, 20, 376-382.	0.5	10
1176	Human leukocyte antigen (HLA) and single nucleotide polymorphisms (SNPs) tumor necrosis factor (TNF)-alpha 238 and -308 as genetic markers of susceptibility to psoriasis and severity of the disease in a long-term follow-up Brazilian study. <i>International Journal of Dermatology</i> , 2010, 49, 1133-1140.	0.5	32
1177	Flow cytometric scoring system (FCMSS) assisted diagnosis of myelodysplastic syndromes (MDS) and the biological significance of FCMSS-based immunophenotypes. <i>British Journal of Haematology</i> , 2010, 149, 587-597.	1.2	24
1178	HLA class I and II alleles and haplotypes in ethnic Northeast Thais. <i>Tissue Antigens</i> , 2010, 75, 701-711.	1.0	52
1179	Association between MUC1 gene polymorphism and expected progeny differences in Nelore cattle (Bos Taurus). <i>Journal of Animal Breeding and Biotechnology</i> , 2010, 43, 1-6.	0.6	2
1180	Cytokine Polymorphism in Noninfectious Uveitis. <i>Journal of Ocular Inflammation</i> , 2010, 51, 4133.		41
1181	Microsatellite polymorphisms in intron 2 of the toll-like receptor 2 gene and their association with susceptibility to pulmonary tuberculosis in Han Chinese. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 785-789.	1.4	22
1182	The Frequency of HLA Class I and II Alleles in Turkish Childhood Acute Leukaemia Patients. <i>Journal of International Medical Research</i> , 2010, 38, 1835-1844.	0.4	25
1183	Common vaccinations among adults do not increase the risk of developing rheumatoid arthritis: results from the Swedish EIRA study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1831-1833.	0.5	42
1184	Influence of female hormonal factors, in relation to autoantibodies and genetic markers, on the development of rheumatoid arthritis in northern Sweden: a case-control study. <i>Scandinavian Journal of Rheumatology</i> , 2010, 39, 454-460.	0.6	40
1185	Relationship of type 1 diabetes to ancestral proportions and HLA DR/DQ alleles in a sample of the admixed Cuban population. <i>Annals of Human Biology</i> , 2010, 37, 778-788.	0.4	17
1186	Association of HLA phenotypes of end-stage renal disease patients preparing for first transplantation with anti-HLA antibody status. <i>Renal Failure</i> , 2010, 32, 380-383.	0.8	11

#	ARTICLE	IF	CITATIONS
1187	Silica exposure among male current smokers is associated with a high risk of developing ACPA-positive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1072-1076.	0.5	133
1188	My approach to the immunogenetics of haematopoietic stem cell transplant matching. <i>Journal of Clinical Pathology</i> , 2010, 63, 194-198.	1.0	3
1189	Association Analysis about HLA-DRB1, -DQB1 Polymorphism and Auto-Antibodies Against α_1 -Adrenergic Receptors in Chinese Patients with Essential Hypertension. <i>Clinical and Experimental Hypertension</i> , 2010, 32, 532-539.	0.5	1
1190	The clinical importance of bronchoalveolar lavage in allogeneic SCT patients with pneumonia. <i>Bone Marrow Transplantation</i> , 2010, 45, 945-950.	1.3	32
1191	WHAT IS THE RISK OF PERMANENT DISABILITY FROM A MULTIPLE SCLEROSIS RELAPSE?. <i>Neurology</i> , 2010, 75, 837-838.	1.5	12
1192	Epistasis between HLA-DRB1 parental alleles in a Spanish cohort with multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2010, 298, 96-100.	0.3	2
1193	Association of HLA class I alleles with keloids in Chinese Han individuals. <i>Human Immunology</i> , 2010, 71, 418-422.	1.2	8
1194	Description and molecular modeling of two novel HLA alleles: HLA-A*0343 and A*0345. <i>Human Immunology</i> , 2010, 71, 582-585.	1.2	5
1196	Investigation of IGF2/ApaI and H19/RsaI polymorphisms in patients with cutaneous melanoma. <i>Growth Hormone and IGF Research</i> , 2010, 20, 295-297.	0.5	9
1197	Identification of X chromosome copies by quantitative real-time polymerase chain reaction for population screening tests. <i>Fertility and Sterility</i> , 2010, 94, 2476-2478.	0.5	1
1198	A single nucleotide polymorphism in the E-cadherin gene promoter α^{\sim} 160 C/A is associated with risk of nasopharyngeal cancer. <i>Clinica Chimica Acta</i> , 2010, 411, 1253-1257.	0.5	11
1199	Methods for MHC genotyping in non-model vertebrates. <i>Molecular Ecology Resources</i> , 2010, 10, 237-251.	2.2	125
1200	What is the risk of permanent disability from a multiple sclerosis relapse?. <i>Neurology</i> , 2010, 74, 900-902.	1.5	22
1201	Group A Streptococcus virulence and host factors in two toddlers with rheumatic fever following toxic shock syndrome. <i>International Journal of Infectious Diseases</i> , 2010, 14, e403-e409.	1.5	15
1202	An analysis of host genetics (HLA) and the expression of heat shock proteins (HSP) among mobile phone users. , 2011, , .		0
1203	Association between HLA α QQA1, HLA α QQB1 and oral cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2011, 27, 441-445.	0.8	8
1204	Lack of Association Between Human Leukocyte Antigen-E Alleles and Nasopharyngeal Carcinoma in Tunisians. <i>DNA and Cell Biology</i> , 2011, 30, 603-609.	0.9	10
1205	A new approach to safely type for HLA the HIV infected people eligible to abacavir therapy: Saliva or buccal swab as reliable DNA sources. <i>Clinica Chimica Acta</i> , 2011, 412, 1995-1998.	0.5	5

#	ARTICLE	IF	CITATIONS
1206	Association of HLA haplotype with keloids in Chinese Hans. <i>Burns</i> , 2011, 37, 794-799.	1.1	4
1207	Donor Lymphocyte Infusion May Reduce the Incidence of Bronchiolitis Obliterans after Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1214-1221.	2.0	12
1208	Improved Survival after Allogeneic Hematopoietic Stem Cell Transplantation in Recent Years. A Single-Center Study. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1688-1697.	2.0	131
1209	Association of HLA-G polymorphisms with nasopharyngeal carcinoma risk and clinical outcome. <i>Human Immunology</i> , 2011, 72, 150-158.	1.2	25
1210	Association of the HLA-DRB1 locus with syphilis in a Chinese population. <i>International Journal of Infectious Diseases</i> , 2011, 15, e342-e345.	1.5	3
1211	Short Communication Identification of a DNA methylation point in the promoter region of the bovine CYP21 gene. <i>Genetics and Molecular Research</i> , 2011, 10, 1409-1415.	0.3	2
1212	Association between IGF2 and CYP21 gene polymorphisms and characteristics of economic interest in Nellore cattle. <i>Genetics and Molecular Research</i> , 2011, 10, 2140-2147.	0.3	1
1213	Association of HLA-DRB alleles and pulmonary tuberculosis in North Chinese patients. <i>Genetics and Molecular Research</i> , 2011, 10, 1241-1246.	0.3	16
1215	HLA Genes, Islet Autoantibodies and Residual C-Peptide at the Clinical Onset of Type 1 Diabetes Mellitus and the Risk of Retinopathy 15 Years Later. <i>PLoS ONE</i> , 2011, 6, e17569.	1.1	23
1216	Second allogeneic hematopoietic stem cell transplantation: a treatment for graft failure. <i>Clinical Transplantation</i> , 2011, 25, E68-E76.	0.8	37
1217	<i>HLA-DRB1*04:02, DRB1*08:04</i> and <i>DRB1*14</i> alleles associated to pemphigus vulgaris in southeastern Brazilian population. <i>Tissue Antigens</i> , 2011, 78, 92-93.	1.0	11
1218	No evidence of <i>IL21</i> association with multiple sclerosis in a Swedish population. <i>Tissue Antigens</i> , 2011, 78, 271-274.	1.0	3
1219	Hepatitis C recurrence after liver transplantation: Has the human leukocyte antigen mismatching at individual loci a role?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 1772-1778.	1.4	8
1220	<i>HLA-DRB1</i> : genetic susceptibility and disability progression in a Spanish multiple sclerosis population. <i>European Journal of Neurology</i> , 2011, 18, 337-342.	1.7	26
1221	Association of <i>HLA-DRB1*15</i> allele and CSF oligoclonal bands in a Spanish multiple sclerosis cohort. <i>European Journal of Neurology</i> , 2011, 18, 1258-1262.	1.7	22
1222	Comparisons of clinical features of <i>HLA-DRB1*07</i> positive and negative vitiligo patients in Chinese Han population. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2011, 25, 1299-1303.	1.3	18
1223	PTPN22 1858T is not a risk factor for North American Pemphigus vulgaris. <i>Experimental Dermatology</i> , 2011, 20, 514-519.	1.4	8
1224	A comparison of Campath and Thymoglobulin as part of the conditioning before allogeneic hematopoietic stem cell transplantation. <i>European Journal of Haematology</i> , 2011, 86, 57-66.	1.1	12

#	ARTICLE	IF	CITATIONS
1225	Distribution of the HLA class II frequency alleles in patients with leprosy from the mid-west of Brazil. <i>International Journal of Immunogenetics</i> , 2011, 38, 255-258.	0.8	6
1226	A study of HLA class I and class II 4-digit allele level in Stevens-Johnson syndrome and toxic epidermal necrolysis. <i>International Journal of Immunogenetics</i> , 2011, 38, 303-309.	0.8	42
1227	Human leucocyte antigen typing: techniques and technology, a critical appraisal. <i>International Journal of Immunogenetics</i> , 2011, 38, 463-473.	0.8	39
1228	HLA polymorphisms in Italian children with autism spectrum disorders: Results of a family based linkage study. <i>Journal of Neuroimmunology</i> , 2011, 230, 135-142.	1.1	25
1229	Bovine fetal DNA in the maternal circulation: Applications and implications. <i>Placenta</i> , 2011, 32, 912-913.	0.7	17
1230	Human leukocyte antigen class I and class II genes polymorphisms might be associated with interferon $\hat{\pm}$ therapy efficiency of chronic hepatitis B. <i>Antiviral Research</i> , 2011, 89, 189-192.	1.9	14
1231	Heme arginate potentiates latent HIV-1 reactivation while inhibiting the acute infection. <i>Antiviral Research</i> , 2011, 92, 434-446.	1.9	13
1232	Genetic Susceptibility to Juvenile Idiopathic Arthritis in Iranian Children. <i>Archives of Medical Research</i> , 2011, 42, 301-304.	1.5	11
1233	Correlation Between HLA $\hat{\text{D}}\text{RB}1$, HLA $\hat{\text{D}}\text{QB}1$ Polymorphism and Autoantibodies Against Angiotensin AT ₁ Receptors in Chinese Patients With Essential Hypertension. <i>Clinical Cardiology</i> , 2011, 34, 302-308.	0.7	29
1234	Apolipoprotein A1 $\hat{\sim}$ 75 G/A and +83 C/T polymorphisms: susceptibility and prognostic implications in breast cancer. <i>Molecular Biology Reports</i> , 2011, 38, 1637-1643.	1.0	28
1235	Effect of ABCB1 Genotype on Pre- and Post-Cardiac Transplantation Plasma Lipid Concentrations. <i>Journal of Cardiovascular Translational Research</i> , 2011, 4, 304-312.	1.1	16
1236	Cytokine expression in tumors treated with donor lymphocyte infusions after allogeneic hematopoietic stem cell transplantation. <i>Immunotherapy</i> , 2011, 3, 443-451.	1.0	1
1238	Premature Ovarian Failure in Patients with Autoimmune Addison's Disease: Clinical, Genetic, and Immunological Evaluation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1255-E1261.	1.8	88
1239	COMPARISON OF SPEEDY PCR-SSP METHOD AND SEROLOGICAL TYPING OF HLA-A24 FOR JAPANESE CANCER PATIENTS. <i>Journal of Immunoassay and Immunochemistry</i> , 2011, 32, 93-102.	0.5	9
1240	Smoking is a major preventable risk factor for rheumatoid arthritis: estimations of risks after various exposures to cigarette smoke. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 508-511.	0.5	309
1241	Association of HLA Alleles with Autoimmune Thyroid Disease in Korean Children. <i>Hormone Research in Paediatrics</i> , 2011, 76, 328-334.	0.8	25
1242	Smoking and two human leukocyte antigen genes interact to increase the risk for multiple sclerosis. <i>Brain</i> , 2011, 134, 653-664.	3.7	210
1243	Anti-Group A Streptococcal Vaccine Epitope. <i>Journal of Biological Chemistry</i> , 2011, 286, 6989-6998.	1.6	25

#	ARTICLE	IF	CITATIONS
1244	Reappraisal of the Relationship between the HIV-1-Protective Single-Nucleotide Polymorphism 35 Kilobases Upstream of the <i>HLA-C</i> Gene and Surface HLA-C Expression. <i>Journal of Virology</i> , 2011, 85, 3367-3374.	1.5	52
1245	Human Leukocyte Antigen Class I Region Single-Nucleotide Polymorphisms are Associated with Leprosy Susceptibility in Vietnam and India. <i>Journal of Infectious Diseases</i> , 2011, 203, 1274-1281.	1.9	49
1246	HLA-DRB1 confers increased risk of pediatric-onset MS in children with acquired demyelination. <i>Neurology</i> , 2011, 76, 781-786.	1.5	55
1247	Diversity of HLA-B*35 Alleles and Haplotypes among Croatians. <i>Immunological Investigations</i> , 2012, 41, 856-863.	1.0	5
1248	Possible KIR-driven genetic pressure on the genesis and maintenance of specific HLA-A,B haplotypes as functional genetic blocks. <i>Genes and Immunity</i> , 2012, 13, 452-457.	2.2	16
1249	Up-regulated expression of HLA-DRB5 transcripts and high frequency of the HLA-DRB5*01:05 allele in scleroderma patients with interstitial lung disease. <i>Rheumatology</i> , 2012, 51, 1765-1774.	0.9	53
1250	Association of Dental Caries with HLA Class II Allele in Brazilian Adolescents. <i>Caries Research</i> , 2012, 46, 530-535.	0.9	23
1251	Main Determinants of PON1 Activity in Hemodialysis Patients. <i>American Journal of Nephrology</i> , 2012, 36, 317-323.	1.4	16
1252	HLA techniques: Typing and antibody detection in the laboratory of immunogenetics. <i>Methods</i> , 2012, 56, 471-476.	1.9	32
1253	Super high resolution for single moleculeâ€sequenceâ€based typing of classical <scp>HLA</scp> loci at the 8â€digit level using next generation sequencers. <i>Tissue Antigens</i> , 2012, 80, 305-316.	1.0	166
1254	Age-dependent variation of genotypes in MHC II transactivator gene (CIITA) in controls and association to type 1 diabetes. <i>Genes and Immunity</i> , 2012, 13, 632-640.	2.2	24
1255	HLA-DRB1*1501 and HLA-DQB1*0301 alleles are positively associated with HPV16 infectionâ€related Kazakh esophageal squamous cell carcinoma in Xinjiang China. <i>Cancer Immunology, Immunotherapy</i> , 2012, 61, 2135-2141.	2.0	29
1256	HLA polymorphism in Lombardy defined by high-resolution typing methods. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2012, 8, 149-154.	0.2	1
1257	Specific immunoglobulin isotypes correlate with disease activity, morphology, duration and HLA association in <i>Pemphigus vulgaris</i> . <i>Autoimmunity</i> , 2012, 45, 516-526.	1.2	14
1258	Association of donor-specific microchimerism with graft dysfunction in kidney transplant patients. <i>Transplant Immunology</i> , 2012, 26, 151-155.	0.6	4
1259	Three novel alleles at the HLA-DRB1 locus identified by sequence-based typing. <i>Human Immunology</i> , 2012, 73, 67-69.	1.2	4
1260	Description and molecular modeling of a novel human leukocyte antigen allele: A*32:22. <i>Human Immunology</i> , 2012, 73, 526-528.	1.2	3
1261	InÂVitro Evaluation of Graft-versus-Graft Alloreactivity as a Tool to Identify the Predominant Cord Blood Unit before Double Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1108-1118.	2.0	17

#	ARTICLE	IF	CITATIONS
1262	HLAâ€œDRB1, â€œDQA1 and â€œDQB1 Alleles and Haplotypes in Firstâ€œGeneration Pakistani Immigrants in Norway. Scandinavian Journal of Immunology, 2012, 75, 426-430.	1.3	7
1263	HLA typing from RNA-Seq sequence reads. Genome Medicine, 2012, 4, 102.	3.6	204
1264	HLA Typing by SSO and SSP Methods. Methods in Molecular Biology, 2012, 882, 9-25.	0.4	40
1265	Epstein-Barr virus and multiple sclerosis: interaction with HLA. Genes and Immunity, 2012, 13, 14-20.	2.2	148
1266	Foetal/neonatal alloimmune thrombocytopenia in Egypt; human platelet antigen genotype frequencies and antibody detection and follow-up in pregnancies. Transfusion and Apheresis Science, 2012, 47, 277-282.	0.5	9
1267	Methods for Diagnostic HLA Typing in Disease Association and Drug Hypersensitivity. Methods in Molecular Biology, 2012, 882, 27-46.	0.4	17
1268	HLA Typing Using Bead-Based Methods. Methods in Molecular Biology, 2012, 882, 47-65.	0.4	17
1269	Immunogenetics. Methods in Molecular Biology, 2012, , .	0.4	7
1270	Usage of skin care products and risk of rheumatoid arthritis: results from the Swedish EIRA study. Arthritis Research and Therapy, 2012, 14, R41.	1.6	2
1271	Compensatory T-Cell Regulation in Unaffected Relatives of SLE Patients, and Opposite IL-2/CD25-Mediated Effects Suggested by Coreferentiality Modeling. PLoS ONE, 2012, 7, e33992.	1.1	6
1272	Importance of Human Leukocyte Antigen (HLA) Class I and II Alleles on the Risk of Multiple Sclerosis. PLoS ONE, 2012, 7, e36779.	1.1	53
1273	Prediction of HLA Class II Alleles Using SNPs in an African Population. PLoS ONE, 2012, 7, e40206.	1.1	10
1274	A Multi-Factorial Genetic Model for Prognostic Assessment of High Risk Melanoma Patients Receiving Adjuvant Interferon. PLoS ONE, 2012, 7, e40805.	1.1	16
1275	Age-Related Changes in the Global DNA Methylation Profile of Leukocytes Are Linked to Nutrition but Are Not Associated with the MTHFR C677T Genotype or to Functional Capacities. PLoS ONE, 2012, 7, e52570.	1.1	59
1276	Association of single nucleotide polymorphisms in the bovine leptin and leptin receptor genes with growth and ultrasound carcass traits in Nellore cattle. Genetics and Molecular Research, 2012, 11, 3721-3728.	0.3	16
1277	Lowâ€œmedium resolution HLA-DQ2/DQ8 typing for coeliac disease predisposition analysis by colorimetric assay. Analytical and Bioanalytical Chemistry, 2012, 403, 807-819.	1.9	10
1278	Genetic response to an environmental pathogenic agent: HLAâ€œDQ and onchocerciasis in northwestern Ecuador. Tissue Antigens, 2012, 79, 123-129.	1.0	13
1279	Costâ€œeffective HLAâ€œCw06:02 typing in a Caucasian population. Experimental Dermatology, 2012, 21, 221-223.	1.4	11

#	ARTICLE	IF	CITATIONS
1280	Description of the new allele HLA-DQB1*04:03:02. International Journal of Immunogenetics, 2012, 39, 77-78.	0.8	4
1281	Thymic function after allogeneic stem cell transplantation is dependent on graft source and predictive of long term survival. Clinical Immunology, 2012, 142, 343-350.	1.4	35
1282	Oxidized low-density lipoprotein and lipoprotein(a) levels in chronic kidney disease patients under hemodialysis: Influence of adiponectin and of a polymorphism in the apolipoprotein(a) gene. Hemodialysis International, 2012, 16, 481-490.	0.4	21
1283	Relationship between HLA molecules and late restenosis after coronary stent placement. Journal of the Saudi Heart Association, 2012, 24, 85-88.	0.2	3
1284	Sunlight is associated with decreased multiple sclerosis risk: no interaction with human leukocyte antigen-DRB1*15. European Journal of Neurology, 2012, 19, 955-962.	1.7	109
1285	HLA DNA typing: past, present, and future. Tissue Antigens, 2012, 80, 1-11.	1.0	178
1286	Heterogeneity of HLA-DRB1*04 alleles and haplotypes in the Croatian population. Tissue Antigens, 2012, 80, 219-223.	1.0	2
1287	HLA-DRB1,-DQA1 and -DQB1 Allele and Haplotype Frequencies in Female Patients with Early Onset Breast Cancer. Pathology and Oncology Research, 2012, 18, 49-55.	0.9	21
1288	Evaluation of DRB1 high resolution typing by a new SSO-based Luminex method. Molecular Biology Reports, 2012, 39, 13-16.	1.0	6
1289	HLA-DRB, -DQA, and DQB alleles and haplotypes in Iranian patients with diabetes mellitus type I. Pediatric Diabetes, 2013, 14, 366-371.	1.2	13
1290	Identification of two novel HLA-A alleles: A*24:199 and A*02:324. International Journal of Immunogenetics, 2013, 40, 151-153.	0.8	4
1291	Genetic evidence for involvement of adaptive immunity in the development of IgA nephropathy: MHC class II alleles are protective in a Caucasian population. Human Immunology, 2013, 74, 957-960.	1.2	6
1292	The importance of HLA DRB1 gene allele to clinical features and disability in patients with multiple sclerosis in Lithuania. BMC Neurology, 2013, 13, 77.	0.8	19
1293	Genetic variants in the JAK1 gene confer higher risk of Behçet's disease with ocular involvement in Han Chinese. Human Genetics, 2013, 132, 1049-1058.	1.8	26
1294	HLA-C, DRB1 and DQB1 alleles involved in genetic predisposition to psoriasis vulgaris in the Slovak population. Folia Microbiologica, 2013, 58, 319-324.	1.1	10
1295	Transplantation Genetics. , 2013, , 1-33.		0
1296	Copy Number Variations of Complement Component C4 Are Associated With Behçet's Disease but Not With Ankylosing Spondylitis Associated With Acute Anterior Uveitis. Arthritis and Rheumatism, 2013, 65, 2963-2970.	6.7	34
1297	Strategy for the creation of clinical grade hESC line banks that HLA-match a target population. EMBO Molecular Medicine, 2013, 5, 10-17.	3.3	48

#	ARTICLE	IF	CITATIONS
1298	Interaction between gene A-positive Helicobacter pylori and human leukocyte antigen II alleles increase the risk of Graves disease in Chinese Han population: An association study. Gene, 2013, 531, 84-89.	1.0	7
1299	<scp>HLA</scp>â€<scp>DRB</scp> and <scp>HLA</scp>â€<scp>DQA</scp>/<scp>HLA</scp>â€<scp>DQB</scp> allele and haplotype frequencies in Iranian patients with aggressive periodontitis. Journal of Periodontal Research, 2013, 48, 533-539.	1.4	9
1300	Association of HLA-DR-DQ polymorphisms with diabetes in Tunisian patients. Transfusion and Apheresis Science, 2013, 49, 200-204.	0.5	21
1301	Association of Epsteinâ€Barr virus infection with multiple sclerosis in India. Journal of the Neurological Sciences, 2013, 325, 86-89.	0.3	16
1302	HLA-DRÎ²1*04 typing by simple in-house PCR-SSP technique for rheumatoid arthritis patients. Rheumatology International, 2013, 33, 867-870.	1.5	1
1303	HLA-DRB1 Typing by Micro-Bead Array Assay Identifies the Origin of Early Lymphoproliferative Disorder in a Heart Transplant Recipient. American Journal of Transplantation, 2013, 13, 802-807.	2.6	3
1304	<i>HLA-DRB1*1501</i> and <i>VDR</i> polymorphisms and survival of <i>Mycobacterium tuberculosis</i> in human macrophages exposed to inhalable microparticles. Pharmacogenomics, 2013, 14, 531-540.	0.6	7
1305	<scp>HLA</scp> class <scp>II</scp> allele polymorphism in an outbreak of chikungunya fever in <scp>M</scp>iddle <scp>A</scp>ndaman, <scp>I</scp>ndia. Immunology, 2013, 140, 202-210.	2.0	14
1306	Characterization and specification of microsatellite markers in the HLA-DRB1 gene region: A revision to major histocompatibility complex database. Human Immunology, 2013, 74, 965-969.	1.2	0
1307	Transplantation Immunology. Methods in Molecular Biology, 2013, , .	0.4	1
1308	HLA-B*44 Is Associated with Dengue Severity Caused by DENV-3 in a Brazilian Population. Journal of Tropical Medicine, 2013, 2013, 1-11.	0.6	20
1309	Human Platelet Antigen Alleles in 998 Taiwanese Blood Donors Determined by Sequence-Specific Primer Polymerase Chain Reaction. BioMed Research International, 2013, 2013, 1-5.	0.9	13
1310	Weak D Types in the Egyptian Population. American Journal of Clinical Pathology, 2013, 139, 806-811.	0.4	13
1311	Multiple sclerosis risk genotypes correlate with an elevated cerebrospinal fluid level of the suggested prognostic marker CXCL13. Multiple Sclerosis Journal, 2013, 19, 863-870.	1.4	18
1312	Association of vitamin D and multiple sclerosis in India. Multiple Sclerosis Journal, 2013, 19, 1592-1596.	1.4	29
1313	Interleukin-1Î² gene polymorphism and hearing loss related to the history of occupational noise exposure in Brazilian elderly. Noise and Health, 2013, 15, 160.	0.4	7
1314	Long-Term Effects of Antibodies against Human Leukocyte Antigens Detected by Flow Cytometry in the First Year after Renal Transplantation. Balkan Medical Journal, 2013, 30, 37-45.	0.3	2
1315	Genome-wide expression analysis suggests unique disease-promoting and disease-preventing signatures in Pemphigus vulgaris. Genes and Immunity, 2013, 14, 487-499.	2.2	38

#	ARTICLE	IF	CITATIONS
1316	Association of human leukocyte antigen class I antigens in Iranian patients with pemphigus vulgaris. <i>Journal of Dermatology</i> , 2013, 40, 244-248.	0.6	18
1317	HLA-DRB1*04/*13 alleles are associated with vascular disease and antiphospholipid antibodies in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1018-1025.	0.5	49
1318	Children who develop type 1 diabetes early in life show low levels of carnitine and amino acids at birth: does this finding shed light on the etiopathogenesis of the disease?. <i>Nutrition and Diabetes</i> , 2013, 3, e94-e94.	1.5	26
1319	Establishment of an optimized PCR method using sequence-specific primers for screening multiple gene polymorphisms simultaneously. <i>Molecular Medicine Reports</i> , 2013, 7, 201-204.	1.1	2
1320	Evaluation of a histocompatibility antigen related to hepatitis B virus in patients with hepatocellular carcinoma in the western Brazilian Amazon. <i>Genetics and Molecular Research</i> , 2013, 12, 1336-1346.	0.3	2
1321	Placental hydroxymethylation vs methylation at the imprinting control region 2 on chromosome 11p15.5. <i>Brazilian Journal of Medical and Biological Research</i> , 2013, 46, 916-919.	0.7	6
1322	Protein synthesis and degradation gene SNPs related to feed intake, feed efficiency, growth, and ultrasound carcass traits in Nellore cattle. <i>Genetics and Molecular Research</i> , 2013, 12, 2923-2936.	0.3	26
1323	Immunology for Renal Transplantation: A Review. <i>Journal of Transplantation Technologies & Research</i> , 2013, 04, .	0.1	0
1324	Epitope Analysis of the Collagen Type V-Specific T Cell Response in Lung Transplantation Reveals an HLA-DRB1*15 Bias in Both Recipient and Donor. <i>PLoS ONE</i> , 2013, 8, e79601.	1.1	20
1325	The Advanced HLA Typing Strategies for Hematopoietic Stem Cell Transplantation. , 0, , .		2
1326	Human Leukocyte Antigen-DRB1 Associations in Korean Juvenile Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2014, 21, 182.	0.4	2
1327	Human Leucocyte Antigen Matching Strategy. , 0, , .		0
1328	Body Fat Percentage Is a Major Determinant of Total Bilirubin Independently of UGT1A1*28 Polymorphism in Young Obese. <i>PLoS ONE</i> , 2014, 9, e98467.	1.1	22
1329	In Phase HLA Genotyping by Next Generation Sequencing â€” A Comparison Between Two Massively Parallel Sequencing Bench-Top Systems, the Roche GS Junior and Ion Torrent PGM. , 2014, , .		3
1330	High-throughput multiplex HLA genotyping by next-generation sequencing using multi-locus individual tagging. <i>BMC Genomics</i> , 2014, 15, 864.	1.2	67
1331	Variability in the CIITA gene interacts with HLA in multiple sclerosis. <i>Genes and Immunity</i> , 2014, 15, 162-167.	2.2	10
1332	Typages HLA. , 2014, , 227-236.		0
1333	JC Polyomavirus Infection Is Strongly Controlled by Human Leucocyte Antigen Class II Variants. <i>PLoS Pathogens</i> , 2014, 10, e1004084.	2.1	49

#	ARTICLE	IF	CITATIONS
1334	Description of two new HLA-C alleles: C*08:63 and C*14:44. <i>International Journal of Immunogenetics</i> , 2014, 41, 90-91.	0.8	0
1335	HLA associated type 1 diabetes risk in children of Pakistani migrants to Norway. <i>Medical Hypotheses</i> , 2014, 83, 664-667.	0.8	1
1336	Description of the novel <sc>HLA</sc>â€<sc>DPB</sc>1*137:01 allele found in an <sc>I</sc>talian subject. <i>International Journal of Immunogenetics</i> , 2014, 41, 92-94.	0.8	1
1337	Does the â€œHispanic Paradoxâ€•Occur in Rheumatoid Arthritis? Survival Data From a Multiethnic Cohort. <i>Arthritis Care and Research</i> , 2014, 66, 972-979.	1.5	7
1338	Cytomegalovirus seropositivity is negatively associated with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 165-173.	1.4	98
1339	Half a century of Dutch transplant immunology. <i>Immunology Letters</i> , 2014, 162, 145-149.	1.1	2
1341	Non-HLA genes PTPN22, CDK6 and PADI4 are associated with specific autoantibodies in HLA-defined subgroups of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, 414.	1.6	23
1342	Genome-wide association analysis of feed intake and residual feed intake in Nellore cattle. <i>BMC Genetics</i> , 2014, 15, 21.	2.7	78
1343	T-Cell Receptor Excision Circle Levels After Allogeneic Stem Cell Transplantation Are Predictive of Relapse in Patients with Acute Myeloid Leukemia and Myelodysplastic Syndrome. <i>Stem Cells and Development</i> , 2014, 23, 1559-1567.	1.1	8
1344	Polymorphisms inTSHRandIL1RNgenes and the risk and prognosis of Hashimotoâ€™s thyroiditis. <i>Autoimmunity</i> , 2014, 47, 113-118.	1.2	12
1345	The <sc>HLA</sc> locus contains novel foetal susceptibility alleles for congenital heart block with significant paternal influence. <i>Journal of Internal Medicine</i> , 2014, 275, 640-651.	2.7	25
1346	The distribution of KIRâ€HLA functional blocks is different from North to South of Italy. <i>Tissue Antigens</i> , 2014, 83, 168-173.	1.0	13
1347	Digesting all the options: Laboratory testing for celiac disease. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2014, 51, 358-378.	2.7	8
1348	HLA allele and haplotype polymorphisms among Croatian patients in an unrelated hematopoietic stem cell donor search program. <i>Transplant Immunology</i> , 2014, 31, 119-124.	0.6	8
1349	Separation of intron 22 inversion type 1 and 2 of hemophilia A by modified inverse-shifting polymerase chain reaction and capillary gel electrophoresis. <i>Talanta</i> , 2014, 130, 328-335.	2.9	1
1350	Genotyping of intron 22 inversion of factor VIII gene for diagnosis of hemophilia A by inverse-shifting polymerase chain reaction and capillary electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 5447-5454.	1.9	5
1351	HLA class II alleles may influence susceptibility to adult dermatomyositis and polymyositis in a Han Chinese population. <i>BMC Dermatology</i> , 2014, 14, 9.	2.1	27
1352	Medium-high resolution electrochemical genotyping of HLA-DQ2/DQ8 for detection of predisposition to coeliac disease. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 2757-2769.	1.9	10

#	ARTICLE	IF	CITATIONS
1353	Rheumatic heart disease in Uganda: the association between MHC class II HLA DR alleles and disease: a case control study. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 28.	0.7	19
1354	A novel multiplex pyrosequencing assay for genotyping functionally relevant CTLA-4 polymorphisms: Potential applications in autoimmunity and cancer. <i>Human Immunology</i> , 2014, 75, 730-739.	1.2	7
1355	<scp>HLA</scp>â€A, HLAâ€B and HLAâ€<scp>DRB</scp>1 allele and haplotype diversity among volunteer bone marrow donors from Croatia. <i>International Journal of Immunogenetics</i> , 2014, 41, 211-221.	0.8	27
1356	Nonfrequent but wellâ€documented, rare and very rare <scp>HLA</scp> alleles observed in the Croatian population. <i>Tissue Antigens</i> , 2014, 84, 560-564.	1.0	5
1357	Presence of Thyroid-Stimulating Hormone Receptor Antibodies in a Patient with Subacute Thyroiditis followed by Hypothyroidism and Later Graves' Disease with Ophthalmopathy: A Case Report. <i>European Thyroid Journal</i> , 2015, 4, 197-200.	1.2	10
1358	Association between human leukocyte antigen class II and pulmonary tuberculosis due to mycobacterium tuberculosis in Uganda. <i>BMC Infectious Diseases</i> , 2015, 16, 23.	1.3	21
1359	HLA-DRB and HLA-DQ Genetic Variability in Patients with Aspirin-Exacerbated Respiratory Disease. <i>American Journal of Rhinology and Allergy</i> , 2015, 29, e63-e69.	1.0	26
1360	Polymorphisms in TSHR and IL1RN genes and the risk and prognosis of Gravesâ€™ disease in Tunisian population. <i>Biomedical Research and Therapy</i> , 2015, 2, .	0.3	1
1361	Environmental Factors Related to Multiple Sclerosis in Indian Population. <i>PLoS ONE</i> , 2015, 10, e0124064.	1.1	22
1362	The Protective Role of HLA-DRB1<math xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1" />13 in Autoimmune Diseases. <i>Journal of Immunology Research</i> , 2015, 2015, 1-6.	0.9	57
1363	Possession of the<i>HLA-DRB1*1501</i>Allele and Visual Outcome in Idiopathic Intermediate Uveitis. <i>JAMA Ophthalmology</i> , 2015, 133, 482.	1.4	5
1364	Effect of Total Nucleated and CD34+ Cell Dose on Outcome after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 889-893.	2.0	106
1365	Genetic variants in glucocorticoid and mineralocorticoid receptors are associated with concentrations of plasma cortisol, muscle glycogen content, and meat quality traits in male Nellore cattle. <i>Domestic Animal Endocrinology</i> , 2015, 51, 105-113.	0.8	9
1366	Cost-efficient multiplex PCR for routine genotyping of up to nine classical HLA loci in a single analytical run of multiple samples by next generation sequencing. <i>BMC Genomics</i> , 2015, 16, 318.	1.2	68
1367	Influence of HLA-DRB alleles on haemorrhagic fever with renal syndrome in a Chinese Han population in Hubei Province, China. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015, 34, 187-195.	1.3	4
1368	Modified primers for rapid and direct electrochemical analysis of coeliac disease associated HLA alleles. <i>Biosensors and Bioelectronics</i> , 2015, 73, 64-70.	5.3	14
1369	HLA-DQA1, DQB1 and DRB1 alleles associated with Takayasu arteritis in the Chinese Han population. <i>Human Immunology</i> , 2015, 76, 241-244.	1.2	11
1370	HLA typing using next generation sequencing: An overview. <i>Human Immunology</i> , 2015, 76, 887-890.	1.2	52

#	ARTICLE	IF	CITATIONS
1371	Reactive arthritis in relation to internal derangements of the temporomandibular joint: a case control study. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2015, 53, 627-632.	0.4	6
1372	Epstein-Barr virus genetic variants are associated with multiple sclerosis. <i>Neurology</i> , 2015, 84, 1362-1368.	1.5	44
1373	Immunogenetics of type 1 diabetes: A comprehensive review. <i>Journal of Autoimmunity</i> , 2015, 64, 101-112.	3.0	168
1374	Genetic epistasis between killer immunoglobulin-like receptors and human leukocyte antigens in Kawasaki disease susceptibility. <i>Genes and Immunity</i> , 2015, 16, 481-487.	2.2	7
1375	Predicting the development of clinical arthritis in anti-CCP positive individuals with non-specific musculoskeletal symptoms: a prospective observational cohort study. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1659-1666.	0.5	169
1376	Relationship between HLA-DRB1 Allele Polymorphisms and Familial Aggregations of Hepatocellular Carcinoma. <i>Current Oncology</i> , 2016, 23, 1-7.	0.9	8
1377	Polymorphisms in the Prion Protein Gene of cattle breeds from Brazil. <i>Pesquisa Veterinaria Brasileira</i> , 2016, 36, 1059-1066.	0.5	2
1378	Donor Cell Composition and Reactivity Predict Risk of Acute Graft-versus-Host Disease after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Journal of Immunology Research</i> , 2016, 2016, 1-11.	0.9	13
1379	MHC Genotyping in Human and Nonhuman Species by PCRbased Next-Generation Sequencing. , 0, , .		2
1380	Pulmonary sarcoidosis is associated with high-level inducible co-stimulator (ICOS) expression on lung regulatory T cells – possible implications for the ICOS/ICOS-ligand axis in disease course and resolution. <i>Clinical and Experimental Immunology</i> , 2016, 183, 294-306.	1.1	35
1381	Autoantibody Specificities and Type I Interferon Pathway Activation in Idiopathic Inflammatory Myopathies. <i>Scandinavian Journal of Immunology</i> , 2016, 84, 100-109.	1.3	30
1382	T cell subsets: an immunological biomarker to predict progression to clinical arthritis in ACPA-positive individuals. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1884-1889.	0.5	46
1383	Determination of HLA-A, -B, and -DRB1 Allele and Haplotype Frequencies in the Croatian Population Based on a Family Study. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2016, 64, 83-88.	1.0	8
1384	Adipokine Gene Single-Nucleotide Polymorphisms in Portuguese Obese Adolescents: Associations with Plasma Concentrations of Adiponectin, Resistin, IL-6, IL-1 β , and TNF- α . <i>Childhood Obesity</i> , 2016, 12, 300-313.	0.8	18
1385	Naked-eye fingerprinting of single nucleotide polymorphisms on psoriasis patients. <i>Nanoscale</i> , 2016, 8, 11027-11033.	2.8	4
1386	Association of HLA-A, B, DRB1* and DQB1* alleles and haplotypes in south Indian T2DM patients. <i>Gene</i> , 2016, 592, 200-208.	1.0	6
1388	Association of IL-1 β +3953 C and HLA-DRB1*15 with Coronary Artery and Rheumatic Heart Diseases in South India. <i>Human Immunology</i> , 2016, 77, 1275-1279.	1.2	8
1389	Association of HLA-DQ alleles with the presence of an anti-glycoprotein I antibody in patients with recurrent miscarriage. <i>Hla</i> , 2016, 87, 19-24.	0.4	9

#	ARTICLE	IF	CITATIONS
1390	<i>HLA</i> and <i>TNF</i> gene polymorphisms are associated with psoriasis in <sc>B</sc>razilian patients. International Journal of Dermatology, 2016, 55, e16-22.	0.5	21
1391	A prospective randomized trial comparing cyclosporine/methotrexate and tacrolimus/sirolimus as graft-versus-host disease prophylaxis after allogeneic hematopoietic stem cell transplantation. Haematologica, 2016, 101, 1417-1425.	1.7	61
1392	Association of HLA alleles and haplotypes with <i>CYP21A2</i> gene p. V282L mutation in the Croatian population. Hla, 2016, 88, 239-244.	0.4	5
1393	Molecular Methods for Human Leukocyte Antigen Typing: Current Practices and Future Directions. , 2016, , 1069-1090.		3
1394	High Soluble CD30 Levels and Associated Anti-HLA Antibodies in Patients with Failed Renal Allografts. International Journal of Artificial Organs, 2016, 39, 547-552.	0.7	1
1395	Susceptible and protective associations of <sc>HLA DRB</sc>1* / <sc>DQB</sc>1* alleles and haplotypes with ischaemic stroke. International Journal of Immunogenetics, 2016, 43, 159-165.	0.8	20
1396	Association of Interleukin-1B and Interleukin-4 Gene Variants with Autoimmune Thyroid Diseases in Tunisian Population. Immunological Investigations, 2016, 45, 284-297.	1.0	18
1397	Association of HLAϵDR/DQ alleles and haplotypes with nephrotic syndrome. Nephrology, 2016, 21, 745-752.	0.7	12
1398	Naive Donor NK Cell Repertoires Associated with Less Leukemia Relapse after Allogeneic Hematopoietic Stem Cell Transplantation. Journal of Immunology, 2016, 196, 1400-1411.	0.4	35
1399	HLA associations in South Asian multiple sclerosis. Multiple Sclerosis Journal, 2016, 22, 19-24.	1.4	17
1400	Increased oxidative stress in pemphigus vulgaris is related to disease activity and HLA-association. Autoimmunity, 2016, 49, 248-257.	1.2	21
1401	HLA-DQA1/B1 alleles as putative susceptibility markers in congenital toxoplasmosis. Virulence, 2016, 7, 456-464.	1.8	15
1402	Multiplexed autoantigen microarrays identify HLA as a key driver of anti-desmoglein and -non-desmoglein reactivities in pemphigus. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1859-1864.	3.3	50
1403	Gene Map of the HLA Region, Graves's Disease and Hashimoto Thyroiditis, and Hematopoietic Stem Cell Transplantation. Advances in Immunology, 2016, 129, 175-249.	1.1	17
1404	Autoreactive T Cells from Patients with Myasthenia Gravis Are Characterized by Elevated IL-17, IFN- γ , and GM-CSF and Diminished IL-10 Production. Journal of Immunology, 2016, 196, 2075-2084.	0.4	66
1405	Alteration of phospholipids in the blood of patients with Duchenne muscular dystrophy (DMD): in vitro, high resolution ^{31}P NMR-based study. Acta Neurologica Belgica, 2016, 116, 573-581.	0.5	5
1406	Association of <sc>HLA</sc>B*27 with ankylosing spondylitis in Kurdish patients. International Journal of Rheumatic Diseases, 2017, 20, 980-984.	0.9	3
1407	HLA-A, -B and -C genotyping and haplotype frequencies in a population of 50 healthy unrelated Bone Marrow donors from Eastern Sicily. Human Immunology, 2017, 78, 323-324.	1.2	1

#	ARTICLE	IF	CITATIONS
1408	HLA and age of onset in myasthenia gravis. <i>Neuromuscular Disorders</i> , 2017, 27, 650-654.	0.3	24
1409	HLA-A, -B, -DRB1 allele and haplotype frequencies of 674 cord blood donors from North Italy. <i>Human Immunology</i> , 2017, 78, 412-413.	1.2	2
1410	Minimal association of alleles of human leukocyte antigen class II gene and long-term antibody response to hepatitis B vaccine vaccinated during infancy. <i>Vaccine</i> , 2017, 35, 2457-2462.	1.7	13
1411	Vitamin D-binding protein gene polymorphisms are not associated with MS risk in an Italian cohort. <i>Journal of Neuroimmunology</i> , 2017, 305, 92-95.	1.1	15
1412	Frequency of fetal-maternal microchimerism: an analysis of the HLA-DRB1 gene in cord blood and maternal sample pairs. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2613-2619.	0.7	13
1413	HLA-DPB1 matching in unrelated hematopoietic stem cell transplantation program contributes to a higher incidence of disease relapse. <i>Human Immunology</i> , 2017, 78, 665-671.	1.2	10
1414	Human leucocyte antigens class II allele and haplotype association with Type 1 Diabetes in Madeira Island (Portugal). <i>International Journal of Immunogenetics</i> , 2017, 44, 305-313.	0.8	7
1415	A novel analysis strategy for HLA typing using a sequence-specific oligonucleotide probe method. <i>Hla</i> , 2017, 90, 276-283.	0.4	0
1416	Oral contraceptives, breastfeeding and the risk of developing rheumatoid arthritis: results from the Swedish EIRA study. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1845-1852.	0.5	43
1417	Positive correlation of anti-herpes simplex type I virus antibody levels with pemphigus vulgaris disease status and activity in a large patient cohort. <i>European Journal of Dermatology</i> , 2017, 27, 132-138.	0.3	3
1419	Mass Cytometry Identifies Distinct Lung CD4+ T Cell Patterns in Löfgren's Syndrome and Non-Löfgren's Syndrome Sarcoidosis. <i>Frontiers in Immunology</i> , 2017, 8, 1130.	2.2	22
1420	HLA Association with Drug-Induced Adverse Reactions. <i>Journal of Immunology Research</i> , 2017, 2017, 1-10.	0.9	111
1421	HLA genotyping by next-generation sequencing of complementary DNA. <i>BMC Genomics</i> , 2017, 18, 914.	1.2	19
1422	Omitting duodenal biopsy in children with suspected celiac disease and extra-intestinal symptoms. <i>Italian Journal of Pediatrics</i> , 2017, 43, 59.	1.0	2
1423	Single Step Multiple Genotyping by MALDI-TOF Mass Spectrometry, for Evaluation of Minor Histocompatibility Antigens in Patients Submitted to Allogeneic Stem Cell Transplantation from HLA-Matched Related and Unrelated Donor. <i>Hematology Reports</i> , 2017, 9, 7051.	0.3	6
1424	Genotypic and allelic frequencies of gene polymorphisms associated with meat tenderness in Nellore beef cattle. <i>Genetics and Molecular Research</i> , 2017, 16, .	0.3	5
1425	Change of apheresis device decreased the incidence of severe acute graft-versus-host disease among patients after allogeneic stem cell transplantation with sibling donors. <i>Transfusion</i> , 2018, 58, 1442-1451.	0.8	8
1426	Proteome changes of beef in Nellore cattle with different genotypes for tenderness. <i>Meat Science</i> , 2018, 138, 1-9.	2.7	44

#	ARTICLE	IF	CITATIONS
1427	HLA Epitope Matching in Kidney Transplantation: An Overview for the General Nephrologist. <i>American Journal of Kidney Diseases</i> , 2018, 71, 720-731.	2.1	33
1428	Commensal orthologs of the human autoantigen Ro60 as triggers of autoimmunity in lupus. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	226
1429	Optimization of an in-house PCR method for the detection of HLA-B*27 alleles. <i>Biomedical Reports</i> , 2018, 8, 385-390.	0.9	4
1430	Immunogenetic predisposing factors for mesial temporal lobe epilepsy with hippocampal sclerosis. <i>International Journal of Neuroscience</i> , 2018, 128, 305-310.	0.8	7
1431	Decellularized bovine cotyledons may serve as biological scaffolds with preserved vascular arrangement. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, e1880-e1888.	1.3	16
1432	The distribution of the <i>DRB4*01:03:01:02N</i> null allele in HLA-DRB1-DQB1 haplotypes in the Croatian population. <i>Hla</i> , 2018, 91, 23-28.	0.4	3
1433	Interaction of HLA-DRB1* alleles and CTLA4 (+ 49 AG) gene polymorphism in Autoimmune Thyroid Disease. <i>Gene</i> , 2018, 642, 430-438.	1.0	23
1434	Dietary Ingestion of Calories and Micronutrients Modulates the DNA Methylation Profile of Leukocytes from Older Individuals. <i>Journal of Nutrition, Health and Aging</i> , 2018, 22, 1281-1285.	1.5	6
1435	Reference Grade Characterization of Polymorphisms in Full-Length HLA Class I and II Genes With Short-Read Sequencing on the ION PGM System and Long-Reads Generated by Single Molecule, Real-Time Sequencing on the PacBio Platform. <i>Frontiers in Immunology</i> , 2018, 9, 2294.	2.2	53
1436	A new chicken molecular sexing assay based on the Z chromosome dose and the MHM region. <i>Theriogenology</i> , 2018, 122, 84-87.	0.9	1
1437	T-cell transcriptomics from peripheral blood highlights differences between polymyositis and dermatomyositis patients. <i>Arthritis Research and Therapy</i> , 2018, 20, 188.	1.6	21
1438	HLA-DQB1*03 and DRB1*07 alleles increase the risk of cervical cancer among Uighur and Han women in Xinjiang, China. <i>Future Oncology</i> , 2018, 14, 2005-2011.	1.1	3
1439	The distribution of HLA-DRB3 alleles among HLA-DRB1*03:01-positive haplotypes. <i>Hla</i> , 2018, 92, 160-163.	0.4	0
1440	HLA class I alleles frequencies in the Syrian population. <i>BMC Research Notes</i> , 2018, 11, 324.	0.6	4
1441	Anti-Thyroid Peroxidase Reactivity Is Heightened in Pemphigus Vulgaris and Is Driven by Human Leukocyte Antigen Status and the Absence of Desmoglein Reactivity. <i>Frontiers in Immunology</i> , 2018, 9, 625.	2.2	14
1442	HLA in transplantation. <i>Nature Reviews Nephrology</i> , 2018, 14, 558-570.	4.1	114
1443	Mediterranean diet and risk of rheumatoid arthritis: a population-based case-control study. <i>Arthritis Research and Therapy</i> , 2018, 20, 175.	1.6	63
1444	The Past, Present, and Future of HLA Typing in Transplantation. <i>Methods in Molecular Biology</i> , 2018, 1802, 1-10.	0.4	36

#	ARTICLE	IF	CITATIONS
1445	DNA methylation as a mediator of HLA-DRB1*15:01 and a protective variant in multiple sclerosis. <i>Nature Communications</i> , 2018, 9, 2397.	5.8	147
1446	Pathogenic Autoreactive T and B Cells Cross-React with Mimotopes Expressed by a Common Human Gut Commensal to Trigger Autoimmunity. <i>Cell Host and Microbe</i> , 2019, 26, 100-113.e8.	5.1	109
1447	Research Article Genomic regions and genes associated with carcass quality in Nelore cattle. <i>Genetics and Molecular Research</i> , 2019, 18, .	0.3	15
1448	Human Leukocyte Antigen Typing Using High-Throughput DNA and RNA Sequencing and Application for Cell Line Identification. <i>Advances in Molecular Pathology</i> , 2019, 2, 187-199.	0.2	1
1449	Human leukocyte antigens class II in CIDP spectrum neuropathies. <i>Journal of the Neurological Sciences</i> , 2019, 407, 116533.	0.3	9
1450	Human leukocyte antigen-DQA1*0501 allele and its association with pathogenesis of type 1 diabetes mellitus among Iraqi children. <i>Gene Reports</i> , 2019, 17, 100517.	0.4	0
1451	Effect of Graft-versus-Host Disease Prophylaxis Regimens on T and B Cell Reconstitution after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1260-1268.	2.0	21
1452	Association of HLA class II alleles/haplotypes and amino acid variations in the peptide binding pockets with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1553-1562.	0.9	5
1453	Effect of smoking on the DNA methylation pattern of the SOCS1 promoter in epithelial cells from the saliva of patients with chronic periodontitis. <i>Journal of Periodontology</i> , 2019, 90, 1279-1286.	1.7	12
1454	Refractory myasthenia gravis: Characteristics of a portuguese cohort. <i>Muscle and Nerve</i> , 2019, 60, 188-191.	1.0	6
1455	The importance of graft cell composition in outcome after allogeneic stem cell transplantation in patients with malignant disease. <i>Clinical Transplantation</i> , 2019, 33, e13537.	0.8	5
1456	Relation of HLA-DRB1 to IgG4 autoantibody and cytokine production in muscle-specific tyrosine kinase myasthenia gravis (MuSK-MG). <i>Clinical and Experimental Immunology</i> , 2019, 197, 214-221.	1.1	6
1457	Variation in DNA methylation in the KvDMR1 (ICR2) region in first-trimester human pregnancies. <i>Fertility and Sterility</i> , 2019, 111, 1186-1193.	0.5	4
1458	ALPHLARD-NT: Bayesian Method for Human Leukocyte Antigen Genotyping and Mutation Calling through Simultaneous Analysis of Normal and Tumor Whole-Genome Sequence Data. <i>Journal of Computational Biology</i> , 2019, 26, 923-937.	0.8	6
1459	Correlation between visual acuity and human leukocyte antigen DRB1*04 in patients with Vogt-Koyanagi-Harada disease. <i>BMC Ophthalmology</i> , 2019, 19, 214.	0.6	1
1460	Efficacy Study of Anti-Endomysium Antibodies for Celiac Disease Diagnosis: A Retrospective Study in a Spanish Pediatric Population. <i>Journal of Clinical Medicine</i> , 2019, 8, 2179.	1.0	7
1461	Association of HLA-A, -B, DRB, and DQB Alleles with Persistent HPV-16 Infection in Women from Tamil Nadu, India. <i>Viral Immunology</i> , 2019, 32, 430-441.	0.6	6
1462	Functional Polymorphisms and Gene Expression of TLR9 Gene as Protective Factors for Nasopharyngeal Carcinoma Severity and Progression. <i>Journal of Immunology Research</i> , 2019, 2019, 1-11.	0.9	3

#	ARTICLE	IF	CITATIONS
1463	Epigenetic variation at the SLC6A4 gene promoter in mother-child pairs with major depressive disorder. <i>Journal of Affective Disorders</i> , 2019, 245, 716-723.	2.0	17
1464	Clinical phenotype, autoantibody profile and HLA-DR-type in Vietnamese patients with idiopathic inflammatory myopathies. <i>Rheumatology</i> , 2019, 58, 361-363.	0.9	7
1465	<i>Transplantation Genetics.</i> , 2019, , 229-263.		0
1466	Differential HLA allele frequency in <i>Mycobacterium africanum</i> vs <i>Mycobacterium tuberculosis</i> in Mali. <i>Hla</i> , 2019, 93, 24-31.	0.4	10
1467	HLA-DRB1*15:03 and HLA-DRB1*11: useful predictive alleles for alloantibody production in thalassemia patients. <i>Transfusion Medicine</i> , 2019, 29, 179-184.	0.5	11
1468	Genetics of rheumatic fever and rheumatic heart disease. <i>Nature Reviews Cardiology</i> , 2020, 17, 145-154.	6.1	37
1469	Human Leucocyte Antigens in blood transfusion. <i>ISBT Science Series</i> , 2020, 15, 164-173.	1.1	1
1470	The HLA-DRB1*11 group-specific allele is a predictor for alloantibody production in the transfusion-dependent thalassemia patients. <i>Transfusion and Apheresis Science</i> , 2020, 59, 102729.	0.5	5
1471	Association of cytokine Th2 gene polymorphisms with autoimmune thyroid diseases in Tunisian population. <i>International Journal of Immunogenetics</i> , 2020, 47, 294-308.	0.8	8
1472	A laboratory practice that uses the polymerase chain reaction-sequence specific priming technique to rapidly screen for HLA-DR2 allotype from germline DNA in immunology course for undergraduate medical students. <i>Biochemistry and Molecular Biology Education</i> , 2020, 48, 175-180.	0.5	0
1473	The MHC gamma block matching: Impact on unrelated hematopoietic stem cell transplantation outcome. <i>Human Immunology</i> , 2020, 81, 12-17.	1.2	2
1474	HLA Typing by Next-Generation Sequencing. <i>Advances in Molecular Pathology</i> , 2020, 3, 199-205.	0.2	2
1475	Impact of HLA polymorphisms among cadaveric donors on kidney graft allocation. <i>Transplant Immunology</i> , 2020, 62, 101318.	0.6	1
1476	Distribution of HLA Alleles and Haplotypes in Tamil-Speaking South Indian Populations: Affinities with Spanish and Austronesian. <i>Russian Journal of Genetics</i> , 2020, 56, 1139-1150.	0.2	1
1477	Rapid, highly accurate and cost-effective open-source simultaneous complete HLA typing and phasing of class I and II alleles using nanopore sequencing. <i>Hla</i> , 2020, 96, 163-178.	0.4	20
1478	Individual HLA alleles and risk of graft-versus-host disease after haematopoietic stem cell transplantation from HLA-identical siblings. <i>Biologia (Poland)</i> , 2020, 75, 2045-2052.	0.8	0
1479	Immunogenetic protective factors in Genetic Generalized Epilepsy. <i>Epilepsy Research</i> , 2020, 166, 106396.	0.8	4
1480	Human leukocyte antigen class I (A, B) and class II (DRB1) allele and haplotype frequencies in Iranian patients with Buerger's disease. <i>Immunity, Inflammation and Disease</i> , 2020, 8, 434-440.	1.3	2

#	ARTICLE	IF	CITATIONS
1481	A new Real Time PCR with species-specific primers from Plasmodium malariae/P. brasilianum mitochondrial cytochrome b gene. Parasitology International, 2020, 76, 102069.	0.6	8
1482	Association between HLA-DRB1*01 and HLA-DRB1*15 with alloimmunisation in transfusion-dependent patients with thalassaemia. Transfusion Medicine, 2020, 30, 275-280.	0.5	4
1483	The prevalence of HPA-1a alloimmunization and the potential risk of FNAIT depend on both the <i>DRB3*01:01</i> allele and associated DR-DQ haplotypes. Scandinavian Journal of Immunology, 2020, 92, e12890.	1.3	2
1484	The role of HLA in Balkan endemic nephropathy. Gene, 2021, 767, 145179.	1.0	2
1486	RNA2HLA: HLA-based quality control of RNA-seq datasets. Briefings in Bioinformatics, 2021, 22, .	3.2	11
1487	HLA-DRB1 genes and the expression dynamics of HLA CIITA determine the susceptibility to T2DM. Immunogenetics, 2021, 73, 291-305.	1.2	5
1488	Cytokine-Induced Memory-Like NK Cells with High Reactivity against Acute Leukemia Blasts and Solid Tumor Cells Suitable for Adoptive Immunotherapy Approaches. Cancers, 2021, 13, 1577.	1.7	5
1489	HLA-DRB1* and DQB1* allele and haplotype diversity in eight tribal populations: Global affinities and genetic basis of diseases in South India. Infection, Genetics and Evolution, 2021, 89, 104685.	1.0	1
1490	Mapping the Human Leukocyte Antigen Diversity among Croatian Regions: Implication in Transplantation. Journal of Immunology Research, 2021, 2021, 1-12.	0.9	0
1491	Systematic comparative study of computational methods for HLA typing from next-generation sequencing. Hla, 2021, 97, 481-492.	0.4	5
1492	Identification of 8-Digit HLA-A, -B, -C, and -DRB1 Allele and Haplotype Frequencies in Koreans Using the One Lambda AllType Next-Generation Sequencing Kit. Annals of Laboratory Medicine, 2021, 41, 310-317.	1.2	11
1493	Tri-SNP polymorphism in the intron of HLA-DRA1 affects type 1 diabetes susceptibility in the Finnish population. Human Immunology, 2021, 82, 912-916.	1.2	7
1494	Effective population size of broad-snouted caiman (Caiman latirostris) in Brazil: A historical and spatial perspective. Global Ecology and Conservation, 2021, 28, e01673.	1.0	3
1495	Haplotype-Specific Expression Analysis of MHC Class II Genes in Healthy Individuals and Rheumatoid Arthritis Patients. Frontiers in Immunology, 2021, 12, 707217.	2.2	10
1496	Next-generation sequencing and clinical histocompatibility testing. Human Immunology, 2021, 82, 829-837.	1.2	6
1497	Evaluating the role of HLA DRB1 alleles and oligoclonal bands in influencing clinical course of multiple sclerosis – A study from the Mangalore demyelinating disease registry. Annals of Indian Academy of Neurology, 2021, 24, 356.	0.2	1
1498	The presence of anti-neutrophil antibodies reflects clinical and genetic heterogeneity within inflammatory bowel disease. Inflammatory Bowel Diseases, 0, 4, 18-26.	0.9	9
1499	An Overview of HLA Typing for Hematopoietic Stem Cell Transplantation. Methods in Molecular Biology, 2014, 1109, 73-85.	0.4	14

#	ARTICLE	IF	CITATIONS
1500	HLA Polymorphism and Disease Susceptibility. , 2005, , 255-268.		1
1501	An Overview of HLA Typing for Hematopoietic Stem Cell Transplantation. Methods in Molecular Medicine, 2007, 134, 35-49.	0.8	7
1502	High-Throughput Multiplex HLA-Typing by Ligase Detection Reaction (LDR) and Universal Array (UA) Approach. Methods in Molecular Biology, 2009, 496, 115-127.	0.4	10
1503	HLA Typing by Sequence-Specific Primers. Methods in Molecular Biology, 2013, 1034, 147-159.	0.4	12
1504	The Special Case of HLA Genes: Detection and Resolution of Multiple Polymorphic Sites in a Single Gene. Principles and Practice, 2002, , 131-156.	0.3	1
1505	Nachweis von HLA-Antigenen, HLA-Antikörpern und Histokompatibilität. , 1996, , 611-617.		1
1506	PCR confirmation of microchimerism and diagnosis of Graft versus Host Disease after liver transplantation. Transplant International, 1999, 12, 468-470.	0.8	8
1507	The molecular genetics of autoimmune liver disease. Hepatology, 1994, 20, 225-239.	3.6	23
1509	Behçet's disease is associated with increased concentrations of antibodies against phosphatidylserine and ribosomal phosphoproteins. Vasa - European Journal of Vascular Medicine, 2005, 34, 176-180.	0.6	4
1510	An immunogenetic and molecular basis for differences in outcomes of invasive group A streptococcal infections. Nature Medicine, 2002, 8, 1398-1404.	15.2	167
1511	Factor IX gene sequencing by a simple and sensitive 15-hour procedure for haemophilia B diagnosis: identification of two novel mutations. SHORT REPORT. British Journal of Haematology, 2000, 111, 549-551.	1.2	20
1512	Evidence that the HLA DQA1*03 allele confers protection from chronic HCV-infection in Northern European Caucasoids. Hepatology, 1996, 24, 1342-1345.	3.6	35
1513	The Polymerase Chain Reaction with Sequence Specific Primers for the Detection of the Factor V Mutation Associated with Activated Protein C Resistance. Thrombosis and Haemostasis, 1995, 74, 874-878.	1.8	63
1514	HLA-DR Expression and Soluble HLA-DR Levels in Septic Patients After Trauma. Annals of Surgery, 1999, 229, 246-254.	2.1	166
1515	SUSCEPTIBILITY TO IDIOPATHIC AZOOSPERMIA IN JAPANESE MEN IS LINKED TO HLA CLASS I ANTIGEN. Journal of Urology, 1998, , 1939-1941.	0.2	1
1516	AN ASSESSMENT OF THE EFFECTS OF CADAVER DONOR BONE MARROW ON KIDNEY ALLOGRAFT RECIPIENT BLOOD CELL CHIMERISM BY A NOVEL TECHNIQUE COMBINING PCR AND FLOW CYTOMETRY1. Transplantation, 1996, 62, 1149-1160.	0.5	68
1517	SIGNIFICANT EFFECT OF HIGH-RESOLUTION HLA-DRB1 MATCHING IN HIGH-RISK CORNEAL TRANSPLANTATION1. Transplantation, 1996, 62, 1273-1277.	0.5	23
1518	SELECTIVE T CELL RECEPTOR V?? GENE USAGE BY ALLOREACTIVE T CELLS RESPONDING TO DEFINED HLA-DR ALLELES. Transplantation, 1996, 62, 1332-1340.	0.5	5

#	ARTICLE	IF	CITATIONS
1519	SEQUENTIAL MEASUREMENT OF PERIPHERAL BLOOD ALLOGENEIC MICROCHIMERISM LEVELS AND ASSOCIATION WITH PULMONARY FUNCTION ¹ . Transplantation, 1996, 62, 1811-1818.	0.5	32
1520	HLA-DR AND DQ TYPING BY POLYMERASE CHAIN REACTION USING SEQUENCE-SPECIFIC PRIMER MIXES REDUCES THE INCIDENCE OF PHENOTYPIC HOMOZYGOSITY (BLANKS) OVER SEROLOGY ¹ . Transplantation, 1996, 62, 1819-1824.	0.5	9
1521	LUNG REJECTION OCCURS IN LUNG TRANSPLANT RECIPIENTS WITH BLOOD CHIMERISM ¹ . Transplantation, 1997, 64, 167-169.	0.5	14
1522	INFLUENCE OF HLA-DRB1* INCOMPATIBILITY ON THE OCCURRENCE OF REJECTION EPISODES AND GRAFT SURVIVAL IN SEROLOGICALLY HLA-DR-MATCHED RENAL TRANSPLANT COMBINATIONS ¹ . Transplantation, 1997, 64, 612-616.	0.5	10
1523	STRATEGIES FOR DETERMINING HLA COMPATIBILITY IN RELATED DONOR BONE MARROW TRANSPLANTATION. Transplantation, 1997, 64, 828-835.	0.5	4
1524	PREDICTIVE VALUE OF HOST-SPECIFIC DONOR HELPER T-CELL PRECURSOR FREQUENCY FOR ACUTE GRAFT-VERSUS-HOST DISEASE AND RELAPSE IN HLA-IDENTICAL SIBLINGS RECEIVING ALLOGENEIC BONE MARROW TRANSPLANTATION FOR HEMATOLOG. Transplantation, 1997, 64, 1147-1152.	0.5	21
1525	MEASUREMENT OF CYTOTOXIC T LYMPHOCYTE PRECURSOR FREQUENCIES REVEALS CRYPTIC HLA CLASS I MISMATCHES IN THE CONTEXT OF UNRELATED DONOR BONE MARROW TRANSPLANTATION ¹ . Transplantation, 1997, 64, 1353-1356.	0.5	13
1526	MOLECULAR HLA TYPING-THE BRAVE NEW WORLD. Transplantation, 1997, 64, 1505-1513.	0.5	26
1527	ROLE OF HLA COMPATIBILITY IN PEDIATRIC LIVER TRANSPLANTATION. Transplantation, 1998, 66, 53-58.	0.5	31
1528	MICROCHIMERISM AFTER LIVER TRANSPLANTATION. Transplantation, 1998, 66, 77-83.	0.5	27
1529	LOW INCIDENCE OF ACUTE GRAFT-VERSUS-HOST DISEASE, USING UNRELATED HLA-A-, HLA-B-, AND HLA-DR-COMPATIBLE DONORS AND CONDITIONING, INCLUDING ANTI-T-CELL ANTIBODIES ¹ . Transplantation, 1998, 66, 620-625.	0.5	63
1530	ACUTE INTESTINAL GRAFT-VERSUS-HOST DISEASE IN A SYNGENEIC BONE MARROW TRANSPLANT RECIPIENT. Transplantation, 1998, 66, 1251-1253.	0.5	11
1531	EVALUATION OF PRE- AND POSTTRANSPLANT DONOR-SPECIFIC TRANSFUSION/CYCLOSPORINE A IN NON-HLA IDENTICAL LIVING DONOR KIDNEY TRANSPLANT RECIPIENTS. Transplantation, 1999, 68, 1117-1124.	0.5	20
1532	USEFULNESS OF DIRECT SEQUENCING IN THE DETECTION OF MICROCHIMERISM IN LIVER TRANSPLANT RECIPIENTS. Transplantation, 2000, 69, 191.	0.5	5
1533	A LARGE, SINGLE CENTER INVESTIGATION OF THE IMMUNOGENETIC FACTORS AFFECTING LIVER TRANSPLANTATION. Transplantation, 2000, 69, 1491-1498.	0.5	59
1534	T CELL MIXED CHIMERISM IS SIGNIFICANTLY CORRELATED TO A DECREASED RISK OF ACUTE GRAFT-VERSUS-HOST DISEASE AFTER ALLOGENEIC STEM CELL TRANSPLANTATION ¹ . Transplantation, 2001, 71, 433-439.	0.5	88
1535	ALLOREACTIVITY OF NATURAL KILLER CELLS IN ALLOGENEIC LIVER TRANSPLANTATION ^{1,2} . Transplantation, 2001, 72, 116-122.	0.5	33
1536	Search for an unrelated HLA-compatible stem cell donor. Current Opinion in Hematology, 1999, 6, 365.	1.2	11

#	ARTICLE	IF	CITATIONS
1538	T-Cell Recognition of Mycobacterial GroES Peptides in Thai Leprosy Patients and Contacts. <i>Infection and Immunity</i> , 1998, 66, 4903-4909.	1.0	26
1539	In Vitro Expansion of T-Cell-Receptor V α 2.3 ⁺ CD4 ⁺ T Lymphocytes in HLA-DR17(3), DQ2 ⁺ Individuals upon Stimulation with <i>Mycobacterium tuberculosis</i> . <i>Infection and Immunity</i> , 1999, 67, 3800-3809.	1.0	13
1540	Human CD4+ T-cell repertoire of responses to influenza A virus hemagglutinin after recent natural infection. <i>Journal of Virology</i> , 1995, 69, 7497-7506.	1.5	37
1541	Twin studies demonstrate a host cell genetic effect on productive human immunodeficiency virus infection of human monocytes and macrophages in vitro. <i>Journal of Virology</i> , 1996, 70, 7792-7803.	1.5	50
1542	HLA Compatibility Requirements for CD8 ⁺ -T-Cell-Mediated Suppression of Human Immunodeficiency Virus Replication. <i>Journal of Virology</i> , 1998, 72, 10165-10170.	1.5	35
1543	Definition of the Stage of Host Cell Genetic Restriction of Replication of Human Immunodeficiency Virus Type 1 in Monocytes and Monocyte-Derived Macrophages by Using Twins. <i>Journal of Virology</i> , 1999, 73, 4866-4881.	1.5	47
1544	A humanized model of experimental autoimmune uveitis in HLA class II transgenic mice. <i>Journal of Clinical Investigation</i> , 2003, 111, 1171-1180.	3.9	80
1545	Identification and characterization of autoreactive T cell responses to bullous pemphigoid antigen 2 in patients and healthy controls.. <i>Journal of Clinical Investigation</i> , 1998, 102, 2082-2089.	3.9	201
1546	Extensive genetic alterations of the HLA region, including homozygous deletions of HLA class II genes in B-cell lymphomas arising in immune-privileged sites. <i>Blood</i> , 2000, 96, 3569-3577.	0.6	12
1547	Microchimerism in bone marrow-derived CD34+ cells of patients after liver transplantation. <i>Blood</i> , 2000, 96, 763-767.	0.6	1
1548	Relation between HLA Typing and Clinical Presentations in Systemic Lupus Erythematosus Patients in Al-Qassim Region , Saudi Arabia. <i>International Journal of Health Sciences</i> , 2014, 8, 159-165.	0.4	10
1549	Human Leukocyte Antigen Genes and Interferon Beta Preparations Influence Risk of Developing Neutralizing Anti-Drug Antibodies in Multiple Sclerosis. <i>PLoS ONE</i> , 2014, 9, e90479.	1.1	39
1550	Genetic HLA Study of Kurds in Iraq, Iran and Tbilisi (Caucasus, Georgia): Relatedness and Medical Implications. <i>PLoS ONE</i> , 2017, 12, e0169929.	1.1	15
1551	Screening for celiac disease among children with overweight and obesity: toward exploring celiac iceberg. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2020, 33, 995-1002.	0.4	4
1552	Validation of HLA-DR Locus Typing in Forensic Specimens by Combining PCR-SSP with PCR-RFLP. <i>Journal of Forensic Sciences</i> , 1997, 42, 929-934.	0.9	6
1553	The role of HLA-DRB1 04 alleles and their association with HLA-DQB genes in genetic susceptibility to rheumatoid arthritis in Hungarian patients. <i>Acta Microbiologica Et Immunologica Hungarica</i> , 2003, 50, 33-41.	0.4	5
1554	Antinuclear antibodies and HLA class II alleles in Jamaican patients with systemic lupus erythematosus. <i>West Indian Medical Journal</i> , 2007, 56, 130-3.	0.4	2
1555	Cryptic mosaicism involving a second chromosome X in patients with Turner syndrome. <i>Brazilian Journal of Medical and Biological Research</i> , 2008, 41, 368-72.	0.7	14

#	ARTICLE	IF	CITATIONS
1556	Relação entre polimorfismo do gene do hormônio do crescimento e características de precocidade em novilhas da raça Nelore. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2011, 63, 153-157.	0.1	2
1557	Variabilidade genética interespecífica em formigas cortadeiras do gênero Acromyrmex que ocorrem no Estado do Rio Grande do Sul. Ciencia Rural, 2007, 37, 921-927.	0.3	2
1558	Molecular typing of HLA class II antigens in a São Paulo population. Genetics and Molecular Biology, 1998, 21, 301-305.	0.6	11
1559	Casein, β -lactoglobulin and growth hormone allele frequencies and genetic distances in Nelore, Gyr, Guzerá, Caracu, Charolais, Canchim and Santa Gertrudis cattle. Genetics and Molecular Biology, 1999, 22, 539-541.	0.6	39
1560	Clinical implications of HLA locus mismatching in unrelated donor hematopoietic cell transplantation: a meta-analysis. Oncotarget, 2017, 8, 27645-27660.	0.8	20
1561	Polimorfismos del sistema HLA (loci A*, B* y DRB1*) en población colombiana. Nova, 2007, 5, 25-30.	0.2	7
1562	Implication of <i>VDR</i> rs7975232 and <i>FCGR2A</i> rs1801274 gene polymorphisms in the risk and the prognosis of autoimmune thyroid diseases in the Tunisian population. Balkan Journal of Medical Genetics, 2020, 23, 69-76.	0.5	2
1563	The Relationship Between HLA Antigens and Blood Groups. Electronic Journal of General Medicine, 2011, 8, .	0.3	2
1565	Curative effects of interferon- \pm and HLA-DRB1 -DQA1 and -DQB1 alleles in chronic viral hepatitis B. World Journal of Gastroenterology, 2004, 10, 2116.	1.4	7
1566	Influence of HLA-DRB1 alleles and HBV genotypes on interferon- \pm therapy for chronic hepatitis B. World Journal of Gastroenterology, 2005, 11, 4753.	1.4	24
1567	Association between HLA class II gene and susceptibility or resistance to chronic hepatitis B. World Journal of Gastroenterology, 2003, 9, 2221.	1.4	61
1568	TNFB Gene Polymorphism in Patients with Systemic Lupus Erythematosus in Korean. Korean Journal of Internal Medicine, 1995, 10, 130-136.	0.7	15
1569	Association between polymorphism of interleukin-6 in the region -174G/C and tinnitus in the elderly with a history of occupational noise exposure. Noise and Health, 2015, 17, 406.	0.4	16
1570	HLA-DRB1 gene polymorphisms in Iranian children with Henoch-Schönlein purpura. Journal of Research in Medical Sciences, 2018, 23, 42.	0.4	6
1571	Polymorphisms in TSHR Gene and the Risk and Prognosis of Autoimmune Thyroid Disease in Tunisian Population. Acta Endocrinologica, 2020, 16, 1-8.	0.1	3
1572	Effects of polymorphisms of LHR and FSHR genes on sexual precocity in a Bos taurus x Bos indicusbeef composite population. Genetics and Molecular Research, 2008, 7, 243-251.	0.3	25
1573	Analysis of HLA-A, HLA-B and HLA-DRB1 alleles in Chinese patients with lung cancer. Genetics and Molecular Research, 2010, 9, 750-755.	0.3	7
1574	Synthetic Antigens Derived from Plasmodium falciparum Sporozoite, Liver, and Blood Stages: Naturally Acquired Immune Response and Human Leukocyte Antigen Associations in Individuals Living in a Brazilian Endemic Area. American Journal of Tropical Medicine and Hygiene, 2017, 97, 1581-1592.	0.6	5

#	ARTICLE	IF	CITATIONS
1575	Human leukocyte antigen class II control of the immune response to p126-derived amino terminal peptide from Plasmodium falciparum.. American Journal of Tropical Medicine and Hygiene, 2002, 66, 509-515.	0.6	16
1576	ANTIBODY RESPONSE PROFILES INDUCED BY PLASMODIUM FALCIPARUM GLUTAMATE-RICH PROTEIN IN NATURALLY EXPOSED INDIVIDUALS FROM A BRAZILIAN AREA ENDEMIC FOR MALARIA. American Journal of Tropical Medicine and Hygiene, 2005, 73, 1096-1103.	0.6	25
1577	The frequency of HLA-DRB1 polymorphisms in Brazilian Plasmodium vivax malaria patients and in blood donors from the Amazon Region. Revista Pan-Amazônica De Saúde, 2010, 1, 51-55.	0.2	1
1578	The Association between Human Leukocyte Antigen Class II DR3â€“DQ2 Haplotype and Type 1 Diabetes in Children of the East Azerbaijan State of Iran. Iranian Red Crescent Medical Journal, 2015, 17, e28380.	0.5	5
1579	DNA CONFORMATION POLYMORPHISM ANALYSIS OF DR52 ASSOCIATED HLA-DR ANTIGENS BY POLYMERASE CHAIN REACTION: A SIMPLE, ECONOMICAL AND RAPID EXAMINATION FOR HLA MATCHING IN TRANSPLANTATION. Japanese Journal of Medical Science and Biology, 1993, 46, 165-181.	0.4	4
1580	Four Systemic Lupus Erythematosus Subgroups, Defined by Autoantibodies Status, Differ Regarding <i>HLAâ€“DRB1</i> Genotype Associations and Immunological and Clinical Manifestations. ACR Open Rheumatology, 2022, 4, 27-39.	0.9	25
1581	A Microsatellite in the Coding Sequence of HLA-A/B Is a Mutation Hotspot in Colon Cancer With Microsatellite Instability. Gastroenterology, 2022, 162, 960-963.e3.	0.6	0
1582	Association of HLAâ€“DRB1, DQA1 and DQB1 alleles and haplotype in Parkinsonâ€™s disease from South India. Neuroscience Letters, 2021, 765, 136296.	1.0	6
1583	Polymerase Chain Reaction-based Methods of HLA Typing. , 2000, , 451-461.		1
1584	Bibliography Articles Cited in Commentaries. , 2000, , 1023-1058.		0
1585	Statistical Considerations in Analysing HLA and Disease Associations. , 2000, , 129-137.		2
1586	Bibliography Articles Cited in Commentaries. , 2000, , 1023-1058.		1
1587	Immunology of Transplantation. , 2001, , 1403-1428.		0
1588	The Biology of the Major Histocompatibility Complex. , 2001, , 23-42.		0
1589	DNA Short Tandem Repeat Profiling of Three North Indian Populations. Journal of Forensic Sciences, 2001, 46, 1523-1525.	0.9	1
1590	Allele Frequencies of Microsatellite Repeat Loci in Bhargavas, Chaturvedis, and Brahmins of North India. Journal of Forensic Sciences, 2002, 47, 678-681.	0.9	4
1591	Distribution of Allele Frequencies of Six STR Markers in North Indians. Journal of Forensic Sciences, 2002, 47, 682-685.	0.9	6
1592	Evaluation of Six Short Tandem Repeat Loci in Forensics: North Indian Populations. Journal of Forensic Sciences, 2002, 47, 686-689.	0.9	5

#	ARTICLE	IF	CITATIONS
1593	Inherited Susceptibility to Hyperandrogenic Manifestations In Pubertal Females: Idiopathic and Dyshormonogenesis. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2002, 2, 158-164.	0.0	0
1594	Genetic Polymorphism, the Immune Response and Chronic Pancreatitis. , 2004, , 306-317.		0
1595	HLA Typing by PCR Based Techniques. , 2004, , 628-632.		0
1596	Amplification Refractory Mutation System PCR. , 2004, , 62-67.		0
1597	Amplification Refractory Mutation System PCR. , 2004, , 62-67.		1
1598	Suppressor Alleles in Multiple Sclerosis: Inheritance and Interactions. <i>PLoS Genetics</i> , 2005, preprint, e150.	1.5	0
1599	H19DMR methylation analysis in patients with Beckwith-Wiedemann syndrome and isolated hemihyperplasia. <i>Genetics and Molecular Biology</i> , 2005, 28, 210-213.	0.6	1
1600	AssociaÃ§Ã£o de suscetibilidade dos alelos HLA-DRB1 e HLA-DQB1 com a periodontite agressiva localizada. <i>Revista De CiÃªncias MÃ©dicas E BiolÃ³gicas</i> , 2007, 6, .	0.0	0
1601	Immunology of Transplantation. , 2008, , 1705-1736.		0
1602	De novo malignant melanoma occurred in renal allograft: DNA typing to determine the origin of the tumour. <i>Interventional Medicine & Applied Science</i> , 2010, 2, 31-36.	0.2	3
1603	Cytomegalovirus infection after kidney transplantation, susceptibility to CMV-infection in association with HLA-genotype â€” Doctoral dissertation summary. <i>Interventional Medicine & Applied Science</i> , 2010, 2, 139-146.	0.2	0
1605	Extensive studies on polymerase chain reaction-sequence-specific primers (PCR-SSP) based HLA-DRB1* allele profiling in non insulin dependent diabetes mellitus (Indian population). <i>African Journal of Pharmacy and Pharmacology</i> , 2012, 6, .	0.2	1
1606	HLA Typing in Support of Hematopoietic Cell Transplantation from Unrelated Donors. , 2013, , 1307-1320.		0
1607	Comparison of Antiretroviral Therapy (ART) Efficiency and Different HLA Class II Haplotypes. <i>British Journal of Medicine and Medical Research</i> , 2014, 4, 1473-1482.	0.2	0
1609	Genetic Polymorphisms HLA Class II in SIRS and Sepsis in Children. <i>British Journal of Medicine and Medical Research</i> , 2014, 4, 149-160.	0.2	1
1610	Veto Cells and the Induction of Transplant Tolerance in Primates. , 1994, , 291-323.		0
1611	Blood group antigens and its genetic analysis.3 HLA A trend of the HLA gene polymorphic analysis of HLA genes.. <i>Nihon Yuketsu Gakkai Zasshi = Journal of the Japan Society of Blood Transfusion / Nihon Yuketsu Gakkai</i> , 1994, 40, 132-134.	0.2	0
1612	Application of HLA-DR Typing by PCR-SSP to Forensic Samples. <i>Advances in Forensic Haemogenetics</i> , 1996, , 374-376.	0.2	0

#	ARTICLE	IF	CITATIONS
1614	Evolution of Molecular HLA Typing. , 1997, , 233-242.		0
1615	DNA Typing for SLA-DRB1 by PCR Using Sequence-Specific Primers (PCR-SSP). Nihon Chikusan Gakkaiho, 1997, 68, 389-398.	0.0	0
1616	The Application of Cellular Tests in the Selection of Unrelated Donors for Bone Marrow Transplantation. , 1997, , 121-134.		0
1617	One Lewis Rat with Homozygous Defect of the Serine Proteinase Inhibitor 2 (Spi-2) Gene and Two Lewis Rats with Heterozygous Spi-2 Gene Defect.. Keio Journal of Medicine, 1998, 47, 150-156.	0.5	0
1618	Detection of Microchimerism After Allogeneic Blood Transfusion Using Nested Polymerase Chain Reaction Amplification With Sequence-Specific Primers (PCR-SSP): A Cautionary Tale. Blood, 1998, 92, 683-689.	0.6	0
1619	A novel strategy for unambiguous DPB1 typing. International Journal of Immunogenetics, 1998, 25, 371-374.	0.8	0
1620	T-Cell Expansions With Conserved T-Cell Receptor Î² Chain Motifs in the Peripheral Blood of HLA-DRB1*0401 Positive Patients With Necrotizing Vasculitis. Blood, 1998, 92, 3737-3744.	0.6	1
1622	Transplantation Immunology â€” The Role of Human Leucocyte Antigen in Allorecognition. Current Topics in Pathology Ergebnisse Der Pathologie, 1999, 92, 1-18.	0.2	2
1623	Various Levels of (Epi)Genetic Diversities as Demonstrable via Simple Repeated Sequences. , 1999, , 83-99.		0
1624	Peripheral Blood Stem Cell Transplantation From Unrelated Donors: A Comparison With Marrow Transplantation. Blood, 1999, 94, 455-464.	0.6	0
1625	Nested Polymerase Chain Reaction With Sequence-Specific Primers Typing for HLA-A, -B, and -C Alleles: Detection of Microchimerism in DR-Matched Individuals. Blood, 1999, 94, 1471-1477.	0.6	0
1627	Human leucocyte antigen profile in patients with aids and cytomegalovirus retinitis with and without macular involvement. Clinical and Biomedical Research, 2015, 35, 14-19.	0.1	0
1629	11 Nanobiosensing Platforms for in vivo Applications. , 2016, , 287-324.		0
1630	HLA Typing in Support of Hematopoietic Cell Transplantation from Unrelated Donors. , 2018, , 1193-1209.		0
1631	Alternative methodologies for genotyping polymorphisms in the CAST and CAPN1 genes in beef cattle. Revista Brasileira De Zootecnia, 0, 48, .	0.3	0
1632	HLA-DR (cellular and soluble) and inflammatory serum markers in patients after trauma: can they predict outcome?. Chirurgia (Turin), 2019, 32, .	0.0	0
1633	The CD34 ⁺ Cell Dose Matters in Hematopoietic Stem Cell Transplantation with Peripheral Blood Stem Cells from Sibling Donors. Clinical Hematology International, 2020, 2, 74.	0.7	7
1634	Semiautomation of platelet HPA-1a phenotyping by SPRCA and ELISA. Immunohematology, 1997, 13, 44-48.	0.2	2

#	ARTICLE	IF	CITATIONS
1635	A single center evaluation of the Collaborative Transplant Study (CTS) DNA project. <i>Transplant International</i> , 1996, 9, 468-475.	0.8	1
1636	HLA-DRB1 compatibility in cadaver kidney transplantation: correlation with graft survival and function. <i>Transplant International</i> , 1995, 8, 91-95.	0.8	3
1637	The impact of thiopurine S-methyltransferase polymorphisms on azathioprine dose 1 year after renal transplantation. <i>Transplant International</i> , 2004, 17, 531-539.	0.8	8
1639	Transfusion-associated graft-versus-host disease in an immunocompetent patient following cardiac surgery. <i>Vox Sanguinis</i> , 1999, 76, 59-63.	0.7	5
1647	In silico prediction of peptides binding to multiple HLA-DR molecules accurately identifies immunodominant epitopes from gp43 of <i>Paracoccidioides brasiliensis</i> frequently recognized in primary peripheral blood mononuclear cell responses from sensitized individuals. <i>Molecular Medicine</i> , 2003, 9, 209-19.	1.9	39
1648	What is the fate of erosions in early rheumatoid arthritis? Tracking individual lesions using x rays and magnetic resonance imaging over the first two years of disease. <i>Annals of the Rheumatic Diseases</i> , 2001, 60, 859-68.	0.5	120
1649	Analysis of the contribution of HLA genes to genetic predisposition in inflammatory bowel disease. <i>American Journal of Human Genetics</i> , 1996, 59, 226-33.	2.6	25
1650	Prevalence of eating disorders and eating attacks in narcolepsy. <i>Neuropsychiatric Disease and Treatment</i> , 2008, 4, 257-61.	1.0	33
1651	Association of HLA-DRB1, DQA1 and DQB1 Alleles and Haplotypes with Common Variable Immunodeficiency in Iranian Patients. <i>Avicenna Journal of Medical Biotechnology</i> , 2012, 4, 103-12.	0.2	10
1653	Human leukocyte antigen-DRB1*1501 and DQB1*0602 alleles are cervical cancer protective factors among Uighur and Han people in Xinjiang, China. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 6165-71.	0.5	6
1654	Evaluation of Association Between HLA Class II DR4-DQ8 Haplotype and Type I Diabetes Mellitus in Children of East Azerbaijan State of Iran. <i>Advanced Pharmaceutical Bulletin</i> , 2015, 5, 137-40.	0.6	3
1655	Comparison of serological and molecular typing for HLA-A and -B on cadaver organ donor lymphocytes. <i>Transplant International</i> , 2000, 13, 453-454.	0.8	0
1656	Single-round multiplex PCR with species-specific mitochondrial primers of <i>P. falciparum</i> , <i>P. vivax</i> / <i>P. simium</i> and <i>P. malariae</i> / <i>P. brasilianum</i> : Comparison with standard techniques. <i>Journal of Microbiological Methods</i> , 2022, 193, 106398.	0.7	2
1657	The impact of transportation time on apoptosis in allogeneic stem cell grafts and the clinical outcome in malignant patients with unrelated donors. <i>Cytotherapy</i> , 2022, , .	0.3	0
1658	Various approaches for accessing the influence of human leukocyte antigens disparity in haploidentical stem cell transplantation. <i>International Journal of Laboratory Hematology</i> , 2022, , .	0.7	0
1659	Transferability of microsatellite markers to <i>Trichogramma pretiosum</i> Riley, 1879 (Hymenoptera: Tj ETQq1 1 0.784314 rgBT 0 Overloc	0.0	0
1660	Allele and genotype frequency for milk beta-casein in dairy cattle in the northern region of Tocantins State, Brazil. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 0, 58, e186603.	0.2	0
1661	Multi-locus DNA methylation analysis of imprinted genes in cattle from somatic cell nuclear transfer. <i>Theriogenology</i> , 2022, 186, 95-107.	0.9	3

#	ARTICLE	IF	CITATIONS
1683	Progress of unrelated bone marrow donor search at the University Hospital of Essen (1991?1994). <i>Annals of Hematology</i> , 1995, 71, 71-75.	0.8	0
1684	A new HLA-DRB1 genotyping method using single nucleotide polymorphism (SNP) analysis with multiplex primer extension reactions and its application to mixed samples. <i>Acta Medica Okayama</i> , 2005, 59, 179-94.	0.1	1
1686	A Novel Intron-Encoded Neuropilin-1 Isoform in Pancreatic Islets Associated With Very Young Age of Onset of Type 1 Diabetes. <i>Diabetes</i> , 2022, 71, 2058-2063.	0.3	3
1687	HISTOCOMPATIBILITY ANTIGENS. <i>Immunology and Allergy Clinics of North America</i> , 1994, 14, 323-338.	0.7	1
1688	Detection of enterovirus RNA in peripheral blood mononuclear cells correlates with the presence of the predisposing allele of the type 1 diabetes risk gene IFIH1 and with disease stage. <i>Diabetologia</i> , 2022, 65, 1701-1709.	2.9	6
1689	Lung and blood T-cell receptor repertoire in extrinsic allergic alveolitis. <i>European Respiratory Journal</i> , 1997, 10, 772-779.	3.1	44
1690	Human Leukocyte Antigen (HLA) Testing in Pharmacogenomics. <i>Methods in Molecular Biology</i> , 2022, , 21-45.	0.4	3
1691	T cell receptor excision circles are potential predictors of survival in adult allogeneic hematopoietic stem cell transplantation recipients with acute myeloid leukemia. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	1
1692	Case report: Documentation of cutaneous only pemphigus vulgaris without history of mucosal lesions in North America. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	2
1693	Desmoglein compensation hypothesis fidelity assessment in Pemphigus. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	3
1694	Five commercially-available antibodies react differentially with allelic forms of human HLA-DR beta chain. <i>Molecular Immunology</i> , 2022, 152, 106-110.	1.0	0
1695	Variability of the β -casein gene polymorphism in Curraleiro Pã©-Duro cattle: a geographical genetics approach. <i>Tropical Animal Health and Production</i> , 2022, 54, .	0.5	0
1696	HLA Typing by Next-Generation Sequencing. <i>Clinics in Laboratory Medicine</i> , 2022, 42, 603-612.	0.7	0
1697	The HLA profile and genetic affinities of three primitive Tamil-speaking endogamous groups: Kallars of Thanjavur, Piramalai Kallar and Vanniyar. <i>Egyptian Journal of Medical Human Genetics</i> , 2022, 23, .	0.5	0
1698	HLA-Independent Heterogeneity of CD8+ T Cell Responses to MAGE-3, Melan-A/MART-1, gp100, Tyrosinase, MC1R, and TRP-2 in Vaccine-Treated Melanoma Patients. <i>Journal of Immunology</i> , 1998, 161, 6970-6976.	0.4	56
1699	Pretransplant Frequency of Donor-Specific, IFN- γ -Producing Lymphocytes Is a Manifestation of Immunologic Memory and Correlates with the Risk of Posttransplant Rejection Episodes. <i>Journal of Immunology</i> , 1999, 163, 2267-2275.	0.4	355
1700	DNA methylation in regulatory elements of the FKBP5 and NR3C1 gene in mother-child binomials with depression. <i>Journal of Affective Disorders</i> , 2023, 331, 287-299.	2.0	4