

CITATION REPORT

List of articles citing

Combined assessment of vascular and myometrial invasion as a model to predict prognosis in stage I endometrioid adenocarcinoma of the uterine corpus

**DOI: 10.1002/1097-0142(19920315)69:63.0.co;2-5
Cancer, 1992, 69, 1424-31.**

Source: <https://exaly.com/paper-pdf/23715710/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
84	Identification of patients with stage I uterine endometrioid adenocarcinoma at high risk of recurrence by DNA ploidy, myometrial invasion, and vascular invasion. <i>Gynecologic Oncology</i> , 1992 , 45, 235-9	4.9	49
83	Endometrial Carcinoma. 1994 , 439-486		56
82	Prognostic utility of epidermal growth factor receptor overexpression in endometrial adenocarcinoma. <i>Cancer</i> , 1994 , 73, 370-6	6.4	68
81	Prognostic factors that predict pelvic lymph node metastasis from endometrial carcinoma. <i>Cancer</i> , 1994 , 74, 2502-8	6.4	45
80	Can hysteroscopic evaluation of endometrial carcinoma influence therapeutic treatment?. <i>Annals of the New York Academy of Sciences</i> , 1994 , 734, 482-7	6.5	14
79	Assessment of lectin binding for prognosis in endometrial carcinoma. <i>Pathology</i> , 1994 , 26, 225-9	1.6	5
78	Characterization of extracellular matrix-degrading proteinase and its inhibitor in gynecologic cancer tissues with clinically different metastatic form. <i>Cancer</i> , 1995 , 76, 2565-71	6.4	41
77	Multivariate survival analysis of clinicopathologic features in surgical stage I endometrioid carcinoma including analysis of HER-2/neu expression. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 1829-34	6.4	17
76	Parametrial involvement in endometrial carcinomas: its incidence and correlation with other histological parameters. <i>Gynecologic Oncology</i> , 1996 , 63, 114-9	4.9	27
75	Multivariate analysis of prognostic factors in patients with endometrial cancer. <i>International Journal of Gynecology and Obstetrics</i> , 1996 , 53, 23-30	4	10
74	The combination of p53 and age predict cancer specific death in advanced stage (FIGO Ic-IV) of endometrial carcinoma of endometrioid type. An immunohistochemical examination of growth fraction: Ki-67, MIB-1 and PC10; suppressor oncogene protein: p53; oncogene protein: p185 and age, hormone treatment, stage, and histologic grade. <i>European Journal of Obstetrics, Gynecology</i>	2.4	4
73	Angiogenesis factor in endometrial carcinoma: a new prognostic indicator?. <i>American Journal of Obstetrics and Gynecology</i> , 1996 , 174, 1879-82; discussion 1882-4	6.4	64
72	The prognostic significance of vascular invasion by endometrial carcinoma. <i>Cancer</i> , 1996 , 78, 1447-51	6.4	77
71	Lymphovascular space involvement-a prognostic indicator in patients with surgical stage I endometrial adenocarcinoma treated with postoperative radiation. <i>International Journal of Gynecological Cancer</i> , 1996 , 6, 135-139	3.5	3
70	Angiogenesis in endometrial carcinoma. <i>International Journal of Gynecological Cancer</i> , 1996 , 6, 385-388	3.5	9
69	Which prognostic factors influence the outcome of patients with surgically staged endometrial cancer treated with adjuvant radiation?. <i>International Journal of Radiation Oncology Biology Physics</i> , 1997 , 39, 413-8	4	54
68	Cox multivariate regression models for estimating prognosis of patients with endometrioid adenocarcinoma of the uterine corpus who underwent thorough surgical staging. <i>International Journal of Cancer</i> , 1998 , 79, 521-5	7.5	19

67	Nucleolar organizer regions in differentiated preneoplastic and neoplastic endometrial lesions. <i>Gynecologic and Obstetric Investigation</i> , 1999 , 47, 205-9	2.5	2
66	Prognostic significance of progesterone receptor immunohistochemistry for lymph node metastases in endometrial carcinoma. <i>Gynecologic Oncology</i> , 1999 , 72, 351-9	4.9	22
65	The grading of lymphovascular space invasion in endometrial carcinoma. 1999 , 86, 2090-2097		48
64	A multivariate analysis of blood vessel and lymph vessel invasion as predictors of ovarian and lymph node metastases in patients with cervical carcinoma. <i>Cancer</i> , 2000 , 88, 2578-2583	6.4	70
63	Significance of perivascular lymphocytic infiltrates in endometrial carcinoma. <i>Cancer</i> , 2001 , 91, 1777-84	6.4	21
62	Endometrioid carcinoma of the uterine corpus: a review of its pathology with emphasis on recent advances and problematic aspects. <i>Advances in Anatomic Pathology</i> , 2002 , 9, 145-84	5.1	139
61	Vessels within vessels in the myometrium. <i>American Journal of Surgical Pathology</i> , 2002 , 26, 232-6	6.7	20
60	Is vascular and lymphatic space invasion a main prognostic factor in uterine neoplasms with a sarcomatous component? A retrospective study of prognostic factors of 60 patients stratified by stages. <i>International Journal of Radiation Oncology Biology Physics</i> , 2002 , 52, 1320-9	4	32
59	Relationship between the classification of vascular invasion severity and the prognosis of uterine endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2003 , 13, 47-52	3.5	5
58	Significance of perivascular lymphocytic infiltrates on survival of patients with invasive cervical cancer. <i>Journal of Immunotherapy</i> , 2003 , 26, 149-55	5	4
57	Unusual epithelial and stromal changes in myoinvasive endometrioid adenocarcinoma: a study of their frequency, associated diagnostic problems, and prognostic significance. <i>International Journal of Gynecological Pathology</i> , 2003 , 22, 324-33	3.2	117
56	Intratumoral CD8+ T lymphocytes as a prognostic factor of survival in endometrial carcinoma. <i>Clinical Cancer Research</i> , 2004 , 10, 4450-6	12.9	153
55	Prognostic impact of histological grade and vascular invasion compared with tumour cell proliferation in endometrial carcinoma of endometrioid type. <i>Histopathology</i> , 2004 , 44, 472-9	7.3	67
54	Diagnostic usefulness of endometrial aspiration cytology for endometrial cancer cases with normal curettage findings. <i>Acta Cytologica</i> , 2005 , 49, 507-12	3	7
53	The effects of age and comorbidity on treatment and outcomes in women with endometrial cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2005 , 28, 157-64	2.7	55
52	Clinicopathologic analysis of the prognostic factors in women with coexistence of endometrioid adenocarcinoma in the endometrium and ovary. <i>Journal of Obstetrics and Gynaecology Research</i> , 2005 , 31, 120-6		11
51	Pelvic Washings and the Staging of Gynecologic Cancers. 2006 , 11, 92-97		3
50	Transtubal spread of serous adenocarcinoma of the endometrium: an underrecognized mechanism of metastasis. <i>International Journal of Gynecological Pathology</i> , 2006 , 25, 155-60	3.2	44

49	Microsatellite instability in endometrioid endometrial carcinoma: correlation with clinically relevant pathologic variables. <i>International Journal of Gynecological Cancer</i> , 2006 , 16, 1386-92	3.5	34
48	Microsatellite instability in endometrioid type endometrial adenocarcinoma is associated with poor prognostic indicators. <i>American Journal of Surgical Pathology</i> , 2007 , 31, 846-53	6.7	53
47	Lymphovascular space involvement compromises the survival of patients with stage I endometrial cancer: results of a multicenter study. <i>European Journal of Surgical Oncology</i> , 2007 , 33, 644-7	3.6	39
46	Patterns of practice and outcomes in intermediate- and high-risk stage I and II endometrial cancer: a population-based study. <i>International Journal of Gynecological Cancer</i> , 2007 , 17, 433-40	3.5	27
45	B7-H4 (DD-O110) is overexpressed in high risk uterine endometrioid adenocarcinomas and inversely correlated with tumor T-cell infiltration. <i>Gynecologic Oncology</i> , 2007 , 106, 119-27	4.9	91
44	Reproducibility of grading systems for endometrial endometrioid carcinoma and their relation with pathologic prognostic parameters. <i>International Journal of Gynecological Cancer</i> , 2008 , 18, 790-6	3.5	27
43	Lymphovascular space invasion does not predict vaginal relapses in stage I endometrioid adenocarcinoma of the endometrium. <i>Annals of Diagnostic Pathology</i> , 2008 , 12, 112-7	2.2	8
42	Uterine Cancer. 2009 ,		
41	Immunology of gynecologic neoplasms: analysis of the prognostic significance of the immune status. <i>Current Cancer Drug Targets</i> , 2009 , 9, 541-65	2.8	14
40	Stage II endometrioid adenocarcinoma of the endometrium: clinical implications of cervical stromal invasion. <i>Gynecologic Oncology</i> , 2009 , 113, 316-23	4.9	43
39	Importance of tumour cell invasion in blood and lymphatic vasculature among patients with endometrial carcinoma. <i>Histopathology</i> , 2009 , 54, 174-83	7.3	38
38	Lymphovascular space involvement in early stage well-differentiated endometrial cancer is associated with increased mortality. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116, 991-4	3.7	41
37	Vascular pseudoinvasion in laparoscopic hysterectomy specimens for endometrial carcinoma: a grossing artifact?. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 298-303	6.7	55
36	Juxtatumoral stromal reactions in uterine endometrioid adenocarcinoma and their prognostic significance. <i>International Journal of Gynecological Pathology</i> , 2010 , 29, 562-7	3.2	6
35	The significance of tumor involved adenomyosis in otherwise low-stage endometrioid adenocarcinoma. <i>International Journal of Gynecological Pathology</i> , 2010 , 29, 445-51	3.2	20
34	Postoperative intensity-modulated radiotherapy in low-risk endometrial cancers: final results of a Phase I study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 1390-5	4	9
33	Necessity of radical hysterectomy for endometrial cancer patients with cervical invasion. <i>Journal of Korean Medical Science</i> , 2010 , 25, 552-6	4.7	12
32	Increased natural killer cells and decreased regulatory T cells are seen in complex atypical endometrial hyperplasia and well-differentiated carcinoma treated with progestins. <i>Human Pathology</i> , 2010 , 41, 26-32	3.7	23

31	Low-grade, low-stage endometrioid endometrial adenocarcinoma: a clinicopathologic analysis of 324 cases focusing on frequency and pattern of myoinvasion. <i>International Journal of Gynecological Pathology</i> , 2012 , 31, 337-43	3.2	42
30	Matrix metalloproteinase (MMP)-2 and MMP-9 expression in tumor infiltrating CD3 lymphocytes from women with endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 1303-9	3.5	12
29	The prognostic significance of lymphovascular space involvement in patients with uterine-confined endometrioid endometrial cancer. <i>Korean Journal of Obstetrics & Gynecology</i> , 2012 , 55, 76		2
28	Treatment of pure uterine sarcoma at the Institut Català d'Oncologia. <i>Reports of Practical Oncology and Radiotherapy</i> , 2013 , 18, 153-8	1.5	2
27	Lymphovascular space invasion is highly associated with lymph node metastasis and recurrence in endometrial cancer. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 293-7	1.7	22
26	Effects of uterine manipulation on surgical outcomes in laparoscopic management of endometrial cancer: a prospective randomized clinical trial. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 372-9	3.5	43
25	Histological features associated with occult lymph node metastasis in FIGO clinical stage I, grade I endometrioid carcinoma. <i>Histopathology</i> , 2014 , 64, 389-98	7.3	32
24	Prognostic Factors in Uterine Cancer. <i>Current Clinical Oncology</i> , 2015 , 107-146		
23	Immunotherapy in endometrial cancer - an evolving therapeutic paradigm. <i>Gynecologic Oncology Research and Practice</i> , 2015 , 2, 11	4.5	30
22	Substantial lymph-vascular space invasion (LVSI) is a significant risk factor for recurrence in endometrial cancer--A pooled analysis of PORTEC 1 and 2 trials. <i>European Journal of Cancer</i> , 2015 , 51, 1742-50	7.5	153
21	The immune system in the normal endometrium and implications for endometrial cancer development. <i>Journal of Reproductive Immunology</i> , 2015 , 109, 7-16	4.2	41
20	Magnitude of risk for nodal metastasis associated with lymphovascular space invasion for endometrial cancer. <i>Gynecologic Oncology</i> , 2016 , 140, 387-93	4.9	29
19	Nomogram with potential clinical use to predict lymph node metastasis in endometrial cancer patients diagnosed incidentally by postoperative pathological assessment. <i>Archives of Gynecology and Obstetrics</i> , 2017 , 296, 803-809	2.5	12
18	Immune Checkpoint Inhibition in the Treatment of Gynecologic Cancer. <i>Current Obstetrics and Gynecology Reports</i> , 2018 , 7, 6-19	0.6	
17	Epidermal growth factor receptor (EGFR) overexpression in endometrial carcinoma: association with histopathologic parameters. <i>Surgical and Experimental Pathology</i> , 2019 , 2,	1.6	1
16	Reproducibility of lymphovascular space invasion (LVSI) assessment in endometrial cancer. <i>Histopathology</i> , 2019 , 75, 128-136	7.3	12
15	Prognostic significance of lymphovascular space invasion in low-risk endometrial cancer. <i>International Journal of Gynecological Cancer</i> , 2019 , 29, 505-512	3.5	7
14	Zone Formation of Lymphocyte Infiltration at Invasive Front as a Biomarker of Prognosis in Endometrial Carcinomas. <i>Oncology</i> , 2019 , 96, 93-100	3.6	2

13	Endometrial Carcinoma. 2011 , 394-452		10
12	Female reproductive system. 2011 , 1399-1657		1
11	Endometrioid endometrial adenocarcinoma with psammoma bodies. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 399-406	6.7	26
10	Diffusely infiltrative endometrial adenocarcinoma: an adenoma malignum pattern of myoinvasion. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 69-78	6.7	69
9	The endometrium. <i>Archives of Pathology and Laboratory Medicine</i> , 2007 , 131, 372-82	5	21
8	Analysis of Prognostic Factors and Treatment Modes of Patients with Recurrent Endometrial Carcinoma. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021 , 2021, 8793187	2.3	
7	Association of Myometrial Invasion With Lymphovascular Space Invasion, Lymph Node Metastasis, Recurrence, and Overall Survival in Endometrial Cancer: A Meta-Analysis of 79 Studies With 68,870 Patients. <i>Frontiers in Oncology</i> , 2021 , 11, 762329	5.3	3
6	Endometriumkarzinom. <i>Spezielle Pathologische Anatomie</i> , 2001 , 543-609		
5	Pathology of Endometrial Hyperplasia and Carcinoma. 2004 , 93-147		
4	Prognostic Factors in Uterine Cancer. 2009 , 105-141		
3	Natural Kinase Inhibitors for the Treatment and Management of Endometrial/Uterine Cancer: Preclinical to Clinical Studies.. <i>Frontiers in Pharmacology</i> , 2022 , 13, 801733	5.6	0
2	Intraepithelial lymphocytes are indicators of better prognosis in surgically resected endometrioid-type endometrial carcinomas at early and advanced stages.. <i>BMC Cancer</i> , 2022 , 22, 361	4.8	0
1	TNM/FIGO Classification, Pathology of the Uterine Corpus. 2022 , 1-6		0