

Noradrenaline in the brain of the south african clawed f
with antibodies against noradrenaline and dopamineâ€

Journal of Comparative Neurology

331, 363-374

DOI: [10.1002/cne.903310306](https://doi.org/10.1002/cne.903310306)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Tyrosine hydroxylase-immunoreactive cell groups in the brain of the teleost fish <i>Gnathonemus petersii</i> . <i>Journal of Chemical Neuroanatomy</i> , 1993, 6, 431-446.	2.1	43
2	Distribution of tyrosine hydroxylase immunoreactivity in the brain of <i>Typhlonectes compressicauda</i> (Amphibia, Gymnophiona): further assessment of primitive and derived traits of amphibian catecholamine systems. <i>Journal of Chemical Neuroanatomy</i> , 1994, 8, 19-32.	2.1	38
3	Involvement of retinohypothalamic input, suprachiasmatic nucleus, magnocellular nucleus and locus coeruleus in control of melanotrope cells of <i>Xenopus laevis</i> : A retrograde and anterograde tracing study. <i>Neuroscience</i> , 1994, 61, 411-420.	2.3	81
4	Multiple sources of the pituitary pars intermedia innervation in amphibians: A Dil retrograde tract-tracing study. <i>Neuroscience Letters</i> , 1994, 169, 163-166.	2.1	16
5	Development of catecholamine systems in the central nervous system of the newt <i>Pleurodeles waltlii</i> as revealed by tyrosine hydroxylase immunohistochemistry. <i>Journal of Comparative Neurology</i> , 1995, 360, 33-48.	1.6	28
6	Noradrenergic and adrenergic systems in the brain of the urodele amphibian, <i>Pleurodeles waltlii</i> , as revealed by immunohistochemical methods. <i>Cell and Tissue Research</i> , 1995, 279, 619-627.	2.9	29
7	Background adaptation and synapse plasticity in the pars intermedia of <i>xenopus laevis</i> . <i>Neuroscience</i> , 1996, 70, 833-841.	2.3	26
8	Localization of nitric oxide synthase in the brain of the frog, <i>Xenopus laevis</i> . <i>Brain Research</i> , 1996, 741, 331-343.	2.2	67
9	Molecular Cloning and Characterization of an Epinephrine Transporter from Sympathetic Ganglia of the Bullfrog, <i>Rana catesbeiana</i> . <i>Journal of Neuroscience</i> , 1997, 17, 2691-2702.	3.6	28
10	Characterization of pars intermedia connections in amphibians by biocytin tract tracing and immunofluorescence aided by confocal microscopy. <i>Cell and Tissue Research</i> , 1997, 287, 297-304.	2.9	12
11	Basal ganglia organization in amphibians: Afferent connections to the striatum and the nucleus accumbens. <i>Journal of Comparative Neurology</i> , 1997, 378, 16-49.	1.6	114
12	Basal ganglia organization in amphibians: Catecholaminergic innervation of the striatum and the nucleus accumbens. <i>Journal of Comparative Neurology</i> , 1997, 378, 50-69.	1.6	84
13	Distribution of choline acetyltransferase immunoreactivity in the brain of anuran (<i>Rana</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 267 Td (p</i> 1997, 382, 499-534.	1.6	140
14	Localization and Changes in Distribution of Brain α_2 - and β_2 -Adrenoceptors in Response to Acclimation State in the American Bullfrog (<i>Rana catesbeiana</i>). <i>General and Comparative Endocrinology</i> , 1998, 110, 166-174.	1.8	6
15	Basal ganglia organization in amphibians: Chemoarchitecture. <i>Journal of Comparative Neurology</i> , 1998, 392, 285-312.	1.6	143
16	Identification of suprachiasmatic melanotrope-inhibiting neurons in <i>Xenopus laevis</i> : A confocal laser-scanning microscopy study. , 1998, 397, 60-68.		45
17	Basal ganglia organization in amphibians: evidence for a common pattern in tetrapods. <i>Progress in Neurobiology</i> , 1998, 55, 363-397.	5.7	76
18	Anurans. , 1998, , 1151-1314.		48

#	ARTICLE	IF	CITATIONS
19	Serotonergic Innervation of the Pituitary Pars Intermedia of <i>Xenopus laevis</i> . Journal of Neuroendocrinology, 1999, 11, 211-219.	2.6	19
20	Evolution of the basal ganglia: new perspectives through a comparative approach. Journal of Anatomy, 2000, 196, 501-517.	1.5	200
21	Catecholamine systems in the brain of vertebrates: new perspectives through a comparative approach. Brain Research Reviews, 2000, 33, 308-379.	9.0	365
22	Dynamics and plasticity of peptidergic control centres in the retino-brain-pituitary system of <i>Xenopus laevis</i> . Microscopy Research and Technique, 2001, 54, 188-199.	2.2	19
23	Descending supraspinal pathways in amphibians. I. A dextran amine tracing study of their cells of origin. Journal of Comparative Neurology, 2001, 434, 186-208.	1.6	67
24	Descending supraspinal pathways in amphibians. II. Distribution and origin of the catecholaminergic innervation of the spinal cord. Journal of Comparative Neurology, 2001, 434, 209-232.	1.6	38
25	Multiple control and dynamic response of the <i>Xenopus</i> melanotrope cell. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2002, 132, 257-268.	1.6	35
26	Origin and development of descending catecholaminergic pathways to the spinal cord in amphibians. Brain Research Bulletin, 2002, 57, 325-330.	3.0	12
27	Catecholaminergic innervation of the sympathetic preganglionic cell column of the filefish <i>Stephanolepis cirrhifer</i> . Journal of Comparative Neurology, 2002, 442, 204-216.	1.6	8
28	Tyrosine hydroxylase-immunoreactive interneurons in the olfactory bulb of the frogs <i>Rana pipiens</i> and <i>Xenopus laevis</i> . Journal of Comparative Neurology, 2002, 454, 42-57.	1.6	10
29	Ca ²⁺ oscillations in melanotropes of <i>Xenopus laevis</i> : their generation, propagation, and function. General and Comparative Endocrinology, 2003, 131, 209-219.	1.8	36
30	Development of catecholaminergic systems in the spinal cord of the dogfish <i>Scyliorhinus canicula</i> (Elasmobranchs). Developmental Brain Research, 2003, 142, 141-150.	1.7	18
31	Catecholaminergic innervation of the septum in the frog: A combined immunohistochemical and tract tracing study. Journal of Comparative Neurology, 2003, 455, 310-323.	1.6	31
32	Distribution of the mRNAs encoding the thyrotropin-releasing hormone (TRH) precursor and three TRH receptors in the brain and pituitary of <i>Xenopus laevis</i> : Effect of background color adaptation on TRH and TRH receptor gene expression. Journal of Comparative Neurology, 2004, 477, 11-28.	1.6	26
33	In Situ Hybridization Localization of TRH Precursor and TRH Receptor mRNAs in the Brain and Pituitary of <i>Xenopus laevis</i> . Annals of the New York Academy of Sciences, 2005, 1040, 95-105.	3.8	6
34	Neuronal, Neurohormonal, and Autocrine Control of <i>Xenopus</i> Melanotrope Cell Activity. Annals of the New York Academy of Sciences, 2005, 1040, 172-183.	3.8	19
35	Central amygdala in anuran amphibians: Neurochemical organization and connectivity. Journal of Comparative Neurology, 2005, 489, 69-91.	1.6	54
36	Comparative anatomy of α_1 and α_2 adrenoceptors in the adult and developing brain of the marine teleost the red porgy (<i>Pagrus pagrus</i> , Sparidae): [3H]clonidine and [3H]dihydroalprenolol quantitative autoradiography and receptor subtypes immunohistochemistry. Journal of Comparative Neurology, 2005, 489, 217-240.	1.6	19

#	ARTICLE	IF	CITATIONS
37	Distribution of GABA, glycine, and glutamate in neurons of the medulla oblongata and their projections to the midbrain tectum in plethodontid salamanders. <i>Journal of Comparative Neurology</i> , 2005, 490, 145-162.	1.6	19
38	Spatiotemporal sequence of appearance of NPF-immunoreactive structures in the developing central nervous system of <i>Xenopus laevis</i> . <i>Peptides</i> , 2006, 27, 1036-1053.	2.4	5
39	Locus coeruleus is a central chemoreceptive site in toads. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006, 291, R997-R1006.	1.8	34
40	Central Auditory Pathways in Anuran Amphibians: The Anatomical Basis of Hearing and Sound Communication. , 2007, , 221-249.		16
41	Plasticity in the Melanotrope Neuroendocrine Interface of <i>Xenopus laevis</i> . <i>Neuroendocrinology</i> , 2007, 85, 177-185.	2.5	29
42	Brain monoaminergic neurons and ventilatory control in vertebrates. <i>Respiratory Physiology and Neurobiology</i> , 2008, 164, 112-122.	1.6	18
43	Using Transgenic Animal Models in Neuroendocrine Research. <i>Annals of the New York Academy of Sciences</i> , 2009, 1163, 296-307.	3.8	7
44	The locus coeruleus and central chemosensitivity. <i>Respiratory Physiology and Neurobiology</i> , 2010, 173, 264-273.	1.6	96
45	Stress and Reproduction in Amphibians. , 2011, , 99-116.		3
46	The Vertebrate mesolimbic reward system and social behavior network: A comparative synthesis. <i>Journal of Comparative Neurology</i> , 2011, 519, 3599-3639.	1.6	820
47	Characterization of the bed nucleus of the stria terminalis in the forebrain of anuran amphibians. <i>Journal of Comparative Neurology</i> , 2012, 520, 330-363.	1.6	51
48	Social signals increase monoamine levels in the tegmentum of juvenile Mexican spadefoot toads (<i>Spea</i>). <i>Tj ETQq1 1 0.784314 rgBT /O</i> <i>Physiology</i> , 2013, 199, 681-691.	1.6	7
49	Respiratory signaling of locus coeruleus neurons during hypercapnic acidosis in the bullfrog, <i>Lithobates catesbeianus</i> . <i>Respiratory Physiology and Neurobiology</i> , 2013, 185, 553-561.	1.6	22
50	Temperature influences neuronal activity and CO ₂ /pH sensitivity of locus coeruleus neurons in the bullfrog, <i>Lithobates catesbeianus</i> . <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013, 305, R1451-R1464.	1.8	21
51	Investigation of spinal cerebrospinal fluid-contacting neurons expressing PKD2L1: evidence for a conserved system from fish to primates. <i>Frontiers in Neuroanatomy</i> , 2014, 8, 26.	1.7	101
52	Neurochemical and electrical modulation of the locus coeruleus: contribution to CO ₂ drive to breathe. <i>Frontiers in Physiology</i> , 2014, 5, 288.	2.8	13
53	Characterization of the hypothalamus of <i>Xenopus laevis</i> during development. II. The basal regions. <i>Journal of Comparative Neurology</i> , 2014, 522, 1102-1131.	1.6	35
54	Environmentally induced return to juvenile-like chemosensitivity in the respiratory control system of adult bullfrog, <i>Lithobates catesbeianus</i> . <i>Journal of Physiology</i> , 2016, 594, 6349-6367.	2.9	12

#	ARTICLE	IF	CITATIONS
55	Organization of the catecholaminergic systems in the brain of lungfishes, the closest living relatives of terrestrial vertebrates. <i>Journal of Comparative Neurology</i> , 2017, 525, 3083-3109.	1.6	19
56	The Diencephalon and Hypothalamus of Nonmammalian Vertebrates: Evolutionary and Developmental Traits. , 2017, , 409-426.		16
57	Distribution of NADPH-diaphorase reactivity in the central nervous system of the common toad (<i>Bufo</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.1	2
58	Tyrosine hydroxylase-immunoreactive neurons in the brain of tadpole of the narrow mouthed frog <i>Microhyla ornata</i> . <i>Journal of Chemical Neuroanatomy</i> , 2020, 103, 101704.	2.1	1
59	Differential encoding of signals and preferences by noradrenaline in the anuran brain. <i>Journal of Experimental Biology</i> , 2020, 223, .	1.7	4
60	Stress and Reproduction in Amphibians. , 2011, , 99-116.		4
61	AgustÃn GonzÃlez, an Inspirational Leader in Spanish Comparative Neuroanatomy. <i>Brain, Behavior and Evolution</i> , 2022, 96, 174-180.	1.7	0
62	Midbrain Structures and Control of Ventilation in Amphibians. , 2009, , 241-261.		0
63	Catecholaminergic and serotonergic fibres innervate the ventricular system of the hedgehog CNS. <i>Journal of Anatomy</i> , 1996, 189 (Pt 2), 273-83.	1.5	2
64	Locus Coeruleus in Non-Mammalian Vertebrates. <i>Brain Sciences</i> , 2022, 12, 134.	2.3	5
65	Molecular profiling of CO2/pH-sensitive neurons in the locus coeruleus of bullfrogs reveals overlapping noradrenergic and glutamatergic cell identity. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2023, 283, 111453.	1.8	1