

Circulating adhesion molecules in disease

Trends in Immunology

14, 506-512

DOI: [10.1016/0167-5699\(93\)90267-o](https://doi.org/10.1016/0167-5699(93)90267-o)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Anti-Adhesion-Oriented Therapies1. Progress in Surgery, 1995, 20, 91-102.	0.0	0
2	The Clinical Importance of Leucocyte and Endothelial Cell Adhesion Molecules in Inflammation. Vascular Medicine Review, 1994, vmr-5, 249-275.	0.2	16
3	High levels of the shed form of L-selectin are present in patients with acute leukemia and inhibit blast cell adhesion to activated endothelium. Blood, 1994, 84, 1249-1256.	0.6	63
4	Cytokines and Cell Adhesion Molecules in Tumor-Endothelial Cell Interaction and Metastasis. Cell Adhesion and Communication, 1994, 2, 219-224.	1.7	15
5	Immunologic and Biochemical Alterations in Severe Falciparum Malaria: Relation to Neurological Symptoms and Outcome. Clinical Infectious Diseases, 1994, 19, 480-485.	2.9	18
6	Adhesion molecules in rheumatoid arthritis: role in the pathogenesis and prospects for therapy.. Annals of the Rheumatic Diseases, 1994, 53, 287-288.	0.5	31
7	Effects of 17 beta-estradiol on circulating adhesion molecules.. Journal of Clinical Endocrinology and Metabolism, 1994, 79, 1619-1624.	1.8	52
8	Current Views on Structure and Function of Endothelial Adhesion Molecules. Cell Adhesion and Communication, 1994, 2, 261-268.	1.7	28
9	Generation of Human Umbilical Vein Endothelial Cell Lines Which Maintain Their Differentiated Phenotype. Endothelium: Journal of Endothelial Cell Research, 1994, 2, 191-201.	1.7	7
10	Secretion of phospholipase A2 induced by interactions of human platelets with monocytes. Annals of Hematology, 1994, 69, 307-310.	0.8	4
11	Increased serum levels of ICAM-1, ELAM-1 and TNF- α in inflammatory disorders of the peripheral nervous system. Italian Journal of Neurological Sciences, 1994, 15, 267-271.	0.1	15
12	Serum concentrations of soluble intercellular adhesion molecule-1 and progress towards disease in patients infected with HIV. Journal of Infection, 1994, 29, 271-282.	1.7	21
13	Serum levels of adhesion molecules and thrombomodulin as indicators of vascular injury in severe Plasmodium falciparum malaria. The Clinical Investigator, 1994, 72, 598-603.	0.6	36
14	Soluble intercellular adhesion molecule-1 in primary biliary cirrhosis: Relationship with disease stage, immune activity and cholestasis. Hepatology, 1994, 20, 882-888.	3.6	33
15	Regulation of ICAM-3 (CD50) membrane expression on human neutrophils through a proteolytic shedding mechanism. European Journal of Immunology, 1994, 24, 2586-2594.	1.6	46
16	Expression and shedding of intercellular adhesion molecule 1 and lymphocyte function-associated antigen 3 by normal and scleroderma fibroblasts.. Arthritis and Rheumatism, 1994, 37, 1689-1697.	6.7	50
17	Selectins. Current Opinion in Immunology, 1994, 6, 75-84.	2.4	231
18	Circulating soluble adhesion molecules: more observations on ICAM-1 in patients with Hodgkin's disease. Trends in Immunology, 1994, 15, 140-141.	7.5	4

#	ARTICLE	IF	CITATIONS
19	A physiological role for circulating adhesion molecules?. Trends in Immunology, 1994, 15, 141.	7.5	7
20	Blood group antigens on human erythrocytes-distribution, structure and possible functions. BBA - Biomembranes, 1994, 1197, 15-44.	7.9	37
21	Use of surface molecules and receptors for studying macrophages and mononuclear phagocytes. Journal of Immunological Methods, 1994, 174, 95-102.	0.6	15
22	Soluble forms of intercellular adhesion molecule-1 in insulin-dependent diabetes mellitus. Lancet, The, 1994, 343, 1590-1593.	6.3	89
23	Soluble intercellular adhesion moleculeâ€™1 (ICAM-1) is released into the serum and ascites of human ovarian carcinoma patients and in nude mice bearing tumour xenografts. European Journal of Cancer, 1994, 30, 1865-1870.	1.3	23
24	The microcirculation and inflammation: modulation of leukocyte-endothelial cell adhesion. Journal of Leukocyte Biology, 1994, 55, 662-675.	1.5	725
25	Circulating Adhesion Molecules in Pediatric Cardiac Surgery. Anesthesia and Analgesia, 1995, 81, 1129-1135.	1.1	26
26	Monoclonal antibody therapy of inflammatory rheumatic diseases. British Medical Bulletin, 1995, 51, 493-502.	2.7	13
27	Circulating Adhesion Molecules in Pediatric Cardiac Surgery. Anesthesia and Analgesia, 1995, 81, 1129-1135.	1.1	38
28	Circulating adhesion molecules and inflammatory mediators in demyelination. Neurology, 1995, 45, S22-32.	1.5	102
29	Correlation of Lesional Skin Corneometry Values with Serum Eâ€™Selectin Levels and Disease Severity in Patients Affected by Plaqueâ€™type Psoriasis: Recovery after Effective Therapy. Journal of Dermatology, 1995, 22, 475-479.	0.6	7
31	Matrix metalloproteinases and processing of pro-TNF-Î±. Journal of Leukocyte Biology, 1995, 57, 774-777.	1.5	204
32	Circulating ICAM-1 in Alcoholic Liver Cirrhosis. International Archives of Allergy and Immunology, 1995, 106, 302-304.	0.9	10
33	Antineutrophil cytoplasmic antibodies: Major autoantigens, pathophysiology, and disease associations. Seminars in Arthritis and Rheumatism, 1995, 25, 143-159.	1.6	41
34	Influence of Duraflon II heparin-treated extracorporeal circuits on the systemic inflammatory response in patients having coronary bypass. Journal of Thoracic and Cardiovascular Surgery, 1995, 110, 1633-1641.	0.4	75
35	Effect of Chronic Angiotensin-Converting Enzyme Inhibition on Endothelial Function in Patients with Chronic Heart Failure. American Journal of Cardiology, 1995, 76, 13E-18E.	0.7	67
36	A RELIABLE MARKER OF ENDOTHELIAL CELL DYSFUNCTION: DOES IT EXIST?. British Journal of Haematology, 1995, 90, 244-248.	1.2	182
37	Increased serum concentration of soluble HLAâ€™DR antigens in HIV infection and following transplantation. Tissue Antigens, 1995, 46, 117-123.	1.0	36

#	ARTICLE	IF	CITATIONS
38	Circulating, soluble adhesion proteins in cerebrospinal fluid and serum of patients with multiple sclerosis: Correlation with clinical activity. <i>Annals of Neurology</i> , 1995, 37, 55-62.	2.8	111
39	Circulating adhesion molecules and tumor necrosis factor receptor in multiple sclerosis: Correlation with magnetic resonance imaging. <i>Annals of Neurology</i> , 1995, 38, 186-193.	2.8	143
40	CD38 ligation induces discrete cytokine mRNA expression in human cultured lymphocytes. <i>European Journal of Immunology</i> , 1995, 25, 1477-1480.	1.6	75
41	CD14 ^{low} CD16 ^{high} : A cytokine-producing monocyte subset which expands during human immunodeficiency virus infection. <i>European Journal of Immunology</i> , 1995, 25, 3418-3424.	1.6	273
42	Expression and release of intercellular adhesion molecule-1 in renal-cancer patients. <i>International Journal of Cancer</i> , 1995, 62, 271-275.	2.3	34
43	Expression of urokinase receptor in various stromal-cell populations in human colon cancer: Immunoelectron microscopical analysis. <i>International Journal of Cancer</i> , 1995, 62, 691-696.	2.3	36
44	Differential expression and release of CD54 induced by cytokines. <i>Hepatology</i> , 1995, 22, 866-875.	3.6	23
45	Inhibition of tumor necrosis factor production and ICAM-1 expression by pentoxifylline: beneficial effects in sepsis syndrome. <i>Research in Experimental Medicine</i> , 1995, 195, 297-307.	0.7	30
46	Correlation between clinical features and circulating levels of soluble intercellular adhesion molecule-1 in Hodgkin's disease. <i>International Journal of Clinical and Laboratory Research</i> , 1995, 25, 84-87.	1.0	2
47	Antibody to ICAM-1 mediates enhancement of HIV-1 infection of human endothelial cells. <i>Archives of Virology</i> , 1995, 140, 951-958.	0.9	12
48	Phalloidin-based fluorimetric quantitation of cells on plates and polycarbonate membranes. <i>Cytotechnology</i> , 1995, 17, 263-270.	0.7	4
49	Soluble circulating cell adhesion molecules in haemolytic uraemic syndrome. <i>Pediatric Nephrology</i> , 1995, 9, 574-578.	0.9	20
50	Treatment of delayed-type hypersensitivity with inhibitors of the VLA-4 integrin. <i>Seminars in Immunopathology</i> , 1995, 16, 437-41.	4.0	8
51	Modulation by high glucose of adhesion molecule expression in cultured endothelial cells. <i>Diabetologia</i> , 1995, 38, 1367-1370.	2.9	100
52	Elevated levels of soluble E-selectin in patients with IDDM and NIDDM: relation to metabolic control. <i>Diabetologia</i> , 1995, 38, 1122-1124.	2.9	150
53	Soluble ICAM-1 as a regulator of nasal allergic reaction under natural allergen provocation. <i>Clinical and Experimental Allergy</i> , 1995, 25, 744-748.	1.4	30
54	Monoclonal anti-TNF α Antibody as a Probe of Pathogenesis and Therapy of Rheumatoid Disease. <i>Immunological Reviews</i> , 1995, 144, 195-223.	2.8	225
55	A major role for CD62P/CD15s interaction in leukocyte margination during hemodialysis. <i>Kidney International</i> , 1995, 48, 93-102.	2.6	53

#	ARTICLE	IF	CITATIONS
56	Influence of sE-selectin and L-selectin on the regulation of cell migration during chronic periodontitis. <i>Journal of Periodontal Research</i> , 1995, 30, 198-203.	1.4	12
57	The cell adhesion molecule, VCAM-1, is selectively elevated in serum in pre-eclampsia: does this indicate the mechanism of leucocyte activation?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1995, 102, 173-173.	1.1	13
58	Physiological enzymatic cleavage of leukocyte membrane molecules. <i>Trends in Immunology</i> , 1995, 16, 135-140.	7.5	113
59	Circulating adhesion molecules in inflammatory and atherosclerotic vascular disease. <i>Trends in Immunology</i> , 1995, 16, 251-252.	7.5	23
60	Soluble T cell receptors: detection and quantitative assay in fluid phase via ELISA or immuno-PCR. <i>Journal of Immunological Methods</i> , 1995, 186, 181-194.	0.6	31
61	Exercise-induced changes in the expression of surface adhesion molecules on circulating granulocytes and lymphocytes subpopulations. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1995, 71, 245-252.	1.2	69
62	The selectins: Insights into selectin-induced intracellular signaling in leukocytes. <i>Immunologic Research</i> , 1995, 14, 237-251.	1.3	24
63	Leukocyte adhesion molecules. <i>British Medical Bulletin</i> , 1995, 51, 296-311.	2.7	34
64	Influence of Cytokine Stimulation (Granulocyte Macrophage-Colony Stimulating Factor, Interleukin-3) Tj ETQq0 0 0 rgBT /Overlock 10 TF Marrow Fibroblasts. <i>Acta Haematologica</i> , 1995, 94, 173-181.	0.7	12
65	Soluble Intercellular Adhesion Molecule-1 and Serum Cytokines in Melanoma Patients Treated with Liposomes Containing Muramyl Tripeptide. <i>Tumori</i> , 1995, 81, 185-190.	0.6	1
66	Soluble E-Selectin Levels in Acute Human Myocardial Infarction. <i>International Journal of Microcirculation, Clinical and Experimental</i> , 1995, 15, 80-84.	0.6	5
67	The selecting: vascular adhesion molecules. <i>FASEB Journal</i> , 1995, 9, 866-873.	0.2	858
68	Vascular Cell Adhesion Molecule (VCAM)-Ig Fusion Protein Defines Distinct Affinity States of the Very Late Antigen-4 (VLA-4) Receptor. <i>Cell Adhesion and Communication</i> , 1995, 3, 131-142.	1.7	96
69	Mechanisms of the adult respiratory distress syndrome: selectins.. <i>Thorax</i> , 1995, 50, S49-S52.	2.7	12
70	High altitude pulmonary oedema: still a place for controversy?. <i>Thorax</i> , 1995, 50, 923-929.	2.7	45
71	A Distinct mRNA Encoding a Soluble Form of ICAM-1 Molecule Expressed in Human Tissues. <i>Cell Adhesion and Communication</i> , 1995, 3, 283-292.	1.7	59
72	Adhesion molecules in inflammatory bowel disease.. <i>Gut</i> , 1995, 36, 724-730.	6.1	178
73	Role of elevated plasma soluble ICAM-1 and bronchial lavage fluid IL-8 levels as markers of chronic lung disease in premature infants.. <i>Thorax</i> , 1995, 50, 1073-1079.	2.7	61

#	ARTICLE	IF	CITATIONS
74	Leukocyte Migration and Adhesion. <i>Advances in Immunology</i> , 1995, 58, 345-416.	1.1	313
75	Soluble forms of the adhesion molecule E-cadherin in urine.. <i>Journal of Clinical Pathology</i> , 1995, 48, 179-180.	1.0	68
76	Serum intercellular adhesion molecule-1 levels in chronic hepatitis C: association with disease activity and response to interferon alpha.. <i>Gut</i> , 1995, 36, 599-603.	6.1	28
77	SERIAL CIRCULATING ADHESION MOLECULE LEVELS REFLECT DISEASE SEVERITY IN SYSTEMIC SCLEROSIS. <i>Rheumatology</i> , 1995, 34, 1048-1054.	0.9	109
78	LEVELS OF CIRCULATING INTERCELLULAR ADHESION MOLECULE-1 AND -3 BUT NOT CIRCULATING ENDOTHELIAL LEUCOCYTE ADHESION MOLECULE ARE INCREASED IN PATIENTS WITH RHEUMATOID VASCULITIS. <i>Rheumatology</i> , 1995, 34, 311-315.	0.9	29
79	ALTERED LEVELS OF SOLUBLE ADHESION MOLECULES IN RHEUMATOID ARTHRITIS, VASCULITIS AND SYSTEMIC SCLEROSIS. <i>Rheumatology</i> , 1995, 34, 814-819.	0.9	73
80	Activation of Natural Killer Cell Migration by Leukocyte Integrin-binding Peptide from Intracellular Adhesion Molecule-2 (ICAM-2). <i>Journal of Biological Chemistry</i> , 1995, 270, 8629-8636.	1.6	30
81	Lack of correlation and soluble E-selectin level with renal transplant rejection. <i>Transplant Immunology</i> , 1995, 3, 50-54.	0.6	2
82	l-Arginine reduces endothelial inflammation and myocardial stunning during ischemia/reperfusion. <i>Annals of Thoracic Surgery</i> , 1995, 60, 1275-1281.	0.7	83
83	Follicular thyroid cells of autoimmune thyroiditis may coexpress ICAM-1 (CD54) and its natural ligand LFA-1 (CD11a/CD18). <i>Journal of Allergy and Clinical Immunology</i> , 1995, 95, 1036-1043.	1.5	18
84	Adhesion molecules in health and disease. <i>Australian and New Zealand Journal of Medicine</i> , 1995, 25, 720-730.	0.5	19
85	Soluble E-selectin and vascular cell adhesion molecule-1 (VCAM-1) in primary biliary cirrhosis. <i>Journal of Hepatology</i> , 1995, 22, 416-422.	1.8	25
86	Soluble forms of intercellular adhesion molecule-1 (ICAM-1) block lymphocyte attachment to cerebral endothelial cells. <i>Journal of Neuroimmunology</i> , 1995, 60, 9-15.	1.1	123
87	Differential expression and release of cd54 induced by cytokines*1. <i>Hepatology</i> , 1995, 22, 866-875.	3.6	11
88	Elevated Concentrations of Circulating Intercellular Adhesion Molecule 1 (ICAM-1) and of Vascular Cell Adhesion Molecule 1 (VCAM-1) in HIV-1 Infection. <i>Cell Adhesion and Communication</i> , 1995, 3, 179-185.	1.7	19
89	Cerebral endothelial cells are a major source for soluble intercellular adhesion molecule-1 in the human central nervous system. <i>Neuroscience Letters</i> , 1995, 186, 61-64.	1.0	40
90	New Concepts in the Immunology of Sickle Cell Disease. <i>Annals of Allergy, Asthma and Immunology</i> , 1996, 76, 385-403.	0.5	37
91	ROLE OF CYTOKINES IN RHEUMATOID ARTHRITIS. <i>Annual Review of Immunology</i> , 1996, 14, 397-440.	9.5	2,301

#	ARTICLE	IF	CITATIONS
92	Soluble form of vascular cell adhesion molecule-1 in systemic lupus erythematosus and discoid lupus erythematosus. <i>Journal of Dermatological Science</i> , 1996, 12, 73-75.	1.0	3
93	Clinical relevance of elevated serum thrombomodulin and soluble E-selectin in patients with Wegener's granulomatosis and other systemic vasculitides. <i>American Journal of Medicine</i> , 1996, 101, 387-394.	0.6	105
94	Soluble forms of CD44 and CD54 (ICAM-1) cellular adhesion molecules are released by human prostatic cancer cell lines. <i>Cancer Letters</i> , 1996, 107, 29-35.	3.2	10
95	New therapeutic avenues in autoimmunity. <i>Research in Immunology</i> , 1996, 147, 361-376.	0.9	11
96	Elevated serum E-selectin in patients with liver metastases of colorectal cancer. <i>European Journal of Cancer</i> , 1996, 32, 1215-1218.	1.3	53
97	Serum and cerebrospinal fluid levels of soluble adhesion molecules in multiple sclerosis: predominant intrathecal release of vascular cell adhesion molecule-1. <i>Journal of Neuroimmunology</i> , 1996, 64, 185-191.	1.1	54
98	Circulating L-selectin in multiple sclerosis patients with active, gadolinium-enhancing brain plaques. <i>Journal of Neuroimmunology</i> , 1996, 65, 61-65.	1.1	32
99	INFLAMMATORY CYTOKINES INDUCE INTERCELLULAR ADHESION MOLECULE-1 (ICAM-1) mRNA SYNTHESIS AND PROTEIN SECRETION BY HUMAN RETINAL PIGMENT EPITHELIAL CELL CULTURES. <i>Cytokine</i> , 1996, 8, 622-630.	1.4	43
100	Intercellular adhesion molecule-1 (ICAM-1; CD54) expression in human hepatocytic cells depends on protein kinase C. <i>Journal of Hepatology</i> , 1996, 25, 670-676.	1.8	10
101	Leukocyte integrin very late antigen-4/vascular cell adhesion molecule-1 adhesion pathway in splanchnic artery occlusion shock. <i>European Journal of Pharmacology</i> , 1996, 318, 153-160.	1.7	3
102	Increased soluble E-Selectin is associated with lung inflammation, and lung injury in hyperoxia-exposed rats. <i>Toxicology Letters</i> , 1996, 87, 157-165.	0.4	20
103	Hypothermic versus normothermic cardiopulmonary bypass: Influence on circulating adhesion molecules. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1996, 10, 342-347.	0.6	40
104	Expression of ICAM-1 in distant metastatic thyroid carcinoma. <i>Journal of Endocrinological Investigation</i> , 1996, 19, 183-185.	1.8	5
105	Cell Adhesion Molecules in Rheumatoid Arthritis. <i>Drugs and Aging</i> , 1996, 9, 87-92.	1.3	32
106	Management of Allergic Conjunctivitis. <i>BioDrugs</i> , 1996, 5, 374-391.	0.7	13
107	<i>Schistosoma mansoni</i> excretory circulating cathodic antigen shares Lewis-x epitopes with a human granulocyte surface antigen and evokes host antibodies mediating complement-dependent lysis of granulocytes. <i>Blood</i> , 1996, 88, 4246-4251.	0.6	43
109	Adhesion molecules and the mechanisms of kidney rejection. New approaches to therapy. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 950-953.	0.4	0
110	Adhesion molecules and the mechanisms of kidney rejection. New approaches to therapy. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 950-953.	0.4	0

#	ARTICLE	IF	CITATIONS
111	Circulating Intercellular Adhesion Molecule-1 and E-Selectin in Patients With Acute Coronary Syndrome. <i>Chest</i> , 1996, 109, 1627-1630.	0.4	64
112	HEMCAM, an adhesion molecule expressed by c-kit+ hemopoietic progenitors.. <i>Journal of Cell Biology</i> , 1996, 135, 1655-1668.	2.3	93
113	Quantitative Detection of Soluble Adhesion Molecules in Sera of Melanoma Patients Correlates with Clinical Stage. <i>Dermatology</i> , 1996, 192, 89-93.	0.9	37
114	Relevance of ICAM-1 to Alcoholic Liver Cirrhosis. <i>Pathobiology</i> , 1996, 64, 46-52.	1.9	4
115	Soluble versus cell-bound CD4, CD8 from bronchoalveolar lavage: correlation with pulmonary diagnoses in human immunodeficiency virus-infected individuals. <i>Journal of Leukocyte Biology</i> , 1996, 59, 813-816.	1.5	7
116	Assays for measuring soluble cellular adhesion molecules and soluble cytokine receptors. <i>Journal of Immunological Methods</i> , 1996, 191, 97-112.	0.6	23
117	Increased mucosal concentrations of soluble intercellular adhesion molecule-1 (sICAM-1), sE-selectin, and interleukin-8 in active ulcerative colitis. <i>Digestive Diseases and Sciences</i> , 1996, 41, 1780-1785.	1.1	39
118	The effects of pentoxifylline on circulating adhesion molecules in critically ill patients with acute renal failure treated by continuous veno-venous hemofiltration. <i>Intensive Care Medicine</i> , 1996, 22, 305-311.	3.9	15
119	Circulating adhesion molecules in the critically ill: A comparison between trauma and sepsis patients. <i>Intensive Care Medicine</i> , 1996, 22, 122-128.	3.9	56
120	Endotoxemia and complement activation after severe burn injuries-effects on leukocytes, soluble selectins, and inflammatory cytokines. <i>Inflammation</i> , 1996, 20, 229-241.	1.7	11
121	Elevated circulating adhesion molecules in NIDDM are potential mediators in diabetic macroangiopathy. <i>Diabetologia</i> , 1996, 39, 1242-1244.	2.9	97
122	Monocytes and lymphocytes as active participants in the pathogenesis of experimental shock. <i>Inflammation Research</i> , 1996, 45, 398-404.	1.6	8
123	Thrombolytic therapy with urokinase reduces increased circulating endothelial adhesion molecules in acute myocardial infarction. <i>Inflammation Research</i> , 1996, 45, 14-19.	1.6	42
124	Adhesion molecules in autoimmune disease. <i>Seminars in Arthritis and Rheumatism</i> , 1996, 25, 215-233.	1.6	185
125	Comparison of endothelial activation during endotoxic and posttraumatic conditions by serum analysis of soluble e-selectin in nonhuman primates. <i>Translational Research</i> , 1996, 128, 515-519.	2.4	25
126	Evaluation of a soluble e-selectin enzyme-linked immunosorbent assay under posttraumatic conditions. <i>Translational Research</i> , 1996, 128, 520-523.	2.4	8
127	Regulation and selectivity of leukocyte emigration. <i>Translational Research</i> , 1996, 127, 151-168.	2.4	30
128	The influence of age, gender and ABO blood group on soluble endothelial cell markers and adhesion molecules. <i>British Journal of Haematology</i> , 1996, 92, 498-500.	1.2	98

#	ARTICLE	IF	CITATIONS
129	Release of soluble intercellular adhesion molecule 1 into bile and serum in murine endotoxin shock. <i>Hepatology</i> , 1996, 23, 530-536.	3.6	37
130	Elevated levels of soluble ICAM-1 in serum of patients with acute myeloid leukemia undergoing bone marrow transplantation. , 1996, 52, 227-228.		2
131	EXPRESSION OF ICAM-1 AND VCAM-1 IN HUMAN MALIGNANT MESOTHELIOMA. , 1996, 179, 266-271.		32
132	Elevated levels of the soluble form of bone marrow stromal cell antigen 1 in the sera of patients with severe rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1996, 39, 629-637.	6.7	38
133	Deactivation of vascular endothelium by monoclonal anti-“tumor necrosis factor Î± antibody in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1996, 39, 1082-1091.	6.7	291
134	Leucocyte adhesion under flow conditions: principles important in tissue engineering. <i>Biomaterials</i> , 1996, 17, 337-347.	5.7	54
135	Cellular polarization induced by chemokines: a mechanism for leukocyte recruitment?. <i>Trends in Immunology</i> , 1996, 17, 127-131.	7.5	93
136	FcÎ³ Receptor Expression on Sheep Afferent Lymph Dendritic Cells and Rapid Modulation of Cell Surface Phenotype Following FcÎ³ Receptor Engagement In Vitro and In Vivo. <i>Scandinavian Journal of Immunology</i> , 1996, 43, 31-38.	1.3	9
137	Circulating endothelial cell/leucocyte adhesion molecules in ischaemic heart disease. <i>British Journal of Haematology</i> , 1996, 95, 263-265.	1.2	68
138	Normal levels of soluble E-selectin, soluble intercellular adhesion molecule-1 (sICAM-1), and soluble vascular cell adhesion molecule-1 (sVCAM-1) decrease with age. <i>Clinical and Experimental Immunology</i> , 1996, 103, 167-170.	1.1	65
139	Soluble adhesion molecules in sera of patients with leprosy: levels of soluble intercellular adhesion molecule-1 (sICAM-1) rapidly decrease during multi-drug therapy. <i>Clinical and Experimental Immunology</i> , 1996, 105, 65-68.	1.1	4
140	Kinetics of soluble TNF-receptors and soluble adhesion molecules ICAM-1, E-selectin and VCAM-1 under systemic rhTNFalpha therapy. <i>European Journal of Clinical Investigation</i> , 1996, 26, 404-410.	1.7	21
141	Circulating ICAM-1 levels in falciparum malaria are high but unrelated to disease severity. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1996, 90, 274-276.	0.7	20
143	Detection of anti-myeloperoxidase antibodies in the serum of patients with type 1 diabetes mellitus. <i>Acta Diabetologica</i> , 1996, 33, 103-107.	1.2	15
145	Soluble adhesion molecules in serum of smokers and non-smokers, with and without periodontitis. <i>Journal of Periodontal Research</i> , 1996, 31, 596-599.	1.4	46
146	Enhanced tubular epithelial CD44 expression in MRL-lpr lupus nephritis. <i>Kidney International</i> , 1996, 50, 156-163.	2.6	45
147	Amount of pollen has an effect on the systemic and local levels of soluble ICAM-1 in patients with seasonal allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1996, 51, 128-132.	2.7	13
148	Selectins and their counter receptors: a bitter sweet attraction.. <i>Thorax</i> , 1996, 51, 1155-1157.	2.7	14

#	ARTICLE	IF	CITATIONS
149	Circulating adhesion molecules ICAM-1, E-selectin, and von Willebrand factor in Henoch-Schonlein purpura.. Archives of Disease in Childhood, 1996, 75, 507-511.	1.0	27
150	Metabolism of Tac (IL2Ralpha): physiology of cell surface shedding and renal catabolism, and suppression of catabolism by antibody binding.. Journal of Experimental Medicine, 1996, 183, 1587-1602.	4.2	63
151	Shedding of L-Selectin as a Mechanism for Reduced Polymorphonuclear Neutrophil Exudation in Patients With the Systemic Inflammatory Response Syndrome. Archives of Surgery, 1996, 131, 1141.	2.3	57
152	Dynamics of Soluble Adhesion Molecule Levels in Patients With Pollinosis. JAMA Otolaryngology, 1996, 122, 1398-1400.	1.5	12
153	Soluble Cytokine Receptors: Their Roles in Immunoregulation, Disease, and Therapy. Advances in Immunology, 1996, 63, 269-336.	1.1	76
154	Influence of angiotensin II on circulating adhesion molecules and blood leukocyte count in vivo. Canadian Journal of Physiology and Pharmacology, 1996, 74, 9-14.	0.7	28
155	Diverse Cell Surface Protein Ectodomains Are Shed by a System Sensitive to Metalloprotease Inhibitors. Journal of Biological Chemistry, 1996, 271, 11376-11382.	1.6	371
156	Disturbance of leucocyte circulation and adhesion to the endothelium as factors in circulatory pathology. British Journal of Anaesthesia, 1996, 77, 17-31.	1.5	29
157	Elevated concentrations of circulating adhesion molecules and their association with microvascular complications in insulin-dependent diabetes mellitus.. Journal of Clinical Endocrinology and Metabolism, 1996, 81, 4313-4317.	1.8	131
158	Adhesion molecule in untreated inflammatory arthritis. QJM - Monthly Journal of the Association of Physicians, 1996, 89, 195-204.	0.2	9
159	Cell-associated adhesion molecules as early markers of bioincompatibility. Nephrology Dialysis Transplantation, 1996, 11, 2248-2257.	0.4	31
160	Detection of Soluble Adhesion Molecules in Pleural Effusions. Chest, 1996, 110, 107-113.	0.4	12
161	Soluble Molecules as Biological Markers in Hodgkin's Disease. Leukemia and Lymphoma, 1997, 26, 99-105.	0.6	28
162	Persistent Elevation and Metabolic Dependence of Circulating E-Selectin after Delivery in Women with Gestational Diabetes Mellitus. Journal of Clinical Endocrinology and Metabolism, 1997, 82, 4117-4121.	1.8	51
163	Longitudinal study of soluble adhesion molecules in multiple sclerosis. Neurology, 1997, 48, 1557-1565.	1.5	83
164	Stress echocardiography for assessing myocardial ischaemia and viable myocardium. Heart, 1997, 78, 12-18.	1.2	10
165	Rickettsia conorii Infection Enhances Vascular Cell Adhesion Molecule-1 and Intercellular Adhesion Molecule-1-Dependent Mononuclear Cell Adherence to Endothelial Cells. Journal of Infectious Diseases, 1997, 175, 1142-1152.	1.9	55
166	Assessment of endothelial function using plasma markers.. Heart, 1997, 78, 321-322.	1.2	3

#	ARTICLE	IF	CITATIONS
167	A distinct profile of six soluble adhesion molecules (ICAM-1, ICAM-3, VCAM-1, E-selectin, L-selectin and) Tj ETQq0 0 0,98 BT /Overlock 10	0.0	121
168	Molecular Markers for Atherosclerosis. European Journal of Cardiovascular Prevention and Rehabilitation, 1997, 4, 353-356.	3.1	4
169	Angioplasty for the treatment of acute myocardial infarction. Heart, 1997, 78, 12-15.	1.2	2
170	Endothelial Selectins in Acute Mountain Sickness and High-Altitude Pulmonary Edema. Chest, 1997, 112, 1572-1578.	0.4	27
171	Purification and characterisation of soluble intercellular adhesion molecule-1 (sICAM-1) and its effect on cell-mediated cytotoxicity of tumour cells. International Journal of Oncology, 1997, 10, 827-34.	1.4	0
172	Disease type-associated increases of the plasma levels and ligand expression for natural alpha- or beta-galactoside-binding immunoglobulin G subfractions in patients with lung cancer. International Journal of Oncology, 1997, 10, 709-19.	1.4	3
173	Increased soluble ICAM-1 concentration and impaired delayed-type hypersensitivity skin tests in patients with chronic liver disease.. Journal of Clinical Pathology, 1997, 50, 50-53.	1.0	6
174	Circulating soluble adhesion molecules in patients with classical polyarteritis nodosa. Rheumatology, 1997, 36, 1178-1183.	0.9	27
175	Target effector role of vascular endothelium in the inflammatory response: insights from the clinical trial of anti-TNF alpha antibody in rheumatoid arthritis.. Journal of Clinical Pathology, 1997, 50, 225-233.	2.1	43
176	Soluble Markers of Leucocyte Adhesion in Patients with Venous Disease. Phlebology, 1997, 12, 82-85.	0.6	0
177	Evaluation of Soluble Cell Adhesion Molecules in Atopic Dermatitis. Journal of Dermatology, 1997, 24, 88-93.	0.6	14
178	How Do Lymphocytes Know Where to Go: Current Concepts and Enigmas of Lymphocyte Homing. Advances in Immunology, 1997, 64, 139-218.	1.1	162
180	Serum angiotensin converting enzyme, soluble E-selectin and laminin in subjects occupationally-exposed to volatile organic chemicals and mercury vapour. Biomarkers, 1997, 2, 197-200.	0.9	1
181	Concepts of Tumor Lectinology. Cancer Investigation, 1997, 15, 454-464.	0.6	105
182	Soluble P-selectin assay: importance of correct anticoagulant choice. Platelets, 1997, 8, 159-162.	1.1	9
183	PATHOGENESIS OF VASCULITIS SYNDROMES. Medical Clinics of North America, 1997, 81, 221-242.	1.1	72
184	New indices of ischemic heart disease and aging: studies on the serum levels of soluble intercellular adhesion molecule-1 (ICAM-1) and soluble vascular cell adhesion molecule-1 (VCAM-1) in patients with hypercholesterolemia and ischemic heart disease. Atherosclerosis, 1997, 131, 43-48.	0.4	136
185	Soluble intercellular adhesion molecule-1 levels of patients with acute myeloid leukemia after allogeneic bone marrow transplantation. Journal of Allergy and Clinical Immunology, 1997, 100, S77-S78.	1.5	1

#	ARTICLE	IF	CITATIONS
186	Soluble E-selectin as a marker of disease activity in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 1997, 99, 410-414.	1.5	31
187	CD44: Structure, Function and Association with the Malignant Process. <i>Advances in Cancer Research</i> , 1997, 71, 241-319.	1.9	858
188	Serum Levels of Specific IgE, Soluble Interleukin-2 Receptor, and Soluble Intercellular Adhesion Molecule-1 in Seasonal Allergic Rhinitis. <i>Annals of Allergy, Asthma and Immunology</i> , 1997, 79, 213-220.	0.5	19
189	Dynamic Exercise Leads to an Increase in Circulating ICAM-1: Further Evidence for Adrenergic Modulation of Cell Adhesion. <i>Brain, Behavior, and Immunity</i> , 1997, 11, 343-351.	2.0	83
190	Adrenergic Control of Natural Killer Cell Circulation and Adhesion. <i>Brain, Behavior, and Immunity</i> , 1997, 11, 321-332.	2.0	77
191	Soluble E-Selectin Enhances Intercellular Adhesion Molecule-1 (ICAM-1) Expression in Human Tumor Cell Lines. <i>Experimental Cell Research</i> , 1997, 237, 364-370.	1.2	6
192	TNF- α and IL-1 Upregulate Membrane-Bound and Soluble E-Selectin through a Common Pathway. <i>Journal of Surgical Research</i> , 1997, 73, 107-112.	0.8	95
193	Biomechanical activation: an emerging paradigm in endothelial adhesion biology. <i>Journal of Clinical Investigation</i> , 1997, 99, 1809-1813.	3.9	233
194	Cytokines, Adhesion Molecules, Antiendothelial Cell Autoantibodies and Vascular Disease. <i>Cardiovascular Pathology</i> , 1997, 6, 61-78.	0.7	12
195	Interleukin-6 and soluble intercellular adhesion molecule-1 in renal cancer patients and cultured renal cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 1997, 3, 51-58.	0.8	5
196	Elevated Levels of Circulating Cell Adhesion Molecules in Uncomplicated Essential Hypertension. <i>American Journal of Hypertension</i> , 1997, 10, 1335-1341.	1.0	127
197	Circulating cell adhesion molecules in HIV1-infected patients as indicator markers for AIDS progression. <i>Research in Immunology</i> , 1997, 148, 109-117.	0.9	36
198	Increased Levels of Interleukin-1 α and Soluble Intercellular Adhesion Molecule-1 in Cerebrospinal Fluid of Patients with Subacute Sclerosing Panencephalitis. <i>Journal of Infectious Diseases</i> , 1997, 175, 689-692.	1.9	16
199	Endothelial-derived adhesion molecules in bacterial meningitis: association to cytokine release and intrathecal leukocyte-recruitment. <i>Journal of Neuroimmunology</i> , 1997, 74, 130-134.	1.1	55
200	Effects of β -IFN-1b treatment in MS patients on adhesion between PBMNCs, HUVECs and MS-HBECs: an in vivo and in vitro study. <i>Journal of Neuroimmunology</i> , 1997, 79, 76-83.	1.1	39
201	Dialysis-induced serum factors inhibit adherence of monocytes and granulocytes to adult human endothelial cells. <i>American Journal of Kidney Diseases</i> , 1997, 29, 78-85.	2.1	25
202	Increased maternal plasma levels of soluble adhesion molecules (ICAM-1, VCAM-1, E-selectin) in preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 71, 53-58.	0.5	141
203	II. Leukocyte-endothelial cell adhesion in the digestive system. <i>American Journal of Physiology - Renal Physiology</i> , 1997, 273, G982-G986.	1.6	24

#	ARTICLE	IF	CITATIONS
204	Role of the Juxtamembrane Domains of the Transforming Growth Factor- β Precursor and the β -Amyloid Precursor Protein in Regulated Ectodomain Shedding. <i>Journal of Biological Chemistry</i> , 1997, 272, 17160-17165.	1.6	104
205	Soluble Vascular Cell Adhesion Molecule-1 as a Biohumoral Correlate of Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2646-2654.	1.1	243
206	Inhibition of adhesion molecules by budesonide on a human epithelial cell line (lung carcinoma). <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 935-943.	2.7	12
207	Intercellular adhesion molecule-1 on cultured human epithelial cell lines: influence of proinflammatory cytokines. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1997, 52, 521-531.	2.7	44
208	Serum soluble selectins in patients undergoing cardiopulmonary bypass. Relationship with circulating blood cells and inflammation-related cytokines. <i>Acta Anaesthesiologica Scandinavica</i> , 1997, 41, 725-730.	0.7	14
209	Cell adhesion molecules and asthma. <i>Clinical and Experimental Allergy</i> , 1997, 27, 128-141.	1.4	31
210	Increased levels of intercellular adhesion molecules and vascular cell adhesion molecules in pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 466-470.	1.1	40
211	Endothelial Activation by Cytokines. <i>Annals of the New York Academy of Sciences</i> , 1997, 832, 93-116.	1.8	51
212	Human and Bovine Endothelial Cell Monolayers Are Differentially Activated for Neutrophil Transmigration by Human Plasma. <i>Annals of the New York Academy of Sciences</i> , 1997, 832, 135-146.	1.8	8
213	Different patterns of soluble adhesion molecules in systemic and cutaneous lupus erythematosus. <i>Experimental Dermatology</i> , 1997, 6, 230-235.	1.4	15
214	Placental Cytokines and the Pathogenesis of Preeclampsia. <i>American Journal of Reproductive Immunology</i> , 1997, 37, 240-249.	1.2	416
215	Increased serum levels of soluble CD44 standard, but not of variant isoforms v5 and v6, in B-cell chronic lymphocytic leukemia. <i>Leukemia</i> , 1997, 11, 134-141.	3.3	43
216	In situ expression and soluble form of P-selectin in human glomerulonephritis. <i>Kidney International</i> , 1997, 52, 1054-1063.	2.6	47
217	Selectins, T-cell rolling and inflammation. <i>Trends in Molecular Medicine</i> , 1997, 3, 214-222.	2.6	44
218	Recent advances in cell adhesion molecules and extracellular matrix proteins: potential clinical implications. <i>Drug Discovery Today</i> , 1997, 2, 187-199.	3.2	64
219	Animal Lectins. <i>FEBS Journal</i> , 1997, 243, 543-576.	0.2	365
220	Infections in neonates delivered at term are associated with increased serum levels of ICAM-1 and E-selectin. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1997, 86, 274-280.	0.7	49
221	Modulation of P-selectin expression on isolated human platelets by an NO donor assessed by a novel ELISA application. <i>Journal of Immunological Methods</i> , 1997, 200, 135-143.	0.6	21

#	ARTICLE	IF	CITATIONS
222	Elevated Levels of Circulating Soluble Adhesion Molecules in Patients With Nonrheumatic Aortic Stenosis. <i>American Journal of Cardiology</i> , 1997, 79, 980-982.	0.7	24
223	Elevated Levels of Circulating Soluble Adhesion Molecules in Peripheral Blood of Patients With Unstable Angina. <i>American Journal of Cardiology</i> , 1997, 80, 617-619.	0.7	95
224	Prognostic Significance of a Clearly Audible Fourth Heart Sound Detected a Month After an Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 1997, 80, 619-621.	0.7	16
225	Attenuation of Neutrophil and Endothelial Activation by Intravenous Morphine in Patients With Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 1997, 80, 1532-1535.	0.7	41
226	Circulating bioactive tumor necrosis factor- α , tumor necrosis factor- α receptors, fibronectin, and tumor necrosis factor- α inducible cell adhesion molecule VCAM-1 in uncomplicated pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 177, 1247-1252.	0.7	27
227	Circulating endothelial cell adhesion molecules as diagnostic markers for the early identification of pregnant women at risk for development of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1997, 177, 443-449.	0.7	152
228	Increased levels of soluble adhesion molecules in the serum of patients with hepatitis C. Correlation with cytokine concentrations and liver inflammation and fibrosis. <i>Digestive Diseases and Sciences</i> , 1997, 42, 2277-2284.	1.1	74
229	Elevated serum concentrations of soluble selectin and immunoglobulin type adhesion molecules in patients with inflammatory bowel disease. <i>Journal of Gastroenterology</i> , 1997, 32, 480-486.	2.3	61
230	Elevation of serum soluble intercellular adhesion molecule-1 (sICAM-1) and beta-2-microglobulin in Sjögren's syndrome. <i>Clinical Rheumatology</i> , 1997, 16, 149-153.	1.0	10
231	Circulating soluble adhesion molecule levels in children with acute lymphoblastic leukaemia. <i>European Journal of Pediatrics</i> , 1997, 156, 537-540.	1.3	19
232	Localization of OX40/gp34 in inflammatory skin diseases: a clue to elucidate the interaction between activated T cells and endothelial cells in infiltration. <i>Archives of Dermatological Research</i> , 1997, 289, 653-656.	1.1	29
233	The expression of P-selectin in inflammatory and non-inflammatory lung tissue. <i>International Journal of Legal Medicine</i> , 1997, 110, 155-158.	1.2	35
234	Serum levels of intercellular adhesion molecule-1 and E-selectin in patients with acute ischaemic stroke. <i>Journal of Neurology</i> , 1997, 244, 90-93.	1.8	76
236	Inhibition of intercellular adhesion molecule-1 (ICAM-1), soluble ICAM-1 and interleukin-4 by nitric oxide expression in migraine patients. <i>Journal of Molecular Medicine</i> , 1997, 75, 448-453.	1.7	47
237	E-Selectin plasma concentration is influenced by glycaemic control in NIDDM patients: possible role of oxidative stress. <i>Diabetologia</i> , 1997, 40, 584-589.	2.9	91
238	Soluble leucocyte adhesion molecules in diabetic retinopathy stimulate retinal capillary endothelial cell migration. <i>Diabetologia</i> , 1997, 40, 1166-1171.	2.9	88
239	Shed soluble ICAM-1 molecules in bronchoalveolar lavage cell supernatants and serum of patients with pulmonary sarcoidosis. <i>Lung</i> , 1997, 175, 105-116.	1.4	20
240	Cytokine regulation of endothelial cell function: from molecular level to the bedside. <i>Trends in Immunology</i> , 1997, 18, 231-240.	7.5	370

#	ARTICLE	IF	CITATIONS
241	In situ hybridization analysis of ICAM-1 (CD54) mRNA on conjunctival epithelium during allergic inflammation. <i>Clinical and Experimental Allergy</i> , 1997, 27, 737-743.	1.4	20
242	Synovial expression of cell adhesion molecules in polymyalgia rheumatica. <i>Clinical and Experimental Immunology</i> , 2009, 107, 494-500.	1.1	3
243	Circulating soluble selectins in Kawasaki disease. <i>Clinical and Experimental Immunology</i> , 1997, 108, 446-450.	1.1	31
244	Increases in soluble VCAM-1 correlate with a decrease in MRI lesions in multiple sclerosis treated with interferon β -1b. <i>Annals of Neurology</i> , 1997, 41, 669-674.	2.8	149
245	Von Willebrand factor and soluble E-selectin in hyperlipidaemia: Relationship to lipids and vascular disease. <i>American Journal of Hematology</i> , 1997, 55, 15-23.	2.0	30
246	Cell adhesion molecules in subretinal fluid: soluble forms of VCAM-1 (vascular cell adhesion) Tj ETQq1 1 0.784314 rrgBT /Overlock 10 Tj ETQq1 1 0.784314 rrgBT /Overlock 10	0.6	7
247	Detection of a Soluble Form of B7-1 (CD80) in Synovial Fluid from Patients with Arthritis Using Monoclonal Antibodies against Distinct Epitopes of Human B7-1. <i>Clinical Immunology and Immunopathology</i> , 1998, 87, 50-59.	2.1	31
248	Prognostic Value of MIP-1 α , TGF- β 2, sELAM-1, and sVCAM-1 in Patients with Gram-Positive Sepsis. <i>Clinical Immunology and Immunopathology</i> , 1998, 87, 139-144.	2.1	41
249	Adhesion Molecules in Tissue Injury: Kinetics of Expression and Shedding and Association with Cytokine Release in Humans. <i>Clinical Immunology and Immunopathology</i> , 1998, 89, 54-60.	2.1	25
250	Hyperhyaluronanemia in Alcoholic Hepatitis Is Associated with Increased Levels of Circulating Soluble Intercellular Adhesion Molecule-1. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 1324-1327.	1.4	13
251	Differential patterns of circulating adhesion molecules in children with bronchial asthma and acute bronchiolitis. <i>Pediatric Allergy and Immunology</i> , 1998, 9, 73-79.	1.1	23
252	Serum levels of soluble intercellular adhesion molecule-1 (ICAM-1, CD54) in patients with non-small-cell lung cancer: correlation with histological expression of ICAM-1 and tumour stage. <i>British Journal of Cancer</i> , 1998, 77, 801-807.	2.9	67
253	Elevated pretreatment serum levels of soluble vascular cell adhesion molecule 1 and lactate dehydrogenase as predictors of survival in cutaneous metastatic malignant melanoma. <i>British Journal of Cancer</i> , 1998, 78, 40-45.	2.9	87
254	Soluble Intercellular Adhesion Molecule-1 Serum Profile in Physiologic and Preeclamptic Pregnancy. <i>American Journal of Reproductive Immunology</i> , 1998, 39, 183-188.	1.2	15
255	Levels of Circulating Adhesion Molecules in Congestive Heart Failure and After Heart Transplantation. <i>American Journal of Cardiology</i> , 1998, 81, 604-608.	0.7	95
256	Soluble Vascular Cell Adhesion Molecule-1 and E-Selectin in Patients With Acute Myocardial Infarction Treated With Thrombolytic Agents 11This study was supported in part by Medtronic, Inc., San Diego, California; and Boehringer Mannheim GmbH, Mannheim, Germany.. <i>American Journal of Cardiology</i> , 1998, 81, 772-775.	0.7	23
257	Lower limb oedema following distal arterial bypass grafting. <i>European Journal of Vascular and Endovascular Surgery</i> , 1998, 16, 465-471.	0.8	14
258	Modulation of leukocyte-endothelial interactions by reactive metabolites of oxygen and nitrogen: relevance to ischemic heart disease. <i>Free Radical Biology and Medicine</i> , 1998, 25, 404-433.	1.3	290

#	ARTICLE	IF	CITATIONS
259	Central nervous system endothelium in neuroinflammatory, neuroinfectious, and neurodegenerative disease. , 1998, 51, 423-430.		32
260	New concepts in assessing sickle cell disease severity. , 1998, 58, 61-66.		44
261	The emerging role of post-prandial hyperglycaemic spikes in the pathogenesis of diabetic complications. , 1998, 15, 188-193.		163
262	Modulation of nitric oxide synthase by nitric oxide donor compounds in migraine. International Journal of Clinical and Laboratory Research, 1998, 28, 135-139.	1.0	25
263	The potential role of cell adhesion molecules in the pathogenesis of diabetic neuropathy. Diabetologia, 1998, 41, 330-336.	2.9	58
264	Soluble vascular cell adhesion molecule-1 and E-selectin levels in relation to vascular risk factors and to E-selectin genotype in the first degree relatives of NIDDM patients and in NIDDM patients. Diabetologia, 1998, 41, 460-466.	2.9	77
265	The incidence and characteristics of silent cerebral infarction in elderly diabetic patients: association with serum-soluble adhesion molecules. Diabetologia, 1998, 41, 911-917.	2.9	41
266	Reduction of oxidative stress by oral N-acetyl-L-cysteine treatment decreases plasma soluble vascular cell adhesion molecule-1 concentrations in non-obese, non-dyslipidaemic, normotensive, patients with non-insulin-dependent diabetes. Diabetologia, 1998, 41, 1392-1396.	2.9	88
267	High serum level of P-selectin in patients responded to interferon- α treatment for chronic hepatitis C. Hepatology Research, 1998, 10, 225-236.	1.8	2
268	Transforming the cell surface through proteolysis. Chemistry and Biology, 1998, 5, R49-R62.	6.2	36
269	Influence of IFN-beta1b (Betaferon) on cytokine mRNA profiles in blood mononuclear cells and plasma levels of soluble VCAM-1 in multiple sclerosis. European Journal of Neurology, 1998, 5, 265-275.	1.7	21
270	Serum concentrations of sICAM-1, sE-selectin, sP-selectin and sL-selectins in patients with Schistosoma mansoni infection and association with disease severity. Parasite Immunology, 1998, 20, 369-376.	0.7	19
271	Staphylococcal Enterotoxin A-induced In Vitro Adhesion of HL-60 Cells to Endothelial Cells Involves both Selectin and Integrin Families of Cell Adhesion Molecules. Scandinavian Journal of Immunology, 1998, 48, 127-135.	1.3	2
272	Evaluation of Platelet Adhesion and Activation on Materials for an Implantable Centrifugal Blood Pump. Artificial Organs, 1998, 22, 753-758.	1.0	17
273	Soluble E-selectin, other markers of inflammation and disease severity in children with atopic dermatitis. British Journal of Dermatology, 1998, 138, 431-435.	1.4	50
274	Granulocyte colony-stimulating factor administration increases serum concentrations of soluble selectins. British Journal of Haematology, 1998, 100, 66-69.	1.2	18
275	Characterization of the response of human bone marrow endothelial cells to in vitro irradiation. British Journal of Haematology, 1998, 103, 980-989.	1.2	40
276	IgG anti-endothelial cell antibodies (AECA) in type I diabetes mellitus; induction of adhesion molecule expression in cultured endothelial cells. Clinical and Experimental Immunology, 1998, 111, 491-496.	1.1	11

#	ARTICLE	IF	CITATIONS
277	Adhesion molecules in common variable immunodeficiency (CVID)-a decrease in L-selectin-positive T lymphocytes. <i>Clinical and Experimental Immunology</i> , 1998, 114, 258-263.	1.1	16
278	Time course of immunological markers in patients with the systemic inflammatory response syndrome: evaluation of sCD14, sVCAM-1, sELAM-1, MIP-1 α and TGF- β 2. <i>European Journal of Clinical Investigation</i> , 1998, 28, 672-678.	1.7	23
279	Fetal plasma levels of circulating endothelial cell adhesion molecules in normal and preeclamptic pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 78, 41-45.	0.5	23
280	Raised CSF levels of soluble adhesion molecules across the clinical spectrum of multiple sclerosis. <i>Journal of Neuroimmunology</i> , 1998, 85, 186-192.	1.1	35
281	Soluble ICAM-1, demyelination, and inflammation in multiple sclerosis and acute optic neuritis. <i>Journal of Neuroimmunology</i> , 1998, 88, 120-127.	1.1	7
282	Leukocyte Adhesion Deficiency. , 1998, , 1566-1569.		0
283	A high linoleic acid diet increases oxidative stress in vivo and affects nitric oxide metabolism in humans. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1998, 59, 229-233.	1.0	62
285	Vascular cell adhesion molecule-1 (VCAM-1) and leukocyte activation in pre-eclampsia and eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 1998, 63, 115-121.	1.0	20
286	Leukocyte-endothelial cell interactions: Molecular mechanisms and implications in gastrointestinal disease. <i>Gastroenterology</i> , 1998, 114, 1066-1090.	0.6	337
287	Modulation of Circulating Cellular Adhesion Molecules in Postmenopausal Women With Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 1998, 31, 1555-1560.	1.2	107
288	The role of leukocyte-endothelial cell adhesion in cardiovascular disease. <i>Pathophysiology</i> , 1998, 5, 167-184.	1.0	9
289	Soluble Adhesion Molecules and Cytokines in Perennial Allergic Rhinitis. <i>Annals of Allergy, Asthma and Immunology</i> , 1998, 81, 176-180.	0.5	17
290	Selectin ⁺ Carbohydrate Interactions: From Natural Ligands to Designed Mimics. <i>Chemical Reviews</i> , 1998, 98, 833-862.	23.0	452
291	Terfenadine and Fexofenadine Reduce in Vitro ICAM-1 Expression on Human Continuous Cell Lines. <i>Annals of Allergy, Asthma and Immunology</i> , 1998, 81, 601-607.	0.5	76
292	Soluble Adhesion Molecules in CSF Are Increased in Children With Severe Head Injury. <i>Journal of Neurotrauma</i> , 1998, 15, 777-787.	1.7	79
293	Kinetics of platelet P-selectin mobilization: Concurrent surface expression and release induced by thrombin or PMA, and inhibition by the NO Donor SNAP. <i>Cell Adhesion and Communication</i> , 1998, 6, 289-300.	1.7	16
294	Soluble Cell Adhesion Molecules - P-selectin and ICAM-1, and Disease Activity in Patients Receiving Sulphasalazine for Active Rheumatoid Arthritis. <i>Scandinavian Journal of Rheumatology</i> , 1998, 27, 296-299.	0.6	35
295	Correlation of soluble adhesion molecules in blood and cerebrospinal fluid with magnetic resonance imaging activity in patients with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 1998, 4, 178-182.	1.4	48

#	ARTICLE	IF	CITATIONS
296	Soluble ICAM-1 (sICAM-1) in Biliary Atresia and Its Relationship to Disease Activity. <i>Journal of Surgical Research</i> , 1998, 76, 53-56.	0.8	28
297	Pharmacological modulation of cell adhesion molecules. <i>European Journal of Pharmacology</i> , 1998, 344, 1-13.	1.7	40
298	Soluble Intercellular Adhesion Molecule-1 in Ovarian Follicles: Production by Granulosa Luteal Cells and Levels in Follicular Fluid. <i>Fertility and Sterility</i> , 1998, 69, 774-779.	0.5	22
299	Normalization of Plasma Lipid Peroxides, Monocyte Adhesion, and Tumor Necrosis Factor- α Production in NIDDM Patients After Gliclazide Treatment. <i>Diabetes Care</i> , 1998, 21, 487-493.	4.3	129
300	Evidence of Potential Regulation by Interleukin-4 of the Soluble Intercellular Adhesion Molecule 1 Level in Patients with Seasonal Allergic Rhinitis under Provocation by a Small Amount of Natural Allergen. <i>Annals of Otology, Rhinology and Laryngology</i> , 1998, 107, 232-235.	0.6	9
301	Soluble Cell Adhesion Molecules in Hypertriglyceridemia and Potential Significance on Monocyte Adhesion. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 723-731.	1.1	196
302	Soluble Vascular Cell Adhesion Molecule-1 in Perennial Allergic Rhinitis. <i>Acta Oto-Laryngologica</i> , 1998, 118, 105-109.	0.3	12
303	Cytokines and Soluble Adhesion Molecules in Laboratory Diagnostics. Report from a Meeting Held at the German Cancer Research Center in Heidelberg on 25 November 1997. <i>Clinical Chemistry and Laboratory Medicine</i> , 1998, 36, .	1.4	1
304	Expression of intercellular adhesion molecule (ICAM)-1 mRNA and protein is enhanced in endometriosis versus endometrial stromal cells in culture. <i>Molecular Human Reproduction</i> , 1998, 4, 1150-1156.	1.3	126
305	Visualising E-selectin in the detection and evaluation of inflammatory bowel disease. <i>Gut</i> , 1998, 43, 40-47.	6.1	83
306	Expression of Intercellular Adhesion Molecule-1 Messenger Ribonucleic Acid and Protein in Human Term Placental Cells and Its Modulation by Pro-Inflammatory Cytokines (Interleukin-1 β and Tumor Necrosis Factor- α)	0.7	10
307	Soluble adhesion molecules in reperfusion during coronary bypass grafting ¹ . <i>European Journal of Cardio-thoracic Surgery</i> , 1998, 14, 290-295.	0.6	32
308	Vitreous intercellular adhesion molecule 1 in uveitis complicated by retinal detachment. <i>British Journal of Ophthalmology</i> , 1998, 82, 438-443.	2.1	12
309	Elevated Circulating E-Selectin, Intercellular Adhesion Molecule 1, and von Willebrand Factor in Patients with Severe Infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 157, 776-784.	2.5	200
310	Hyperglycemia-Induced Circulating ICAM-1 Increase in Diabetes Mellitus: The Possible Role of Oxidative Stress. <i>Hormone and Metabolic Research</i> , 1998, 30, 146-149.	0.7	134
311	Concentrations of circulating P-Selectin are increased in patients with newly diagnosed insulin-dependent diabetes mellitus. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 1998, 106, 41-44.	0.6	12
312	Adhesion Molecules in Clinical Medicine. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 1998, 35, 415-459.	2.7	23
313	Elevated Concentrations of Soluble E-Selectin and Vascular Cell Adhesion Molecule-1 in NIDDM: Effect of intensive insulin treatment. <i>Diabetes Care</i> , 1998, 21, 1008-1013.	4.3	131

#	ARTICLE	IF	CITATIONS
314	Serum Levels of Soluble Adhesion Molecules in Chronic Renal Failure and Dialysis Patients. <i>Nephron</i> , 1998, 79, 399-407.	0.9	107
315	Increased serum levels of tumor necrosis factor-alpha are correlated to soluble intercellular adhesion molecule-1 concentrations in non-small cell lung cancer patients.. <i>International Journal of Molecular Medicine</i> , 1998, 1, 605-8.	1.8	5
316	Circulating Adhesion Molecules in Cystic Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 157, 1234-1239.	2.5	49
317	Morphine preconditioning attenuates neutrophil activation in rat models of myocardial infarction. <i>Cardiovascular Research</i> , 1998, 40, 557-563.	1.8	56
319	From Raynaud's Phenomenon to Systemic Sclerosis (Scleroderma): Lack or Exhaustion of Adaptation?. <i>Advances in Organ Biology</i> , 1998, , 241-253.	0.1	3
320	Levels of Soluble L-Selectin and E-Selectin in Heatstroke and Heatstress. <i>Chest</i> , 1998, 114, 949-950.	0.4	5
321	A Longitudinal Prospective Study of Soluble Adhesion Molecules in Acute Stroke. <i>Stroke</i> , 1998, 29, 2129-2135.	1.0	101
322	The Labyrinthine Ways of Cancer Immunotherapyâ€”T Cell, Tumor Cell Encounter: â€œHow Do I Lose Thee? Let Me Count the Waysâ€• <i>Advances in Cancer Research</i> , 1998, 75, 203-249.	1.9	23
323	Local vs. systemic immune and haemostatic response to hip arthroplasty. <i>European Journal of Anaesthesiology</i> , 1998, 15, 260-270.	0.7	14
324	Plasma soluble endothelial selectin is elevated in women with pre- eclampsia. <i>Human Reproduction</i> , 1998, 13, 3537-3541.	0.4	26
325	Soluble L-Selectin Increases in the Cerebrospinal Fluid Prior to Meningeal Involvement in Children with Acute Lymphoblastic Leukemia. <i>Leukemia and Lymphoma</i> , 1998, 28, 391-398.	0.6	11
326	Adhesion Molecules. , 1998, , 26-33.		1
327	CD38 binding to human myeloid cells is mediated by mouse and human CD31. <i>Biochemical Journal</i> , 1998, 330, 1129-1135.	1.7	36
328	The role of ICAM-1 on T-cells in the pathogenesis of asthma. <i>European Respiratory Journal</i> , 1998, 11, 949-957.	3.1	83
329	Cisternal CSF levels of cytokines after subarachnoid hemorrhage. <i>Neurological Research</i> , 1998, 20, 337-342.	0.6	133
330	Evaluation of the lysosome-associated membrane protein LAMP-2 as a marker for lysosomal storage disorders. <i>Clinical Chemistry</i> , 1998, 44, 2094-2102.	1.5	45
331	Clinical Role of Soluble Adhesion Molecules During Immunotherapy for Perennial Allergic Rhinitis. <i>JAMA Otolaryngology</i> , 1998, 124, 41.	1.5	4
332	Circulating levels of soluble intercellular adhesion molecule-1 in non-small cell lung cancer patients.. <i>Oncology Reports</i> , 1998, 5, 393-6.	1.2	10

#	ARTICLE	IF	CITATIONS
333	Soluble ICAM-1 reduces leukocyte adhesion to vascular endothelium in ischemia-reperfusion injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 1998, 275, G377-G380.	1.6	23
334	Serum Intercellular Adhesion Molecule-1 and Long-Term Response to IFN- γ ±2b Therapy in Chronic Hepatitis C. <i>Journal of Interferon and Cytokine Research</i> , 1998, 18, 963-966.	0.5	3
335	Effect of Cilostazol on Soluble Adhesion Molecules and Platelet-derived Microparticles in Patients with Diabetes. <i>Thrombosis and Haemostasis</i> , 1998, 80, 388-392.	1.8	96
336	Hemostasis in the Mouse (<i>Mus musculus</i>): A Review. <i>Thrombosis and Haemostasis</i> , 1999, 81, 177-188.	1.8	119
337	Soluble PECAM-1, but Not P-Selectin, Nor Osteonectin Identify Acute Myocardial Infarction in Patients Presenting with Chest Pain. <i>Cardiology</i> , 1999, 91, 50-55.	0.6	32
338	Correlations among Expression of Glomerular Intercellular Adhesion Molecule 1 (ICAM-1), Levels of Serum Soluble ICAM-1, and Renal Histopathology in Patients with IgA Nephropathy. <i>American Journal of Nephrology</i> , 1999, 19, 495-499.	1.4	11
339	Soluble Vascular Cell Adhesion Molecule-1 (VCAM-1) as Potential Marker of Atherosclerosis. <i>Thrombosis and Haemostasis</i> , 1999, 82, 38-43.	1.8	53
340	Clinical Implication of Vascular Cell Adhesion Molecule-1 and Very Late Activation Antigen-4 Interaction, and Matrix Metalloproteinase-2 Production in Patients with Liver Disease. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 1999, 13, 721-727.	1.8	9
341	<i>In Vivo</i> Assessment of Synovial Microcirculation and Leukocyte-Endothelial Cell Interaction in Mouse Antigen-Induced Arthritis. <i>Microcirculation</i> , 1999, 6, 281-290.	1.0	15
342	Elevated Levels of sE-selectin in Post-menopausal Females Are Decreased by Hormone Replacement Therapy to Levels Observed in Pre-menopausal Females. <i>Thrombosis and Haemostasis</i> , 1999, 82, 1433-1436.	1.8	16
343	Loss of Endothelial Surface Expression of E-Selectin in a Patient With Recurrent Infections. <i>Blood</i> , 1999, 94, 884-894.	0.6	24
344	Two Candidate Downstream Target Genes for E2A-HLF. <i>Blood</i> , 1999, 93, 321-332.	0.6	45
345	Soluble adhesion molecules in ischaemic heart disease. <i>European Heart Journal</i> , 1999, 20, 990-991.	1.0	12
346	Effect of Cold Exposure, Exercise and High Altitude on Plasma Endothelin-1 and Endothelial Cell Markers in Man. <i>Scottish Medical Journal</i> , 1999, 44, 143-146.	0.7	9
347	CHRONIC ALCOHOL CONSUMPTION INCREASES SERUM LEVELS OF CIRCULATING ENDOTHELIAL CELL/LEUCOCYTE ADHESION MOLECULES E-SELECTIN AND ICAM-1. <i>Alcohol and Alcoholism</i> , 1999, 34, 678-684.	0.9	40
348	Elevated serum intercellular adhesion molecule-1 and vascular adhesion molecule-1 among patients with stable angina pectoris who suffer cardiovascular death or non-fatal myocardial infarction. <i>European Heart Journal</i> , 1999, 20, 1039-1043.	1.0	82
349	Is a low fat diet enough to achieve serum cholesterol goals?. <i>European Heart Journal</i> , 1999, 20, 991-994.	1.0	1
350	Serum levels of vascular cell adhesion molecule-1 (VCAM-1) in acute Q fever. <i>Annals of Tropical Medicine and Parasitology</i> , 1999, 93, 203-205.	1.6	0

#	ARTICLE	IF	CITATIONS
351	Early Upregulation of Endothelial Adhesion Molecules in Obese Hypertensive Men. <i>Hypertension</i> , 1999, 34, 568-573.	1.3	160
352	Soluble E-selectin as a Marker of Disease Activity in Pustulosis Palmaris et Plantaris. <i>Acta Dermato-Venereologica</i> , 1999, 79, 462-464.	0.6	11
353	Changes in serum levels of ICAM and TNF-R correlate with disease activity in multiple sclerosis. <i>Neurology</i> , 1999, 53, 758-758.	1.5	46
354	Circulating receptors implicated in the cyto-adherence occurring in severe <i>Plasmodium falciparum</i> malaria in Thailand. <i>Annals of Tropical Medicine and Parasitology</i> , 1999, 93, 449-455.	1.6	5
355	Phenotypically Activated $\gamma\delta$ T Lymphocytes in the Peripheral Blood of Patients with Tuberculosis. <i>Journal of Infectious Diseases</i> , 1999, 180, 141-149.	1.9	31
356	Specific Immunoglobulin E, Interleukin-4, and Soluble Vascular Cell Adhesion Molecule-1 in Sera in Patients with Seasonal Allergic Rhinitis. <i>Annals of Otology, Rhinology and Laryngology</i> , 1999, 108, 169-176.	0.6	7
357	Immunological profile of patients with primary progressive multiple sclerosis. <i>Brain</i> , 1999, 122, 2297-2307.	3.7	62
358	Vitreous levels of intercellular adhesion molecule 1 (ICAM-1) as a risk indicator of proliferative vitreoretinopathy. <i>British Journal of Ophthalmology</i> , 1999, 83, 953-956.	2.1	20
359	Intravenous immunoglobulin and neonatal immune haemolysis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1999, 88, 1414-1414.	0.7	0
360	Quantification and imaging of vascular adhesion molecule expression in inflammatory diseases in vivo. , 1999, , 179-196.		0
361	Angiotensin II Stimulates Intercellular Adhesion Molecule-1 (ICAM-1) Expression by Human Vascular Endothelial Cells and Increases Soluble ICAM-1 Release In Vivo. <i>Circulation</i> , 1999, 100, 1646-1652.	1.6	223
362	Ligation of the CD4 receptor induces activation-independent down-regulation of L-selectin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 9763-9768.	3.3	19
363	Differential Expression of Immunobiological Mediators by Immortalized Human Cervical and Vaginal Epithelial Cells1. <i>Biology of Reproduction</i> , 1999, 60, 508-514.	1.2	178
364	Circulating soluble adhesion molecules in patients with giant cell arteritis. Correlation between soluble intercellular adhesion molecule-1 (sICAM-1) concentrations and disease activity. <i>Annals of the Rheumatic Diseases</i> , 1999, 58, 189-192.	0.5	53
365	Different serum soluble Fas levels in patients with allergic rhinitis and bronchial asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1999, 54, 1299-1302.	2.7	23
366	Soluble E-selectin and eosinophil cationic protein are distinct serum markers that differentially represent clinical features of atopic dermatitis. <i>British Journal of Dermatology</i> , 1999, 140, 67-72.	1.4	33
367	Activation of endothelium by immunotherapy with interleukin-2 in patients with malignant disorders. <i>British Journal of Haematology</i> , 1999, 105, 912-919.	1.2	31
368	Differential up-regulation of circulating soluble selectins and endothelial adhesion molecules in Sicilian patients with Boutonneuse fever. <i>Clinical and Experimental Immunology</i> , 1999, 117, 304-308.	1.1	13

#	ARTICLE	IF	CITATIONS
369	Soluble platelet selectin (sP-selectin) and soluble vascular cell adhesion molecule-1 (sVCAM-1) decrease during therapy with benznidazole in children with indeterminate form of Chagas' disease. <i>Clinical and Experimental Immunology</i> , 1999, 118, 423-427.	1.1	27
370	Adhesion molecules (E-selectin, intercellular adhesion molecule-1 (ICAM-1) and vascular cell adhesion) Tj ETQq1 1 0.784314 rgBT /Over endocarditis. <i>Clinical and Experimental Immunology</i> , 1999, 118, 408-411.	1.1	30
371	Endothelial activation and response in patients with hand arm vibration syndrome. <i>European Journal of Clinical Investigation</i> , 1999, 29, 577-581.	1.7	25
372	Serum soluble L-selectin in childhood acute lymphoblastic leukemia. <i>Pediatrics International</i> , 1999, 41, 246-248.	0.2	4
373	Gliclazide reduces the induction of human monocyte adhesion to endothelial cells by glycated albumin. <i>Diabetes, Obesity and Metabolism</i> , 1999, 1, 113-120.	2.2	23
374	A study of increased levels of soluble vascular cell adhesion molecule-1 (SVCAM-1) in the cerebrospinal fluid of patients with multiple sclerosis and systemic lupus erythematosus. <i>Acta Neurologica Scandinavica</i> , 1999, 99, 95-99.	1.0	9
375	<i>In Vivo</i> Assessment of Synovial Microcirculation and Leukocyteâ€Endothelial Cell Interaction in Mouse Antigenâ€Induced Arthritis. <i>Microcirculation</i> , 1999, 6, 281-290.	1.0	25
376	Potential mechanisms of susceptibility to periodontitis in tobacco smokers. <i>Journal of Periodontal Research</i> , 1999, 34, 363-369.	1.4	78
377	A Selective Increase in Plasma Soluble Vascular Cell Adhesion Moleculeâ€1 Levels in Preeclampsia. <i>American Journal of Reproductive Immunology</i> , 1999, 41, 407-412.	1.2	10
378	Circulating intercellular adhesion molecule 1 (ICAM-1), E-selectin and vascular cell adhesion molecule 1 (VCAM-1) in head and neck cancer. <i>British Journal of Cancer</i> , 1999, 79, 360-362.	2.9	27
379	Alterations of soluble L- and P-selectins during cardiac arrest and CPR. <i>Intensive Care Medicine</i> , 1999, 25, 588-593.	3.9	40
380	Heterogeneity of human albumin preparations. <i>Intensive Care Medicine</i> , 1999, 25, 1357-1359.	3.9	1
381	Certain batches of albumin solutions influence the expression of endothelial cell adhesion molecules. <i>Intensive Care Medicine</i> , 1999, 25, 1381-1385.	3.9	35
382	Complement Activation, Cytokines, and Adhesion Molecules in Children Undergoing Cardiac Surgery with or without Cardiopulmonary Bypass. <i>Pediatric Cardiology</i> , 1999, 20, 113-125.	0.6	103
383	The effects of circulating interleukin-8 and adhesion molecules on pulmonary dysfunction in pediatric orthotopic liver transplantation. <i>Surgery Today</i> , 1999, 29, 1011-1016.	0.7	4
384	New results in clinical severity of homozygous sickle cell anemia in Dakar, Senegal. <i>Hematology and Cell Therapy</i> , 1999, 41, 217-221.	0.7	21
385	Treatment with polymyxin B-immobilized fiber reduces platelet activation in septic shock patients: Decrease in plasma levels of soluble P-selectin, platelet factor 4 and Î²-thromboglobulin. <i>Inflammation Research</i> , 1999, 48, 171-175.	1.6	69
386	Effects of insulin on in vitro vascular cell adhesion molecule-1 expression and in vivo soluble VCAM-1 release. <i>Diabetologia</i> , 1999, 42, 1235-1239.	2.9	19

#	ARTICLE	IF	CITATIONS
387	A high linoleic acid diet increases oxidative stress in vivo and affects nitric oxide metabolism in humans. <i>Lipids</i> , 1999, 34, S291-S292.	0.7	10
388	Docosahexaenoic acid supplementation improves the moderately severe dementia from thrombotic cerebrovascular diseases. <i>Lipids</i> , 1999, 34, S345-S346.	0.7	95
389	Serum soluble adhesion molecules in multiple sclerosis: raised sVCAM-1, sICAM-1 and sE-selectin in primary progressive disease. <i>Journal of Neurology</i> , 1999, 246, 87-92.	1.8	58
390	Adhesion and Lymphocyte Costimulatory Molecules in Systemic Rheumatic Diseases. <i>Clinical Rheumatology</i> , 1999, 18, 317-327.	1.0	20
391	Increased serum levels of soluble adhesion molecules in young children with atopic dermatitis. <i>European Journal of Pediatrics</i> , 1999, 158, 529-530.	1.3	4
392	Cutaneous leishmaniasis: response to cryotherapy treatment. <i>European Journal of Pediatrics</i> , 1999, 158, 530-530.	1.3	3
393	Soluble vascular cell-adhesion molecule-1 and soluble intercellular adhesion molecule-1 correlate with lipid and apolipoprotein risk factors for coronary artery disease in children. <i>European Journal of Pediatrics</i> , 1999, 158, 592-598.	1.3	33
394	Effects of diet and of dietary components on endothelial leukocyte adhesion molecules. <i>Current Atherosclerosis Reports</i> , 1999, 1, 188-195.	2.0	9
395	Inflammation and lipid-lowering treatment. <i>Current Cardiology Reports</i> , 1999, 1, 251-255.	1.3	1
396	Increased serum levels of soluble PECAM-1 in multiple sclerosis patients with brain gadolinium-enhancing lesions. <i>Journal of Neuroimmunology</i> , 1999, 99, 169-172.	1.1	62
397	Plasma soluble intercellular adhesion molecule-1 levels in coronary circulation in patients with unstable angina. <i>American Journal of Cardiology</i> , 1999, 83, 38-42.	0.7	34
398	Cellular and Molecular Mechanisms of Inflammation and Thrombosis. <i>European Journal of Vascular and Endovascular Surgery</i> , 1999, 17, 373-389.	0.8	60
399	Rheumaderm. <i>Advances in Experimental Medicine and Biology</i> , 1999, , .	0.8	3
400	Soluble cellular adhesion molecules in proliferative vitreoretinopathy and proliferative diabetic retinopathy. <i>Current Eye Research</i> , 1999, 19, 219-227.	0.7	43
401	Circulating intercellular adhesion molecule-1, vascular cell adhesion molecule-1, and E-selectin in patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 1999, 46, 143-148.	1.1	72
402	Functional Characterization of Atherosclerosis-Associated Ser128Arg and Leu554Phe E-Selectin Mutations. <i>Biological Chemistry</i> , 1999, 380, 661-667.	1.2	42
403	Urinary concentrations of the soluble adhesion molecule E-cadherin and total protein in patients with bladder cancer. <i>British Journal of Cancer</i> , 1999, 80, 273-278.	2.9	34
404	Expression of ICAM-1 on conjunctival epithelium and ECP in tears and serum from children with allergic conjunctivitis. <i>Annals of Allergy, Asthma and Immunology</i> , 1999, 82, 579-585.	0.5	32

#	ARTICLE	IF	CITATIONS
405	Minimal persistent inflammation may be controlled by cetirizine. <i>Annals of Allergy, Asthma and Immunology</i> , 1999, 83, 445-448.	0.5	13
406	Soluble Cytokine Receptors: Basic Immunology and Clinical Applications. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 1999, 36, 165-224.	2.7	48
407	Effect of high- versus low-dose angiotensin converting enzyme inhibition on cytokine levels in chronic heart failure. <i>Journal of the American College of Cardiology</i> , 1999, 34, 2061-2067.	1.2	221
408	Levels of soluble vascular cell adhesion molecule-1 and soluble intercellular adhesion molecule-1 are increased in women with ovarian hyperstimulation syndrome. <i>Fertility and Sterility</i> , 1999, 71, 896-901.	0.5	14
409	Circulating cell adhesion molecules and endothelial markers before and after transluminal angioplasty in peripheral arterial occlusive disease. <i>Atherosclerosis</i> , 1999, 142, 193-200.	0.4	86
410	Longitudinal study of soluble intercellular adhesion molecule-1 (ICAM-1) in sera of patients with Graves's disease. <i>Journal of Endocrinological Investigation</i> , 1999, 22, 430-435.	1.8	19
411	Leukocyte adhesion molecules in transplantation11In collaboration with The American Physiological Society, Thomas E. Andreoli, MD, Editor. <i>American Journal of Medicine</i> , 1999, 107, 157-165.	0.6	9
412	Endothelial Activation Following Prolonged Hypobaric Hypoxia. <i>Microvascular Research</i> , 1999, 57, 75-85.	1.1	39
413	Expression of Membrane-Bound and Soluble Cell Adhesion Molecules by Human Brain Microvessel Endothelial Cells. <i>Microvascular Research</i> , 1999, 57, 52-60.	1.1	12
414	Shedding of CD163, a Novel Regulatory Mechanism for a Member of the Scavenger Receptor Cysteine-Rich Family. <i>Biochemical and Biophysical Research Communications</i> , 1999, 256, 110-113.	1.0	143
415	Role of Cytokines and Adhesion Molecules in Ischemia and Reperfusion in Patients With Acute Myocardial Infarction. <i>Japanese Circulation Journal</i> , 1999, 63, 362-366.	1.0	13
416	Neutrophil CD11b and soluble ICAM-1 and E-selectin in community acquired pneumonia. <i>European Respiratory Journal</i> , 1999, 13, 1380.	3.1	14
417	Clinical and immunoregulatory effects of roxithromycin therapy for chronic respiratory tract infection. <i>European Respiratory Journal</i> , 1999, 13, 1371-1379.	3.1	63
418	Neutrophil activation in sickle cell disease. <i>Journal of Leukocyte Biology</i> , 1999, 66, 411-415.	1.5	131
419	VCAM-1, ICAM-1, and E-Selectin in IgA Nephropathy and Schönlein-Henoch Syndrome: Differences between Tissue Expression and Serum Concentration. <i>Nephron</i> , 1999, 81, 256-263.	0.9	26
420	Endothelial Activation in ARDS. <i>Chest</i> , 1999, 116, 18S-24S.	0.4	98
421	Serum levels of vascular cell adhesion molecule-1 (VCAM-1) in acute Q fever. <i>Annals of Tropical Medicine and Parasitology</i> , 1999, 93, 203-205.	1.6	0
422	Serum Levels of Circulating Adhesion Molecules after Coronary Angioplasty. <i>Cardiology</i> , 1999, 91, 236-242.	0.6	33

#	ARTICLE	IF	CITATIONS
423	Circulating receptors implicated in the cyto-adherence occurring in severe <i>Plasmodium falciparum</i> malaria in Thailand. <i>Annals of Tropical Medicine and Parasitology</i> , 1999, 93, 449-455.	1.6	0
424	The Selectins and their Ligands. <i>Advances in Molecular and Cell Biology</i> , 1999, 28, 65-111.	0.1	32
425	Dissemination of T Cell Lymphoma to Target Organs: a Post-Homing Event Implicating ICAM-1 and Matrix Metalloproteinases. <i>Leukemia and Lymphoma</i> , 1999, 34, 53-61.	0.6	19
426	Adhesion Molecules in Cerebrovascular Diseases. <i>Stroke</i> , 1999, 30, 1647-1650.	1.0	103
427	Correlation and Prognostic Value of Serum Soluble ICAM-1, Beta-2 Microglobulin, and IL-2R Levels in Non-Hodgkin's Lymphoma. <i>Leukemia and Lymphoma</i> , 1999, 33, 551-558.	0.6	8
428	Elevated Levels of Soluble Intercellular Adhesion Molecule-1 in the Coronary Circulation of Patients With Coronary Organic Stenosis and Spasm. <i>Japanese Circulation Journal</i> , 2000, 64, 170-176.	1.0	12
429	Plasma soluble adhesion molecules and endothelium-dependent vasodilation in early human atherosclerosis. <i>Clinical Science</i> , 2000, 98, 521-529.	1.8	23
430	Plasma soluble adhesion molecules and endothelium-dependent vasodilation in early human atherosclerosis. <i>Clinical Science</i> , 2000, 98, 521.	1.8	12
431	Platelets, oxidant stress and erectile dysfunction: an hypothesis. <i>Cardiovascular Research</i> , 2000, 46, 50-54.	1.8	96
432	Anti-TNF α ; Therapy in Rheumatoid Arthritis - Current and Future Directions. , 2000, 2, 83-102.		11
433	Soluble selectins and the systemic inflammatory response syndrome after successful cardiopulmonary resuscitation. <i>Critical Care Medicine</i> , 2000, 28, 2360-2365.	0.4	77
434	Endometrial Release of Soluble Intercellular Adhesion Molecule 1 and Endometriosis. <i>Obstetrics and Gynecology</i> , 2000, 95, 115-118.	1.2	1
435	Leukocyte counts and concentrations of soluble adhesion molecules as predictors of coronary atherosclerosis. <i>Coronary Artery Disease</i> , 2000, 11, 445-449.	0.3	30
436	Intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 are increased in the plasma of children with sepsis-induced multiple organ failure. <i>Critical Care Medicine</i> , 2000, 28, 2600-2607.	0.4	100
437	AN IMMUNOSUPPRESSIVE AND ANTI-INFLAMMATORY HLA CLASS I-DERIVED PEPTIDE BINDS VASCULAR CELL ADHESION MOLECULE-11. <i>Transplantation</i> , 2000, 70, 662-667.	0.5	8
438	Circulating adhesion molecules and severity of coronary atherosclerosis. <i>Coronary Artery Disease</i> , 2000, 11, 77-81.	0.3	60
439	Coagulation inhibitor replacement during sepsis: Useless?. <i>Critical Care Medicine</i> , 2000, 28, S74-S76.	0.4	11
440	Elevated serum levels of soluble adhesion molecules predict death in pre-dialysis patients: association with malnutrition, inflammation, and cardiovascular disease. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1624-1630.	0.4	155

#	ARTICLE	IF	CITATIONS
441	Reduction of chemokine levels and leukocyte traffic to joints by tumor necrosis factor β blockade in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2000, 43, 38-47.	6.7	378
442	Increased soluble vascular cell adhesion molecule 1 concentrations in patients with primary or systemic lupus erythematosus-related antiphospholipid syndrome: Correlations with the severity of thrombosis. <i>Arthritis and Rheumatism</i> , 2000, 43, 55-64.	6.7	110
443	Correlation between increased nitric oxide production and markers of endothelial activation in systemic sclerosis: Findings with the soluble adhesion molecules E-selectin, intercellular adhesion molecule 1, and vascular cell adhesion molecule 1. <i>Arthritis and Rheumatism</i> , 2000, 43, 1085.	6.7	92
444	Serum thrombomodulin-a reliable marker of disease activity in systemic lupus erythematosus (SLE): advantage over established serological parameters to indicate disease activity. <i>Clinical and Experimental Immunology</i> , 2000, 119, 189-195.	1.1	35
445	Interaction of endothelial cells and neutrophils in vitro: kinetics of thrombomodulin, intercellular adhesion molecule-1 (ICAM-1), E-selectin, and vascular cell adhesion molecule-1 (VCAM-1): implications for the relevance as serological disease activity m. <i>Clinical and Experimental Immunology</i> , 2000, 119, 250-254.	1.1	23
446	Circulating levels of soluble E-selectin, ICAM-1 and VCAM-1 in bullous pemphigoid during low-dose methotrexate therapy. A prospective study. <i>Experimental Dermatology</i> , 2000, 9, 336-340.	1.4	10
447	Effects of trovafloxacin on the IL-1-dependent activation of E-selectin in human endothelial cells in vitro. <i>Immunopharmacology</i> , 2000, 48, 27-34.	2.0	18
448	Altered circulating levels of adhesion molecules at 18 weeks gestation among women with eventual preeclampsia: Indicators of disturbed placentation in absence of evidence of endothelial dysfunction?. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 182, 321-325.	0.7	56
449	Soluble E-selectin is not a marker of unstable coronary plaque in serum of patients with ischemic heart disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2000, 9, 53-60.	1.0	14
450	Soluble P-selectin is not a surrogate marker for platelet P-selectin: evidence from a multicenter chest pain study group. <i>Journal of Thrombosis and Thrombolysis</i> , 2000, 10, 15-22.	1.0	23
451	Carbohydrate structures of soluble human L-selectin recombinantly expressed in baby-hamster kidney cells. <i>Biotechnology and Applied Biochemistry</i> , 2000, 32, 41.	1.4	12
452	The acute influence of tobacco smoking on adhesion molecule expression on monocytes and neutrophils and on circulating adhesion molecule levels in vivo. <i>Addiction Biology</i> , 2000, 5, 195-205.	1.4	17
453	Diagnostic Relevance of Procalcitonin, IL-6, and sICAM-1 in the Prediction of Infected Necrosis in Acute Pancreatitis. <i>International Journal of Gastrointestinal Cancer</i> , 2000, 28, 41-50.	0.4	56
454	Out-of-hospital cardiac arrest increases soluble vascular endothelial adhesion molecules and neutrophil elastase associated with endothelial injury. <i>Intensive Care Medicine</i> , 2000, 26, 38-44.	3.9	105
455	Measurement of soluble adhesion molecules in primary Raynaud's phenomenon and in Raynaud's phenomenon secondary to connective tissue diseases. <i>International Journal of Clinical and Laboratory Research</i> , 2000, 30, 75-81.	1.0	8
456	Serum concentration of E-selectin in patients with chronic hepatitis, liver cirrhosis and hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2000, 126, 345-351.	1.2	15
457	Perfusion with sickle erythrocytes up-regulates ICAM-1 and VCAM-1 gene expression in cultured human endothelial cells. <i>Blood</i> , 2000, 95, 3232-3241.	0.6	104
458	Circulating forms of intercellular adhesion molecule (ICAM)-1 in mice lacking membranous ICAM-1. <i>Blood</i> , 2000, 95, 1350-1355.	0.6	59

#	ARTICLE	IF	CITATIONS
459	Neopterin, soluble adhesion molecules and soluble cytokine receptors correlate with disease activity in rheumatoid arthritis. <i>Pteridines</i> , 2000, 11, 54-59.	0.5	1
460	Effect of Dilazep Dihydrochloride on Plasma P-Selectin Concentrations in Patients with IgA Nephropathy. <i>Nephron</i> , 2000, 85, 281-282.	0.9	2
462	Serum Level of Soluble Intercellular Adhesion Molecule 1 in Patients with Chronic Liver Disease Related to Hepatitis C Virus: A Prognostic Marker for Responses to Interferon Treatment. <i>Journal of Infectious Diseases</i> , 2000, 181, 425-431.	1.9	35
463	State-of-the-Art Review : Effect of Sarpogrelate Hydrochloride on Platelet-Derived Microparticles and Various Soluble Adhesion Molecules in Diabetes Mellitus. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2000, 6, 139-143.	0.7	29
464	Vascular Endothelial Growth Factor Up-regulates ICAM-1 Expression via the Phosphatidylinositol 3 OH-kinase/AKT/Nitric Oxide Pathway and Modulates Migration of Brain Microvascular Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 20770-20774.	1.6	189
465	Pro-coagulant state resulting from high levels of soluble P-selectin in blood. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 13835-13840.	3.3	293
466	Circulating L-Selectin Concentrations in Children with Recent-Onset IDDM. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2000, 13, 85-9.	0.4	8
467	Soluble P-Selectin in Human Plasma: Effect of Anticoagulant Matrix and its Levels in Patients With Cardiovascular Disorders. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2000, 6, 71-76.	0.7	27
468	E-Selectin. , 2000, , 215-217.		0
469	Antibodies for Inflammatory Disease. <i>Methods in Molecular Medicine</i> , 2000, 40, 115-139.	0.8	1
470	Shedding of Syndecan-1 and -4 Ectodomains Is Regulated by Multiple Signaling Pathways and Mediated by a Timp-3 Sensitive Metalloproteinase. <i>Journal of Cell Biology</i> , 2000, 148, 811-824.	2.3	380
471	Circulating Adhesion Molecules in Patients with Vibration-Induced White Finger. <i>Angiology</i> , 2000, 51, 1003-1006.	0.8	7
472	Soluble intercellular adhesion molecule and C-reactive protein as early markers of infection in newborns. <i>Journal of Perinatal Medicine</i> , 2000, 28, 97-103.	0.6	24
473	Soluble adhesion molecules in rheumatoid arthritis. <i>British Journal of Rheumatology</i> , 2000, 39, 808-810.	2.5	13
474	Expression of adhesion molecules and cytokines after coronary artery bypass grafting during normothermic and hypothermic cardiac arrest. <i>European Journal of Cardio-thoracic Surgery</i> , 2000, 17, 723-728.	0.6	63
475	Dramatic Decline in Circulating Intercellular Adhesion Molecule-1 Concentration on Quitting Tobacco Smoking. <i>Blood Cells, Molecules, and Diseases</i> , 2000, 26, 255-258.	0.6	40
476	Role of soluble and platelet-bound P-selectin in discriminating cardiac from noncardiac chest pain at presentation in the emergency department. <i>American Heart Journal</i> , 2000, 139, 320-328.	1.2	77
477	Serum laminin as a marker of diabetic retinopathy development: a 4-year follow-up study. <i>American Journal of Ophthalmology</i> , 2000, 129, 347-352.	1.7	8

#	ARTICLE	IF	CITATIONS
478	The role of inflammatory mediators in chronic heart failure: cytokines, nitric oxide, and endothelin-1. <i>International Journal of Cardiology</i> , 2000, 72, 175-186.	0.8	160
479	Flow-mediated vasoactivity and circulating adhesion molecules in hypertriglyceridemia: Association with small, dense LDL cholesterol particles. <i>American Heart Journal</i> , 2000, 140, 521-526.	1.2	105
480	Endometrial release of soluble intercellular adhesion molecule 1 and endometriosis: relationship to the extent of the disease. <i>Obstetrics and Gynecology</i> , 2000, 95, 115-118.	1.2	22
481	Cell adhesion molecules “ can they be used to predict coronary artery disease in patients with familial hypercholesterolaemia?. <i>Clinica Chimica Acta</i> , 2000, 293, 105-113.	0.5	28
482	Circulating adhesion molecules and neutral endopeptidase enzymuria in patients with urolithiasis and hydronephrosis. <i>Urology</i> , 2000, 55, 961-965.	0.5	16
483	Vascular Cell Adhesion Molecule-1 in Normal, Failed, and Ectopic Pregnancy. <i>American Journal of Reproductive Immunology</i> , 2000, 43, 92-97.	1.2	4
484	Do Soluble Cell Adhesion Molecules Play a Role in Endometriosis?. <i>American Journal of Reproductive Immunology</i> , 2000, 43, 160-166.	1.2	31
485	Controlled Ovarian Hyperstimulation - A State of Endothelial Activation1. <i>American Journal of Reproductive Immunology</i> , 2000, 44, 257-260.	1.2	13
486	Changes in Circulating Levels of Soluble Cell Adhesion Molecules Following Highly Active Antiretroviral Treatment of HIV-1-Infected Patients. <i>Clinical Immunology</i> , 2000, 95, 212-217.	1.4	17
487	Soluble adhesion molecules (sICAM-1, sL-Selectin, sE-Selectin, sCD44) in healthy allogenic peripheral stem-cell donors primed with recombinant G-CSF. <i>Cytotherapy</i> , 2000, 2, 259-265.	0.3	7
488	Humoral and cellular responses to histamine and pollen allergen in a skin chamber model: effect of mizolastine. <i>Annals of Allergy, Asthma and Immunology</i> , 2000, 85, 64-69.	0.5	9
489	Circulating soluble vascular adhesion protein 1 accounts for the increased serum monoamine oxidase activity in chronic liver disease. <i>Gastroenterology</i> , 2000, 119, 1096-1103.	0.6	96
490	Age-dependency in molecular markers of haemostasis, fibrinolysis and in soluble adhesion molecules. <i>Fibrinolysis and Proteolysis</i> , 2000, 14, 281-287.	1.1	1
491	Up-regulation of circulating adhesionmolecules in bronchiectasis. <i>European Respiratory Journal</i> , 2000, 16, 691.	3.1	36
492	High serum concentrations of soluble E-selectin in patients with impaired glucose tolerance with hyperinsulinemia. <i>Atherosclerosis</i> , 2000, 152, 415-420.	0.4	51
493	Evidence of prolonged inflammation in unstable angina and non“Q wave myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2000, 36, 1210-1216.	1.2	83
494	Adhesion molecules in nonrheumatic aortic valve disease: endothelial expression, serum levels and effects of valve replacement. <i>Journal of the American College of Cardiology</i> , 2000, 36, 2257-2262.	1.2	115
495	Effects of simvastatin treatment on sICAM-1 and sE-selectin levels in hypercholesterolemic subjects. <i>Atherosclerosis</i> , 2001, 155, 143-147.	0.4	34

#	ARTICLE	IF	CITATIONS
496	Soluble adhesion molecules and unstable coronary artery disease. <i>Atherosclerosis</i> , 2001, 156, 417-424.	0.4	55
497	Reduced levels of TNF α in hypercholesterolemic individuals after treatment with pravastatin for 8 weeks. <i>Atherosclerosis</i> , 2001, 157, 411-415.	0.4	60
498	Sustained long-term improvement of arterial endothelial function in heterozygous familial hypercholesterolemia patients treated with simvastatin. <i>Atherosclerosis</i> , 2001, 157, 423-429.	0.4	64
499	Dietary hemein ameliorates fatty streak lesions in the rabbit by the possible mechanism of reducing VCAM-1 and MCP-1 expression. <i>Atherosclerosis</i> , 2001, 159, 17-26.	0.4	37
500	Maternal endothelial soluble cell adhesion molecules with isolated small for gestational age fetuses: comparison with pre-eclampsia. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 1277-1282.	0.9	41
501	Oxaceprol, an atypical inhibitor of inflammation, reduces leukocyte adherence in mouse antigen-induced arthritis. <i>Acta Orthopaedica</i> , 2001, 72, 293-298.	1.4	10
502	Glycemic Control, Mealtime Glucose Excursions, and Diabetic Complications in Type 2 Diabetes Mellitus. <i>Mayo Clinic Proceedings</i> , 2001, 76, 609-618.	1.4	15
503	Hemein Inhibits Tumor Necrotic Factor- α -Induced Vascular Cell Adhesion Molecule-1 and NF- κ B-Dependent Gene Expression in Human Vascular Endothelial Cells. <i>Biochemical and Biophysical Research Communications</i> , 2001, 281, 1127-1133.	1.0	15
504	Serum concentration of adhesion molecules in postoperative biliary atresia patients: Relationship to disease activity and cirrhosis. <i>Journal of Pediatric Surgery</i> , 2001, 36, 1297-1301.	0.8	31
505	Increased plasma adhesion molecule levels in patients with heart failure who have ischemic heart disease and dilated cardiomyopathy. <i>American Heart Journal</i> , 2001, 141, 277-280.	1.2	39
506	The comparative efficacy of CTLA-4 and L-selectin targeted DNA vaccines in mice and sheep. <i>Vaccine</i> , 2001, 19, 4417-4428.	1.7	44
507	Serum level of the periostin, a homologue of an insect cell adhesion molecule, in thymoma patients. <i>Cancer Letters</i> , 2001, 172, 37-42.	3.2	50
508	Relationship between intracoronary and peripheral expression of soluble cell adhesion molecules. <i>International Journal of Cardiology</i> , 2001, 77, 223-229.	0.8	18
509	Soluble Endothelial and Platelet Selectins in Serum and Ascitic Fluid of Women with Ovarian Hyperstimulation Syndrome. <i>American Journal of Reproductive Immunology</i> , 2001, 45, 154-160.	1.2	8
510	VAP-1: an adhesin and an enzyme. <i>Trends in Immunology</i> , 2001, 22, 211-216.	2.9	144
511	Early diagnostic markers for neonatal sepsis Comparing C-reactive protein, interleukin-6, soluble tumour necrosis factor receptors and soluble adhesion molecules. <i>Journal of Clinical Epidemiology</i> , 2001, 54, 1251-1257.	2.4	143
512	Adhesion molecules and their role in vascular disease. <i>American Journal of Hypertension</i> , 2001, 14, S44-S54.	1.0	289
513	Plasma levels of soluble cellular adhesion molecules in patients with arterial hypertension. Correlations with plasma endothelin-1. <i>European Journal of Internal Medicine</i> , 2001, 12, 350-356.	1.0	40

#	ARTICLE	IF	CITATIONS
514	Expression of intercellular adhesion molecule-1 induced by high glucose concentrations in human aortic endothelial cells. <i>Life Sciences</i> , 2001, 68, 727-737.	2.0	78
515	Short-term hyperglycemia induces lymphopenia and lymphocyte subset redistribution. <i>Life Sciences</i> , 2001, 69, 255-262.	2.0	67
516	Soluble adhesion molecules and prediction of coronary heart disease: a prospective study and meta-analysis. <i>Lancet, The</i> , 2001, 358, 971-975.	6.3	353
517	Etiopatogenia de la psoriasis (II). <i>Patogenia. Piel</i> , 2001, 16, 69-84.	0.0	0
518	MANAGING HEART FAILURE WITH IMMUNOMODULATORY AGENTS. <i>Cardiology Clinics</i> , 2001, 19, 617-625.	0.9	9
519	A soluble form of CD83 is released from activated dendritic cells and B lymphocytes, and is detectable in normal human sera. <i>International Immunology</i> , 2001, 13, 959-967.	1.8	117
520	The Role of Inflammatory and Immunological Mediators in Periodontitis and Cardiovascular Disease. , 2001, 6, 30-40.		123
521	Soluble Forms of P-, E- and L-Selectin in Children with Kawasaki Disease.. <i>Kurume Medical Journal</i> , 2001, 48, 135-143.	0.0	8
522	Procalcitonin, soluble interleukin-2 receptor, and soluble E-selectin in predicting the severity of acute pancreatitis. <i>Critical Care Medicine</i> , 2001, 29, 63-69.	0.4	107
523	Influence of prophylactic use of pentoxifylline on postoperative organ function in elderly cardiac surgery patients. <i>Critical Care Medicine</i> , 2001, 29, 952-958.	0.4	74
524	N-ACETYLCYSTEINE ATTENUATES THE INCREASE IN ??-GLUTATHIONE S-TRANSFERASE AND CIRCULATING ICAM-1 AND VCAM-1 AFTER REPERFUSION IN HUMANS UNDERGOING LIVER TRANSPLANTATION1. <i>Transplantation</i> , 2001, 72, 694-698.	0.5	57
525	Circulating Soluble Vascular Cell Adhesion Molecule-1 and Intercellular Adhesion Molecule-1 in Immunocompetent and Renal Transplant Patients: Correlation with Cytomegalovirus Disease and Renal Function. <i>Scandinavian Journal of Infectious Diseases</i> , 2001, 33, 350-354.	1.5	11
526	Early increase in levels of soluble inter-cellular adhesion molecule-1 (sICAM-1). Potential risk factor for the acute coronary syndromes. <i>European Heart Journal</i> , 2001, 22, 1226-1234.	1.0	74
527	Inflammatory and Atherosclerotic Interactions in the Depleted Uremic Patient. <i>Blood Purification</i> , 2001, 19, 53-61.	0.9	183
528	Influence of age and dietary fish oil on plasma soluble adhesion molecule concentrations. <i>Clinical Science</i> , 2001, 100, 91-100.	1.8	104
529	Influence of age and dietary fish oil on plasma soluble adhesion molecule concentrations. <i>Clinical Science</i> , 2001, 100, 91.	1.8	55
530	A glossary of circulating cytokines in chronic heart failure. <i>European Journal of Heart Failure</i> , 2001, 3, 517-526.	2.9	113
531	Concentration of Soluble Adhesion Molecules (sVCAM-1, sICAM-1 and sL-Selectin) in the Cerebrospinal Fluid and Serum of Patients with Multiple Sclerosis and Systemic Lupus erythematosus with Central Nervous Involvement. <i>NeuroImmunoModulation</i> , 2001, 9, 49-54.	0.9	46

#	ARTICLE	IF	CITATIONS
532	Glycemic Control, Mealtime Glucose Excursions, and Diabetic Complications in Type 2 Diabetes Mellitus. <i>Mayo Clinic Proceedings</i> , 2001, 76, 609-618.	1.4	21
533	Soluble selectins in the pulmonary and systemic circulation in acute cardiogenic and non-cardiogenic pulmonary failure. <i>Intensive Care Medicine</i> , 2001, 27, 521-527.	3.9	14
534	Gender- and age-dependent relationships between the E-selectin S128R polymorphism and coronary artery calcification. <i>Journal of Molecular Medicine</i> , 2001, 79, 390-398.	1.7	66
535	Influence of dietary supplementation with long-chain n ^ω -3 or n ^ω -6 polyunsaturated fatty acids on blood inflammatory cell populations and functions and on plasma soluble adhesion molecules in healthy adults. <i>Lipids</i> , 2001, 36, 1183-1193.	0.7	247
536	Early cellular brain damage and systemic inflammatory response after cardiopulmonary resuscitation or isolated severe head trauma: a comparative pilot study on common pathomechanisms. <i>Resuscitation</i> , 2001, 49, 193-199.	1.3	48
537	Intercellular adhesion molecule-1 in extravasation of normal mononuclear and leukaemia cells. <i>British Journal of Haematology</i> , 2001, 113, 989-1000.	1.2	15
538	Quantitative analysis of inflammatory cells infiltrating the cystic fibrosis airway mucosa. <i>Clinical and Experimental Immunology</i> , 2001, 124, 69-76.	1.1	104
539	Cytokines and vascular cell adhesion molecule-1 in the blood of patients undergoing HPC mobilization. <i>Transfusion</i> , 2001, 41, 206-212.	0.8	10
540	Hyperhemolytic transfusion reaction in sickle cell disease. <i>Transfusion</i> , 2001, 41, 323-328.	0.8	113
541	Correction of hyperglycaemia reduces insulin resistance and serum soluble E-selectin levels in patients with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2001, 18, 224-228.	1.2	15
542	Cell adhesion molecules and secretory type II phospholipase A2 in relation to carotid atherosclerosis in patients with hypercholesterolaemia. <i>Journal of Internal Medicine</i> , 2001, 249, 441-449.	2.7	12
543	Serum level of the periostin, a homologue of an insect cell adhesion molecule, as a prognostic marker in nonsmall cell lung carcinomas. <i>Cancer</i> , 2001, 92, 843-848.	2.0	95
544	Vascular cell adhesion molecule-1 and intercellular adhesion molecule-1 serum level in patients with chest pain and normal coronary arteries (syndrome X). <i>Clinical Cardiology</i> , 2001, 24, 301-304.	0.7	69
545	Circulating E-selectin levels in chronic hepatitis C patients with normal or elevated transaminase before and after alpha-interferon treatment. <i>Inflammation</i> , 2001, 25, 101-108.	1.7	2
546	Anti-TNF Therapy for Rheumatoid Arthritis and Other Inflammatory Diseases. <i>Molecular Biotechnology</i> , 2001, 19, 153-168.	1.3	64
547	Soluble intercellular adhesion molecule-1 as a predictor of early adverse events in patients with chest pain compatible with myocardial ischemia. <i>Annals of Emergency Medicine</i> , 2001, 38, 223-228.	0.3	15
548	Pathology and Pathophysiology of Drug-Induced Arterial Injury in Laboratory Animals and its Implications on the Evaluation of Novel Chemical Entities for Human Clinical Trials. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2001, 89, 158-170.	0.0	31
549	Effects of regular ingestion of black tea on haemostasis and cell adhesion molecules in humans. <i>European Journal of Clinical Nutrition</i> , 2001, 55, 881-886.	1.3	64

#	ARTICLE	IF	CITATIONS
550	Early increase in DcR2 expression and late activation of caspases in the platelet storage lesion. <i>Leukemia</i> , 2001, 15, 1572-1581.	3.3	52
551	Maternal endothelial soluble cell adhesion molecules with isolated small for gestational age fetuses: comparison with pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 1277-1282.	1.1	32
552	Levels of circulating adhesion molecules in rheumatic mitral stenosis. <i>American Journal of Cardiology</i> , 2001, 88, 1209-1211.	0.7	36
553	Inhibition of the adhesion step of leukodiapedesis: a critical event in the recovery of Guillain-Barré syndrome associated with accumulation of proteolytically active lymphocytes in blood. <i>Journal of Neuroimmunology</i> , 2001, 114, 188-196.	1.1	14
554	Continuous perfusion of pulmonary arteries during total cardiopulmonary bypass favorably affects levels of circulating adhesion molecules and lung function. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2001, 122, 242-248.	0.4	27
555	Effect of Bezafibrate on Soluble Adhesion Molecules and Platelet Activation Markers in Patients With Connective Tissue Diseases and Secondary Hyperlipidemia. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2001, 7, 153-157.	0.7	14
556	Physical training reduces peripheral markers of inflammation in patients with chronic heart failure. <i>European Heart Journal</i> , 2001, 22, 791-797.	1.0	275
557	Association Between P-Selectin Gene Polymorphisms and Soluble P-Selectin Levels and Their Relation to Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 1668-1673.	1.1	106
558	Risk stratification in unstable angina and non-Q wave myocardial infarction using soluble cell adhesion molecules. <i>British Heart Journal</i> , 2001, 85, 623-627.	2.2	114
559	Preliminary Evidence for Aberrant Expression of the Leukocyte Integrin LFA-1 (CD11a/CD18) on Conjunctival Epithelial Cells of Patients with Mite Allergy. <i>International Archives of Allergy and Immunology</i> , 2001, 125, 160-163.	0.9	10
560	Leukocyte/Endothelium Activation and Interactions During Femoral Percutaneous Transluminal Angioplasty. <i>Vascular Surgery</i> , 2001, 35, 293-301.	0.3	7
561	Serum concentration of adhesion molecules in patients with delayed ischaemic neurological deficit after aneurysmal subarachnoid haemorrhage: the immunoglobulin and selectin superfamilies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 71, 329-333.	0.9	56
562	Circulating soluble adhesion molecules in ANCA-associated vasculitis. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 276-285.	0.4	52
563	Serum Soluble Endothelial-Cell Specific Adhesion Molecules in Children with Insulin-dependent Diabetes Mellitus. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2001, 14, 287-93.	0.4	8
564	The Relationship Between Infection, Inflammation, and Cardiovascular Disease: An Overview. , 2001, 6, 1-8.		114
565	Markers of inflammation in unstable angina. <i>British Heart Journal</i> , 2001, 85, 603-604.	2.2	3
566	Elevation of serum soluble E-selectin and VCAM-1 in severe asthma. <i>Mediators of Inflammation</i> , 2001, 10, 339-342.	1.4	18
567	Systemic inflammatory indices in pre-eclampsia and eclampsia. <i>Journal of Obstetrics and Gynaecology</i> , 2001, 21, 563-569.	0.4	18

#	ARTICLE	IF	CITATIONS
568	Soluble Adhesion Molecules and Cytokines in Tumor-associated Tissue Eosinophilia of Nasopharyngeal Carcinoma. <i>Acta Oto-Laryngologica</i> , 2001, 121, 534-538.	0.3	10
569	Biological Implications of Circulating Soluble Intercellular Adhesion Molecule-1 in Colorectal Cancer Patients. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 399-404.	0.6	11
570	Endothelial Cell Adhesion Molecules and Cardiopulmonary Bypass. <i>Asian Cardiovascular and Thoracic Annals</i> , 2001, 9, 349-355.	0.2	6
571	Distinct Proinflammatory Host Responses to <i>Neisseria gonorrhoeae</i> Infection in Immortalized Human Cervical and Vaginal Epithelial Cells. <i>Infection and Immunity</i> , 2001, 69, 5840-5848.	1.0	153
572	Circulating Cell Adhesion Molecules and Death in Patients With Coronary Artery Disease. <i>Circulation</i> , 2001, 104, 1336-1342.	1.6	527
573	Extent of Coronary Atherosclerosis and Homocysteine Affect Endothelial Markers. <i>Angiology</i> , 2001, 52, 589-596.	0.8	8
574	Relation Between Soluble Adhesion Molecules and Insulin Sensitivity in Type 2 Diabetic Individuals: Role of adipose tissue. <i>Diabetes Care</i> , 2001, 24, 1961-1966.	4.3	49
575	Biochemical and Biophysical Markers of Endothelial Dysfunction in Adults with Hypopituitarism and Severe GH Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4223-4232.	1.8	82
576	Soluble Adhesion Molecules in Preclinical Type 1 Diabetes. <i>Pediatric Research</i> , 2001, 49, 24-29.	1.1	26
577	Biological Implications of Circulating Soluble Intercellular Adhesion Molecule-1 in Colorectal Cancer Patients. <i>Scandinavian Journal of Gastroenterology</i> , 2001, 36, 399-404.	0.6	7
578	Inhibition of Phosphatidylinositol 3-Kinase Enhances Mitogenic Actions of Insulin in Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 1794-1799.	1.6	285
579	Comparison of soluble adhesion molecules in juvenile idiopathic arthritis between the active and remission stages. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 167-170.	0.5	23
580	Soluble Intercellular Adhesion Molecule-1, Soluble Vascular Adhesion Molecule-1, and the Development of Symptomatic Peripheral Arterial Disease in Men. <i>Circulation</i> , 2002, 106, 820-825.	1.6	202
581	Reduction of Inflammatory Cytokine Concentrations and Improvement of Endothelial Functions in Obese Women After Weight Loss Over One Year. <i>Circulation</i> , 2002, 105, 804-809.	1.6	932
583	Differential Regulation of Membrane Bound and Soluble ICAM 1 in Human Endothelium and Blood Mononuclear Cells: Effects of Interferon Beta-1a. <i>Cell Communication and Adhesion</i> , 2002, 9, 259-272.	1.0	20
584	Soluble adhesion molecules in serum throughout the menstrual cycle. <i>Human Reproduction</i> , 2002, 17, 2272-2278.	0.4	28
585	Neonatal and Maternal Serum Levels of Soluble ICAM-1 in Preeclamptic and Normal Pregnancies. <i>American Journal of Perinatology</i> , 2002, 19, 333-340.	0.6	8
586	Vitamin E Supplementation Reduces Plasma Vascular Cell Adhesion Molecule-1 and von Willebrand Factor Levels and Increases Nitric Oxide Concentrations in Hypercholesterolemic Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 2940-2945.	1.8	39

#	ARTICLE	IF	CITATIONS
587	Expression of Soluble Adhesion Molecules in Sera of Women With Stage III and IV Endometriosis. <i>Journal of the Society for Gynecologic Investigation</i> , 2002, 9, 98-101.	1.9	17
588	Cellular Redox State and Endothelial Dysfunction in Mildly Hyperhomocysteinemic Cystathionine β -Synthase-Deficient Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 34-41.	1.1	147
589	Circadian variations do not have a major impact on serum levels of soluble (s) L-selectin (CD63L), s-intercellular adhesion molecule 1 (sICAM-1/CD54) and thrombopoietin in healthy individuals. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2002, 62, 75-79.	0.6	5
590	Elevated Soluble Cellular Adhesion Molecules in Subjects With Low HDL-Cholesterol. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 656-661.	1.1	133
591	Soluble Adhesion Molecules and the Search for Biomarkers for Atherosclerosis. <i>Circulation</i> , 2002, 106, 766-767.	1.6	61
592	Systemic Inflammation in Cardiovascular and Periodontal Disease: Comparative Study. <i>Vaccine Journal</i> , 2002, 9, 425-432.	3.2	90
593	Sialic Acid, Intercellular Adhesion Molecule-1 and Rheumatoid Arthritis: a Study on the Erythrocyte Membrane. <i>Clinical Chemistry and Laboratory Medicine</i> , 2002, 40, 356-60.	1.4	5
594	Circulating soluble E-selectin in early rheumatoid arthritis: a prospective five year study. <i>Annals of the Rheumatic Diseases</i> , 2002, 61, 242-246.	0.5	51
595	Plasma and urinary soluble adhesion molecule expression is increased during first documented acute pyelonephritis. <i>Archives of Disease in Childhood</i> , 2002, 86, 218-221.	1.0	8
596	Immune mechanisms in neurological disease. , 2002, , 1501-1526.		1
597	C-Reactive Protein and Soluble Vascular Cell Adhesion Molecule-1 Are Associated With Elevated Urinary Albumin Excretion but Do Not Explain Its Link With Cardiovascular Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 593-598.	1.1	112
598	Markers of endothelial damage in organ dysfunction and sepsis. <i>Critical Care Medicine</i> , 2002, 30, S302-S312.	0.4	275
599	Cell adhesion molecules in hypertension: endothelial markers of vascular injury and predictors of target organ damage?. <i>Journal of Hypertension</i> , 2002, 20, 813-816.	0.3	17
600	Soluble endothelial adhesion molecules during paediatric cardiovascular surgery with or without cardiopulmonary bypass. <i>Cardiology in the Young</i> , 2002, 12, 130-137.	0.4	4
601	Intercellular adhesion molecule-1 and Na ⁺ , K ⁺ , ATPase in patients with rheumatoid arthritis. <i>The Pain Clinic</i> , 2002, 14, 339-345.	0.1	0
602	Circulating ICAM-1 (intercellular cell-adhesion molecule 1) is associated with early stages of atherosclerosis development and with inflammatory cytokines in healthy 58-year-old men: the Atherosclerosis and Insulin Resistance (AIR) study. <i>Clinical Science</i> , 2002, 103, 123-129.	1.8	47
603	Circulating ICAM-1 (intercellular cell-adhesion molecule 1) is associated with early stages of atherosclerosis development and with inflammatory cytokines in healthy 58-year-old men: the Atherosclerosis and Insulin Resistance (AIR) study. <i>Clinical Science</i> , 2002, 103, 123.	1.8	26
604	Correlation between Soluble Markers of Endothelial Dysfunction in Patients with Renal Failure. <i>American Journal of Nephrology</i> , 2002, 22, 42-47.	1.4	67

#	ARTICLE	IF	CITATIONS
605	Insulin-Regulated Increase of Soluble Vascular Adhesion Protein-1 in Diabetes. <i>American Journal of Pathology</i> , 2002, 161, 2255-2262.	1.9	74
606	Role of L-Selectin in the Development of Ventilator-Associated Pneumonia in Patients after Major Surgery. <i>Journal of Surgical Research</i> , 2002, 105, 123-127.	0.8	7
607	Clinical overview of leukocyte adhesion and migration: where are we now?. <i>Seminars in Immunology</i> , 2002, 14, 133-140.	2.7	45
608	Effects of transdermal hormone replacement therapy on levels of soluble P- and E-selectin in postmenopausal healthy women. <i>Fertility and Sterility</i> , 2002, 77, 476-480.	0.5	15
609	Humoral markers of inflammation and endothelial dysfunction in relation to adiposity and in vivo insulin action in Pima Indians. <i>Atherosclerosis</i> , 2002, 161, 233-242.	0.4	198
610	Change in saturated fat intake is associated with progression of carotid and femoral intima-media thickness, and with levels of soluble intercellular adhesion molecule-1. <i>Atherosclerosis</i> , 2002, 163, 113-120.	0.4	47
611	Leukocyte count and vascular function in Type 2 diabetic subjects with treated hypertension. <i>Atherosclerosis</i> , 2002, 163, 175-181.	0.4	39
612	Soluble adhesion molecule profile in normal pregnancy and pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 12, 19-27.	0.7	112
613	Soluble adhesion molecules: marker of pre-eclampsia and intrauterine growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 12, 28-34.	0.7	37
614	Activin, a Grape Seed-derived Proanthocyanidin Extract, Reduces Plasma Levels of Oxidative Stress and Adhesion Molecules (ICAM-1, VCAM-1 and E-selectin) in Systemic Sclerosis. <i>Free Radical Research</i> , 2002, 36, 819-825.	1.5	66
615	Soluble Adhesion Molecules in Coronary Surgery and Cardiopulmonary Bypass with Pump Prime Aprotinin. <i>Scandinavian Cardiovascular Journal</i> , 2002, 36, 345-349.	0.4	0
616	Prolonged, low dose Î±-tocopherol therapy counteracts intercellular cell adhesion molecule-1 activation. <i>Clinica Chimica Acta</i> , 2002, 320, 5-9.	0.5	12
617	Thrombocyte activation increases with the degree of carotid artery stenosis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2002, 11, 324-329.	0.7	1
618	Elevated soluble P-selectin levels are associated with an increased risk of early adverse events in patients with presumed myocardial ischemia. <i>American Heart Journal</i> , 2002, 143, 235-241.	1.2	55
619	Adhesion molecules, platelet activation, and cardiovascular risk. <i>American Heart Journal</i> , 2002, 143, 196-198.	1.2	12
620	The stimulatory effects of nasal discharge from patients with perennial allergic rhinitis on normal human neutrophils are normalized after treatment with a new mixed formula of Chinese herbs. <i>International Immunopharmacology</i> , 2002, 2, 1627-1639.	1.7	17
621	Soluble adhesion molecules (E-selectin, ICAM-1 and VCAM-1) in breast carcinoma. <i>European Journal of Cancer</i> , 2002, 38, 2252-2257.	1.3	143
622	Endothelial inflammation and thrombolysis resistance in acute myocardial infarction. <i>International Journal of Cardiology</i> , 2002, 83, 227-231.	0.8	10

#	ARTICLE	IF	CITATIONS
623	Predictive Value of Routine Circulating Soluble Endothelial Cell Adhesion Molecule Measurements during Pregnancy. <i>Clinical Chemistry</i> , 2002, 48, 1418-1425.	1.5	48
624	Soluble Selectin Levels in Patients with Lung Cancer. <i>International Journal of Biological Markers</i> , 2002, 17, 56-62.	0.7	22
625	Combined Activation of Coagulation and Inflammation has an Important Role in Multiple Organ Dysfunction and Poor Outcome after Severe Trauma. <i>Thrombosis and Haemostasis</i> , 2002, 88, 943-949.	1.8	89
626	Prediction of cardiovascular risk using soluble cell adhesion molecules. <i>European Heart Journal</i> , 2002, 23, 1569-1574.	1.0	75
627	Perfil s�rico da mol�cula de ades�o intercelular-1 no p�s-operat�rio card�aco de lactentes submetidos � circula�o extracorp�rea. <i>Jornal De Pediatria</i> , 2002, 78, 237-243.	0.9	1
628	Levels of Soluble E-selectin and ICAM-1 in the Coronary Circulation of Patients with Stable Coronary Artery Disease. <i>International Heart Journal</i> , 2002, 43, 93-101.	0.6	27
629	Novel chemiluminescence assay for serum periostin levels in women with preeclampsia and in normotensive pregnant women. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 103-108.	0.7	20
630	Cell surface bound and soluble adhesion molecules in CSF and blood in multiple sclerosis: correlation with MRI-measures of subclinical disease severity and activity. <i>Journal of Neuroimmunology</i> , 2002, 122, 175-185.	1.1	31
631	Regulation of lymphocyte clustering by CD30-mediated ICAM-1 up-regulation. <i>Cellular Immunology</i> , 2002, 219, 38-47.	1.4	10
632	Role of soluble intercellular adhesion molecule-1 in the process of peritonitis in peritoneal dialysis. <i>Hong Kong Journal of Nephrology</i> , 2002, 4, 87-89.	0.0	1
633	ICAM-1 expression and the soluble ICAM-1 level for evaluating the metastatic potential of gastric cancer. <i>International Journal of Cancer</i> , 2002, 100, 486-490.	2.3	94
634	The effects of three different LDL-apheresis methods on the plasma concentrations of E-selectin, VCAM-1, and ICAM-1. <i>Journal of Clinical Apheresis</i> , 2002, 17, 38-43.	0.7	46
635	Down regulation of endothelial adhesion molecules in node positive breast cancer: Possible failure of host defence mechanism. <i>Pathology and Oncology Research</i> , 2002, 8, 125-128.	0.9	20
636	Statins and inflammatory markers. <i>Current Atherosclerosis Reports</i> , 2002, 4, 42-47.	2.0	20
637	Correlation of serum levels of soluble intercellular adhesion molecule-1 with disease activity in systemic lupus erythematosus. <i>Rheumatology International</i> , 2002, 21, 149-152.	1.5	27
638	Increased plasma concentrations of intercellular adhesion molecule-1 after strenuous exercise associated with muscle damage. <i>European Journal of Applied Physiology</i> , 2002, 86, 185-190.	1.2	34
639	sPECAM-1 in serum and CSF of acute ischaemic stroke patients. <i>Acta Neurologica Scandinavica</i> , 2002, 106, 292-298.	1.0	32
640	Oral lichen planus: immunohistology of mucosal lesions. <i>Journal of Oral Pathology and Medicine</i> , 2002, 31, 410-414.	1.4	67

#	ARTICLE	IF	CITATIONS
641	Expression of ICAM-1 and E-selectin in gingival tissues of smokers and non-smokers with periodontitis. <i>Journal of Oral Pathology and Medicine</i> , 2002, 31, 59-64.	1.4	69
642	Identification of Unique VLA-4 Antagonists from a Combinatorial Library. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 685-688.	1.0	7
643	Upregulation of epidermal surface molecule expression in primary and ultraviolet-induced lesions of lupus erythematosus tumidus. <i>British Journal of Dermatology</i> , 2002, 146, 801-809.	1.4	31
644	The effect of cigarette smoking on soluble adhesion molecules in middle-aged patients with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2002, 19, 57-64.	1.2	32
645	Comparison of serum concentrations of soluble adhesion molecules in diabetic microangiopathy and macroangiopathy. <i>Diabetic Medicine</i> , 2002, 19, 822-826.	1.2	87
646	Weight Reduction Decreases Soluble Cellular Adhesion Molecules In Obese Women. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2002, 29, 399-404.	0.9	66
647	Analysis of adhesion molecules in patients with idiopathic portal hypertension. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002, 14, 364-369.	1.4	35
648	Circulating intercellular cell adhesion molecule-1, endothelin-1 and von Willebrand factor-markers of endothelial dysfunction in uncomplicated essential hypertension: the effect of treatment with ACE inhibitors. <i>Journal of Human Hypertension</i> , 2002, 16, 557-562.	1.0	66
649	Endothelial cell expression of adhesion molecules is induced by fetal plasma from pregnancies with umbilical placental vascular disease. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 770-777.	1.1	22
650	Study on the serum levels of soluble intercellular adhesion molecule-1 (sICAM-1) in patients with <i>Helicobacter pylori</i> infection. <i>Journal of Zhejiang University: Science A</i> , 2002, 3, 627-631.	1.3	0
651	Soluble Adhesion Molecules: Surrogate Markers of Cardiovascular Disease?. <i>Nutrition Reviews</i> , 2003, 61, 63-68.	2.6	21
652	Nonresponse to interferon monotherapy in HCV-related chronic hepatitis: results of retreatment and prognostic factors. <i>Digestive Diseases and Sciences</i> , 2003, 48, 809-814.	1.1	0
653	Soluble Adhesion Molecules and Myocardial Injury during Coronary Artery Bypass Grafting. <i>World Journal of Surgery</i> , 2003, 27, 140-144.	0.8	11
654	Immune Reactions after Trauma. <i>European Journal of Trauma and Emergency Surgery</i> , 2003, 29, 181-192.	0.3	20
655	The possible role of postprandial hyperglycaemia in the pathogenesis of diabetic complications. <i>Diabetologia</i> , 2003, 46, M9-M16.	2.9	162
656	C-Reactive Protein and Cardiovascular Diseases. <i>International Journal of Angiology</i> , 2003, 12, 1-12.	0.2	20
657	Temporal variations of adhesion molecules and matrix metalloproteinases in the course of MS. <i>Journal of Neuroimmunology</i> , 2003, 140, 198-209.	1.1	51
658	Ascorbic acid supplementation restores defective leukocyte-endothelial interaction in alloxan-diabetic rats. <i>Diabetes/Metabolism Research and Reviews</i> , 2003, 19, 60-68.	1.7	11

#	ARTICLE	IF	CITATIONS
659	Antibody targeted gene transfer to endothelium. <i>Journal of Gene Medicine</i> , 2003, 5, 311-323.	1.4	117
660	Inhibition of the thrombogenic and inflammatory properties of antiphospholipid antibodies by fluvastatin in an in vivo animal model. <i>Arthritis and Rheumatism</i> , 2003, 48, 3272-3279.	6.7	138
661	Soluble E-selectin and soluble ICAM-1 levels as markers of the activity of atopic dermatitis in children. <i>Pediatric Allergy and Immunology</i> , 2003, 14, 302-306.	1.1	20
662	Fibroblast Growth Factor (FGF), Intracellular Adhesion Molecule (sICAM-1) Level in Serum and Follicular Fluid of Infertile Women with Polycystic Ovarian Syndrome, Endometriosis and Tubal Damage, and their Effect on ICSI Outcome. <i>American Journal of Reproductive Immunology</i> , 2003, 50, 124-130.	1.2	32
663	Differential effects of fenofibrate versus atorvastatin on the concentrations of E-selectin and vascular cellular adhesion molecule-1 in patients with type 2 diabetes mellitus and mixed hyperlipoproteinemia: a randomized cross-over trial. <i>Cardiovascular Diabetology</i> , 2003, 2, 17.	2.7	20
664	The influence of tobacco smoking on adhesion molecule profiles. <i>Tobacco Induced Diseases</i> , 2003, 1, 7.	0.3	30
665	A Case of Advanced Primary Biliary Cirrhosis Treated with Granulocyte and Monocyte Apheresis ¹ . <i>Therapeutic Apheresis and Dialysis</i> , 2003, 7, 468-472.	0.4	1
666	Modulation of adhesion molecule expression on endothelial cells: to be or not to be?. <i>Journal of Thrombosis and Haemostasis</i> , 2003, 1, 2280-2282.	1.9	8
667	Pruritogenic mediators in psoriasis vulgaris: comparative evaluation of itch-associated cutaneous factors. <i>British Journal of Dermatology</i> , 2003, 149, 718-730.	1.4	180
668	Changes in serum concentrations of tumor necrosis factor alpha and adhesion molecules in normal pregnant women and those with pregnancy-induced hypertension. <i>Journal of Obstetrics and Gynaecology Research</i> , 2003, 29, 422-426.	0.6	18
669	Adhesion Molecules, Catecholamines and Leucocyte Redistribution During and Following Exercise. <i>Sports Medicine</i> , 2003, 33, 261-284.	3.1	127
670	Effects of hormone therapy and alendronate on C-reactive protein, E-selectin, and sex hormone-binding globulin in osteoporotic women. <i>Fertility and Sterility</i> , 2003, 80, 541-545.	0.5	10
671	Adhesion molecules and atherosclerosis. <i>Atherosclerosis</i> , 2003, 170, 191-203.	0.4	924
672	Effects of combined administration of vitamins C and E on reactive hyperemia and inflammatory process in chronic smokers. <i>Atherosclerosis</i> , 2003, 170, 261-267.	0.4	60
673	Atorvastatin improves metabolic control and endothelial function in Type 2 diabetic patients: A placebo-controlled study. <i>Journal of Endocrinological Investigation</i> , 2003, 26, 73-78.	1.8	44
674	Relationship between circulating E-selectin, DD genotype of angiotensin-converting-enzyme, and cardiovascular damage in central obese subjects. <i>Metabolism: Clinical and Experimental</i> , 2003, 52, 999-1004.	1.5	11
675	Reciprocal activation of leukocyte-endothelial adhesion molecules in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2003, 90, 247-252.	0.8	15
677	Elevated Serum Levels of Soluble Immune Activation Markers Are Associated with Increased Risk for Death in HAART-Naive HIV-1-Infected Patients. <i>AIDS Patient Care and STDs</i> , 2003, 17, 147-153.	1.1	16

#	ARTICLE	IF	CITATIONS
678	Interaction Between Soluble Thrombomodulin and Intercellular Adhesion Molecule-1 in Predicting Risk of Coronary Heart Disease. <i>Circulation</i> , 2003, 107, 1729-1732.	1.6	54
679	Age- and Sex-related Reference Values for Serum Adhesion Molecule Concentrations in Healthy Individuals: Intercellular Adhesion Molecule-1 and E-, P-, and L-Selectin. <i>Clinical Chemistry</i> , 2003, 49, 1544-1546.	1.5	23
680	Zymographic Analyses and Measurement of Matrix Metalloproteinase-2 and -9 in Nipple Aspirate Fluids. <i>Clinical Chemistry</i> , 2003, 49, 1546-1550.	1.5	34
681	Intracellular Adhesion Molecule 1 Plays a Key Role in Acquired Immunity to Salmonellosis. <i>Infection and Immunity</i> , 2003, 71, 5881-5891.	1.0	13
682	Soluble Adhesion Molecules in Coronary Artery Bypass Surgery. <i>Asian Cardiovascular and Thoracic Annals</i> , 2003, 11, 198-202.	0.2	3
683	Evidence of a Lack of Effect of a Phytoestrogen Regimen on the Levels of C-Reactive Protein, E-Selectin, and Nitrate in Postmenopausal Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 5180-5185.	1.8	67
684	Quantitative Assessment of Angiogenesis in Murine Antigen-Induced Arthritis by Intravital Fluorescence Microscopy. <i>Journal of Vascular Research</i> , 2003, 40, 460-466.	0.6	9
685	Non-Invasive Monitoring of Renal Transplant Recipients: Urinary Excretion of Soluble Adhesion Molecules and of the Complement-Split Product C4d. <i>Nephron Clinical Practice</i> , 2003, 94, c19-c26.	2.3	25
686	Expression and Secretion of the Vascular Cell Adhesion Molecule-1 in Human Placenta and Its Decrease in Fetal Growth Restriction. <i>Journal of the Society for Gynecologic Investigation</i> , 2003, 10, 352-360.	1.9	5
687	Current pathophysiological views on vibration-induced Raynaud's phenomenon. <i>Cardiovascular Research</i> , 2003, 57, 615-624.	1.8	104
688	Circulating ICAM-1, VCAM-1, E-selectin, P-selectin, and TNF- α in Patients with Coronary Artery Disease. <i>Immunological Investigations</i> , 2003, 32, 245-257.	1.0	12
689	Stimulated Shedding of Vascular Cell Adhesion Molecule 1 (VCAM-1) Is Mediated by Tumor Necrosis Factor- α -converting Enzyme (ADAM 17). <i>Journal of Biological Chemistry</i> , 2003, 278, 37459-37464.	1.6	233
690	The prognostic value of circulating soluble cell adhesion molecules in patients with chronic congestive heart failure. <i>European Journal of Heart Failure</i> , 2003, 5, 507-516.	2.9	70
691	High circulating levels of cytokines (IL-6 and TNF α), adhesion molecules (VCAM-1 and ICAM-1) and selectins in patients with peripheral arterial disease at rest and after a treadmill test. <i>Vascular Medicine</i> , 2003, 8, 15-19.	0.8	127
692	Islet β -Cell Apoptosis Triggered in Vivo by Interleukin-1 β Is Not Related to the Inducible Nitric Oxide Synthase Pathway: Evidence for Mitochondrial Function Impairment and Lipoperoxidation. <i>Endocrinology</i> , 2003, 144, 4264-4271.	1.4	19
693	Assessment of endothelial damage and dysfunction: observations in relation to heart failure. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2003, 96, 253-267.	0.2	84
694	Reduction in Serum Levels of Adhesion Molecules, Interleukin-6 and C-reactive Protein Following Short-term Low-dose Atorvastatin Treatment in Patients with Non-familial Hypercholesterolemia. <i>Hormone and Metabolic Research</i> , 2003, 35, 479-485.	0.7	48
695	Gender and Ethnic Differences in a Case-Control Study of Dyslipidemia: Using the Apolipoprotein A-V Gene as an Exemplar in Cardiovascular Genetics. <i>Research and Theory for Nursing Practice</i> , 2003, 17, 281-299.	0.2	13

#	ARTICLE	IF	CITATIONS
696	Practice Environments: Leadership Succession Planning: Would Nursing Benefit?. <i>Scholarly Inquiry for Nursing Practice</i> , 2003, 17, 277-279.	0.2	0
697	Soluble intercellular adhesion molecule 1, tumor necrosis factor- α and interleukin-6 levels after trauma. <i>The Pain Clinic</i> , 2003, 15, 235-240.	0.1	2
698	Cell Adhesion Molecules: Potential Therapeutic and Diagnostic Implications. , 2004, 93, 157-174.		6
699	Inflammatory mediators in children undergoing cardiopulmonary bypass: Is there a unified field theory amidst this biomolecular chaos? *. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 386-387.	0.2	10
700	The safety of hydroxyethyl starch use in newborns and its short- and long-term benefits in hypovolemic patients *. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 388.	0.2	6
701	ICAM, I saw, I predicted *. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 389-390.	0.2	0
702	Severe acute respiratory syndrome: Time to circle the wagons *. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 382-383.	0.2	0
703	Theophylline for acute renal vasoconstriction associated with tacrolimus: A new indication for an old therapeutic agent? *. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 392-393.	0.2	11
704	Pressure ulcers in pediatric critical care: Examining the evidence *. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 383-384.	0.2	4
705	Venovenous extracorporeal membrane oxygenation: An underutilized technique? *. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 385-386.	0.2	8
706	Biomarkers or neuroimaging in central nervous system injury: Will the real ???gold standard??? please stand up? *. <i>Pediatric Critical Care Medicine</i> , 2003, 4, 391-392.	0.2	11
707	Association between Serum Carcinoembryonic Antigen and Endothelial Cell Adhesion Molecules in Colorectal Cancer. <i>Oncology</i> , 2003, 65, 132-138.	0.9	16
708	Increased Plasma Levels of Soluble Intercellular Adhesion Molecule-1 (sICAM-1) and Soluble Vascular Cell Molecule-1 (sVCAM-1) Associated with Disease Severity in a Primate Model for Severe Human Malaria: Plasmodium coatneyi-Infected Japanese Macaques (Macaca fuscata). <i>Journal of Veterinary Medical Science</i> , 2003, 65, 629-631.	0.3	12
709	Distinct accumulation patterns of soluble forms of E-selectin, VCAM-1 and ICAM-1 upon infusion of TNF α in tumor patients. <i>Thrombosis and Haemostasis</i> , 2003, 89, 1052-1057.	1.8	15
710	Pulmonary Function and Circulating Adhesion Molecules in Patients with Diabetes Mellitus. <i>Canadian Respiratory Journal</i> , 2003, 10, 259-264.	0.8	11
711	Soluble E-selectin in cardiovascular disease and its risk factors. <i>Thrombosis and Haemostasis</i> , 2003, 90, 1007-1020.	1.8	148
712	Correlation between serum E-selectin levels and panoramic nailfold capillaroscopy in systemic sclerosis. <i>Brazilian Journal of Medical and Biological Research</i> , 2004, 37, 1423-1427.	0.7	15
713	Maternal Serum Levels of VCAM-1, ICAM-1 and E-selectin in Preeclampsia. <i>Journal of Korean Medical Science</i> , 2004, 19, 688.	1.1	60

#	ARTICLE	IF	CITATIONS
714	Endothelial Dysfunction: Methods of Assessment and Application to Hypertension. <i>Current Pharmaceutical Design</i> , 2004, 10, 3591-3605.	0.9	101
715	Concentration of soluble intercellular adhesion molecule-1 in serum samples from patients with endometriosis collected during the luteal phase of the menstrual cycle. <i>Human Reproduction</i> , 2004, 19, 172-178.	0.4	19
716	Expanding Role of Circulating Adhesion Molecules in Assessing Prognosis and Treatment Response in Human Immunodeficiency Virus Infection. <i>Vaccine Journal</i> , 2004, 11, 996-1001.	2.6	7
717	Dietary lipids and immune function. , 2004, , 349-393.		0
718	Effects of AT1 Receptor Antagonist Losartan on sICAM-1 and TNF- α Levels in Uncomplicated Hypertensive Patients. <i>Angiology</i> , 2004, 55, 195-203.	0.8	16
719	The Levels of Soluble Adhesion Molecules in Diabetic and Nondiabetic Patients with Combined Hyperlipoproteinemia and the Effect of Ciprofibrate Therapy. <i>Angiology</i> , 2004, 55, 629-639.	0.8	13
720	Insulin sensitivity during oral glucose tolerance test and its relations to parameters of glucose metabolism and endothelial function in type 2 diabetic subjects under metformin and thiazolidinedione. <i>Diabetes, Obesity and Metabolism</i> , 2004, .	2.2	0
721	Induction of Endothelial Cell Activation by a Triple Helical β 1 Integrin Ligand, Derived from Type I Collagen β 1(1)496-507. <i>Journal of Biological Chemistry</i> , 2004, 279, 952-962.	1.6	20
722	Controlled Ovarian Hyperstimulation- An Inflammatory State. <i>Journal of the Society for Gynecologic Investigation</i> , 2004, 11, 424-426.	1.9	42
723	Diurnal Variation of Soluble E- and P-Selectin, and Intercellular Adhesion Molecule-1 in Patients with and without Coronary Artery Disease. <i>Cardiology</i> , 2004, 102, 194-199.	0.6	16
724	C-Reactive Protein Increases Oxygen Radical Generation by Neutrophils. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2004, 9, 203-209.	1.0	53
725	Circulating ICAM-1, VCAM-1, E-selectin, P-selectin, and TNFRII in Patients with Coronary Artery Disease. <i>Immunological Investigations</i> , 2004, 33, 263-275.	1.0	12
726	Levels of soluble forms of ICAM and VCAM in patients with myelodysplastic syndromes and their prognostic significance. <i>International Journal of Laboratory Hematology</i> , 2004, 26, 391-395.	0.2	8
727	Serum-Soluble Selectin Levels in Patients with Rheumatoid Arthritis and Systemic Sclerosis. <i>Scandinavian Journal of Immunology</i> , 2004, 59, 315-320.	1.3	35
728	Bioassay detects soluble MAdCAM-1 in body fluids. <i>Immunology and Cell Biology</i> , 2004, 82, 400-409.	1.0	15
729	Increased levels of circulating adhesion molecules in neonates with congenital diaphragmatic hernia complicated by persistent pulmonary hypertension. <i>Pediatric Surgery International</i> , 2004, 20, 19-23.	0.6	16
730	Soluble Selectins, sICAM, sVCAM, and Angiogenic Proteins in Different Activity Groups of Patients with Inflammatory Bowel Disease. <i>Digestive Diseases and Sciences</i> , 2004, 49, 1265-1274.	1.1	44
731	Systemic Inflammation and Disseminated Intravascular Coagulation in Early Stage of ALI and ARDS: Role of Neutrophil and Endothelial Activation. <i>Inflammation</i> , 2004, 28, 237-244.	1.7	81

#	ARTICLE	IF	CITATIONS
732	Interferon- γ 1b leads to a short-term increase of soluble but long-term stabilisation of cell surface bound adhesion molecules in multiple sclerosis. <i>Journal of Neurology</i> , 2004, 251, 464-472.	1.8	15
733	Successful treatment of rheumatoid arthritis is associated with a reduction in serum sE-selectin and thrombomodulin level. <i>Clinical Rheumatology</i> , 2004, 23, 430-434.	1.0	16
734	Soluble adhesion molecules are not involved in the development of retinopathy in type 2 diabetic patients. <i>Acta Diabetologica</i> , 2004, 41, 118-122.	1.2	16
735	Adipocytes release a soluble form of VAP-1/SSAO by a metalloprotease-dependent process and in a regulated manner. <i>Diabetologia</i> , 2004, 47, 429-438.	2.9	101
736	Increased diffusion of soluble adhesion molecules in meningitis, severe sepsis and systemic inflammatory response without neurological infection is associated with intrathecal shedding in cases of meningitis. <i>Intensive Care Medicine</i> , 2004, 30, 867-874.	3.9	32
737	Cigarette Smoking as a Risk Factor of Coronary Artery Disease and its Effects on Platelet Function. <i>Tobacco Induced Diseases</i> , 2004, 2, 27.	0.3	26
738	Soluble adhesion molecules in Finnish schoolchildren with signs of preclinical type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2004, 20, 48-54.	1.7	19
739	Correlation between soluble intercellular adhesion molecule 1 level and extracellular superoxide dismutase activity in rheumatoid arthritis: a possible association with disease activity. <i>Scandinavian Journal of Rheumatology</i> , 2004, 33, 239-243.	0.6	18
740	Evaluation of sICAM-1, sVCAM-1, and sE-Selectin Levels in Patients with Metastatic Breast Cancer Receiving High-Dose Chemotherapy. <i>Stem Cells and Development</i> , 2004, 13, 281-294.	1.1	19
741	Inflammatory serum markers in patients with multiple trauma. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2004, 86-B, 313-323.	3.4	130
742	ENDOTHELIAL CELL ACTIVATION IN MEN WITH ERECTILE DYSFUNCTION WITHOUT CARDIOVASCULAR RISK FACTORS AND OVERT VASCULAR DAMAGE. <i>Journal of Urology</i> , 2004, 171, 1601-1604.	0.2	120
743	Expression of fractalkine and its receptor, CX3CR1, in atopic dermatitis: Possible contribution to skin inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2004, 113, 940-948.	1.5	76
744	Clinical significance of circulating endothelial adhesion molecules (sE-selectin and sICAM) in untreated multiple myeloma patients. <i>Clinica Chimica Acta</i> , 2004, 349, 39-43.	0.5	11
745	ICAM-1 expression predisposes ocular tissues to immune-based inflammation in dry eye patients and Sjögrens syndrome-like MRL/lpr mice. <i>Experimental Eye Research</i> , 2004, 78, 823-835.	1.2	98
746	Disturbed Homeostasis of Lung Intercellular Adhesion Molecule-1 and Vascular Cell Adhesion Molecule-1 During Sepsis. <i>American Journal of Pathology</i> , 2004, 164, 1435-1445.	1.9	57
747	Inhibitory effects of bucillamine on the expression of vascular cell adhesion molecule-1 in human umbilical vein endothelial cells. <i>International Immunopharmacology</i> , 2004, 4, 119-126.	1.7	3
748	Short-term high-dose folic acid does not alter markers of endothelial cell damage in patients with coronary heart disease. <i>International Journal of Cardiology</i> , 2004, 94, 203-207.	0.8	13
749	Changes in plasma levels of adhesion molecules after percutaneous mitral balloon valvuloplasty. <i>Cardiovascular Pathology</i> , 2004, 13, 103-108.	0.7	7

#	ARTICLE	IF	CITATIONS
750	Soluble adhesion molecules in healthy subjects: a dose-response study using n-3 fatty acids. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2004, 14, 180-185.	1.1	55
751	Simvastatin blunts the increase of circulating adhesion molecules after coronary artery bypass surgery with cardiopulmonary bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2004, 18, 605-609.	0.6	40
752	Soluble thrombomodulin and vascular adhesion molecule-1 are associated to leptin plasma levels in obese women. <i>Atherosclerosis</i> , 2004, 172, 175-180.	0.4	38
753	Biological determinants of serum ICAM-1, E-selectin, P-selectin and L-selectin levels in healthy subjects: the Stanislas study. <i>Atherosclerosis</i> , 2004, 172, 299-308.	0.4	78
754	The effect of diet enriched with $\hat{\imath}$ -linolenic acid on soluble cellular adhesion molecules in dyslipidaemic patients. <i>Atherosclerosis</i> , 2004, 174, 127-132.	0.4	70
755	Atorvastatin reduces proinflammatory markers in hypercholesterolemic patients. <i>Atherosclerosis</i> , 2004, 177, 161-166.	0.4	170
756	Increase in soluble E-selectin level after PTCA and stent implantation: a potential marker of restenosis. <i>International Journal of Cardiology</i> , 2004, 93, 13-18.	0.8	11
757	Background diet influences the anti-inflammatory effect of $\hat{\imath}$ -linolenic acid in dyslipidaemic subjects. <i>British Journal of Nutrition</i> , 2004, 92, 649-655.	1.2	51
758	Stimulation of adhesion molecule expression in human endothelial cells (HUVEC) by adrenomedullin and corticotrophin. <i>American Journal of Physiology - Cell Physiology</i> , 2004, 286, C239-C246.	2.1	27
759	Current status and future directions for diagnostic markers of drug-induced vascular injury. <i>Cancer Biomarkers</i> , 2005, 1, 15-28.	0.8	16
760	Plasma soluble adhesion molecules; intercellular adhesion molecule-1, vascular cell adhesion molecule-1 and E-selectin levels in patients with isolated coronary artery ectasia. <i>Coronary Artery Disease</i> , 2005, 16, 45-50.	0.3	103
761	Immunopathogenesis and immunotherapeutic approaches in multiple sclerosis. <i>Expert Review of Neurotherapeutics</i> , 2005, 5, 379-390.	1.4	7
762	Impaired vascular function during short-term poor glycaemic control in Type 1 diabetic patients. <i>Diabetic Medicine</i> , 2005, 22, 871-876.	1.2	35
763	Upregulation of the immune system in primary hypercholesterolaemia: effect of atorvastatin therapy. <i>Journal of Internal Medicine</i> , 2005, 257, 523-530.	2.7	17
764	Soluble cellular adhesion molecules, selectins, VEGF and endothelin-1 in patients with <i>Wuchereria bancrofti</i> infection and association with clinical status. <i>Parasite Immunology</i> , 2005, 27, 9-16.	0.7	24
765	Human Endometrial Epithelial Cells (EEC) Constitutively Express More Intercellular Adhesion Molecule (ICAM)-1 than Endometrial Stromal Cells (ESC) in Culture. <i>American Journal of Reproductive Immunology</i> , 2005, 54, 5-12.	1.2	23
766	Detection and Measurements of Soluble Intercellular Adhesion Molecules at Implants and Teeth: A Comparative Study. <i>Clinical Implant Dentistry and Related Research</i> , 2005, 7, 173-179.	1.6	0
767	The role of ICAM-1 in <i>Plasmodium falciparum</i> cytoadherence. <i>European Journal of Cell Biology</i> , 2005, 84, 15-27.	1.6	89

#	ARTICLE	IF	CITATIONS
768	Plasma Concentration of Soluble Vascular Cell Adhesion Molecule-1 and Oncoming Cardiovascular Risk in Patients With Unstable Angina Pectoris and Non-“ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2005, 96, 379-381.	0.7	4
769	Circulating soluble vascular cell adhesion molecule 1: Relationships with residual renal function, cardiac hypertrophy, and outcome of peritoneal dialysis patients. <i>American Journal of Kidney Diseases</i> , 2005, 45, 715-729.	2.1	68
770	Vascular aetiology of erectile dysfunction. <i>Journal of Developmental and Physical Disabilities</i> , 2005, 28, 35-39.	3.6	14
771	Plasma levels of soluble adhesion molecules sPECAM-1, sP-selectin and sE-selectin are associated with relapsing-remitting disease course of multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2005, 167, 143-149.	1.1	70
772	Persistently increased systemic, but not cardiac-specific, adhesion molecule expression and coronary endothelial dysfunction in human cardiac allografts. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005, 130, 1175.e1-1175.e10.	0.4	2
773	Association of intercellular adhesion molecule-1 with clinical manifestations and interleukin-18 in patients with active, untreated adult-onset Still's disease. <i>Arthritis and Rheumatism</i> , 2005, 53, 320-327.	6.7	58
774	Adhesion molecules as determinants of disease: From molecular biology to surgical research. <i>British Journal of Surgery</i> , 2005, 83, 588-601.	0.1	99
775	Serum E-selectin and erythrocyte membrane Na+K+ ATPase levels in patients with rheumatoid arthritis. <i>Cell Biochemistry and Function</i> , 2005, 23, 285-289.	1.4	6
776	Granulocyte colony-stimulating factor therapy and systemic inflammation in critically ill patients. <i>Inflammation Research</i> , 2005, 54, 180-185.	1.6	2
778	Intercellular adhesion molecule (ICAM-1) response after major neonatal surgery. <i>Pediatric Surgery International</i> , 2005, 21, 695-700.	0.6	3
779	Intrathecal sICAM-1 production in multiple sclerosis Correlation with triple dose Gd-DTPA MRI enhancement and IgG index. <i>Journal of Neurology</i> , 2005, 252, 146-150.	1.8	17
780	Serum VCAM-1, ICAM-1, and L-selectin levels in children and young adults with chronic renal failure. <i>Pediatric Nephrology</i> , 2005, 20, 52-55.	0.9	31
781	Current perspectives on Kawasaki disease. <i>Indian Journal of Pediatrics</i> , 2005, 72, 621-629.	0.3	19
782	Dietary Antioxidants Decrease Serum Soluble Adhesion Molecule (sVCAM-1, sICAM-1) but not Chemokine (JE/MCP-1, KC) Concentrations, and Reduce Atherosclerosis in C57BL but Not ApoE*3 Leiden Mice Fed an Atherogenic Diet. <i>Disease Markers</i> , 2005, 21, 181-190.	0.6	13
783	Organizing a tight tie between cell adhesion molecules and extracellular proteases: a risky business that could lead to the survival of tumor cells. <i>Frontiers in Bioscience - Landmark</i> , 2005, 10, 1040.	3.0	3
784	A unifying system: does the vascular endothelium have a role to play in multi-organ failure following radiation exposure?. <i>British Journal of Radiology</i> , 2005, Supplement_27, 100-105.	1.0	38
785	The Role of T Cells and Adhesion Molecules in Cutaneous Lupus Erythematosus. , 2005, , 267-281.		1
786	Adhesion molecules and cardiovascular risk in peripheral arterial disease. <i>Thrombosis and Haemostasis</i> , 2005, 93, 559-563.	1.8	49

#	ARTICLE	IF	CITATIONS
787	Fatty Acids and Atherosclerotic Risk. Handbook of Experimental Pharmacology, 2005, , 165-194.	0.9	29
788	Endothelial Activation. Sliding Door to Atherosclerosis. Current Pharmaceutical Design, 2005, 11, 2163-2175.	0.9	62
789	Adhesion molecules, mycophenolate mofetil and systemic lupus erythematosus. Lupus, 2005, 14, 17-26.	0.8	9
790	Effect of Intensive Glycemic Control on Levels of Markers of Inflammation in Type 1 Diabetes Mellitus in the Diabetes Control and Complications Trial. Circulation, 2005, 111, 2446-2453.	1.6	95
791	Elevated soluble ICAM-1 levels induce immune deficiency and increase adiposity in mice. FASEB Journal, 2005, 19, 1018-1020.	0.2	41
792	Predictive Value of Soluble Intercellular Adhesion Molecule-1 for Risk of Ischemic Events in Individuals with Cerebrovascular Disease. Cerebrovascular Diseases, 2005, 20, 456-462.	0.8	19
793	ICAM G241A Polymorphism and Soluble ICAM-1 Serum Levels: Evidence for an Active Immune Process in Schizophrenia. NeuroImmunoModulation, 2005, 12, 54-59.	0.9	31
794	Platelet-Leukocyte Interaction and Platelet Activation in Acute Stroke With and Without Preceding Infection. Arteriosclerosis, Thrombosis, and Vascular Biology, 2005, 25, 1519-1523.	1.1	78
795	Endothelial Microparticles (EMP) as Vascular Disease Markers. Advances in Clinical Chemistry, 2005, 39, 131-157.	1.8	44
796	Serum levels of soluble vascular cell adhesion molecule-1 are decreased in women receiving oral contraceptives compared with normally menstruating women: Implications in atherosclerosis. Fertility and Sterility, 2005, 83, 1480-1488.	0.5	14
797	Relationship between cerebral injury and inflammatory responses in patients undergoing cardiac surgery with cardiopulmonary bypass. Cytokine, 2005, 29, 95-104.	1.4	30
798	Drug-induced vascular injury—a quest for biomarkers. Toxicology and Applied Pharmacology, 2005, 203, 62-87.	1.3	81
800	Adhesion molecules, mycophenolate mofetil and systemic lupus erythematosus. Lupus, 2005, 14, 17-26.	0.8	12
801	Changes in serum levels of E-selectin correlate to improved glycaemic control and reduced obesity in subjects with the metabolic syndrome. Scandinavian Journal of Clinical and Laboratory Investigation, 2005, 65, 283-290.	0.6	31
802	Changes in Soluble Adhesion Molecules in Gingival Crevicular Fluid Following Periodontal Surgery. Journal of Periodontology, 2005, 76, 526-533.	1.7	6
803	Circulating adhesion molecules levels in type 2 diabetes mellitus and hypertension. International Journal of Cardiology, 2005, 98, 39-44.	0.8	64
804	Exercise and the endothelial cell. International Journal of Cardiology, 2005, 99, 165-169.	0.8	51
805	Circulating adhesion molecules in apoE-deficient mouse strains with different atherosclerosis susceptibility. Biochemical and Biophysical Research Communications, 2005, 329, 1102-1107.	1.0	64

#	ARTICLE	IF	CITATIONS
806	Effects of angiotensin II-receptor blockers on soluble cell adhesion molecule levels in uncomplicated systemic hypertension: An observational, controlled pilot study in Taiwanese adults. <i>Current Therapeutic Research</i> , 2005, 66, 181-194.	0.5	5
807	Serum levels of soluble ICAM-1 and VCAM-1 predict pre-clinical cancer. <i>European Journal of Cancer</i> , 2005, 41, 2355-2359.	1.3	21
808	Monoclonal antibody against E selectin attenuates subarachnoid hemorrhage-induced cerebral vasospasm. <i>World Neurosurgery</i> , 2005, 64, 201-205.	1.3	66
810	Serial changes in neutrophil endothelial activation markers during the course of sepsis associated with disseminated intravascular coagulation. <i>Thrombosis Research</i> , 2005, 116, 91-100.	0.8	52
811	Structural and functional abnormality of systemic microvessels in cardiac syndrome X. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2005, 15, 56-64.	1.1	36
812	Serum biomarkers in Acute Respiratory Distress Syndrome an ailing prognosticator. <i>Respiratory Research</i> , 2005, 6, 62.	1.4	28
813	Mechanisms, Significance and Treatment of Vascular Dysfunction in Type 2 Diabetes Mellitus. <i>Drugs</i> , 2005, 65, 31-74.	4.9	66
814	Markers of Cardiac Ischemia and Inflammation. <i>Cardiology Clinics</i> , 2005, 23, 491-501.	0.9	4
815	Influence of Hepatitis C Virus Infection on Soluble Cellular Adhesion Molecules in Hemodialysis Patients. <i>Blood Purification</i> , 2005, 23, 106-112.	0.9	12
816	Evidence of Vascular Damage in Dengue Disease: Demonstration of High Levels of Soluble Cell Adhesion Molecules and Circulating Endothelial Cells. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2006, 13, 335-340.	1.7	62
818	Present and Future Biochemical Markers for Detection of Acute Coronary Syndrome. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2006, 43, 427-495.	2.7	14
819	Cellular adhesion molecules and peripheral arterial disease. <i>Vascular Medicine</i> , 2006, 11, 39-47.	0.8	38
820	Quantitative genetic analysis of cellular adhesion molecules: The Fels Longitudinal Study. <i>Atherosclerosis</i> , 2006, 185, 150-158.	0.4	12
821	Serum markers of vascular inflammation in dyslipemia. <i>Clinica Chimica Acta</i> , 2006, 369, 1-16.	0.5	47
822	The metabolic syndrome and cardiovascular disease. <i>Annals of Medicine</i> , 2006, 38, 64-80.	1.5	172
823	Role of vasculature in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 190-197.	1.5	45
824	Soluble adhesion molecules and C-reactive protein in the progression of silent cerebral infarction in patients with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 461-466.	1.5	41
825	Rapid assay for plasma soluble E-selectin predicts the development of acute respiratory distress syndrome in patients with systemic inflammatory response syndrome. <i>Translational Research</i> , 2006, 148, 295-300.	2.2	33

#	ARTICLE	IF	CITATIONS
826	Glycaemic control, markers of endothelial cell activation and oxidative stress in children with type 1 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2006, 73, 191-197.	1.1	46
827	Comparison of effects of pravastatin and hormone therapy on soluble P-selectin and platelet P-selectin expression in postmenopausal hypercholesterolemic women. <i>Maturitas</i> , 2006, 53, 158-165.	1.0	6
828	Indices of low-grade chronic inflammation correlate with early cognitive deterioration in an elderly Greek population. <i>Neuroscience Letters</i> , 2006, 398, 118-123.	1.0	43
829	Reduction of soluble P-selectin by statins is inversely correlated with the progression of coronary artery disease. <i>International Journal of Cardiology</i> , 2006, 106, 183-190.	0.8	34
830	Effects of moderate-intensity exercise training on plasma biomarkers of inflammation and endothelial dysfunction in older patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006, 16, 543-549.	1.1	130
831	DIETARY ARGININE ENHANCES ADHESION MOLECULE AND T HELPER 2 CYTOKINE EXPRESSION IN MICE WITH GUT-DERIVED SEPSIS. <i>Shock</i> , 2006, 25, 155-160.	1.0	11
832	Insulin sensitivity during oral glucose tolerance test and its relations to parameters of glucose metabolism and endothelial function in type 2 diabetic subjects under metformin and thiazolidinedione. <i>Diabetes, Obesity and Metabolism</i> , 2006, 8, 561-567.	2.2	21
833	Nicotine exposure alters in vivo human responses to endotoxin. <i>Clinical and Experimental Immunology</i> , 2006, 147, 061120095033001-???	1.1	70
834	ICAM1 amino-acid variant K469E is associated with paediatric bronchial asthma and elevated sICAM1 levels. <i>Genes and Immunity</i> , 2006, 7, 322-326.	2.2	34
835	Pyridone derivatives as potent and selective VLA-4 integrin antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 2256-2259.	1.0	12
836	Elevated levels of serum soluble E-selectin in patients with chronic hepatitis B: Correlation with T lymphocyte subsets, NK cells and liver inflammation. <i>Hepatology Research</i> , 2006, 35, 111-117.	1.8	13
837	Decrease in circulating endothelial cell adhesion molecule and thrombomodulin levels during oral iloprost treatment in rheumatoid arthritis patients: preliminary results. <i>Rheumatology International</i> , 2006, 26, 340-347.	1.5	11
838	Circulating oxidised low-density lipoprotein and intercellular adhesion molecule-1 and risk of type 2 diabetes mellitus: the Atherosclerosis Risk in Communities Study. <i>Diabetologia</i> , 2006, 50, 36-42.	2.9	44
839	Pyridone derivatives as potent, orally bioavailable VLA-4 integrin antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 5538-5541.	1.0	8
840	Elevation of Hyaluronidase-1 and Soluble Intercellular Adhesion Molecule-1 Helps Select Bladder Cancer Patients at Risk of Invasion. <i>Archives of Medical Research</i> , 2006, 37, 109-116.	1.5	21
841	Soluble vascular cell adhesion molecule-1 and soluble E-selectin are associated with micro- and macrovascular complications in Type 1 diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2006, 20, 188-195.	1.2	69
842	Simultaneous assessment of antigen-stimulated cytokine production and memory subset composition of memory CD8 T cells. <i>Journal of Immunological Methods</i> , 2006, 313, 161-168.	0.6	24
843	Lipoic acid inhibits expression of ICAM-1 and VCAM-1 by CNS endothelial cells and T cell migration into the spinal cord in experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2006, 175, 87-96.	1.1	93

#	ARTICLE	IF	CITATIONS
844	Elevated serum soluble vascular adhesion protein-1 (VAP-1) in patients with active relapsing remitting multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2006, 177, 132-135.	1.1	36
845	Dietary glutamine supplementation reduces cellular adhesion molecule expression and tissue myeloperoxidase activity in mice with gut-derived sepsis. <i>Nutrition</i> , 2006, 22, 408-413.	1.1	20
846	Breaking up the tie: Disintegrin-like metalloproteinases as regulators of cell migration in inflammation and invasion. , 2006, 111, 985-1006.		115
847	Soluble adhesion molecules in young children with signs of Î²-cell autoimmunity” prospective follow-up from birth. <i>Diabetes/Metabolism Research and Reviews</i> , 2006, 22, 176-183.	1.7	11
848	Plasma Soluble Adhesion Molecule Levels in Coronary Artery Ectasia. <i>Cardiology</i> , 2006, 105, 176-181.	0.6	29
849	Elevated Markers of Endothelial Dysfunction Predict Type 2 Diabetes Mellitus in Middle-Aged Men and Women From the General Population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 398-405.	1.1	140
850	CD21 and CD62L shedding are both inducible via P2X7Rs. <i>International Immunology</i> , 2006, 18, 1171-1178.	1.8	35
851	Adhesion Dependent Signalling in the Tumour Microenvironment: The Future of Drug Targetting. <i>Current Pharmaceutical Design</i> , 2006, 12, 2833-2848.	0.9	25
852	Emerging roles for ectodomain shedding in the regulation of inflammatory responses. <i>Journal of Leukocyte Biology</i> , 2006, 79, 1105-1116.	1.5	196
853	Comparison of biochemical, functional and structural aspects of arterial wall properties in elderly men. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2006, 66, 137-146.	0.6	4
854	Direct Evidence for a Crucial Role of the Arterial Wall in Control of Atherosclerosis Susceptibility. <i>Circulation</i> , 2006, 114, 2382-2389.	1.6	23
855	Serum immunologic markers in multiple sclerosis patients on continuous combined therapy with beta-interferon 1a, prednisone and azathioprine. <i>Multiple Sclerosis Journal</i> , 2006, 12, 652-658.	1.4	5
856	<i>Forensic Pathology Reviews</i> . , 2006, , .		6
857	Angiotensin-Converting Enzyme (ACE) in Gut Inflammation. , 2006, , 301-314.		0
858	Soluble Endothelial Adhesion Molecule Concentration in Patients with Aortic Coarctation. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2006, 13, 353-358.	1.7	5
859	Genomic Profiling of Circulating Plasma RNA for the Analysis of Cancer. <i>Clinical Chemistry</i> , 2007, 53, 1860-1863.	1.5	32
860	Stability of Soluble Adhesion Molecules, Selectins, and C-Reactive Protein at Various Temperatures: Implications for Epidemiological and Large-Scale Clinical Studies. <i>Clinical Chemistry</i> , 2007, 53, 1858-1860.	1.5	26
861	Methods for Evaluating Endothelial Function in Humans. <i>Hypertension</i> , 2007, 49, 748-760.	1.3	116

#	ARTICLE	IF	CITATIONS
862	Cell-Derived Microparticles and Exosomes in Neuroinflammatory Disorders. <i>International Review of Neurobiology</i> , 2007, 79, 227-268.	0.9	61
863	Platelet P-selectin is significantly involved in leukocyte-endothelial cell interaction in murine antigen-induced arthritis. <i>Platelets</i> , 2007, 18, 365-372.	1.1	34
864	Endothelial cell dysfunction after coronary artery bypass grafting with extracorporeal circulation in patients with type 2 diabetes mellitus. <i>European Journal of Cardio-thoracic Surgery</i> , 2007, 32, 611-616.	0.6	10
865	Cell-based Angiotensin-1 Gene Therapy for Acute Lung Injury. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 175, 1014-1026.	2.5	146
866	Attenuation of experimental subarachnoid hemorrhage-induced increases in circulating intercellular adhesion molecule-1 and cerebral vasospasm by the endothelin-converting enzyme inhibitor CGS 26303. <i>Journal of Neurosurgery</i> , 2007, 106, 442-448.	0.9	28
867	Relationship between serum soluble E-selectin levels and development of diabetic retinopathy in patients with type 2 diabetes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2007, 67, 474-479.	0.6	5
868	Postcollection Synthesis of Ethyl Glucuronide by Bacteria in Urine May Cause False Identification of Alcohol Consumption. <i>Clinical Chemistry</i> , 2007, 53, 1855-1857.	1.5	130
869	Elevated Concentrations of Soluble Adhesion Molecules and Large Platelets in Diabetic Patients: Are They Markers of Vascular Disease and Diabetic Nephropathy?. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2007, 13, 391-397.	0.7	35
870	The Role of Endothelium-Derived Mediators in Exercise-Induced Bronchoconstriction. <i>International Archives of Allergy and Immunology</i> , 2007, 143, 299-310.	0.9	8
871	High-Sensitivity C-Reactive Protein, Other Markers of Inflammation, and the Incidence of Macular Degeneration in Women. <i>JAMA Ophthalmology</i> , 2007, 125, 300.	2.6	75
872	Proinflammatory circulating molecules in peripheral arterial disease (Review). <i>International Journal of Molecular Medicine</i> , 2007, , .	1.8	10
873	Dietary Patterns and Markers of Systemic Inflammation among Iranian Women. <i>Journal of Nutrition</i> , 2007, 137, 992-998.	1.3	332
874	Increased basal platelet activity, plasma adiponectin levels, and diabetes mellitus are associated with poor platelet responsiveness to in vitro effect of aspirin. <i>Thrombosis Research</i> , 2007, 119, 517-524.	0.8	39
875	Severe malaria in Cameroonian children: correlation between plasma levels of three soluble inducible adhesion molecules and TNF- α . <i>Acta Tropica</i> , 2007, 102, 20-28.	0.9	45
876	Impact of diabetic serum on endothelial cells: An in-vitro-analysis of endothelial dysfunction in diabetes mellitus type 2. <i>Biochemical and Biophysical Research Communications</i> , 2007, 362, 238-244.	1.0	12
877	Effects of gonadotropin-releasing hormone agonist/recombinant follicle-stimulating hormone versus gonadotropin-releasing hormone antagonist/recombinant follicle-stimulating hormone on follicular fluid levels of adhesion molecules during in vitro fertilization. <i>Fertility and Sterility</i> , 2007, 87, 39-47.	0.5	6
878	Maternal serum soluble adhesion molecule levels at 11 ⁺⁰ and 13 ⁺⁶ weeks and subsequent development of pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 793-796.	0.7	15
879	Therapeutic regulation of endothelial dysfunction in type 2 diabetes mellitus. <i>Diabetes and Vascular Disease Research</i> , 2007, 4, 89-102.	0.9	76

#	ARTICLE	IF	CITATIONS
880	Endothelial activation and dysregulation: A common pathway to organ injury in infectious diseases associated with systemic inflammation. <i>Drug Discovery Today Disease Mechanisms</i> , 2007, 4, 215-222.	0.8	4
882	Proteomic Mapping of Endothelium and Vascular Targeting in Vivo. , 2007, , 881-897.		5
883	Endothelial Microparticles: Biology, Function, Assay and Clinical Application. , 0, , 1621-1636.		1
885	ICAM-1 expression on conjunctival epithelial cells in patients with cystic fibrosis. <i>Cytometry Part B - Clinical Cytometry</i> , 2007, 72B, 204-208.	0.7	13
886	Outer membrane protein A of Escherichia coli K1 selectively enhances the expression of intercellular adhesion molecule-1 in brain microvascular endothelial cells. <i>Microbes and Infection</i> , 2007, 9, 547-557.	1.0	19
887	The stress of birth enhances <i>in vitro</i> spontaneous and IL-8-induced neutrophil chemotaxis in the human newborn. <i>Pediatric Allergy and Immunology</i> , 2007, 18, 643-651.	1.1	76
888	Platelet activation in acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 918-924.	1.9	63
889	Time course of VCAM-1 and ICAM-1 in CSF in patients with basal ganglia haemorrhage. <i>Acta Neurologica Scandinavica</i> , 2007, 116, 49-55.	1.0	17
890	Inflammatory parameters and soluble cell adhesion molecules in Swedish children with Kawasaki disease: relationship to cardiac lesions and intravenous immunoglobulin treatment. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1999, 88, 844-848.	0.7	27
891	Comparative study of serum soluble VCAM-1 and ICAM-1 levels in the early neonatal period. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1999, 88, 1413-1414.	0.7	8
892	Comparative study of serum soluble VCAM-1 and ICAM-1 levels in the early neonatal period. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2007, 88, 1414-1414.	0.7	0
893	Soluble intercellular adhesion molecule-1 in paediatric connective tissue diseases. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1999, 88, 399-403.	0.7	14
894	Soluble forms of the selectin family in children with Kawasaki disease: prediction for coronary artery lesions. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2002, 91, 1183-1188.	0.7	12
895	Serum-soluble selectin levels in patients with Behçet's disease. <i>Clinical Rheumatology</i> , 2007, 26, 411-417.	1.0	12
896	Circulating P-, L- and E-selectins in pseudoxanthoma elasticum patients. <i>Clinical Biochemistry</i> , 2008, 41, 368-374.	0.8	8
897	Differential dose-dependent effects of prednisolone on shedding of endothelial adhesion molecules during human endotoxemia. <i>Immunology Letters</i> , 2008, 121, 93-96.	1.1	15
898	The selectin-selectin ligand axis in tumor progression. <i>Cancer and Metastasis Reviews</i> , 2008, 27, 19-30.	2.7	118
899	Polymorphisms of the ICAM-1 Gene Are Associated with Biliary Atresia. <i>Digestive Diseases and Sciences</i> , 2008, 53, 2000-2004.	1.1	31

#	ARTICLE	IF	CITATIONS
900	Cell Adhesion Molecules: Potential Therapeutic & Diagnostic Implications. <i>Molecular Biotechnology</i> , 2008, 38, 33-40.	1.3	87
901	Elevated levels of interleukin-2 receptor and intercellular adhesion molecule 1 in sera from a venezuelan cohort of patients with dengue. <i>Archives of Virology</i> , 2008, 153, 199-203.	0.9	12
902	Blood serum levels of vascular cell adhesion molecule (sVCAM-1), intercellular adhesion molecule (sICAM-1) and endothelial leucocyte adhesion molecule-1 (ELAM-1) in diabetic retinopathy. <i>Clinical and Experimental Medicine</i> , 2008, 8, 159-164.	1.9	36
903	Quantitative trait locus analysis of circulating adhesion molecules in hyperlipidemic apolipoprotein E-deficient mice. <i>Molecular Genetics and Genomics</i> , 2008, 280, 375-383.	1.0	3
904	Modulation of enzymatic activities by n-3 polyunsaturated fatty acids to support cardiovascular health. <i>Journal of Nutritional Biochemistry</i> , 2008, 19, 417-437.	1.9	92
905	Differences in the Inflammatory Response between Patients with and Those without Diabetes Mellitus after Coronary Stenting. <i>Journal of Interventional Cardiology</i> , 2008, 21, 403-409.	0.5	14
906	Elevation of serum soluble vascular cell adhesion molecule-1 (sVCAM-1) levels in bronchial asthma. <i>Clinical and Experimental Immunology</i> , 2008, 101, 468-473.	1.1	23
907	P-selectin polymorphismsâ€™ influences on P-selectin serum concentrations and on their familial correlation: the STANISLAS family study. <i>Journal of Thrombosis and Haemostasis</i> , 2008, 6, 920-927.	1.9	9

908

#	ARTICLE	IF	CITATIONS
918	Expression of Intercellular Adhesion Molecule-1 and Vascular Cell Adhesion Molecule-1 in Human Endometrial Stromal and Epithelial Cells Is Regulated by Interferon-Gamma but Not Iron. <i>Gynecologic and Obstetric Investigation</i> , 2008, 65, 145-154.	0.7	12
919	Effect of Aging on Fatty Streak Formation in a Diet-Induced Mouse Model of Atherosclerosis. <i>Journal of Vascular Research</i> , 2008, 45, 205-210.	0.6	22
920	Cytokine Regulation of Intercellular Adhesion Molecule-1 Expression on Trophoblasts in Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2008, 66, 27-33.	0.7	17
921	Effect of short-term intralipid infusion on the immune response during low-dose endotoxemia in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E371-E379.	1.8	69
923	Morphology of Atherosclerotic Plaque: Its Feature by Imaging Study. <i>Current Pharmaceutical Design</i> , 2008, 14, 1753-1760.	0.9	3
924	Endothelial activation and systemic inflammation in obese asthmatic children. <i>Allergy and Asthma Proceedings</i> , 2008, 29, 453-460.	1.0	15
925	Hypothermia after cardiac arrest does not alter serum inflammatory markers*. <i>Critical Care Medicine</i> , 2008, 36, 2607-2612.	0.4	87
926	Cardiotrophin-1 induces intercellular adhesion molecule-1 expression by nuclear factor κ B activation in human umbilical vein endothelial cells. <i>Chinese Medical Journal</i> , 2008, 121, 2592-2598.	0.9	10
927	Protein Biochip Array of Adhesion Molecule Expression in Peripheral Blood of Patients with Nasal Polyposis. <i>International Journal of Biological Markers</i> , 2008, 23, 115-120.	0.7	5
928	ENDOTHELIAL DYSFUNCTION IN ISCHEMIC HEART DISEASE. <i>Rational Pharmacotherapy in Cardiology</i> , 2008, 4, 23-27.	0.3	3
929	Increased exhaled carbon monoxide concentration during living donor liver transplantation. <i>International Journal of Molecular Medicine</i> , 2008, , .	1.8	4
930	Increase in E-selectin expression in umbilical vein endothelial cells by anticancer drugs and inhibition by cimetidine. <i>Oncology Reports</i> , 2009, 22, 1293-7.	1.2	8
931	Markers of endothelial dysfunction after cardiac surgery: Soluble forms of vascular-1 and intercellular-1 adhesion molecules. <i>Medicina (Lithuania)</i> , 2009, 45, 434.	0.8	18
932	Amniotic fluid adhesion molecules during parturition at term. <i>Journal of Perinatal Medicine</i> , 2009, 37, 28-31.	0.6	3
933	Endothelial Dysfunction in Lacunar Stroke: A Systematic Review. <i>Cerebrovascular Diseases</i> , 2009, 27, 519-526.	0.8	117
934	sPECAM-1 and sVCAM-1: role in pathogenesis and diagnosis of chronic hepatitis C and association with response to antiviral therapy. <i>Therapeutic Advances in Gastroenterology</i> , 2009, 2, 79-90.	1.4	9
935	The effects of short-term, rapid glycemc control on the peroneal nerve function and serum VCAM-1 and AGE in type 2 diabetic patients in Malaysia. <i>Indian Journal of Medical Sciences</i> , 2009, 63, 131.	0.1	7
936	Do serum biomarkers really measure breast cancer?. <i>BMC Cancer</i> , 2009, 9, 164.	1.1	36

#	ARTICLE	IF	CITATIONS
937	Vascular cell adhesion molecule - a new approach to detect endothelial cell activation in MS and encephalitis in vivo. <i>Acta Neurologica Scandinavica</i> , 1996, 93, 118-122.	1.0	11
938	Prognostic value of increased soluble thrombomodulin and increased soluble E-selectin in ischaemic heart disease. <i>European Journal of Haematology</i> , 1997, 59, 115-120.	1.1	76
939	The effect of fatty or lean fish intake on inflammatory gene expression in peripheral blood mononuclear cells of patients with coronary heart disease. <i>European Journal of Nutrition</i> , 2009, 48, 447-455.	1.8	47
940	Platelet reactivity and the identification of acute coronary syndromes in the emergency department. <i>Journal of Thrombosis and Thrombolysis</i> , 2009, 28, 31-37.	1.0	4
941	No effect of fish oil supplementation on serum inflammatory markers and their interrelationships: a randomized controlled trial in healthy, middle-aged individuals. <i>European Journal of Clinical Nutrition</i> , 2009, 63, 1353-1359.	1.3	61
942	ORIGINAL ARTICLE: Leukocyte Activation and Circulating Leukocyte-Derived Microparticles in Preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2009, 61, 346-359.	1.2	61
943	Reduced adhesion of PBMNCs to endothelium in methylprednisolone-treated MS patients: preliminary results. <i>Acta Neurologica Scandinavica</i> , 1997, 96, 283-292.	1.0	11
944	Nutrition, Immune Cells, and Atherosclerosis. <i>Nutrition Reviews</i> , 2009, 56, S177-S182.	2.6	23
945	Assessment of endothelial (dys)function in atrial fibrillation. <i>Annals of Medicine</i> , 2009, 41, 576-590.	1.5	18
946	Serum levels of soluble vascular cell adhesion molecule-1, tumor necrosis factor- α , and interleukin-6 in in vitro fertilization cycles. <i>Fertility and Sterility</i> , 2009, 91, 2012-2019.	0.5	13
947	A distinct profile of serum levels of soluble intercellular adhesion molecule-1 and intercellular adhesion molecule-3 in mycosis fungoides and SÅ©zary syndrome. <i>Journal of the American Academy of Dermatology</i> , 2009, 61, 263-270.	0.6	12
948	Elevated soluble intercellular adhesion molecule-1 levels are associated with poor short-term prognosis in middle-aged patients with acute ischaemic stroke. <i>International Journal of Cardiology</i> , 2009, 132, 216-220.	0.8	25
949	The multiplex bead array approach to identifying serum biomarkers associated with breast cancer. <i>Breast Cancer Research</i> , 2009, 11, R22.	2.2	107
950	Systemic and vascular markers of inflammation in relation to metabolic syndrome and insulin resistance in adults with elevated atherosclerosis risk. <i>Atherosclerosis</i> , 2009, 202, 263-271.	0.4	82
951	Activation of Endothelial and Coagulation Systems in Left Ventricular Assist Device Recipients. <i>Annals of Thoracic Surgery</i> , 2009, 88, 1171-1179.	0.7	101
953	ICAM-1 signaling in endothelial cells. <i>Pharmacological Reports</i> , 2009, 61, 22-32.	1.5	534
954	Flaxseed and Cardiovascular Health. <i>Journal of Cardiovascular Pharmacology</i> , 2009, 54, 369-377.	0.8	147
955	Kynurenine and Its Metabolites—Kynurenic Acid and Anthranilic Acid are Associated With Soluble Endothelial Adhesion Molecules and Oxidative Status in Patients With Chronic Kidney Disease. <i>American Journal of the Medical Sciences</i> , 2009, 338, 293-300.	0.4	31

#	ARTICLE	IF	CITATIONS
956	Effects of Shikonin Isolated from Zicao on Lupus Nephritis in NZB/W F1 Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 1565-1570.	0.6	17
957	Poloxamer 407 increases soluble adhesion molecules, ICAM-1, VCAM-1 and E-selectin, in C57BL/6 mice. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 61, 1681-1688.	1.2	5
958	6-Mercaptopurine attenuates adhesive molecules in experimental vasospasm. <i>Acta Neurochirurgica</i> , 2010, 152, 861-867.	0.9	19
959	Effect of moxibustion therapy on the serumal intercellular cell adhesion molecule and the histopathology of experimental arthritis in rats. <i>Journal of Acupuncture and Tuina Science</i> , 2010, 8, 210-213.	0.1	0
960	Biomarkers of inflammation, endothelial dysfunction and insulin resistance in adults of Inner Mongolia, China. <i>Diabetes/Metabolism Research and Reviews</i> , 2010, 26, 490-495.	1.7	6
961	Heterocycle-substituted proline dipeptides as potent VLA-4 antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 1173-1176.	1.0	7
962	Human vascular adhesion proteïn-1 (VAP-1): Serum levels for hepatocellular carcinoma in non-alcoholic and alcoholic fatty liver disease. <i>World Journal of Surgical Oncology</i> , 2010, 8, 83.	0.8	14
963	Gender-specific features of plasmatic and circulating cell alterations as risk factors in cardiovascular disease. <i>Fundamental and Clinical Pharmacology</i> , 2010, 24, 665-674.	1.0	11
964	Oxidative Stress, Nitric Oxide, and Vascular Disease. <i>Journal of Cardiac Surgery</i> , 2010, 17, 324-327.	0.3	35
965	Nitric oxide derivatives and soluble plasma selectins in patients with myeloproliferative neoplasms. <i>Thrombosis and Haemostasis</i> , 2010, 104, 151-156.	1.8	51
966	Gelatinase B (MMP-9) deficiency does not affect murine adipose tissue development. <i>Thrombosis and Haemostasis</i> , 2010, 104, 165-171.	1.8	29
967	Dosagem de marcadores de lesão endotelial em pacientes com doença renal crônica em hemodiálise. <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2010, 46, 207-214.	0.3	5
968	Biomarkers of Endothelial Cell Activation Serve as Potential Surrogate Markers for Drug-induced Vascular Injury. <i>Toxicologic Pathology</i> , 2010, 38, 856-871.	0.9	90
969	Macrophage Migration Inhibitory Factor (MIF) and Manganese Superoxide Dismutase (MnSOD) as Early Predictors for Survival in Patients with Severe Sepsis or Septic Shock. <i>Journal of Surgical Research</i> , 2010, 164, e163-e171.	0.8	26
970	Evaluation of the association of serum levels of hyaluronic acid, sICAM-1, sVCAM-1, and VEGF-A with mortality and prognosis in patients with Crimean-Congo hemorrhagic fever. <i>Journal of Clinical Virology</i> , 2010, 47, 115-119.	1.6	48
971	Cytokine expression in placenta-derived mesenchymal stem cells in patients with pre-eclampsia and normal pregnancies. <i>Cytokine</i> , 2010, 49, 95-101.	1.4	58
972	A membranous form of ICAM-1 on exosomes efficiently blocks leukocyte adhesion to activated endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 397, 251-256.	1.0	71
973	Highly sensitivity adhesion molecules detection in hereditary haemochromatosis patients reveals altered expression. <i>International Journal of Immunogenetics</i> , 2010, 37, 125-133.	0.8	5

#	ARTICLE	IF	CITATIONS
975	Effect of Coupled Plasma Filtration Adsorption on Endothelial Cell Function in Patients with Multiple Organ Dysfunction Syndrome. <i>International Journal of Artificial Organs</i> , 2011, 34, 288-294.	0.7	4
976	Membrane proteases and tetraspanins. <i>Biochemical Society Transactions</i> , 2011, 39, 541-546.	1.6	16
977	Morphine Postconditioning Attenuates ICAM-1 Expression on Endothelial Cells. <i>Journal of Korean Medical Science</i> , 2011, 26, 290.	1.1	12
978	Serum levels of sICAM-1, sVCAM-1, sE-selectin, sP-selection in healthy Bulgarian people. <i>Folia Medica</i> , 2011, 53, 22-28.	0.2	12
979	Is everything clear about Tako-Tsubo syndrome?. <i>Folia Medica</i> , 2011, 53, 5-35.	0.2	9
980	Weight loss induced by 6-month lifestyle intervention improves early endothelial activation and fibrinolysis in obese adolescents. <i>Child: Care, Health and Development</i> , 2011, 37, 377-384.	0.8	18
981	Vitreous inflammatory factors in macular edema with central retinal vein occlusion. <i>Japanese Journal of Ophthalmology</i> , 2011, 55, 248-255.	0.9	40
982	The sheddase activity of ADAM17/TACE is regulated by the tetraspanin CD9. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 3275-3292.	2.4	93
983	Functional interplay between tetraspanins and proteases. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 3323-3335.	2.4	71
984	Changes in the vascular cell adhesion molecule-1, intercellular adhesion molecule-1 and c-reactive protein following administration of aqueous extract of piper sarmentosum on experimental rabbits fed with cholesterol diet. <i>Lipids in Health and Disease</i> , 2011, 10, 2.	1.2	33
985	Vitreous inflammatory factors and serous retinal detachment in central retinal vein occlusion: a case control series. <i>Journal of Inflammation</i> , 2011, 8, 38.	1.5	18
986	Baseline Levels and Decrease in Serum Soluble Intercellular Adhesion Molecule-1 During Chemotherapy Predict Objective Response and Survival in Patients Who Have Advanced Non-Small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2011, 12, 131-137.	1.1	14
987	Activation of β_2 Integrins on Blood Eosinophils by P-Selectin. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011, 45, 889-897.	1.4	36
988	Relationship Between Neonatal Blood Protein Concentrations and Placenta Histologic Characteristics in Extremely Low GA Newborns. <i>Pediatric Research</i> , 2011, 69, 68-73.	1.1	87
989	Relationships between Vitamin D Status and Cardio-Metabolic Risk Factors in Young European Adults. <i>Annals of Nutrition and Metabolism</i> , 2011, 58, 85-93.	1.0	31
990	Physiology and Pathophysiology of Selectins, Integrins, and IgSf Cell Adhesion Molecules Focusing on Inflammation. A Paradigm Model on Infectious Endocarditis. <i>Cell Communication and Adhesion</i> , 2011, 18, 19-32.	1.0	42
991	Effects of n-3 PUFA supplementation on plasma soluble adhesion molecules: a meta-analysis of randomized controlled trials. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 972-980.	2.2	42
992	Soluble Vascular Adhesion Protein-1 Correlates With Cardiovascular Risk Factors and Early Atherosclerotic Manifestations. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 523-532.	1.1	49

#	ARTICLE	IF	CITATIONS
993	Chemerin as a Mediator between Obesity and Vascular Inflammation in Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E556-E564.	1.8	139
994	Platelet Activation, P-Selectin, and Eosinophil β_2 -Integrin Activation in Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 185, 498-507.	2.5	83
995	Cell adhesion molecules in Alzheimer's disease. <i>Degenerative Neurological and Neuromuscular Disease</i> , 2012, 2, 65.	0.7	30
996	Inflammatory Disturbances in Preeclampsia: Relationship between Maternal and Umbilical Cord Blood. <i>Journal of Pregnancy</i> , 2012, 2012, 1-10.	1.1	68
997	Vascular Adhesion Protein-1 and Hepatocellular Cancer. , 2012, , .		0
998	ICAM-1: Contribution to Vascular Inflammation and Early Atherosclerosis. , 0, , .		0
999	Vascular endothelial growth factor and soluble intercellular adhesion molecule-1 in lung adenocarcinoma with malignant pleural effusion: Correlations with patient survival and pleural effusion control. <i>Neoplasma</i> , 2012, 59, 433-439.	0.7	13
1000	Lavandulyl Flavanones from the Stems of <i>Hypericum calycinum</i> L.. <i>Chemistry and Biodiversity</i> , 2012, 9, 1198-1204.	1.0	3
1001	Cyanate Is a Novel Inducer of Endothelial ICAM-1 Expression. <i>Antioxidants and Redox Signaling</i> , 2012, 16, 129-137.	2.5	30
1002	Barrier protective activities of curcumin and its derivative. <i>Inflammation Research</i> , 2012, 61, 437-444.	1.6	7
1003	Contribution of flavonoids and catechol to the reduction of ICAM-1 expression in endothelial cells by a standardised Willow bark extract. <i>Phytomedicine</i> , 2012, 19, 245-252.	2.3	48
1004	Markers of systemic inflammation in psoriasis: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , 2013, 169, 266-282.	1.4	187
1005	Prediction of Residual Valvular Lesions in Rheumatic Heart Disease: Role of Adhesion Molecules. <i>Pediatric Cardiology</i> , 2013, 34, 583-590.	0.6	11
1006	Soluble ICAM-1 levels in small-cell lung cancer: prognostic value for survival and predictive significance for response during chemotherapy. <i>Medical Oncology</i> , 2013, 30, 662.	1.2	14
1007	Methylprednisolone Use is Associated with Endothelial Cell Activation Following Cardiac Surgery. <i>Heart Lung and Circulation</i> , 2013, 22, 25-30.	0.2	8
1008	Soluble Adhesion Molecules Correlate with Surface Expression in an <i>In Vitro</i> Model of Endothelial Activation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013, 113, 273-279.	1.2	51
1009	Enhanced expression of the soluble form of E-selectin attenuates progression of lupus nephritis and vasculitis in MRL/lpr mice. <i>Immunity, Inflammation and Disease</i> , 2013, 1, 37-46.	1.3	16
1010	Significance of correlation between interferon- β and soluble intercellular adhesion molecule-1 and interleukin-17 in hepatitis B virus-related cirrhosis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013, 37, 608-613.	0.7	8

#	ARTICLE	IF	CITATIONS
1011	Functional and morphological vascular changes in subjects with familial combined hypolipidemia: An exploratory analysis. <i>International Journal of Cardiology</i> , 2013, 168, 4375-4378.	0.8	15
1012	Serum adhesion molecules as predictors of bacteremia in adult severe sepsis patients at the emergency department. <i>Clinica Chimica Acta</i> , 2013, 421, 116-120.	0.5	17
1013	Does cardiac resynchronization therapy benefit patients with ischemic and non-ischemic cardiomyopathy similarly?. <i>International Journal of Cardiology</i> , 2013, 168, 4378-4380.	0.8	8
1014	The cathelicidins LL-37 and rCRAMP are associated with pathogenic events of arthritis in humans and rats. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1239-1248.	0.5	73
1015	Markers of Vascular Perturbation Correlate with Airway Structural Change in Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 188, 167-178.	2.5	26
1016	HDL and endothelial protection: examining evidence from HDL inherited disorders. <i>Clinical Lipidology</i> , 2013, 8, 361-370.	0.4	4
1017	Effect of a Prolonged Endurance Marathon on Vascular Endothelial and Inflammation Markers in Runners with Exercise-Induced Hypertension. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2013, 92, 513-522.	0.7	20
1018	Biomarkers of ALI/ARDS: Pathogenesis, Discovery, and Relevance to Clinical Trials. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2013, 34, 537-548.	0.8	54
1019	Effects of Swedish Massage Therapy on Blood Pressure, Heart Rate, and Inflammatory Markers in Hypertensive Women. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-8.	0.5	18
1020	Endothelial Dysfunction in Diabetes: Pathogenesis, Significance, and Treatment. <i>Review of Diabetic Studies</i> , 2013, 10, 133-156.	0.5	104
1021	A procoagulant state and endothelial dysfunction in obese children. <i>British Journal of Haematology</i> , 2013, 160, 717-718.	1.2	0
1022	A Combined Impedance and AlphaLISA-Based Approach to Identify Anti-inflammatory and Barrier-Protective Compounds in Human Endothelium. <i>Journal of Biomolecular Screening</i> , 2013, 18, 67-74.	2.6	17
1023	Prognostic role of plasma von Willebrand factor and soluble E-selectin levels for future cardiovascular events in a "real-world" community cohort of patients with atrial fibrillation. <i>European Journal of Clinical Investigation</i> , 2013, 43, 1032-1038.	1.7	35
1024	Importance of adhesion molecules for children with congenital heart disease. <i>Cardiology in the Young</i> , 2013, 23, 35-40.	0.4	1
1025	Nasal Eosinophilia and Serum Soluble Intercellular Adhesion Molecule 1 in Patients with Allergic Rhinitis Treated with Montelukast Alone or in Combination with Desloratadine or Levocetirizine. <i>American Journal of Rhinology and Allergy</i> , 2013, 27, e58-e62.	1.0	14
1026	A comparative study of vascular cell adhesion molecule-1 and high-sensitive C-reactive protein in normal and preeclamptic pregnancies. <i>Interventional Medicine & Applied Science</i> , 2013, 5, 26-30.	0.2	5
1027	Phenotype Changes of Circulating Monocytes in a Hypercholesterolemic Swine Model of Coronary Artery Disease. <i>Journal of Cytology & Histology</i> , 2014, 05, .	0.1	1
1028	High-dose IgG therapy mitigates bile duct-targeted inflammation and obstruction in a mouse model of biliary atresia. <i>Pediatric Research</i> , 2014, 76, 72-80.	1.1	16

#	ARTICLE	IF	CITATIONS
1029	Elevated Serum Vascular Cell Adhesion Molecule-1 Is Associated with Septic Encephalopathy in Adult Community-Onset Severe Sepsis Patients. <i>BioMed Research International</i> , 2014, 2014, 1-10.	0.9	20
1030	Effect of Muscle Unloading, Reloading and Exercise on Inflammation during a Head-down Bed Rest. <i>International Journal of Sports Medicine</i> , 2014, 35, 28-34.	0.8	20
1031	The effect of hormone therapy on biochemical and ultrasound parameters associated with atherosclerosis in 46,XY DSD individuals with female phenotype. <i>Gynecological Endocrinology</i> , 2014, 30, 721-725.	0.7	4
1032	Effects of general and spinal anesthetic techniques on endothelial adhesion molecules in cesarean section. <i>Korean Journal of Anesthesiology</i> , 2014, 66, 364.	0.9	3
1033	Cytokine production associated with smallpox vaccine responses. <i>Immunotherapy</i> , 2014, 6, 1097-1112.	1.0	18
1034	Plaque and blood vulnerability in ST segment elevation myocardial infarction patients. <i>Coronary Artery Disease</i> , 2014, 25, 104-110.	0.3	0
1035	E-selectin and vascular complications in children with type 1 diabetes mellitus. <i>Medical Research Journal</i> , 2014, 13, 27-32.	0.1	1
1036	Markers of mechanical asphyxia: immunohistochemical study on autoptic lung tissues. <i>International Journal of Legal Medicine</i> , 2014, 128, 117-125.	1.2	44
1037	Endothelial Dysfunction and Dyslipidemia in Type 2 Diabetes: Pathogenesis, Significance and Therapy. <i>Contemporary Diabetes</i> , 2014, , 239-278.	0.0	0
1038	Soluble adhesion molecules as markers for sepsis and the potential pathophysiological discrepancy in neonates, children and adults. <i>Critical Care</i> , 2014, 18, 204.	2.5	125
1039	Multicenter Randomized Phase 2 Clinical Trial of a Recombinant Human Endostatin Adenovirus in Patients with Advanced Head and Neck Carcinoma. <i>Molecular Therapy</i> , 2014, 22, 1221-1229.	3.7	36
1040	Preventing Vascular Effects on Brain Injury and Cognition Late in Life: Knowns and Unknowns. <i>Neuropsychology Review</i> , 2014, 24, 371-387.	2.5	15
1041	Elevated biomarkers of endothelial dysfunction/activation at ICU admission are associated with sepsis development. <i>Cytokine</i> , 2014, 69, 240-247.	1.4	42
1042	Serum adhesion molecules as outcome predictors in adult severe sepsis patients requiring mechanical ventilation in the emergency department. <i>Clinical Biochemistry</i> , 2014, 47, 38-43.	0.8	17
1043	Characterization of nanoparticle delivery in microcirculation using a microfluidic device. <i>Microvascular Research</i> , 2014, 94, 17-27.	1.1	34
1044	Preserved Cerebral Microcirculation After Cardiac Arrest in a Rat Model. <i>Microcirculation</i> , 2015, 22, 464-474.	1.0	6
1045	Effect of 10-Week Supervised Moderate-Intensity Intermittent vs. Continuous Aerobic Exercise Programs on Vascular Adhesion Molecules in Patients with Heart Failure. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2015, 94, 898-911.	0.7	35
1046	Effects of the contraceptive skin patch and subdermal contraceptive implant on markers of endothelial cell activation and inflammation. <i>Journal of Clinical Pharmacology</i> , 2015, 55, 780-786.	1.0	0

#	ARTICLE	IF	CITATIONS
1047	The impact of selectins on mortality in stable carotid atherosclerosis. <i>Thrombosis and Haemostasis</i> , 2015, 114, 632-638.	1.8	17
1048	Novel Inflammatory Markers in Hyperlipidemia: Clinical Implications. <i>Current Medicinal Chemistry</i> , 2015, 22, 2727-2743.	1.2	27
1049	Elevated circulating vascular cell Adhesion Molecule-1 (sVCAM-1) is associated with concurrent depressive symptoms and cerebral white matter Hyperintensities in older adults. <i>BMC Geriatrics</i> , 2015, 15, 62.	1.1	25
1050	Relation Between Circulating Inflammatory Chemokines and Vascular Characteristics in Healthy, Young Children. <i>Journal of the American Heart Association</i> , 2015, 4, .	1.6	12
1051	Soluble CD54 induces human endothelial cells ex vivo expansion useful for cardiovascular regeneration and tissue engineering application. <i>IJC Heart and Vasculature</i> , 2015, 6, 48-53.	0.6	4
1052	Human sickness behavior: Ultimate and proximate explanations. <i>American Journal of Physical Anthropology</i> , 2015, 157, 1-18.	2.1	116
1053	Soluble VCAM-1 and E-Selectin in PD Patients: The Additive Value of the Free Diffusion Coefficient in the Assessment of Local Peritoneal Production. <i>Peritoneal Dialysis International</i> , 2015, 35, 90-93.	1.1	3
1054	Revisited anti-inflammatory activity of matricine in vitro: Comparison with chamazulene. <i>FĀ-toterapĀ-Āĉ</i> , 2015, 106, 122-128.	1.1	32
1055	Chronic Peritoneal Dialysis in Lebanese Children of Families with Low Socioeconomic Status. <i>Peritoneal Dialysis International</i> , 2015, 35, 93-96.	1.1	4
1056	Vascular cell adhesion molecule-1 (VCAM-1) "An increasing insight into its role in tumorigenicity and metastasis. <i>International Journal of Cancer</i> , 2015, 136, 2504-2514.	2.3	195
1057	Effect of peritoneal dialysis fluid containing osmo-metabolic agents on human endothelial cells. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 3925-3932.	2.0	13
1058	The effect of soluble E-selectin on tumor progression and metastasis. <i>BMC Cancer</i> , 2016, 16, 331.	1.1	39
1059	Extracellular matrix proteins matrix metalloproteinase 9 (MMP9) and soluble intercellular adhesion molecule 1 (sICAM-1) and correlations with clinical staging in euthymic bipolar disorder. <i>Bipolar Disorders</i> , 2016, 18, 155-163.	1.1	26
1060	The value of serial serum cell adhesion molecules in predicting acute kidney injury after severe sepsis in adults. <i>Clinica Chimica Acta</i> , 2016, 457, 86-91.	0.5	6
1061	Retrospectively gated MRI for <i>in vivo</i> assessment of endothelium-dependent vasodilatation and endothelial permeability in murine models of endothelial dysfunction. <i>NMR in Biomedicine</i> , 2016, 29, 1088-1097.	1.6	24
1062	Is urine intercellular adhesion molecule-1 a marker of renal disorder in children with ureteropelvic junction obstruction?. <i>Biomarkers</i> , 2016, 21, 123-128.	0.9	2
1063	The use of the soluble adhesion molecules sE-selectin, sICAM-1, sVCAM-1, sPECAM-1 and their ligands CD11a and CD49d as diagnostic and prognostic biomarkers in septic and critically ill non-septic ICU patients. <i>Apmis</i> , 2016, 124, 846-855.	0.9	13
1064	Deregulation of Soluble Adhesion Molecules in Resistant Hypertension and Its Role in Cardiovascular Remodeling. <i>Circulation Journal</i> , 2016, 80, 1196-1201.	0.7	14

#	ARTICLE	IF	CITATIONS
1065	Differential expression of alternatively spliced transcripts related to energy metabolism in colorectal cancer. <i>BMC Genomics</i> , 2016, 17, 1011.	1.2	50
1066	ABO blood groups in relation to breast carcinoma incidence and associated prognostic factors in Moroccan women. <i>Medical Oncology</i> , 2016, 33, 67.	1.2	6
1067	Dietary intake of cod and scallop reduces atherosclerotic burden in female apolipoprotein E-deficient mice fed a Western-type high fat diet for 13 weeks. <i>Nutrition and Metabolism</i> , 2016, 13, 8.	1.3	18
1068	Polymorphism rs5498 of the ICAM-1 gene affects the progression of carotid atherosclerosis in patients with type 2 diabetes mellitus. <i>Lipids in Health and Disease</i> , 2016, 15, 79.	1.2	8
1069	Improved monitoring of clinical response in Systemic Lupus Erythematosus by longitudinal trend in soluble vascular cell adhesion molecule-1. <i>Arthritis Research and Therapy</i> , 2016, 18, 5.	1.6	22
1070	Serum activated leukocyte cell adhesion molecule and intercellular adhesion molecule-1 in patients with gastric cancer: Can they be used as biomarkers?. <i>Biomedicine and Pharmacotherapy</i> , 2016, 77, 86-91.	2.5	14
1071	Soluble Adhesion Molecules During Ex Vivo Lung Perfusion Are Associated With Posttransplant Primary Graft Dysfunction. <i>American Journal of Transplantation</i> , 2017, 17, 1396-1404.	2.6	34
1072	TRAF4 promotes lung cancer aggressiveness by modulating tumor microenvironment in normal fibroblasts. <i>Scientific Reports</i> , 2017, 7, 8923.	1.6	31
1073	E-selectin and sICAM-1, biomarkers of endothelial function, predict recurrence of venous thromboembolism. <i>Thrombosis Research</i> , 2017, 157, 173-180.	0.8	22
1074	Pathologic evaluation of tumor-associated macrophage density and vessel inflammation in invasive breast carcinomas. <i>Oncology Letters</i> , 2017, 14, 2111-2118.	0.8	28
1075	Host genetics and dengue fever. <i>Infection, Genetics and Evolution</i> , 2017, 56, 99-110.	1.0	41
1076	Impact of zinc oxide nanoparticles on an in vitro model of the human air-blood barrier. <i>Toxicology Letters</i> , 2017, 279, 22-32.	0.4	42
1077	Genetic, metabolic and endocrine aspect of intrauterine growth restriction: an update. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2017, 30, 2263-2275.	0.7	43
1078	Ectodomain Shedding by ADAM17: Its Role in Neutrophil Recruitment and the Impairment of This Process during Sepsis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 138.	1.8	46
1079	Increased Fibrinogen to Albumin Ratio in Ischemic Retinal Vein Occlusions. <i>European Journal of Ophthalmology</i> , 2017, 27, 735-739.	0.7	13
1080	Vitamin D supplementation improves endothelial dysfunction in patients with non-dialysis chronic kidney disease. <i>International Urology and Nephrology</i> , 2018, 50, 923-927.	0.6	20
1081	Identification of endothelial selectin as a potential prognostic marker in breast cancer. <i>Oncology Letters</i> , 2018, 15, 9908-9916.	0.8	2
1082	Oxidative stress and reactive oxygen species in endothelial dysfunction associated with cardiovascular and metabolic diseases. <i>Vascular Pharmacology</i> , 2018, 100, 1-19.	1.0	805

#	ARTICLE	IF	CITATIONS
1083	Cell Adhesion Molecules in Renal Injury. , 2018, , 507-532.		0
1084	Acute effect of different concentrations of cayenne pepper cataplasm on sensory-motor functions and serum levels of inflammation-related biomarkers in healthy subjects. <i>European Journal of Translational Myology</i> , 2018, 28, 7333.	0.8	5
1085	Relationship between serum vascular cell adhesion molecule-1 and endothelin-1 levels with organ involvement and disease activity in systemic lupus erythematosus patients. <i>Lupus</i> , 2018, 27, 1918-1925.	0.8	8
1086	Enhanced inflammation in subgroups of metabolic syndrome irrespective of glycaemic status. <i>Journal of Fundamental and Applied Sciences</i> , 2018, 9, 331.	0.2	0
1087	Dietary Inflammatory Index and Type 2 Diabetes Mellitus in Adults: The Diabetes Mellitus Survey of Mexico City. <i>Nutrients</i> , 2018, 10, 385.	1.7	76
1088	Biomarkers of endothelial dysfunction predict sepsis mortality in young infants: a matched case-control study. <i>BMC Pediatrics</i> , 2018, 18, 118.	0.7	27
1089	Relationship between intercellular adhesion molecule-1 and morbidly adherent placenta. <i>Journal of Perinatal Medicine</i> , 2018, 47, 45-49.	0.6	4
1090	The role of endothelial cells in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2019, 18, 752-761.	0.3	17
1091	Soluble Vascular Cell Adhesion Molecule-1 Is Associated With Disease Activity in Adult-Onset Minimal Change Disease. <i>American Journal of the Medical Sciences</i> , 2019, 357, 311-315.	0.4	1
1092	Integrated Transcriptomic and Proteomic Analysis of Primary Human Umbilical Vein Endothelial Cells. <i>Proteomics</i> , 2019, 19, e1800315.	1.3	16
1093	Soluble intercellular adhesion molecule-1 is a prognostic marker in colorectal carcinoma. <i>International Journal of Colorectal Disease</i> , 2019, 34, 309-317.	1.0	18
1094	Comparison of sVCAM-1 and sICAM-1 levels in maternal serum and vaginal secretion between pregnant women with preterm prelabour ruptures of membranes and healthy pregnant women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 32, 910-915.	0.7	4
1095	ALCAM and VCAM-1 as urine biomarkers of activity and long-term renal outcome in systemic lupus erythematosus. <i>Rheumatology</i> , 2020, 59, 2237-2249.	0.9	34
1096	Influence of smoking and smoking cessation on biomarkers of endothelial function and their association with mortality. <i>Atherosclerosis</i> , 2020, 292, 52-59.	0.4	16
1097	Plasma P-Selectin Is Inversely Associated with Lung Function and Corticosteroid Responsiveness in Asthma. <i>International Archives of Allergy and Immunology</i> , 2020, 181, 879-887.	0.9	3
1098	Colorectal cancer is associated with increased circulating lipopolysaccharide, inflammation and hypercoagulability. <i>Scientific Reports</i> , 2020, 10, 8777.	1.6	44
1099	Epithelial and Endothelial Adhesion of Immune Cells Is Enhanced by Cardiotonic Steroid Signaling Through Na ⁺ /K ⁺ ATPase. <i>Journal of the American Heart Association</i> , 2020, 9, e013933.	1.6	9
1100	Kinetics and prognostic value of soluble VCAM-1 in ST-segment elevation myocardial infarction patients. <i>Immunity, Inflammation and Disease</i> , 2021, 9, 493-501.	1.3	12

#	ARTICLE	IF	CITATIONS
1101	Plasma Biomarkers of Risk of Tuberculosis Recurrence in HIV Co-Infected Patients From South Africa. <i>Frontiers in Immunology</i> , 2021, 12, 631094.	2.2	7
1102	Regulatory effects of IL-1 β in the interaction of GBM and tumor-associated monocyte through VCAM-1 and ICAM-1. <i>European Journal of Pharmacology</i> , 2021, 905, 174216.	1.7	24
1104	Soluble Adhesion Molecules asin vivo Biohumoral Markers of Vascular Cell Activation. , 0, , 258-271.		1
1106	Pathophysiology of Atherosclerosis. , 2000, , 85-105.		7
1107	Leukocyte-Endothelial Cell Interactions: Review of Adhesion Molecules and Their Role in Organ Injury. , 2000, , 224-240.		4
1108	Soluble Leukocyte-Endothelial Adhesion Molecules. , 2001, , 285-302.		2
1109	Enzymatic Control of Leukocyte Trafficking: Role of VAP-1. <i>Advances in Experimental Medicine and Biology</i> , 2002, 512, 57-63.	0.8	4
1110	Elevated Soluble E-Selectin in Cutaneous Lupus Erythematosus. <i>Advances in Experimental Medicine and Biology</i> , 1999, 455, 153-159.	0.8	15
1111	Pathophysiology of Cardiopulmonary Bypass. , 1999, , 9-29.		1
1112	Pathophysiology of Cardiopulmonary Bypass. , 2004, , 3-26.		5
1113	Pathology of Human Endothelium in Septic Organ Failure. , 2006, , 161-192.		3
1114	Adhesion Molecules: Potential Therapeutic and Diagnostic Implications. <i>Methods in Molecular Biology</i> , 2010, 663, 261-276.	0.4	10
1115	Adhesion of leukocytes from flow: The selectins and their ligands. , 1999, , 11-37.		7
1116	Lymphocyte-Melanoma Interaction: Role of Surface Molecules. <i>Recent Results in Cancer Research</i> , 1995, 139, 205-214.	1.8	25
1117	Does Soluble CD44 Reflect the Clinical Behavior of Human Cancer?. <i>Current Topics in Microbiology and Immunology</i> , 1996, 213 (Pt 3), 155-166.	0.7	8
1118	L-selectin-mediated leukocyte adhesion and migration. , 2007, , 27-70.		2
1119	Elevated levels of soluble E-selectin in patients with IDDM and NIDDM: relation to metabolic control. <i>Diabetologia</i> , 1995, 38, 1122-1124.	2.9	17
1120	Modulation by high glucose of adhesion molecule expression in cultured endothelial cells. <i>Diabetologia</i> , 1995, 38, 1367-1370.	2.9	10

#	ARTICLE	IF	CITATIONS
1121	The effects of pentoxifylline on circulating adhesion molecules in critically ill patients with acute renal failure treated by continuous veno-venous hemofiltration. <i>Intensive Care Medicine</i> , 1996, 22, 305-311.	3.9	1
1122	Soluble E-selectin in cancer patients as a marker of the therapeutic efficacy of CM101, a tumor-inhibiting anti-neovascularization agent, evaluated in phase I clinical trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997, 123, 173-179.	1.2	24
1123	Experimental Autoimmune Neuritis. , 2005, , 609-633.		7
1124	CD54. , 1997, , 278-280.		2
1125	CD62E. , 1997, , 295-297.		1
1126	CD106. , 1997, , 386-388.		1
1127	Alternatively spliced isoform of P-selectin is present in vivo as a soluble molecule.. <i>Journal of Biological Chemistry</i> , 1994, 269, 23708-23715.	1.6	99
1128	Isolation of a cDNA encoding 5T4 oncofetal trophoblast glycoprotein. An antigen associated with metastasis contains leucine-rich repeats.. <i>Journal of Biological Chemistry</i> , 1994, 269, 9319-9324.	1.6	64
1129	Expression and secretion of the vascular cell adhesion molecule-1 in human placenta and its decrease in fetal growth restriction. <i>Journal of the Society for Gynecologic Investigation</i> , 2003, 10, 352-360.	1.9	13
1130	Synovial expression of cell adhesion molecules in polymyalgia rheumatica. <i>Clinical and Experimental Immunology</i> , 1997, 107, 494-500.	1.1	20
1131	Circulating Endothelial Cell/Leukocyte Adhesion Molecules in Atherosclerosis. <i>Thrombosis and Haemostasis</i> , 1994, 72, 151-154.	1.8	225
1132	The Origin of P-selectin as a Circulating Plasma Protein. <i>Thrombosis and Haemostasis</i> , 1997, 77, 1081-1085.	1.8	203
1133	Cytokine Activation of Endothelial Cells: New Molecules for an Old Paradigm. <i>Thrombosis and Haemostasis</i> , 1997, 78, 406-414.	1.8	63
1134	Influence of different volume therapies and pentoxifylline infusion on circulating soluble adhesion molecules in critically ill patients. <i>Critical Care Medicine</i> , 1996, 24, 385-391.	0.4	159
1135	Does age influence circulating adhesion molecules in the critically ill?. <i>Critical Care Medicine</i> , 1997, 25, 95-100.	0.4	27
1136	Influence of angiotensin-converting enzyme inhibitor enalaprilat on endothelial-derived substances in the critically ill. <i>Critical Care Medicine</i> , 1998, 26, 1663-1670.	0.4	45
1137	Circulating intercellular adhesion molecule-1 as an early predictor of hepatic failure in patients with septic shock. <i>Critical Care Medicine</i> , 1999, 27, 2656-2661.	0.4	46
1138	Local vs. systemic immune and haemostatic response to hip arthroplasty. <i>European Journal of Anaesthesiology</i> , 1998, 15, 260-270.	0.7	6

#	ARTICLE	IF	CITATIONS
1139	Protein and Nonprotein Nitrogen Components in Human Milk, Bovine Milk, and Infant Formula: Quantitative and Qualitative Aspects in Infant Nutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1997, 24, 328-344.	0.9	86
1140	Soluble E-Selectin and Intercellular Adhesion Molecule-1 Plasma Levels Increase During Acute Myocardial Infarction. <i>Journal of Cardiovascular Pharmacology</i> , 1997, 30, 455-460.	0.8	14
1141	Cytokines and Adhesion Molecules in Elective and Accidental Trauma-Related Ischemia/Reperfusion. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 44, 874-882.	1.1	120
1142	Inflammatory mediators in <i>Escherichia coli</i> O157:H7 hemorrhagic colitis and hemolytic-uremic syndrome. <i>Pediatric Infectious Disease Journal</i> , 1998, 17, 899-904.	1.1	62
1143	CELL ADHESION MOLECULES IN CLINICAL RENAL TRANSPLANTATION ¹ . <i>Transplantation</i> , 1998, 65, 763-769.	0.5	84
1144	DIFFERENT TIME COURSE OF CIRCULATING ADHESION MOLECULES AND HYALURAN DURING HEPATIC ALLOGRAFT REJECTION ¹ . <i>Transplantation</i> , 2000, 69, 569-573.	0.5	20
1145	IMMUNOMODULATORY EFFECT OF PENTOXIFYLLINE DURING HUMAN ALLOGRAFT REJECTION. <i>Transplantation</i> , 2000, 69, 1102-1107.	0.5	28
1146	N-Acetyl-d-galactosamine specific lectin of <i>Eikenella corrodens</i> induces intercellular adhesion molecule-1 (ICAM-1) production by human oral epithelial cells. <i>Journal of Medical Microbiology</i> , 2002, 51, 1080-1089.	0.7	8
1147	Amount of pollen has an effect on the systemic and local levels of soluble ICAM-1 in patients with seasonal allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1996, 51, 128-132.	2.7	13
1148	Soluble intercellular adhesion molecule-1 and E-selectin levels in plasma of falciparum malaria patients and their lack of correlation with levels of tumor necrosis factor alpha, interleukin 1 alpha (IL-1 alpha), and IL-10. <i>Vaccine Journal</i> , 1994, 1, 741-743.	2.6	7
1149	Clinical use of the measurement of soluble cell adhesion molecules in patients with autoimmune rheumatic diseases. <i>Vaccine Journal</i> , 1997, 4, 241-246.	2.6	16
1150	Age-Dependent Levels of Select Immunological Mediators in Sera of Healthy Children. <i>Vaccine Journal</i> , 1998, 5, 28-32.	2.6	82
1151	Soluble intercellular adhesion molecules in human schistosomiasis: correlations with disease severity and decreased responsiveness to egg antigens. <i>Infection and Immunity</i> , 1994, 62, 2695-2701.	1.0	26
1152	Circulating Vascular Cell Adhesion Molecule-1 Correlates With the Extent of Human Atherosclerosis in Contrast to Circulating Intercellular Adhesion Molecule-1, E-Selectin, P-Selectin, and Thrombomodulin. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 505-512.	1.1	246
1153	Role of Neutrophils in Myocardial Ischemia and Reperfusion. <i>Circulation</i> , 1995, 91, 1872-1885.	1.6	366
1154	Influence of Temperature on Neutrophil Trafficking During Clinical Cardiopulmonary Bypass. <i>Circulation</i> , 1995, 92, 334-340.	1.6	63
1155	Levels of Soluble Cell Adhesion Molecules in Patients With Dyslipidemia. <i>Circulation</i> , 1996, 93, 1334-1338.	1.6	256
1156	Potential Significance of Circulating E-Selectin. <i>Circulation</i> , 1997, 95, 1986-1988.	1.6	26

#	ARTICLE	IF	CITATIONS
1157	Circulating Adhesion Molecules VCAM-1, ICAM-1, and E-selectin in Carotid Atherosclerosis and Incident Coronary Heart Disease Cases. <i>Circulation</i> , 1997, 96, 4219-4225.	1.6	1,133
1158	Plasma Cholesterol Regulates Soluble Cell Adhesion Molecule Expression in Familial Hypercholesterolemia. <i>Circulation</i> , 1997, 96, 1381-1385.	1.6	96
1159	Circulating Selectin- and Immunoglobulin-Type Adhesion Molecules in Acute Ischemic Stroke. <i>Stroke</i> , 1995, 26, 1361-1364.	1.0	138
1160	Soluble Adhesion Molecules Reflect Endothelial Cell Activation in Ischemic Stroke and in Carotid Atherosclerosis. <i>Stroke</i> , 1997, 28, 2214-2218.	1.0	129
1161	The profile of soluble adhesion molecules in patients with Behcet's disease: a possible association with disease activity. <i>The Pain Clinic</i> , 2001, 13, 203-209.	0.1	1
1162	Vascular Cell Adhesion Molecule-1 and Endothelial Leukocyte Adhesion Molecule-1 as Markers of Atherosclerosis of NIDDM. <i>American Journal of Life Sciences</i> , 2015, 3, 22.	0.3	2
1163	Characterization of a CD38-like 78-kilodalton soluble protein released from B cell lines derived from patients with X-linked agammaglobulinemia.. <i>Journal of Clinical Investigation</i> , 1998, 101, 2821-2830.	3.9	36
1164	Intercellular adhesion molecule-1 is upregulated on peripheral blood T lymphocyte subsets in dual asthmatic responders.. <i>Journal of Clinical Investigation</i> , 1994, 94, 1840-1845.	3.9	16
1165	Two Candidate Downstream Target Genes for E2A-HLF. <i>Blood</i> , 1999, 93, 321-332.	0.6	2
1166	Perfusion with sickle erythrocytes up-regulates ICAM-1 andVCAM-1 gene expression in cultured human endothelial cells. <i>Blood</i> , 2000, 95, 3232-3241.	0.6	7
1167	Endothelial Cell Adhesion Molecules. , 2001, , 13-28.		3
1168	277. , 2013, , 229-277.		1
1169	Adhesion Molecules-Their Role in Health and Disease. <i>Pediatric Research</i> , 1996, 39, 191-198.	1.1	133
1170	Soluble Adhesion Molecules and Oral Antigen Feeding in Infants. <i>Pediatric Research</i> , 1996, 40, 276-279.	1.1	21
1171	The effects of 8-week aerobic exercises on serum levels of cell adhesion molecules among middle-aged women. <i>Advanced Studies in Biology</i> , 0, 5, 279-289.	0.2	2
1172	Serum Soluble Adhesion Molecules (sICAM-1, sVCAM-1 and sE-Selectin) in Healthy School Aged Children and Adults. <i>Acta Medica (Hradec Kralove)</i> , 2000, 43, 103-106.	0.2	11
1173	Serum Soluble Adhesion Molecules (sICAM-1, sVCAM-1, sE-selectin) and Neopterin in Patients with Sjögren's Syndrome. <i>Acta Medica (Hradec Kralove)</i> , 1999, 42, 97-101.	0.2	8
1174	Inhibitors of leukocyte-endothelial cell interactions as anti-inflammatory therapeutics - update. <i>Expert Opinion on Investigational Drugs</i> , 1994, 3, 861-869.	1.9	5

#	ARTICLE	IF	CITATIONS
1175	Risk factors for vascular disease and arteriovenous fistula dysfunction in hemodialysis patients.. Journal of the American Society of Nephrology: JASN, 1996, 7, 1169-1177.	3.0	105
1176	Long-term effects of erythropoietin therapy on fistula stenosis and plasma concentrations of PDGF and MCP-1 in hemodialysis patients.. Journal of the American Society of Nephrology: JASN, 1997, 8, 1147-1156.	3.0	47
1177	Could sP-Selectin and sICAM-1 be potential biomarkers in status epilepticus?. Medical Science and Discovery, 0, , 32-40.	0.1	2
1178	Metabolic Syndrome and Cardiometabolic Risk Factors. Current Vascular Pharmacology, 2014, 11, 858-879.	0.8	49
1179	Neutrophil Migration Under Normal and Sepsis Conditions. Cardiovascular & Hematological Disorders Drug Targets, 2015, 15, 19-28.	0.2	69
1180	Cerebrospinal fluid and plasma concentration of soluble intercellular adhesion molecule1, vascular cell adhesion molecule1 and endothelial leukocyte adhesion molecule in patients with acute ischemic b. Vojnosanitetski Pregled, 2003, 60, 139-146.	0.1	11
1181	Effect of Chemokines on .BETA.1- and .BETA.2-Integrin-Mediated Adhesion of PHA-activated T Cells.. Journal of Japanese Society of Periodontology, 1999, 41, 77-86.	0.1	1
1182	Adhesion Molecules in Cerebral Ischemia and Atherosclerosis. Electronic Journal of General Medicine, 2009, 6, .	0.3	1
1183	Circulating adhesion molecules in patients with virus-related chronic diseases of the liver. World Journal of Gastroenterology, 2005, 11, 4566.	1.4	24
1184	There is no association between K469E ICAM-1 gene polymorphism and biliary atresia. World Journal of Gastroenterology, 2005, 11, 4886.	1.4	9
1185	Association of VCAM-1 Gene Polymorphisms with Multiple Sclerosis Susceptibility in the Southeast of Iran. American Journal of Biochemistry and Molecular Biology, 2013, 3, 329-335.	0.6	3
1186	Circulating soluble intercellular adhesion molecule-1 in lung cancer: a systematic review. Translational Lung Cancer Research, 2012, 1, 36-44.	1.3	16
1187	Serum levels of thrombomodulin, intercellular adhesion molecule-1, vascular cell adhesion molecule-1, and E-selectin in the acute phase of Plasmodium vivax malaria.. American Journal of Tropical Medicine and Hygiene, 1999, 60, 248-250.	0.6	20
1188	Exogenous Recombinant Adiponectin Improves Survival in Experimental Abdominal Sepsis. Balkan Medical Journal, 2014, 31, 244-248.	0.3	2
1189	Protein biochip array of adhesion molecule expression in peripheral blood of patients with nasal polyposis. International Journal of Biological Markers, 2008, 23, 115-120.	0.7	5
1190	Soluble selectin levels in patients with lung cancer. International Journal of Biological Markers, 2002, 17, 56-62.	0.7	18
1191	Anti-inflammatory functions of purpurogallin in LPS-activated human endothelial cells. BMB Reports, 2012, 45, 200-205.	1.1	71
1192	An Inhibitor of VCAM-1 Expression and Its Implication as a Novel Treatment of Inflammatory Diseases. Journal of Atherosclerosis and Thrombosis, 1998, 4, 149-155.	0.9	4

#	ARTICLE	IF	CITATIONS
1193	Biomarkers of Atherosclerosis and Acute Coronary Syndromes - A Clinical Perspective. , 0, , .		1
1194	Circulating adhesion molecules and arterial stiffness : cardiovascular topic. Cardiovascular Journal of Africa, 2015, 26, 21-24.	0.2	11
1195	The Selectin Superfamily: The Role of Selectin Adhesion Molecules in Delayed Cerebral Ischaemia After Aneurysmal Subarachnoid Haemorrhage. , 2000, 76, 55-60.		14
1196	Endothelial Cell Adhesion Molecules. , 2000, , 13-28.		0
1197	Leukocyte Cell Adhesion Molecules in Vasculitis. , 2001, , .		0
1198	Vascular Manifestations of Progressive Systemic Sclerosis. , 2001, , .		0
1199	Expression of adhesion molecules of circulating lymphocytes (LFA-1, VLA-4) and endothelial cells (ICAM-1, VCAM-1) increases in patients with chronic cerebral infarction. Nosotchu, 2001, 23, 316-324.	0.0	1
1200	Vascular Manifestations of Progressive Systemic Sclerosis. , 2001, , 339-362.		0
1201	Markers of Endothelial Damage. , 2001, , .		0
1202	Relationship between Soluble E-selectin Level in Tumor Drainage Veins and E-selectin Expression on Vascular Endothelial Cells at the Tumor Invasive Front in Colorectal Cancer Patients.. Nihon Daicho Komonbyo Gakkai Zasshi, 2002, 55, 354-358.	0.1	0
1203	Pentoxifylline: A Useful Adjuvant in the Critically Ill?. , 2002, , 121-128.		0
1205	Pentoxifylline: A Useful Adjuvant in the Critically Ill?. , 2002, , 121-128.		0
1206	Soluble E-selectin Concentration in Peripheral Blood of Patients with Colorectal Cancer. Relation to the Prognosis and the Anti-tumor Immunity Cells.. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan) Tj ETQq0 0 00gBT /Overclock 10 Tf		0
1207	Molecular Mechanisms of Leukocyte Adhesion. , 2003, , 23-71.		1
1208	Monitoring the Course of Inflammation. , 2003, , 392-401.		0
1209	Immuno-histochemical study of the expression of ICAM-1 in the skin of mice under the effect of exposure to ultra violet rays type-B, before and after topical Retinoic acid. The Egyptian Journal of Hospital Medicine, 2003, 13, 66-74.	0.0	0
1210	Zellinvasion und Metastasierung. , 2004, , 325-354.		0
1213	Relationship between the Frequency of Food Intake and Serum Levels of sICAM-1 and sVCAM-1 in Healthy Elderly Subjects. The Japanese Journal of Nutrition and Dietetics, 2008, 66, 295-304.	0.1	0

#	ARTICLE	IF	CITATIONS
1214	Soluble adhesion molecules and cytokines in septic acute lung injury patients. Journal of the Japanese Society of Intensive Care Medicine, 2009, 16, 157-161.	0.0	3
1215	Advances in Vascular Medicine. , 2009, , 315-334.		0
1216	Evaluering av inflammatoriske mediatorer i diagnostikk av alvorlige neonatale infeksjoner. Norsk Epidemiologi, 2009, 7, .	0.2	0
1217	Cell Adhesion Molecules in Renal Injury. , 2010, , 213-244.		0
1219	Endothelial Activation Markers in Sub-clinical Atherosclerosis: Insights from Mechanism-Based Paradigms. , 2011, , 179-194.		0
1221	CD11b , E-Selectin and PCR Versus Conventional Blood Culture for Diagnosis of Neonatal Sepsis. Egyptian Journal of Medical Microbiology, 2012, 21, 43-54.	0.1	1
1222	Heart Valve Lesions Due to the Formation of a Beta-Hemolytic Streptococ Role of Adhesion Molecules. Surgical Science, 2013, 04, 371-376.	0.1	0
1223	Effect of Eicosapentaenoic Acid Ethyl Ester on the Serum Concentration of Intercellular Adhesion Molecule-1 (ICAM-1) in Patients with Non-insulin-dependent Diabetes Mellitus. The Journal of Japan Atherosclerosis Society, 1995, 22, 755-758.	0.0	0
1224	The Experimental and Clinical Use in Transplantation of Monoclonal Antibodies to CD4 and Other Adhesion Molecules. Medical Intelligence Unit, 1995, , 21-52.	0.2	0
1225	Mediatoren der akuten Entzündung und Proteinaseinhibitorthherapie bei Polytrauma. Hefte Zur Zeitschrift Der Unfallchirurg, 1996, , 77-91.	0.0	0
1226	Adhesion molecules in disease: vascular cell adhesion molecule-1 as a target for therapy. , 1996, , 83-98.		0
1227	Pro-Inflammatory Adhesins. , 1996, , 145-154.		0
1228	The participation of Selectin in a vital reaction.. Nishinihon Journal of Dermatology, 1996, 58, 3-5.	0.0	0
1229	Glyceraldehyde-3-Phosphate Dehydrogenase Binds to the Cytoplasmic Domain of Intercellular Adhesion Molecule-1. Advances in Behavioral Biology, 1996, , 293-297.	0.2	0
1230	Monoklonale Antikörperperetechnik. , 1997, , 145-194.		0
1231	CD62L. , 1997, , 298-300.		0
1232	Volume Therapy: New Aspects of an Old Topic?. Yearbook of Intensive Care and Emergency Medicine, 1997, , 399-410.	0.1	0
1233	Adhesion molecules in non-Hodgkin's lymphoma. Cancer Treatment and Research, 1997, 85, 119-139.	0.2	0

#	ARTICLE	IF	CITATIONS
1235	ICAM-1 Levels Correlations with Cytokine (IL-1, IL-6 and TNF) Production During the Course of Acute Lymphoblastic Leukemia (ALL) in Children. <i>Hamatologie Und Bluttransfusion</i> , 1998, , 369-374.	0.0	0
1236	Belastbarkeit Unfallverletzter. <i>Hefte Zur Zeitschrift Der Unfallchirurg</i> , 1999, , 3-78.	0.0	0
1237	Endothelial Surface-Associated Molecules of Relevance to the Immune Function of the Blood-Brain Barrier. , 2015, , 289-330.		0
1240	Soluble E-selectin in cancer patients as a marker of the therapeutic efficacy of CM101, a tumor-inhibiting anti-neovascularization agent, evaluated in phase I clinical trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 1997, 123, 173-179.	1.2	9
1241	Radix Paeoniae Rubra Ameliorates Lupus Nephritis in Lupus-Like Symptoms of Mrl Mice by Reducing Intercellular Cell Adhesion Molecule-1, Vascular Cell Adhesion Molecule-1, and Platelet Endothelial Cell Adhesion Molecule-1 Expression. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2020, 23, 675-683.	0.6	7
1246	Proinflammatory cytokines and endotoxin stimulate ICAM-1 gene expression and secretion by normal human hepatocytes. <i>Immunology</i> , 1994, 82, 571-6.	2.0	45
1247	Differential up-regulation of circulating soluble and endothelial cell intercellular adhesion molecule-1 in mice. <i>American Journal of Pathology</i> , 1997, 151, 205-14.	1.9	35
1248	Systemic endothelial activation occurs in both mild and severe malaria. Correlating dermal microvascular endothelial cell phenotype and soluble cell adhesion molecules with disease severity. <i>American Journal of Pathology</i> , 1998, 152, 1477-87.	1.9	119
1249	High-mobility group box-1 and biomarkers of inflammation in the vitreous from patients with proliferative diabetic retinopathy. <i>Molecular Vision</i> , 2011, 17, 1829-38.	1.1	85
1250	A Comparative Study of Serum Level of Vascular Cell Adhesion Molecule-1 (sVCAM-1), Intercellular Adhesion Molecule-1 (ICAM-1) and High Sensitive C - reactive protein (hs-CRP) in Normal and Pre-eclamptic Pregnancies. <i>Iranian Journal of Basic Medical Sciences</i> , 2013, 16, 689-93.	1.0	19
1251	Association of rs5368 and rs3917406 polymorphisms in E-selectin gene with premature coronary artery disease in Chinese Han population. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 4387-92.	1.3	3
1253	The Predictive Role of Serum Levels of Soluble Cell Adhesion Molecules (sCAMs) in the Therapy of Advanced Breast Cancer—A Single-Centre Study. <i>Medicina (Lithuania)</i> , 2022, 58, 153.	0.8	4
1256	Biomarkers of heatstroke-induced organ injury and repair. <i>Experimental Physiology</i> , 2022, 107, 1159-1171.	0.9	10
1260	Coating a Self-Assembly Nanoconstruct with a Neutrophil Cell Membrane Enables High Specificity for Triple Negative Breast Cancer Treatment. <i>ACS Applied Bio Materials</i> , 2022, 5, 4554-4566.	2.3	4
1261	Effectiveness of home-based telerehabilitation programs on functional capacity and cardiac function in elderly heart failure patients: A prospective longitudinal study. <i>Medicine (United States)</i> , 2022, 101, e29799.	0.4	3
1262	Correlation of alpha-1 antitrypsin levels and exosome associated neutrophil elastase endothelial injury in subjects with SARS-CoV2 infection. <i>PLoS ONE</i> , 2022, 17, e0274427.	1.1	5
1263	Epigenetic and immunological indicators of IPEX disease in subjects with FOXP3 gene mutation. <i>Journal of Allergy and Clinical Immunology</i> , 2023, 151, 233-246.e10.	1.5	9
1265	The effect of nedocromil sodium on human airway epithelial cell-induced eosinophil chemotaxis and adherence to human endothelial cell in vitro. <i>European Respiratory Journal</i> , 1997, 10, 851-857.	3.1	6

#	ARTICLE	IF	CITATIONS
1266	Circulating Form of Human Vascular Adhesion Protein-1 (VAP-1): Increased Serum Levels in Inflammatory Liver Diseases. <i>Journal of Immunology</i> , 1998, 161, 1549-1557.	0.4	138
1267	Soluble ICAM-1 Activates Lung Macrophages and Enhances Lung Injury. <i>Journal of Immunology</i> , 1998, 161, 3685-3693.	0.4	77
1268	Proteolytic Cleavage of ICAM-1 by Human Neutrophil Elastase. <i>Journal of Immunology</i> , 1998, 161, 6398-6405.	0.4	134
1269	Ocular immune privilege and retinal pigment epithelial cells. <i>Journal of Leukocyte Biology</i> , 2023, 113, 288-304.	1.5	8
1270	The Regulation of Neutrophil Migration in Patients with Sepsis: The Complexity of the Molecular Mechanisms and Their Modulation in Sepsis and the Heterogeneity of Sepsis Patients. <i>Cells</i> , 2023, 12, 1003.	1.8	1
1272	Endothelial Dysfunction in Type 2 Diabetes with an Update on New Interventions. <i>Contemporary Diabetes</i> , 2023, , 357-406.	0.0	0