

CITATION REPORT

List of articles citing

Structure and properties of ultrafine-grained materials produced by severe plastic deformation

DOI: 10.1016/0921-5093(93)90717-s

Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1993, 168, 141-148.

Source: <https://exaly.com/paper-pdf/23805042/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
921	Structural Evolution and Deformation in an Aluminum-Based Solid Solution Alloy with Submicron Grain Size. 1993 , 319, 293		1
920	Milling and mechanical alloying of copper and some solution alloys seen as a thermomechanical process. 1994 , 42, 4071-4081		25
919	Materials processing by simple shear. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1995 , 197, 157-164	5.3	1742
918	Approach to nanostructured solids through the studies of submicron grained polycrystals. 1995 , 6, 73-82		100
917	Formation of submicrocrystalline structure in iron and its alloys after severe plastic deformation. 1995 , 6, 433-436		29
916	Nanocrystalline structure of non-equilibrium Fe?Cu alloys obtained by severe plastic deformation under pressure. 1995 , 6, 437-440		14
915	TEM and XRD study of the microstructure of nanocrystalline Ni and Cu prepared by severe plastic deformation and electrodeposition. 1995 , 6, 547-550		9
914	Internal friction and shear modulus in submicrograined Cu. 1995 , 6, 577-580		13
913	Models of the defect structure and analysis of the mechanical behavior of nanocrystals. 1995 , 6, 775-778		31
912	Structural changes of ferritic stainless steel during severe plastic deformation. 1995 , 6, 893-896		17
911	Formation of amorphous phase in an extruded 93W-7(Ni/Fe/Co) alloy. 1995 , 23, 295-297		7
910	Yield stress measurements on an Al-1.5% Mg alloy with submicron grain size using a miniature bending procedure. 1995 , 23, 283-287		9
909	On the enhanced grain growth in ultrafine grained metals. 1995 , 43, 4165-4170		131
908	Scale dependent composite design charts. 1995 , 32, 133-138		5
907	Microstructure, microhardness and magnetic susceptibility of submicrocrystalline palladium. 1996 , 7, 667-674		8
906	Random disclination ensembles in ultrafine-grained materials produced by severe plastic deformation. 1996 , 34, 729-734		66
905	Principle of equal-channel angular pressing for the processing of ultra-fine grained materials. 1996 , 35, 143-146		1522

904	Grain boundary distribution and texture in ultrafine-grained copper produced by severe plastic deformation. 1996 , 35, 873-878		105
903	Structural characterization of nanocrystalline copper by means of x-ray diffraction. 1996 , 80, 5617-5624		50
902	An investigation of grain boundaries in submicrometer-grained Al-Mg solid solution alloys using high-resolution electron microscopy. 1996 , 11, 1880-1890		291
901	Computer simulation of X-ray diffraction patterns of nanocrystalline materials. 1996 , 73, 861-872		19
900	Damping properties of 18Cr?10Ni stainless steel with submicrocrystalline structure. 1996 , 31, 639-645		14
899	Evolution of grain boundary structure in submicrometer-grained Al-Mg alloy. <i>Materials Characterization</i> , 1996 , 37, 285-294	3.9	28
898	Enhanced grain growth in an Al-Mg alloy with ultrafine grain size. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996 , 216, 41-46	5.3	80
897	Nanocrystalline metals crystallized from amorphous solids: nanocrystallization, structure, and properties. 1996 , 16, 161-221		616
896	An investigation of microstructural stability in an AlMg alloy with submicrometer grain size. 1996 , 44, 2973-2982		273
895	Structure and deformation behaviour of Armco iron subjected to severe plastic deformation. 1996 , 44, 4705-4712		553
894	Magnetic susceptibility of palladium subjected to severe plastic deformation. 1996 , 196, 251-260		9
893	Fabrication of submicrometer-grained Zn22% Al by torsion straining. 1996 , 11, 2128-2130		49
892	Microstructure and homogeneity of nanocrystalline CoCu supersaturated solid solutions prepared by mechanical alloying. 1997 , 12, 936-946		23
891	Structure characteristics of nanocrystalline element selenium with different grain sizes. 1997 , 56, 14322-1432988		
890	The crystallite-size dependence of structural parameters in pure ultrafine-grained copper. 1997 , 30, 3008-301528		
889	The Hall-Petch Relationship in Nanocrystalline Materials. 1997 , 38, 1033-1039		30
888	Development of a submicrometer-grained microstructure in aluminum 6061 using equal channel angular extrusion. 1997 , 12, 1253-1261		123
887	Synthesis of nanostructured materials by mechanical milling: problems and opportunities. 1997 , 9, 13-22		559

886	The X-ray diffraction study on a nanocrystalline CU processed by equal-channel angular pressing. 1997 , 9, 347-350		31
885	Influence of strain rate & temperature on the mechanical response of ultrafine-grained Cu, Ni, and Al-4Cu-0.5Zr. 1997 , 9, 477-480		147
884	High and low temperature superplasticity in nanocrystalline materials. 1997 , 9, 717-726		73
883	Microstructure and mechanical properties of 5056 Al alloy processed by equal channel angular extrusion. 1997 , 8, 1105-1111		14
882	Low temperature superplasticity in a TiAl alloy with a metastable microstructure. 1997 , 37, 773-779		29
881	Finite element modelling of equal channel angular extrusion. 1997 , 37, 983-989		174
880	Structural and mechanical properties of nanocrystalline titanium processed by severe plastic deformation. 1997 , 37, 1089-1094		118
879	Ensembles of gliding grain boundary dislocations in ultrafine grained materials produced by severe plastic deformation. 1997 , 37, 1155-1161		15
878	OBSERVATIONS OF HIGH STRAIN RATE SUPERPLASTICITY IN COMMERCIAL ALUMINUM ALLOYS WITH ULTRAFINE GRAIN SIZES. 1997 , 37, 1945-1950		268
877	Mechanical properties of pure aluminium processed by equal channel angular extrusion. 1997 , 17, 215-217		7
876	Microstructure and properties of copper and aluminum alloy 3003 heavily worked by equal channel angular extrusion. 1997 , 28, 1047-1057		241
875	Thermal stability of submicron grained copper and nickel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997 , 237, 43-51	5-3	94
874	The X-ray characterization of the ultrafine-grained Cu processed by different methods of severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997 , 234-236, 331-334	5-3	32
873	Structure and mechanical properties of ultrafine-grained metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997 , 234-236, 59-66	5-3	303
872	Influence of severe plastic deformation on aging effect of Al-Zn-Mg-Cu-Zr alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997 , 234-236, 339-342	5-3	41
871	Thermal structure changes in copper and nickel processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997 , 234-236, 335-338	5-3	36
870	Microstructural characteristics and deformation properties in superplastic intermetallics. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997 , 239-240, 88-96	5-3	26
869	The Determination of the Grain Boundary Width of Ultrafine Grained Copper and Nickel from Electrical Resistivity Measurements. 1997 , 162, 559-566		22

868	Thermal stability of submicrocrystalline copper strengthened with HfO ₂ nanoparticles in the temperature range 20-800 °C. 1998 , 40, 1155-1157		4
867	Microstructure of Aluminum-Iron Alloys Subjected to Severe Plastic Deformation. 1998 , 38, 1511-1516		80
866	Acoustic emission in ultra-fine grained copper. 1998 , 39, 797-805		24
865	Ultra-fine grained bulk aluminum produced by accumulative roll-bonding (ARB) process. 1998 , 39, 1221-1227	1010	
864	Texture formation in bulk iron processed by simple shear. 1998 , 39, 1699-1704		60
863	Friction-stir welding: microstructural characterization. 1998 , 1, 211-223		72
862	Intercalation vortices and related microstructural features in the friction-stir welding of dissimilar metals. 1998 , 2, 150-163		144
861	Internal friction of submicrocrystalline metal. 1998 , 40, 341-345		1
860	Microstructures and properties of nanocomposites obtained through SPTS consolidation of powders. 1998 , 29, 2253-2260		102
859	The processing, properties, and applications of high-strain-rate superplastic materials. 1998 , 50, 34-39		15
858	Using intense plastic straining for high-strain-rate superplasticity. 1998 , 50, 41-45		35
857	The effect of cumulative large plastic strain on the structure and properties of a Cu ₃ Zn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 242, 137-140	5-3	47
856	Microstructural characteristics and superplastic ductility in a Zn-22% Al alloy with submicrometer grain size. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 241, 122-128	5-3	129
855	The influence of texture on the elastic properties of ultrafine-grain copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 242, 174-180	5-3	57
854	Strain-rate dependence of mechanical properties in AA5056 Al/Mg alloy processed by equal-channel-angular-extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 247, 270-274	5-3	27
853	A further study on effect of large strain on structure and properties of a Cu ₃ Zn alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998 , 255, 16-19	5-3	16
852	Microstructure and microhardness of an Al ₂ Fe alloy subjected to severe plastic deformation and aging. 1998 , 10, 691-698		97
851	Dynamic mechanical properties of a near-nano aluminum alloy processed by equal-channel-angular-extrusion. 1998 , 10, 755-765		62

850	Structure evolution and changes in magnetic properties of severe plastic deformed Nd(Pr)FeB alloys during annealing. 1998 , 281, 69-71	33
849	The thermal behavior of atoms in ultrafine-grained Ni processed by severe plastic deformation. 1998 , 84, 1924-1927	24
848	The Properties of Fe-Ni FCC Alloys Having a Nanostructure Produced by Deformation, Irradiation and Cyclic Phase Transformation. 1998 , 243-262	2
847	Microstructural aspects of rolling deformation in ultrafine-grained copper. 1998 , 78, 373-388	39
846	Observations of grain boundary structure in submicrometer-grained Cu and Ni using high-resolution electron microscopy. 1998 , 13, 446-450	138
845	Fully dense Al/Bb nanocomposite bulk samples consolidated from mechanically milled powders. 1998 , 13, 249-252	7
844	Processing and Properties of Nanostructured Materials Prepared by Severe Plastic Deformation. 1998 , 121-142	14
843	Fine-structure superplasticity in materials. 1998 , 21, 659-689	4
842	High-temperature stability of nanocrystalline structure in a TiAl alloy prepared by mechanical alloying and hot isostatic pressing. 1998 , 13, 3399-3410	20
841	Severe Plastic Deformation: New Technique for Powder Consolidation and Grain Size Refinement. 1998 , 41, 11-13	17
840	Fine structure superplastic intermetallics. 1999 , 44, 59-75	34
839	Low temperature superplasticity of AZ91 magnesium alloy with non-equilibrium grain boundaries. 1999 , 47, 2047-2057	280
838	Equal channel angular extrusion: from macromechanics to structure formation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999 , 271, 322-333	5-3 626
837	Finite-element analysis of the load of equal-cross-section lateral extrusion. 1999 , 94, 193-196	21
836	Metastable states in R2Fe14B-based alloys processed by severe plastic deformation. 1999 , 196-197, 166-168	19
835	Ultra-fine grained bulk steel produced by accumulative roll-bonding (ARB) process. 1999 , 40, 795-800	465
834	Severe plastic deformation processing and high strain rate superplasticity in an aluminum matrix composite. 1999 , 40, 1151-1155	27
833	Nanostructured materials from severe plastic deformation. 1999 , 12, 35-40	99

832	Surface nanocrystallization of iron induced by ultrasonic shot peening. 1999 , 11, 433-440		332
831	A two step SPD processing of ultrafine-grained titanium. 1999 , 11, 947-954		189
830	Superplastic behavior of a powder metallurgy TiAl alloy with a metastable microstructure. 1999 , 7, 163-170		63
829	Nanostructures from severe plastic deformation and mechanisms of large-strain work hardening. 1999 , 12, 709-712		20
828	Structure and mechanical behaviour of an Al-Mg alloy after equal channel angular extrusion. 1999 , 12, 839-842		22
827	Influence of Equal-Channel Angular Pressing on the Superplastic Properties of Commercial Aluminum Alloys. 1999 , 601, 359		8
826	Superplasticity of Ultra-Fine Grained Al–Mg Alloy Produced by Accumulative Roll-Bonding. 1999 , 40, 765-771		94
825	Low Temperature Superplasticity in a ZK60 Magnesium Alloy. 1999 , 40, 809-814		21
824	Work-Hardening Mechanism during Super-Heavy Plastic Deformation in Mechanically Milled Iron Powder. 1999 , 40, 1149-1157		47
823	Strengthening of Sheath-Rolled Aluminum Based MMC by the ARB Process. 1999 , 40, 1422-1428		27
822	Using of Modified Trapping Model in Positron-Lifetime Study of Cold-Worked Aluminium. 2000 , 180, 439-458		13
821	Surface nanocrystallization of 316L stainless steel induced by ultrasonic shot peening. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 286, 91-95	5-3	358
820	Formation of a submicrocrystalline structure in TiAl and Ti3Al intermetallics by hot working. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 286, 236-243	5-3	53
819	Microstructural evolution, microhardness and thermal stability of HPT-processed Cu. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 290, 128-138	5-3	282
818	Thermal stability and mechanical properties of ultrafine grained low carbon steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 293, 165-172	5-3	175
817	Processing nanocrystalline Ti and its nanocomposites from micrometer-sized Ti powder using high pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 282, 78-85	5-3	112
816	Finite element simulation of a new deformation type occurring in changing-channel extrusion. 2000 , 102, 30-32		22
815	Microstructural characteristics and superplastic-like behavior in aluminum powder alloy consolidated by equal-channel angular pressing. 2000 , 48, 2625-2632		54

814	Microstructural changes in equal channel angular pressed low carbon steel by static annealing. 2000 , 48, 3245-3252			137
813	Deformation induced grain boundaries in commercially pure aluminium. 2000 , 48, 3377-3385			124
812	Defects in nanocrystalline Pd and submicrocrystalline Cu by EXAFS. 2000 , 448, 372-375			1
811	Deformation states in nanocrystals. 2000 , 42, 1749-1755			
810	Field emission from submicron-grained tungsten. 2000 , 72, 257-259			5
809	Effect of submicron crystalline structure on field emission of nickel. 2000 , 45, 198-200			1
808	The effect of strain path on the development of deformation structures in severely deformed aluminium alloys processed by ECAE. 2000 , 48, 1115-1130			354
807	Bulk nanostructured materials from severe plastic deformation. 2000 , 45, 103-189			5139
806	X-ray analysis and computer simulation for grain size determination in nanostructured materials. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 286, 110-114	5-3		11
805	Microstructure and mechanical behavior of nanocrystalline metals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 285, 391-396	5-3		85
804	Analysis of the billet deformation behaviour in equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000 , 287, 87-99	5-3		205
803	Enhanced superplasticity in a Ti-6Al-4V alloy processed by severe plastic deformation. 2000 , 43, 819-824			109
802	Effects of Ultrasonic Surface Treatment on the Structure and Properties of Polycrystalline and Nanostructured Titanium. 2000 , 43, 754-758			6
801	Producing nanoscale microstructures through severe plastic deformation. 2000 , 52, 27-28			74
800	Equal-channel angular pressing of commercial aluminum alloys: Grain refinement, thermal stability and tensile properties. 2000 , 31, 691-701			359
799	Preparation and mechanical properties of highly densified nanocrystalline Al. 2000 , 31, 1017-1024			7
798	Preparation and mechanical properties of highly densified nanocrystalline Al. 2000 , 31, 1017-1024			69
797	Physical Phenomena in Fine Scale Metallic Layered Structures. 2000 , 321-340			1

796	Overview and Outlook for Materials Processed by Severe Plastic Deformation. 2000 , 347-356	12
795	Thermomechanical Conditions for Submicrocrystalline Structure Formation by Severe Plastic Deformation. 2000 , 73-78	2
794	Tensile Superplasticity in Nanocrystalline Materials Produced by Severe Plastic Deformation. 2000 , 231-240	2
793	Formation of nanophases in a CuZn alloy under high current density electropulsing. 2000 , 15, 2065-2068	35
792	Chemical Syntheses of Nanocrystalline Nickel Aluminides. 2000 , 12, 973-982	29
791	TEM/HREM observations of nanostructured superplastic Ni3Al. 2001 , 81, 25-36	46
790	High-strain-rate superplasticity from nanocrystalline Al alloy 1420 at low temperatures. 2001 , 81, 37-48	89
789	Properties of Ultra Low Carbon Steel Produced by Repetitive Shear Deformation of Side Extrusion. 2001 , 87, 762-766	16
788	Some aspects of synthesis of nanocrystalline materials. 2001 , 17, 119-126	5
787	Microstructures and Mechanical Properties of Equal Channel Angular Pressed 5083 Al Alloy. 2001 , 42, 1074-1080	53
786	Formation of nanocrystalline during flash welding of 0Cr16Ni22Mo2Ti steel. 2001 , 46, 210-212	1
785	Processing commercial aluminum alloys for high strain rate superplasticity. 2001 , 53, 23-26	14
784	Developing SPD methods for processing bulk nanostructured materials with enhanced properties. 2001 , 7, 413-420	50
783	Microstructural characterization of SPD processed materials. 2001 , 7, 565-571	17
782	Microstructure of two-phase Al _{0.7} at% Cu alloy deformed by equal-channel angular pressing. 2001 , 49, 21-29	309
781	The mechanism of nanocrystalline structure formation in Ni3Al during severe plastic deformation. 2001 , 49, 663-671	80
780	Microstructures and dislocation configurations in nanostructured Cu processed by repetitive corrugation and straightening. 2001 , 49, 1497-1505	450
779	Mechanical behavior and superplasticity of a severe plastic deformation processed nanocrystalline Ti ₃ Al _{0.5} V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 298, 44-50	5.3 128

778	Synthesis of nanocrystalline materials – An overview. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 301, 44-53	5:3	77
777	Influence of ECAP routes on the microstructure and properties of pure Ti. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 299, 59-67	5:3	381
776	Characteristic features of microstructure of ALMg5 deformed to large plastic strains. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 301, 237-243	5:3	38
775	Effect of die angle on the deformation texture of copper processed by equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 307, 113-118	5:3	83
774	Microstructural characteristics and thermal stability of ultrafine grained 6061 Al alloy fabricated by accumulative roll bonding process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 316, 145-152	5:3	99
773	Atomic force microscopic study on surface morphology of ultra-fine grained materials after tensile testing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001 , 319-321, 862-866	5:3	77
772	Finite element analysis of high pressure torsion processing. 2001 , 113, 617-621		60
771	Development of Ti-6Al-4V sheet with low temperature superplastic properties. 2001 , 116, 265-268		75
770	Ductility enhancement of ultra fine-grained aluminum under dynamic loading. 2001 , 44, 1493-1496		22
769	Low carbon steel with nanostructured surface layer induced by high-energy shot peening. 2001 , 44, 1791-1795	202	
768	Developing of SPD processing and enhanced properties in bulk nanostructured metals. 2001 , 44, 1605-1608		52
767	Size effects in properties of nanomaterials. 2001 , 44, 1621-1624		65
766	Shock synthesis and characterization of ultrafine grained NiTi shape memory alloy. 2001 , 44, 2477-2483		18
765	Rotary-die equal-channel angular pressing of an Al-7 mass% Si-0.35 mass% Mg alloy. 2001 , 45, 261-266		94
764	Influence of long-range ordering on mechanical properties of nanocrystalline Ni ₃ Al. 2001 , 45, 309-315		16
763	Advanced mechanical properties of pure titanium with ultrafine grained structure. 2001 , 45, 747-752		279
762	Microstructure and flow stress of copper deformed to large plastic strains. 2001 , 45, 793-799		64
761	Effect of aging treatment on heavily deformed microstructure of a 6061 aluminum alloy after equal channel angular pressing. 2001 , 45, 901-907		183

760	Nanoclusters and nanocluster systems. Assembling, interactions and properties. 2001 , 70, 177-210	97
759	Extrusion upsetting multiple processing in sandglass die. 2001 , 17, 1018-1020	2
758	Thermal stability of ultrafine grained copper. 2002 , 65,	93
757	On the possibilities to enhance the fatigue properties of ultrafine-grained metals. 2002 , 93, 641-648	57
756	Compressive Behavior for Surface-Nanocrystallized Al-Alloy Material. 2002 , 740, 1	
755	Microstructural study of the parameters governing coarsening and cyclic softening in fatigued ultrafine-grained copper. 2002 , 82, 1781-1794	182
754	FEM analysis of equal channel angular processes. 2002 , 17, 223-250	17
753	Dformations nominales et dformations effectives dans les procédés d'hypercorroyage. 2002 , 27, 15-24	9
752	Billet temperature rise during equal-channel angular pressing. 2002 , 46, 211-216	26
751	Preparation of bulk ultrafine-grained and nanostructured Zn, Al and their alloys by in situ consolidation of powders during mechanical attrition. 2002 , 46, 661-665	48
750	Strength and ductility of ultrafine grained aluminum and iron produced by ARB and annealing. 2002 , 47, 893-899	945
749	Positron-Lifetime Investigation of Thermal Stability of Ultra-Fine Grained Nickel. 2002 , 191, 391-408	12
748	Deformation mechanisms during low-and high-temperature superplasticity in 5083 Al-Mg alloy. 2002 , 33, 1373-1384	65
747	Enhancement of strength and superplasticity in a 6061 Al alloy processed by equal-channel-angular-pressing. 2002 , 33, 3155-3164	151
746	Characteristics of field emission from nanocrystalline metals. 2002 , 324, 329-335	10
745	The influence of processing route on the plastic deformation of Al ₇₀ Mg ₃₀ alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 324, 90-95	5-3 11
744	Superplastic behaviour of ultrafine-grained Ti ₆₀ Al ₄₀ V alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 323, 318-325	5-3 119
743	Properties of ultrafine-grained steel by repeated shear deformation of side extrusion process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002 , 337, 45-49	5-3 57

742	Microstructure and evolution of mechanically-induced ultrafine grain in surface layer of AL-alloy subjected to USSP. 2002 , 50, 2075-2084		390
741	An investigation of surface nanocrystallization mechanism in Fe induced by surface mechanical attrition treatment. 2002 , 50, 4603-4616		779
740	An analysis of pseudo equal-cross-section lateral extrusion through a curved channel. 2002 , 122, 260-265		3
739	Electron microscopy nanoscale characterization of ball-milled Cu ₃ Ag powders. Part I: Solid solution synthesized by cryo-milling. 2002 , 50, 4695-4709		52
738	Mechanical Properties of Ultrafine Grained Steel Produced by Repetitive Cold Side Extrusion. 2002 , 51, 227-230		5
737	Factors influencing microstructural development in equal-channel angular pressing. 2003 , 9, 141-149		37
736	Effect of large deformations on the microstructure of aluminium alloys. 2003 , 81, 528-530		22
735	Mechanical, electrochemical and tribological properties of nanocrystalline surface of brass produced by sandblasting and annealing. 2003 , 167, 188-196		56
734	Characterization of the phase transformation in a nanostructured surface layer of 304 stainless steel induced by high-energy shot peening. 2003 , 334, 221-228		29
733	Evolution of microstructure and mechanical properties of in situ consolidated bulk ultra-fine-grained and nanocrystalline Zn prepared by ball milling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 344, 175-181	5.3	31
732	Microstructure and mechanical properties of tantalum after equal channel angular extrusion (ECAE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 358, 266-272	5.3	108
731	Mechanical properties of a two-phase alloy Mg ₈ %Li ₁ %Al processed by equal channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 360, 345-349	5.3	68
730	Equal channel angular extrusion in a commercial AlMn alloy. 2003 , 143-144, 506-511		23
729	Deformation behavior of copper during a high pressure torsion process. 2003 , 142, 334-337		42
728	Experimental parameters influencing grain refinement and microstructural evolution during high-pressure torsion. 2003 , 51, 753-765		643
727	Cavitation in superplastic 7075Al alloys prepared via friction stir processing. 2003 , 51, 3551-3569		59
726	Microstructure of AlBiMg alloy processed by rotary-die equal channel angular pressing. 2003 , 57, 1689-1695		37
725	Mechanical Behavior of Bulk Nanocrystalline and Ultrafine-grain Metals. 2003 , 529-550		9

724	Effect of ECAP on microstructure and mechanical properties of a commercial 6061 Al alloy produced by powder metallurgy. 2003 , 354, 216-220	43
723	Structure and damping of nanocrystalline metals and alloys prepared by high plastic deformation techniques. 2003 , 355, 26-30	9
722	Size Effect Characterization for Nanostructured Material in Nanoindentation Test. 2003 , 788, 821	1
721	Ultrafine-grained microstructure in a CuZn alloy produced by electropulsing treatment. 2003 , 18, 1991-1997	35
720	Finite Element Simulation of Multi-Pass Equal Channel Angular Pressing. 2003 , 414-415, 439-444	5
719	The Nanostructured TiNi Shape-Memory Alloys: New Properties and Applications. 2003 , 94, 13-24	30
718	Nanostructures and Nanotechnology: Perspectives and New Trends. 2003 , 1-36	1
717	On the annealing of junction disclinations in deformed polycrystals. 2003 , 83, 2653-2667	6
716	Surface Nanocrystallization (SNC) of Materials and its Effect on Mechanical Behavior. 2003 , 495-528	13
715	The Effect of Ram Speed on Mechanical and Thermal Properties in ECAE Process Simulation. 2003 , 44, 973-980	12
714	Shape restoration phenomenon and deformation behavior of aluminum alloy bars in back-torsion working.. 2003 , 53, 20-26	4
713	Effect of Strain on Microstructures and Mechanical Properties of ARB Processed and Annealed Ultra-low Carbon IF Steel. 2003 , 89, 273-280	23
712	Upper bound analysis and FEM simulation of equal fillet radii angular pressing. 2004 , 12, 205-214	33
711	Dry Sliding Wear Characteristics of Severely Deformed 6061 Aluminum and AZ61 Magnesium Alloys. 2004 , 449-452, 597-600	17
710	Development of an Ultrafine Grained Ferrite in a Low C-Mn Steel Intensely Deformed under Hot Torsion. 2004 , 467-470, 1271-1276	
709	Deformation Mechanisms and Ductility of Nanostructured Al Alloys. 2004 , 821, 312	
708	Microstructural Aspects in Superplasticity of Ultrafine-Grained SPD Alloys. 2004 , 447-448, 411-416	1
707	Grain Refinement of Copper Alloys by Equal Channel Angular Pressing. 2004 , 449-452, 177-180	4

706	Nanocrystallization Induced by Severe Plastic Deformation of Amorphous Alloys. 2004 , 22, 21-26		23
705	Nanostructuring of metals by severe plastic deformation for advanced properties. 2004 , 3, 511-6		1111
704	The use of severe deformations for preparing bulk nanocrystalline materials from amorphous alloys. 2004 , 49, 519-521		17
703	On the correct selection of the channel die in ECAP processes. 2004 , 50, 387-393		73
702	Superplasticity in cast A356 induced via friction stir processing. 2004 , 50, 931-935		118
701	The use of severe plastic deformation techniques in grain refinement. 2004 , 56, 64-68		94
700	The effect of equal-channel angular pressing on the structure and mechanical behavior of Ti-6Al-4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 387-389, 805-808	5-3	68
699	Formation of nanocrystalline surface layers in various metallic materials by near surface severe plastic deformation. 2004 , 5, 145-152		99
698	Microstructure and texture through thickness of ultralow carbon IF steel sheet severely deformed by accumulative roll-bonding. 2004 , 5, 163-172		89
697	Structure and mechanical properties of commercial AlMg 1560 alloy after equal-channel angular extrusion and annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 367, 234-242	5-3	34
696	Continuous processing of ultrafine grained Al by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 382, 30-34	5-3	323
695	The application of equal-channel angular pressing to an aluminum single crystal. 2004 , 52, 1387-1395		95
694	Adiabatic shear banding in ultrafine-grained Fe processed by severe plastic deformation. 2004 , 52, 1859-1869		224
693	Microstructural development in equal-channel angular pressing using a 60° die. 2004 , 52, 2497-2507		76
692	Nanostructure formation mechanism of titanium using SMAT. 2004 , 52, 4101-4110		370
691	Formation of nanograined structure and decomposition of supersaturated solid solution during high pressure torsion of AlZn and AlMg alloys. 2004 , 52, 4469-4478		223
690	Strength and Ductility of Nanostructured SPD Metals. 2004 , 79-90		1
689	Dislocation microstructures and surface morphology in fatigued fine-grained copper polycrystals. 2004 , 84, 381-399		13

688	Full Profile Analysis of X-ray Diffraction Patterns for Investigation of Nanocrystalline Systems. 2004 , 93-123		6
687	Achieving Superplasticity of Al-1%Mg-0.2%Sc Alloy in Plate Samples Processed by Equal-channel Angular Pressing. 2004 , 45, 2521-2524		11
686	Secondary Processing of AZ31 Magnesium Alloy Concomitant with Grain Growth or Dynamic Recrystallization. 2004 , 45, 2377-2382		27
685	Effect of Initial Grain Orientation on Evolution of Deformed Microstructure in Hot Compressed Ni-30Fe Alloy. 2004 , 45, 2960-2965		10
684	Commercial Purity Titanium Processed by Rotary-Die Equal Channel Angular Pressing Method. 2005 , 46, 2098-2101		8
683	Microstructure of 1Cr18Ni9Ti stainless steel by cryogenic compression deformation and annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 407, 84-88	5.3	26
682	Achieving enhanced tensile ductility in an Al-6061 composite processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 430-434	5.3	26
681	Creep and superplasticity in a spray-cast aluminum alloy processed by ECA pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 398-401	5.3	18
680	Size, geometry and nonuniformity effects of surface-nanocrystalline aluminum in nanoindentation test. 2005 , 21, 2089-2106		13
679	The microstructural characteristics of ultrafine-grained nickel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 391, 377-389	5.3	177
678	Grain refinement and superplasticity in an aluminum alloy processed by high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 393, 344-351	5.3	302
677	Effect of severe plastic deformation on tensile properties of a cast Al-1 mass% Si alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 395, 70-76	5.3	52
676	Tensile strength and ductility of ultra-fine-grained nickel processed by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 397, 330-337	5.3	157
675	Effect of cryo-rolling and annealing on microstructure and properties of commercially pure aluminium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 398, 246-251	5.3	169
674	The evolution of homogeneity and grain refinement during equal-channel angular pressing: A model for grain refinement in ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 398, 66-76	5.3	218
673	Microstructural evolution in a spray-cast aluminum alloy during equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 303-307	5.3	20
672	Synthesis of bulk nanostructured materials by repeated cold-rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 328-331	5.3	26
671	The significance of grain boundary sliding in the superplastic Zn-2% Al alloy after processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 447-450	5.3	42

670	Contribution of early works by Terence G. Langdon to modern materials science. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 5-7	53	1
669	Consolidation of a Cu ₂ .5vol.% Al ₂ O ₃ powder using high energy mechanical milling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 410-411, 375-380	53	23
668	Surface nanostructure and amorphous state of a low carbon steel induced by high-current pulsed electron beam. 2005 , 196, 145-149		60
667	Influence of ECAP on precipitate distributions in a spray-cast aluminum alloy. 2005 , 53, 749-758		140
666	Characterization of copper δ ementite nanocomposite produced by mechanical alloying. 2005 , 53, 967-976		28
665	Texture evolution of five wrought magnesium alloys during route A equal channel angular extrusion: Experiments and simulations. 2005 , 53, 3135-3146		259
664	Equal channel angular pressing of metal matrix composites: Effect on particle distribution and fracture toughness. 2005 , 53, 4919-4930		136
663	Strain rate sensitivity of ultrafine-grained aluminium processed by severe plastic deformation. 2005 , 53, 189-194		248
662	Fabrication of bulk nanocrystalline Fe ₀ alloy by spark plasma sintering of mechanically milled powder. 2005 , 53, 863-868		88
661	Achieving High Strength and High Ductility in Precipitation-Hardened Alloys. 2005 , 17, 1599-1602		246
660	Synthesis of Bulk Nanocrystalline Materials by Repeated Cold Rolling. 2005 , 7, 11-15		23
659	Development of an ultrafine grained ferrite in a low C/Mn and Nb/Ti microalloyed steels after warm torsion and intercritical annealing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 402, 98-108	53	28
658	Mechanical properties and microstructure of as-cast and extruded Mg-(Ce, Nd)-Zn-Zr alloys. 2005 , 12, 499-502		13
657	Influence of severe plastic deformations on secondary phase precipitation in a 6082 Al-Mg-Si alloy. 2005 , 36, 1353-1364		84
656	Effect of friction stir processing on the kinetics of superplastic deformation in an Al-Mg-Zr alloy. 2005 , 36, 1447-1458		42
655	AFM Analysis Of Nano-Copper Surface Morphology. 2005 , 880, 1		
654	Developing High Strain Rate Superplasticity in Aluminum Alloys. 2005 , 475-479, 2949-2954		1
653	Fatigue Property of High-Strength Carbon Steel Deformed by Repetitive Side Extrusion Process. 2005 , 475-479, 245-248		2

652	Textures and Local Textures in Severely Cold-Rolled and Annealed Ultra-Fine-Grained FeCo Alloy. 2005 , 495-497, 731-736	4
651	Sliding Wear Characteristics of Ultrafine-Grained Non-Strain-Hardening Aluminum-Magnesium Alloys. 2005 , 475-479, 401-404	20
650	Martensitic phase transformations in the nanostructured surface layers induced by mechanical attrition treatment. 2005 , 98, 114319	5
649	Synthesis of FePd and FePd/C magnetic nanocomposites by severe plastic deformation. 2005 , 97, 10F301	7
648	Superplasticity of Magnesium Alloy ZK40 Processed by Equal Channel Angular Pressing. 2005 , 488-489, 575-580	1
647	Hall-Petch relationship in nanocrystalline Ni and BeCu alloys. 2005 , 13, 377-385	59
646	Spray forming thick nanostructured and microstructured FeAl deposits. 2005 , 13, 596-607	54
645	Formation of Nanostructure during High-Pressure Torsion of Al-Zn, Al-Mg and Al-Zn-Mg Alloys. 2005 , 237-240, 739-744	14
644	The New SPD Processing Trends to Fabricate Bulk Nanostructured Materials. 2006 , 114, 7-18	4
643	Features of Cyclic Extrusion Compression: Method, Structure & Materials Properties. 2006 , 114, 19-28	20
642	Determination of plastic properties of polycrystalline metallic materials by nanoindentation: experiments and finite element simulations. 2006 , 86, 5541-5551	33
641	On the fatigue behavior of ultrafine-grained interstitial-free steel. 2006 , 97, 1328-1336	49
640	Hardness, thermal stability and yttrium distribution in nanostructured deposits obtained by thermal spraying from milled Y_2O_3 reinforced Br atomized FeAl powders. 2006 , 14, 715-721	23
639	Enhanced microhardness in nanocomposite Ti60Cu14Ni12Sn4Ta10 processed by high pressure torsion. 2006 , 14, 871-875	11
638	Nanostructures and nanocrystalline composite materials: synthesis, stability and phase transformations. 2006 , 38, 1047-1062	14
637	Mechanical behaviour of ultrafine grained aluminium containing Al ₈ Fe ₂ Si precipitates. 2006 , 203, 1920-1926	1
636	Analysis of substructure evolution during simple shear of polycrystals by means of a combined viscoplastic self-consistent and disclination modeling approach. 2006 , 54, 985-995	31
635	Microstructure and mechanical properties of super-strong nanocrystalline tungsten processed by high-pressure torsion. 2006 , 54, 4079-4089	264

634	Effect of microstructure on plastic deformation of Cu at low homologous temperatures. 2006 , 54, 5581-5590	54
633	Influence of crystal orientation on ECAP of aluminum single crystals. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 420, 79-86	53 54
632	Equal channel angular drawing of aluminium sheet. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 427, 123-129	53 31
631	Pinning of grain boundaries by second phase particles in equal-channel angularly pressed CuBeB alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 431, 86-91	53 33
630	The aging characteristics of an AlAg alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 437, 240-247	53 34
629	Challenges and advances in nanocomposite processing techniques. 2006 , 54, 121-285	344
628	Ultrafine grained structure and mechanical properties of a LY12 Al alloy prepared by repetitive upsetting-extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 422, 327-332	53 57
627	Grain refining performance for Al and AlBi alloy casts by addition of equal-channel angular pressed AlBmass% Ti alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 425, 55-63	53 70
626	Grain refinement and recrystallization of heavily worked tantalum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 426, 128-142	53 43
625	Nanocrystalline steel processed by severe rolling of lath martensite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 432, 216-220	53 34
624	Superplasticity of nanostructured metallic materials obtained by methods of severe plastic deformation. 2006 , 48, 47-53	4
623	Principles of equal-channel angular pressing as a processing tool for grain refinement. 2006 , 51, 881-981	3270
622	Thermal stability in bulk cryomilled ultrafine-grained 5083 Al alloy. 2006 , 37, 721-730	53
621	Producing bulk ultrafine-grained materials by severe plastic deformation. 2006 , 58, 33-39	1192
620	Mechanical properties of ultrafine grained 5052 Al alloy produced by accumulative roll-bonding and cryogenic rolling. 2006 , 12, 7-12	40
619	Formation of nano-sized grains in Cu and CuBeB alloys by accumulative roll bonding process. 2006 , 12, 225-230	31
618	Strain-path effects on the evolution of microstructure and texture during the severe-plastic deformation of aluminum. 2006 , 37, 2879-2891	42
617	Development of ultrafine grained high strength AlCu alloy by cryorolling. 2006 , 54, 2013-2017	177

616	Surface nanocrystallization of Ni ₃ Al by surface mechanical attrition treatment. 2006 , 60, 2076-2079	22
615	The Limits of Refinement by Severe Plastic Deformation. 2006 , 8, 1046-1056	176
614	Technique for Preparing Ultrafine Nanocrystalline Bulk Material of Pure Rare-Earth Metals. 2006 , 18, 1210-1215	69
613	Influence of nanocrystalline structure on work function of tungsten. 2006 , 24, 1061	6
612	Transmission electron microscopy study of copper-carbon nanocomposite. 2006 , 22, 673-678	5
611	Structural characterization of electrodeposited nanophase Ni-Ti alloys. 2006 , 21, 45-61	17
610	The Effect of Grain Size and Amount of β Phase on the Properties of Back-Torsion Working in 60/40 Brass. 2006 , 15-17, 661-666	2
609	Some New Trends in SPD Processing for Fabrication of Bulk Nanostructured Materials. 2006 , 503-504, 3-10	9
608	X-Ray Analysis of High Pressure Torsion Induced Nanostructures in Ti and Ni. 2006 , 114, 329-336	3
607	Mechanical Properties of Ultra-Fine Grained Al-Li Alloys. 2006 , 513, 25-34	2
606	Creep and Mechanical Properties of a Commercial Aluminum Alloy Processed by ECAP. 2006 , 503-504, 77-82	4
605	Severe Plastic Deformation of Commercially Pure Titanium by Rotary-Die Equal Channel Angular Pressing Method. 2006 , 503-504, 717-720	
604	UFG to NC FePd by Combined Reaction Transformation Mode of Severely Plastically Deformed Disordered FePd. 2006 , 980, 18	
603	Molecular Dynamics Analysis on Initial Texture and Processing Route Influences on Grain Refinement Behavior of α -Fe by Equal Channel Angular Pressing. 2007 , 340-341, 967-972	
602	Effect of Nb on dynamic strain induced austenite to ferrite transformation. 2007 , 23, 417-422	16
601	Nanostructured Materials and Composites Prepared by Solid State Processing. 2007 , 119-172	4
600	New trends in superplasticity in SPD-processed nanostructured materials. 2007 , 98, 314-319	6
599	Intercritical Annealing Behaviour of an Ultrafine Grained C-Mn Steel Obtained by Hot Torsion Deformation. 2007 , 550, 471-476	

598	Effect of Annealing Temperature on Microstructure and Properties of Surface Nanocrystalline Structure in Low Carbon Steel Specimen. 2007 , 353-358, 1601-1604		
597	Microstructural Characteristics of Cu-Fe-P Alloys Severely Deformed by Accumulative Roll Bonding Process. 2007 , 539-543, 2849-2852		
596	Accumulative Roll-Bonding (ARB) of Sheets of Aluminium and its Commercial Alloys AA8006 and AA5754 at Ambient and Elevated Temperatures. 2007 , 546-549, 767-774		2
595	Development and Properties of High Strengthened Carbon Steels Produced by Repetitive Side Extrusion and Heat Treatment Process. 2007 , 539-543, 2884-2891		9
594	Study of Grain Growth Kinetics in Submicrocrystalline Armco-Iron. 2007 , 550, 465-470		2
593	Bulk FeAl nanostructured materials obtained by spray forming and spark plasma sintering. 2007 , 434-435, 358-361		24
592	The mechanisms of microstructure formation in a nanostructured oxide dispersion strengthened FeAl alloy obtained by spark plasma sintering. 2007 , 15, 108-118		79
591	The evolution of homogeneity in processing by high-pressure torsion. 2007 , 55, 203-212		306
590	The role of back pressure in the processing of pure aluminum by equal-channel angular pressing. 2007 , 55, 2351-2360		67
589	Effect of redundant shear strain on microstructure and texture evolution during accumulative roll-bonding in ultralow carbon IF steel. 2007 , 55, 5873-5888		215
588	Microstructure/mechanical property relationships in ultrafine-grained NbZr. 2007 , 55, 6596-6605		47
587	Enhanced mechanical behavior of a nanocrystallised stainless steel and its thermal stability. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 445-446, 281-288	5-3	178
586	Instrumented anvil-on-rod tests for constitutive model validation and determination of strain-rate sensitivity of ultrafine-grained copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 464, 202-209	5-3	11
585	Role of strain gradient on grain refinement by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 462, 264-268	5-3	60
584	Processing microstructure property relationships in severely deformed tantalum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 463, 94-100	5-3	25
583	Superplasticity in nanostructured materials: New challenges. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 463, 2-7	5-3	39
582	Microstructure and properties of ultra-fine grain Cu ₃ Zr alloy prepared by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 459, 303-308	5-3	85
581	Optimal pressing route for continued equal channel angular pressing by finite element analysis. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 466, 166-171	5-3	36

580	Influence of cold extrusion on the microstructure and mechanical properties of an aluminium alloy previously subjected to equal channel angular pressing. 2007 , 182, 363-368		24
579	A new method for estimating strain in equal channel angular extrusion. 2007 , 183, 148-153		26
578	Significance of non-equilibrium grain boundaries in surface damage formation of ultrafine-grained copper in high-cycle fatigue. 2007 , 57, 293-296		23
577	A metallographic and electron microscopic study of the structure of copper after dynamic pressing. 2007 , 1, 630-634		3
576	Structure and properties of bulk nanostructured alloys synthesized by flux-melting. 2007 , 42, 1638-1648		12
575	Recent progress on the study of the microstructure and mechanical properties of ECAE copper. 2007 , 42, 9097-9111		27
574	The new trends in fabrication of bulk nanostructured materials by SPD processing. 2007 , 42, 1483-1490		53
573	Recent progress on the study of the microstructure and mechanical properties of ECAE copper. 2007 , 42, 1622-1637		26
572	The processing of ultrafine-grained materials through the application of severe plastic deformation. 2007 , 42, 3388-3397		45
571	Texture and grain boundary character of a Ti + Nb-IF steel after large cold rolling reductions. 2007 , 42, 9548-9552		7
570	On the Microstructural Stability of Ultrafine-Grained Interstitial-Free Steel under Cyclic Loading. 2007 , 38, 1946-1955		45
569	The Influence of Zirconium on the Low-Cycle Fatigue Response of Ultrafine-Grained Copper. 2007 , 38, 1916-1925		17
568	Severe Plastic Deformation by Machining Characterized by Finite Element Simulation. 2007 , 38, 927-938		14
567	Achieving superplastic behavior in fcc and hcp metals processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 104-110	5.3	32
566	Controllable bimodal structures in hypo-eutectoid CuAl alloy for both high strength and tensile ductility. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 490, 471-476	5.3	27
565	On the cyclic deformation response of ultrafine-grained AlMg alloys at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 496, 114-120	5.3	18
564	Fatigue crack initiation life prediction of ultra-fine grain chromiumBronze prepared by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 496, 434-438	5.3	16
563	An EBSD investigation of interstitial-free steel subjected to equal channel angular extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 497, 341-352	5.3	74

562	Deformational methods of material nanostructuring: Premises, history, state of the art, and prospects. 2008 , 51, 492-504		11
561	On mechanics of deformation and crushing processes. 2008 , 40, 56-59		
560	Mechanical properties of ultrafine grained ferritic steel sheets fabricated by rolling and annealing of duplex microstructure. 2008 , 43, 7391-7396		30
559	Analysis of Severe Plastic Deformation by Large Strain Extrusion Machining. 2008 , 39, 2645-2655		23
558	Stress-Amplitude-Dependent Deformation Characteristics and Microstructures of Cyclically Stressed Ultrafine-Grained Copper. 2008 , 10, 720-726		12
557	Using high-pressure torsion for metal processing: Fundamentals and applications. 2008 , 53, 893-979		2224
556	Analysis of the mechanical properties and deformation behavior of nanostructured commercially pure Al processed by equal channel angular pressing (ECAP). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 473, 189-194	5-3	118
555	Gradient matrix method to image crystal curvature by processing of EBSD data and trial recognition of low-angle boundaries in IF steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 474, 165-172	5-3	15
554	Severe plastic deformation introduced by rotation shear. 2008 , 202, 549-552		4
553	Investigations on workability of commercial purity aluminum processed by equal channel angular pressing. 2008 , 202, 543-548		28
552	Finite element analysis of plastic deformation behavior during high pressure torsion processing. 2008 , 201, 32-36		70
551	Grain refinement and improved age hardening of MgZn alloy by a trace amount of V. 2008 , 56, 3533-3542		51
550	Effect of nanocrystallization on tribological behaviors of ingot iron. 2008 , 264, 535-541		29
549	The role of heat treatment on the cyclic stress-strain response of ultrafine-grained interstitial-free steel. 2008 , 30, 426-436		42
548	Texture control and grain refinement of AA1050 Al alloy sheets by asymmetric rolling. 2008 , 50, 869-887		82
547	Fatigue behavior and damage characteristic of ultra-fine grain low-purity copper processed by equal-channel angular pressing (ECAP). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 475, 249-256	5-3	53
546	Single-pass severe plastic forming of ultrafine-grained plain carbon steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 478, 376-383	5-3	13
545	The evolution of homogeneity on longitudinal sections during processing by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 480, 449-455	5-3	59

544	A microstructure study of nanostructured FeMo+1.5wt.%SiO ₂ and +1.5wt.%TiO ₂ powders compacted by spark plasma sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 496, 121-132	5.3	11
543	CONTROL OF NANOSTRUCTURE OF MATERIALS. 2008 , 177-265		
542	On the cyclic stability of nanocrystalline copper obtained by powder consolidation at room temperature. 2008 , 58, 307-310		11
541	Improvement of the fatigue performance of an ultrafine-grained NbZr alloy by nano-sized precipitates formed by internal oxidation. 2008 , 58, 571-574		22
540	Effects of severe cold rolling on the texture and grain boundary character of a TiNb IF steel. 2008 , 62, 222-225		11
539	Characterization and properties of nanocrystalline surface layer in Mg alloy induced by surface mechanical attrition treatment. 2008 , 452, 336-342		80
538	Severe plastic deformation (SPD) processes for metals. 2008 , 57, 716-735		689
537	On the Cyclic Stability and Fatigue Performance of Ultrafine-Grained Interstitial-Free Steel under Mean Stress. 2008 , 378-379, 39-52		9
536	EMPLOYING IMPACT TO INDUCE ULTRA-FINE GRAINS IN OXYGEN-FREE PURE COPPER. 2008 , 22, 1103-1110		
535	Nano Grain Formation in Tungsten by Severe Plastic Deformation-Mechanical Milling Process. 2008 , 49, 54-57		20
534	Deformation Mechanism of Severely Deformed CP-Titanium by Uniaxial Compression Test. 2008 , 49, 38-40		7
533	Mechanical Milling Process as Severe Plastic Deformation Method. 2008 , 94, 608-615		8
532	Microstructural development and tensile strength of an ECAP: deformed Al-4 wt. (%) Cu alloy. 2008 , 11, 199-205		9
531	Nanostructured Surface Layer of Ti-4Al-2V by Means of High Energy Shot Peening. 2008 , 48, 218-223		12
530	Processing by severe plastic deformation:an ancient skill adapted for the modern world. 2009 , 100, 1623-1631	5	
529	Review of shot peening processes to obtain nanocrystalline surfaces in metal alloys. 2009 , 25, 3-14		184
528	Effect of equal channel angular pressing on microstructure, texture, and high-cycle fatigue performance of wrought magnesium alloys. 2009 , 100, 838-842		14
527	Nanostructuring of metallic materials by spd processing for advanced properties. 2009 , 100, 757-761		18

526	Grain size reduction of copper subjected to repetitive uniaxial compression combined with accumulative fold. 2009 , 18, 815-820			2
525	Enhanced Ductility in Ultrafine-Grained Al Alloys Produced by SPD Techniques. 2009 , 633-634, 321-332			17
524	A new route to fabricate ultrafine-grained structures in carbon steels without severe plastic deformation. 2009 , 60, 76-79			84
523	New procedure to generate stable nanocrystallites by severe plastic deformation. 2009 , 61, 1016-1019			66
522	Microstructure investigation of equal channel angular pressed aluminium by X-ray diffraction and scanning electron microscopy. 2009 , 44, 106-110			3
521	Nanostructures generated by explosively driven friction: Experiments and molecular dynamics simulations. 2009 , 57, 5270-5282			37
520	Plastic Flow Properties and Microstructural Evolution in an Ultrafine-Grained Al-Mg-Si Alloy at Elevated Temperatures. 2009 , 40, 3294-3303			23
519	Gradient submicrocrystalline structure in Fe ₇₃ Cr ₁₀ Co system hard magnetic alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 99-102	5-3		12
518	Cyclic stability of ultrafine-grained interstitial-free steel at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 160-162	5-3		13
517	Monitoring the fatigue-induced damage evolution in ultrafine-grained interstitial-free steel utilizing digital image correlation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 517, 225-234	5-3		38
516	Effects of annealing on the microstructure and properties of Cu ₁ copper processed by Equal Channel Angular Extrusion. 2009 , 2, 677-684			6
515	Research on bulk nanostructured materials in Ufa: Twenty years of scientific achievements. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 6-9	5-3		18
514	Formation of a submicrocrystalline structure upon dynamic deformation of aluminum alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 503, 103-105	5-3		19
513	Development of high strength AlMgSi AA6061 alloy through cold rolling and ageing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009 , 515, 169-174	5-3		78
512	Recovery of Industrial and Recycled AlCu Alloys Subjected to Severe Plastic Deformation. 2009 , 2, 1337-1342			1
511	Experimental atomic scale investigation of irradiation effects in CW 316SS and UFG-CW 316SS. 2009 , 389, 259-264			16
510	Using ring samples to evaluate the processing characteristics in high-pressure torsion. 2009 , 57, 1147-1153			59
509	Evolution of initial grain boundaries and shear bands in Cu bicrystals during one-pass equal-channel angular pressing. 2009 , 57, 1132-1146			30

508	Grain refinement in as cast AlMgMn alloy during high temperature equal channel angular pressing. 2009 , 25, 820-828		5
507	Processing, Strength and Ductility of Bulk Nanostructured Metals Produced by Sever Plastic Deformation: An Overview. 2009 , 633-634, 131-150		3
506	Process Analysis and Numerical Simulation of Equal Channel Angular Pressing and Torsion (ECAPT). 2009 , 79-82, 1229-1232		1
505	Functional Nanostructured Materials [Microstructure, Thermodynamic Stability and Atomic Mobility. 2009 , 1, 1-50		7
504	Deformation mechanisms in ARB processed aluminium alloy AA6016 at low temperatures. 2010 , 240, 012148		2
503	Thermo-mechanical response of Al 6061 with and without equal channel angular pressing (ECAP). 2010 , 26, 189-203		62
502	Cold pressure welding of severely plastically deformed aluminium by divergent extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 1351-1360	5-3	11
501	Investigation of superplasticity in friction stir processed 2219Al alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4191-4196	5-3	22
500	On the HallPetch relationship in a nanostructured AlCu alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7821-7825	5-3	128
499	Microstructure and mechanical properties of UFG medium carbon steel processed by HPT at increased temperature. 2010 , 45, 4822-4826		20
498	On the fatigue crack growthmicrostructure relationship in ultrafine-grained interstitial-free steel. 2010 , 45, 4813-4821		50
497	Trefilov and strength physics today. 2010 , 49, 386-396		
496	Influence of strain rate on ultimate tensile stress of coarse-grained and ultrafine-grained copper. 2010 , 64, 2344-2346		11
495	Contribution of grain boundary sliding in low-temperature superplasticity of ultrafine-grained aluminum alloys. 2010 , 62, 125-128		81
494	The Art and Science of Tailoring Materials by Nanostructuring for Advanced Properties Using SPD Techniques. 2010 , 12, 677-691		62
493	Texture, Microstructure and Mechanical Properties of Ultrafine Grained Aluminum Produced by Accumulative Roll Bonding. 2010 , 12, 989-994		33
492	Plasticity and Grain Boundary Diffusion at Small Grain Sizes. 2010 , 12, 758-764		67
491	The dissolution behavior of β phase in AlCu binary alloy during equal channel angular pressing and multi-axial compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 4300-4305	5-3	31

490	Three-dimensional modeling of the grain boundary misorientation angle distribution based on two-dimensional experimental texture measurements. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5604-5612	5-3	18
489	Determination of inelastic heat fraction of OFHC copper through dynamic compression. 2010 , 37, 50-68		13
488	Forgeability of ultra-fine grained aluminum alloy for bolt forming. 2010 , 52, 1269-1276		18
487	A simple technique of nanocrystallizing metallic surfaces for enhanced resistances to mechanical and electrochemical attacks. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 2875-2880	5-3	15
486	Thermal stability of ultrafine-grained austenitic stainless steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 5805-5810	5-3	52
485	Microstructural evolution and its effect on mechanical properties of commercially pure aluminum deformed by ECAE (Equal Channel Angular Extrusion) via routes A and C. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 7927-7930	5-3	24
484	Comparison of nanostructured Al/B4C composite produced by ARB and Al/B4C composite produced by RRB process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 528, 578-582	5-3	54
483	The thermal behavior of aluminum 5083 alloys deformed by equal channel angular pressing. 2010 , 499, 100-105		12
482	Ultrafine grained structure development in steel with different initial structure by severe plastic deformation. 2010 , 15, 240-246		5
481	Microstructural evolution of AA7050 al alloy processed by ECAP. 2010 , 15, 291-298		6
480	Strengthening of CP-Ti by Rolling at Room Temperature. 2010 , 667-669, 737-741		
479	Major Landmarks of NanoSPD Activity: International Conferences from NanoSPD1 to NanoSPD5. 2010 , 667-669, 3-8		
478	Ultrasonic Surface Mechanical Attrition of Commercially Pure Ti to Induce Nanocrystalline Surface Layer. 2010 , 442, 152-157		3
477	Susceptibility to Hydrogen Embrittlement of IF Steel with Ultrafine-Grained Structure Produced by Accumulative Roll-Bonding Process. 2010 , 654-656, 1235-1238		1
476	Rotary-Die Equal Channel Angular Pressing Method for Light Metals. 2010 , 638-642, 1614-1617		
475	Effect of Preliminary Treatment on Grain Refinement of Medium Carbon Steel Using ECAP at Increased Temperature. 2010 , 638-642, 2013-2018		2
474	Modeling of Microstructure Evolution in Process with Severe Plastic Deformation by Cellular Automata. 2010 , 638-642, 2772-2777		11
473	Equal Channel Angular Pressing and Torsion (ECAPT) for Densification and Strengthening Properties of Powder Sintered Materials. 2010 , 146-147, 101-104		1

472	Application of High-Pressure Torsion to Al-Si Alloys with and without Scandium Additions. 2010 , 667-669, 743-748	1
471	Surface Nanostructuring of Interstitial Free Steel by Wire Brushing. 2010 , 224, 190-198	1
470	Ultrafine Structure Formation in Aluminium Alloy Processed by HPT and the Mechanical Properties Response. 2010 , 667-669, 903-908	
469	Finite Element Simulation of the Effects of Mould Angle on the Equal Channel Angular Pressing for Al-Zn-Mg-Cu Alloy. 2010 , 97-101, 3075-3078	0
468	Microstructure and mechanical property evolution of 99.1% recycled aluminum during equal Channel Angular Extrusion. 2010 , 13, 012017	1
467	Asymmetric ability of grain boundaries to generate dislocations under tensile or compressive loadings. 2010 , 82,	37
466	Processing of nanostructured metals and alloys via plastic deformation. 2010 , 35, 977-981	76
465	Tensile properties of UFG aluminium alloy AA6016 at low temperatures. 2010 , 240, 012027	1
464	Nanocrystalline structure of magnesium alloys subjected to high energy shot peening. 2010 , 492, 347-350	25
463	Severe plastic deformation and phase transformations. 2010 , 240, 012003	27
462	Processing by Severe Plastic Deformation: Historical Developments and Current Impact. 2010 , 667-669, 9-14	23
461	Microstructural characterisation of friction stir processed aluminium. 2011 , 27, 1163-1169	13
460	Superplastic deformation in nanocrystalline metals and alloys. 2011 , 542-593	3
459	Microstructures and Mechanical Properties of Al/Mg Alloy Multilayered Composites Produced by Accumulative Roll Bonding. 2011 , 27, 15-21	47
458	Microstructural Evolution of Rapidly Solidified ZK60 Powders during Extrusion. 2011 , 27, 159-164	7
457	Superplasticity of Ti2448 Alloy with Nanostructured Grains. 2011 , 27, 1099-1104	7
456	Introduction. 2011 , xxi-xxxv	5
455	Superplasticity governed by effective grain size and its distribution in fine-grained aluminum alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 530, 548-558	5.3 36

454	Formability of ultrafine-grained interstitial-free steel fabricated by accumulative roll-bonding and subsequent annealing. 2011 , 65, 175-178		42
453	Microstructure development and texture evolution of ME20 sheets processed by accumulative roll bonding. 2011 , 65, 1907-1910		28
452	Evolution of defects in copper deformed by high-pressure torsion. 2011 , 59, 2322-2329		100
451	Microstructure and Mechanical Properties of Oxide-Dispersion Strengthened Al6063 Alloy with Ultra-Fine Grain Structure. 2011 , 42, 816-824		33
450	Fatigue Damage Evolution in Ultrafine-Grained Interstitial-Free Steel. 2011 , 13, 275-280		8
449	Non-equilibrium grain boundary structure and inelastic deformation using atomistic simulations. 2011 , 27, 841-857		100
448	Hardness homogeneity on longitudinal and transverse sections of an aluminum alloy processed by ECAP. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 3833-3840	5-3	64
447	Evolution of microstructures in severely deformed AA 3104 aluminum alloy by multiple constrained compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 5405-5410	5-3	14
446	A comprehensive evaluation of parameters governing the cyclic stability of ultrafine-grained FCC alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 6345-6355	5-3	14
445	Tensile behaviour and strain hardening characteristics of constrained groove pressed nickel sheets. 2011 , 32, 4650-4657		56
444	An experimental evaluation of a special ECAP die containing two equal arcs of curvature. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4173-4179	5-3	16
443	Mechanical properties of copper after compression stage of high-pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4840-4844	5-3	49
442	Microstructure inhomogeneity in ultra-fine grained bulk AZ91 produced by accumulative back extrusion (ABE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4312-4317	5-3	62
441	Modeling Of Microstructure Evolution Of BCC Metals Subjected To Severe Plastic Deformation. 2011 ,		6
440	Ultrafine-grained aluminium alloys: processes, structural features and properties. 2011 , 468-503		14
439	Producing bulk nanostructured metals and alloys by severe plastic deformation (SPD). 2011 , 3-39		12
438	Effect of Deformation Degree on Mechanical Properties of AZ80 Magnesium Alloy. 2011 , 239-242, 3262-3265		
437	On the Conflicts in the Experimental Results Concerning the Mechanical Properties of Ultra-Fine Grained and Nanostructured Materials: Effects of Processing Routes and Experimental Conditions. 2011 , 683, 3-54		4

- 436 Deformation Induced Percolating Porosity In High Pressure Torsioned (HPT) Copper. **2011**, 702-703, 105-108 2
- 435 Applying nanostructured steel sheets to automotive body structures. **2011**, 687-714 1
- 434 Study on Hardness and Elastic Modulus of Surface Nanostructured 304 Stainless Steel Using Two Mechanical Methods. **2011**, 133, 1
- 433 Texture evolution and grain refinement of ultrafine-grained copper during micro-extrusion. **2011**, 91, 263-280 9
- 432 Microstructures and Properties of Ultrafine Grained Iron by Rolling. **2011**, 682, 61-64
- 431 X-ray studies of structure defects in recycled aluminum alloy during equal channel angular extrusion: Dislocation density and stored energy. **2012**, 28, 012043 2
- 430 Elastic and plastic anisotropy after straining of nanocrystalline palladium. **2012**, 85, 9
- 429 Evolution of microstructural and mechanical properties of an industrial 1070 Aluminium alloy processed by equal channel angular extrusion. **2012**, 28, 012039 2
- 428 Nanostructured steel for automotive body structures. **2012**, 57-84
- 427 Microstructure and Texture Evolution in Metals and Alloys during Intense Plastic Deformation. **2012**, 715-716, 51-60 1
- 426 Ultrafine Grain Structure Evolution in AA6085 Aluminium Alloy Processed by HPT at Increased Temperature. **2012**, 706-709, 1864-1869
- 425 Modeling Mechanical Behavior of Materials Processed by Accumulative Roll Bonding. **2012**,
- 424 Changes in Mechanical Characteristics of Pre-Annealed Wires of Cu–Sn Alloy Manufactured by Continuous Draw Bending. **2012**, 53, 116-122 3
- 423 Microstructure and Crystallographic Features of Martensite Transformed from Ultrafine-Grained Austenite in Fe–24Ni–0.3C Alloy. **2012**, 53, 81-86 23
- 422 Control of nanostructure of materials. **2012**, 177-265
- 421 On combining high damping capacity and high strength in nanocrystalline materials. **2012**, 54, 244-248 1
- 420 Carburising behaviour of low carbon steel with nanocrystalline surface layer induced by ball milling. **2012**, 28, 959-964 1
- 419 Grain Boundary Sliding during Low Temperature Creep of Ultrafine and Coarse Grained Aluminum. **2012**, 735, 17-21

4 ¹⁸	Nanoindentation analysis for local properties of ultrafine grained copper processed by high pressure torsion. 2012 , 47, 7828-7834	13
4 ¹⁷	Twenty-five years of severe plastic deformation: recent developments in evaluating the degree of homogeneity through the thickness of disks processed by high-pressure torsion. 2012 , 47, 7719-7725	45
4 ¹⁶	Mechanical properties and thermal stability of bulk Cu cold consolidated from atomized powders by high-pressure torsion. 2012 , 47, 7770-7776	16
4 ¹⁵	Microstructure, texture and mechanical properties of aluminum processed by high-pressure tube twisting. 2012 , 60, 4393-4408	78
4 ¹⁴	Fatigue properties of ultra-fine grain Cu ₉₀ Zr alloy processed by equal-channel angular pressing. 2012 , 526, 39-44	19
4 ¹³	Severe Plastic Deformation Techniques for Bulk Ultrafine-grained Materials. 2012 , 41, 941-946	53
4 ¹²	Effect of treatment duration on surface nanocrystallization induced by fast multiple rotation rolling and its thermal stability. 2012 , 263, 445-448	12
4 ¹¹	Change in mechanical properties of fine copper wire manufactured by continuous rotary draw bending process. 2012 , 212, 2505-2513	8
4 ¹⁰	An interfacial energy incorporated couple stress crystal plasticity and the finite element simulation of grain subdivision. 2012 , 60, 1815-1841	7
4 ⁰⁹	Microstructure and mechanical behavior of UFG copper processed by ECAP following different processing regimes. 2012 , 92, 690-704	19
4 ⁰⁸	Structural evolution and interdiffusion in Al/Cu nanocomposites produced by a novel manufacturing process. 2012 , 18, 1049-1054	5
4 ⁰⁷	Microstructural evolution of a recycled aluminum alloy deformed by equal channel angular pressing process. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2012 , 19, 1016-1022	3-1 4
4 ⁰⁶	Superplastic Forming Response of a Friction Stir Processed Mg Alloy Sheet – A Numerical Approach. 2012 , 735, 192-197	1
4 ⁰⁵	Enhanced Grain Refinement Through Deformation Induced β -Precipitation in Hot Working of α -Ti Titanium Alloy. 2012 , 14, 785-789	6
4 ⁰⁴	Fabrication of high-strength Ti-6% Al-4% V titanium alloy by multipass warm rolling. 2012 , 53, 505-507	
4 ⁰³	Texture evolution and anisotropy in the thermo-mechanical response of UFG Ti processed via equal channel angular pressing. 2012 , 30-31, 202-217	57
4 ⁰²	Simultaneously improving the strength and ductility of coarse-grained Hadfield steel with increasing strain rate. 2012 , 66, 431-434	35
4 ⁰¹	TEM studies of structure in OFHC copper processed by equal channel angular rolling. 2012 , 43, 720-724	23

400	Effect of friction stir processing on microstructure and mechanical properties of aluminium. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 539, 85-92	5.3	109
399	Thermal stability of ultrafine grained Fe _{0.1} Cr _{0.1} Ni alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 542, 64-70	5.3	28
398	The microstructural evolution and superplastic behavior at low temperatures of Mg _{0.00} Zn _{0.92} Y _{0.16} Zr (wt.%) alloys after hot extrusion and ECAP process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 549, 60-68	5.3	31
397	Production of Ti _{0.5} Al _{0.5} V billet through compaction of blended elemental powders by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 550, 263-272	5.3	28
396	Investigating the deformation of nanocrystalline copper with microscale kinematic metrics and molecular dynamics. 2012 , 60, 471-486		41
395	Thermoelectric Nanomaterials. 2013 ,		95
394	Investigation of Surface Nanocrystallization by Pre-Forcing Rolling Technology. 2013 , 750-752, 1963-1966		1
393	Nanocrystallization of a quenched RAFM steel and microstructure evolution during annealing heat treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 583, 61-68	5.3	12
392	Achieving superplasticity in ultrafine-grained metals. 2013 , 67, 2-8		38
391	Twenty-five years of ultrafine-grained materials: Achieving exceptional properties through grain refinement. 2013 , 61, 7035-7059		549
390	Microstructure tailoring to enhance strength and ductility in Ti _{0.3} Nb _{0.3} Zr for biomedical applications. 2013 , 69, 785-788		39
389	Investigation of Microstructure and Properties of Surface Nanocrystallization Layer by Rolling Technology. 2013 , 395-396, 746-750		
388	Modeling of grain refinement by cellular automata. 2013 , 77, 408-416		27
387	Plastic Deformation Simulation on Compound Twist Extrusion Process for Metal Materials. 2013 , 291-294, 2676-2679		1
386	Structural Modeling and Physical Properties of SPD-Processed Materials. 2013 , 291-330		
385	Development of Processing Using Equal-Channel Angular Pressing. 2013 , 191-214		
384	Extreme grain refinement by severe plastic deformation: A wealth of challenging science. 2013 , 61, 782-817		1230
383	Experimental microindentation of pure copper subjected to severe plastic deformation by combined tension-torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 571, 95-102	5.3	36

382	Improved fatigue properties of ultrafine-grained copper under cyclic torsion loading. 2013 , 61, 5857-5868		39
381	Friction stir welding of AISI 1080 steel using liquid CO ₂ for enhanced toughness and ductility. 2013 , 18, 500-506		35
380	Optimization of structural parameters for elliptical cross-section spiral equal-channel extrusion dies based on grey theory. 2013 , 26, 209-216		9
379	Surface nanocrystallization by mechanical punching process for improving microstructure and properties of Cu-30Ni alloy. 2013 , 23, 1694-1700		11
378	Scaling effects on grain boundary diffusivity; Au in Cu. 2013 , 61, 1851-1861		7
377	Comparison of the monotonic and cyclic mechanical properties of ultrafine-grained low carbon steels processed by continuous and conventional equal channel angular pressing. 2013 , 47, 138-142		10
376	Superplasticity of Composites. 2013 , 155-164		
375	Modeling tensile strength of materials processed by accumulative roll bonding. 2013 , 15, 219-226		16
374	Advances in ultrafine-grained materials. 2013 , 16, 85-93		108
373	Effect of stacking fault energy on nanostructure formation under accumulative roll bonding (ARB) process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 578, 191-196	5.3	32
372	Investigation of nanostructured aluminum/copper composite produced by accumulative roll bonding and folding process. 2013 , 51, 274-279		56
371	Effect of sand blasting and glass matrix composite coating on oxidation resistance of a nickel-based superalloy at 1000 °C. <i>Corrosion Science</i> , 2013 , 73, 331-341	6.8	32
370	Strain-induced refinement and thermal stability of a nanocrystalline steel produced by surface mechanical attrition treatment. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 568, 176-183	5.3	15
369	Effect of Multiple Martensitic Transformations on Structure of FeNi Alloys. 2013 , 29, 279-282		10
368	The effect of Al ₂ Cu precipitates on the microstructural evolution, tensile strength, ductility and work-hardening behaviour of a Al ₇ wt.% Cu alloy processed by equal-channel angular pressing. 2013 , 61, 115-125		37
367	High strength and ductile ultrafine-grained Cu ₃ Ag alloy through bimodal grain size, dislocation density and solute distribution. 2013 , 61, 228-238		87
366	Grain refinement and mechanical properties of CP-Ti processed by warm accumulative roll bonding. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013 , 561, 109-117	5.3	63
365	Homogeneity in Ultrafine-Grained Aluminum Prepared by Equal-Channel Angular Pressing. 2013 , 161-172		

- 364 The Effect of Warm Accumulative Roll Bonding and Post Process Treatment on Microstructure and Mechanical Behavior of CP-Ti. **2013**,
- 363 HPT Processing of Metals, Alloys, and Composites. **2013**, 88-151
- 362 Mechanical Properties at High Temperatures. **2013**, 357-386
- 361 Grain Refinement and Deformation Behaviour of Medium Carbon Steel Processed by ECAP. **2013**, 592-593, 307-312 1
- 360 Grain Refinement in Metallic Systems Processed by ECAP. **2013**, 239-288
- 359 Description of Severe Plastic Deformation (SPD). **2013**, 6-21 1
- 358 Hardness and Microstructure Changes in Severely Deformed and Recrystallized Tantalum. **2013**, 151-160 5
- 357 Ultrafine-Grained Tungsten Produced by SPD Techniques. **2013**, 199-208 1
- 356 Structure and Mechanical Behavior of the AMg6 Aluminum Alloy after Severe Plastic Deformation and Annealing. **2013**, 521-530
- 355 Introduction. **2013**, 1-5
- 354 Grain Refinement and Phase Transformations in Al and Fe Based Alloys During Severe Plastic Deformation. **2013**, 183-192 1
- 353 Metastable Nanostructured Alloys Processed by Severe Plastic Deformation. **2013**, 209-218
- 352 Strength of Submicrocrystalline Severely Deformed Commercial Aluminum Alloys. **2013**, 371-380
- 351 Processing of an Aluminum-6061 Metal Matrix Composite by Equal-Channel Angular Pressing. **2013**, 173-182
- 350 Effect of Grain Boundary Structure on Misorientation Change of Pure Copper Bicrystals Pressed by One-Pass Equal-Channel Angular Pressing. **2013**, 54, 1077-1082 4
- 349 Cross-Sectional Distributions of Mechanical Properties of Fine Cu–Sn Alloy Wire Manufactured by Continuous Rotary Draw Bending. **2013**, 54, 1634-1641
- 348 Equal Channel Angular Pressing of Steels (BCC), Al Alloys (FCC) and Pure Titanium (HCP). **2013**, 25-34
- 347 Annealing Effect on the Strength of Severe-Plastic-Deformed Titanium. **2013**, 515-520

- 346 Recent Developments of SPD Processing for Fabrication of Bulk Nanostructured Materials. **2013**, 313-322
- 345 X-Ray Analysis of SPD Nanostructured Materials. **2013**, 623-632
- 344 Effect of surface nanostructure on tensile and low cycle fatigue behavior of Al 2014 alloy. **2014**, 63, 012017 2
- 343 References. **2014**, 93-97
- 342 Investigation of a new route for equal channel angular pressing process using three-dimensional finite element method. **2014**, 228, 765-774 6
- 341 Effect of Ultrasonic Shot Peening on Microstructure and Mechanical Properties of High-Nitrogen Austenitic Stainless Steel. **2014**, 23, 4055-4064 40
- 340 Tensile testing of Al6061-T6 microspecimens with ultrafine grained structure derived from machining-based SPD process. **2014**, 29, 1278-1287 4
- 339 Modeling and Analysis on Influence of Channel Angle and Processing Route in Equal Channel Angular Pressing. **2014**, 592-594, 504-510 1
- 338 The effects of billet temperature on compound extrusion of magnesium alloy by three-dimensional finite element modeling and experiments. **2014**, 228, 1449-1457 7
- 337 Advanced High Strength Bainitic Steels. **2014**, 165-190 7
- 336 Annealing Effects in Twin-Roll Cast AA8006 Aluminium Sheets Processed by Accumulative Roll-Bonding. **2014**, 7, 8058-8069 5
- 335 A critical examination of the paradox of strength and ductility in ultrafine-grained metals. **2014**, 29, 2534-2546 26
- 334 Structure Refinement of Medium Carbon Steel and Deformation Properties Respond. **2014**, 782, 104-110
- 333 The Flow Behavior of Ultrafine-Grained Materials. **2014**, 1013, 7-14
- 332 Influence of Stacking Fault Energy on the Grain Size of FCC Metals Fabricated by Accumulative Roll Bonding Process. **2014**, 1064, 131-137
- 331 Effects of lubricant on the mechanical properties of aluminum 6063 alloy after ECAE. **2014**, 66, 360-364
- 330 Mechanical behaviour and microstructural characterizations of ultrafine grained Zircaloy-2 processed by cryorolling. *Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing*, **2014**, 603, 23-29 5:3 23
- 329 Influence of Initial Microstructure on Warm Deformation Processability and Microstructure of an Ultrahigh Carbon Steel. **2014**, 21, 52-59 5

328	Thermal stability of a nanostructured layer on the surface of 316L stainless steel. 2014 , 29, 556-560		3
327	Measurement method for stress-strain curve in a super-large strain range. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 600, 82-89	5.3	18
326	Mechanical properties and precipitate behavior of Mg ₉ Al ₁ Zn alloy processed by equal-channel angular pressing and aging. 2014 , 594, 182-188		44
325	Dynamic and post-dynamic recrystallization under hot, cold and severe plastic deformation conditions. 2014 , 60, 130-207		1385
324	Microstructure-texture-mechanical properties relationship in multi-pass warm rolled Ti ₆ Al ₄ V Alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 589, 174-181	5.3	48
323	An evaluation of the shearing patterns introduced by different anvil alignments in high-pressure torsion. 2014 , 49, 3146-3157		17
322	ZK60 alloy processed by ECAP: Microstructural, physical and mechanical characterization. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 594, 32-39	5.3	51
321	Grain-Size Dependency of Low-Temperature Creep in Ultrafine-Grained Aluminum. 2014 , 794-796, 302-306		
320	Development and application of a novel precession electron diffraction technique to quantify and map deformation structures in highly deformed materials—applied to ultrafine-grained titanium. 2014 , 79, 203-215		50
319	Transition from intergranular to pitting corrosion in fine grained aluminum processed by equal channel angular pressing. <i>Corrosion Science</i> , 2014 , 87, 259-264	6.8	28
318	Review: achieving superplasticity in metals processed by high-pressure torsion. 2014 , 49, 6487-6496		51
317	Evaluating a New Core-Sheath Procedure for Processing Hard Metals by Equal-Channel Angular Pressing. 2014 , 16, 918-926		6
316	Development of Ultrafine-Grained Metals by Equal-Channel Angular Pressing. 2014 , 187-209		6
315	Microstructure and thermal stability of bulk nanocrystalline alloys produced by surface mechanical attrition treatment. 2014 , 292, 556-562		24
314	Influence of severe shot peening on wear behaviour of an aluminium alloy. 2014 , 37, 821-829		40
313	Report of International NanoSPD Steering Committee and statistics on recent NanoSPD activities. 2014 , 63, 011002		4
312	Strengthening in Thermomechanically Processed Magnesium Alloys. 2015 , 225-230		
311	Understanding the Mechanical Properties of Nanostructured Bainite. 2015 , 35-65		8

310	. 2015 ,			1
309	Optimized Design of an ECAP Die Using the Finite Element Method for Obtaining Nanostructured Materials. 2015 , 2015, 1-8			5
308	Nitrided 08Kh17T steel after high-pressure torsion. 2015 , 2015, 861-867			1
307	Fragmentation of crystals upon deformation twinning and dynamic recrystallization. 2015 , 116, 730-744			13
306	Effect of pressing routes on the microstructure and strength in equal channel angular pressing of Cu-3.75Ag. 2015 , 21, 746-752			5
305	Aluminum based Composite by Novelty Process: Repetitive Press Roll Bonding (RPRB). 2015 , 16, 473-479			5
304	Ultrafine ferrite formation through cold-rolling and annealing of low-carbon dual-phase steel. 2015 , 31, 745-754			5
303	The microstructural evolution and thermo-mechanical behavior of UFG Ti processed via equal channel angular pressing. 2015 , 219, 257-270			24
302	Evaluating the Room Temperature ECAP Processing of a NiTi Alloy via Simulation and Experiments. 2015 , 17, 532-538			7
301	Microstructure evolution and mechanical properties in ultrafine grained Al/TiC composite fabricated by accumulative roll bonding. 2015 , 77, 84-92			59
300	Production of nanograin microstructure in steel nanocomposite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 638, 143-151	5:3		11
299	Effect of Fast Multiple Rotation Rolling on the Oxidation Resistance of Super304H Stainless Steel in High-Temperature Water Vapor. 2015 , 84, 259-268			1
298	Ultrafine-grained magnesium-lithium alloy processed by high-pressure torsion: Low-temperature superplasticity and potential for hydroforming. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 640, 443-448	5:3		66
297	On the Achievement of Nanostructured Interstitial Free Steel by Four-Layer Accumulative Roll Bonding Process at Room Temperature. 2015 , 46, 4013-4019			16
296	Surface composites by friction stir processing: A review. 2015 , 224, 117-134			323
295	Microstructure and Crystallographic Texture Evolution During the Friction-Stir Processing of a Precipitation-Hardenable Aluminum Alloy. 2015 , 67, 1014-1021			29
294	Formation of chromium-alloyed cementite in the process of mechanosynthesis and subsequent annealings. 2015 , 116, 293-301			4
293	Microstructural evolution of nanostructured steel-based composite fabricated by accumulative roll bonding. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 639, 298-306	5:3		17

292	Influence of Short Austenitization Treatments on the Mechanical Properties of Low-Alloy Steels for Hot Forming Applications. 2015 , 46, 3199-3207		18
291	The contribution of grain boundary sliding in tensile deformation of an ultrafine-grained aluminum alloy having high strength and high ductility. 2015 , 50, 3549-3561		31
290	Using dilatometry to study martensitic stabilization and recrystallization kinetics in a severely deformed NiTi alloy. 2015 , 50, 4003-4011		11
289	Gradual formation of nano/ultrafine structure under accumulative press bonding (APB) process. <i>Materials Characterization</i> , 2015 , 109, 57-65	3-9	15
288	Ultrafine processing of (TiB+TiC)/TC18 composites processed by ECAP via Bc route. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 645, 99-108	5-3	12
287	Nanostructures in Materials Subjected to Severe Plastic Deformation. 2015 , 11-26		3
286	Effect of surface Nanostructuring on LCF behavior of aluminum alloy 2014. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 647, 201-211	5-3	27
285	Microstructure-mechanical property correlation of cryo rolled Zircaloy-4. 2015 , 456, 287-291		19
284	Layer wise evolution of the CuZn alloy microstructure after sandblasting. 2015 , 327, 1-6		7
283	Increasing durability by deformational hardening under the conditions of back-to-back endurance by creating heterogeneous patterns. 2016 , 124, 012158		2
282	Corrosion of Ultrafine Grained Materials by Severe Plastic Deformation, an Overview. 2016 , 57, 559-572		65
281	Strain hardening of metal parts with use of impulse wave. 2016 , 124, 012159		1
280	Tribological and Microstructural Characterization of Ultrafine Layers Induced by Wear in Ductile Alloys. 2016 , 11, 389-395		6
279	Die Design Modification to Improve Workability during Equal Channel Angular Pressing. 2016 , 18, 1469-1477		7
278	Application of Artificial Neural Network to Predict the Effects of Severe Shot Peening on Properties of Low Carbon Steel. 2016 , 45-60		10
277	Effect of Structure on the Dynamic Crack Resistance and Special Features of the Micromechanism of Crack Growth in Steel 35Kh After Cold Radial Forging. 2016 , 58, 82-90		8
276	Evolution of the structure and mechanical properties of sheets of the Al _{0.7} Mg _{0.32} Mn _{0.21} Sc _{0.09} Zr alloy due to deformation accumulated upon rolling. 2016 , 117, 1163-1169		15
275	Tension-compression asymmetry in uniaxial deformation of a magnesium bicrystal with [100] symmetric tilt grain boundary. 2016 , 118, 124-132		6

274	Surface nanocrystallization and property of Ti6Al4V alloy induced by high pressure surface rolling. 2016 , 289, 94-100		19
273	Friction Stir Processing as a Novel Technique to Achieve Superplasticity in Aluminum Alloys: Process Variables, Variants, and Applications. 2016 , 5, 278-293		57
272	Internal microstructure observation of enhanced grain-boundary sliding at room temperature in AZ31 magnesium alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 666, 94-99	5:3	14
271	Ultra-fine grained pure Titanium for biomedical applications. 2016 , 31, 756-771		14
270	Characterization of the microstructure, texture and mechanical properties of 7075 aluminum alloy in early stage of severe plastic deformation. <i>Materials Characterization</i> , 2016 , 119, 137-147	3:9	55
269	Multiscale architected materials with composition and grain size gradients manufactured using high-pressure torsion. 2016 , 6, 26590		29
268	Outstanding mechanical properties of high-pressure torsion processed multiscale TWIP-cored three layer steel sheet. 2016 , 123, 122-125		16
267	Effects of Grain Refinement by ECAP on the Deformation Resistance of Al Interpreted in Terms of Boundary-Mediated Processes. 2016 , 32, 1309-1320		16
266	Effects of Ti and B Addition on Microstructures and Mechanical Properties of Hot-Rolled High-Strength Nb-Containing Steels. 2016 , 25, 3472-3481		1
265	New Formulas of Shear Strain during Equal-channel Angular Pressing Process with Consideration of Influences of Velocity and Motion Trajectory. 2016 , 23, 1020-1027		3
264	Comparative analysis of microstructures formed in highly alloyed aluminum alloy during high-temperature equal-channel angular pressing and multidirectional forging. 2016 , 7, 149-157		7
263	An investigation of microstructure and mechanical properties during ECAE of commercially pure aluminum. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 670, 146-152	5:3	3
262	Mechanical Properties and Microstructural Evolution in Al 2014 Alloy Processed Through Multidirectional Cryoforging. 2016 , 25, 3031-3045		38
261	Inhomogeneity in microstructure and mechanical properties during twist extrusion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 652, 186-191	5:3	20
260	A review on high-pressure torsion (HPT) from 1935 to 1988. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 652, 325-352	5:3	315
259	Enhanced protective properties of epoxy/polyaniline-camphorsulfonate nanocomposite coating on an ultrafine-grained metallic surface. 2016 , 376, 121-132		13
258	Effect of Starting Microstructure on the Grain Refinement in Cold-Rolled Low-Carbon Steel During Annealing at Two Different Heating Rates. 2016 , 47, 268-281		39
257	Influence of oxygen impurities on growth morphology, structure and mechanical properties of TiAlN thin films. 2016 , 603, 39-49		20

256	Characteristics of nano/ultrafine-grained austenitic TRIP steel fabricated by accumulative roll bonding and subsequent annealing. <i>Materials Characterization</i> , 2016 , 114, 88-96	3-9	45
255	Biaxial deformation behavior and formability of precipitation hardened ultra-fine grained (UFG) Cu ₃ Cr ₂ alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 656, 120-129	5-3	16
254	Strategy for severe friction stir processing to obtain acute grain refinement of an Al ₇₀ Zn ₁₀ Mg ₁₀ Ti alloy in three initial precipitation states. <i>Materials Characterization</i> , 2016 , 112, 197-205	3-9	33
253	Structural characterization of ultrafine-grained interstitial-free steel prepared by severe plastic deformation. 2016 , 105, 258-272		57
252	Experimental study on pure copper subjected to different severe plastic deformation modes. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 656, 142-150	5-3	32
251	Aluminum Matrix Composites Reinforced with Alumina Nanoparticles. 2016 ,		8
250	State of the Art of Metal Matrix Nanocomposites. 2016 , 1-35		1
249	A new method for grain refinement in magnesium alloy: High speed extrusion machining. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 651, 878-885	5-3	21
248	Effect of Particles on Continuous and Discontinuous Recrystallization of Nanostructured Interstitial Free Steel. 2016 , 68, 271-278		4
247	Fundamentals of Superior Properties in Bulk NanoSPD Materials. 2016 , 4, 1-21		230
246	Review: Overcoming the paradox of strength and ductility in ultrafine-grained materials at low temperatures. 2016 , 51, 7-18		72
245	Significant enhancement of tensile properties through combination of severe plastic deformation and reverse transformation in an ultrafine/nano grain lath martensitic steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 686, 113-120	5-3	14
244	Effect of Microstructure and Mechanical Properties of AlMg Alloy Processed by ECAP at Room Temperature and Cryo Temperature. 2017 , 70, 639-648		2
243	Enhanced mechanical behaviors of gradient nano-grained austenite stainless steel by means of ultrasonic impact treatment. 2017 , 7, 1412-1421		32
242	A systematic study of mechanical properties, corrosion behavior and biocompatibility of AZ31B Mg alloy after ultrasonic nanocrystal surface modification. 2017 , 78, 1061-1071		37
241	Nano/ultrafine grained AA2024 alloy processed by accumulative roll bonding: A study of microstructure, deformation texture and mechanical properties. 2017 , 712, 517-525		45
240	Microstructure and mechanical properties of novel Al-Mg-Mn-Zr-Sc-Er alloy. 2017 , 202, 116-119		28
239	Model for partitioning slip patterns at triple junctions of grains. 2017 , 116, 155-164		5

238	Effect of Annealing on the Microstructure and Mechanical Properties of a Low-Carbon Steel with Ultrafine Grains. 2017 , 6, 233-239		12
237	Influence of surface morphology and UFG on damping and mechanical properties of composite reinforced with spinel MgAl ₂ O ₄ -SiC core-shell microcomposites. <i>Materials Characterization</i> , 2017 , 123, 244-255	3-9	15
236	The formation of bimodal multilayered grain structure and its effect on the mechanical properties of powder metallurgy pure titanium. 2017 , 116, 99-108		16
235	Dependency of annealing behaviour on grain size in AlTiC composite produced by accumulative roll bonding. 2017 , 40, 583-590		3
234	Influences of high strain rate, low temperature, and deformation direction on microstructural evolution and mechanical properties of copper. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 684, 567-576	5-3	1
233	Microhardness and microstructure evolution of ultra-fine grained Ti-15Mo and TIMETAL LCB alloys prepared by high pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 682, 220-228	5-3	20
232	Multifunctional Bi-Layered Tribofilm Generated on Steel Contact Interfaces under High-Temperature Melt Lubrication. 2017 , 121, 25092-25103		24
231	Influence of the ultrasonic surface rolling process on stress corrosion cracking susceptibility of high strength pipeline steel in neutral pH environment. 2017 , 7, 36876-36885		6
230	Shocking of metallic glass to induce microstructure heterogeneity: A molecular dynamics study. 2017 , 122, 095102		7
229	Dynamic Crack Resistance and Steel 09G2S Tubular Billet Structure After Deformation and Heat Treatment. 2017 , 59, 389-396		2
228	Deformation behavior and formability of gradient nano-grained AISI 304 stainless steel processed by ultrasonic impact treatment. 2017 , 32, 1147-1155		2
227	Bulk Nanostructured Materials. 2017 , 48, 5181-5199		32
226	Microstructure development of ultra fine grained Mg-22 wt%Gd alloy prepared by high pressure torsion. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 704, 181-191	5-3	12
225	Structural and Phase Transformations in Internally Nitrided Corrosion-Resistant Steel during Severe Plastic Deformation and Subsequent Annealings. 2017 , 88, 1700070		4
224	Severe Plastic Deformation of Materials. 2017 , 717-754		9
223	Selective increase in CO electroreduction activity at grain-boundary surface terminations. 2017 , 358, 1187-1192		426
222	Microstructure and Texture Evolution during Single- and Multiple-Pass Friction Stir Processing of Heat-Treatable Aluminum Alloy 2024. 2017 , 48, 4247-4261		17
221	Strength and substructure of Al _{0.7} Mg _{0.32} Mn _{0.21} Sc _{0.09} Zr alloy sheets. 2017 , 118, 407-414		15

220	Direct influence of recovery behaviour on mechanical properties in oxygen-free copper processed using different SPD techniques: HPT and ECAP. 2017 , 6, 369-377		27
219	Experimental and numerical investigation of texture evolution and the effects of intragranular backstresses in aluminum alloys subjected to large strain cyclic deformation. 2017 , 93, 137-163		35
218	Investigation of the Ultrafine-Grained Structure Formation under Different Strain Rates. 2017 , 62, 851-856		
217	The investigation of the deformation wave hardening effect on the strength of the medium and low alloy steels. 2017 , 177, 012121		5
216	Structural heredity influence upon principles of strain wave hardening. 2017 , 177, 012144		
215	Ultra-fine grained microstructure of metastable beta Ti-15Mo alloy and its effects on the phase transformations. 2017 , 194, 012021		9
214	Selective Laser Sintering of Nano Al ₂ O ₃ Infused Polyamide. 2017 , 10,		9
213	Effects of ECAP and Annealing Treatment on the Microstructure and Mechanical Properties of Mg-1Y (wt. %) Binary Alloy. <i>Metals</i> , 2017 , 7, 119	2.3	13
212	Fabrication of an Ultra-Fine Grained Pure Titanium with High Strength and Good Ductility via ECAP plus Cold Rolling. <i>Metals</i> , 2017 , 7, 563	2.3	14
211	Coexistence of Grain Boundary Sliding and Solute Drag Creep during High-Temperature Deformation for Fine-Grained Aluminum Solid Solution Alloy. 2017 , 56, 346-353		2
210	Equal Channel Angular Extrusion Characteristics on Mechanical Behavior of Aluminum Alloy. 2017 ,		1
209	Improvements in Mechanical Properties of Spring Steel Through Surface Tempering and Hardening Assisted by SMAT. 2018 , 71, 1543-1552		3
208	Workability Limits of Magnesium Alloy AZ31B Subjected to Equal Channel Angular Pressing. 2018 , 27, 1352-1360		3
207	Ultrafine gradient microstructure induced by severe plastic deformation under sliding contact conditions in copper. <i>Materials Characterization</i> , 2018 , 138, 263-273	3.9	22
206	Finite Element Analysis of V-Shape Incremental Equal Channel Angular Pressing. 2018 , 195-210		
205	Methods for improving ductility of tungsten - A review. 2018 , 75, 170-183		111
204	Effect of stored strain energy heterogeneity on microstructure evolution of 90% cold rolled AISI 304L stainless steel during interrupted annealing treatment. <i>Materials Characterization</i> , 2018 , 140, 72-85	3.9	7
203	The Effect of Prestrain Temperature on Kinetics of Static Recrystallization, Microstructure Evolution, and Mechanical Properties of Low Carbon Steel. 2018 , 27, 2049-2059		2

202	Role of Cu During Sintering of Fe _{0.96} Cu _{0.04} Nanoparticles. 2018 , 49, 1410-1424	3
201	Effect of precipitates on nanostructuring and strengthening of high-strength aluminum alloys under high pressure torsion. 2018 , 743, 773-779	19
200	Effect of pre-deformation cooling rate on the age-hardening response of ultrafine grained AA6063. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 713, 180-189	5.3 6
199	Tailoring Microstructure and Properties of Fine Grained Magnesium Alloys by Severe Plastic Deformation. 2018 , 20, 1700785	17
198	Structure, Dynamic Cracking Resistance, and Crack Growth Micromechanism in Pipe Billets after Thermomechanical Treatment. 2018 , 119, 52-59	1
197	Microhardness distribution and finite element method analysis of Al 5452 alloy processed by unconstrained high pressure torsion. 2018 , 7, 410-418	6
196	Recent Advances in Friction Stir Welding/Processing of Aluminum Alloys: Microstructural Evolution and Mechanical Properties. 2018 , 43, 269-333	135
195	Synthesis, characterization of graphene oxide wrapped silicon carbide for excellent mechanical and damping performance for aerospace application. 2018 , 740, 436-445	25
194	Single-roll angular-rolling: A new continuous severe plastic deformation process for metal sheets. 2018 , 146, 204-207	19
193	Microstructure and strengthening mechanisms in an Al-Mg-Si alloy processed by equal channel angular pressing (ECAP). 2018 , 95, 1165-1177	24
192	High Temperature Internal Friction Relaxations in Cold-Rolled Titanium. 2018 , 279, 30-34	
191	Producing high-strength materials by friction stir processing. 2018 ,	
190	Features of Regularities of Ni ₃ Al Intermetallic Compound High-Temperature Synthesis in a Powder Mixture (3Ni + Al) under Pressure. 2018 , 938, 41-45	
189	Effect of deformation nanostructuring on thermal expansion and phase composition of Fe - 36% Ni alloy. 2018 , 447, 012015	1
188	Effect of Strain Rate on Tensile and Fracture Behavior of Ultrafine grained Al6061 processed through Cryorolling and Warm rolling. 2018 , 5, 17180-17187	0
187	Dependence of strength characteristics of aluminum alloys on strain rate under tension. 2018 , 13, 886-889	2
186	Strengthening of surface layer of material by wave deformation multi-contact loading. 2018 , 327, 042011	4
185	Investigation of fracture behaviour and low cycle fatigue properties of cryorolled Al-Mg alloy. 2018 , 98, 78-94	16

184	Structure and mechanical properties of parts obtained by selective laser melting of metal powder based on intermetallic compounds Ni ₃ Al. 2018 , 327, 042124		1
183	Effect of the equal channel angular pressing route on the microstructural and mechanical behavior of Al-5086 alloy. 2018 , 4, 310-322		5
182	Surface nanocrystallization by ultrasonic nano-crystal surface modification and its effect on gas nitriding of Ti6Al4V alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 736, 335-343	5:3	23
181	A review on properties and microstructure of micro-extruded product using SPD and as-cast material. 2018 , 43, 1		1
180	Multiscale Characterization of Microstructure in Near-Surface Regions of a 16MnCr5 Gear Wheel After Cyclic Loading. 2018 , 70, 1758-1764		
179	Equal Channel Angular Extrusion of AA 5083. 2018 , 1148, 82-87		
178	Enhanced monotonic and cyclic mechanical properties of ultrafine-grained laminated metal composites with strong and stiff interlayers. 2018 , 116, 379-387		6
177	Deformation behavior, microstructure and mechanical properties of pure copper subjected to tube hydroforming. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 731, 331-343	5:3	5
176	Fundamentals of Severe Plastic Deformation. 2018 , 19-36		13
175	Molecular Dynamics Simulation of Nonequilibrium Grain Boundaries in Ultrafine-Grained Nickel and their Relaxation under Cyclic Loading. 2018 , 385, 163-168		
174	Studies on friction stir processing parameters on microstructure and micro hardness of Silicon carbide (SiC) particulate reinforced Magnesium(Mg) surface composites. 2018 , 390, 012013		1
173	Severe Plastic Deformation Methods for Bulk Samples. 2018 , 37-112		7
172	Control of Nanostructure of Materials. 2018 , 169-253		
171	Microstructure and Tensile Properties of Friction Stir Processed Mg ₂ Sn ₂ Zn Alloy. 2018 , 11,		5
170	Nonequilibrium grain boundaries and their relaxation under oscillating stresses in columnar nickel nanocrystals studied by molecular dynamics. 2018 , 151, 204-213		14
169	Understanding the tribological impacts of alkali element on lubrication of binary borate melt.. 2018 , 8, 28847-28860		21
168	Synergetic Effect of Cryorolling and Postroll Aging on Simultaneous Increase in Wear Resistance and Mechanical Properties of an AlCu Alloy. 2018 , 140,		4
167	The ball to powder ratio (BPR) dependent morphology and microstructure of tungsten powder refined by ball milling. 2018 , 339, 256-263		11

166	Effects of processing conditions on microstructure and mechanical properties of equal-channel-angular-pressed titanium. 2018 , 34, 1149-1167		10
165	Formability of Ultrafine Grained Metals Produced by Severe Plastic Deformation—An Overview. 2019 , 21, 1800316		11
164	Microstructure, Texture, and Mechanical Properties of Laminar Metal Composites Produced by Accumulative Roll Bonding. 2019 , 21, 1800210		8
163	High Lightweight Potential of Ultrafine-Grained Aluminum/Steel Laminated Metal Composites Produced by Accumulative Roll Bonding. 2019 , 21, 1800286		13
162	Behavior of Nb and Cu/Nb Composites under Severe Plastic Deformation and Annealing. 2019 , 60, 1209-1220		14
161	A substantial improvement of tensile properties through microstructure engineering in a high Ni-0.2C TRIP steel under severe plastic deformation. <i>Materials Characterization</i> , 2019 , 155, 109826	3-9	5
160	Evaluating tensile properties and fracture toughness of Al 2014 alloy processed by different rolling methods. 2019 , 6, 105012		11
159	Work Hardening in Ferritic Steel. 2019 , 105, 941-956		2
158	Effect of Room Temperature Rolling Followed by Annealing on Tensile and Fracture Behaviour of Bulk Ultrafine-Grained Al ₇₀ Mg ₃₀ Alloy. 2019 , 8, 581-590		6
157	The Effect of Severe Plastic Deformation on Thermoelectric Performance of Skutterudites, Half-Heuslers and Bi-Tellurides. 2019 , 60, 2071-2085		17
156	Unique microstructure and simultaneous enhancements of strength and ductility in gradient-microstructured Cu sheet produced by single-roll angular-rolling. 2019 , 166, 638-649		32
155	The effect of hardening by annealing in ultrafine-grained Al ₉₀ Zr ₁₀ alloy: influence of Zr microadditives. 2019 , 99, 2424-2443		11
154	Formation of Grain Structure in Ni ₃ Al Intermetallic Compound Synthesized by Thermal Explosion. 2019 , 55, 191-196		5
153	A Review on High-Strength Titanium Alloys: Microstructure, Strengthening, and Properties. 2019 , 21, 1801359		56
152	Dissipative properties of Al-(Fe, Cr) vacuum coatings with different composite structures. 2019 , 367, 179-186		3
151	Spark plasma sintering of boron carbide reinforced aluminum alloy (Al6061) matrix composites. 2019 ,		6
150	Structure-Property Relationships under Extreme Dynamic Environments: Shock Recovery Experiments. 2019 , 2, 1-155		9
149	Microstructural and Dry Sliding Friction Studies of Aluminum Matrix Composites Reinforced PKS Ash Developed via Friction Stir Processing. 2019 , 401-406		3

148	Tuning of the magnetic properties of Hf ₂ Co ₁₁ B alloys through a combined high pressure torsion and annealing treatment. 2019 , 787, 794-800		3
147	Quasi-Stationary Strength of ECAP-Processed Cu-Zr at 0.5Tm. <i>Metals</i> , 2019 , 9, 1149	2,3	1
146	Study on strong spinning preparation method and mechanism of the industrial pure titanium ultrafine crystallization. 2019 , 14, 155892501989525		
145	Progress in NanoSPD research through scientometric analysis. 2019 , 672, 012003		
144	The Simulation of Shear Angle and Deformations of Cu/Al Composite Sheets during Accumulated Roll Bonding. 2019 , 971, 9-14		1
143	20 years of INT KIT-USATU collaboration in the area of SPD. 2019 , 672, 012002		
142	Warm Deformation of Alloy Al 4.7% Mg 0.32% Mn 0.21% Sc 0.09% Zr. 2019 , 61, 416-420		
141	A study on the surface severe plastic deformation and corrosion behavior of an interstitial free steel. 2019 , 6, 1250b8		
140	Recent advances in ageing of 7xxx series aluminum alloys: A physical metallurgy perspective. 2019 , 781, 945-983		148
139	Study of the microstructure and texture heterogeneities of Fe ₈₈ wt%Ni alloy severely deformed by equal channel angular pressing. 2019 , 54, 4354-4365		3
138	Significance of stacking fault energy in bulk nanostructured materials: Insights from Cu and its binary alloys as model systems. 2019 , 101, 1-45		104
137	Continuum dislocation dynamics-based grain fragmentation modeling. 2019 , 114, 252-271		11
136	Influence of over-aging and sub-zero temperature rolling on strength-ductility balance in AA6061 alloy. 2019 , 22, 359-369		1
135	Manufacturing of nanostructured titanium Grade2 using caliber rolling. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 739, 277-288	5,3	10
134	An overview on severe plastic deformation: research status, techniques classification, microstructure evolution, and applications. 2019 , 100, 1647-1694		62
133	Advanced mechanical properties. 2019 , 103-121		4
132	Microstructure evolution in Ti64 subjected to laser-assisted ultrasonic nanocrystal surface modification. 2019 , 136, 19-33		28
131	Preparation and properties of ultra-fine-grained and nanostructured copper alloy with the addition of P. 2019 , 221, 322-331		2

130	Effect of texture evolution on mechanical and damping properties of SiC/ZnAl ₂ O ₄ /Al composite through friction stir processing. 2019 , 8, 222-232		10
129	Effect of cooling mode on the microstructure and mechanical properties of medium carbon steel after warm rolling. 2020 , 47, 1022-1028		3
128	Superplasticity and High Strength in Al ₇₀ Mg ₂₀ Zr Alloy with Ultrafine Grains. 2020 , 22, 1900555		4
127	Aluminum Matrix Composites Reinforced with Graphene: A Review on Production, Microstructure, and Properties. 2020 , 45, 289-337		27
126	Influence of temperature of ECAP processing on the microstructure and microhardness of as-cast AX41 alloy. 2020 , 55, 3118-3129		8
125	An experimental investigation on the influence of elevated-temperature constrained groove pressing on the microstructure, mechanical properties, anisotropy and texture of 2024 Al sheets. 2020 , 817, 152763		17
124	Deformation mechanisms and strain rate sensitivity of bimodal and ultrafine-grained copper. 2020 , 186, 363-373		18
123	Thermal stability of nanogradient microstructure produced by surface mechanical rolling treatment in Zircaloy-4. 2020 , 55, 4926-4939		9
122	Development of an Al 7050-10 vol.% alumina nanocomposite through cold consolidation of particles by high-pressure torsion. 2020 , 9, 12626-12633		0
121	Development of new fiber textures for enhancing mechanical properties of 2024 Al alloy using elevated-temperature constrained groove pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 796, 140210	5-3	5
120	Effect of Severe Plastic Deformation, through Equal-Channel Angular Press Processing, on the Electrochemical Behavior of Al5083 Alloy. 2020 , 10, 7776		1
119	How Severe Plastic Deformation Changes the Mechanical Properties of Thermoelectric Skutterudites and Half Heusler Alloys. 2020 , 7,		2
118	Gradient layer of ultrafine equiaxed grains produced by ultrasonic energy accelerated dynamic recrystallization. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020 , 795, 139958	5-3	2
117	Research on the Preparation and Mechanism of Ultrafine Crystallization of 20 Steel by Strong Spinning. 2020 ,		
116	Effect of Asymmetric Accumulative Roll-Bonding process on the Microstructure and Strength Evolution of the AA1050/AZ31/AA1050 Multilayered Composite Materials. 2020 , 13,		1
115	Optimization of process parameter for commercially pure aluminium alloy during friction stir deformation. 2020 , 1-12		2
114	Equal Channel Angular Pressing Consolidation and Heat Treatment of Blended Elemental Powders of Fe-Mn-Al. 2020 , 1012, 291-295		0
113	3D DIC-assisted residual stress measurement in 316 LVM steel processed by HE and HPT. 2020 , 20, 1		2

112	Orientation-dependent microstructure development during high-rate shear deformation of copper. 2020 , 100, 1499-1518		1
111	Ultrafine-grained W alloy prepared by spark plasma sintering with high thermal stability and excellent irradiation resistance. 2020 , 60, 036006		2
110	Preparation of Ni3Al by Thermal Explosion under Pressure: Influence of Precompaction Pressure and Delay Time for Compaction Pressure. 2020 , 29, 15-21		1
109	Structural and Fractographic Features of Formation of Splits in Low-Alloy Steel Subjected to Thermal Deformation Treatment. 2020 , 61, 591-600		2
108	Cold Resistance of Structural Steel Subjected to Cold Radial Forging. 2020 , 61, 601-609		
107	Investigation on microstructural, mechanical and damping properties of SiC/TiO ₂ , SiC/Li ₄ Ti ₅ O ₁₂ reinforced Al matrix. 2021 , 47, 14809-14820		3
106	Advances in Manufacturing Processes. 2021 ,		
105	Initial microstructure influence on TiAlMoV alloy's superplastic deformation behavior and deformation mechanisms. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 802, 140626	5.3	8
104	Achieving an exceptional ductility at room temperature in a low SFE copper alloy fabricated by severe plastic deformation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 802, 140654	5.3	1
103	Equal channel angular processing – a modern deforming technique for quality products. 2021 , 381-423		
102	Conductive Al Alloys: The Contradiction between Strength and Electrical Conductivity. 2021 , 23, 2001249		3
101	Towards Manufacturing of Ultrafine-Laminated Structures in Metallic Tubes by Accumulative Extrusion Bonding. <i>Metals</i> , 2021 , 11, 389	2.3	1
100	Mechanical response of dislocation interaction with grain boundary in ultrafine-grained interstitial-free steel. 2021 , 206, 116621		18
99	Effect of Quasi-Continuous Equal-Channel Angular Pressing on Structure and Properties of Ti-Ni Shape Memory Alloys. 2021 , 30, 3096-3106		5
98	A Finite Element Study of Large Strain Extrusion Machining Using Modified Zerilli-Armstrong Constitutive Relation. 2021 , 143,		2
97	A New Method of Predicting the Structural and Mechanical Change of Materials during Extrusion by the Method of Multiple Plastic Deformations. 2021 , 14,		0
96	High Strength-Elongation Balance in Warm Accumulative Roll Bonded AA1050 Sheets. 1		2
95	Effect of Microstructure and Mechanical Properties of Al5083 Alloy Processed by ECAP at Room Temperature and High Temperature. 2021 , 11, 683		2

94	Improving the fracture toughness of multi-layered commercial pure aluminum via warm accumulative roll bonding. 2021 , 116, 3603-3617		0
93	A comprehensive comparison between the effect of elevated temperature constrained groove pressing on the microstructural evolutions, crystallographic texture, and mechanical properties of Al 2024 and Mg AZ91D alloys. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 095440892116436	1.5	
92	Effects of annealing temperature on microstructure and mechanical behavior of conventionally and severely deformed Fe ₂ 4Ni steel by accumulative roll bonding. 2021 , 14, 2428-2440		3
91	Microstructure evolution and mechanical performance of ternary Zn-0.8Mg-0.2Sr (wt. %) alloy processed by equal-channel angular pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 824, 141809	5.3	3
90	Developing high-strength ultrafine-grained pure Al via large-pass ECAP and post cryo-rolling. 2021 , 15, 2419-2428		1
89	Study on microstructure evolution and nanoindentation characteristics of 316 L austenitic stainless steel with inverse gradient grain sizes fabricated via torsion and electro-magnetic induction heating. <i>Materials Characterization</i> , 2021 , 181, 111462	3.9	1
88	Superplasticity: Recent Approaches and Trends. 2021 , 387-397		1
87	Microstructural and mechanical characterisation of Al-Zn-Mg-Cu alloy processed by multi-directional cryo-forging. 2021 , 46, 5752-5756		3
86	Grain Refinement and Mechanical Properties of CP-Ti Processed by Warm Accumulative Roll Bonding. 33-40		2
85	Enhanced Superplastic Forming of Ti-6Al-4V. 85-92		1
84	The Main Tendencies in Elaboration of Materials with High Specific Strength. 2004 , 33-44		2
83	Ultra-fine Grain Materials by Severe Plastic Deformation: Application to Steels. 2009 , 325-344		8
82	Severe Plastic Deformation, A Tool to Enhance Thermoelectric Performance. 2013 , 193-254		13
81	Bulk Nanostructured SPD Materials with Advanced Properties. 2003 , 239-249		1
80	Superplastic Behaviour of Micro-and Nanograined Materials. 2000 , 491-506		1
79	Severe Plastic Deformation of Steels: Structure, Properties and Techniques. 2000 , 13-22		16
78	SPD Processing and Enhanced Properties in Metallic Materials. 2000 , 221-230		3
77	Severe Deformation Based Process for Grain Subdivision and Resulting Microstructures. 2000 , 29-36		13

76	Formation of Submicrocrystalline Structure in TiAl and Ti3Al intermetallics via Hot Working. 2000 , 49-55	5
75	The Nanocrystalline Alloys: The Structure and Properties. 1998 , 93-119	3
74	Microstructural and Mechanical Properties of AA6061 Aluminium Alloy Reinforced with Nano-SiC Particles Using FSP. 2020 , 195-204	2
73	Synthesis and characterization of nanocrystalline NiTi shape-memory alloy by shock-compression. 2001 , 297-304	1
72	Electrical resistance-based fatigue assessment and capability prediction of extrudates from recycled field-assisted sintered EN AW-6082 aluminium chips. <i>Materials Characterization</i> , 2020 , 169, 110644	1
71	The 7th International Conference on Nanomaterials by Severe Plastic Deformation: a report of the International NanoSPD Steering Committee. 2017 , 194, 012001	1
70	Influence of Texture Evolution on Mechanical and Damping Properties of SiC/Li2ZrO3/Al Composite Through Friction Stir Processing. 2020 , 142,	2
69	Nanoscale States in Metals, Alloys, and Intermetallic Compounds: Methods of Manufacture, Structure, Properties. 2004 , 5, 219-255	5
68	Nanocrystallization of Metallic Surfaces with Using the Methods of Intense Plastic Deformation (Review). 2004 , 5, 345-399	20
67	Energy Stored during High Pressure Torsion of Pure Metals. 2019 , 9, 142-146	3
66	Deformation processing of massive nanostructured materials. 2007 , 98, 299-306	3
65	Effects of the nanocrystalline state in solids. 1998 , 168, 55	92
64	Incorporation of medium chain fatty acids into fish oil triglycerides by chemical and enzymatic interesterification. 2009 , 60, 168-176	17
63	Análisis de la influencia del tratamiento térmico de envejecimiento en la modificación de las propiedades mecánicas de la aleación AA6060 procesada por ECAE. 2011 , 47, 76-89	1
62	Nanostructured Materials and Nanotechnology : Overview. 2003 , 40, 1027-1046	5
61	Recent Trends in Producing Ultrafine Grained Steels. 2014 , 02, 428-469	21
60	Development of Nano-Structured AA1050 by ECAE and Thermal Treatments. 2011 , 01, 120-129	4
59	Microstructure Refinement in Hypereutectic Al-Si Alloy by Compressive Torsion Processing. 2009 , 50, 109-113	6

- 58 Microstructural Evolution of a 3003 Based Aluminium Alloy during the CSET Process. **2021**, 14, 1
- 57 Characterization of Ultrafine-Grained Structures Produced by Severe Plastic Deformation. **2000**, 155-162
- 56 Nanostructure State as Nonequilibrium Transition in Grain Boundary Defects in SPD Condition. **2000**, 179-187
- 55 Evaluation of the Tensile Properties of Severely Deformed Commercial Aluminium Alloys. **2000**, 319-325 1
- 54 Thermal Stability of Nanocrystalline Ni. **2002**, 102, 265-271 0
- 53 ~~2004~~ ~~27~~, 151-157
- 52 Nanocrystallization in steels by heavy deformation. **2004**,
- 51 Molecular Dynamics Study on Grain Refinement Process of Iron by Equal Channel Angular Pressing under Quasi 3-Dimensional Condition. **2006**, 55, 693-699 1
- 50 Superplasticity and Superplastic Forming. **2007**, 14-1-14-35
- 49 Charakterisierung der Schädigungsentwicklung in ultrafeinkörnigem IF Stahl mittels digitaler Bildkorrelation*. **2010**, 52, 27-35 1
- 48 Enhanced Mechanical Properties of Nanostructured Metals Produced by SPD Techniques. **2011**, 31-59
- 47 Structural Evolution in Aluminium Alloy AA6082 during HPT Deformation at Increased Temperature. **2012**, 1613-1620 1
- 46 The Effect of Friction Stir Processing on Microstructure and Tensile Behavior of Thixomolded AZ91 Magnesium Alloy. **2012**, 391-396
- 45 The Effect of Friction Stir Processing on Microstructure and Tensile Behavior of Thixomolded AZ91 Magnesium Alloy. 391-396
- 44 Structural Evolution in Aluminium Alloy AA6082 during HPT Deformation at Increased Temperature. 1613-1620
- 43 Introduction. **2012**, 1-15
- 42 Recent Advances in the Processing and Properties of Ultrafine-Grained Metals Prepared Using Severe Plastic Deformation. **2013**, 241-250
- 41 High-resolution EM study of submicrometer-grained Al-Mg solid solution alloys. **1995**, 53, 524-525

40	Strengthening in Thermomechanically Processed Magnesium Alloys. 2015 , 225-230		
39	Optical Properties of Plastically Deformed Copper: Ellipsometry and Raman Study. 2016 , 173-182		
38	POTENTIALITIES IN ADDITIVE-SUBTRACTIVE-STRENGTHENING TECHNIQUES. 2016 , 2016, 151-160		7
37	Progress of nanostructured metallic glasses. 2017 , 66, 176110		6
36	Continuous Dynamic Recovery in Pure Aluminium Deformed to High Strain by Accumulative Press Bonding. 2017 , 671-680		0
35	Ecap Consolidation and Heat Treatment of Blended Elemental Powders of Iron, Chromium, Nickel and Manganese. 2019 , 22,		0
34	Temperature dependences of strength properties and fracture mechanism of the Ni3Al intermetallic compound synthesized under pressure. 2020 , 1709, 012008		
33	Stress Relaxation Study of Ultrafine-Grained AA 6061 Alloy Processed Through Combined Constrained Groove Pressing and Cold Rolling. 2021 , 111-121		
32	Persistent homology on electron backscatter diffraction data in nano/ultrafine-grained 18Cr8Ni stainless steel. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 829, 142172	5.3	1
31	Ultrafine grain recrystallisation of a metastable-Ti-alloy via conventional thermomechanical processing. 2020 , 321, 12031		
30	The Deformation Characteristics of Pure Aluminum Processed by Equal-Channel Angular Pressing. 2006 , 201-208		
29	Research on the Influence of Main Spinning Process Parameters on the Forming Quality of 20 Steel by Strong Spinning. 2020 , 1676, 012052		
28	Enhanced rolling contact fatigue behavior of selective electron beam melted Ti6Al4V using the ultrasonic surface rolling process. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 142352	5.3	0
27	Ultrafine-Grained Materials. 2022 , 597-616		0
26	Effect of ECAP and Subsequent Annealing on Microstructure, Texture, and Microhardness of an AA6060 Aluminum Alloy. 1		0
25	Effect of Homogenization on Microstructure and Hardness of Arc-Melted FeCoNiMn High Entropy Alloy During High-Pressure Torsion (HPT). 1		1
24	Analysis of Strain Inhomogeneity in Extruded Al 6061-T6 Processed by ECAE. <i>Metals</i> , 2022 , 12, 299	2.3	
23	Cryogenic and Room Temperature ECAP Consolidation of Blended Elemental Powders of Aluminum and Copper. 25,		0

22	The Role of Mandrel Rotation during CSET Processing Demonstrated on a 3003 Aluminium Alloy. <i>Metals</i> , 2022 , 12, 398	2.3	
21	Review of passivity and electrochemical properties of nanostructured stainless steels obtained by surface mechanical attrition treatment (SMAT): trend and progress. <i>Corrosion Reviews</i> , 2022 ,	3.2	1
20	Microstructures and Mechanical Properties of Steels and Alloys Subjected to Large-Strain Cold-to-Warm Deformation. <i>Metals</i> , 2022 , 12, 454	2.3	0
19	Effect of shearing prestrain on the hydrogen embrittlement of 1180 MPa grade martensitic advanced high-strength steel. <i>Corrosion Science</i> , 2022 , 199, 110170	6.8	1
18	Microstructure, mechanical properties and deformation mechanisms of an Al-Mg alloy processed by the cyclical continuous expanded extrusion and drawing approach. <i>International Journal of Minerals, Metallurgy and Materials</i> , 2022 , 29, 108-118	3.1	1
17	Development of ultra-fine grain microstructures in a metastable-Titanium alloy via phase transformation assisted recrystallisation. <i>Materials Characterization</i> , 2022 , 111915	3.9	
16	Investigation on mechanical properties of aluminium 8090 alloy through room temperature rolling. <i>Journal of Mines, Metals and Fuels</i> , 2022 , 69, 305		
15	Influence of Fe on the microstructure, superplasticity and room-temperature mechanical properties of Ti-Al-Mo-V-0.1B alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022 , 845, 143245	5.3	0
14	Experimental and Numerical Simulation of Mechanical Behaviour of Ultrafine Grained AA 2014 Al Alloy. <i>Mechanics of Solids</i> , 2022 , 57, 590-596	0.5	0
13	Tensile properties of cross cryo-rolled and room temperature rolled 6063 Al alloy. <i>Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering</i> , 095440892211059	1.5	
12	Influence of ultrasonic processing on the mechanical properties of metals subjected to intense plastic deformation. 2022 , 66, 356-364	0.2	
11	Triple the ductility of as-cast AlBi alloys by phase-selective recrystallization. 2022 , 855, 143902		0
10	The microstructural, textural, and mechanical effects of high-pressure torsion processing on Mg alloys: A review. 9,		0
9	A Review on Accommodation Processes in Non-Equilibrium Grain Boundaries. 2021 , 3, 39-52		0
8	The effect of microstructure evolution on the wear behavior of tantalum processed by Indirect Extrusion Angular Pressing. 2023 , 111, 106079		0
7	Grain refinement in semi-solid metal processing: current status and recent development.		0
6	Heterogeneous microstructure in nonequiatomic MoNbTaVW refractory high entropy alloy after high pressure torsion: Evolution mechanisms and mechanical properties. 2022 , 144530		0
5	Microstructure and micro-mechanical properties of friction stir processed Al 5086-based surface composite. 2023 , 35, 105830		0

- 4 Bulk Ultrasonic Treatment of Crystalline Materials. **2023**, 13, 344 ○
- 3 Investigation of the Formability of Cryogenic Rolled AA6061 and Its Improvement Using Artificial Aging Treatment. **2023**, 7, 54 ○
- 2 Cyclic severe plastic deformation processes. **2023**, ○
- 1 Research and development of nanocrystalline W/W-based materials: novel preparation approaches, formation mechanisms, and unprecedented excellent properties. **2023**, 17, ○