

A Thioredoxin Gene Fusion Expression System That Circulates in the *E. coli* Cytoplasm

Nature Biotechnology

11, 187-193

DOI: [10.1038/nbt0293-187](https://doi.org/10.1038/nbt0293-187)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Solubility and secretability. <i>Current Opinion in Biotechnology</i> , 1993, 4, 456-461.	3.3	37
2	Recent advances in heterologous gene expression in <i>Escherichia coli</i> . <i>Current Opinion in Biotechnology</i> , 1993, 4, 520-525.	3.3	40
3	Purification and separation of holo- and apo-forms of <i>Saccharopolyspora erythraea</i> acyl-carrier protein released from recombinant <i>Escherichia coli</i> by freezing and thawing. <i>Biochemical Journal</i> , 1993, 294, 521-527.	1.7	19
4	Recent developments in heterologous protein production in <i>Escherichia coli</i> . <i>Trends in Biotechnology</i> , 1994, 12, 456-463.	4.9	175
5	Controlling oligomerization of pharmaceutical proteins. <i>Pharmaceutica Acta Helveticae</i> , 1994, 69, 119-126.	1.2	12
6	Enzymatic and Chemical Cleavage of Fusion Proteins. <i>Current Protocols in Molecular Biology</i> , 1994, 28, Unit16.4B.	2.9	11
7	Improved synthesis of <i>Salmonella typhimurium</i> enterotoxin using gene fusion expression systems. <i>Gene</i> , 1994, 144, 81-85.	1.0	30
8	Expression and Purification of Thioredoxin Fusion Proteins. <i>Current Protocols in Molecular Biology</i> , 1994, 28, Unit16.8.	2.9	29
9	The anchorage function of CipA (Cell), a scaffolding protein of the <i>Clostridium thermocellum</i> cellulosome.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 9254-9258.	3.3	61
10	Exoglucanase activities of the recombinant <i>Clostridium thermocellum</i> CelS, a major cellulosome component. <i>Journal of Bacteriology</i> , 1995, 177, 1641-1644.	1.0	95
11	Expression studies of catalytic antibodies.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 11907-11911.	3.3	88
12	Purification by immobilized metal affinity chromatography of human atrial natriuretic peptide expressed in a novel thioredoxin fusion protein. <i>Biotechnology Progress</i> , 1995, 11, 265-269.	1.3	23
13	Production, purification, and crystallization of human interleukin-1 β converting enzyme derived from an <i>Escherichia coli</i> expression system. <i>Protein Science</i> , 1995, 4, 2149-2155.	3.1	9
14	Unique gene organization of thioredoxin and thioredoxin reductase in <i>Mycobacterium leprae</i> . <i>Molecular Microbiology</i> , 1995, 16, 921-929.	1.2	48
15	Expression of Thioredoxin Random Peptide Libraries on the <i>Escherichia coli</i> Cell Surface as Functional Fusions to Flagellin: A System Designed for Exploring Protein-Protein Interactions. <i>Nature Biotechnology</i> , 1995, 13, 366-372.	9.4	195
16	Gene fusion expression systems in <i>Escherichia coli</i> . <i>Current Opinion in Biotechnology</i> , 1995, 6, 501-506.	3.3	211
17	Mutagenesis of immunoglobulin-like domains from the extracellular human interferon- β receptor β chain and their recognition by neutralizing antibodies monitored by surface plasmon resonance technology. <i>Journal of Immunological Methods</i> , 1995, 183, 95-101.	0.6	6
18	Versatile <i>E. coli</i> thioredoxin specific monoclonal antibodies afford convenient analysis and purification of prokaryote expressed soluble fusion protein. <i>Journal of Immunological Methods</i> , 1995, 185, 237-244.	0.6	14

#	ARTICLE	IF	CITATIONS
19	Preparation of soluble recombinant T cell receptor $\hat{\alpha}$ chain by using a calmodulin fusion expression system. <i>Journal of Immunological Methods</i> , 1995, 186, 27-36.	0.6	8
20	Expression of the major capsid protein of human papillomavirus type 16 in <i>Escherichia coli</i> . <i>Journal of Virological Methods</i> , 1995, 53, 75-90.	1.0	14
21	Cloning and Expression of a Murine Fascin Homolog from Mouse Brain. <i>Journal of Biological Chemistry</i> , 1995, 270, 10764-10770.	1.6	68
22	Structure-Function Relationships in Human Interleukin-11. <i>Journal of Biological Chemistry</i> , 1995, 270, 978-985.	1.6	49
23	Bacterial expression of human chorionic gonadotropin $\hat{\alpha}$ subunit: studies on refolding, dimer assembly and interaction with two different $\hat{\beta}$ subunits. <i>Molecular and Cellular Endocrinology</i> , 1995, 113, 39-51.	1.6	8
24	High-level production and one-step purification of biologically active human growth hormone in <i>Escherichia coli</i> . <i>Gene</i> , 1995, 165, 303-306.	1.0	44
25	Production of Recombinant Proteins in <i>Escherichia coli</i> . <i>Current Protocols in Protein Science</i> , 1995, 00, Unit5.1.	2.8	3
26	Alternative forms of the human thioredoxin mRNA: identification and characterization. <i>Gene</i> , 1996, 173, 265-270.	1.0	16
27	Binding properties and solubility of single-chain T cell receptors expressed in <i>E. coli</i> . <i>Molecular Immunology</i> , 1996, 33, 819-829.	1.0	30
28	Expression, purification and immunochemical characterization of recombinant bovine beta-lactoglobulin, a major cow milk allergen. <i>Molecular Immunology</i> , 1996, 33, 1113-1118.	1.0	22
29	DNA Polymerases. , 1996, , 345-489.		8
30	Importance of the carboxyl-terminal domain of enzyme I of the <i>Escherichia coli</i> phosphoenolpyruvate: sugar phosphotransferase system for phosphoryl donor specificity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 347-351.	3.3	46
31	TrbK, a small cytoplasmic membrane lipoprotein, functions in entry exclusion of the IncP alpha plasmid RP4. <i>Journal of Bacteriology</i> , 1996, 178, 6720-6729.	1.0	52
32	Expression of soluble cloned porcine pepsinogen A in <i>Escherichia coli</i> . <i>Biochemical Journal</i> , 1996, 315, 443-446.	1.7	43
33	Interactions of the CelS binding ligand with various receptor domains of the <i>Clostridium thermocellum</i> cellulosomal scaffolding protein, CipA. <i>Journal of Bacteriology</i> , 1996, 178, 1200-1203.	1.0	70
34	The drug-binding activity of the multidrug-responding transcriptional regulator BmrR resides in its C-terminal domain. <i>Journal of Bacteriology</i> , 1996, 178, 1473-1475.	1.0	36
35	Review: Optimizing inducer and culture conditions for expression of foreign proteins under the control of the lac promoter. <i>Journal of Industrial Microbiology</i> , 1996, 16, 145-154.	0.9	262
36	Analysis of recombinant human interleukin-11 fusion protein derived from <i>Escherichia coli</i> lysate by combined size-exclusion and reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1996, 729, 113-124.	1.8	18

#	ARTICLE	IF	CITATIONS
37	Expression of correctly folded proteins in Escherichia coli. Current Opinion in Biotechnology, 1996, 7, 190-197.	3.3	305
38	Genetic and biochemical probes for protein-protein interactions. Current Opinion in Biotechnology, 1996, 7, 554-559.	3.3	15
39	Production of a Recombinant Bovine Enterokinase Catalytic Subunit in the Methylotrophic Yeast Pichia pastoris. Nature Biotechnology, 1996, 14, 77-81.	9.4	47
40	Extraction of Recombinant Protein from Bacteria. , 1996, 59, 31-38.		5
41	Human Low Density Lipoprotein Receptor Fragment. Journal of Biological Chemistry, 1997, 272, 25531-25536.	1.6	40
42	Protein-protein interactions in the synaptonemal complex.. Molecular Biology of the Cell, 1997, 8, 1405-1414.	0.9	54
43	The activation domain of the maize transcription factor Opaque-2 resides in a single acidic region. Nucleic Acids Research, 1997, 25, 756-763.	6.5	19
44	Enhancement of the Specific Mucosal Iga Response In Vivo by Interleukin-5 Expressed by an Attenuated Strain of Salmonella Serotype Dublin. Journal of Medical Microbiology, 1997, 46, 1029-1038.	0.7	18
45	Activation of HIV-1 Coreceptor (CXCR4) Mediates Myelosuppression. Journal of Biological Chemistry, 1997, 272, 27529-27531.	1.6	49
46	Thioredoxin from Bacillus acidocaldarius: characterization, high-level expression in Escherichia coli and molecular modelling. Biochemical Journal, 1997, 328, 277-285.	1.7	27
47	Cloning, Overexpression, and Characterization of Glutaredoxin 2, An Atypical Glutaredoxin from Escherichia coli. Journal of Biological Chemistry, 1997, 272, 11236-11243.	1.6	84
48	Autolysis, Ca ²⁺ Requirement, and Heterodimer Stability in m-Calpain. Journal of Biological Chemistry, 1997, 272, 11268-11275.	1.6	90
49	Expression and Purification of Recombinant Proteins Using the pET System. , 1998, 13, 257-292.		30
50	Expression and Purification of Thioredoxin Fusion Proteins. Current Protocols in Protein Science, 1997, 10, Unit 6.7.	2.8	10
51	Isolation and Analysis of Mutated Histidyl-tRNA Synthetases from Escherichia coli. Biochemical and Biophysical Research Communications, 1997, 237, 192-201.	1.0	5
52	Expression and Molecular Characterization of an Enzymatically Active Recombinant Human Spumaretrovirus Protease. Biochemical and Biophysical Research Communications, 1997, 237, 548-553.	1.0	34
53	Expression of Three Functional Domains of Connexin 32 as Thioredoxin Fusion Proteins in Escherichia coli and Generation of Antibodies. Protein Expression and Purification, 1997, 11, 26-34.	0.6	12
54	Expression of the Protein Tyrosine Kinase p56lck by the pTRX Vector Yields a Highly Soluble Protein Recovered by Mild Sonication. Protein Expression and Purification, 1997, 11, 227-232.	0.6	6

#	ARTICLE	IF	CITATIONS
55	Cnr protein, the negative regulator of bacteriophage P4 replication, stimulates specific DNA binding of its initiator protein alpha. <i>Journal of Bacteriology</i> , 1997, 179, 2817-2822.	1.0	10
56	Displaying Libraries of Conformationally Constrained Peptides on the Surface of <i>Escherichia coli</i> as Flagellin Fusions. , 1998, 87, 265-280.		11
57	The helicase domain of phage P4 alpha protein overlaps the specific DNA binding domain. <i>Journal of Bacteriology</i> , 1997, 179, 4087-4095.	1.0	6
58	The lipoprotein VirB7 interacts with VirB9 in the membranes of <i>Agrobacterium tumefaciens</i> . <i>Journal of Bacteriology</i> , 1997, 179, 1211-1218.	1.0	97
59	Interactions and synergism between the recombinant CelD, an endoglucanase, and the cellulosome-integrating protein (CipA) of <i>Clostridium thermocellum</i> . <i>Journal of Bioscience and Bioengineering</i> , 1997, 83, 146-151.	0.9	6
60	Design of a synthetic Mdm2-binding mini protein that activates the p53 response in vivo. <i>Current Biology</i> , 1997, 7, 860-869.	1.8	374
61	Expression of Properly Folded Human Glutamate Decarboxylase 65 as a Fusion Protein in <i>Escherichia Coli</i> . <i>FEBS Journal</i> , 1997, 246, 350-359.	0.2	25
62	Purification of the Cardiac Sarcoplasmic Reticulum Membrane Protein Phospholamban from Recombinant <i>Escherichia Coli</i> . <i>FEBS Journal</i> , 1997, 248, 814-819.	0.2	8
63	Seryl-tRNA Synthetase from the Extreme Halophile <i>Haloarcula marismortui</i> . Isolation, Characterization and Sequencing of the Gene and its Expression in <i>Escherichia coli</i> . <i>FEBS Journal</i> , 1997, 243, 141-150.	0.2	20
64	Molecular cloning of the gene encoding the 83 kDa amastigote surface protein and its identification as a member of the <i>Trypanosoma cruzi</i> sialidase superfamily1Note: Nucleotide sequence data reported in this paper is available in the GenBank®, database under the accession number U77951.1. <i>Molecular and Biochemical Parasitology</i> , 1997, 88, 137-149.	0.5	39
65	Construction and Characterization of Versatile Cloning Vectors for Efficient Delivery of Native Foreign Proteins to the Periplasm of <i>Escherichia coli</i> . <i>Plasmid</i> , 1997, 38, 158-173.	0.4	43
66	Cloning and characterization of a pollen-specific cDNA encoding a glutamic-acid-rich protein (GARP) from potato <i>Solanum berthaultii</i> . <i>Plant Molecular Biology</i> , 1997, 33, 291-300.	2.0	25
67	Molecular chaperones, folding catalysts, and the recovery of active recombinant proteins from <i>E. coli</i> . <i>Applied Biochemistry and Biotechnology</i> , 1997, 66, 197-238.	1.4	219
68	High-level expression of murine terminal deoxynucleotidyl transferase in <i>Escherichia coli</i> grown at low temperature and overexpressing argU tRNA. <i>Molecular Biotechnology</i> , 1998, 10, 199-208.	1.3	20
69	Single-step purification of proteins of interest from proteolytically cleaved recombinant maltose-binding protein (MBP) fusion proteins by selective immunoprecipitation of MBP. <i>Biotechnology and Bioprocess Engineering</i> , 1998, 3, 82-86.	1.4	0
70	Screening of conformationally constrained random polypeptide libraries displayed on a protein scaffold. <i>Cellular and Molecular Life Sciences</i> , 1998, 54, 394-404.	2.4	16
71	High-level expression of soluble heterologous proteins in the cytoplasm of <i>Escherichia coli</i> by fusion to the bacteriophage Lambda head protein D. <i>Gene</i> , 1998, 224, 45-52.	1.0	72
72	Stability of Functionally Active Fusion Proteins During Their Biosynthesis and Isolation from Expressing Bacterial Cells. <i>Progress in Biotechnology</i> , 1998, , 645-650.	0.2	0

#	ARTICLE	IF	CITATIONS
73	Solubility of Proteins Isolated from Inclusion Bodies Is Enhanced by Fusion to Maltose-Binding Protein or Thioredoxin. <i>Protein Expression and Purification</i> , 1998, 12, 122-132.	0.6	97
74	Expression of Maize Gamma Zein C-Terminus in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 1998, 13, 1-8.	0.6	8
75	Overexpression, Single-Step Purification, and Site-Directed Mutagenetic Analysis of Casbene Synthase. <i>Archives of Biochemistry and Biophysics</i> , 1998, 352, 144-152.	1.4	17
76	Soluble Expression in <i>E. coli</i> of a Functional Interphotoreceptor Retinoid-Binding Protein Module Fused to Thioredoxin: Correlation of Vitamin A Binding Regions with Conserved Domains of C-terminal Processing Proteases. <i>Experimental Eye Research</i> , 1998, 66, 249-262.	1.2	23
77	Expression and Purification of Large Nebulin Fragments and Their Interaction with Actin. <i>Biophysical Journal</i> , 1998, 74, 349-359.	0.2	25
78	High-level production of human growth hormone in <i>Escherichia coli</i> by a simple recombinant process. <i>Journal of Biotechnology</i> , 1998, 62, 143-151.	1.9	47
79	A Carboxypeptidase Inhibitor from the Medical Leech <i>Hirudo medicinalis</i> . <i>Journal of Biological Chemistry</i> , 1998, 273, 32927-32933.	1.6	78
80	Establishment of Monoclonal Antibody, gp21-34, Against HTLV-II Envelope Protein (p20E). <i>Hybridoma</i> , 1998, 17, 347-354.	0.9	2
81	Recombinant \hat{I}^B Kinases \hat{I}^{\pm} and \hat{I}^2 Are Direct Kinases of $\hat{I}^B\hat{I}^{\pm}$. <i>Journal of Biological Chemistry</i> , 1998, 273, 30736-30741.	1.6	69
82	A plasmid expression system for quantitative in vivo biotinylation of thioredoxin fusion proteins in <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 1998, 26, 1414-1420.	6.5	101
83	Overexpression, Purification, and Biophysical Characterization of the Heterodimerization Domain of the Core-binding Factor \hat{I}^2 Subunit. <i>Journal of Biological Chemistry</i> , 1998, 273, 2480-2487.	1.6	20
84	Green fluorescent protein as a scaffold for intracellular presentation of peptides. <i>Nucleic Acids Research</i> , 1998, 26, 623-630.	6.5	151
85	The reductive enzyme thioredoxin 1 acts as an oxidant when it is exported to the <i>Escherichia coli</i> periplasm. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 10751-10756.	3.3	78
86	Activation of the signal transducer gp130 by interleukin-11 and interleukin-6 is mediated by similar molecular interactions. <i>Biochemical Journal</i> , 1998, 331, 695-702.	1.7	77
87	Use of Electron Microscopy in the Detection of Adrenergic Receptors. , 2000, 126, 535-563.		23
88	EXPRESSION VECTORS EMPLOYING THE trc PROMOTER**This chapter focuses on the trc promoter, and examples given almost exclusively cover trc expression vectors. The citations given here may therefore not necessarily include the first examples of a given vector or process improvement.. , 1999, , 45-64.		2
89	Aspzincin, a Family of Metalloendopeptidases with a New Zinc-binding Motif. <i>Journal of Biological Chemistry</i> , 1999, 274, 24195-24201.	1.6	36
90	Detection of native and recombinant <i>Bacillus macerans</i> cyclodextrin glycosyltransferase using microtiter elisa techniques. <i>Enzyme and Microbial Technology</i> , 1999, 24, 35-40.	1.6	3

#	ARTICLE	IF	CITATIONS
91	Definition of receptor binding sites on human interleukin-11 by molecular modeling-guided mutagenesis. <i>FEBS Journal</i> , 1999, 265, 645-655.	0.2	28
92	Recombinant protein expression in <i>Escherichia coli</i> . <i>Current Opinion in Biotechnology</i> , 1999, 10, 411-421.	3.3	1,178
93	Peptides Mimicking Sialyl-Lewis A Isolated from a Random Peptide Library and Peptide Array. <i>Annals of the New York Academy of Sciences</i> , 1999, 886, 276-279.	1.8	16
94	Properties of soluble fusions between mammalian aspartic proteinases and bacterial maltose-binding protein. <i>The Protein Journal</i> , 1999, 18, 127-136.	1.1	34
95	Design of a thermostable cell adhesion protein. <i>Biotechnology Letters</i> , 1999, 13, 23-27.	0.5	13
96	Apoplasmic and cytosolic expression of full-size antibodies and antibody fragments in <i>Nicotiana tabacum</i> . <i>Transgenic Research</i> , 1999, 8, 255-263.	1.3	101
97	<i>Escherichia coli</i> maltose-binding protein is uncommonly effective at promoting the solubility of polypeptides to which it is fused. <i>Protein Science</i> , 1999, 8, 1668-1674.	3.1	880
98	Enhancement of antibody responses by DNA immunization using expression vectors mediating efficient antigen secretion. <i>Journal of Immunological Methods</i> , 1999, 228, 121-130.	0.6	36
99	Inhibition of expression of the Gal β 1-3Gal epitope on porcine cells using an intracellular single-chain antibody directed against β 1,3Galactosyltransferase. <i>Journal of Immunological Methods</i> , 1999, 231, 191-205.	0.6	8
100	Accumulation of antibody fusion proteins in the cytoplasm and ER of plant cells. <i>Plant Science</i> , 1999, 149, 63-71.	1.7	39
101	Cloning as a Tool for Organic Chemists. , 1999, , 643-674.		1
102	Novel molecular architecture of the multimeric archaeal PEP-synthase homologue (MAPS) from <i>Staphylothermus marinus</i> 1 Edited by P. E. Wright. <i>Journal of Molecular Biology</i> , 1999, 290, 347-361.	2.0	14
103	Recovery of Catalytic Activity from an Inactive Aggregated Mutant of L-Aspartase. <i>Biochemical and Biophysical Research Communications</i> , 1999, 264, 596-600.	1.0	9
104	Removal of N-Terminal Polyhistidine Tags from Recombinant Proteins Using Engineered Aminopeptidases. <i>Protein Expression and Purification</i> , 1999, 15, 389-400.	0.6	67
105	Functional Characterization of Apolipoprotein E Isoforms Overexpressed in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 1999, 16, 224-230.	0.6	90
106	Expression of a Recombinant <i>Toxoplasma gondii</i> ROP2 Fragment as a Fusion Protein in Bacteria Circumvents Insolubility and Proteolytic Degradation. <i>Protein Expression and Purification</i> , 1999, 17, 392-400.	0.6	37
107	Thermodynamic and kinetic analysis of the <i>Escherichia coli</i> thioredoxin-C β 2 fragment complementation system. <i>Biochemical Journal</i> , 1999, 339, 721-727.	1.7	12
108	DNA-Binding Proteins. <i>Journal of Chromatography Library</i> , 2000, 61, 587-617.	0.1	0

#	ARTICLE	IF	CITATIONS
109	[13] Selection of genetic agents from random peptide aptamer expression libraries. <i>Methods in Enzymology</i> , 2000, 328, 171-208.	0.4	43
110	High Throughput Protein Expression, Purification and Characterisation Technologies. <i>Biochemical Society Transactions</i> , 2000, 28, A263-A263.	1.6	0
111	Identification of copper ligands in <i>Aspergillus oryzae</i> tyrosinase by site-directed mutagenesis. <i>Biochemical Journal</i> , 2000, 350, 537-545.	1.7	40
112	Protective DNA Immunization against <i>Chlamydia pneumoniae</i> . <i>Scandinavian Journal of Immunology</i> , 2000, 51, 345-353.	1.3	45
113	Amyloidogenicity of recombinant human pro-islet amyloid polypeptide (ProlAPP). <i>Chemistry and Biology</i> , 2000, 7, 855-871.	6.2	40
114	Purification of the membrane binding domain of cytochrome b5 by immobilised nickel chelate chromatography. <i>Biomedical Applications</i> , 2000, 737, 119-130.	1.7	11
115	Molecular cloning and high-level expression in <i>Escherichia coli</i> of fungal β -galactosidase from <i>Absidia corymbifera</i> IFO 8084. <i>Journal of Bioscience and Bioengineering</i> , 2000, 90, 168-173.	1.1	15
116	Expression of soluble, recombinant β 2 integrin fragments in <i>Escherichia coli</i> . <i>Microbiological Research</i> , 2000, 155, 165-177.	2.5	3
117	Design of high-throughput methods of protein production for structural biology. <i>Structure</i> , 2000, 8, R177-R185.	1.6	208
118	High-level expression of tetanus toxin fragment C β -thioredoxin fusion protein in <i>Escherichia coli</i> . <i>Biotechnology and Applied Biochemistry</i> , 2000, 31, 91.	1.4	17
119	Scale-up process for expression and renaturation of recombinant human epidermal growth factor from <i>Escherichia coli</i> inclusion bodies. <i>Biotechnology and Applied Biochemistry</i> , 2000, 31, 245.	1.4	19
120	Enteropeptidase: Structure, Function, and Application in Biotechnology. <i>Applied Biochemistry and Biotechnology</i> , 2000, 88, 159-174.	1.4	12
121	A green fluorescent protein fusion strategy for monitoring the expression, cellular location, and separation of biologically active organophosphorus hydrolase. <i>Applied Microbiology and Biotechnology</i> , 2000, 54, 78-83.	1.7	59
122	Specific features of enteropeptidase hydrolysis of chimeric proteins at the specific linker (Asp) ₄ Lys depending on the refolding conditions. <i>Russian Journal of Bioorganic Chemistry</i> , 2000, 26, 466-473.	0.3	0
123	Targeted modification and transportation of cellular proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 13720-13725.	3.3	54
124	A Protein Disulfide Isomerase Gene Fusion Expression System That Increases the Extracellular Productivity of <i>Bacillus brevis</i> . <i>Applied and Environmental Microbiology</i> , 2000, 66, 638-642.	1.4	28
125	A Minimized Human Integrin β 1 That Retains Ligand Recognition. <i>Journal of Biological Chemistry</i> , 2000, 275, 5888-5903.	1.6	44
126	Surface Signaling in Ferric Citrate Transport Gene Induction: Interaction of the FecA, FecR, and FecI Regulatory Proteins. <i>Journal of Bacteriology</i> , 2000, 182, 637-646.	1.0	112

#	ARTICLE	IF	CITATIONS
127	Association of the Mouse Infertility Factor DAZL1 with Actively Translating Polyribosomes1. <i>Biology of Reproduction</i> , 2000, 62, 1655-1660.	1.2	75
128	Clinical, biochemical and molecular genetic correlations in adenylosuccinate lyase deficiency. <i>Human Molecular Genetics</i> , 2000, 9, 2159-2165.	1.4	52
129	Reconstitution of conformationally dependent epitopes on the N-terminal extracellular domain of the human muscle acetylcholine receptor alpha subunit expressed in <i>Escherichia coli</i> : implications for myasthenia gravis therapeutic approaches. <i>International Immunology</i> , 2000, 12, 1255-1265.	1.8	26
130	Ubiquitin fusion technique and its descendants. <i>Methods in Enzymology</i> , 2000, 327, 578-593.	0.4	57
131	Fluorolabeling of antibody variable domains with green fluorescent protein variants: application to an energy transfer-based homogeneous immunoassay. <i>Protein Engineering, Design and Selection</i> , 2000, 13, 369-376.	1.0	49
132	Immunization of Male Mice with Luteinizing Hormone-Releasing Hormone Fusion Proteins Reduces Testicular and Accessory Sex Gland Function1. <i>Biology of Reproduction</i> , 2000, 63, 347-353.	1.2	20
133	Do Structural Deviations between Toxins Adopting the Same Fold Reflect Functional Differences?. <i>Journal of Biological Chemistry</i> , 2000, 275, 18302-18310.	1.6	28
134	Functionally Discrete Mimics of Light-activated Rhodopsin Identified through Expression of Soluble Cytoplasmic Domains. <i>Journal of Biological Chemistry</i> , 2000, 275, 39354-39363.	1.6	36
135	Isolation of peptide aptamers that inhibit intracellular processes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 2241-2246.	3.3	73
136	Human Immunodeficiency Virus Type 1 Subtype E Envelope Recombinant Peptides Containing Naturally Immunogenic Epitopes. <i>Journal of Infectious Diseases</i> , 2000, 182, 442-450.	1.9	4
137	Components of the RP4 Conjugative Transfer Apparatus Form an Envelope Structure Bridging Inner and Outer Membranes of Donor Cells: Implications for Related Macromolecule Transport Systems. <i>Journal of Bacteriology</i> , 2000, 182, 1564-1574.	1.0	95
138	Expression of the recombinant human immunoglobulin J chain in <i>Escherichia coli</i> . <i>Molecular Immunology</i> , 2000, 37, 133-140.	1.0	13
139	Identification of syntaxin 1A as a novel binding protein for presenilin-1. <i>Molecular Brain Research</i> , 2000, 78, 100-107.	2.5	33
140	[21] Thioredoxin as a fusion partner for production of soluble recombinant proteins in <i>Escherichia coli</i> . <i>Methods in Enzymology</i> , 2000, 326, 322-340.	0.4	143
141	Peptide Aptamers: Dominant "Genetic" Agents for Forward and Reverse Analysis of Cellular Processes. <i>Current Protocols in Molecular Biology</i> , 2000, 52, Unit 24.4.	2.9	1
142	Functional genomics with protein-protein interactions. <i>Biotechnology Annual Review</i> , 2000, 5, 45-86.	2.1	7
143	Recombinant Proteins. <i>Journal of Chromatography Library</i> , 2000, 61, 557-586.	0.1	3
144	[31] High-throughput expression of fusion proteins. <i>Methods in Enzymology</i> , 2000, 328, 515-529.	0.4	17

#	ARTICLE	IF	CITATIONS
145	[20] Fusions to maltose-binding protein: Control of folding and solubility in protein purification. <i>Methods in Enzymology</i> , 2000, 326, 312-321.	0.4	67
146	Expression and Purification of Cytokine Receptor Homology Domain of Human Granulocyte-Colony-Stimulating Factor Receptor Fusion Protein in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2001, 21, 87-91.	0.6	5
147	Expression of <i>Giardia duodenalis</i> β -Tubulin as a Soluble Protein in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2001, 22, 25-30.	0.6	10
148	Functionally Active VEGF Fusion Proteins. <i>Protein Expression and Purification</i> , 2001, 23, 1-7.	0.6	30
149	Expression in <i>Escherichia coli</i> of the Death Domain of the Human p55 Tumor Necrosis Factor Receptor. <i>Protein Expression and Purification</i> , 2001, 23, 226-232.	0.6	2
150	Mapping of Heme-Binding Domains in Soluble Guanylyl Cyclase β 1 Subunit. <i>Biochemical and Biophysical Research Communications</i> , 2001, 288, 798-804.	1.0	10
151	<i>Escherichia coli</i> maltose-binding protein as a molecular chaperone for recombinant intracellular cytoplasmic single-chain antibodies 1 Edited by R. Huber. <i>Journal of Molecular Biology</i> , 2001, 312, 79-93.	2.0	164
152	Functional Expression, Characterization, and Purification of the Catalytic Domain of Human 11- β -Hydroxysteroid Dehydrogenase Type 1. <i>Journal of Biological Chemistry</i> , 2001, 276, 21343-21350.	1.6	64
154	Analysis of the serological response to <i>Chlamydia pneumoniae</i> in patients with ischemic heart disease by recombinant MOMP-ELISA. <i>Journal of Infection and Chemotherapy</i> , 2001, 7, 180-185.	0.8	4
155	Protein folding, misfolding, and refolding of therapeutic proteins. <i>Biotechnology and Bioprocess Engineering</i> , 2001, 6, 237-243.	1.4	9
156	Demonstration of a Homogeneous Noncompetitive Immunoassay Based on Bioluminescence Resonance Energy Transfer. <i>Analytical Biochemistry</i> , 2001, 289, 77-81.	1.1	76
157	The <i>Escherichia coli</i> glucose transporter enzyme IICBGlc recruits the global repressor Mlc. <i>EMBO Journal</i> , 2001, 20, 491-498.	3.5	105
158	Investigation of the 'switch-epitope' concept with random peptide libraries displayed as thioredoxin loop fusions. <i>Protein Engineering, Design and Selection</i> , 2001, 14, 367-377.	1.0	19
159	Molecular Sieve Mechanism of Selective Release of Cytoplasmic Proteins by Osmotically Shocked <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2001, 183, 2399-2404.	1.0	93
160	Expression and Fermentation Strategies for Recombinant Protein Production in <i>Escherichia Coli</i> . , 2001, , 195-258.		15
161	Using Bio-Panning of FLITRX Peptide Libraries Displayed on <i>E. coli</i> Cell Surface to Study Protein-Protein Interactions. , 2003, 205, 267-280.		16
162	Enhanced Immunogenicity of a Genetic Chimeric Protein Consisting of Two Virulence Antigens of <i>Streptococcus mutans</i> and Protection against Infection. <i>Infection and Immunity</i> , 2002, 70, 6779-6787.	1.0	50
163	A linear lattice model for polyglutamine in CAG-expansion diseases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 11634-11639.	3.3	129

#	ARTICLE	IF	CITATIONS
164	Solution Structure of the Phosphoryl Transfer Complex between the Cytoplasmic A Domain of the Mannitol Transporter IIMannitol and HPr of the Escherichia coliPhosphotransferase System. Journal of Biological Chemistry, 2002, 277, 42289-42298.	1.6	61
165	Discovery of New Fusion Protein Systems Designed to Enhance Solubility in E. coli. , 2003, 205, 141-154.		3
166	A unique approach for high level expression and production of a recombinant cobra neurotoxin in Escherichia coli. Journal of Biotechnology, 2002, 94, 235-244.	1.9	10
167	Overview of the Purification of Recombinant Proteins Produced inEscherichia coli. Current Protocols in Protein Science, 2002, 30, Unit 6.1.	2.8	6
168	Using GFP-ligand fusions to measure receptor-mediated endocytosis in living cells. Vitamins and Hormones, 2002, 65, 81-95.	0.7	12
169	Expression, purification, and characterization of a biologically active bovine enterokinase catalytic subunit in Escherichia coli. Protein Expression and Purification, 2002, 25, 300-304.	0.6	27
170	Large-scale production of functional human adrenomedullin: expression, cleavage, amidation, and purification. Protein Expression and Purification, 2002, 25, 448-455.	0.6	8
171	Mutational analysis of the maize gamma zein C-terminal cysteine residues. Plant Science, 2002, 162, 131-141.	1.7	7
172	Development and characterization of monoclonal antibodies to chicken interleukin-15. Veterinary Immunology and Immunopathology, 2002, 88, 49-56.	0.5	23
173	Construction and deconstruction of bacterial inclusion bodies. Journal of Biotechnology, 2002, 96, 3-12.	1.9	191
174	Flow cytometric determination of intracytoplasmic Wiskottâ€Aldrich syndrome protein in peripheral blood lymphocyte subpopulations. Journal of Immunological Methods, 2002, 260, 195-205.	0.6	47
175	Strategies for the purification and on-column cleavage of glutathione-S-transferase fusion target proteins. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2002, 769, 133-144.	1.2	32
176	Adjuvant modulation of the immune responses and the outcome of infection with Chlamydia pneumoniae. Clinical and Experimental Immunology, 2002, 130, 393-403.	1.1	16
177	Genetic design for facilitated production and recovery of recombinant proteins in Escherichia coli. Biotechnology and Applied Biochemistry, 2002, 35, 91.	1.4	103
178	The calcium-binding protein of Entamoeba histolytica as a fusion partner for expression of peptides in Escherichia coli. Biotechnology and Applied Biochemistry, 2002, 36, 213.	1.4	6
179	A rapid method to attain isotope labeled small soluble peptides for NMR studies. Journal of Biomolecular NMR, 2003, 26, 193-202.	1.6	39
180	Protein aggregation in recombinant bacteria: biological role of inclusion bodies. Biotechnology Letters, 2003, 25, 1385-1395.	1.1	276
181	The soluble expression of the human renin binding protein using fusion partners: A comparison of ubiquitin, thioredoxin, maltose binding protein and NusA. Biotechnology and Bioprocess Engineering, 2003, 8, 89-93.	1.4	12

#	ARTICLE	IF	CITATIONS
182	Current and prospective applications of metal ion-protein binding. <i>Journal of Chromatography A</i> , 2003, 988, 1-23.	1.8	416
183	Vectors for the Expression of Recombinant Proteins in <i>E. coli</i> . , 2003, 235, 257-276.		3
184	Role of Residues in the Tryptophan Repeat Motif for HIV-1 Reverse Transcriptase Dimerization. <i>Journal of Molecular Biology</i> , 2003, 326, 381-396.	2.0	64
185	Functional expression and characterization of a recombinant phospholipase A2 from sea snake <i>Lapemis hardwickii</i> as a soluble protein in <i>E. coli</i> . <i>Toxicon</i> , 2003, 41, 713-721.	0.8	18
186	Expression of a soluble and activatable form of bovine procarboxypeptidase A in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2003, 27, 220-228.	0.6	6
187	EGFP as a fusion partner for the expression and organic extraction of small polypeptides. <i>Protein Expression and Purification</i> , 2003, 27, 55-62.	0.6	48
188	Purification and renaturation of <i>Dictyostelium</i> recombinant alkaline phosphatase by continuous elution electrophoresis. <i>Protein Expression and Purification</i> , 2003, 27, 375-383.	0.6	5
189	Expression, oxidative refolding, and characterization of six-histidine-tagged recombinant human LECT2, a 16-kDa chemotactic protein with three disulfide bonds. <i>Protein Expression and Purification</i> , 2003, 27, 272-278.	0.6	16
190	Expression of proteins using the third domain of the <i>Escherichia coli</i> periplasmic-protein TolA as a fusion partner. <i>Protein Expression and Purification</i> , 2003, 28, 173-181.	0.6	32
191	Characterization of factors favoring the expression of soluble protozoan tubulin proteins in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2003, 29, 117-122.	0.6	17
192	High-yield expression in <i>Escherichia coli</i> , purification, and characterization of properly folded major peanut allergen Ara h 2. <i>Protein Expression and Purification</i> , 2003, 31, 250-259.	0.6	53
193	Identification and Mutational Analysis of Bacteriophage PRD1 Holin Protein P35. <i>Journal of Bacteriology</i> , 2003, 185, 3795-3803.	1.0	33
194	The Function and Organization of Plasmids. , 2003, 235, 1-18.		22
195	Structural and thermal stability analysis of <i>Escherichia coli</i> and <i>Alicyclobacillus acidocaldarius</i> thioredoxin revealed a molten globule-like state in thermal denaturation pathway of the proteins: an infrared spectroscopic study. <i>Biochemical Journal</i> , 2003, 373, 875-883.	1.7	37
196	High-throughput construction method for expression vector of peptides for NMR study suited for isotopic labeling. <i>Protein Engineering, Design and Selection</i> , 2004, 17, 305-314.	1.0	24
197	A Novel Fermentation/Respiration Switch Protein Regulated by Enzyme IIA _{Glc} in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 31613-31621.	1.6	56
198	Expression of ptsG Encoding the Major Glucose Transporter Is Regulated by ArcA in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 38513-38518.	1.6	49
199	Heterologous Expression and Purification of Active Divercin V41, a Class IIa Bacteriocin Encoded by a Synthetic Gene in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2004, 186, 4276-4284.	1.0	68

#	ARTICLE	IF	CITATIONS
200	Amyloidogenicity and Cytotoxicity of Recombinant Mature Human Islet Amyloid Polypeptide (rIAPP). <i>Journal of Biological Chemistry</i> , 2004, 279, 42803-42810.	1.6	43
201	ModA and ModB, Two ADP-Ribosyltransferases Encoded by Bacteriophage T4: Catalytic Properties and Mutation Analysis. <i>Journal of Bacteriology</i> , 2004, 186, 7262-7272.	1.0	44
202	Binding proteins from alternative scaffolds. <i>Journal of Immunological Methods</i> , 2004, 290, 3-28.	0.6	178
203	<i>Bacillus subtilis</i> as cell factory for pharmaceutical proteins: a biotechnological approach to optimize the host organism. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2004, 1694, 299-310.	1.9	382
204	High-level expression of soluble human β -defensin-2 in <i>Escherichia coli</i> . <i>Process Biochemistry</i> , 2004, 39, 2199-2205.	1.8	46
205	New Strategies in Polypeptide and Antibody Synthesis: An Overview. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2004, 19, 99-109.	0.7	5
206	Analysis and Control of Proteolysis of Recombinant Proteins in <i>Escherichia coli</i> . <i>Advances in Biochemical Engineering/Biotechnology</i> , 2004, 89, 163-195.	0.6	32
207	Protein expression and refolding – A practical guide to getting the most out of inclusion bodies. <i>Biotechnology Annual Review</i> , 2004, 10, 31-50.	2.1	80
208	Expression of an immunologically reactive merozoite surface protein (MSP-142) in <i>E. coli</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2004, 1675, 62-70.	1.1	12
209	The solubility and stability of recombinant proteins are increased by their fusion to NusA. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 766-771.	1.0	132
210	Lab scale and medium scale production of recombinant allergens in <i>Escherichia coli</i> . <i>Methods</i> , 2004, 32, 219-226.	1.9	26
211	Expressing an antibacterial protein in bacteria for raising antibodies. <i>Protein Expression and Purification</i> , 2004, 33, 153-159.	0.6	30
212	Recombinant cold-adapted trypsin I from Atlantic cod – expression, purification, and identification. <i>Protein Expression and Purification</i> , 2004, 33, 110-122.	0.6	31
213	Protein aggregation during overexpression limited by peptide extensions with large net negative charge. <i>Protein Expression and Purification</i> , 2004, 36, 207-216.	0.6	111
214	The role of thioredoxin and disulfide isomerase in the expression of the snake venom thrombin-like enzyme calobin in <i>Escherichia coli</i> BL21 (DE3). <i>Protein Expression and Purification</i> , 2004, 38, 51-60.	0.6	27
215	Identification and characterization of peptides that bind to cyanovirin-N, a potent human immunodeficiency virus-inactivating protein. <i>Peptides</i> , 2004, 25, 551-561.	1.2	5
216	Structure Formation in the C terminus of Type III Collagen Guides Disulfide Cross-Linking. <i>Journal of Molecular Biology</i> , 2004, 335, 1289-1297.	2.0	45
217	Production of recombinant serpins in <i>Escherichia coli</i> . <i>Methods</i> , 2004, 32, 169-176.	1.9	25

#	ARTICLE	IF	CITATIONS
218	Characterization of a Serodiagnostic Complement Fixation Antigen of <i>Coccidioides posadasii</i> Expressed in the Nonpathogenic Fungus <i>Uncinocarpus reesii</i> . <i>Journal of Clinical Microbiology</i> , 2005, 43, 5462-5469.	1.8	9
219	Native folding of aggregation-prone recombinant proteins in <i>Escherichia coli</i> by osmolytes, plasmid- or benzyl alcoholâ€overexpressed molecular chaperones. <i>Cell Stress and Chaperones</i> , 2005, 10, 329.	1.2	140
220	Boundaries and physical characterization of a new domain shared between mammalian 53BP1 and yeast Rad9 checkpoint proteins. <i>Protein Science</i> , 2005, 14, 1827-1839.	3.1	13
221	Extracellular Production of Human Parathyroid Hormone as a Thioredoxin Fusion Form in <i>Escherichia coli</i> by Chemical Permeabilization Combined with Heat Treatment. <i>Biotechnology Progress</i> , 2005, 21, 1429-1435.	1.3	20
222	A universal strategy for stable intracellular antibodies. <i>Journal of Immunological Methods</i> , 2005, 303, 19-39.	0.6	39
223	Gene cloning and functional analysis of glycosaminoglycan-degrading enzyme chondroitin AC lyase from <i>Flavobacterium columnare</i> G4. <i>Archives of Microbiology</i> , 2005, 184, 49-55.	1.0	28
224	Atlantic Cod Trypsins: From Basic Research to Practical Applications. <i>Marine Biotechnology</i> , 2005, 7, 77-88.	1.1	56
225	Improved expression, purification and crystallization of a putative N-acetyl-Î³-glutamyl-phosphate reductase from rice (<i>Oryza sativa</i>). <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2005, 61, 1058-1061.	0.7	3
226	Expression and purification of the complete PreS region of hepatitis B Virus. <i>World Journal of Gastroenterology</i> , 2005, 11, 3060.	1.4	8
227	Two Rhizobial Strains, <i>Mesorhizobium loti</i> MAFF303099 and <i>Bradyrhizobium japonicum</i> USDA110, Encode Haloalkane Dehalogenases with Novel Structures and Substrate Specificities. <i>Applied and Environmental Microbiology</i> , 2005, 71, 4372-4379.	1.4	73
228	Receptor Epitope Usage by an Interleukin-5 Mimetic Peptide. <i>Journal of Biological Chemistry</i> , 2005, 280, 22951-22961.	1.6	12
229	The Holin Protein of Bacteriophage PRD1 Forms a Pore for Small-Molecule and Endolysin Translocation. <i>Journal of Bacteriology</i> , 2005, 187, 5397-5405.	1.0	50
230	Fusion tags and chaperone co-expression modulate both the solubility and the inclusion body features of the recombinant CLIPB14 serine protease. <i>Journal of Biotechnology</i> , 2005, 120, 2-10.	1.9	17
231	Expression of G protein coupled receptors in a cell-free translational system using detergents and thioredoxin-fusion vectors. <i>Protein Expression and Purification</i> , 2005, 41, 27-37.	0.6	170
232	Expression, purification, and characterization of recombinant human flotillin-1 in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2005, 42, 137-145.	0.6	12
233	Preparation of recombinant thioredoxin fused N-terminal proCNP: Analysis of enterokinase cleavage products reveals new enterokinase cleavage sites. <i>Protein Expression and Purification</i> , 2005, 41, 332-340.	0.6	57
234	Increase of soluble expression in <i>Escherichia coli</i> cytoplasm by a protein disulfide isomerase gene fusion system. <i>Protein Expression and Purification</i> , 2005, 44, 155-161.	0.6	34
235	Heteropoda toxin 2 is a gating modifier toxin specific for voltage-gated K ⁺ channels of the Kv4 family. <i>Toxicon</i> , 2005, 45, 431-442.	0.8	42

#	ARTICLE	IF	CITATIONS
236	Simplified screening for the detection of soluble fusion constructs expressed in <i>E. coli</i> using a modular set of vectors. <i>Microbial Cell Factories</i> , 2005, 4, 34.	1.9	133
237	NMR characterization of the <i>Escherichia coli</i> nitrogen regulatory protein IIANtr in solution and interaction with its partner protein, NPr. <i>Protein Science</i> , 2005, 14, 1082-1090.	3.1	19
238	Bacterial Pharmaceutical Products. , 2006, , 812-833.		0
239	Display of aggregation-prone ligand binding domain of human PPAR gamma on surface of bacteriophage lambda1. <i>Acta Pharmacologica Sinica</i> , 2006, 27, 91-99.	2.8	6
240	Alanine-scanning Mutagenesis of Human Interleucina1: Identification of Regions Important for Biological Activity. <i>Annals of the New York Academy of Sciences</i> , 1995, 762, 152-164.	1.8	30
241	Gene structure of goose-type lysozyme in the mandarin fish <i>Siniperca chuatsi</i> with analysis on the lytic activity of its recombinant in <i>Escherichia coli</i> . <i>Aquaculture</i> , 2006, 252, 106-113.	1.7	43
242	The diverse sesquiterpene profile of patchouli, <i>Pogostemon cablin</i> , is correlated with a limited number of sesquiterpene synthases. <i>Archives of Biochemistry and Biophysics</i> , 2006, 454, 123-136.	1.4	158
243	Interaction of glucose transporter 1 with anion exchanger 1 in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 1255-1261.	1.0	21
244	Solubility-enhancing proteins MBP and NusA play a passive role in the folding of their fusion partners. <i>Protein Expression and Purification</i> , 2006, 45, 175-182.	0.6	159
245	Human glutaredoxin 2 affinity tag for recombinant peptide and protein purification. <i>Protein Expression and Purification</i> , 2006, 45, 37-42.	0.6	9
246	Purification and antigenicity of two recombinant forms of <i>Boophilus microplus</i> yolk pro-cathepsin expressed in inclusion bodies. <i>Protein Expression and Purification</i> , 2006, 45, 107-114.	0.6	14
247	Enhanced soluble protein expression using two new fusion tags. <i>Protein Expression and Purification</i> , 2006, 46, 122-129.	0.6	62
248	An improved expression plasmid for affinity purification of <i>Staphylococcus aureus</i> gyrase A subunit. <i>Protein Expression and Purification</i> , 2006, 47, 10-15.	0.6	8
249	Novel protein purification system utilizing an N-terminal fusion protein and a caspase-3 cleavable linker. <i>Protein Expression and Purification</i> , 2006, 47, 311-318.	0.6	15
250	Challenges in the expression of disulfide bonded, threonine-rich antifreeze proteins in bacteria and yeast. <i>Protein Expression and Purification</i> , 2006, 47, 152-161.	0.6	19
251	Cloning, expression, isotope labeling, and purification of human antimicrobial peptide LL-37 in <i>Escherichia coli</i> for NMR studies. <i>Protein Expression and Purification</i> , 2006, 47, 498-505.	0.6	62
252	Expression, purification, and kinetic characterization of recombinant rat cysteine dioxygenase, a non-heme metalloenzyme necessary for regulation of cellular cysteine levels. <i>Protein Expression and Purification</i> , 2006, 47, 74-81.	0.6	50
253	Highly efficient expression and purification system of small-size protein domains in <i>Escherichia coli</i> for biochemical characterization. <i>Protein Expression and Purification</i> , 2006, 47, 599-606.	0.6	63

#	ARTICLE	IF	CITATIONS
254	High yield expression and purification of isotopically labelled human endothelin-1 for use in NMR studies. <i>Protein Expression and Purification</i> , 2006, 48, 253-260.	0.6	8
255	Enhancement of soluble protein expression through the use of fusion tags. <i>Current Opinion in Biotechnology</i> , 2006, 17, 353-358.	3.3	485
256	Optimizing the Generation of Recombinant Single-Chain Antibodies Against Placental Alkaline Phosphatase. <i>Hybridoma</i> , 2006, 25, 181-192.	0.5	15
257	Effect of N-terminal solubility enhancing fusion proteins on yield of purified target protein. <i>Journal of Structural and Functional Genomics</i> , 2006, 7, 1-14.	1.2	77
258	High-level production of bioactive human beta-defensin-4 in <i>Escherichia coli</i> by soluble fusion expression. <i>Applied Microbiology and Biotechnology</i> , 2006, 72, 471-479.	1.7	59
259	Construction of epidermal growth factor fusion protein with cell adhesive activity. <i>Biomaterials</i> , 2006, 27, 3451-3458.	5.7	55
260	Peptide aptamers as guides for small-molecule drug discovery. <i>Drug Discovery Today</i> , 2006, 11, 334-341.	3.2	114
261	Heterologous expression and protein engineering of wheat gluten proteins. <i>Journal of Cereal Science</i> , 2006, 43, 259-274.	1.8	19
262	In Vitro Reconstitution of Catabolite Repression in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 6448-6454.	1.6	107
263	Solubilization of aggregation-prone heterologous proteins by covalent fusion of stress-responsive <i>Escherichia coli</i> protein, SlyD. <i>Protein Engineering, Design and Selection</i> , 2007, 20, 543-549.	1.0	40
264	Metabolic Engineering of Carotenoid Biosynthesis in <i>Escherichia coli</i> by Ordered Gene Assembly in <i>Bacillus subtilis</i> . <i>Applied and Environmental Microbiology</i> , 2007, 73, 1355-1361.	1.4	113
265	Recombinant Deoxyribonucleic Acid and Protein Expression. , 2007, , 107-128.		0
267	Expression and purification of a cold-adapted group III trypsin in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2007, 51, 243-252.	0.6	6
268	An improved strategy for high-level production of TEV protease in <i>Escherichia coli</i> and its purification and characterization. <i>Protein Expression and Purification</i> , 2007, 51, 102-109.	0.6	42
269	Bacterial expression and purification of the ovine type II bone morphogenetic protein receptor ectodomain. <i>Protein Expression and Purification</i> , 2007, 52, 40-49.	0.6	3
270	High-level expression of a soluble and functional fibronectin type II domain from MMP-2 in the <i>Escherichia coli</i> cytoplasm for solution NMR studies. <i>Protein Expression and Purification</i> , 2007, 53, 124-131.	0.6	11
271	Overexpression and purification of single zinc finger peptides of human zinc finger protein ZNF191. <i>Protein Expression and Purification</i> , 2007, 53, 232-237.	0.6	12
272	Expression and purification of a recombinant antibacterial peptide, cecropin, from <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2007, 53, 293-301.	0.6	82

#	ARTICLE	IF	CITATIONS
273	A novel method for purifying recombinant human host defense cathelicidin LL-37 by utilizing its inherent property of aggregation. <i>Protein Expression and Purification</i> , 2007, 54, 157-165.	0.6	43
274	Large scale preparation of recombinant human parathyroid hormone 1â€“84 from <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2007, 54, 212-219.	0.6	19
275	Expression, purification and characterization of human urodilatin in <i>E. coli</i> . <i>Protein Expression and Purification</i> , 2007, 55, 312-318.	0.6	15
276	Stable activity of a deubiquitylating enzyme (Usp2-cc) in the presence of high concentrations of urea and its application to purify aggregation-prone peptides. <i>Biochemical and Biophysical Research Communications</i> , 2007, 359, 801-805.	1.0	44
277	The C-terminal region controls correct folding of genus <i>Trametes</i> pyranose 2-oxidases. <i>Journal of Biotechnology</i> , 2007, 130, 229-235.	1.9	4
278	Chlorophyllase Is a Rate-Limiting Enzyme in Chlorophyll Catabolism and Is Posttranslationally Regulated. <i>Plant Cell</i> , 2007, 19, 1007-1022.	3.1	213
279	Immobilized Metalâ€“Ion Affinity Chromatography: Status and Trends. <i>Separation and Purification Reviews</i> , 2007, 36, 71-111.	2.8	121
280	Production of active pediocin PA-1 in <i>Escherichia coli</i> using a thioredoxin gene fusion expression approach: cloning, expression, purification, and characterization. <i>Canadian Journal of Microbiology</i> , 2007, 53, 1246-1258.	0.8	38
281	Expression and bioactivity of recombinant segments of human perforinThis paper is one of a selection of papers in this Special Issue, entitled International Symposium on Recent Advances in Molecular, Clinical, and Social Medicine, and has undergone the Journal's usual peer-review process.. <i>Biochemistry and Cell Biology</i> , 2007, 85, 203-208.	0.9	5
282	Structure and Molecular Mechanism of <i>Bacillus anthracis</i> Cofactor-Independent Phosphoglycerate Mutase: A Crucial Enzyme for Spores and Growing Cells of <i>Bacillus</i> Species. <i>Biophysical Journal</i> , 2007, 92, 977-988.	0.2	22
283	Enhanced fluorescence resonance energy transfer immunoassay with improved sensitivity based on the Fabâ€“2-based immunoconjugates. <i>Analytical Biochemistry</i> , 2007, 360, 266-272.	1.1	16
284	Heterologous protein expression using a novel stress-responsive protein of <i>E. coli</i> RpoA as fusion expression partner. <i>Enzyme and Microbial Technology</i> , 2007, 41, 859-866.	1.6	11
285	Module structure of interphotoreceptor retinoid-binding protein (IRBP) may provide bases for its complex role in the visual cycle â€“ structure/function study of <i>Xenopus</i> IRBP. <i>BMC Biochemistry</i> , 2007, 8, 15.	4.4	20
286	Enhanced solubility of heterologous proteins by fusion expression using stress-induced <i>Escherichia coli</i> protein, Tsf. <i>FEMS Microbiology Letters</i> , 2007, 274, 132-138.	0.7	26
287	Development of an improved preparation and an enzyme-linked immunosorbent assay for anti-neuroexcitation peptide (ANEP). <i>Journal of Proteomics</i> , 2007, 70, 635-640.	2.4	4
288	Functional expression of lipase A from <i>Candida antarctica</i> in <i>Escherichia coli</i> â€“A prerequisite for high-throughput screening and directed evolution. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2007, 45, 62-67.	1.8	27
289	N-terminal domains of native multidomain proteins have the potential to assist de novo folding of their downstream domains in vivo by acting as solubility enhancers. <i>Protein Science</i> , 2007, 16, 635-643.	3.1	38
290	A dual expression platform to optimize the soluble production of heterologous proteins in the periplasm of <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2007, 76, 1413-1422.	1.7	22

#	ARTICLE	IF	CITATIONS
291	Stable Expression of a Novel Fusion Peptide of Thioredoxin-1 and ABAD-Inhibiting Peptide Protects PC12 Cells from Intracellular Amyloid-Beta. <i>Journal of Molecular Neuroscience</i> , 2007, 33, 180-188.	1.1	9
292	Enhancing functional expression of heterologous lipase in the periplasm of <i>Escherichia coli</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 2827-2835.	1.7	10
293	Toxins from cone snails: properties, applications and biotechnological production. <i>Applied Microbiology and Biotechnology</i> , 2008, 79, 1-9.	1.7	69
294	High-Level Expression and Novel Purification Strategy of Recombinant Thanatin Analog in <i>Escherichia coli</i> . <i>Current Microbiology</i> , 2008, 57, 95-101.	1.0	19
295	Biologically active and C-amidated hennavinn-38-Asn produced from a Trx fusion construct in <i>Escherichia coli</i> . <i>Journal of Microbiology</i> , 2008, 46, 656-661.	1.3	6
296	Cloning and expression of selenocysteine methyltransferase cDNA from <i>Camellia sinensis</i> . <i>Acta Physiologiae Plantarum</i> , 2008, 30, 167-174.	1.0	16
297	Solution structure of NPr, a bacterial signal-transducing protein that controls the phosphorylation state of the potassium transporter-regulating protein IANtr. <i>Amino Acids</i> , 2008, 35, 531-539.	1.2	15
298	Immobilisation of bovine enterokinase and application of the immobilised enzyme in fusion protein cleavage. <i>Bioprocess and Biosystems Engineering</i> , 2008, 31, 173-182.	1.7	12
299	Solubility enhancement of aggregation-prone heterologous proteins by fusion expression using stress-responsive <i>Escherichia coli</i> protein, RpoS. <i>BMC Biotechnology</i> , 2008, 8, 15.	1.7	26
300	Design of an expression system for detecting folded protein domains and mapping macromolecular interactions by NMR. <i>Protein Science</i> , 1997, 6, 2359-2364.	3.1	142
301	Effective reduction of truncated expression of glosedobin in <i>Escherichia coli</i> using molecular chaperone ClpB. <i>Chemical Engineering Science</i> , 2008, 63, 2875-2880.	1.9	2
302	Production of biologically active forms of recombinant hepcidin, the iron-regulatory hormone. <i>FEBS Journal</i> , 2008, 275, 3793-3803.	2.2	30
303	The membrane-integrated transcriptional activator CadC of <i>Escherichia coli</i> senses lysine indirectly via the interaction with the lysine permease LysP. <i>Molecular Microbiology</i> , 2008, 67, 570-583.	1.2	105
304	Thioredoxins and glutaredoxins as facilitators of protein folding. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 641-650.	1.9	223
305	Expression and properties of arginyl-tRNA synthetase from jack bean (<i>Canavalia ensiformis</i>). <i>Protein Expression and Purification</i> , 2008, 61, 163-167.	0.6	7
306	P _{BAD} -Based Shuttle Vectors for Functional Analysis of Toxic and Highly Regulated Genes in <i>Pseudomonas</i> and <i>Burkholderia</i> spp. and Other Bacteria. <i>Applied and Environmental Microbiology</i> , 2008, 74, 7422-7426.	1.4	240
307	Soluble protein expression in <i>E. coli</i> cells using IgG-binding domain of protein A as a solubilizing partner in the cold induced system. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 448-453.	1.0	46
308	Characterization of a cellulose binding domain from <i>Clostridium cellulovorans</i> endoglucanase-xylanase D and its use as a fusion partner for soluble protein expression in <i>Escherichia coli</i> . <i>Journal of Biotechnology</i> , 2008, 135, 319-325.	1.9	17

#	ARTICLE	IF	CITATIONS
310	Recombinant expression and affinity purification of a novel epididymal human sperm-binding protein, BSPH1. <i>Molecular Human Reproduction</i> , 2008, 15, 105-114.	1.3	27
311	Selection of peptides interfering with a ribosomal frameshift in the human immunodeficiency virus type 1. <i>Rna</i> , 2008, 14, 981-991.	1.6	24
312	Laboratory Evolution of Fast-Folding Green Fluorescent Protein Using Secretory Pathway Quality Control. <i>PLoS ONE</i> , 2008, 3, e2351.	1.1	67
313	The Membrane Proximal Extracellular Domain of Human hGC-B Folds Independently. <i>Journal of Biomolecular Structure and Dynamics</i> , 2009, 26, 465-472.	2.0	0
314	Enzyme stabilization by domain insertion into a thermophilic protein. <i>Protein Engineering, Design and Selection</i> , 2009, 22, 615-623.	1.0	20
315	A Novel Method for High-Level Production of TEV Protease by Superfolder GFP Tag. <i>Journal of Biomedicine and Biotechnology</i> , 2009, 2009, 1-8.	3.0	50
316	Production of recombinant proteins by microbes and higher organisms. <i>Biotechnology Advances</i> , 2009, 27, 297-306.	6.0	813
317	Effects of selenium on the structure and function of recombinant human S-adenosyl-L-methionine dependent arsenic (+3 oxidation state) methyltransferase in <i>E. coli</i> . <i>Journal of Biological Inorganic Chemistry</i> , 2009, 14, 485-496.	1.1	23
318	Effect of Ions on Agitation- and Temperature-Induced Aggregation Reactions of Antibodies. <i>Pharmaceutical Research</i> , 2009, 26, 903-913.	1.7	113
319	Biomimetic membranes for sensor and separation applications. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 697-718.	1.9	150
320	Improving aquaporin Z expression in <i>Escherichia coli</i> by fusion partners and subsequent condition optimization. <i>Applied Microbiology and Biotechnology</i> , 2009, 82, 463-470.	1.7	40
321	Soluble fusion expression and characterization of bioactive human beta-defensin 26 and 27. <i>Applied Microbiology and Biotechnology</i> , 2009, 84, 301-308.	1.7	50
322	Human G-CSF synthesis using stress-responsive bacterial proteins. <i>FEMS Microbiology Letters</i> , 2009, 296, 60-66.	0.7	11
323	High-level production of a candidacidal peptide lactoferrampin in <i>Escherichia coli</i> by fusion expression. <i>Journal of Biotechnology</i> , 2009, 139, 326-331.	1.9	17
324	Efficient proteolytic cleavage by insertion of oligopeptide linkers and its application to production of recombinant human interleukin-6 in <i>Escherichia coli</i> . <i>Enzyme and Microbial Technology</i> , 2009, 44, 254-262.	1.6	7
325	Carrier proteins for fusion expression of antimicrobial peptides in <i>Escherichia coli</i> . <i>Biotechnology and Applied Biochemistry</i> , 2009, 54, 1-9.	1.4	115
326	Strategies for successful recombinant expression of disulfide bond-dependent proteins in <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2009, 8, 26.	1.9	285
327	Rapid screening for improved solubility of small human proteins produced as fusion proteins in <i>Escherichia coli</i> . <i>Protein Science</i> , 2009, 11, 313-321.	3.1	277

#	ARTICLE	IF	CITATIONS
329	The first Î±-1,3-glucosidase from bacterial origin belonging to glycoside hydrolase family 31. <i>Biochimie</i> , 2009, 91, 1434-1442.	1.3	17
330	Expression, purification and characterization of the Cry2Aa14 toxin from <i>Bacillus thuringiensis</i> subsp. <i>kenyae</i> . <i>Toxicon</i> , 2009, 54, 519-524.	0.8	9
331	Expression and purification of amyloid-Î² peptides from <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2009, 66, 107-112.	0.6	32
332	Expression and functional characterization of chitribrisin, a thrombin-like enzyme, in the venom of the Chinese green pit viper (<i>Trimeresurus albolabris</i>). <i>Protein Expression and Purification</i> , 2009, 67, 48-52.	0.6	13
333	The use of Group 3 LEA proteins as fusion partners in facilitating recombinant expression of recalcitrant proteins in <i>E. coli</i> . <i>Protein Expression and Purification</i> , 2009, 67, 15-22.	0.6	17
334	Robust production of a peptide library using methodological synchronization. <i>Protein Expression and Purification</i> , 2009, 67, 139-147.	0.6	2
335	Determinants of Stability for the E6 Protein of Papillomavirus Type 16. <i>Journal of Molecular Biology</i> , 2009, 386, 1123-1137.	2.0	24
336	A Chimeric Fusion Protein Engineered with Disparate Functionalitiesâ€™ Enzymatic Activity and Selfâ€™assembly. <i>Journal of Molecular Biology</i> , 2009, 392, 129-142.	2.0	51
337	Chapter 16 Tagging for Protein Expression. <i>Methods in Enzymology</i> , 2009, 463, 239-258.	0.4	121
338	Expression and purification of recombinant proteins from <i>Escherichia coli</i> : Comparison of an elastin-like polypeptide fusion with an oligohistidine fusion. <i>Protein Science</i> , 2009, 13, 3274-3284.	3.1	151
339	Overexpression and simple purification of the <i>Thermotoga maritima</i> 6-phosphogluconate dehydrogenase in <i>Escherichia coli</i> and its application for NADPH regeneration. <i>Microbial Cell Factories</i> , 2009, 8, 30.	1.9	65
340	Robust production of a peptide library using methodological synchronization. , 2009, , .		0
341	Chapter 11 Selecting an Appropriate Method for Expressing a Recombinant Protein. <i>Methods in Enzymology</i> , 2009, 463, 131-147.	0.4	112
342	Application of immobilized bovine enterokinase in repetitive fusion protein cleavage for the production of mucin 1. <i>Biotechnology Journal</i> , 2009, 4, 1610-1618.	1.8	7
343	Heterologous and Cell-Free Protein Expression Systems. <i>Methods in Molecular Biology</i> , 2009, 513, 175-198.	0.4	17
344	Expression, Purification, and Characterization of Functional Recombinant Human Daintain/AIF-1 in <i>Escherichia coli</i> . <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2010, 65, 726-732.	0.6	3
346	Soluble expression, purification, and characterization of <i>Gloydus shedaoensis</i> venom glosedobin in <i>Escherichia coli</i> by using fusion partners. <i>Applied Microbiology and Biotechnology</i> , 2010, 85, 635-642.	1.7	11
347	Production of pig liver esterase in batch fermentation of <i>E. coli</i> Origami. <i>Applied Microbiology and Biotechnology</i> , 2010, 86, 1337-1344.	1.7	15

#	ARTICLE	IF	CITATIONS
348	Extracellular accumulation of recombinant protein by <i>Escherichia coli</i> in a defined medium. <i>Applied Microbiology and Biotechnology</i> , 2010, 88, 75-86.	1.7	22
349	Expression of recombinant hybrid peptide hennipin II \pm -melanocyte-stimulating hormone in <i>Escherichia coli</i> : Purification and characterization. <i>Journal of Microbiology</i> , 2010, 48, 24-29.	1.3	4
350	The Family 1 Glycoside Hydrolase from <i>Clostridium cellulolyticum</i> H10 is a Cellodextrin Glucohydrolase. <i>Applied Biochemistry and Biotechnology</i> , 2010, 161, 264-273.	1.4	8
351	Rational Design of Multiple TB Antigens TB10.4 and TB10.4-Ag85B as Subunit Vaccine Candidates Against <i>Mycobacterium Tuberculosis</i> . <i>Pharmaceutical Research</i> , 2010, 27, 224-234.	1.7	10
352	Learning to predict expression efficacy of vectors in recombinant protein production. <i>BMC Bioinformatics</i> , 2010, 11, S21.	1.2	26
353	Characterization of an antimicrobial material from a newly isolated <i>Bacillus amyloliquefaciens</i> from mangrove for biocontrol of <i>Capsicum</i> bacterial wilt. <i>Biological Control</i> , 2010, 54, 359-365.	1.4	83
354	Primer-independent initiation of RNA synthesis by SeMV recombinant RNA-dependent RNA polymerase. <i>Virology</i> , 2010, 401, 280-292.	1.1	15
355	Cyanogen bromide cleavage of proteins in salt and buffer solutions. <i>Analytical Biochemistry</i> , 2010, 407, 144-146.	1.1	71
356	Potassium mediates <i>Escherichia coli</i> enzyme IIA ^{Ntr} -dependent regulation of sigma factor selectivity. <i>Molecular Microbiology</i> , 2010, 78, 1468-1483.	1.2	56
357	Vicrostatin " An Anti-Invasive Multi-Integrin Targeting Chimeric Disintegrin with Tumor Anti-Angiogenic and Pro-Apoptotic Activities. <i>PLoS ONE</i> , 2010, 5, e10929.	1.1	39
358	Maltose-Binding Protein Enhances Secretion of Recombinant Human Granzyme B Accompanied by In Vivo Processing of a Precursor MBP Fusion Protein. <i>PLoS ONE</i> , 2010, 5, e14404.	1.1	17
359	Functional analysis of the C-terminal domain of the WbaP protein that mediates initiation of O antigen synthesis in <i>Salmonella enterica</i> . <i>Glycobiology</i> , 2010, 20, 1389-1401.	1.3	37
360	In Vivo Bioassay of Recombinant Human Growth Hormone Synthesized in <i>B. mori</i> Pupae. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-6.	3.0	6
362	Structure-function studies of an engineered scaffold protein derived from stefin A. I: Development of the SQM variant. <i>Protein Engineering, Design and Selection</i> , 2010, 23, 403-413.	1.0	31
363	Codon Preference Optimization Increases Heterologous PEDF Expression. <i>PLoS ONE</i> , 2010, 5, e15056.	1.1	44
364	Bioscreening of phage display antibody library and expression of a humanized single-chain variable fragment antibody against human connective tissue growth factor (CTGF/CCN2). <i>Biotechnology and Applied Biochemistry</i> , 2010, 56, 95-102.	1.4	9
365	Diverging Affinity of Tospovirus RNA Silencing Suppressor Proteins, NSs, for Various RNA Duplex Molecules. <i>Journal of Virology</i> , 2010, 84, 11542-11554.	1.5	102
366	Applications of the Restriction Free (RF) cloning procedure for molecular manipulations and protein expression. <i>Journal of Structural Biology</i> , 2010, 172, 34-44.	1.3	214

#	ARTICLE	IF	CITATIONS
367	NMR characterization of foldedness for the production of E3 RING domains. <i>Journal of Structural Biology</i> , 2010, 172, 120-127.	1.3	5
368	Rational Design and Biophysical Characterization of Thioredoxin-Based Aptamers: Insights into Peptide Grafting. <i>Journal of Molecular Biology</i> , 2010, 395, 871-883.	2.0	25
369	A Novel Unstructured Scaffold Based on 4EBP1 Enables the Functional Display of a Wide Range of Bioactive Peptides. <i>Journal of Molecular Biology</i> , 2010, 404, 819-831.	2.0	5
370	Overexpression of hTFF2 in the pET system and its in vitro pharmacological characterization. <i>Biomedicine and Pharmacotherapy</i> , 2010, 64, 343-347.	2.5	2
371	Cell migration-promoting and apoptosis-inhibiting activities of Bm-TFF2 require distinct structure basis. <i>Biochemical and Biophysical Research Communications</i> , 2010, 400, 724-728.	1.0	8
372	Preparation of bioactive soluble human leukemia inhibitory factor from recombinant <i>Escherichia coli</i> using thioredoxin as fusion partner. <i>Protein Expression and Purification</i> , 2010, 73, 51-57.	0.6	28
373	Human SUMO fusion systems enhance protein expression and solubility. <i>Protein Expression and Purification</i> , 2010, 73, 203-208.	0.6	27
374	Strategies to Optimize Protein Expression in <i>E. coli</i> . <i>Current Protocols in Protein Science</i> , 2010, 61, Unit 5.24.1-29.	2.8	118
375	Bacterial Protein Overexpression Systems and Strategies. , 2010, , 695-721.		1
376	Anthranilate-Activating Modules from Fungal Nonribosomal Peptide Assembly Lines. <i>Biochemistry</i> , 2010, 49, 3351-3365.	1.2	84
377	Construction of a bFGF-Tethered Extracellular Matrix Using a Coiled-Coil Helical Interaction. <i>Bioconjugate Chemistry</i> , 2011, 22, 2038-2042.	1.8	9
378	Production of Recombinant Proteins by Microbes and Higher Organisms. , 2011, , 333-345.		2
379	Protein-Engineered Biomaterials: Synthesis and Characterization. , 2011, , 35-52.		1
380	High-throughput protein expression screening and purification in <i>Escherichia coli</i> . <i>Methods</i> , 2011, 55, 65-72.	1.9	80
381	Screening of genetic parameters for soluble protein expression in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2011, 77, 104-111.	0.6	13
382	Cloning, expression and purification of the luminal domain of spinach photosystem 1 subunit Psaf functional in binding to plastocyanin and with a disulfide bridge required for folding. <i>Protein Expression and Purification</i> , 2011, 78, 156-166.	0.6	5
383	Expression, purification and NMR characterization of the cyclic recombinant form of the third intracellular loop of the vasopressin type 2 receptor. <i>Protein Expression and Purification</i> , 2011, 78, 131-138.	0.6	6
384	A PCR-directed cell-free approach to optimize protein expression using diverse fusion tags. <i>Protein Expression and Purification</i> , 2011, 80, 117-124.	0.6	12

#	ARTICLE	IF	CITATIONS
385	Recombinant production of antimicrobial peptides in <i>Escherichia coli</i> : A review. <i>Protein Expression and Purification</i> , 2011, 80, 260-267.	0.6	241
386	Rational recombinant XMRV antigen preparation and bead coupling for multiplex serology in a suspension array. <i>Protein Expression and Purification</i> , 2011, 80, 176-184.	0.6	5
387	Recombinant expression of the toxic peptide ErgTx1 and role of Met35 on its stability and function. <i>Peptides</i> , 2011, 32, 560-567.	1.2	10
388	Systems for Production of Proteins for Biomimetic Membrane Devices. <i>Biological and Medical Physics Series</i> , 2011, , 233-250.	0.3	3
389	Screening of Bacterial Recombinants: Strategies and Preventing False Positives. , 2011, , .		4
390	Expression Screening of Fusion Partners from an <i>E. coli</i> Genome for Soluble Expression of Recombinant Proteins in a Cell-Free Protein Synthesis System. <i>PLoS ONE</i> , 2011, 6, e26875.	1.1	14
391	Cleavage oxygenases for the biosynthesis of trisporoids and other apocarotenoids in <i>Phycomyces</i> . <i>Molecular Microbiology</i> , 2011, 82, 199-208.	1.2	53
392	Comparative analysis of mycobacterial NADH pyrophosphatase isoforms reveals a novel mechanism for isoniazid and ethionamide inactivation. <i>Molecular Microbiology</i> , 2011, 82, 1375-1391.	1.2	28
393	Tuning different expression parameters to achieve soluble recombinant proteins in <i>E. coli</i> : Advantages of high-throughput screening. <i>Biotechnology Journal</i> , 2011, 6, 715-730.	1.8	58
394	Soluble expression, purification, and characterization of recombinant human flotillin-2 (reggie-1) in <i>Escherichia coli</i> . <i>Molecular Biology Reports</i> , 2011, 38, 2091-2098.	1.0	5
395	Application of immobilized thrombin for production of S-thanatin expressed in <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2011, 92, 85-93.	1.7	4
396	Expanding the molecular toolbox for <i>Lactococcus lactis</i> : construction of an inducible thioredoxin gene fusion expression system. <i>Microbial Cell Factories</i> , 2011, 10, 66.	1.9	28
397	Stability of a guest protein depends on stability of a host protein in insertional fusion. <i>Biotechnology and Bioengineering</i> , 2011, 108, 1011-1020.	1.7	17
398	Development of peptide aptamer microarrays for detection of HPV16 oncoproteins in cell extracts. <i>Analytical Biochemistry</i> , 2011, 410, 161-170.	1.1	17
399	A novel <i>Escherichia coli</i> solubility enhancer protein for fusion expression of aggregation-prone heterologous proteins. <i>Enzyme and Microbial Technology</i> , 2011, 49, 124-130.	1.6	18
400	Development and evaluation of data-driven designed tags (DDTs) for controlling protein solubility. <i>New Biotechnology</i> , 2011, 28, 225-231.	2.4	7
401	Effects of polynitrogen compounds on the activity of recombinant human HIF-1 α prolyl hydroxylase 3 in <i>E. coli</i> . <i>Journal of Inorganic Biochemistry</i> , 2011, 105, 391-399.	1.5	4
402	Expression and purification of bioactive soluble murine stem cell factor from recombinant <i>Escherichia coli</i> using thioredoxin as fusion partner. <i>Journal of Biotechnology</i> , 2011, 152, 1-8.	1.9	8

#	ARTICLE	IF	CITATIONS
403	Methods, Processes and Comparative Yield Economics for the Production of Antibodies and Recombinant Proteins. <i>Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry</i> , 2011, 11, 199-219.	0.5	1
404	Characterization of the Recombinant Thermostable Lipase (Pf2001) from <i>Pyrococcus furiosus</i> : Effects of Thioredoxin Fusion Tag and Triton X-100. <i>Enzyme Research</i> , 2011, 2011, 1-7.	1.8	27
405	Selected Papers from ENZITEC 2010. <i>Enzyme Research</i> , 2011, 2011, 1-1.	1.8	0
406	Enhanced In Vitro Refolding of Fibroblast Growth Factor 15 with the Assistance of SUMO Fusion Partner. <i>PLoS ONE</i> , 2011, 6, e20307.	1.1	20
407	Screening of Random Peptide Library of Hemagglutinin from Pandemic 2009 A(H1N1) Influenza Virus Reveals Unexpected Antigenically Important Regions. <i>PLoS ONE</i> , 2011, 6, e18016.	1.1	13
408	A Caffeyl-Coenzyme A Synthetase Initiates Caffeate Activation prior to Caffeate Reduction in the Acetogenic Bacterium <i>Acetobacterium woodii</i> . <i>Journal of Bacteriology</i> , 2011, 193, 971-978.	1.0	20
409	Structure-function studies of an engineered scaffold protein derived from Stefin A. II: Development and applications of the SQT variant. <i>Protein Engineering, Design and Selection</i> , 2011, 24, 751-763.	1.0	43
410	Construction of pET-32 $\hat{\pm}$ (+) vector for protein expression and purification. <i>North American Journal of Medical Sciences</i> , 2012, 4, 651.	1.7	19
411	Cloning, Soluble Expression and Immunoreactivity of HIV-1 CRF35_AD p24 Protein Infusion with HP-thioredoxin from Iranian Clinical Isolates. <i>Laboratory Medicine</i> , 2012, 43, 245-249.	0.8	0
412	Development of Class IIa Bacteriocins as Therapeutic Agents. <i>International Journal of Microbiology</i> , 2012, 2012, 1-13.	0.9	66
413	Simplifying protein expression with ligation-free, traceless and tag-switching plasmids. <i>Protein Expression and Purification</i> , 2012, 85, 9-17.	0.6	21
414	A modified IMAC method for the capture of target protein from mammalian cell culture harvest containing metal chelating species. <i>Biotechnology and Bioengineering</i> , 2012, 109, 747-753.	1.7	2
415	Purification and Characterization of the Human $\hat{\beta}$ -Secretase Activating Protein. <i>Biochemistry</i> , 2012, 51, 5153-5159.	1.2	17
416	Ubiquitin-intein and SUMO2-intein fusion systems for enhanced protein production and purification. <i>Protein Expression and Purification</i> , 2012, 82, 174-178.	0.6	21
417	Mistic and TarCF as fusion protein partners for functional expression of the cannabinoid receptor 2 in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2012, 83, 128-134.	0.6	16
418	Optimization and efficient purification of recombinant Omp28 protein of <i>Brucella melitensis</i> using Triton X-100 and $\hat{\beta}$ -mercaptoethanol. <i>Protein Expression and Purification</i> , 2012, 83, 226-232.	0.6	9
419	Fractional factorial approach combining 4 <i>Escherichia coli</i> strains, 3 culture media, 3 expression temperatures and 5 N-terminal fusion tags for screening the soluble expression of recombinant proteins. <i>Protein Expression and Purification</i> , 2012, 84, 204-213.	0.6	11
420	Sweeping Away Protein Aggregation with Entropic Bristles: Intrinsically Disordered Protein Fusions Enhance Soluble Expression. <i>Biochemistry</i> , 2012, 51, 7250-7262.	1.2	100

#	ARTICLE	IF	CITATIONS
421	Crystallographic and spectroscopic characterizations of <i>Sulfolobus solfataricus</i> TrxA1 provide insights into the determinants of thioredoxin fold stability. <i>Journal of Structural Biology</i> , 2012, 177, 506-512.	1.3	6
422	Antiangiogenic and antivasular effects of a recombinant tumstatin-derived peptide in a corneal neovascularization model. <i>Biochimie</i> , 2012, 94, 1368-1375.	1.3	7
423	Expression and purification of SfaXII, a protein involved in regulating adhesion and motility genes in extraintestinal pathogenic <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2012, 86, 127-134.	0.6	4
424	Biom mineralization and Size Control of Stable Calcium Phosphate Core-Protein Shell Nanoparticles: Potential for Vaccine Applications. <i>Bioconjugate Chemistry</i> , 2012, 23, 610-617.	1.8	54
425	Ligand-receptor assay for evaluation of functional activity of human recombinant VEGF and VEGFR-1 extracellular fragment. <i>Bulletin of Experimental Biology and Medicine</i> , 2012, 152, 707-711.	0.3	3
426	Recombinant protein expression and purification: A comprehensive review of affinity tags and microbial applications. <i>Biotechnology Journal</i> , 2012, 7, 620-634.	1.8	371
427	Laying out ground rules for protein-aided nanofabrication: ZnO synthesis at 70°C as a case study. <i>Biotechnology and Bioengineering</i> , 2012, 109, 1912-1918.	1.7	3
428	Expression and characterization of human proinsulin fused to thioredoxin in <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2012, 94, 1565-1576.	1.7	14
429	Development of a chimeric recombinant disintegrin as a cost-effective anti-cancer agent with promising translational potential. <i>Toxicon</i> , 2012, 59, 472-486.	0.8	36
430	Exceptional thermal stability and organic solvent tolerance of an esterase expressed from a thermophilic host. <i>Applied Microbiology and Biotechnology</i> , 2012, 93, 1965-1974.	1.7	24
431	Strategies for the Production of Recombinant Protein in <i>Escherichia coli</i> . <i>Protein Journal</i> , 2013, 32, 419-425.	0.7	215
432	Expression and Purification of Biologically Active Human FGF2 Containing the C Domains of Human PDI in <i>Escherichia coli</i> . <i>Applied Biochemistry and Biotechnology</i> , 2013, 170, 67-80.	1.4	22
433	Cytoplasmic expression, antibody production, and characterization of the novel zinc finger protein 637. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 741-749.	1.7	3
434	Spider toxins comprising disulfide-rich and linear amphipathic domains: a new class of molecules identified in the lynx spider <i>Oxyopes akobius</i> . <i>FEBS Journal</i> , 2013, 280, 6247-6261.	2.2	26
435	To fuse or not to fuse: What is your purpose?. <i>Protein Science</i> , 2013, 22, 1466-1477.	3.1	104
436	Structure and function of a unique pore-forming protein from a pathogenic acanthamoeba. <i>Nature Chemical Biology</i> , 2013, 9, 37-42.	3.9	36
437	Expression of a keratinase (kerA) gene from <i>Bacillus licheniformis</i> in <i>Escherichia coli</i> and characterization of the recombinant enzymes. <i>Biotechnology Letters</i> , 2013, 35, 239-244.	1.1	24
438	Recombinant expression, detergent solubilisation and purification of insect odorant receptor subunits. <i>Protein Expression and Purification</i> , 2013, 90, 160-169.	0.6	31

#	ARTICLE	IF	CITATIONS
439	Efficient soluble expression of secreted matrix metalloproteinase 26 in <i>Brevibacillus choshinensis</i> . <i>Protein Expression and Purification</i> , 2013, 91, 125-133.	0.6	8
440	Arranged Sevenfold: Structural Insights into the C-Terminal Oligomerization Domain of Human C4b-Binding Protein. <i>Journal of Molecular Biology</i> , 2013, 425, 1302-1317.	2.0	69
441	Bacterial Pharmaceutical Products. , 2013, , 257-280.		6
442	Human enteropeptidase light chain: Bioengineering of recombinants and kinetic investigations of structure and function. <i>Protein Science</i> , 2013, 22, 577-585.	3.1	7
443	Oxidoreductases that Act as Conditional Virulence Suppressors in <i>Salmonella enterica</i> Serovar Typhimurium. <i>PLoS ONE</i> , 2013, 8, e64948.	1.1	18
444	High-throughput instant quantification of protein expression and purity based on photoactive yellow protein turn off/on label. <i>Protein Science</i> , 2013, 22, 1109-1117.	3.1	14
445	Optimizing <i>Escherichia coli</i> as a protein expression platform to produce <i>Mycobacterium tuberculosis</i> immunogenic proteins. <i>Microbial Cell Factories</i> , 2013, 12, 115.	1.9	30
446	Molecular cloning and expression of ranalexin, a bioactive antimicrobial peptide from <i>Rana catesbeiana</i> in <i>Escherichia coli</i> and assessments of its biological activities. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 3535-3543.	1.7	28
447	Effects of Thioredoxin: SUMO and Intein on Soluble Fusion Expression of an Antimicrobial Peptide OG2 in <i>Escherichia coli</i> . <i>Protein and Peptide Letters</i> , 2013, 20, 54-60.	0.4	19
448	High-Level Expression of Functionally Active Dengue-2 Non-Structural Antigen 1 Production in <i>Escherichia coli</i> . <i>BioMed Research International</i> , 2013, 2013, 1-6.	0.9	7
449	Reciprocal regulation of the autophosphorylation of enzyme <i>Ntr</i> by glutamine and α -ketoglutarate in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2013, 88, 473-485.	1.2	55
450	Bacterial expression strategies for several <i>Sus scrofa</i> diacylglycerol kinase alpha constructs: solubility challenges. <i>Scientific Reports</i> , 2013, 3, 1609.	1.6	4
451	Expression and characterization of cecropinXJ, a bioactive antimicrobial peptide from <i>Bombyx mori</i> (Bombycidae, Lepidoptera) in <i>Escherichia coli</i> . <i>Experimental and Therapeutic Medicine</i> , 2013, 5, 1745-1751.	0.8	29
452	Prokaryotic Ubiquitin-Like ThiS Fusion Enhances the Heterologous Protein Overexpression and Aggregation in <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2013, 8, e62529.	1.1	5
453	Rapid detection of different human anti-HCV immunoglobulins on electrical biochips. <i>Antibody Technology Journal</i> , 0, , 23.	0.0	1
454	BcMF8, a putative arabinogalactan protein-encoding gene, contributes to pollen wall development, aperture formation and pollen tube growth in <i>Brassica campestris</i> . <i>Annals of Botany</i> , 2014, 113, 777-788.	1.4	70
455	RppH-dependent pyrophosphohydrolysis of mRNAs is regulated by direct interaction with DapF in <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 2014, 42, 12746-12757.	6.5	27
456	A comprehensive analysis of the geranylgeranylglyceryl phosphate synthase enzyme family identifies novel members and reveals mechanisms of substrate specificity and quaternary structure organization. <i>Molecular Microbiology</i> , 2014, 92, 885-899.	1.2	23

#	ARTICLE	IF	CITATIONS
457	<i>Phytophthora sojae</i> TatD Nuclease Positively Regulates Sporulation and Negatively Regulates Pathogenesis. <i>Molecular Plant-Microbe Interactions</i> , 2014, 27, 1070-1080.	1.4	24
458	Expression, purification and activity assay of a patchoulol synthase cDNA variant fused to thioredoxin in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2014, 97, 61-71.	0.6	27
459	Challenges and opportunities in the purification of recombinant tagged proteins. <i>Biotechnology Advances</i> , 2014, 32, 366-381.	6.0	121
460	Easy and efficient protocol for purification of recombinant peptides. <i>Protein Expression and Purification</i> , 2014, 95, 129-135.	0.6	7
461	Prokaryotic overexpression of TEV ^{rhGH} and characterization of its polyclonal antibody. <i>Gene</i> , 2014, 542, 69-76.	1.0	9
462	Novel antifungal \pm -hairpinin peptide from <i>Stellaria media</i> seeds: structure, biosynthesis, gene structure and evolution. <i>Plant Molecular Biology</i> , 2014, 84, 189-202.	2.0	40
463	Caspase-mediated apoptosis in crustaceans: Cloning and functional characterization of EsCaspase-3-like protein from <i>Eriocheir sinensis</i> . <i>Fish and Shellfish Immunology</i> , 2014, 41, 625-632.	1.6	33
464	Expression and purification of the extracellular domain of the human follicle-stimulating hormone receptor using <i>Escherichia coli</i> . <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 501-508.	0.6	0
465	Small Molecule Inhibition of the Na ⁺ /H ⁺ Exchange Regulatory Factor 1 and Parathyroid Hormone 1 Receptor Interaction. <i>Biochemistry</i> , 2014, 53, 5916-5922.	1.2	7
467	Novel mode of action of plant defense peptides ⁺ like antimicrobial peptides from wheat inhibit fungal metalloproteases. <i>FEBS Journal</i> , 2014, 281, 4754-4764.	2.2	56
468	Alcohol dehydrogenases from <i>Kluyveromyces marxianus</i> : heterologous expression in <i>Escherichia coli</i> and biochemical characterization. <i>BMC Biotechnology</i> , 2014, 14, 45.	1.7	14
469	Molecular cloning and functional characterization of the anthocyanidin reductase gene from <i>Vitis bellula</i> . <i>Planta</i> , 2014, 240, 381-398.	1.6	23
470	A His6-SUMO-eXact tag for producing human prepro-Urocortin 2 in <i>Escherichia coli</i> for raising monoclonal antibodies. <i>Journal of Immunological Methods</i> , 2014, 403, 37-51.	0.6	11
471	Affinity Tags in Protein Purification and Peptide Enrichment: An Overview. <i>Methods in Molecular Biology</i> , 2014, 1129, 147-168.	0.4	15
472	High-level expression and purification of recombinant human growth hormone produced in soluble form in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2014, 100, 40-47.	0.6	26
473	Recombinant protein expression in <i>Escherichia coli</i> : advances and challenges. <i>Frontiers in Microbiology</i> , 2014, 5, 172.	1.5	1,650
474	Fusion tags for protein solubility, purification and immunogenicity in <i>Escherichia coli</i> : the novel Fh8 system. <i>Frontiers in Microbiology</i> , 2014, 5, 63.	1.5	295
475	Recombinant expression systems. , 2015, , 175-252.		0

#	ARTICLE	IF	CITATIONS
476	Expression and purification of the mGTR-Fc fusion protein and its effect on CD4+ T cells and dendritic cells in vitro. <i>Molecular Medicine Reports</i> , 2015, 12, 3965-3971.	1.1	1
477	Structural views of quinone oxidoreductase from <i>Mycobacterium tuberculosis</i> reveal large conformational changes induced by the co-factor. <i>FEBS Journal</i> , 2015, 282, 2697-2707.	2.2	8
478	Overview of the Purification of Recombinant Proteins. <i>Current Protocols in Protein Science</i> , 2015, 80, 6.1.1-6.1.35.	2.8	127
479	Expression and efficient purification of tag-cleaved active recombinant human insulin-like growth factor-II from <i>Escherichia coli</i> . <i>Biotechnology and Bioprocess Engineering</i> , 2015, 20, 234-241.	1.4	1
480	Production of disulfide bond-rich peptides by fusion expression using small transmembrane proteins of <i>Escherichia coli</i> . <i>Amino Acids</i> , 2015, 47, 579-587.	1.2	7
481	High-level expression and purification of soluble bioactive recombinant human heparin-binding epidermal growth factor in <i>Escherichia coli</i> . <i>Cell Biology International</i> , 2015, 39, 858-864.	1.4	7
482	Functional analysis of the type II toxin-antitoxin systems of the MazEF and RelBE families in <i>Bifidobacterium longum</i> subsp. <i>infantis</i> ATCC 15697. <i>Anaerobe</i> , 2015, 35, 59-67.	1.0	12
483	OmpW is a potential target for eliciting protective immunity against <i>Acinetobacter baumannii</i> infections. <i>Vaccine</i> , 2015, 33, 4479-4485.	1.7	51
484	A high-performance thioredoxin-based scaffold for peptide immunogen construction: proof-of-concept testing with a human papillomavirus epitope. <i>Scientific Reports</i> , 2015, 4, 4729.	1.6	25
485	Stationary-phase induction of <i>vvpS</i> expression by three transcription factors: repression by <i>LeuO</i> and activation by <i>SmcR</i> and <i>CRP</i> . <i>Molecular Microbiology</i> , 2015, 97, 330-346.	1.2	12
486	Cold shock induction of recombinant Arctic environmental genes. <i>BMC Biotechnology</i> , 2015, 15, 78.	1.7	14
487	Characterization of Neuwiedin, a new disintegrin from <i>Bothrops neuwiedi</i> venom gland with distinct cysteine pattern. <i>Toxicon</i> , 2015, 104, 57-64.	0.8	9
488	Prophage Lysin Ply30 Protects Mice from <i>Streptococcus suis</i> and <i>Streptococcus equi</i> subsp. <i>zooepidemicus</i> Infections. <i>Applied and Environmental Microbiology</i> , 2015, 81, 7377-7384.	1.4	19
489	Ubiquitin is a versatile scaffold protein for the generation of molecules with <i>de novo</i> binding and advantageous drug-like properties. <i>FEBS Open Bio</i> , 2015, 5, 579-593.	1.0	11
490	B cell recognition of myelin oligodendrocyte glycoprotein autoantigen depends on immunization with protein rather than short peptide, while B cell invasion of the CNS in autoimmunity does not. <i>Journal of Neuroimmunology</i> , 2015, 278, 73-84.	1.1	19
491	Efficient expression of a soluble lipid transfer protein (<i>LTP</i>) of <i>Platanus orientalis</i> using short peptide tags and structural comparison with the natural form. <i>Biotechnology and Applied Biochemistry</i> , 2015, 62, 218-225.	1.4	2
492	Therapeutic and analytical applications of arsenic binding to proteins. <i>Metallomics</i> , 2015, 7, 39-55.	1.0	70
493	Proteins without unique 3D structures: Biotechnological applications of intrinsically unstable/disordered proteins. <i>Biotechnology Journal</i> , 2015, 10, 356-366.	1.8	28

#	ARTICLE	IF	CITATIONS
494	Expression, Purification and Antibacterial Activity of NK-Lysin Mature Peptides from the Channel Catfish (<i>Ictalurus punctatus</i>). <i>Applied Sciences (Switzerland)</i> , 2016, 6, 240.	1.3	16
495	Identification and Characterization of Heptaprenylglyceryl Phosphate Processing Enzymes in <i>Bacillus subtilis</i> . <i>Journal of Biological Chemistry</i> , 2016, 291, 14861-14870.	1.6	6
496	Molecular characterization, expression pattern and function analysis of the <i>OsHSP90</i> family in rice. <i>Biotechnology and Biotechnological Equipment</i> , 2016, 30, 669-676.	0.5	21
497	Immunization with a 22-kDa outer membrane protein elicits protective immunity to multidrug-resistant <i>Acinetobacter baumannii</i> . <i>Scientific Reports</i> , 2016, 6, 20724.	1.6	71
498	Improved Production of Active <i>Streptomyces griseus</i> Trypsin with a Novel Auto-Catalyzed Strategy. <i>Scientific Reports</i> , 2016, 6, 23158.	1.6	17
499	Depletion of vacuolar protein sorting-associated protein 35 is associated with increased lysosomal degradation of aquaporin-2. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F1294-F1307.	1.3	8
500	Recombinant production of influenza hemagglutinin and HIV-1 GP120 antigenic peptides using a cleavable self-aggregating tag. <i>Scientific Reports</i> , 2016, 6, 35430.	1.6	10
501	High level accumulation of soluble diphtheria toxin mutant (CRM197) with co-expression of chaperones in recombinant <i>Escherichia coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 6319-6330.	1.7	21
502	CD94 of tongue sole <i>Cynoglossus semilaevis</i> binds a wide arrange of bacteria and possesses antibacterial activity. <i>Fish and Shellfish Immunology</i> , 2016, 58, 641-649.	1.6	6
503	Computational Redesign of Thioredoxin Is Hypersensitive toward Minor Conformational Changes in the Backbone Template. <i>Journal of Molecular Biology</i> , 2016, 428, 4361-4377.	2.0	21
504	A shared N-terminal hydrophobic tail for the formation of nanoparticulates. <i>Nanomedicine</i> , 2016, 11, 2289-2303.	1.7	5
505	From Peptide Aptamers to Inhibitors of FUR, Bacterial Transcriptional Regulator of Iron Homeostasis and Virulence. <i>ACS Chemical Biology</i> , 2016, 11, 2519-2528.	1.6	13
506	Synthesis of Fe ₃ O ₄ @nickel-silicate core-shell nanoparticles for His-tagged enzyme immobilizing agents. <i>Nanotechnology</i> , 2016, 27, 495705.	1.3	13
507	Simple and Efficient Production and Purification of Mouse Myelin Oligodendrocyte Glycoprotein for Experimental Autoimmune Encephalomyelitis Studies. <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	7
508	Novel prokaryotic expression of thioredoxin-fused insulinoma associated protein tyrosine phosphatase 2 (IA-2), its characterization and immunodiagnostic application. <i>BMC Biotechnology</i> , 2016, 16, 84.	1.7	6
509	Purification of CD47-streptavidin fusion protein from bacterial lysate using biotin-agarose affinity chromatography. <i>Biotechnology Progress</i> , 2016, 32, 949-958.	1.3	5
510	Inactivation of SACE_3446, a TetR family transcriptional regulator, stimulates erythromycin production in <i>Saccharopolyspora erythraea</i> . <i>Synthetic and Systems Biotechnology</i> , 2016, 1, 39-46.	1.8	21
511	Current strategies for protein production and purification enabling membrane protein structural biology. <i>Biochemistry and Cell Biology</i> , 2016, 94, 507-527.	0.9	96

#	ARTICLE	IF	CITATIONS
512	Single-step affinity and cost-effective purification of recombinant proteins using the Sepharose-binding lectin-tag from the mushroom <i>Laetiporus sulphureus</i> as fusion partner. <i>Protein Expression and Purification</i> , 2016, 119, 51-56.	0.6	9
513	Identification and characterization of two bisabolene synthases from linear glandular trichomes of sunflower (<i>Helianthus annuus</i> L., Asteraceae). <i>Phytochemistry</i> , 2016, 124, 29-37.	1.4	21
514	Neuroigin 1 regulates spines and synaptic plasticity via LIMK1/cofilin-mediated actin reorganization. <i>Journal of Cell Biology</i> , 2016, 212, 449-463.	2.3	79
515	Nanostructured bioluminescent sensor for rapidly detecting thrombin. <i>Biosensors and Bioelectronics</i> , 2016, 77, 83-89.	5.3	28
516	Production of aggregation prone human interferon gamma and its mutant in highly soluble and biologically active form by SUMO fusion technology. <i>Protein Expression and Purification</i> , 2016, 117, 26-34.	0.6	18
517	Soluble expression, purification and functional characterization of a coil peptide composed of a positively charged and hydrophobic motif. <i>Amino Acids</i> , 2016, 48, 567-577.	1.2	5
518	Soluble expression and purification of the functional interleukin-30 protein in <i>Escherichia coli</i> . <i>Preparative Biochemistry and Biotechnology</i> , 2016, 46, 539-545.	1.0	4
519	Secretory production of designed multi-peptides displayed on a thermostable bacterial thioredoxin scaffold in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2017, 129, 150-157.	0.6	11
520	Recombinant expression of Intrepicalcin from the scorpion <i>Vaejovis intrepidus</i> and its effect on skeletal ryanodine receptors. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 936-946.	1.1	12
521	Molecular cloning, characterization and expression analysis of caspase-3 from the oriental river prawn, <i>Macrobrachium nipponense</i> when exposed to acute hypoxia and reoxygenation. <i>Fish and Shellfish Immunology</i> , 2017, 62, 291-302.	1.6	20
522	High yield production of <i>Rhizobium NodB</i> chitin deacetylase and its use for <i>in vitro</i> synthesis of lipo-chitinoligosaccharide precursors. <i>Carbohydrate Research</i> , 2017, 442, 25-30.	1.1	15
523	Solvent-accessibility of discrete residue positions in the polypeptide hormone glucagon by 19F-NMR observation of 4-fluorophenylalanine. <i>Journal of Biomolecular NMR</i> , 2017, 68, 1-6.	1.6	8
524	Biochemical and functional characterization of MRA_1571 of <i>Mycobacterium tuberculosis</i> H37Ra and effect of its down-regulation on survival in macrophages. <i>Biochemical and Biophysical Research Communications</i> , 2017, 487, 892-897.	1.0	10
525	Network and role analysis of autophagy in <i>Phytophthora sojae</i> . <i>Scientific Reports</i> , 2017, 7, 1879.	1.6	19
526	Production of tropane alkaloids by biotransformation using recombinant <i>Escherichia coli</i> whole cells. <i>Biochemical Engineering Journal</i> , 2017, 125, 180-189.	1.8	16
527	Application of an <i>E. coli</i> signal sequence as a versatile inclusion body tag. <i>Microbial Cell Factories</i> , 2017, 16, 50.	1.9	48
528	The 3D protein of duck hepatitis A virus type 1 binds to a viral genomic 3' UTR and shows RNA-dependent RNA polymerase activity. <i>Virus Genes</i> , 2017, 53, 831-839.	0.7	21
529	Biochemical Principles and Functional Aspects of Pipecolic Acid Biosynthesis in Plant Immunity. <i>Plant Physiology</i> , 2017, 174, 124-153.	2.3	111

#	ARTICLE	IF	CITATIONS
530	Characterization of BcMF23a and BcMF23b, two putative pectin methylesterase genes related to pollen development in <i>Brassica campestris</i> ssp. <i>chinensis</i> . <i>Molecular Biology Reports</i> , 2017, 44, 139-148.	1.0	6
531	Efficient expression of recombinant human heavy chain ferritin (FTH1) with modified peptides. <i>Protein Expression and Purification</i> , 2017, 131, 101-108.	0.6	9
532	Screening Fusion Tags for Improved Recombinant Protein Expression in <i>E. coli</i> with the ExpressoA® Solubility and Expression Screening System. <i>Current Protocols in Protein Science</i> , 2017, 90, 5.27.1-5.27.20.	2.8	8
533	Small protein A and phospholipase D immunization serves a protective role in a mouse pneumonia model of <i>Acinetobacter baumannii</i> infection. <i>Molecular Medicine Reports</i> , 2017, 16, 1071-1078.	1.1	21
534	Recombinant expression of Ixolaris, a Kunitz-type inhibitor from the tick salivary gland, for NMR studies. <i>Protein Expression and Purification</i> , 2017, 139, 49-56.	0.6	2
535	Overexpression and Purification of Human <i>Cis</i> -prenyltransferase in <i>Escherichia coli</i> . <i>Journal of Visualized Experiments</i> , 2017, , .	0.2	7
536	Functional genomic exploration reveals that <i>Ss</i> -RIOK-1 is essential for the development and survival of <i>Strongyloides stercoralis</i> larvae. <i>International Journal for Parasitology</i> , 2017, 47, 933-940.	1.3	7
537	Molecular characterization, expression pattern and function analysis of the rice <i>OsDUF866</i> family. <i>Biotechnology and Biotechnological Equipment</i> , 2017, 31, 243-249.	0.5	17
538	Molecular characterization and function analysis of the rice <i>OsDUF946</i> family. <i>Biotechnology and Biotechnological Equipment</i> , 2017, 31, 477-485.	0.5	10
539	High-throughput engineering of initial coding regions for maximized production of recombinant proteins. <i>Biotechnology and Bioprocess Engineering</i> , 2017, 22, 497-503.	1.4	14
540	Tagging Recombinant Proteins to Enhance Solubility and Aid Purification. <i>Methods in Molecular Biology</i> , 2017, 1485, 131-156.	0.4	12
541	Optimization of the fermentation and downstream processes for human enterokinase production in <i>Pichia pastoris</i> . <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 1927-1934.	1.7	11
542	A rice jacalin-related mannose-binding lectin gene, <i>OsJRL</i> , enhances <i>Escherichia coli</i> viability under high salinity stress and improves salinity tolerance of rice. <i>Plant Biology</i> , 2017, 19, 257-267.	1.8	44
543	Production of recombinant dengue non-structural 1 (NS1) proteins from clinical virus isolates. <i>Protein Expression and Purification</i> , 2017, 129, 53-59.	0.6	4
544	A propeptide toolbox for secretion optimization of <i>Flavobacterium meningosepticum</i> endopeptidase in <i>Lactococcus lactis</i> . <i>Microbial Cell Factories</i> , 2017, 16, 221.	1.9	8
545	Design, Recombinant Fusion Expression and Biological Evaluation of Vasoactive Intestinal Peptide Analogue as Novel Antimicrobial Agent. <i>Molecules</i> , 2017, 22, 1963.	1.7	9
546	2.2 Protein-Engineered Biomaterials: Synthesis and Characterization . , 2017, , 18-40.		0
547	New Disulfide-Stabilized Fold Provides Sea Anemone Peptide to Exhibit Both Antimicrobial and TRPA1 Potentiating Properties. <i>Toxins</i> , 2017, 9, 154.	1.5	41

#	ARTICLE	IF	CITATIONS
548	Plant cell wall glycosyltransferases: High-throughput recombinant expression screening and general requirements for these challenging enzymes. <i>PLoS ONE</i> , 2017, 12, e0177591.	1.1	21
549	Anti-Neuroblastoma Properties of a Recombinant Sunflower Lectin. <i>International Journal of Molecular Sciences</i> , 2017, 18, 92.	1.8	1
550	Characterization of novel roles of a HMG-box protein PoxHmbB in biomass-degrading enzyme production by <i>Penicillium oxalicum</i> . <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 3739-3753.	1.7	17
551	A spiderinâ€derived solubility tag enables controlled aggregation of a designed amyloid protein. <i>FEBS Journal</i> , 2018, 285, 1873-1885.	2.2	32
552	The unexpected function of a Flavin-dependent oxidoreductase (Fox) from <i>Variovorax paradoxus</i> TBEA6.. <i>FEMS Microbiology Letters</i> , 2018, 365, .	0.7	2
553	Efficient osmolyte-based procedure to increase expression level and solubility of infectious hematopoietic necrosis virus (IHNV) nucleoprotein in <i>E. coli</i> . <i>Applied Microbiology and Biotechnology</i> , 2018, 102, 4087-4100.	1.7	12
554	A Brief Guide to the High-Throughput Expression of Directed Evolution Libraries. <i>Methods in Molecular Biology</i> , 2018, 1685, 131-143.	0.4	0
555	A â€plugâ€nâ€playâ€ modular metabolic system for the production of apocarotenoids. <i>Biotechnology and Bioengineering</i> , 2018, 115, 174-183.	1.7	67
556	Taguchi Experimental Design for Optimization of Recombinant Human Growth Hormone Production in CHO Cell Lines and Comparing its Biological Activity with Prokaryotic Growth Hormone. <i>Drug Research</i> , 2018, 68, 80-88.	0.7	7
557	Molecular characterisation and function analysis of the rice OsDUF872 family. <i>Biotechnology and Biotechnological Equipment</i> , 2018, 32, 881-887.	0.5	2
558	Recombinant expressed vasoactive intestinal peptide analogue ameliorates TNBS-induced colitis in rats. <i>World Journal of Gastroenterology</i> , 2018, 24, 706-715.	1.4	16
559	Overview of Protein Expression Vectors for <i>E. coli</i> . <i>Current Protocols in Essential Laboratory Techniques</i> , 2018, 17, e23.	2.6	5
560	Specific tissue factor delivery using a tumor-homing peptide for inducing tumor infarction. <i>Biochemical Pharmacology</i> , 2018, 156, 501-510.	2.0	23
561	Selective release of overexpressed recombinant proteins from <i>E. coli</i> cells facilitates one-step chromatographic purification of peptide-tagged green fluorescent protein variants. <i>Protein Expression and Purification</i> , 2018, 152, 155-160.	0.6	4
562	Genome-wide identification and analyses of the rice <i>OsDUF936</i> family. <i>Biotechnology and Biotechnological Equipment</i> , 2018, 32, 309-315.	0.5	11
563	Molecular characterization and function analysis of the rice OsDUF829 family. <i>Biotechnology and Biotechnological Equipment</i> , 2018, 32, 550-557.	0.5	4
564	A Dynamic Overview of Antimicrobial Peptides and Their Complexes. <i>Molecules</i> , 2018, 23, 2040.	1.7	16
565	The Rice OsDUF810 Family: OsDUF810.7 May be Involved in the Tolerance to Salt and Drought. <i>Molecular Biology</i> , 2018, 52, 489-496.	0.4	23

#	ARTICLE	IF	CITATIONS
566	Polyionic Tags as Enhancers of Protein Solubility in Recombinant Protein Expression. <i>Microorganisms</i> , 2018, 6, 47.	1.6	81
567	A Cerato-Platanin Family Protein FocCP1 Is Essential for the Penetration and Virulence of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> Tropical Race 4. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3785.	1.8	24
568	Preparation of a novel monoclonal antibody against caprine interleukin-17A and its applications in immunofluorescence and immunohistochemistry assays. <i>BMC Biotechnology</i> , 2019, 19, 47.	1.7	6
569	An amino-terminal threonine/serine motif is necessary for activity of the Crp/Fnr homolog, MrpC and for <i>Myxococcus xanthus</i> developmental robustness. <i>Molecular Microbiology</i> , 2019, 112, 1531-1551.	1.2	5
570	Metagenomic discovery of feruloyl esterases from rumen microflora. <i>Applied Microbiology and Biotechnology</i> , 2019, 103, 8449-8457.	1.7	13
571	Two novel methyl esterases from <i>Olea europaea</i> contribute to the catabolism of oleoside-type secoiridoid esters. <i>Planta</i> , 2019, 250, 2083-2097.	1.6	18
572	Recombinant peptide reverses cryo-capacitation in ram sperm and improves in vitro fertilization. <i>Animal Reproduction Science</i> , 2019, 207, 61-72.	0.5	10
573	Recombinant Aflatoxin-Degrading F420H2-Dependent Reductase from <i>Mycobacterium smegmatis</i> Protects Mammalian Cells from Aflatoxin Toxicity. <i>Toxins</i> , 2019, 11, 259.	1.5	23
574	Constitutive overexpression of the classical arabinogalactan protein gene BcMF18 in <i>Arabidopsis</i> causes defects in pollen intine morphogenesis. <i>Plant Growth Regulation</i> , 2019, 88, 159-171.	1.8	5
575	Development of a long-acting Fc-fused cocaine hydrolase with improved yield of protein expression. <i>Chemico-Biological Interactions</i> , 2019, 306, 89-95.	1.7	17
576	Soluble expression, rapid purification, biological identification of chicken interferon-alpha using a thioredoxin fusion system in <i>E. coli</i> and its antiviral effects to H9N2 avian influenza virus. <i>Preparative Biochemistry and Biotechnology</i> , 2019, 49, 192-201.	1.0	5
577	Passenger sequences can promote interlaced dimers in a common variant of the maltose-binding protein. <i>Scientific Reports</i> , 2019, 9, 20396.	1.6	11
578	Computational Design of Stable and Soluble Biocatalysts. <i>ACS Catalysis</i> , 2019, 9, 1033-1054.	5.5	87
579	High-efficiency expression of <i>Sulfolobus acidocaldarius</i> maltooligosyl trehalose trehalohydrolase in <i>Escherichia coli</i> through host strain and induction strategy optimization. <i>Bioprocess and Biosystems Engineering</i> , 2019, 42, 345-354.	1.7	8
580	Microalgal plastidial lysophosphatidic acid acyltransferase interacts with upstream glycerol-3-phosphate acyltransferase and defines its substrate selectivity via the two transmembrane domains. <i>Algal Research</i> , 2020, 45, 101758.	2.4	1
581	Heterologous Expression of the Class IIa Bacteriocins, Plantaricin 423 and Mundticin ST4SA, in <i>Escherichia coli</i> Using Green Fluorescent Protein as a Fusion Partner. <i>Frontiers in Microbiology</i> , 2020, 11, 1634.	1.5	7
582	Efficient detection of eukaryotic calcium-sensing receptor (CaSR) by polyclonal antibody against prokaryotic expressed truncated CaSR. <i>Molecular Biology Reports</i> , 2020, 47, 7723-7734.	1.0	1
583	Strategies for recombinant production of antimicrobial peptides with pharmacological potential. <i>Expert Review of Clinical Pharmacology</i> , 2020, 13, 367-390.	1.3	22

#	ARTICLE	IF	CITATIONS
584	A Novel Anti-Kv10.1 Nanobody Fused to Single-Chain TRAIL Enhances Apoptosis Induction in Cancer Cells. <i>Frontiers in Pharmacology</i> , 2020, 11, 686.	1.6	16
585	Enhancement of extracellular bispecific anti-MUC1 nanobody expression in <i>E. coli</i> BL21 (DE3) by optimization of temperature and carbon sources through an autoinduction condition. <i>Engineering in Life Sciences</i> , 2020, 20, 338-349.	2.0	3
586	An efficient method for recombinant production of human alpha synuclein in <i>Escherichia coli</i> using thioredoxin as a fusion partner. <i>Preparative Biochemistry and Biotechnology</i> , 2020, 50, 723-734.	1.0	2
587	Mutagenesis-Based Characterization and Improvement of a Novel Inclusion Body Tag. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 7, 442.	2.0	4
588	O6-alkylguanine-DNA Alkyltransferases in Microbes Living on the Edge: From Stability to Applicability. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2878.	1.8	9
589	Synthetic fish metallothionein design as a potential tool for monitoring toxic metals in water. <i>Environmental Science and Pollution Research</i> , 2021, 28, 9517-9528.	2.7	6
590	Scorpion toxin MeuNaTx1 sensitizes primary nociceptors by selective modulation of voltage-gated sodium channels. <i>FEBS Journal</i> , 2021, 288, 2418-2435.	2.2	5
591	Molecular characterization and function analysis of the rice <i>OsDUF1664</i> family. <i>Biotechnology and Biotechnological Equipment</i> , 2021, 35, 53-60.	0.5	2
592	New Insectotoxin from <i>Tibellus Oblongus</i> Spider Venom Presents Novel Adaptation of ICK Fold. <i>Toxins</i> , 2021, 13, 29.	1.5	7
593	Generation and Use of Recombinant Galectins. <i>Current Protocols</i> , 2021, 1, e63.	1.3	11
594	Predictive approaches to guide the expression of recombinant vaccine targets in <i>Escherichia coli</i> : a case study presentation utilising Absynth Biologics Ltd. proprietary <i>Clostridium difficile</i> vaccine antigens. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 5657-5674.	1.7	2
595	Derivative of Scorpion Neurotoxin BeM9 Is Selective for Insect Voltage-Gated Sodium Channels. <i>Russian Journal of Bioorganic Chemistry</i> , 2021, 47, 854-863.	0.3	0
596	Heat treatment of thioredoxin fusions increases the purity of α -helical transmembrane protein constructs. <i>Protein Science</i> , 2021, 30, 1974-1982.	3.1	4
597	Technical Data of Heterologous Expression and Purification of SARS-CoV-2 Proteases Using <i>Escherichia coli</i> System. <i>Data</i> , 2021, 6, 99.	1.2	5
598	Designing of peptide aptamer targeting the receptor-binding domain of spike protein of SARS-CoV-2: an in silico study. <i>Molecular Diversity</i> , 2022, 26, 157-169.	2.1	18
599	Molecular characterization and function analysis of the rice <i>OsDUF617</i> family. <i>Biotechnology and Biotechnological Equipment</i> , 2021, 35, 862-872.	0.5	2
600	Thioredoxin-Displayed Multi-peptide Immunogens. <i>Methods in Molecular Biology</i> , 2015, 1348, 137-151.	0.4	4
601	Affinity Chromatography. , 2008, , 1-23.		5

#	ARTICLE	IF	CITATIONS
602	Trafficking and Stability of Heterologous Proteins in Transgenic Plants. <i>Methods in Biotechnology</i> , 1998, , 189-202.	0.2	5
604	Studies in the Optimisation of the Overexpression of $\hat{1}^2$ -Ketoacyl-ACP Synthase i from Barley and <i>Escherichia Coli.</i> , 1995, , 473-475.		1
605	Modulation of Plant Function and Plant Pathogens by Antibody Expression. , 2000, , 87-109.		6
606	Optimisation of the Solubility of the Recombinant Itk Kinase Domain in <i>Escherichia Coli.</i> , 2001, , 159-170.		1
607	<i>Escherichia coli</i> : The Leading Model for the Production of Recombinant Proteins. , 2016, , 119-147.		3
608	Anti-FLT3 nanoparticles for acute myeloid leukemia: Preclinical pharmacology and pharmacokinetics. <i>Journal of Controlled Release</i> , 2020, 324, 317-329.	4.8	14
609	A bacterial esterase is homologous with nonhaem haloperoxidases and displays brominating activity. <i>Microbiology (United Kingdom)</i> , 1995, 141, 459-468.	0.7	58
610	Structural basis for the sequestration of the anti- $\hat{1}^f$ ⁷⁰ factor Rsd from $\hat{1}^f$ ⁷⁰ by the histidine-containing phosphocarrier protein HPr. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2015, 71, 1998-2008.	2.5	14
611	Identification and functional characterization of thioredoxin of <i>Mycobacterium tuberculosis</i> . <i>Infection and Immunity</i> , 1995, 63, 4946-4948.	1.0	28
612	Cloning and expression of the complement fixation antigen-chitinase of <i>Coccidioides immitis</i> . <i>Infection and Immunity</i> , 1996, 64, 4967-4975.	1.0	32
613	Hyperproduction, purification, and mechanism of action of the cytotoxic enterotoxin produced by <i>Aeromonas hydrophila</i> . <i>Infection and Immunity</i> , 1997, 65, 4299-4308.	1.0	66
614	Protective Immunity against <i>Streptococcus mutans</i> Infection in Mice after Intranasal Immunization with the Glucan-Binding Region of <i>S. mutans</i> Glucosyltransferase. <i>Infection and Immunity</i> , 1999, 67, 6543-6549.	1.0	46
615	Enhanced Secretory Production of a Single-Chain Antibody Fragment from <i>Bacillus subtilis</i> by Coproduction of Molecular Chaperones. <i>Journal of Bacteriology</i> , 1998, 180, 2830-2835.	1.0	94
616	Suppression of Nonsense Mutations Induced by Expression of an RNA Complementary to a Conserved Segment of 23S rRNA. <i>Journal of Bacteriology</i> , 1999, 181, 5257-5262.	1.0	7
617	Use of a recombinant <i>Coccidioides immitis</i> complement fixation antigen-chitinase in conventional serological assays. <i>Journal of Clinical Microbiology</i> , 1996, 34, 3160-3164.	1.8	16
618	Enhanced Inhibition of Human Immunodeficiency Virus Type 1 by Met-Stromal-Derived Factor $\hat{1}^2$ Correlates with Down-Modulation of CXCR4. <i>Journal of Virology</i> , 1999, 73, 4582-4589.	1.5	57
619	Strategies for achieving high-level expression of genes in <i>Escherichia coli</i> . <i>Microbiological Reviews</i> , 1996, 60, 512-538.	10.1	1,024
621	The N-Terminus of GalE Induces tmRNA Activity in <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2010, 5, e15207.	1.1	9

#	ARTICLE	IF	CITATIONS
622	Enhanced Mitogenic Activity of Recombinant Human Vascular Endothelial Growth Factor VEGF121 Expressed in <i>E. coli</i> Origami B (DE3) with Molecular Chaperones. <i>PLoS ONE</i> , 2016, 11, e0163697.	1.1	11
623	Refolding of recombinant <i>Pasteurella haemolytica</i> A1 glycoprotease expressed in an <i>Escherichia coli</i> thioredoxin gene fusion system. <i>Cell Stress and Chaperones</i> , 1997, 2, 180.	1.2	10
624	Developments in Structural Genomics: Protein Purification and Function Interpretation. <i>Current Genomics</i> , 2004, 5, 37-48.	0.7	3
625	V-ATPase Subunit Interactions: The Long Road to Therapeutic Targeting. <i>Current Protein and Peptide Science</i> , 2012, 13, 164-179.	0.7	15
626	Peptide Aptamers: Development and Applications. <i>Current Topics in Medicinal Chemistry</i> , 2015, 15, 1082-1101.	1.0	131
627	Cloning, expression and molecular analysis of Iranian <i>Brucella melitensis</i> Omp25 gene for designing a subunit vaccine. <i>Research in Pharmaceutical Sciences</i> , 2016, 11, 412.	0.6	19
628	Phosphorylation-Dependent Mobility Shift of Proteins on SDS-PAGE is Due to Decreased Binding of SDS. <i>Bulletin of the Korean Chemical Society</i> , 2013, 34, 2063-2066.	1.0	27
629	Anti-wrinkle effect of bone morphogenetic protein receptor 1a-extracellular domain (BMPR1a-ECD). <i>BMB Reports</i> , 2013, 46, 465-470.	1.1	5
630	Improving Soluble Expression of β -Galactosidase in <i>Escherichia coli</i> by Fusion with Thioredoxin. <i>Asian-Australasian Journal of Animal Sciences</i> , 2004, 17, 1751-1757.	2.4	1
631	Affinity Chromatography: Principles and Applications. , 0, , .		15
636	High-Throughput Protein Expression, Purification, and Characterization Technologies. , 2003, , 173-201.		1
637	Structure-Function Relationships of Aspartic Proteinases. , 2004, , 227-264.		0
639	Expression of Cloned Genes in <i>E. coli</i> Using the Bacteriophage T7 Promoter. <i>Cold Spring Harbor Protocols</i> , 2006, 2006, pdb.prot3597.	0.2	0
640	Expression of Cloned Genes in <i>E. coli</i> Using the Bacteriophage λ pL Promoter. <i>Cold Spring Harbor Protocols</i> , 2006, 2006, pdb.prot4086.	0.2	0
641	Efficient Ribosomal Frameshifting Can Occur at the Beginning of the Translation. <i>Bulletin of the Korean Chemical Society</i> , 2011, 32, 3489-3492.	1.0	0
642	Bacterial expression and purification of biologically active human TFF2. <i>Zoological Research</i> , 2013, 33, 144-150.	0.6	0
643	SOLUBLE EXPRESSION OF SYNTHETIC CSF3 _{syn} GENE FUSED WITH THIOREDOXIN IN <i>Escherichia coli</i> BL21 (DE3) THROUGH AUTOINDUCTION METHOD AND PURIFICATION. <i>Indonesian Journal of Pharmacy</i> , 2015, 26, 63.	0.3	0
644	The Functional and Structural Analysis of a Mimetic Peptide of Human Hepatic Lipase. <i>FASEB Journal</i> , 2015, 29, 890.16.	0.2	0

#	ARTICLE	IF	CITATIONS
645	Single Chain Fragment Variables Antibody binding to EGF Receptor in the Surface of MCF7 Breast Cancer Cell Line: Application and Production Review. <i>Open Journal of Genetics</i> , 2017, 07, 84-103.	0.1	1
646	Recombinant expression and purification of adenocarcinoma GPR161 receptor. <i>Asia-Pacific Journal of Molecular Biology and Biotechnology</i> , 0, , 85-95.	0.2	0
647	Expressing Cloned Genes for Protein Production, Purification, and Analysis. <i>Cold Spring Harbor Protocols</i> , 2021, 2021, pdb.top102129.	0.2	5
649	Heterologous Expression of Proteins from Cold-Adapted Yeasts in Suitable Hosts: Methods and Applications. , 2014, , 481-496.		0
650	Affinity Tags in Protein Purification and Peptide Enrichment: An Overview. <i>Methods in Molecular Biology</i> , 2021, 2178, 107-132.	0.4	14
660	Thermodynamic and kinetic analysis of the <i>Escherichia coli</i> thioredoxin-C' fragment complementation system. <i>Biochemical Journal</i> , 1999, 339 (Pt 3), 721-7.	1.7	4
661	Identification of copper ligands in <i>Aspergillus oryzae</i> tyrosinase by site-directed mutagenesis. <i>Biochemical Journal</i> , 2000, 350 Pt 2, 537-45.	1.7	10
663	Comparative study of immunological and structural properties of two recombinant vaccine candidates against botulinum neurotoxin type E. <i>Iranian Biomedical Journal</i> , 2012, 16, 185-92.	0.4	2
664	A Novel Approach for High Level Expression of Soluble Recombinant Human Parathyroid Hormone (rhPTH 1-34) in <i>Escherichia coli</i> . <i>Avicenna Journal of Medical Biotechnology</i> , 2013, 5, 193-201.	0.2	5
665	Evaluation of Immunogenicity of Novel Isoform of EG95 (EG95-5G1) From <i>Echinococcus granulosus</i> in BALB/C Mice. <i>Iranian Journal of Parasitology</i> , 2014, 9, 491-502.	0.6	8
667	Cloning and Expression of Soluble Recombinant HIV-1 CRF35 Protease-HP Thioredoxin Fusion Protein. <i>Avicenna Journal of Medical Biotechnology</i> , 2016, 8, 175-181.	0.2	2
668	Production of Recombinant Streptavidin and Optimization of Refolding Conditions for Recovery of Biological Activity. <i>Reports of Biochemistry and Molecular Biology</i> , 2018, 6, 178-185.	0.5	7
669	Heterologous Expression, Purification, and Characterization of the HspX, Ppe44, and EsxV Proteins of. <i>Reports of Biochemistry and Molecular Biology</i> , 2018, 6, 125-130.	0.5	3
670	The Protocatechuate 3,4-Dioxygenase Solubility (PCDS) Tag Enhances the Expression and Solubility of Heterogenous Proteins in <i>Escherichia coli</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 779541.	1.5	1
671	Controlling selectivity of modular microbial biosynthesis of butyryl-CoA-derived designer esters. <i>Metabolic Engineering</i> , 2022, 69, 262-274.	3.6	11
672	Surface display of carbonic anhydrase on <i>Escherichia coli</i> for CO ₂ capture and mineralization. <i>Synthetic and Systems Biotechnology</i> , 2022, 7, 460-473.	1.8	16
673	Controlled Decomposable Hydrogel Triggered with a Specific Enzyme. <i>ACS Omega</i> , 2022, 7, 3254-3261.	1.6	3
674	Crystal structure of a human MUC16 SEA domain reveals insight into the nature of the CA125 tumor marker. <i>Proteins: Structure, Function and Bioinformatics</i> , 2022, 90, 1210-1218.	1.5	10

#	ARTICLE	IF	CITATIONS
676	A Novel Approach for the Production of Aggregation-Prone Proteins Using the Spidroin-Derived NT* Tag. <i>Methods in Molecular Biology</i> , 2022, 2406, 113-130.	0.4	4
677	Overcoming the Solubility Problem in <i>E. coli</i> : Available Approaches for Recombinant Protein Production. <i>Methods in Molecular Biology</i> , 2022, 2406, 35-64.	0.4	3
678	The Global Status and Trends of Enteropeptidase: A Bibliometric Study. <i>Frontiers in Medicine</i> , 2022, 9, 779722.	1.2	8
680	Determinants of IGF-II influencing stability, receptor binding and activation. <i>Scientific Reports</i> , 2022, 12, 4695.	1.6	5
681	Cloning and Expression of Rat Brain Acetylcholinesterase Enzyme in <i>Escherichia coli</i> . <i>Journal of the Institute of Science and Technology</i> , 0, , 287-296.	0.3	0
682	Retro-protein XXA is a remarkable solubilizing fusion tag for inclusion bodies. <i>Microbial Cell Factories</i> , 2022, 21, 51.	1.9	7
683	A novel protein fusion partner, carbohydrate-binding module family 66, to enhance heterologous protein expression in <i>Escherichia coli</i> . <i>Microbial Cell Factories</i> , 2021, 20, 232.	1.9	16
684	A toolkit for recombinant production of seven human EGF family growth factors in active conformation. <i>Scientific Reports</i> , 2022, 12, 5034.	1.6	2
698	Production and Purification of Monomeric Recombinant Peptide Aptamers: Requirements for Efficient Intracellular Uptake and Target Inhibition. , 0, , 145-186.		0
700	An effective strategy for ligand-mediated pulldown of the HER2/HER3/NRG1 ¹² heterocomplex and cryo-EM structure determination at low sample concentrations. <i>Methods in Enzymology</i> , 2022, 667, 633-662.	0.4	2
701	Von Willebrand factor A1 domain stability and affinity for GPIb ^{1±} are differentially regulated by its O-glycosylated N- and C-linker. <i>ELife</i> , 2022, 11, .	2.8	3
702	Structural Insights into the NAD(P)H:Quinone Oxidoreductase from <i>Phytophthora capsici</i> . <i>ACS Omega</i> , 2022, 7, 25705-25714.	1.6	4
703	Recombinant production of growth factors for application in cell culture. <i>IScience</i> , 2022, 25, 105054.	1.9	18
704	An evaluation of fusion partner proteins for paratransgenesis in <i>Asaia bogorensis</i> . <i>PLoS ONE</i> , 2022, 17, e0273568.	1.1	2
705	Functional EGF domain of the human neuregulin 1 [±] produced in <i>Escherichia coli</i> with accurate disulfide bonds. <i>Molecular Biology Reports</i> , 0, , .	1.0	0
706	Effect of thioredoxin on the immunogenicity of the recombinant P32 protein of lumpy skin disease virus. <i>Veterinary World</i> , 0, , 2384-2390.	0.7	0
707	Role of Innate and Adaptive Immunity in the Outcome of Primary Infection with <i>Chlamydia pneumoniae</i> , as Analyzed in Genetically Modified Mice. <i>Journal of Immunology</i> , 1999, 162, 2829-2836.	0.4	121
708	Biosynthesis of monoterpenoid and sesquiterpenoid as natural flavors and fragrances. <i>Biotechnology Advances</i> , 2023, 65, 108151.	6.0	10

#	ARTICLE	IF	CITATIONS
709	Toxinology of Marine Venomous Snails. Iranian South Medical Journal, 2021, 24, 505-581.	0.2	0
710	Expression Strategy of Soluble Recombinant Human TGF- β 23 in Escherichia coli: sfGFP -Fusion Tag. Sakarya University Journal of Science, 2023, 27, 204-213.	0.3	0
711	Modeling the role of charged residues in thermophilic proteins by rotamer and dynamic cross correlation analysis. Journal of Molecular Modeling, 2023, 29, .	0.8	1
712	Oriented Insertion of ESR-Containing Hybrid Proteins in Proteoliposomes. International Journal of Molecular Sciences, 2023, 24, 7369.	1.8	0