CITATION REPORT List of articles citing

Water and Glycerol as Plasticizers Affect Mechanical and Water Vapor Barrier Properties of an Edible Wheat Gluten Film

DOI: 10.1111/j.1365-2621.1993.tb03246.x Journal of Food Science, 1993, 58, 206-211.

Source: https://exaly.com/paper-pdf/23881332/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
678	The glassy state phenomenon in applications for the food industry: Application of the food polymer science approach to structureafunction relationships of sucrose in cookie and cracker systems. 1993 , 63, 133-176		105
677	Bio-packaging: technology and properties of edible and/or biodegradable material of agricultural origin. 1994 , 159-181		63
676	Water vapor permeability of wheat gluten and soy protein isolate films. <i>Industrial Crops and Products</i> , 1994 , 2, 189-195	5.9	61
675	Plasticized Whey Protein Edible Films: Water Vapor Permeability Properties. <i>Journal of Food Science</i> , 1994 , 59, 416-419	3.4	304
674	Properties of Edible Films from Total Milk Protein. <i>Journal of Food Science</i> , 1994 , 59, 909-911	3.4	19
673	Sorbitol- vs Glycerol-Plasticized Whey Protein Edible Films: Integrated Oxygen Permeability and Tensile Property Evaluation. 1994 , 42, 841-845		502
672	Gas and water vapor barrier properties of edible films from protein and cellulosic materials. 1995 , 25, 497-507		223
671	Technology and applications of edible protective films. <i>Packaging Technology and Science</i> , 1995 , 8, 339-	3 <u>4.</u> 6	107
670	Degradable Wheat Gluten Films: Preparation, Properties and Applications. <i>Journal of Food Science</i> , 1995 , 60, 1147-1150	3.4	86
669	EFFECT of PLASTICIZER LEVEL and TEMPERATURE ON WATER VAPOR TRANSMISSION of CELLULOSE-BASED EDIBLE FILMS1. 1995 , 18, 417-429		62
668	Edible films and coatings as active layers. 1995 , 111-142		60
667	Glass transitions and water-food structure interactions. 1995 , 38, 103-269		209
666	Active Food Packaging. 1995,		95
665	Influence of Relative Humidity and Film Composition on Oxygen and Carbon Dioxide Permeabilities of Edible Films. 1996 , 44, 1064-1069		224
664	Edible Wheat Gluten Film: Influence of Water Content on Glass Transition Temperature. 1996 , 44, 3474	-3478	148
663	Prolongation of the Shelf-life of Perishable Food Products using Biodegradable Films and Coatings. 1996 , 29, 10-17		291
662	Stability of Myofibrillar Protein-Based Biopackagings During Storage. 1996 , 29, 344-348		24

661	Rheological Model for the Mechanical Properties of Myofibrillar Protein-Based Films. 1996 , 44, 1116-1122	35
660	Mechanical and Barrier Properties of Egg Albumen Films. <i>Journal of Food Science</i> , 1996 , 61, 585-589 3.4	254
659	Determination of Sorbic Acid Diffusivity in Edible Wheat Gluten and Lipid Based Films. <i>Journal of Food Science</i> , 1996 , 61, 116-120	94
658	Properties and Microstructure of Zein Sheets Plasticized with Palmitic and Stearic Acids. 1997 , 74, 83-90	90
657	Selected Functional Properties of Fish Myofibrillar Protein-Based Films As Affected by Hydrophilic Plasticizers. 1997 , 45, 622-626	237
656	Oxygen and Carbon Dioxide Permeability of Wheat Gluten Film: Effect of Relative Humidity and Temperature. 1997 , 45, 4101-4105	81
655	Recent innovations in edible and/or biodegradable packaging materials. 1997, 14, 741-51	144
654	Development and Characterization of Biodegradable/Edible Wheat Protein Films. <i>Journal of Food Science</i> , 1997 , 62, 160-162	46
653	Properties of thermally-treated wheat gluten films. <i>Industrial Crops and Products</i> , 1997 , 6, 177-184 5.9	71
652	Stabilization of the restriction enzyme EcoRI dried with trehalose and other selected glass-forming solutes. 1997 , 13, 609-16	41
651	Relative humidity and temperature effects on mechanical and water vapor barrier properties of myofibrillar protein-based films. 1997 , 5, 1-15	65
650	Thermal properties of fish myofibrillar protein-based films as affected by moisture content. 1997 , 38, 2399-2405	58
649	DRYING RATE EFFECT ON THE PROPERTIES OF WHEY PROTEIN FILMS. 1998 , 21, 387-405	44
648	Influence of plasticizers and treatments on the properties of films from pea proteins. <i>Industrial Crops and Products</i> , 1998 , 7, 149-157	75
647	A Biogradable Starch Based Coating to Waterproof Hydrophilic Materials. <i>Starch/Staerke</i> , 1998 , 50, 292-296	30
646	Molecular basis of film formation from a soybean protein: comparison between the conformation of glycinin in aqueous solution and in films. <i>International Journal of Biological Macromolecules</i> , 1998 7.9, 23, 241-9	118
645	Mechanical and Thermomechanical Properties of Films Based on Whey Proteins as Affected by Plasticizer and Crosslinking Agents. 1998 , 81, 3123-3130	119
644	Proteins as Agricultural Polymers for Packaging Production. 1998 , 75, 1-9	329

643	Water Vapor Barrier Properties of Zein Films Plasticized with Oleic Acid. 1998 , 75, 194-199		68
642	Effect of Different Plasticizers on the Mechanical and Surface Properties of Wheat Gliadin Films. 1998 , 46, 4539-4544		87
641	Plasticized Starch-Based Coatings To Improve Strawberry (Fragaria [^] Ananassa) Quality and Stability. 1998 , 46, 3758-3767		160
640	Curing Process and Mechanical Properties of Protein-Based Polymers. 1999 , 19,		33
639	Edible starch films and coatings characterization: scanning electron microscopy, water vapor, and gas permeabilities. 1999 , 21, 348-353		59
638	DSC confirmation that vitrification is not necessary for stabilization of the restriction enzyme EcoRI dried with saccharides. 1999 , 15, 577-9		20
637	Physical and Molecular Properties of Wheat Gluten Films Cast from Heated Film-Forming Solutions. Journal of Food Science, 1999 , 64, 57-60	3.4	67
636	Antiplasticization by Water in Reduced-Moisture Food Systems. <i>Journal of Food Science</i> , 1999 , 64, 576-58	3:1 4	88
635	Rheological properties of gluten plasticized with glycerol: dependence on temperature, glycerol content and mixing conditions. 1999 , 38, 311-320		115
634	Solution and film properties of sodium caseinate/glycerol and sodium caseinate/polyethylene glycol edible coating systems. 1999 , 47, 3432-40		85
633	Glass transition of wheat gluten plasticized with water, glycerol, or sorbitol. 1999 , 47, 538-43		158
632	MECHANICAL AND MOISTURE BARRIER PROPERTIES OF HYDROXYPROPYL RICE STARCH AND HYDROXYPROPYL RICE STARCH-POLY(ACRYLIC ACID) GRAFT COPOLYMER FILM. 2000 , 439-451		1
631	Lipid hydrophobicity, physical state and distribution effects on the properties of emulsion-based edible films. 2000 , 180, 37-46		89
630	Modeling the effect of glycerol on the moisture sorption behavior of whey protein edible films. 2000 , 43, 25-30		134
629	Microwave drying effects on properties of whey protein isolate edible films. 2000, 43, 91-96		67
628	PlasticizingâAntiplasticizing Effects of Water on Physical Properties of Tapioca Starch Films in the Glassy State. <i>Journal of Food Science</i> , 2000 , 65, 445-451	3.4	166
627	Water Vapor Permeability and Solubility of Films from Hydrolyzed Whey Protein. <i>Journal of Food Science</i> , 2000 , 65, 700-703	3.4	97
626	Water vapor transport parameters of a cast wheat gluten film. <i>Industrial Crops and Products</i> , 2000 , 11, 43-50	5.9	63

(2001-2000)

625	Grease resistance and mechanical properties of isolated soy protein-coated paper. 2000 , 77, 269-273	41
624	Mechanical and water barrier properties of corn-protein-based biodegradable plastics. 2000 , 15, 2612-2619	16
623	Water Sorption and Water Vapour Permeability Properties of Polysaccharide (Locust Bean Gum) Based Edible Films. 2000 , 33, 63-67	40
622	Dynamic oscillatory shear testing of foods âlselected applications. 2000 , 11, 115-127	193
621	Mechanical and water vapour barrier properties of edible gellan films. 2000 , 33, 563-570	228
620	Plasticized Starch/Tunicin Whiskers Nanocomposites. 1. Structural Analysis. 2000 , 33, 8344-8353	563
619	Solubility, tensile, and color properties of modified soy protein isolate films. 2000 , 48, 4937-41	198
618	Properties of chemically and physically treated wheat gluten films. 2000 , 48, 2948-53	156
617	Oxygen permeability and mechanical properties of films from hydrolyzed whey protein. 2000 , 48, 3913-6	99
616	Preparation and characterization of films from pea protein. 2000 , 48, 1064-9	35
615	Properties of deamidated gluten films enzymatically cross-linked. 2000 , 48, 5444-9	59
614	Effects of lamination and coating with drying oils on tensile and barrier properties of zein films. 2001 , 49, 2860-3	62
613	Partially carboxymethylated feather keratins. 2. Thermal and mechanical properties of films. 2001 , 49, 221-30	113
612	Folding interpenetration in a gliadin model: the role of the characteristic octapeptide motif. 2001 , 90, 135-46	12
611	Influence of plasticizers on the properties of edible films prepared from fish water-soluble proteins. 2001 , 67, 346-351	45
610	Physicochemical properties and application of pullulan edible films and coatings in fruit preservation. 2001 , 81, 988-1000	175
609	New plasticizers for wheat gluten films. 2001 , 37, 1533-1541	211
608	Physical and Mechanical Properties of Pea-Protein-based Edible Films. <i>Journal of Food Science</i> , 2001 , 66, 319-322	98

607	Utilization of Zein Coating and Sorbic Acid to Reduce Listeria monocytogenes Growth on Cooked Sweet Corn. <i>Journal of Food Science</i> , 2001 , 66, 1385-1389	3.4	34
606	Folding of a leucine-containing gliadin model and its dependence on medium permittivity. 2001 , 572, 107-112		
605	Mechanical, water vapor barrier and thermal properties of gelatin based edible films. <i>Food Hydrocolloids</i> , 2001 , 15, 423-432	10.6	425
604	Biopolymer composite films based on Ecarrageenan and chitosan. 2001 , 36, 511-519		116
603	Protein Digestibility-Corrected Amino Acid Scores. 2002,		2
602	Levels Of Structure And Mechanical Properties Of Solid Foods. 2002,		
601	Formation And Properties Of Corn Zein Films And Coatings. 2002,		5
600	Sorption Characteristics of Soy Protein Films and their Relation to Mechanical Properties. 2002 , 35, 151	-157	115
599	Preparation and Physical Properties of Zein-Coated High-Amylose Corn Starch Film. 2002, 35, 680-686		72
598	Morphological investigation of nanocomposites from sorbitol plasticized starch and tunicin whiskers. 2002 , 3, 609-17		355
597	Modification of the microstructural and physical properties of konjac glucomannan-based films by alkali and sodium carboxymethylcellulose. 2002 , 35, 829-836		72
596	Influence of Prolamin Composition on Mechanical Properties of Cast Wheat Gluten Films. 2002 , 36, 157	-166	33
595	Effects of additives on the mechanical properties, hydrophobicity and water uptake of thermo-moulded films produced from sunflower protein isolate. 2002 , 43, 5417-5425		116
594	Thermophysical properties of chitosan, chitosanâltarch and chitosanâlpullulan films near the glass transition. <i>Carbohydrate Polymers</i> , 2002 , 48, 179-190	10.3	245
593	Microstructural characterization of yam starch films. Carbohydrate Polymers, 2002, 50, 379-386	10.3	256
592	Phase Behavior of a Meat-Starch Extrudate Illustrated on a State Diagram. <i>Journal of Food Science</i> , 2002 , 67, 3026-3032	3.4	17
591	Plasticizing and Antiplasticizing Effects of Water and Polyols on a Meat-Starch Extruded Matri. Journal of Food Science, 2002 , 67, 3396-3401	3.4	26
590	Film-forming Mechanism and Heat Denaturation Effects on the Physical and Chemical Properties of Pea-Protein-Isolate Edible Films. <i>Journal of Food Science</i> , 2002 , 67, 1399-1406	3.4	62

589	Edible Films Prepared from Water Extract of Soybeans. <i>Journal of Food Science</i> , 2002 , 67, 1449-1454	3.4	15
588	Heat Curing of Soy Protein Films at Atmospheric and Sub-atmospheric Conditions. <i>Journal of Food Science</i> , 2002 , 67, 708-713	3.4	17
587	Physical Properties of WPI Films Plasticized with Glycerol, Xylitol, or Sorbitol. <i>Journal of Food Science</i> , 2002 , 67, 164-167	3.4	100
586	Tensile and Barrier Properties of Edible Films Made from Whey Proteins. <i>Journal of Food Science</i> , 2002 , 67, 188-193	3.4	151
585	Modified Atmosphere Packaging of Cultivated Mushroom (Agaricus bisporus L.) with Hydrophilic Films. <i>Journal of Food Science</i> , 2002 , 67, 251-255	3.4	39
584	Influence of processing and storage conditions on the mechanical and barrier properties of films cast from aqueous wheat gluten dispersions. <i>Industrial Crops and Products</i> , 2003 , 17, 119-130	5.9	42
583	Characterization of some functional properties of edible films based on muscle proteins of Nile Tilapia. <i>Food Hydrocolloids</i> , 2003 , 17, 419-427	10.6	102
582	Water vapor permeability of pestil (a fruit leather) made from boiled grape juice with starch. 2003 , 57, 295-299		29
581	Starchâthethylcellulose based edible films: rheological properties of film-forming dispersions. 2003 , 59, 25-32		163
580	Preventing Moisture Transfer in a Composite Food Using Edible Films: Experimental and Mathematical Study. <i>Journal of Food Science</i> , 2003 , 68, 2267-2277	3.4	77
579	Molecular Dynamics of Soy-Protein Isolate Films Plasticized by Water and Glycerol. <i>Journal of Food Science</i> , 2003 , 68, 2516-2522	3.4	23
578	Study of wheat gluten plasticization with fatty acids. 2003 , 44, 115-122		132
577	Drying temperature and relative humidity effects on wheat gluten film properties. 2003, 51, 964-8		44
576	Development and characterization of biodegradable films made from wheat gluten protein fractions. 2003 , 51, 7647-54		103
575	Thermodynamic Analysis of Water Vapour Sorption of Edible Starch Based Films. 2003, 9, 115-121		17
574	Nisin release from films is affected by both protein type and film-forming method. 2003 , 36, 959-968		83
573	Molecular determinants of the influence of hydrophilic plasticizers on the mechanical properties of cast wheat gluten films. 2003 , 51, 1447-52		51
572	Characterization of composite biofilms of wheat gluten and cellulose acetate phthalate. 2004 , 21, 261-	264	16

571	Characterization of ramie fiber/soy protein concentrate (SPC) resin interface. 2004, 18, 1063-1076		33
57°	Natural Fibers, Plastics and Composites. 2004 ,		64
569	Mechanical and barrier properties of sodium caseinateâ\(\text{B}\)nhydrous milk fat edible films. 2004 , 39, 403-41	1	41
568	Sorghum kafirin film property modification with hydrolysable and condensed tannins. 2004 , 40, 127-135		61
567	Effect of cross-linking using aldehydes on properties of glutenin-rich films. <i>Food Hydrocolloids</i> , 2004 , 18, 403-411	10.6	144
566	Wheat gluten films cross-linked with 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide and N-hydroxysuccinimide. <i>Industrial Crops and Products</i> , 2004 , 20, 281-289	5.9	28
565	Effect of thermal treatments on functional properties of edible films made from wheat gluten fractions. <i>Food Hydrocolloids</i> , 2004 , 18, 647-654	10.6	67
564	Whey protein isolate coating on LDPE film as a novel oxygen barrier in the composite structure. <i>Packaging Technology and Science</i> , 2004 , 17, 13-21	2.3	48
563	Development of biodegradable coatings for covered horizontal bunker-stored silage. 2004 , 84, 1207-121	15	
562	Changes in in vitro digestibility and available lysine of soy protein isolate after formation of film. 2004 , 64, 301-305		65
561	Mechanical properties of gellan and gelatin composite films. Carbohydrate Polymers, 2004, 56, 251-254	10.3	104
560	Barrier, mechanical and optical properties of plasticized yam starch films. <i>Carbohydrate Polymers</i> , 2004 , 56, 129-135	10.3	216
559	Mechanical properties and water vapor transmission in some blends of cassava starch edible films. <i>Carbohydrate Polymers</i> , 2004 , 58, 475-481	10.3	177
558	EFFECT OF PLASTICIZER, pH AND HYDRATION ON THE MECHANICAL AND BARRIER PROPERTIES OF ZEIN AND ETHYLCELLULOSE FILMS EFECTO DE PLASTIFICANTE, pH E HIDRATACI^ N SOBRE LAS PROPIEDADES MEC^ NICAS Y DE BARRERA DE PEL^ CULAS DE ZE^ NA Y ETIL CELULOSA EFECTO DO		3
557	Formaldehyde cross-linking of gliadin films: effects on mechanical and water barrier properties. 2004 , 5, 415-21		40
556	Transport and tensile properties of compression-molded wheat gluten films. 2004 , 5, 2020-8		144
555	Milk proteins for edible films and coatings. 2004 , 44, 239-51		145
554	Physical and mechanical properties of water resistant sodium alginate films. 2004 , 37, 323-330		339

553	Biodegradability of wheat gluten based bioplastics. 2004 , 54, 551-9		129
552	Biopolymer-based antimicrobial packaging: a review. 2004 , 44, 223-37		482
551	Biodegradable natural fiber composites. 2005 , 271-309		9
550	Effect of protein and plasticizer concentrations in film forming solutions on physical properties of edible films based on muscle proteins of a Thai Tilapia. 2005 , 70, 93-100		87
549	Role of ferulic acid in preparing edible films from soy protein isolate. 2005 , 70, 205-210		136
548	Ethylene permeability of wheat gluten film as a function of temperature and relative humidity. 2005 , 256, 108-108		19
547	Use of gamma-irradiation technology in the manufacture of biopolymer-based packaging films for shelf-stable foods. 2005 , 236, 563-566		8
546	Water sorption and mechanical properties of cassava starch films and their relation to plasticizing effect. <i>Carbohydrate Polymers</i> , 2005 , 60, 283-289	10.3	409
545	Effects of plasticizers and their concentrations on thermal and functional properties of gelatin-based films. <i>Food Hydrocolloids</i> , 2005 , 19, 899-907	10.6	235
544	Intrinsic influence of various plasticizers on functional properties and reactivity of wheat gluten thermoplastic materials. 2005 , 42, 81-91		176
543	Effect of edible wheat gluten-based films and coatings on refrigerated strawberry (Fragaria ananassa) quality. 2005 , 36, 199-208		150
542	Effects of moisture on glass transition and microstructure of glycerol-plasticized soy protein. 2005 , 5, 872-80		65
541	Development and physical properties of film of wheat gluten cross-linked by transglutaminase. 2005 , 20, 78-82		5
540	Efeito do m^ todo de extra^ 🛭 🗗 na composi^ 🖺 🗗 qu^ finica e nas propriedades funcionais do amido de inhame (Dioscorea alata). 2005 , 26, 345		2
539	Edible films and coatings from plant origin proteins. 2005 , 277-300		8
538	Effect of transglutaminase treatment on the properties of cast films of soy protein isolates. 2005 , 120, 296-307		111
537	Plasticizers in edible films and coatings. 2005 , 403-433		100
536	Effect of the thermal treatment of the filmogenic solution on the mechanical properties, color and opacity of films based on muscle proteins of two varieties of Tilapia. 2005 , 38, 289-296		42

535	Mechanical properties of tapioca-starch edible films containing sorbates. 2005, 38, 631-639	106
534	Prediction of Cassava Starch Edible Film Properties by Chemometric Analysis of Infrared Spectra. 2005 , 38, 749-767	105
533	Effects of hydrophilic plasticizers on mechanical, thermal, and surface properties of chitosan films. 2005 , 53, 3950-7	319
532	Functional properties of edible agar-based and starch-based films for food quality preservation. 2005 , 53, 973-81	150
531	Properties of aged montmorillonite-wheat gluten composite films. 2006 , 54, 1283-8	74
530	Wheat gluten-thiolated poly(vinyl alcohol) blends with improved mechanical properties. 2006 , 7, 2837-44	73
529	Preparation and Properties of Biodegradable Multilayer Films Based on Soy Protein Isolate and Poly(lactide). 2006 , 45, 3059-3066	93
528	Effect of plasticizers (water and glycerol) on the diffusion of a small molecule in iota-carrageenan biopolymer films for edible coating application. 2006 , 7, 2011-9	104
527	Effect of Plasticizer Type and Concentration on the Properties of Edible Film from Water-Soluble Fish Proteins in Surimi Wash-Water. 2006 , 12, 119-126	20
526	Thermoformed wheat gluten biopolymers. 2006 , 54, 349-52	37
525	Preparation and characterization of proteinous film from lentil (Lens culinaris). 2006, 39, 106-111	72
524	Quick dissolvable, edible and heatsealable blend films based on konjac glucomannan âl G elatin. 2006 , 39, 544-549	89
523	Combined effect of plasticizers and surfactants on the physical properties of starch based edible films. 2006 , 39, 840-846	266
522	Properties of gluten-based sheet produced by twin-screw extruder. 2006 , 39, 893-901	36
521	Rheological Properties of Foods. 2006 , 1-124	2
520	Films of chitosan and N-carboxymethylchitosan. Part II: effect of plasticizers on their physiochemical properties. 2006 , 55, 970-977	14
519	Effect of food ingredients and selected lipids on the physical properties of extruded edible films/casings. 2006 , 41, 295-302	50
518	Plasticizing Effects of Beeswax and Carnauba Wax on Tensile and Water Vapor Permeability Properties of Whey Protein Films. <i>Journal of Food Science</i> , 2006 , 70, E239-E243	<u>.</u> 58

(2007-2006)

517	Effects of Water-Glycerol and Water-Sorbitol Interactions on the Physical Properties of Konjac Glucomannan Films. <i>Journal of Food Science</i> , 2006 , 71, E62-E67	66
516	A novel method for the preparation of starch films and coatings. <i>Carbohydrate Polymers</i> , 2006 , 63, 425-430.3	98
515	Effects of controlled storage on thermal, mechanical and barrier properties of plasticized films from different starch sources. 2006 , 75, 453-460	261
514	Influence of relative humidity on carbon dioxide sorption in wheat gluten films. 2006 , 77, 983-991	32
513	Protein-Based Plastics and Composites as Smart Green Materials. 2006 , 334-350	8
512	Effects of plasticizers on the properties of edible films from skin gelatin of bigeye snapper and brownstripe red snapper. 2006 , 222, 229-235	111
511	Properties of MTGase treated gluten film. 2006 , 222, 291-297	9
510	Fatty acids and their sucrose esters affect the properties of fish skin gelatin-based film. 2006 , 222, 650-657	38
509	Development and application of polysaccharideâllpid edible coating to extend shelf-life of dry bakery products. 2006 , 76, 280-290	131
508	Interactive plasticizing all ntiplasticizing effects of water and glycerol on the tensile properties of tapioca starch films. <i>Food Hydrocolloids</i> , 2006 , 20, 1-8	127
507	Characterization of edible films from skin gelatin of brownstripe red snapper and bigeye snapper. Food Hydrocolloids, 2006 , 20, 492-501	240
506	Water sorption and thermo-mechanical properties of water/sorbitol-plasticized composite biopolymer films: Caseinateâpullulan bilayers and blends. <i>Food Hydrocolloids</i> , 2006 , 20, 1057-1071	84
505	Extraction of Collagen from Fish Skins and Its Use in the Manufacture of Biopolymer Films. 2006 , 15, 21-32	16
504	Production and characterization of films from cotton stalk xylan. 2007 , 55, 10685-91	107
503	Moisture Sorption Behavior, and Effect of Moisture Content and Sorbitol on Thermo-Mechanical and Barrier Properties of Pectin Based Edible Films. 2007 , 3,	5
502	Coating papers with soy protein isolates as inclusion matrix of carvacrol. 2007 , 40, 22-32	43
501	Mechanical and barrier properties of biodegradable soy protein isolate-based films coated with polylactic acid. 2007 , 40, 232-238	93
500	Effects of murta (Ugni molinae Turcz) extract on gas and water vapor permeability of carboxymethylcellulose-based edible films. 2007 , 40, 1473-1481	66

499	Chitin/Chitosan âl͡safe, Ecofriendly Packaging Materials with Multiple Potential Uses. 2007 , 23, 53-72		121
498	Effect of concentration and relative humidity on the transfer of alkan-2-ones through paper coated with wheat gluten. 2007 , 55, 867-75		22
497	Chemical modification of wheat protein-based natural polymers: grafting and cross-linking reactions with poly(ethylene oxide) diglycidyl ether and ethyl diamine. 2007 , 8, 2909-15		35
496	Properties of cast films from hemp (Cannabis sativa L.) and soy protein isolates. A comparative study. 2007 , 55, 7399-404		51
495	Effect of heating cast kafirin films on their functional properties. 2007, 87, 167-175		10
494	Properties of a protein-based film from round scad (Decapterus maruadsi) as affected by muscle types and washing. <i>Food Chemistry</i> , 2007 , 103, 867-874	8.5	40
493	Effects of acid modification on physical properties of konjac glucomannan (KGM) films. <i>Food Chemistry</i> , 2007 , 103, 994-1002	8.5	34
492	Water vapour barrier and tensile properties of composite caseinate-pullulan films: Biopolymer composition effects and impact of beeswax lamination. <i>Food Chemistry</i> , 2007 , 101, 753-764	8.5	126
491	Functional properties of wheat gluten/montmorillonite nanocomposite films processed by casting. 2007 , 289, 159-168		199
490	Physicochemical characterization of starch based films. 2007 , 82, 17-25		179
489	Aging Effects on Sorbitol- and Non-Crystallizing Sorbitol-Plasticized Tapioca Starch Films. <i>Starch/Staerke</i> , 2007 , 59, 493-497	2.3	19
488	Temperature-responsive polymers with LCST in the physiological range and their applications in textiles. 2007 , 56, 1461-1468		140
487	Classification of cassava starch films by physicochemical properties and water vapor permeability quantification by FTIR and PLS. <i>Journal of Food Science</i> , 2007 , 72, E184-9	3.4	27
486	Antibacterial activity and mechanical properties of partially hydrolyzed sago starch-alginate edible film containing lemongrass oil. <i>Journal of Food Science</i> , 2007 , 72, C324-30	3.4	160
485	Edible composite films of wheat gluten and lipids: water vapour permeability and other physical properties. 2007 , 29, 39-50		375
484	Water vapour permeability of edible bilayer films of wheat gluten and lipids. 2007, 30, 49-56		75
483	Assessment of film-forming potential and properties of protein and polysaccharide-based biopolymer films. 2007 , 42, 1128-1138		84
482	EVALUATION OF FACTORS AFFECTING BARRIER, MECHANICAL AND OPTICAL PROPERTIES OF PECTIN-BASED FILMS USING RESPONSE SURFACE METHODOLOGY. 2007 , 30, 539-563		27

(2008-2007)

481	Alginate and gellan-based edible coatings as carriers of antibrowning agents applied on fresh-cut Fuji apples. <i>Food Hydrocolloids</i> , 2007 , 21, 118-127	10.6	176
480	Effect of plasticizers and fatty acids on mechanical and permeability characteristics of chitosan films. <i>Food Hydrocolloids</i> , 2007 , 21, 1113-1122	10.6	222
479	Edible films made from tuna-fish gelatin with antioxidant extracts of two different murta ecotypes leaves (Ugni molinae Turcz). <i>Food Hydrocolloids</i> , 2007 , 21, 1133-1143	10.6	209
478	The Effect of Glycerol on Molecular Mobility in Amorphous Sucrose Detected by Phosphorescence of Erythrosin B. 2007 , 2, 133-145		10
477	Water vapor permeability of edible starch based films. 2007, 80, 972-978		275
476	Mechanical and water vapor barrier properties of tapioca starch/decolorized hsian-tsao leaf gum films in the presence of plasticizer. <i>Food Hydrocolloids</i> , 2008 , 22, 1584-1595	10.6	88
475	The effect of myofibrillar/sarcoplasmic protein ratios on the properties of round scad muscle protein based film. 2008 , 227, 215-222		7
474	Use of edible films based on whey protein isolate to protect foods rich in polyunsaturated fatty acids. 2008 , 227, 623-628		13
473	Mechanical and Barrier Properties of Avenin, Kafirin, and Zein Films. 2008, 3, 287-294		36
472	Gelatinea®tarch films: Physicochemical properties and their application in extending the post-harvest shelf life of avocado (Persea americana). 2008 , 88, 185-193		40
471	Biodegradable foams based on cassava starch, sunflower proteins and cellulose fibers obtained by a baking process. 2008 , 85, 435-443		121
47°	Characterization and effect of edible coatings on minimally processed garlic quality. <i>Carbohydrate Polymers</i> , 2008 , 72, 403-409	10.3	47
469	Film forming capacity of chemically modified corn starches. Carbohydrate Polymers, 2008, 73, 573-81	10.3	143
468	Antiplasticization effect of water in amorphous foods. A review. Food Chemistry, 2008, 106, 1417-1427	8.5	75
467	Development of edible films based on differently processed Atlantic halibut (Hippoglossus hippoglossus) skin gelatin. <i>Food Hydrocolloids</i> , 2008 , 22, 1117-1123	10.6	76
466	Use of alginate- and gellan-based coatings for improving barrier, texture and nutritional properties of fresh-cut papaya. <i>Food Hydrocolloids</i> , 2008 , 22, 1493-1503	10.6	157
465	Improved tensile strength of glycerol-plasticized gluten bioplastic containing hydrophobic liquids. 2008 , 99, 7665-71		34
464	In vitro digestibility of edible films from various starch sources. <i>Carbohydrate Polymers</i> , 2008 , 71, 648-6.	55 0.3	62

463	Film and pharmaceutical hard capsule formation properties of mungbean, waterchestnut, and sweet potato starches. <i>Food Chemistry</i> , 2008 , 106, 96-105	8.5	83
462	Sorption isotherm and plasticization effect of moisture and plasticizers in pea starch film. <i>Journal of Food Science</i> , 2008 , 73, E313-24	3.4	51
461	Physical properties of whey proteinhydroxypropylmethylcellulose blend edible films. <i>Journal of Food Science</i> , 2008 , 73, E446-54	3.4	60
460	Rice bran protein-based edible films. 2008, 43, 476-483		30
459	Equibiaxial extensional deformation and stress relaxation of glycerol plasticized wheat gluten at different concentrations. <i>Food Hydrocolloids</i> , 2008 , 22, 414-420	10.6	5
458	Influence of gliadin removal on strain hardening of hydrated wheat gluten during equibiaxial extensional deformation. 2008 , 48, 58-67		33
457	Morphology and mechanical properties of thermo-molded bioplastics based on glycerol-plasticized wheat gliadins. 2008 , 48, 613-618		26
456	Proteins as Sources of Materials. 2008 , 479-493		14
455	Films Based on Biopolymer from Conventional and Non-Conventional Sources. 2008, 193-223		3
454	Food Engineering: Integrated Approaches. 2008,		9
453	Mechanical and Physical Properties of Soy Protein Films with pH-Modified Microstructures. 2008 , 14, 119-125		40
452	AlginateaBalcium films: Water vapor permeability and mechanical properties as affected by plasticizer and relative humidity. 2008 , 41, 359-366		191
451			
15	Structure and Properties of Blend Films Prepared from Castor Oil-Based Polyurethane/Soy Protein Derivative. 2008 , 47, 9330-9336		31
450		10.6	
	Derivative. 2008, 47, 9330-9336 Chitosan coating surface properties as affected by plasticizer, surfactant and polymer concentrations in relation to the surface properties of tomato and carrot. Food Hydrocolloids, 2008,	10.6	
450	Derivative. 2008, 47, 9330-9336 Chitosan coating surface properties as affected by plasticizer, surfactant and polymer concentrations in relation to the surface properties of tomato and carrot. <i>Food Hydrocolloids</i> , 2008, 22, 1452-1459 Modified atmosphere packaging using environmentally compatible and active food packaging	10.6	83
45° 449	Derivative. 2008, 47, 9330-9336 Chitosan coating surface properties as affected by plasticizer, surfactant and polymer concentrations in relation to the surface properties of tomato and carrot. Food Hydrocolloids, 2008, 22, 1452-1459 Modified atmosphere packaging using environmentally compatible and active food packaging materials. 2008, 396-418 Influences of Acid and Alkali on Mechanical Properties of Compression-Molded Gluten Bioplastics.	10.6	83

44	5 Packaging. 2009 , 713-781		2
44	Development and optimization of locust bean gum (LBG)-based edible coatings for postharvest storage of â E ortuneâ[mandarins. 2009 , 52, 227-234		44
44	Effect of surfactants on water barrier and physical properties of tapioca starch/decolorized hsian-tsao leaf gum films. <i>Food Hydrocolloids</i> , 2009 , 23, 714-721	10.6	61
44	Effect of cellulose fibers addition on the mechanical properties and water vapor barrier of starch-based films. <i>Food Hydrocolloids</i> , 2009 , 23, 1328-1333	10.6	210
44	Improvement of the antioxidant properties of squid skin gelatin films by the addition of hydrolysates from squid gelatin. <i>Food Hydrocolloids</i> , 2009 , 23, 1322-1327	10.6	72
44	Characterization of gelatin films prepared from under-utilized blue shark (Prionace glauca) skin. Food Hydrocolloids, 2009 , 23, 1993-2000	10.6	85
43	Structure and properties of methylcellulose microfiber reinforced wheat gluten based green composites. <i>Industrial Crops and Products</i> , 2009 , 29, 446-454	5.9	22
43	Formation of wheat-protein-based biomaterials through polymer grafting and crosslinking reactions to introduce new functional properties. 2009 , 9, 93-101		13
43	Water vapor absorption and permeability of films based on chitosan and sodium caseinate. 2009 , 111, 2777-2784		51
43'	Physicochemical characterization of poly(ethylene glycol) plasticized poly(methyl vinyl ether-co-maleic acid) films. 2009 , 112, 2792-2799		17
43.	Suitability of novel galactomannans as edible coatings for tropical fruits. 2009 , 94, 372-378		92
43	An investigation of microbial adhesion to natural and synthetic polysaccharide-based films and its relationship with the surface energy components. 2009 , 20, 195-202		23
43.	Colloidal Cu nanoparticles/chitosan composite film obtained by microwave heating for food package applications. 2009 , 62, 511-524		95
43	Development and characterization of PET/Fish GelatinâBanoclay composite/LDPE laminate. Packaging Technology and Science, 2009 , 22, 371-383	2.3	13
43	Physical properties of biopolymers containing natamycin and rosemary extract. 2009 , 44, 402-408		18
43'	EFFICACY OF SOUR WHEY AS A SHELF-LIFE ENHANCER: USE IN ANTIOXIDATIVE EDIBLE COATINGS OF BEEF STEAK. 2009 , 32, 381-397		9
42	Apple peel-based edible film development using a high-pressure homogenization. <i>Journal of Food Science</i> , 2009 , 74, E372-81	3.4	43
42	Preparation and properties of wheat gluten/methylcellulose binary blend film casting from aqueous ammonia: A comparison with compression molded composites. 2009 , 91, 415-422		34

427	Development and characterization of wheat gluten microspheres for use in a controlled release system. 2009 , 29, 524-531		23
426	Food preservative content reduction by controlling sorbic acid release from a superficial coating. Innovative Food Science and Emerging Technologies, 2009 , 10, 108-115	.8	56
425	Effect of some factors and pretreatment on the properties of porcine plasma protein-based films. 2009 , 42, 1545-1552		20
424	Characterization of Starch and Composite Edible Films and Coatings. 2009 , 169-209		40
423	Extrusion and Characterization of Starch Films. 2009 , 86, 44-51		26
422	StarchâBodium Caseinate Blends. 2009 , 55-86		1
421	Efficient approach to high barrier packaging using microfibrillar cellulose and shellac. 2010 , 17, 575-586		126
420	Synthesis and properties of corn zein/montmorillonite nanocomposite films. 2010, 45, 3529-3537		78
419	Water sorption isotherms and phase transitions of sodium caseinateâlipid films as affected by lipid interactions. <i>Food Hydrocolloids</i> , 2010 , 24, 384-391	0.6	81
418	Biodegradable protein-based films from plant resources: A review. 2010 , 29, 203-220		95
417	Effects of glycerol content and film thickness on the properties of vital wheat gluten films cast at pH 4 and 11. 2010 , 117, n/a-n/a		3
416	Effect of heat treatment of film-forming solution on the properties of film from cuttlefish (Sepia pharaonis) skin gelatin. 2010 , 96, 66-73		129
415	Characterization of an antioxidant polylactic acid (PLA) film prepared with £ocopherol, BHT and polyethylene glycol using film cast extruder. 2010 , 100, 239-244		217
414	Development and evaluation of a novel biodegradable film made from chitosan and cinnamon essential oil with low affinity toward water. <i>Food Chemistry</i> , 2010 , 122, 161-166	.5	513
413	Development of films based on quinoa (Chenopodium quinoa, Willdenow) starch. <i>Carbohydrate Polymers</i> , 2010 , 81, 839-848	0.3	102
412	Effects of LDPE and glycerol contents and compounding on the microstructure and properties of starch composite films. <i>Carbohydrate Polymers</i> , 2010 , 82, 1082-1089	0.3	54
411	Filmes de amido: produ^ 🛘 🗗, propriedades e potencial de utiliza^ 🖺 🗗. 2010 , 31, 137		73
410	Pressure-sensitive adhesive properties of poly(N-vinyl pyrrolidone)/D,L-lactic acid oligomer/glycerol/water blends for TDDS. 2010 , 21, 1-15		14

(2011-2010)

409	Glass transition temperature and its relevance in food processing. 2010 , 1, 469-96		209
408	Molecular basis of processing wheat gluten toward biobased materials. 2010 , 11, 533-41		147
407	Properties of wheat gluten/poly(lactic acid) laminates. 2010 , 58, 7344-50		26
406	Potato peel-based biopolymer film development using high-pressure homogenization, irradiation, and ultrasound. 2010 , 43, 903-909		59
405	Mechanical and physical properties of calcium-treated gellan films. 2010, 43, 1439-1443		32
404	Wheat gluten-coated papers for bio-based food packaging: Structure, surface and transfer properties. 2010 , 43, 1395-1401		59
403	New Packaging Materials Based on Renewable Resources: Properties, Applications, and Prospects. 2010 , 619-630		5
402	Postharvest Physiology and Quality of Coated Fruits and Vegetables. 2010 , 161-238		8
401	Effect of drying temperature and beeswax content on moisture isotherms of whey protein emulsion film. 2011 , 1, 210-215		12
400	Effect of Additives on Properties of Polyvinyl Alcohol (PVA)/Tapioca Starch Biodegradable Films. 2011 , 50, 1214-1219		46
399	Biopolymers for Edible Films and Coatings in Food Applications. 2011 , 233-254		12
398	Food Engineering Interfaces. 2011,		10
397	Study of the Mechanical and Biodegradable Properties of Cassava Starch/Chitosan/PVA Blends. 2011 , 299-300, 220-226		10
396	Biodegradable soy protein isolate-based materials: a review. 2011 , 12, 3369-80		244
395	Physical properties of edible emulsified films based on carboxymethyl cellulose and oleic acid. <i>International Journal of Biological Macromolecules</i> , 2011 , 48, 44-9	7.9	143
394	Characterization of edible emulsified films with low affinity to water based on kefiran and oleic acid. International Journal of Biological Macromolecules, 2011, 49, 378-84	7.9	78
393	Rheological and structural characterisation of film-forming solutions and biodegradable edible film made from kefiran as affected by various plasticizer types. <i>International Journal of Biological Macromolecules</i> , 2011 , 49, 814-21	7.9	55
392	Development of novel transdermal self-adhesive films for tenoxicam, an anti-inflammatory drug. 2011 , 89, 430-8		45

391	Effects of ingredient composition on optical and mechanical properties of pullulan film for food-packaging applications. 2011 , 44, 2296-2301		27
390	. 2011,		46
389	Libera [^] [] [] de benzoato de c [^] [£io de filmes de alginato de s [^] []io reticulados com [^] []ins c [^] [£io. 2011 , 21, 175-181		4
388	Protein-based films and coatings. 2011 , 13-77		3
387	EFFECTS OF WHEAT STARCH EDIBLE FILMS ON RANCIDITY AND MOISTURE UPTAKE OF PISTACHIO KERNELS AS A NEW PACKAGE. 2011 , 34, 1156-1171		6
386	APPLICATION OF LOCUST BEAN GUM EDIBLE COATING TO EXTEND SHELF LIFE OF SAUSAGES AND GARLIC-FLAVORED SAUSAGE. <i>Journal of Food Processing and Preservation</i> , 2011 , 35, 410-416	2.1	8
385	Gelation, oxygen permeability, and mechanical properties of mammalian and fish gelatin films. <i>Journal of Food Science</i> , 2011 , 76, E519-24	3.4	36
384	Influence of processing temperature on the water vapour transport properties of wheat gluten based agromaterials. <i>Industrial Crops and Products</i> , 2011 , 33, 457-461	5.9	38
383	Barrier and mechanical properties of carrot puree films. 2011 , 89, 149-156		37
382	Effects of partial hydrolysis and plasticizer content on the properties of film from cuttlefish (Sepia pharaonis) skin gelatin. <i>Food Hydrocolloids</i> , 2011 , 25, 82-90	10.6	115
381	Kefiran films plasticized with sugars and polyols: water vapor barrier and mechanical properties in relation to their microstructure analyzed by ATR/FT-IR spectroscopy. <i>Food Hydrocolloids</i> , 2011 , 25, 1261	- 1 2:69	104
380	Preparation and Characterization of Gamma Irradiated Sugar Containing Starch/Poly (Vinyl Alcohol)-Based Blend Films. <i>Journal of Polymers and the Environment</i> , 2011 , 19, 1013-1022	4.5	24
379	Effects of plasticizers, pH and heating of film-forming solution on the properties of pea protein isolate films. 2011 , 105, 295-305		99
378	Physical, mechanical, barrier, and thermal properties of polyol-plasticized biodegradable edible film made from kefiran. <i>Carbohydrate Polymers</i> , 2011 , 84, 477-483	10.3	170
377	Whey protein-polysaccharide blended edible film formation and barrier, tensile, thermal and transparency properties. 2011 , 91, 2628-36		83
376	Natural-based plasticizers and biopolymer films: A review. 2011 , 47, 254-263		1126
375	Improved incorporation and stabilisation of Etarotene in hydrocolloids using glycerol. <i>Food Chemistry</i> , 2011 , 125, 997-1004	8.5	32
374	Polyelectrolyte complex materials from chitosan and gellan gum. <i>Carbohydrate Polymers</i> , 2011 , 86, 352-	3583	33

(2012-2011)

373	Development and characterisation of a new biodegradable edible film made from kefiran, an exopolysaccharide obtained from kefir grains. <i>Food Chemistry</i> , 2011 , 127, 1496-1502	8.5	95
372	Physico-chemical characterization of chitosan-based edible films incorporating bioactive compounds of different molecular weight. 2011 , 106, 111-118		116
371	Wheat gluten (WG)-based materials for food packaging. 2011 , 649-668		1
370	Influence of the simultaneous addition of bentonite and cellulose fibers on the mechanical and barrier properties of starch composite-films. 2012 , 18, 35-45		25
369	Development of Biodegradable Films Based on Durian Seed Starch. 2012, 506, 311-314		5
368	Films and Coatings Produced from Biopolymers and Composites. 2012 , 145-216		2
367	Trout skin gelatin-based edible film development. <i>Journal of Food Science</i> , 2012 , 77, E240-6	3.4	24
366	Tensile properties, degradation behavior, and water absorption of sago starch plastic films. 2012 , 18, 235-240		13
365	Influence of the Concentrations of Chitosan and Glycerol on Edible Film Properties Showed by Response Surface Methodology. <i>Journal of Polymers and the Environment</i> , 2012 , 20, 830-837	4.5	16
364	Development and characterization of flexible film based on starch and passion fruit mesocarp flour with nanoparticles. 2012 , 49, 588-595		77
363	Effect of modified starch or maltodextrin incorporation on the barrier and mechanical properties, moisture sensitivity and appearance of soy protein isolate-based edible films. <i>Innovative Food Science and Emerging Technologies</i> , 2012 , 16, 148-154	6.8	58
362	Properties of film from splendid squid (Loligo formosana) skin gelatin with various extraction temperatures. <i>International Journal of Biological Macromolecules</i> , 2012 , 51, 489-96	7.9	43
361	Glycerol with different purity grades derived from biodiesel: Effect on the mechanical and viscoelastic properties of biodegradable strands and films. 2012 , 32, 2220-2222		9
360	Influence of gallic acid and tannic acid on the mechanical and barrier properties of wheat gluten films. 2012 , 60, 6157-63		69
359	Novel Technologies in Food Science. 2012 ,		6
358	Preparation and Characterization of Modified Cellulose Fiber-Reinforced Polyvinyl Alcohol/Polypyrrolidone Hybrid Film Composites. 2012 , 49, 639-647		9
357	Anomalous increase in modulus upon hydration in random copolymers with hydrophobic segments and hydrophilic blocks. 2012 , 8, 2230		15
356	Effect of Molecular Sizes, Sources of Chitosan and Plasticizer Types on Properties of Carboxymethyl Chitosan Films. 2012 , 506, 611-614		5

355	Effect of modified clays on the structure and functional properties of biofilms produced with zein. 2012 , 32, 314-322		7
354	Properties of pullulan-based blend films as affected by alginate content and relative humidity. <i>Carbohydrate Polymers</i> , 2012 , 87, 227-234	10.3	75
353	Development and optimization of biodegradable films based on achira flour. <i>Carbohydrate Polymers</i> , 2012 , 88, 449-458	10.3	59
352	Defatted mustard seed meal-based biopolymer film development. <i>Food Hydrocolloids</i> , 2012 , 26, 118-12	5 10.6	35
351	Starchâgelatin edible films: Water vapor permeability and mechanical properties as affected by plasticizers. <i>Food Hydrocolloids</i> , 2012 , 26, 108-117	10.6	256
350	Barrier properties of sodium caseinate films as affected by lipid composition and moisture content. 2012 , 109, 372-379		58
349	Characterization and microstructure of films made from mucilage of Salvia hispanica and whey protein concentrate. 2012 , 111, 511-518		91
348	Properties and antimicrobial activities of starchâllodium alginate composite films incorporated with sodium dehydroacetate or rosemary extract. 2013 , 127, 1951-1958		27
347	Preparation and properties of molded blends of wheat gluten and cationic water-borne polyurethanes. 2013 , 128, 460-469		13
346	Nanostructuring and Microstructuring of Materials from a Single Agropolymer for Sustainable MAP Preservation of Fresh Food. <i>Packaging Technology and Science</i> , 2013 , 26, 137-148	2.3	15
345	Microencapsulation properties of soy protein isolate: Influence of preheating and/or blending with lactose. 2013 , 117, 281-290		32
344	Comparison of Kraft lignin and lignosulfonates addition to wheat gluten-based materials: Mechanical and thermal properties. <i>Industrial Crops and Products</i> , 2013 , 49, 66-74	5.9	39
343	Development of Tapioca Starch/Decolorized Hsian-Tsao Leaf Gum-Based Antimicrobial Films: Physical Characterization and Evaluation Against Listeria monocytogenes. <i>Food and Bioprocess Technology</i> , 2013 , 6, 1516-1525	5.1	9
342	Synthesis and characterization of saturated polyester and nanocomposites derived from glycolyzed PET waste with varied compositions. 2013 , 36, 277-286		5
341	Natural Additives in Bioactive Edible Films and Coatings: Functionality and Applications in Foods. 2013 , 5, 200-216		105
340	Physical, barrier and antioxidant properties of a novel plasticized edible film from quince seed mucilage. <i>International Journal of Biological Macromolecules</i> , 2013 , 62, 500-7	7.9	87
339	Mass transport properties of gliadin films: Effect of cross-linking degree, relative humidity, and temperature. 2013 , 428, 380-392		34
338	Antimicrobial edible defatted soybean meal-based films incorporating the lactoperoxidase system. 2013 , 54, 42-50		19

337	Protein-Based Nanocomposites for Food Packaging. 2013 , 613-654		5
336	Biocomposites from wheat proteins and fibers: Structure/mechanical properties relationships. <i>Industrial Crops and Products</i> , 2013 , 43, 545-555	5.9	62
335	Gluten-based bioplastics with modified controlled-release and hydrophilic properties. <i>Industrial Crops and Products</i> , 2013 , 43, 704-710	5.9	31
334	Modification and characterization of photo-cured sodium alginate film with ethylene glycol: effect of additives. 2013 , 70, 181-194		2
333	Mixture design applied for the study of the tartaric acid effect on starch/polyester films. <i>Carbohydrate Polymers</i> , 2013 , 92, 1705-10	10.3	45
332	Gas transfer properties of wheat gluten coated paper adapted to eMAP of fresh parsley. 2013 , 119, 362	2-369	11
331	Properties of red tilapia (Oreochromis niloticus) protein based film as affected by cryoprotectants. <i>Food Hydrocolloids</i> , 2013 , 32, 245-251	10.6	8
330	Properties of a new protein film from bitter vetch (Vicia ervilia) and effect of CaClâlon its hydrophobicity. <i>International Journal of Biological Macromolecules</i> , 2013 , 57, 118-23	7.9	21
329	Modeling and analysis of film composition on mechanical properties of maize starch based edible films. <i>International Journal of Biological Macromolecules</i> , 2013 , 62, 565-73	7.9	31
328	Edible chitosan/acetylated monoglyceride films for prolonged release of vitamin E and antioxidant activity. 2013 , 129, 626-635		21
327	Importance of the structure of paper support in gas transfer properties of protein-coated paper. 2013 , 130, 2848-2858		2
326	Nanoparticle size and water diffusivity in nanocomposite agro-polymer based films. 2013 , 49, 299-306		9
325	Eco-friendly synthesis, characterization and properties of a sodium carboxymethyl cellulose/graphene oxide nanocomposite film. 2013 , 20, 687-698		137
324	Fabrication and physicochemical characterization of HPMC films with commercial plant extract: Influence of light and film composition. <i>Food Hydrocolloids</i> , 2013 , 31, 420-427	10.6	38
323	Confinement and Proton Transfer in NAFION Thin Films. 2013 , 46, 413-421		42
322	Mechanical and water barrier properties of agar/Étarrageenan/konjac glucomannan ternary blend biohydrogel films. <i>Carbohydrate Polymers</i> , 2013 , 96, 71-81	10.3	131
321	Effect of plasticizer content on the functional properties of extruded gelatin-based composite films. <i>Food Hydrocolloids</i> , 2013 , 31, 264-269	10.6	62
320	Properties of wheat starch film-forming dispersions and films as affected by chitosan addition. 2013 , 114, 303-312		112

319	Optimized water vapor permeability of sodium alginate films using response surface methodology. 2013 , 31, 1196-1203		4
318	Preparation and characterization of composite sodium caseinate edible films incorporating naturally emulsified oil bodies. <i>Food Hydrocolloids</i> , 2013 , 30, 232-240	10.6	43
317	Statistical optimization and in vitro evaluation of metformin hydrochloride asymmetric membrane capsules prepared by a novel semiautomatic manufacturing approach. 2013 , 2013, 719196		4
316	Developments in the Science of Zein, Kafirin, and Gluten Protein Bioplastic Materials. 2013 , 90, 344-357		45
315	Long-Term Physical Stability of Plasticized Hemicellulose Films. 2013, 9,		4
314	Properties and antioxidant action of actives cassava starch films incorporated with green tea and palm oil extracts. 2014 , 9, e105199		53
313	Improving biodegradability of polyvinyl alcohol/starch blend films for packaging applications. 2014 , 3,		22
312	Wheat Gluten Plasticized with Its Own Hydrolysate. <i>Journal of Polymers and the Environment</i> , 2014 , 22, 430-438	4.5	11
311	Dynamic CO2 adsorption performance of internally cooled silica-supported poly(ethylenimine) hollow fiber sorbents. 2014 , 60, 3878-3887		50
310	Effect of unmodified and modified sago starch on properties of (sago starch)/silica/PVA plastic films. 2014 , 20, 185-192		10
309	Nanocomposites films based on soy proteins and montmorillonite processed by casting. 2014 , 449, 15-2	.6	102
308	Effect of plasticizer-type and genipin on the mechanical, optical, and water vapor barrier properties of canola protein isolate-based edible films. 2014 , 238, 35-46		37
307	Development of bioactive edible film from turmeric dye solvent extraction residue. 2014 , 56, 269-277		33
306	The mechanical properties, water resistance and degradation behaviour of silica-filled sago starch/PVA plastic films. 2014 , 46, 96-109		32
305	Characterization of new biodegradable edible film made from basil seed (Ocimum basilicum L.) gum. <i>Carbohydrate Polymers</i> , 2014 , 102, 199-206	10.3	141
304	Edible Coating and Film Materials: Proteins. 2014 , 277-304		29
303	Development and characterization of the kefiran-whey protein isolate-TiO2 nanocomposite films. <i>International Journal of Biological Macromolecules</i> , 2014 , 65, 340-5	7.9	98
302	Use of malt bagasse to produce biodegradable baked foams made from cassava starch. <i>Industrial Crops and Products</i> , 2014 , 55, 187-193	5.9	84

301	Characterization of edible gum cordia film: Effects of plasticizers. 2014 , 55, 163-169		56
300	Physicochemical and thermomechanical characterization of tara gum edible films: effect of polyols as plasticizers. <i>Carbohydrate Polymers</i> , 2014 , 111, 359-65	10.3	73
299	Characterization of the new biodegradable WPI/clay nanocomposite films based on kefiran exopolysaccharide. 2015 , 52, 3485-93		12
298	Fibroblast viability and inhibitory activity against Pseudomonas aeruginosa in lactic acidâḡrafted chitosan hydrogels. 2014 , 131, n/a-n/a		5
297	Development of active gelatin-based nanocomposite films produced in an automatic spreader. 2014 , 63, 16-24		20
296	Development and characterisation of blend films based on fish protein isolate and fish skin gelatin. <i>Food Hydrocolloids</i> , 2014 , 39, 58-67	10.6	97
295	Effects of poly(vinyl alcohol) on the performance of sago starch plastic films. 2014, 20, 72-79		15
294	Properties and characterization of agar/CuNP bionanocomposite films prepared with different copper salts and reducing agents. <i>Carbohydrate Polymers</i> , 2014 , 114, 484-492	10.3	108
293	Enzyme-assisted extraction of Æhybrid carrageenan from Mastocarpus stellatus for obtaining bioactive ingredients and their application for edible active film development. 2014 , 5, 319-29		26
292	Ecomaterials Based on Food Proteins and Polysaccharides. 2014 , 54, 514-571		29
291	Stimuli-responsive buckling mechanics of polymer films. 2014 , 52, 1441-1461		86
2 90	An overview on the role of wheat gluten as a viable substitute for biodegradable plastics. 2014 , 30,		12
289	Water vapour diffusion through historically relevant glutin-based wood adhesives with sorption measurements and neutron radiography. 2014 , 48, 591-609		9
288	Influence of urea and glycerol on functional properties of biodegradable PVA/xylan composite films. 2014 , 21, 495-505		21
287	Production and Characterization of Bags from Biocomposite Films of Starch-Vegetal Fibers Prepared by Tape Casting. 2014 , 37, 482-492		14
286	Development of antimicrobial defatted soybean meal-based edible films incorporating the lactoperoxidase system by heat pressing. 2014 , 120, 183-190		15
285	Influence of plasticiser on the barrier, mechanical and grease resistance properties of alginate cast films. <i>Carbohydrate Polymers</i> , 2014 , 110, 309-19	10.3	92
284	Bio-Based and Bio-Inspired Cellular Materials. 2015 , 1-37		

283	Mechanical properties of Gelatin ?Hydroxyapatite composite for bone tissue engineering. 2015, 50, 15-	20	15
282	Effect of cellulose nanofibers concentration on mechanical, optical, and barrier properties of gelatin-based edible films. 2015 , 82, 219-226		16
281	Revisiting the Challenges in Fabricating Uniform Coatings with Polyfunctional Molecules on High Surface Energy Materials. 2015 , 5, 1002-1018		15
280	The effect of relative humidity on tensile strength and water vapor permeability in chitosan, fish gelatin and transglutaminase edible films. 2015 , 35, 690-695		19
279	APLIKASI SORBITOL PADA PRODUKSI BIODEGRADABLE FILM DARI NATA DE CASSAVA. 2015 , 15, 195		2
278	Combination of high-pressure treatment, mild heating and holding time effects as a means of improving the barrier properties of gelatin-based packaging films using response surface modeling. <i>Innovative Food Science and Emerging Technologies</i> , 2015 , 30, 15-23	6.8	29
277	Effects of pHs on properties of bio-nanocomposite based on tilapia skin gelatin and Cloisite Na+. <i>International Journal of Biological Macromolecules</i> , 2015 , 75, 388-97	7.9	8
276	Crunchiness Loss and Moisture Toughening in Puffed Cereals and Snacks. <i>Journal of Food Science</i> , 2015 , 80, E1988-96	3.4	8
275	Development of wheat gluten/nanocellulose/titanium dioxide nanocomposites for active food packaging. <i>Carbohydrate Polymers</i> , 2015 , 124, 337-46	10.3	180
274	Nanostructural morphology of plasticized wheat gluten and modified potato starch composites: relationship to mechanical and barrier properties. 2015 , 16, 695-705		22
273	Potential use of gelatin hydrolysate as plasticizer in fish myofibrillar protein film. <i>Food Hydrocolloids</i> , 2015 , 47, 61-68	10.6	47
272	Turmeric dye extraction residue for use in bioactive film production: Optimization of turmeric film plasticized with glycerol. 2015 , 64, 1187-1195		27
271	Wheat gluten films obtained by compression molding. 2015 , 43, 68-77		48
270	Characteristics and properties of hydroxypropylated rice starch based biodegradable films. <i>Food Hydrocolloids</i> , 2015 , 50, 54-64	10.6	65
269	Buildup of biobased adhesive layers by enzymatically controlled deposition on the example of casein. 2015 , 63, 9-13		12
268	Plasticization and moisture sensitivity of potato peel-based biopolymer films. 2015 , 24, 1703-1710		8
267	Corn Starch 80:20 âlWaxyâlRegular, âlNativeâland Phosphated, as Bio-Matrixes for Edible Films. 2015 , 8, 304-310		35
266	Effect of glycerol and Ca+2 addition on physicochemical properties of edible carrageenan/porphyran-based films obtained from the red alga, Pyropia columbina. 2015 , 27, 1699-170	8	15

(2016-2015)

265	Effect of process conditions on the production of nanocomposite films based on amaranth flour and montmorillonite. 2015 , 61, 70-79	20
264	Physico-chemical properties of edible films derived from native and phosphated cush-cush yam and cassava starches. <i>Food Packaging and Shelf Life</i> , 2015 , 3, 1-8	111
263	Effects of maltodextrin on hygroscopicity and crispness of apple leathers. 2015 , 144, 1-9	31
262	Effect of protein and glycerol concentration on the mechanical, optical, and water vapor barrier properties of canola protein isolate-based edible films. 2015 , 21, 33-44	34
261	Effect of the film-processing conditions, relative humidity and ageing on wheat gluten films coated with electrospun polyhydryalkanoate. <i>Food Hydrocolloids</i> , 2015 , 44, 292-299	29
260	Development of chitosan based edible films: process optimization using response surface methodology. 2015 , 52, 2530-43	68
259	Characterization of tara gum edible films incorporated with bulk chitosan and chitosan nanoparticles: A comparative study. <i>Food Hydrocolloids</i> , 2015 , 44, 309-319	157
258	Extraction of Oleic Acid from Moroccan Olive Mill Wastewater. 2016 , 2016, 1397852	21
257	Physico-Chemical, Functional and Rheological Characterization of Biodegradable Pellets and Composite Sheets. 2016 , 57, 04003	
256	Mechanical and Physical Properties of Pea Starch Edible Films in the Presence of Glycerol. <i>Journal of Food Processing and Preservation</i> , 2016 , 40, 1339-1351	36
255	Emulsion stability and properties of fish gelatin-based films as affected by palm oil and surfactants. 2016 , 96, 2504-13	16
254	Preparation of antioxidant active films based on chitosan: diffusivity study of £ocopherol into food simulants. 2016 , 53, 2817-26	17
253	Effect of wheat gluten-based edible coating and irradiation on quality of fresh-cut pineapple. 2016 , 212-220	1
252	Physicochemical and microbiological changes in fresh-cut pineapple coated with wheat gluten and alginate. 2016 , 221-226	3
251	Polyethylene-based Bio- and Nanocomposites for Packaging Applications. 2016 , 365-404	1
250	Preparation and characterization of semi-refined kappa carrageenan-based edible film for nano coating application on minimally processed food. 2016 ,	12
249	Preparation and preliminary characterization of semi refined kappa carrageenan-based edible film incorporated with cinnamon essential oil. 2016 ,	10
248	Petro-based and bio-based plasticizers: Chemical structures to plasticizing properties. 2016 , 54, 11-33	172

247	Effects of Paraffin Emulsion on the Structure and Properties of Soy Protein Films. 2016, 37, 1252-1258	4
246	Effect of lipid incorporation on functional properties of wheat gluten based edible films. 2016 , 69, 275-282	52
245	Development and characterization of a formaldehyde-free adhesive from lupine flour, glycerol, and a novel curing agent for particleboard (PB) production. 2016 , 70, 927-935	9
244	Effects of glycerol and nanoclay on physiochemical properties of camelina gum-based films. Carbohydrate Polymers, 2016 , 152, 747-754	25
243	Structure, Functionality, and Active Release of NanoclayâBoy Protein Films Affected by Clove Essential Oil. <i>Food and Bioprocess Technology</i> , 2016 , 9, 1937-1950	32
242	Characterization and antioxidant activity of bitter vetch protein-based films containing pomegranate juice. 2016 , 74, 77-83	19
241	Physicochemical and Microstructural Characterization of Corn Starch Edible Films Obtained by a Combination of Extrusion Technology and Casting Technique. <i>Journal of Food Science</i> , 2016 , 81, E2224-3 ²⁻⁴	25
240	Innovative Gliadin/Glutenin and Modified Potato Starch Green Composites: Chemistry, Structure, and Functionality Induced by Processing. 2016 , 4, 6332-6343	16
239	Wheat gluten based percolating emulsion gels as simple strategy for structuring liquid oil. <i>Food Hydrocolloids</i> , 2016 , 61, 747-755	41
238	Physical properties of clay aerogel composites: An overview. 2016 , 102, 29-37	28
237	Films and Coatings from Agro-Industrial Residues. 2016 , 193-214	
236	Conventional and Alternative Plasticizers and Cross-Linkers. 2016 , 215-239	
235	Antioxidant Films and Coatings. 2016 , 263-279	
234	Irradiated sodiumâālginate/poly(ethylene oxide) blend films improved by methyl acrylate monomer. 2016 , 133,	6
233	Novel Polymer Clay-Based Nanocomposites: Films with Remarkable Optical and Water Vapor Barrier Properties. 2016 , 301, 836-845	10
232	Effects of plasticizers on sorption and optical properties of gum cordia based edible film. 2016 , 53, 2606-13	9
231	Wheat gluten, a bio-polymer layer to monitor relative humidity in food packaging: Electric and dielectric characterization. 2016 , 247, 355-367	23
230	Influence of palm oil and glycerol on properties of fish skin gelatin-based films. 2016 , 53, 2715-24	11

229	Biodegradable Protein-based Films and Their Properties: A Comparative Study. <i>Packaging Technology and Science</i> , 2016 , 29, 77-90	2.3	35
228	Dynamic mechanical analysis of the multiple glass transitions of plasticized wheat gluten biopolymer. 2016 , 133, n/a-n/a		16
227	Effects of ultraviolet radiation on properties of films from whey protein concentrate treated before or after film formation. <i>Food Hydrocolloids</i> , 2016 , 55, 189-199	10.6	43
226	Characterization of Biodegradable Films Based on Salvia hispanica L. Protein and Mucilage. <i>Food and Bioprocess Technology</i> , 2016 , 9, 1276-1286	5.1	37
225	Plant polymer as sensing material: Exploring environmental sensitivity of dielectric properties using interdigital capacitors at ultra high frequency. 2016 , 230, 212-222		11
224	Studies on Influence of Chemical Modification, Plasticizer and Starch Concentration on Some Characteristics of Biodegradable Film. 2016 , 842, 129-156		2
223	Brea Gum (from Cercidium praecox) as a structural support for emulsion-based edible films. 2016 , 68, 127-134		37
222	Optimization of Pellet Production from Agro-Industrial By-Products: Effect of Plasticizers on Properties of Pellets and Composite Pots. <i>Journal of Polymers and the Environment</i> , 2017 , 25, 56-73	4.5	3
221	Plasticizing and crosslinking effects of borate additives on the structure and properties of poly(vinyl acetate). 2017 , 7, 7483-7491		17
220	Thermal Transitions, Mechanical Relaxations and Microstructure of Hydrated Gluten Networks. 2017 , 207-223		
219	Additives. 2017 , 77-112		
218	Wheat gluten, a bio-polymer to monitor carbon dioxide in food packaging: Electric and dielectric characterization. 2017 , 250, 76-84		26
217	Solution Blow Spinning of Food-Grade Gelatin Nanofibers. <i>Journal of Food Science</i> , 2017 , 82, 1402-1411	3.4	13
216	Effect of Hydrochloric Acid Concentration as Chitosan Solvent on Mechanical Properties of Bioplastics from Durian Seed Starch (Durio Zibethinus) with Filler Chitosan and Plasticizer Sorbitol. 2017 , 180, 012126		2
215	Properties of Edible Films Made From Anchovy By-Product Proteins and Determination of Optimum Protein and Glycerol Concentration by the TOPSIS Method. 2017 , 26, 640-654		4
214	Optimization of crosslinked poly(vinyl alcohol) nanocomposite films for mechanical properties. 2017 , 71, 1052-1063		43
213	Edible films from mucilage of Cereus hildmannianus fruits: Development and characterization. 2017 , 134, 45223		11
212	Novel sandwiched structures in starch/cellulose nanowhiskers (CNWs) composite films. 2017 , 4, 5-9		27

211	Characteristic properties of organosolv lignin/polylactide copolymers. 2017, 37, 211-224		5
210	Value addition to agro industrial by-products: Effect of temperature and plasticizer on various properties of pellets developed using extrusion technology. <i>Journal of Food Processing and Preservation</i> , 2017 , 41, e13257	2.1	2
209	Growth of epithelial cells on films of enzymatically synthesized poly(gallic acid) crosslinked to carboxymethylcellulose. 2017 , 7, 17660-17669		8
208	Kafirin polymer film for enteric coating on HPMC and Gelatin capsules. 2017 , 52, 3806-3820		13
207	Bioplastics of Native Starches Reinforced with Passion Fruit Peel. <i>Food and Bioprocess Technology</i> , 2017 , 10, 1798-1808	5.1	24
206	Advances in Applications of Industrial Biomaterials. 2017,		7
205	Application of Biopolymers in the Food Industry. 2017 , 103-119		6
204	Effect of Plasticizers on Morphology, Mechanical Properties and Water Absorption of Wheat Gluten and Epoxidized Natural Rubber Blend. 2017 , 737, 287-293		
203	Value Addition to Food Industry By-Products and Wastes (Deoiled Rice Bran and Banana Peel) by Optimizing Pellets' Formulation Using Response Surface Methodology: Characterisation and Classification by PCA Approach. <i>Journal of Food Processing and Preservation</i> , 2017 , 41, e13132	2.1	0
202	Hydroxypropylation improves film properties of high amylose corn starch. <i>Industrial Crops and Products</i> , 2017 , 95, 175-183	5.9	29
201	Strawberry Shelf Life, Composition, and Enzymes Activity in Response to Edible Chitosan Coatings. 2017 , 17, 117-136		24
200	Gelatin/potato starch edible biocomposite films: Correlation between morphology and physical properties. <i>Carbohydrate Polymers</i> , 2017 , 157, 1162-1172	10.3	80
199	Mechanical and Barrier Properties of Hydroxy Propyl Methyl Cellulose Edible Polymer Films with Plasticizer Combinations. <i>Journal of Food Processing and Preservation</i> , 2017 , 41, e13020	2.1	5
198	Controlled-release of tea polyphenol from gelatin films incorporated with different ratios of free/nanoencapsulated tea polyphenols into fatty food simulants. <i>Food Hydrocolloids</i> , 2017 , 62, 212-221	10.6	94
197	Edible Coatings and Films from Lipids, Waxes, and Resins. 2017 , 121-152		
196	Improved mechanical and thermal properties of gelatin films using a nano inorganic filler. 2017 , 40, e12	169	14
195	. 2017,		3
194	Prediction of Carbohydrate-Protein Interaction in Cassava Starch-Casein Blended Edible Films. 2017 , 13, 272-278		

193	Production of biodegradable starch nanocomposites using cellulose nanocrystals extracted from coconut fibers. 2017 , 27, 320-329		14	
192	Antibacterial Activity and Physical Properties of Fish Gelatin-Chitosan Edible Films Supplemented with D-Limonene. 2017 , 2017, 1-9		34	
191	Incidencia de los Iones Divalentes y Monovalentes en las Propiedades F [^] Bico Mec [^] Bicas y de Barrera en Biopel [^] Bulas a Base de Goma Gelana. 2017 , 28, 67-74			
190	Filme ativo de acetato de celulose incorporado com nanosuspens [®] de curcumina. 2017 , 27, 70-76		4	
189	Non-Destructive Evaluation of Edible Coatings Effects on Keeping Quality of European Plums (Prunus domestica L.) by Laser Light Backscattering Imaging. 2018 , 60, 311-320		4	
188	Production of bioplastic from jackfruit seed starch (Artocarpus heterophyllus) reinforced with microcrystalline cellulose from cocoa pod husk (Theobroma cacao L.) using glycerol as plasticizer. 2018 , 309, 012100		11	
187	Starchâlecycled gelatin composite films produced by extrusion: Physical and mechanical properties. 2018 , 135, 46254		11	
186	Bionanocomposites for Packaging Applications. 2018,		8	
185	Development and characterization of biodegradables packaging obtained from biopolymers mixture. 2018 , 55, 11-16		3	
184	Sodium caseinate-starch-modified montmorillonite based biodegradable film: Laboratory food extruder assisted exfoliation and characterization. <i>Food Packaging and Shelf Life</i> , 2018 , 15, 17-27	8.2	6	
183	Novel biodegradable and antibacterial edible films based on alginate and chitosan biguanidine hydrochloride. <i>International Journal of Biological Macromolecules</i> , 2018 , 116, 443-450	7.9	59	
182	Supported silk fibroin/poly(vinyl alcohol) membrane blends: Structure, properties, and ethanol dehydration by pervaporation. 2018 , 58, 1879-1887		5	
181	Fabrication and characterization of multilayered kafirin/gelatin film with one-way water barrier property. <i>Food Hydrocolloids</i> , 2018 , 81, 159-168	10.6	35	
180	Performance study of sodium alginate-nonwoven fabric composite membranes for dehumidification. 2018 , 128, 214-224		17	
179	Effects of moisture content on mechanical properties, transparency, and thermal stability of yuba film. <i>Food Chemistry</i> , 2018 , 243, 202-207	8.5	21	
178	Development and characterization of a novel edible extruded sheet based on different casein sources and influence of the glycerol concentration. <i>Food Hydrocolloids</i> , 2018 , 75, 182-191	10.6	38	
177	Proteins as Agricultural Polymers for Packaging Production. 2018 , 243-267		5	
176	Effects of film constituents on packaging-relevant properties of sodium caseinate-based emulsion films. 2018 , 114, 250-258		17	

175	Properties of starchâdellulose fiber films produced by tape casting coupled with infrared radiation. 2018 , 36, 830-840	9
174	Starch Films Added of A^ &^ IPulp (Euterpe oleracea Martius). 2018 , 61,	3
173	Facile and versatile solid state surface modification of silk fibroin membranes using click chemistry. 2018 , 6, 8037-8042	7
172	Chitosan-Based Edible Membranes for Food Packaging. 2018, 237-267	1
171	Development of a Gulfweed-Based Edible Coating Using High-Pressure Homogenization and Its Application to Smoked Salmon. <i>Journal of Food Science</i> , 2018 , 83, 3027-3034	4
170	Biodegradable bilayer films prepared from individual films of different proteins. 2018 , 135, 46721	5
169	Biodegradable plastic designed to improve the soil quality and microbiological activity. 2018 , 158, 52-63	8
168	Bioproducts from wheat gluten with high strength and aqueous stability using cashew nut shell liquid as plasticizer. 2018 , 135, 46719	2
167	Alginate-Based Edible Films and Coatings for Food Packaging Applications. 2018, 7,	176
166	Characterization of Biopolymer-Based UV-Activated Intelligent Oxygen Indicator for Food-Packaging Applications. 2018 , 2, 29-43	14
165	Development and characterisation of protein films derived from dried distillersalgrains with solubles and in-process samples. <i>Industrial Crops and Products</i> , 2018 , 121, 258-266	5
164	Chitosan-based coatings for corrosion protection of copper-based alloys: A promising more sustainable approach for cultural heritage applications. 2018 , 122, 138-146	37
163	Biobased alginate/castor oil edible films for active food packaging. 2018 , 96, 455-460	64
162	Development and preparation of active starch films carrying tea polyphenol. <i>Carbohydrate Polymers</i> , 2018 , 196, 162-167	65
161	Characteristic study of chitosan addition in Tilapia (Oreochromis niloticus) bone based gelatin film. IOP Conference Series: Earth and Environmental Science, 2018, 142, 012028	1
160	Collagen from Cartilaginous Fish By-Products for a Potential Application in Bioactive Film Composite. 2018 , 16,	26
159	Characterization and Properties of Biodegradable Polymer Film Composites Based on Polyvinyl Alcohol and Tropical Fruit Waste Flour. 2018 , 313-332	O
158	Mechanical and Barrier Properties of Potato Protein Isolate-Based Films. 2018 , 8, 58	4

157	Physico-functional and Anti-oxidative Properties of Carp Swim Bladder Gelatin and Brown Seaweed Fucoidan Based Edible Films. 2018 , 2, 77-89		7
156	Current Applications in Food Preservation Based on Marine Biopolymers. 2018 , 609-650		2
155	Biodegradable protein films from gallic acid and the cataractous eye protein isolate. <i>International Journal of Biological Macromolecules</i> , 2019 , 139, 12-20	7.9	15
154	Development of biodegradable starch-based foams incorporated with grape stalks for food packaging. <i>Carbohydrate Polymers</i> , 2019 , 225, 115234	10.3	53
153	Effect of glycerol on the physicochemical properties of films based on legume protein concentrates: A comparative study. 2019 , 50, 539-546		11
152	Properties of biobased packaging material. 2019 , 25-111		1
151	Use of Different Proteins to Produce Biodegradable Films and Blends. <i>Journal of Polymers and the Environment</i> , 2019 , 27, 2027-2039	4.5	10
150	Effect of Ecarrageenan concentration on physical and Mechanical properties of vegetable leather based on kelor leaves (Moringa oleifera L.). <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 260, 012180	0.3	O
149	Characteristics based of edible film made from whey with isolated lactic acid bacteria from tempoyak as probiotics packaging. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 287, 012027	0.3	2
148	Water kefir grains as an innovative source of materials: Study of plasticiser content on film properties. 2019 , 120, 109234		13
147	Characterization of edible film from dangke whey/pectin, beeswax, and butter aroma. 2019,		0
146	Development of a Cassava Starch-Based Foam Incorporated with Grape Stalks Using an Experimental Design. <i>Journal of Polymers and the Environment</i> , 2019 , 27, 2853-2866	4.5	12
145	Fruit Physiology and Postharvest Management of Strawberry. 2019 ,		2
144	Toward Sustainable PLA-Based Multilayer Complexes with Improved Barrier Properties. 2019 , 7, 3759-3	771	33
143	Thermoplastic starch and green tea blends with LLDPE films for active packaging of meat and oil-based products. <i>Food Packaging and Shelf Life</i> , 2019 , 21, 100331	8.2	35
142	Hydrophobic and Bulk Polymerizable Protein-Based Elastomers Compatibilized with Surfactants. 2019 , 7, 9103-9111		2
141	Development of green superabsorbent materials from a by-product of the meat industry. 2019 , 223, 651-661		23
140	Physical, Chemical, Thermal and Microstructural Characterization of Edible Films from Mechanically Deboned Chicken Meat Proteins. <i>Journal of Polymers and the Environment</i> , 2019 , 27, 1071-1085	4.5	6

139	Physico-chemical and sensory evaluation of a mango-based fruit bar. 2019 , 86, 276-283		1
138	Application of Pectin Extracted from Cocoa Pod in the Production of Edible Film. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 347, 012060	0.3	O
137	Preparation of chitosan-avocado seed starch (CASS) edible film as jenang dodol packaging. 2019,		
136	Synthesis and Characterization of //Nano-silica Films for the Preservation of Postharvest White Mushrooms. <i>Polymers</i> , 2018 , 11,	4.5	21
135	Effects of combined pullulan polysaccharide, glycerol, and trehalose on the mechanical properties and the solubility of casted gelatin-soluble edible membranes. <i>Journal of Food Processing and Preservation</i> , 2019 , 43, e13858	2.1	4
134	Industrial and Nonfood Applications. 2019 , 393-420		4
133	Novel composite films from regenerated cellulose-glycerol-polyvinyl alcohol: Mechanical and barrier properties. <i>Food Hydrocolloids</i> , 2019 , 89, 481-491	10.6	28
132	Characterization of edible coatings based on ripe â P rataâlbanana peel flour. <i>Food Hydrocolloids</i> , 2019 , 89, 570-578	10.6	25
131	Dried Ca-alginate films: Effects of glycerol, relative humidity, soy fibers, and carrageenan. 2019 , 103, 260-265		13
130	Impact of pH Modification on Protein Polymerization and Structure?Function Relationships in Potato Protein and Wheat Gluten Composites. 2018 , 20,		18
129	Effect of Glycerol on the Physical Properties of Carboxylated Styrene-Butadiene Rubber/Cassava Starch Blend Films. <i>Journal of Polymers and the Environment</i> , 2019 , 27, 50-60	4.5	8
128	Drying conditions highly influence the characteristics of glycerol-plasticized alginate films. <i>Food Hydrocolloids</i> , 2019 , 90, 162-171	10.6	38
127	Edible Films and Coatings for Fruits and Vegetables. 2020 , 363-376		2
126	Bio-Polymeric Packaging Material for Packaging of Raw Food. 2020 , 44-51		
125	Gelatin capsule residue-based films crosslinked with the natural agent genipin. <i>Packaging Technology and Science</i> , 2020 , 33, 15-26	2.3	7
124	Improvement of water vapor barrier and mechanical properties of sago starch-kaolinite nanocomposites. 2020 , 41, 201-209		5
123	Preparation and characterization of cornhusk/sugar palm fiber reinforced Cornstarch-based hybrid composites. 2020 , 9, 200-211		33
122	Influence of Green Tea and Basil Extracts on Cassava Starch Based Films as Assessed by Thermal Degradation, Crystalline Structure, and Mechanical Properties. <i>Starch/Staerke</i> , 2020 , 72, 1900155	2.3	6

121	Bioresorbable and degradable behaviors of PGA: Current state and future prospects. 2020 , 60, 2657-267	75	14
120	Use of Sea Fennel as a Natural Ingredient of Edible Films for Extending the Shelf Life of Fresh Fish Burgers. 2020 , 25,		1
119	Effect of the application of an edible film with turmeric (C L.) on the oxidative stability of meat. 2020 , 8, 4308-4319		14
118	Processing and Characterization of Cornstalk/Sugar Palm Fiber Reinforced Cornstarch Biopolymer Hybrid Composites. 2020 , 35-46		1
117	Preparation and Compatibilization of PBS/Whey Protein Isolate Based Blends. 2020, 25,		9
116	Edible Coating and Pulsed Light to Increase the Shelf Life of Food Products. 2020 , 13, 544		8
115	Probiotic Coating for Ripened Cheeses With Lactobacillus Acidophilus and Lactobacillus Helveticus Inclusion. 2020 , 8, 152		4
114	Preparation and physicochemical characterization of films prepared with salmon skin gelatin extracted by a trypsin-aided process. 2020 , 3, 146-157		5
113	Development and characterization of high methoxyl pectin film by using isomalt as plasticizer. Journal of Food Processing and Preservation, 2020 , 44, e14568	2.1	4
112	Properties of gluten foams containing different additives. <i>Industrial Crops and Products</i> , 2020 , 152, 1125	5 5. 19	2
111	Mechanical properties of films from carboxy methyl glucomannan and carrageenan with glycerol as plasticizer. 2020 ,		
110	Effect of glycerol and sorbitol concentrations on mechanical, optical, and barrier properties of sweet potato starch film. 2020 , 20, 1-9		39
109	Kombucha Tea By-product as Source of Novel Materials: Formulation and Characterization of Films. <i>Food and Bioprocess Technology</i> , 2020 , 13, 1166-1180	5.1	14
108	Process design of acetylated sago starch-based edible film. <i>IOP Conference Series: Earth and Environmental Science</i> , 2020 , 443, 012054	0.3	
107	Performance of Polymeric Skin Adhesives during Perspiration. 2020 , 2, 1535-1542		8
106	Extrusion of Porous Protein-Based Polymers and Their Liquid Absorption Characteristics. <i>Polymers</i> , 2020 , 12,	4.5	5
105	Influence of storage time and blending on irradiated sodium alginateâpolyethylene oxide films modified by methyl acrylate monomer. 2020 , 2, 1		
104	Acetylated sago starch-based antimicrobial edible film. IOP Conference Series: Earth and Environmental Science, 2020 , 472, 012028	0.3	1

103	Characteristics of biopolymers from natural resources. 2020 , 49-95		5
102	Comprehensive evaluation of formulation factors affecting critical quality attributes of casted orally disintegrating films. 2020 , 56, 101614		4
101	Development of Biodegradable Films from Marine Ingredients Incorporated with Natural Antimicrobial Agents for Food Packaging. 2020 , 4, 45-55		2
100	Cellulose derivatives-snail slime films: New disposable eco-friendly materials for food packaging. <i>Food Hydrocolloids</i> , 2021 , 111, 106247	10.6	16
99	Studying the Properties of Edible Packaging for Milk Cake and its Effect during Refrigerated Storage. 2021 , 5, 29-40		1
98	Packaging potential of Ipomoea batatas and Ecarrageenan biobased composite edible film: Its rheological, physicomechanical, barrier and optical characterization. <i>Journal of Food Processing and Preservation</i> , 2021 , 45, e15153	2.1	4
97	Edible Food Packaging: Targeted Biomaterials and Synthesis Strategies. 2021 , 25-63		1
96	Sustainability of Biodegradable Polymers for the Environment. 2021 , 65-87		
95	Bioplastic films with unusually good oxygen barrier properties based on potato fruit-juice 2021 , 11, 12543-12548		O
94	Biopolymer-based edible films and coatings for food applications. 2021 , 81-107		2
93	Evaluation of Biopolymer Films Containing Silverâllhitosan Nanocomposites. <i>Food and Bioprocess Technology</i> , 2021 , 14, 492-504	5.1	5
92	The Interplay between Drug and Sorbitol Contents Determines the Mechanical and Swelling Properties of Potential Rice Starch Films for Buccal Drug Delivery. <i>Polymers</i> , 2021 , 13,	4.5	2
91	Films based on Salvia hispanica and clove oil: physical, optical and mechanical properties. 2021 , 10, 2-6		1
90	Physicochemical and Antibacterial Evaluation of Poly (Vinyl Alcohol)/Guar Gum/Silver Nanocomposite Films for Food Packaging Applications. <i>Journal of Polymers and the Environment</i> , 2021 , 29, 3347-3363	4.5	9
89	Dextran/chitosan blend film fabrication for bio-packaging of mushrooms (Agaricus bisporus). Journal of Food Processing and Preservation, 2021 , 45, e15489	2.1	8
88	Development and characterization of dual-modified yam () starch-based films. 2021 , 7, e06644		5
87	Proteins from Agri-Food Industrial Biowastes or Co-Products and Their Applications as Green Materials. 2021 , 10,		8
86	Antioxidant packaging development and optimization using agroindustrial wastes. 2021 , 138, 50887		1

68

Ramie Fiber Reinforced Natural Plastics. 2004, 321-343

Fabrication of Herbal Hemostat Films Loaded with Medicinal Tridax Procumbenns Extracts. 2021, 85 22, 2135-2144 Influence of free and microencapsulated oregano oil on starch and poly (butylene co-terephthalate 84 adipate) active film properties. 1 Recent Advances in Lipid Derived Bio-Based Materials for Food Packaging Applications. 2021, 306, 2000799 83 7 Properties of alginate films incorporated with free and microencapsulated Stryphnodendron 82 8.2 adstringens extract (barbatim b). Food Packaging and Shelf Life, 2021, 28, 100637 Edible Films Incorporating with Lactobacillus plantarum Based on Sourdough, Wheat Flour, and Gelatin: Films Characterization and Cell Viability During Storage and Simulated Gastrointestinal 81 Ο 2.3 Condition. Starch/Staerke, 2021, 73, 2000268 Multifactorial Effects of Gelling Conditions on Mechanical Properties of Skin-Like Gelatin 80 4.5 Membranes Intended for In Vitro Experimentation and Artificial Skin Models. Polymers, 2021, 13, Biodegradable film production from agroforestry and fishery residues with active compounds. Food 8.2 79 1 Packaging and Shelf Life, 2021, 28, 100661 Advantages and Disadvantages of Bioplastics Production from Starch and Lignocellulosic 78 21 4.5 Components. Polymers, 2021, 13, Effects of Plasticizer and Cinnamon Essential Oil Incorporation on Mechanical and Water Barrier Properties of Semirefined Iota-Carrageenan-based Edible Film. IOP Conference Series: Earth and 0.3 77 Environmental Science, 2021, 828, 012034 Fabrication and characterization of antimicrobial biopolymer films containing essential oil-loaded 76 10.6 26 microemulsions or nanoemulsions. Food Hydrocolloids, 2021, 117, 106733 Effect of cellulose and starch fatty acid esters addition on microstructure and physical properties 75 10.3 О of arabinoxylan films. Carbohydrate Polymers, 2021, 270, 118317 Comparative study on physicochemical properties of starch films prepared from five sweet potato 5 74 7.9 (Ipomoea batatas) cultivars. International Journal of Biological Macromolecules, 2021, 189, 758-767 Multilayer photonic films based on interlocked chiral-nematic cellulose nanocrystals in 73 10.3 7 starch/chitosan. Carbohydrate Polymers, 2022, 275, 118709 Development of interpenetrated polymer networks from bacterial cellulose film. 2021, 72 Protein-Based Bioplastics from Biowastes: Sources, Processing, Properties and Applications. 2021, 137-176 71 Antiplasticization of Food Polymer Systems by Low Molecular Mass Diluents. 115-137 70 5 Edible Films: Use of Lycopene as Optical Properties Enhancer. 2012, 361-380 69 1

9

67	Formation And Properties Of Wheat Gluten Films And Coatings. 2002,		1
66	Formation And Properties Of Soy Protein Films And Coatings. 2002,		1
65	Formation And Properties Of Cottonseed Protein Films And Coatines. 2002,		3
64	Cassava Starch-Based Biodegradable Foam Composited with Plant Fibers and Proteins. <i>Journal of Composites and Biodegradable Polymers</i> , 2014 , 2, 71-79	2	3
63	Propriedades de filmes comest^ Deis produzidos com diferentes concentra^ 🛭 🗟 de plastificantes e de prote^ 🗓 as do m^ sculo de til^ pia-do-nilo. <i>Pesquisa Agropecuaria Brasileira</i> , 2004 , 39, 255-262	1.8	11
62	Effect of Plasticizer and Cross-Linking Agent on the Physical Properties of Protein Films. <i>Preventive Nutrition and Food Science</i> , 2005 , 10, 88-91	2.4	9
61	Physical Properties of Silk Fibroin Films Treated with Various Plasticizers. <i>Preventive Nutrition and Food Science</i> , 2005 , 10, 187-190	2.4	2
60	Kinetics of Water Vapor Absorption by Sodium Alginate-based Films. <i>Preventive Nutrition and Food Science</i> , 2008 , 13, 28-32	2.4	2
59	Establishment of Microwave-Assisted Extraction Conditions for Antioxidative Extracts from Pleurotus eryngii. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2006 , 35, 1-6	1.5	1
58	Influence of Acacia catechu Extracts and Urea and Gamma Irradiation on the Mechanical Properties of Starch/PVA-Based Material. <i>ISRN Polymer Science</i> , 2012 , 2012, 1-8		12
58 57			12
	of Starch/PVA-Based Material. <i>ISRN Polymer Science</i> , 2012 , 2012, 1-8 Development of Hijiki-based Edible Films Using High-pressure Homogenization. <i>Korean Journal of</i>	2.3	
57	of Starch/PVA-Based Material. <i>ISRN Polymer Science</i> , 2012 , 2012, 1-8 Development of Hijiki-based Edible Films Using High-pressure Homogenization. <i>Korean Journal of Food Science and Technology</i> , 2012 , 44, 162-167 3D printed food package casings from sugarcane bagasse: a waste valorization study. <i>Biomass</i>	2.3	
57 56	of Starch/PVA-Based Material. <i>ISRN Polymer Science</i> , 2012 , 2012, 1-8 Development of Hijiki-based Edible Films Using High-pressure Homogenization. <i>Korean Journal of Food Science and Technology</i> , 2012 , 44, 162-167 3D printed food package casings from sugarcane bagasse: a waste valorization study. <i>Biomass Conversion and Biorefinery</i> , 1 Residual Starch Packaging Derived from Potato Washing Slurries to Preserve Fruits. <i>Food and</i>		2
575655	of Starch/PVA-Based Material. <i>ISRN Polymer Science</i> , 2012 , 2012, 1-8 Development of Hijiki-based Edible Films Using High-pressure Homogenization. <i>Korean Journal of Food Science and Technology</i> , 2012 , 44, 162-167 3D printed food package casings from sugarcane bagasse: a waste valorization study. <i>Biomass Conversion and Biorefinery</i> , 1 Residual Starch Packaging Derived from Potato Washing Slurries to Preserve Fruits. <i>Food and Bioprocess Technology</i> , 2021 , 14, 2248		2
57565554	of Starch/PVA-Based Material. <i>ISRN Polymer Science</i> , 2012 , 2012, 1-8 Development of Hijiki-based Edible Films Using High-pressure Homogenization. <i>Korean Journal of Food Science and Technology</i> , 2012 , 44, 162-167 3D printed food package casings from sugarcane bagasse: a waste valorization study. <i>Biomass Conversion and Biorefinery</i> , 1 Residual Starch Packaging Derived from Potato Washing Slurries to Preserve Fruits. <i>Food and Bioprocess Technology</i> , 2021 , 14, 2248 Modelingwater Vapor, Gas, And Solute Transport Through Protein Films. 2002 , Gas and Lipid Permeabilities and Biodegradability of Poly(3-Hydroxybutyric Acid)/Chitosan Blend	5.1	4 2 0
5756555453	of Starch/PVA-Based Material. <i>ISRN Polymer Science</i> , 2012 , 2012, 1-8 Development of Hijiki-based Edible Films Using High-pressure Homogenization. <i>Korean Journal of Food Science and Technology</i> , 2012 , 44, 162-167 3D printed food package casings from sugarcane bagasse: a waste valorization study. <i>Biomass Conversion and Biorefinery</i> , 1 Residual Starch Packaging Derived from Potato Washing Slurries to Preserve Fruits. <i>Food and Bioprocess Technology</i> , 2021 , 14, 2248 Modelingwater Vapor, Gas, And Solute Transport Through Protein Films. 2002 , Gas and Lipid Permeabilities and Biodegradability of Poly(3-Hydroxybutyric Acid)/Chitosan Blend Film. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2004 , 33, 1224-1229 Effects of PEG (Polyethylene Glycol) Concentration and Mixing Ratio of PEG/Gly (Glycerol) on the Physical Properties of Silk Fibroin Films. <i>Journal of the Korean Society of Food Science and Nutrition</i> ,	5.1	4 2 0

Edible Wheat Gluten Films: Optimization of the Main Process Variables and Improvement of Water 49 Vapor Barrier Properties by Combining Gluten Proteins with Lipids. 1994, 790-792 BIOPOLYMERS: POTENTIAL BIODEGRADABLE PACKAGING MATERIAL FOR FOOD INDUSTRY. 2014, 171-190 48 The effect of preparation conditions on the properties of gelatin film from horse mackerel 0.1 47 (Trachurus japonicus) scale. Tap Chi Khoa Hoc = Journal of Science, 2015, 01, 39 Testing and Quality Assurance of Bioplastics. 2017, 201-232 46 PREPARA^ [] [D DE FILMES BIODEGRAD^ [VEIS DE AMIDO DE MANDIOCA PELO M^ [TODO 45 TAPE-CASTING E COM SECAGEM AO SOL.. 11 Nonfood Uses of Cereal Proteins. 2017, 309-314 44 Vicia villosa protein isolate: a new source of protein to make a biodegradable film. Potravinarstvo, 1.3 1 43 2018, 12, Application of Chitosan Shells Meti (Batissa Violacea L. Von Lamarck, 1818) as Edible Film. Current 42 1.1 Research in Nutrition and Food Science, 2019, 7, 253-264 Investigation of Biodegradable Films Produced from Three Different Protein Sources for White 0.3 1 41 Cheese Packaging. Harran Tarlin Ve Glda Bilimleri Dergisi, 1-12 Bioadhesive Films for Drug Delivery Systems. 2020, 99-122 40 PENGARUH KONSENTRASI CMC DAN KONSENTRASI GLISEROL TERHADAP KARAKTERISTIK EDIBLE 39 PACKAGING KOPI INSTAN DARI PATI KACANG HIJAU (Vigna radiata L.). 2020, 7, 1-9 Humidity-Responsive Photonic Films and Coatings Based on Tuned Cellulose 38 4.5 Nanocrystals/Glycerol/Polyethylene Glycol. *Polymers*, **2021**, 13, Active cellulose acetate-oregano essential oil films to conservation of hamburger buns: Antifungal, О 37 2.3 analysed sensorial and mechanical properties. Packaging Technology and Science, 2022, 35, 175 Characterization of biodegradable films based on extracellular polymeric substances extracted 36 2 from the thermophilic microalga Graesiella sp.. Algal Research, 2021, 61, 102565 Propriedades qu^ fhicas e mec^ flicas de filme bioativo de amido de mandioca com adi^ 🛭 🗗 de extrato 1.5 35 de jamel B (Syzygium cumini L.). Brazilian Journal of Food Technology, 24, Preparation of water-soluble dialdehyde cellulose enhanced chitosan coating and its application on 34 the preservation of mandarin fruit.. International Journal of Biological Macromolecules, 2022, 203, 184-1849Development and characterization of PLA and Cassava starch-based novel biodegradable film used 2.1 \circ 33 for food packaging application. Journal of Food Processing and Preservation, e16314 Development of novel biodegradable water chestnut starch/PVA composite film. Evaluation of plasticizer effect over physical, barrier, and mechanical properties. Journal of Food Processing and 32 2.1 Preservation, e16334

31	Novel One-Step Process for the Production of Bioplastic from Rapeseed Press Cake. <i>Processes</i> , 2021 , 9, 1498	2.9	0
30	Casting and extrusion processes to produce bio-based plastics using cassava starch modified by the dry heat treatment (DHT). <i>Innovative Food Science and Emerging Technologies</i> , 2022 , 75, 102906	6.8	Ο
29	Synthesis, Characterization and Physicochemical Properties of Biogenic Silver Nanoparticle-Encapsulated Chitosan Bionanocomposites <i>Polymers</i> , 2022 , 14,	4.5	О
28	Plant-Based Protein Films and Coatings. 2022 , 271-311		
27	Development and characterization of biodegradable film from marine red seaweed (Kappaphycus alvarezii). <i>Pigment and Resin Technology</i> , 2022 , ahead-of-print,	1	O
26	Water-assisted extrusion of carbon fiber-reinforced wheat gluten for balanced mechanical properties. <i>Industrial Crops and Products</i> , 2022 , 180, 114739	5.9	O
25	Technologies for Biopolymer-Based Films and Coatings. 2022 , 66-109		
24	Adjustable polysaccharides-proteins films made of aqueous wheat proteins and alginate solutions. <i>Food Chemistry</i> , 2022 , 133196	8.5	1
23	Preparation and characterization of natamycin-incorporated agar film and its application on preservation of strawberries. <i>Food Packaging and Shelf Life</i> , 2022 , 32, 100863	8.2	1
22	Electrospun Smart Oxygen Indicating Tag for Modified Atmosphere Packaging Applications: Fabrication, Characterization and Storage Stability. <i>Polymers</i> , 2022 , 14, 2108	4.5	O
21	Physicochemical properties of zein-based edible films and coatings for extending wheat bread shelf life. <i>Food Hydrocolloids</i> , 2022 , 107856	10.6	1
20	Physical, mechanical, and thermal properties of gelatine-based edible film made using kefir: Monitoring Aspergillus flavus and A. parasiticus growth on the film surface. <i>Journal of Food Processing and Preservation</i> ,	2.1	
19	Bio-Based Plastic Based on Ozonated Cassava Starch Produced by Extrusion. <i>Journal of Polymers and the Environment</i> ,	4.5	
18	Antimicrobial and antioxidant AIE chitosan-based films incorporating a Pickering emulsion of lemon myrtle (Backhousia citriodora) essential oil. <i>Food Hydrocolloids</i> , 2022 , 107971	10.6	0
17	Corn Starch-Based Bionanocomposite Film Reinforced With ZnO Nanoparticles and Different Types of Plasticizers. <i>Frontiers in Sustainable Food Systems</i> , 6,	4.8	2
16	Recent global insight into mitigation of plastic pollutants, sustainable biodegradable alternatives, and recycling strategies. <i>International Journal of Environmental Science and Technology</i> ,	3.3	O
15	Biodegradable films from spray dried starch inclusion complexes with bioactive compounds âlthe effect of glycerol and pH. <i>Starch/Staerke</i> , 2200133	2.3	
14	Aggregation properties and structure of chia seed gum and gluten protein mixtures after freezing storage. 2022 , 221, 1093-1102		O

CITATION REPORT

13	Active edible films based on green tea extract and gelatin for coating of fresh sausage. 2022 , 194, 108966	1
12	SARS Edible Straw from Sea Grapes as an Effort Utilization of Marine Resources for Health. 2022 , 10, 1408-1414	O
11	Sargassum inspired, optimized calcium alginate bioplastic composites for food packaging. 2023 , 135, 108192	2
10	Obtention of New Edible Biofilms from Water Kefir Grains in Comparison with Conventional Biofilms from Taro (Colocasia esculenta) and Cassava (Manihot esculenta) Starch. 2022 , 10, 1804	О
9	Edible Film from Corn Cob and Plasticizer with Mixing Process. 2022 , 372, 01001	О
8	Development and characterization of biodegradable agarose/gum neem/nanohydroxyapatite/polyoxyethylene sorbitan monooleate based edible bio-film for applications towards a circular economy. 2023 , 103023	0
7	Fabrication of novel gallic acid functionalized chitosan/pullulan active bio-films for the preservation and shelf-life extension of green chillies.	0
6	Physicochemical characteristics of Pangasius sp. skin-gelatin-based-edible film enriched with silver nanoparticles. 12, 160	O
5	High internal phase emulsions and edible films with high methoxyl pectin and pea protein isolate or sodium caseinate. 2023 , 140, 108605	0
4	Obtaining and characterization of bioplastics based on potato starch, aloe, and graphene. 2022 , 32,	О
3	Tannin improves the processability and delays the biodegradability of poly (lactic acid)-starch-based thermoset materials produced by injection molding made with renewable compounds. 2023 , 140,	0
2	Physical Quality and Microstructure of Casein-Sodium Tripholyphosphate Edible Film Making. 2023 , 147-154	О
1	Process of making rice paper from mango pur^ e. 2023 ,	O